



# Open Source Used In AppDynamics\_Cloud\_Common\_Inge stion\_Service 22.12.0

**Cisco Systems, Inc.**

[www.cisco.com](http://www.cisco.com)

Cisco has more than 200 offices worldwide.  
Addresses, phone numbers, and fax numbers  
are listed on the Cisco website at  
[www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Text Part Number: 78EE117C99-1508291004

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-1508291004

## Contents

- 1.1 commons-codec 1.15**
  - 1.1.1 Available under license
- 1.2 metrics-jvm 4.1.17**
  - 1.2.1 Available under license
- 1.3 failureaccess 1.0.1**
- 1.4 netty-tcnative-classes 2.0.50.Final**
  - 1.4.1 Available under license
- 1.5 jackson-module-guice 2.13.2**
  - 1.5.1 Available under license
- 1.6 kafka-schema-registry-client 5.5.1**
  - 1.6.1 Available under license
- 1.7 commons-compress 1.21**
  - 1.7.1 Available under license
- 1.8 dropwizard-logging 2.0.18**
  - 1.8.1 Available under license
- 1.9 jcl-over-slf4j 1.7.30**
  - 1.9.1 Available under license
- 1.10 javax-ws-rs-api 2.1.1**
- 1.11 okio 2.5.0**
  - 1.11.1 Available under license
- 1.12 metrics-jersey2 4.1.17**
  - 1.12.1 Available under license
- 1.13 jackson-module-afterburner 2.13.2**
  - 1.13.1 Available under license
- 1.14 netty-codec-http 4.1.74.Final**
  - 1.14.1 Available under license

- 1.15 jackson-jaxrs-base 2.13.2**
  - 1.15.1 Available under license
- 1.16 jersey-container-servlet 2.32**
  - 1.16.1 Available under license
- 1.17 common-utils 5.5.1**
  - 1.17.1 Available under license
- 1.18 netty-resolver 4.1.74.Final**
  - 1.18.1 Available under license
- 1.19 kafka-protobuf-serializer 5.5.1**
  - 1.19.1 Available under license
- 1.20 joda-time 2.10.9**
  - 1.20.1 Available under license
- 1.21 dropwizard-request-logging 2.0.18**
  - 1.21.1 Available under license
- 1.22 jersey-client 3.0.2**
  - 1.22.1 Available under license
- 1.23 accessors-smart 2.4.7**
  - 1.23.1 Available under license
- 1.24 jackson-module-parameter-names 2.13.2**
  - 1.24.1 Available under license
- 1.25 jcip-annotation 1.0-1**
  - 1.25.1 Available under license
- 1.26 bean-validation-api 2.0.1.Final**
  - 1.26.1 Available under license
- 1.27 apache-commons-text 1.10.0**
  - 1.27.1 Available under license
- 1.28 logback-throttling-appender 1.1.0**
  - 1.28.1 Available under license
- 1.29 hk2-utils 2.6.1**
  - 1.29.1 Available under license
- 1.30 commons-logging 1.1.1**
  - 1.30.1 Available under license
- 1.31 jakarta-el 4.0.2**
  - 1.31.1 Available under license
- 1.32 metrics-servlets 4.1.17**
  - 1.32.1 Available under license
- 1.33 httpcomponents-client 5.0.3**
  - 1.33.1 Available under license
- 1.34 resourcelocator 1.0.3**

- 1.34.1 Available under license
- 1.35 commons-lang3 3.12.0**
  - 1.35.1 Available under license
- 1.36 lz4 1.9.2**
  - 1.36.1 Available under license
- 1.37 jetty-servlet 11.0.6**
  - 1.37.1 Available under license
- 1.38 cloudevents-api 2.1.1**
  - 1.38.1 Available under license
- 1.39 protobuf-java 3.19.4**
  - 1.39.1 Available under license
- 1.40 jersey-container-servlet-core 2.32**
  - 1.40.1 Available under license
- 1.41 reflections 0.9.10**
  - 1.41.1 Available under license
- 1.42 netty 4.1.74.Final**
  - 1.42.1 Available under license
- 1.43 guava 31.0.1-jre**
  - 1.43.1 Available under license
- 1.44 jackson-xc 2.13.2**
  - 1.44.1 Available under license
- 1.45 guice 4.1.0**
  - 1.45.1 Available under license
- 1.46 kafka-avro-serializer 5.5.1**
  - 1.46.1 Available under license
- 1.47 argparse 0.8.1**
  - 1.47.1 Available under license
- 1.48 jackson-databind 2.13.2.2**
  - 1.48.1 Available under license
- 1.49 drop-wizard-metrics 2.0.18**
  - 1.49.1 Available under license
- 1.50 hdrhistogram 2.1.9**
  - 1.50.1 Available under license
- 1.51 metrics-health-checks 4.1.17**
  - 1.51.1 Available under license
- 1.52 snake-yaml 1.30**
  - 1.52.1 Available under license
- 1.53 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava**
- 1.54 opentracing-util 0.33.0**

- 1.54.1 Available under license
- 1.55 jackson-datatype-joda 2.13.2**
  - 1.55.1 Available under license
- 1.56 gson 2.8.9**
  - 1.56.1 Available under license
- 1.57 jersey-server 2.32**
  - 1.57.1 Available under license
- 1.58 jersey-entity-filtering 2.31**
  - 1.58.1 Available under license
- 1.59 dropwizard-jackson 2.0.18**
  - 1.59.1 Available under license
- 1.60 javax-annotation-api 1.3.2**
  - 1.60.1 Available under license
- 1.61 json-smart 2.4.7**
  - 1.61.1 Available under license
- 1.62 metrics-annotation 4.1.17**
  - 1.62.1 Available under license
- 1.63 jersey-metainf-services 2.32**
  - 1.63.1 Available under license
- 1.64 commons-configuration 1.8**
  - 1.64.1 Available under license
- 1.65 dropwizard-core 2.0.18**
  - 1.65.1 Available under license
- 1.66 netty-transport 4.1.74.Final**
  - 1.66.1 Available under license
- 1.67 metrics-json 4.1.17**
  - 1.67.1 Available under license
- 1.68 j2objc-annotations 1.3**
  - 1.68.1 Available under license
- 1.69 jersey 2.34**
  - 1.69.1 Available under license
- 1.70 avro 1.11.0**
  - 1.70.1 Available under license
- 1.71 jetty-io 11.0.6**
  - 1.71.1 Available under license
- 1.72 slf4j 1.7.29**
  - 1.72.1 Available under license
- 1.73 hibernate-validator 6.1.7.Final**
  - 1.73.1 Available under license

- 1.74 jetty-security 11.0.6**
  - 1.74.1 Available under license
- 1.75 classmate 1.5.1**
  - 1.75.1 Available under license
- 1.76 jetty-servlets 11.0.6**
  - 1.76.1 Available under license
- 1.77 protobuf-java-format 1.2**
  - 1.77.1 Available under license
- 1.78 jackson-jaxrs 2.13.2**
  - 1.78.1 Available under license
- 1.79 protobuf-java-util 3.20.1**
  - 1.79.1 Available under license
- 1.80 dropwizard-lifecycle 2.0.18**
  - 1.80.1 Available under license
- 1.81 common-config 5.5.1**
  - 1.81.1 Available under license
- 1.82 hk2-api 2.6.1**
  - 1.82.1 Available under license
- 1.83 cloudevents-core 2.1.1**
  - 1.83.1 Available under license
- 1.84 netty-handler-proxy 4.1.74.Final**
  - 1.84.1 Available under license
- 1.85 javassist 3.27.0-GA**
  - 1.85.1 Available under license
- 1.86 netty-handler 4.1.74.Final**
  - 1.86.1 Available under license
- 1.87 dropwizard-util 2.0.18**
  - 1.87.1 Available under license
- 1.88 jsr305 3.0.2**
  - 1.88.1 Available under license
- 1.89 commons-io 2.11.0**
  - 1.89.1 Available under license
- 1.90 netty-codec 4.1.74.Final**
  - 1.90.1 Available under license
- 1.91 jersey-hk2 2.32**
  - 1.91.1 Available under license
- 1.92 jersey-bean-validation 2.32**
  - 1.92.1 Available under license
- 1.93 jakarta.xml.bind.api 2.3.3**

- 1.93.1 Available under license
- 1.94 jersey-media-jaxb 2.32**
  - 1.94.1 Available under license
- 1.95 zstd-jni 1.5.0-2**
  - 1.95.1 Available under license
- 1.96 log4j-over-slf4j 1.7.30**
  - 1.96.1 Available under license
- 1.97 jakarta-inject 2.6.1**
  - 1.97.1 Available under license
- 1.98 metrics 4.1.17**
  - 1.98.1 Available under license
- 1.99 jackson-datatype-jdk8 2.13.2**
  - 1.99.1 Available under license
- 1.100 httpcomponents-core 5.0.2**
  - 1.100.1 Available under license
- 1.101 jakarta-inject-api 2.0.1**
  - 1.101.1 Available under license
- 1.102 lz4 1.9.1**
  - 1.102.1 Available under license
- 1.103 jboss-logging 3.3.2.Final**
  - 1.103.1 Available under license
- 1.104 jakarta-annotation-api 2.0.0**
  - 1.104.1 Available under license
- 1.105 metrics-jmx 4.1.17**
  - 1.105.1 Available under license
- 1.106 asm 9.1**
  - 1.106.1 Available under license
- 1.107 jackson-datatype-guava 2.13.2**
  - 1.107.1 Available under license
- 1.108 kafka-protobuf-provider 5.5.1**
  - 1.108.1 Available under license
- 1.109 activation-api 1.2.2**
  - 1.109.1 Available under license
- 1.110 swagger-annotations 1.6.0**
  - 1.110.1 Available under license
- 1.111 opentracing-api 0.33.0**
  - 1.111.1 Available under license
- 1.112 jetty 11.0.6**
  - 1.112.1 Available under license

- 1.113 nimbus-jose-jwt 9.15.2**
  - 1.113.1 Available under license
- 1.114 jackson 2.0.0**
  - 1.114.1 Available under license
- 1.115 jetty-setuid-java 1.0.4**
  - 1.115.1 Available under license
- 1.116 dropwizard-jetty 2.0.18**
  - 1.116.1 Available under license
- 1.117 error\_prone\_annotations 2.10.0**
  - 1.117.1 Available under license
- 1.118 jakarta-servlet-api 4.0.4**
  - 1.118.1 Available under license
- 1.119 okhttp 4.10.0**
  - 1.119.1 Available under license
- 1.120 cglib 3.2.0**
  - 1.120.1 Available under license
- 1.121 zstd 1.5.0**
  - 1.121.1 Available under license
- 1.122 dropwizard-validation 2.0.18**
  - 1.122.1 Available under license
- 1.123 opentracing-noop 0.33.0**
  - 1.123.1 Available under license
- 1.124 jctools-core 3.3.0**
  - 1.124.1 Available under license
- 1.125 animal-sniffer-annotation 1.0**
  - 1.125.1 Available under license
- 1.126 proto-google-common-protos 2.0.1**
  - 1.126.1 Available under license
- 1.127 jackson-datatype-jsr310 2.13.2**
  - 1.127.1 Available under license
- 1.128 httpcore5-h 5.0.2**
  - 1.128.1 Available under license
- 1.129 dropwizard-configuration 2.0.18**
  - 1.129.1 Available under license
- 1.130 jakarta-ws-rs-api 3.0.0**
  - 1.130.1 Available under license
- 1.131 servlet-api 2.4**
- 1.132 kafka-schema-serializer 5.5.1**
  - 1.132.1 Available under license

- 1.133 jakarta-validation-api 2.0.2**
  - 1.133.1 Available under license
- 1.134 dropwizard-jersey 2.0.18**
  - 1.134.1 Available under license
- 1.135 jul-to-slf4j 1.7.30**
  - 1.135.1 Available under license
- 1.136 lz4-java 1.7.1**
  - 1.136.1 Available under license
- 1.137 logback-core 1.2.11**
  - 1.137.1 Available under license
- 1.138 jsr311-api 1.1.1**
  - 1.138.1 Available under license
- 1.139 metrics-logback 4.1.17**
  - 1.139.1 Available under license
- 1.140 jackson-annotations 2.13.2**
  - 1.140.1 Available under license
- 1.141 cloudevents-kafka 2.1.1**
  - 1.141.1 Available under license
- 1.142 jackson-dataformat-yaml 2.13.2**
  - 1.142.1 Available under license
- 1.143 profiler 1.1.1**
  - 1.143.1 Available under license
- 1.144 netty-codec-socks 4.1.74.Final**
  - 1.144.1 Available under license
- 1.145 dropwizard-servlets 2.0.18**
  - 1.145.1 Available under license
- 1.146 annotations 13.0**
- 1.147 jetty-http 11.0.6**
  - 1.147.1 Available under license
- 1.148 jetty-util 11.0.6**
  - 1.148.1 Available under license
- 1.149 kotlin 1.6.10**
  - 1.149.1 Available under license
- 1.150 hk2-locator 2.6.1**
  - 1.150.1 Available under license
- 1.151 metrics-jetty 4.1.17**
  - 1.151.1 Available under license
- 1.152 animal-sniffer-annotation 1.19**
  - 1.152.1 Available under license

## 1.153 jersey-media-json-jackson 2.31

### 1.153.1 Available under license

# 1.1 commons-codec 1.15

## 1.1.1 Available under license :

Apache Commons Codec

Copyright 2002-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

`src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java`

contains test data from <http://aspell.net/test/orig/batch0.tab>.

Copyright (C) 2002 Kevin Atkinson ([kevina@gnu.org](mailto:kevina@gnu.org))

---

The content of package `org.apache.commons.codec.language.bm` has been translated from the original php source code available at <http://stevemorse.org/phoneticinfo.htm> with permission from the original authors.

Original source copyright:

Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.2 metrics-jvm 4.1.17

### 1.2.1 Available under license :

Apache-2.0

## 1.3 failureaccess 1.0.1

# 1.4 netty-tcnative-classes 2.0.50.Final

## 1.4.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2019 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1292984832_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-
jar/io/netty/internal/tcnative/SSLPrivateKeyMethod.java
* /opt/cola/permits/1292984832_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-
jar/io/netty/internal/tcnative/CertificateVerifierTask.java
* /opt/cola/permits/1292984832_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-
jar/io/netty/internal/tcnative/SSLPrivateKeyMethodSignTask.java
* /opt/cola/permits/1292984832_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-
jar/io/netty/internal/tcnative/SSLPrivateKeyMethodDecryptTask.java
* /opt/cola/permits/1292984832_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-
jar/io/netty/internal/tcnative/SSLPrivateKeyMethodTask.java
* /opt/cola/permits/1292984832_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-
jar/io/netty/internal/tcnative/SSLTask.java
* /opt/cola/permits/1292984832_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-
jar/io/netty/internal/tcnative/CertificateCallbackTask.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 */
```

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-  
jar/io/netty/internal/tcnative/SSLContext.java

\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-  
jar/io/netty/internal/tcnative/Buffer.java

\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-  
jar/io/netty/internal/tcnative/Library.java

\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-  
jar/io/netty/internal/tcnative/SSL.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-jar/io/netty/internal/tcnative/CertificateCallback.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-jar/io/netty/internal/tcnative/CertificateVerifier.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-jar/io/netty/internal/tcnative/AsyncSSLPrivateKeyMethodAdapter.java

\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-

jar/io/netty/internal/tcnative/AsyncTask.java  
\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-  
jar/io/netty/internal/tcnative/ResultCallback.java  
\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-  
jar/io/netty/internal/tcnative/AsyncSSLPrivateKeyMethod.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2020 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-  
jar/io/netty/internal/tcnative/SSLSession.java  
\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-  
jar/io/netty/internal/tcnative/SSLSessionCache.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2016 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-

jar/io/netty/internal/tcnative/CertificateRequestedCallback.java

\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-

jar/io/netty/internal/tcnative/SessionTicketKey.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2022 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-

jar/io/netty/internal/tcnative/CertificateCompressionAlgo.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-

jar/io/netty/internal/tcnative/SniHostNameMatcher.java

\* /opt/cola/permits/1292984832\_1648032404.68/0/netty-tcnative-classes-2-0-50-final-sources-

jar/io/netty/internal/tcnative/NativeStaticallyReferencedJniMethods.java

# 1.5 jackson-module-guice 2.13.2

## 1.5.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-guice` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.6 kafka-schema-registry-client 5.5.1

## 1.6.1 Available under license :

Confluent Community License Agreement

Version 1.0

This Confluent Community License Agreement Version 1.0 (the Agreement) sets

forth the terms on which Confluent, Inc. (Confluent) makes available certain

software made available by Confluent under this Agreement (the Software). BY

INSTALLING, DOWNLOADING, ACCESSING, USING OR DISTRIBUTING ANY OF THE SOFTWARE,

YOU AGREE TO THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE TO

SUCH TERMS AND CONDITIONS, YOU MUST NOT USE THE SOFTWARE. IF YOU ARE RECEIVING

THE SOFTWARE ON BEHALF OF A LEGAL ENTITY, YOU REPRESENT AND WARRANT THAT YOU

HAVE THE ACTUAL AUTHORITY TO AGREE TO THE TERMS AND CONDITIONS OF THIS AGREEMENT ON BEHALF OF SUCH ENTITY. Licensee means you, an individual, or the entity on whose behalf you are receiving the Software.

## 1. LICENSE GRANT AND CONDITIONS.

1.1 License. Subject to the terms and conditions of this Agreement, Confluent hereby grants to Licensee a non-exclusive, royalty-free, worldwide, non-transferable, non-sublicenseable license during the term of this Agreement to: (a) use the Software; (b) prepare modifications and derivative works of the Software; (c) distribute the Software (including without limitation in source code or object code form); and (d) reproduce copies of the Software (the License). Licensee is not granted the right to, and Licensee shall not, exercise the License for an Excluded Purpose. For purposes of this Agreement, Excluded Purpose means making available any software-as-a-service, platform-as-a-service, infrastructure-as-a-service or other similar online service that competes with Confluent products or services that provide the Software.

1.2 Conditions. In consideration of the License, Licensees distribution of the Software is subject to the following conditions:

(a) Licensee must cause any Software modified by Licensee to carry prominent notices stating that Licensee modified the Software.

(b) On each Software copy, Licensee shall reproduce and not remove or alter all Confluent or third party copyright or other proprietary notices contained in the Software, and Licensee must provide the notice below with each copy.

This software is made available by Confluent, Inc., under the terms of the Confluent Community License Agreement, Version 1.0 located at <http://www.confluent.io/confluent-community-license>. BY INSTALLING, DOWNLOADING, ACCESSING, USING OR DISTRIBUTING ANY OF THE SOFTWARE, YOU AGREE TO THE TERMS OF SUCH LICENSE AGREEMENT.

1.3 Licensee Modifications. Licensee may add its own copyright notices to modifications made by Licensee and may provide additional or different license terms and conditions for use, reproduction, or distribution of Licensees modifications. While redistributing the Software or modifications thereof, Licensee may choose to offer, for a fee or free of charge, support, warranty, indemnity, or other obligations. Licensee, and not Confluent, will be responsible for any such obligations.

1.4 No Sublicensing. The License does not include the right to sublicense the Software, however, each recipient to which Licensee provides the Software may exercise the Licenses so long as such recipient agrees to the terms and conditions of this Agreement.

2. **TERM AND TERMINATION.** This Agreement will continue unless and until earlier terminated as set forth herein. If Licensee breaches any of its conditions or obligations under this Agreement, this Agreement will terminate automatically and the License will terminate automatically and permanently.

3. **INTELLECTUAL PROPERTY.** As between the parties, Confluent will retain all right, title, and interest in the Software, and all intellectual property rights therein. Confluent hereby reserves all rights not expressly granted to Licensee in this Agreement. Confluent hereby reserves all rights in its trademarks and service marks, and no licenses therein are granted in this Agreement.

4. **DISCLAIMER.** CONFLUENT HEREBY DISCLAIMS ANY AND ALL WARRANTIES AND CONDITIONS, EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE, AND SPECIFICALLY DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE SOFTWARE.

5. **LIMITATION OF LIABILITY.** CONFLUENT WILL NOT BE LIABLE FOR ANY DAMAGES OF ANY KIND, INCLUDING BUT NOT LIMITED TO, LOST PROFITS OR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL, INDIRECT, OR DIRECT DAMAGES, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, ARISING OUT OF THIS AGREEMENT. THE FOREGOING SHALL APPLY TO THE EXTENT PERMITTED BY APPLICABLE LAW.

#### 6. GENERAL.

6.1 **Governing Law.** This Agreement will be governed by and interpreted in accordance with the laws of the state of California, without reference to its conflict of laws principles. If Licensee is located within the United States, all disputes arising out of this Agreement are subject to the exclusive jurisdiction of courts located in Santa Clara County, California, USA. If Licensee is located outside of the United States, any dispute, controversy or claim arising out of or relating to this Agreement will be referred to and finally determined by arbitration in accordance with the JAMS International Arbitration Rules. The tribunal will consist of one arbitrator. The place of arbitration will be Palo Alto, California. The language to be used in the arbitral proceedings will be English. Judgment upon the award rendered by the arbitrator may be entered in any court having jurisdiction thereof.

6.2 **Assignment.** Licensee is not authorized to assign its rights under this Agreement to any third party. Confluent may freely assign its rights under this Agreement to any third party.

6.3 **Other.** This Agreement is the entire agreement between the parties regarding the subject matter hereof. No amendment or modification of this Agreement will be valid or binding upon the parties unless made in

writing and signed by the duly authorized representatives of both parties. In the event that any provision, including without limitation any condition, of this Agreement is held to be unenforceable, this Agreement and all licenses and rights granted hereunder will immediately terminate. Waiver by Confluent of a breach of any provision of this Agreement or the failure by Confluent to exercise any right hereunder will not be construed as a waiver of any subsequent breach of that right or as a waiver of any other right.

Apache Kafka

Copyright 2016 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This distribution has a binary dependency on jersey, which is available under the CDDL License. The source code of jersey can be found at <https://github.com/jersey/jersey/>.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Java ClassMate library was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi))

Other developers who have contributed code are:

\* Brian Langel

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

```
http://www.apache.org/licenses/LICENSE-2.0
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="description" content="Home page of The Apache Software Foundation">

  <link rel="apple-touch-icon" sizes="57x57" href="/favicons/apple-touch-icon-57x57.png">
  <link rel="apple-touch-icon" sizes="60x60" href="/favicons/apple-touch-icon-60x60.png">
  <link rel="apple-touch-icon" sizes="72x72" href="/favicons/apple-touch-icon-72x72.png">
  <link rel="apple-touch-icon" sizes="76x76" href="/favicons/apple-touch-icon-76x76.png">
  <link rel="apple-touch-icon" sizes="114x114" href="/favicons/apple-touch-icon-114x114.png">
  <link rel="apple-touch-icon" sizes="120x120" href="/favicons/apple-touch-icon-120x120.png">
  <link rel="apple-touch-icon" sizes="144x144" href="/favicons/apple-touch-icon-144x144.png">
  <link rel="apple-touch-icon" sizes="152x152" href="/favicons/apple-touch-icon-152x152.png">
  <link rel="apple-touch-icon" sizes="180x180" href="/favicons/apple-touch-icon-180x180.png">
  <link rel="icon" type="image/png" href="/favicons/favicon-32x32.png" sizes="32x32">
  <link rel="icon" type="image/png" href="/favicons/favicon-194x194.png" sizes="194x194">
  <link rel="icon" type="image/png" href="/favicons/favicon-96x96.png" sizes="96x96">
  <link rel="icon" type="image/png" href="/favicons/android-chrome-192x192.png" sizes="192x192">
  <link rel="icon" type="image/png" href="/favicons/favicon-16x16.png" sizes="16x16">
  <link rel="manifest" href="/favicons/manifest.json">
  <link rel="shortcut icon" href="/favicons/favicon.ico">
  <meta name="msapplication-TileColor" content="#603cba">
  <meta name="msapplication-TileImage" content="/favicons/mstile-144x144.png">
  <meta name="msapplication-config" content="/favicons/browserconfig.xml">
  <meta name="theme-color" content="#303284">

  <title>Apache License, Version 2.0</title>
  <link href='https://fonts.googleapis.com/css?family=Source+Sans+Pro:400,700%7cDroid+Serif:400,700'
rel='stylesheet' type='text/css'>
  <link href="/css/min.bootstrap.css" rel="stylesheet">
  <link href="/css/styles.css" rel="stylesheet">

  <!-- Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See
the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF
licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file
except in compliance with the License. You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0 . Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing
permissions and limitations under the License. -->

</head>
```

```

<body>
<!-- Navigation -->
<header>
<nav class="navbar navbar-default navbar-fixed-top">
  <div class="container">
    <div class="navbar-header">
      <button class="navbar-toggle" type="button" data-toggle="collapse" data-target="#mainnav-collapse">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a href="#" class="navbar-brand"><span class="glyphicon glyphicon-home"></span></a>
    </div>
    <div class="collapse navbar-collapse" id="mainnav-collapse">
      <div style="line-height:20px; padding-top:5px; float:left"><a href="/">Home</a>&nbsp;&raquo;&nbsp;&lt;a href="/licenses/">Licenses</a></div>
      <ul class="nav navbar-nav navbar-right">
        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-toggle="dropdown">About <span class="caret"></span></a>
          <ul class="dropdown-menu" role="menu">
            <li><a href="/foundation">Overview</a></li>
            <li><a href="/foundation/members.html">Members</a></li>
            <li><a href="/foundation/how-it-works.html">Process</a></li>
            <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
            <li><a href="/foundation/glossary.html">Glossary</a></li>
            <li><a href="/foundation/preFAQ.html">FAQ</a></li>
            <li><a href="/foundation/contact.html">Contact</a></li>
          </ul>
        </li>
        <li><a href="/index.html#projects-list">Projects</a></li>
        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-toggle="dropdown">People <span class="caret"></span></a>
          <ul class="dropdown-menu" role="menu">
            <li><a href="http://people.apache.org/">Overview</a></li>
            <li><a href="http://people.apache.org/committer-index.html">Committers</a></li>
            <li><a href="/foundation/how-it-works.html#meritocracy">Meritocracy</a></li>
            <li><a href="/foundation/how-it-works.html#roles">Roles</a></li>
            <li><a href="http://planet.apache.org/">Planet Apache</a></li>
          </ul>
        </li>
        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-toggle="dropdown">Get Involved <span class="caret"></span></a>
          <ul class="dropdown-menu" role="menu">
            <li><a href="/foundation/getinvolved.html">Overview</a></li>
            <li><a href="http://community.apache.org/">Community Development</a></li>
            <li><a href="http://helpwanted.apache.org/">Help Wanted</a></li>
          </ul>
        </li>
      </ul>
    </div>
  </div>
</nav>

```

```

    <li><a href="http://www.apachecon.com/">ApacheCon</a></li>
  </ul>
</li>
  <li><a href="/dyn/closer.cgi">Download</a></li>
  <li class="dropdown">
    <a href="#" class="dropdown-toggle" data-toggle="dropdown">Support Apache <span
class="caret"></span></a>
    <ul class="dropdown-menu" role="menu">
      <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
      <li><a href="/foundation/contributing.html">Donations</a></li>
      <li><a href="/foundation/buy_stuff.html">Buy Stuff</a></li>
      <li><a href="/foundation/thanks.html">Thanks</a></li>
    </ul>
  </li>
</ul>
</div>
</div>
</nav>
</header>
<!-- / Navigation -->
<div class="container">
  <div class="row">
    <div class="col-md-9 col-sm-8 col-xs-12">
      
    </div>
    <div class="col-md-3 col-sm-4 col-xs-12">
      <div class="input-group" style="margin-bottom: 5px;">
        <script>
(function() {
var cx = '005703438322411770421:5mgshgrgx2u';
var gcse = document.createElement('script');
gcse.type = 'text/javascript';
gcse.async = true;
gcse.src = (document.location.protocol == 'https:' ? 'https:' : 'http:') +
  '//cse.google.com/cse.js?cx=' + cx;
var s = document.getElementsByTagName('script')[0];
s.parentNode.insertBefore(gcse, s);
})();
</script>
  <gcse:searchbox-only></gcse:searchbox-only>
</div>
  <a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/governance/">The Apache Way</a>
  <a role="button" class="btn btn-block btn-default btn-xs"
href="https://community.apache.org/contributors/">Contribute</a>
  <a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/thanks.html">ASF Sponsors</a>
</div>
</div>
</div>

```

```

<div class="container"><style type="text/css">
/* The following code is added by mdx_elementid.py
  It was originally lifted from http://subversion.apache.org/style/site.css */
/*
* Hide class="elementid-permalink", except when an enclosing heading
* has the :hover property.
*/
.headerlink, .elementid-permalink {
visibility: hidden;
}
h2:hover > .headerlink, h3:hover > .headerlink, h1:hover > .headerlink, h6:hover > .headerlink, h4:hover >
.headerlink, h5:hover > .headerlink, dt:hover > .elementid-permalink { visibility: visible }</style>
<p>Apache License<br><br>Version 2.0, January 2004<br></br>
<a href="http://www.apache.org/licenses/">http://www.apache.org/licenses/</a> </p>
<p>TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION</p>
<p><strong><a name="definitions">1. Definitions</a></strong>.</p>
<p>"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.</p>
<p>"Licensor" shall mean the copyright owner or entity authorized by the
copyright owner that is granting the License.</p>
<p>"Legal Entity" shall mean the union of the acting entity and all other
entities that control, are controlled by, or are under common control with
that entity. For the purposes of this definition, "control" means (i) the
power, direct or indirect, to cause the direction or management of such
entity, whether by contract or otherwise, or (ii) ownership of fifty
percent (50%) or more of the outstanding shares, or (iii) beneficial
ownership of such entity.</p>
<p>"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.</p>
<p>"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation source,
and configuration files.</p>
<p>"Object" form shall mean any form resulting from mechanical transformation
or translation of a Source form, including but not limited to compiled
object code, generated documentation, and conversions to other media types.</p>
<p>"Work" shall mean the work of authorship, whether in Source or Object form,
made available under the License, as indicated by a copyright notice that
is included in or attached to the work (an example is provided in the
Appendix below).</p>
<p>"Derivative Works" shall mean any work, whether in Source or Object form,
that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as
a whole, an original work of authorship. For the purposes of this License,
Derivative Works shall not include works that remain separable from, or
merely link (or bind by name) to the interfaces of, the Work and Derivative
Works thereof.</p>
<p>"Contribution" shall mean any work of authorship, including the original
version of the Work and any modifications or additions to that Work or

```

Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

**2. Grant of Copyright License**. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

**3. Grant of Patent License**. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

**4. Redistribution**. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

-

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to

any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

**5. Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

**6. Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

**7. Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

**8. Limitation of Liability**. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

**9. Accepting Warranty or Additional Liability**. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

**APPENDIX: How to apply the Apache License to your work**

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

```
Copyright [yyyy] [name of copyright owner]
```

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
</pre></div></div>
```

`<!-- Footer -->`

```

<footer class="bg-primary">
<div class="container">
  <div class="row">
    <br />
    <div class="col-sm-1">

</div>
<div class="col-sm-2">
  <h5 class="white">Community</h5>
  <ul class="list-unstyled white" role="menu">
<li><a href="http://community.apache.org/">Overview</a></li>
<li><a href="/foundation/conferences.html">Conferences</a></li>
<li><a href="http://community.apache.org/gsoc.html">Summer of Code</a></li>
<li><a href="http://community.apache.org/newcomers/">Getting Started</a></li>
<li><a href="/foundation/how-it-works.html">The Apache Way</a></li>
<li><a href="/travel/">Travel Assistance</a></li>
<li><a href="/foundation/getinvolved.html">Get Involved</a></li>
<li><a href="http://community.apache.org/newbiefaq.html">Community FAQ</a></li>
  </ul>
</div>

<div class="col-sm-2">
<h5 class="white">Innovation</h5>
  <ul class="list-unstyled white" role="menu">
<li><a href="http://incubator.apache.org/">Incubator</a></li>
<li><a href="http://labs.apache.org/">Labs</a></li>
<li><a href="/licenses/">Licensing</a></li>
<li><a href="/foundation/license-faq.html">Licensing FAQ</a></li>
<li><a href="/foundation/marks/">Trademark Policy</a></li>
<li><a href="/foundation/contact.html">Contacts</a></li>
  </ul>
</div>

<div class="col-sm-2">
<h5 class="white">Tech Operations</h5>
  <ul class="list-unstyled white" role="menu">
<li><a href="/dev/">Developer Information</a></li>
<li><a href="/dev/infrastructure.html">Infrastructure</a></li>
<li><a href="/security/">Security</a></li>
<li><a href="http://status.apache.org">Status</a></li>
<li><a href="/foundation/contact.html">Contacts</a></li>
  </ul>
</div>

<div class="col-sm-2">
<h5 class="white">Press</h5>
  <ul class="list-unstyled white" role="menu">
<li><a href="/press/">Overview</a></li>

```

```
<li><a href="https://blogs.apache.org/">ASF News</a></li>
<li><a href="https://blogs.apache.org/foundation/">Announcements</a></li>
<li><a href="https://twitter.com/TheASF">Twitter Feed</a></li>
<li><a href="/press/#contact">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-2">
<h5 class="white">Legal</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="/legal/">Legal Affairs</a></li>
<li><a href="/licenses/">Licenses</a></li>
<li><a href="/foundation/marks/">Trademark Policy</a></li>
<li><a href="/foundation/records/">Public Records</a></li>
<li><a href="/foundation/policies/privacy.html">Privacy Policy</a></li>
<li><a href="/licenses/exports/">Export Information</a></li>
<li><a href="/foundation/license-faq.html">License/Distribution FAQ</a></li>
<li><a href="/foundation/contact.html">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-1">
</div>
```

```
</div>
<hr class="col-lg-12 hr-white" />
<div class="row">
<div class="col-lg-12">
<p class="text-center">Copyright © 2016 The Apache Software Foundation, Licensed under the <a
class="white" href="http://www.apache.org/licenses/LICENSE-2.0">Apache License, Version 2.0</a>.</p>
<p class="text-center">Apache and the Apache feather logo are trademarks of The Apache Software
Foundation.</p>
</div>
</div>
</div>
```

```
</footer>
```

```
<!-- / Footer -->
```

```
<script src="/js/jquery-2.1.1.min.js"></script>
<script src="/js/bootstrap.js"></script>
</body>
</html>
```

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This copy of Jackson JSON processor annotations is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>301 Moved Permanently</title>
</head><body>
<h1>Moved Permanently</h1>
<p>The document has moved <a href="https://opensource.org/licenses/mit-license.php">here</a>.</p>
</body></html>
```

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: schema-registry

Source: <https://github.com/confluentinc/schema-registry>

Files: \*

Copyright: 2018 Confluent, Inc.

License: Apache-2

Files: core/\*

Copyright: 2015 Confluent, Inc.

License: Confluent Community License

License: Confluent Community License

Licensed under the Confluent Community License; you may not use this file except in compliance with the License. You may obtain a copy of the License at

.

<http://www.confluent.io/confluent-community-license>

.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

WARRANTIES OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

License: Apache-2

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

.  
<http://www.apache.org/licenses/LICENSE-2.0>  
.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

.  
On Debian systems, the Apache 2.0 license can be found in  
</usr/share/common-licenses/Apache-2.0>.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This distribution has a binary dependency on jersey, which is available under the CDDL License as described below.

### COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL - Version 1.1)

#### 1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the

combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may

create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT

APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The following commands were used to generate license and notice files. Replace <VERSION> with the Schema Registry version, <SRC\_PATH> with the path to the Schema Registry source directory, and <LICENSE\_TOOL\_PATH> with the path of the license tool.

```
cd <SRC_PATH>
mvn package -DskipTests
mkdir /tmp/jars
```

```
mkdir /tmp/overrides
cp package-schema-registry/target/kafka-schema-registry-package-<VERSION>-package/share/java/schema-registry/*.jar /tmp/jars/
cp package-kafka-serde-tools/target/kafka-serde-tools-package-<VERSION>-package/share/java/kafka-serde-tools/*.jar /tmp/jars/
cd <LICENSE_TOOL_PATH>
./bin/run_license_job.bash -i /tmp/jars -l <SRC_PATH>/licenses -n <SRC_PATH>/notices -h
<SRC_PATH>/licenses-and-notices.html -o /tmp/overrides
```

Apache Avro

Copyright 2009-2014 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"

"<http://www.w3.org/TR/html4/loose.dtd>">

<html lang="en-US">

<head>

<title>GlassFish Dual License Header and License Notice GPL v2 and CDDL</title>

<meta http-equiv="content-type" content="text/html; charset=UTF-8">

<style type="text/css">

li {display: block;}

</style>

</head>

<body leftmargin="0" topmargin="0" marginheight="0" marginwidth="0" bgcolor="#ffffff">

<h3>COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0</h3>

<ul>

<li><p><b>1. Definitions.</b></p>

<ul>

<li>

<p>

<b>1.1. &ldquo;Contributor&rdquo;</b> means each individual or entity that creates or contributes to the creation of Modifications.

</p>

</li>

<li>

<p>

<b>1.2. &ldquo;Contributor Version&rdquo;</b> means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

</p>

</li>

<li>

<p>

<b>1.3. &ldquo;Covered Software&rdquo;</b> means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

</p>

</li>

<li>

<p>

<b>1.4. &ldquo;Executable&rdquo;</b> means the Covered Software in any form other than Source Code.

</p>

</li>

<li>

<p>

<b>1.5. &ldquo;Initial Developer&rdquo;</b> means the individual or entity that first makes Original Software available under this License.

</p>

</li>

<li>

<p>

<b>1.6. &ldquo;Larger Work&rdquo;</b> means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

</p>

</li>

<li>

<p>

<b>1.7. &ldquo;License&rdquo;</b> means this document.

</p>

</li>

<li>

<p>

<b>1.8. &ldquo;Licensable&rdquo;</b> means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

</p>

</li>

<li>

<p>

<b>1.9. &ldquo;Modifications&rdquo;</b> means the Source Code and Executable form of any of the following:

</p>

<ul>

<li>

<p>

<b>A.</b> Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

</p>

</li>

<li>

<p>

<b>B.</b> Any new file that contains any part of the Original Software or previous Modification; or

</p>

</li>

<li>

<p>

<b>C.</b> Any new file that is contributed or otherwise made available under the terms of this License.

</p>

</li>

</ul>

</li>

<li>

<p>

<b>1.10. &ldquo;Original Software&rdquo;</b> means the Source Code and Executable form of computer software code that is originally released under this License.

</p>

</li>

<li>

<p>

<b>1.11. &ldquo;Patent Claims&rdquo;</b> means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

</p>

</li>

</li>  
<p>  
<b>1.12. &ldquo;Source Code&rdquo;</b> means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.  
</p>  
</li>

</li>  
<p>  
<b>1.13. &ldquo;You&rdquo; (or &ldquo;Your&rdquo;)</b> means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, &ldquo;You&rdquo; includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, &ldquo;control&rdquo; means (a) &nbsp;the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) &nbsp;ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.  
</p>  
</li>  
</ul>  
</li>

</li>  
<p><b>2. License Grants.</b></p>  
<ul>  
<li>  
<p><b>2.1. The Initial Developer Grant.</b></p>  
<p>  
Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:  
</p>  
<ul>  
<li>  
<p>  
<b>(a)</b> under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or

as part of a Larger Work; and

</p>

</li>

<li>

<p>

<b>(b)</b> under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

</p>

</li>

<li>

<p>

<b>(c)</b> The licenses granted in Sections&nbsp;2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

</p>

</li>

<li>

<p>

<b>(d)</b> Notwithstanding Section&nbsp;2.1(b) above, no patent license is granted: (1)&nbsp;for code that You delete from the Original Software, or (2)&nbsp;for infringements caused by: (i)&nbsp;the modification of the Original Software, or (ii)&nbsp;the combination of the Original Software with other software or devices.

</p>

</li>

</ul>

</li>

<li>

<p><b>2.2. Contributor Grant.</b></p>

<p>

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

</p>

<ul>

<li>

<p>

<b>(a)</b> under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by

such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

</p>

</li>

<li>

<p>

<b>(b)</b> under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

</p>

</li>

<li>

<p>

<b>(c)</b> The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

</p>

</li>

<li>

<p>

<b>(d)</b> Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

</p>

</li>

</ul>

</li>

</ul>

</li>

<li>

<p><b>3. Distribution Obligations.</b></p>

<ul>

<li>

<p><b>3.1. Availability of Source Code.</b></p>

<p>

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

</p>

</li>

<li>

<p><b>3.2. Modifications.</b></p>

<p>

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

</p>

</li>

<li>

<p><b>3.3. Required Notices.</b></p>

<p>

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

</p>

</li>

<li>

<p><b>3.4. Application of Additional Terms.</b></p>

<p>

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients’ rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more

recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

</p>

</li>

<li>

<p><b>3.5. Distribution of Executable Versions.</b></p>

<p>

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

</p>

</li>

<li>

<p><b>3.6. Larger Works.</b></p>

<p>

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

</p>

</li>

</ul>

</li>

<li>

<p><b>4. Versions of the License.</b></p>

- 4.1. New Versions.**

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.
- 4.2. Effect of New Versions.**

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.
- 4.3. Modified Versions.**

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You:

  - (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and
  - (b) otherwise make it clear that the license contains terms which differ from this License.
- 5. DISCLAIMER OF WARRANTY.**

<p>  
COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN  
&ldquo;AS IS&rdquo; BASIS, WITHOUT WARRANTY OF ANY KIND,  
EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION,  
WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS,  
MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT.  
THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE  
COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE  
PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER  
OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY  
SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY  
CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY  
COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS  
DISCLAIMER.

</p>

</li>

<li>

<p><b>6. TERMINATION.</b></p>

<ul>

<li>

<p>

<b>6.1.</b> This License and the rights granted  
hereunder will terminate automatically if You fail to comply  
with terms herein and fail to cure such breach within 30  
days of becoming aware of the breach. Provisions which, by  
their nature, must remain in effect beyond the termination  
of this License shall survive.

</p>

</li>

<li>

<p>

<b>6.2.</b> If You assert a patent infringement claim  
(excluding declaratory judgment actions) against Initial Developer  
or a Contributor (the Initial Developer or Contributor against whom  
You assert such claim is referred to as &ldquo;Participant&rdquo;)  
alleging that the Participant Software (meaning the Contributor  
Version where the Participant is a Contributor or the Original Software  
where the Participant is the Initial Developer) directly or indirectly  
infringes any patent, then any and all rights granted directly or  
indirectly to You by such Participant, the Initial Developer (if the  
Initial Developer is not the Participant) and all Contributors under  
Sections&nbsp;2.1 and/or 2.2 of this License shall, upon 60 days notice  
from Participant terminate prospectively and automatically at the  
expiration of such 60 day notice period, unless if within such 60 day  
period You withdraw Your claim with respect to the Participant Software  
against such Participant either unilaterally or pursuant to a written  
agreement with Participant.

</p>

</li>

<li>

<p>

**6.3.** In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

</p>

</li>

</ul>

</li>

<li>

**7. LIMITATION OF LIABILITY.**

<p>

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

</p>

</li>

<li>

**8. U.S. GOVERNMENT END USERS.**

<p>

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered

Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

</p>

</li>

<li>

<p><b>9. MISCELLANEOUS.</b></p>

<p>

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

</p>

</li>

<li>

<p><b>10. RESPONSIBILITY FOR CLAIMS.</b></p>

<p>

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

</p>

</li>

<li>

<p>

<b>

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT  
AND DISTRIBUTION LICENSE (CDDL)

</b>

</p>

<p>

The code released under the CDDL shall be governed by the laws  
of the State of California (excluding conflict-of-law provisions).

Any litigation relating to this License shall be subject to the  
jurisdiction of the Federal Courts of the Northern District of  
California and the state courts of the State of California, with  
venue lying in Santa Clara County, California.

</p>

</li>

</ul>

<h3>The GNU General Public License (GPL) Version 2, June 1991</h3>

<p>

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

</p>

<p>

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

</p>

<p><b>Preamble</b></p>

<p>

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
License is intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.  
This General Public License applies to most of the Free Software  
Foundation's software and to any other program whose authors commit  
to using it. (Some other Free Software Foundation software is covered  
by the GNU Library General Public License instead.) You can apply it  
to your programs, too.

</p>

<p>

When we speak of free software, we are referring to freedom, not  
price. Our General Public Licenses are designed to make sure that  
you have the freedom to distribute copies of free software (and  
charge for this service if you wish), that you receive source code

or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

</p>

<p>

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

</p>

<p>

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

</p>

<p>

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

</p>

<p>

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

</p>

<p>

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

</p>

<p>

The precise terms and conditions for copying, distribution and modification follow.

</p>

<p><b>TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION</b></p>

<ul style="margin-left:0; padding-left:0; border-left:0">

<li>

<p>

<b>0.</b> This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be

distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

</p>

<p>

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

</p>

</li>

<li>

<p>

**1.** You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

</p>

<p>

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

</p>

</li>

<li>

<p>

**2.** You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

</p>

<ul>

<li>

<p>

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

</p>

</li>

<li>

<p>

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

</p>

</li>

<li>

<p>

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

</p>

</li>

</ul>

<p>

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

</p>

<p>

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

</p>

<p>

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

</p>

</li>

<li>

<p>

**3.** You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to

copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

</p>

</li>

<li>

<p>

**4.** You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

</p>

</li>

<li>

<p>

**5.** You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

</p>

</li>

<li>

<p>

**6.** Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

</p>

</li>

<li>

<p>

**7.** If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy

simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

</p>

<p>

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

</p>

<p>

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

</p>

<p>

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

</p>

</li>

<li>

<p>

**8.** If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

</p>

</li>

<li>

<p>

**9.** The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

</p>

<p>

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

</p>

</li>

<li>

<p>

**10.** If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

</p>

</li>

<li>

<p>NO WARRANTY</p>

</li>

<li>

<p>

**11.** BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

</p>

</li>

<li>

<p>

**12.** IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),  
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH  
DAMAGES.

</p>

</li>

<li>

<p>END OF TERMS AND CONDITIONS</p>

</li>

<li>

<p><b>How to Apply These Terms to Your New Programs</b></p>

<p>

If you develop a new program, and you want it to be of the greatest possible  
use to the public, the best way to achieve this is to make it free software  
which everyone can redistribute and change under these terms.

</p>

<p>

To do so, attach the following notices to the program. It is safest to attach  
them to the start of each source file to most effectively convey the exclusion  
of warranty; and each file should have at least the "copyright" line and a  
pointer to where the full notice is found.

</p>

<ul>

<li>

<p>

One line to give the program's name and a brief idea of what it does.

</p>

</li>

<li>

<p>

Copyright (C) <year> <name of author>

</p>

</li>

<li>

<p>

This program is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License as published by the  
Free Software Foundation; either version 2 of the License, or (at your  
option) any later version.

</p>

</li>

<li>

<p>

This program is distributed in the hope that it will be useful, but  
WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY  
or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
for more details.

</p>

</li>

<li>

<p>

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

</p>

</li>

</ul>

<p>

Also add information on how to contact you by electronic and paper mail.

</p>

<p>

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

</p>

<ul>

<li>

<p>

Gnomovision version 69, Copyright (C) year name of author<br />  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

</p>

</li>

</ul>

<p>

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

</p>

<p>

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

</p>

<ul>

<li>

<p>

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

</p>

<p>

signature of Ty Coon, 1 April 1989<br />

Ty Coon, President of Vice

</p>

</li>

</ul>

<p>

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

</p>

</li>

<li style="background-color:yellow;">

<p><b>"CLASSPATH" EXCEPTION TO THE GPL VERSION 2</b></p>

<p>

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words<br />

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

</p>

<p>

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

</p>

<p>

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

</p>

</li>

</ul>

</body>

</html>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"

"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

```

<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />
<title>Untitled Document</title>
</head>

<body>
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML>
<!-- @page { margin: 0.79in } P { margin-bottom: 0.08in } H1 { margin-top: 0in; margin-bottom: 0.17in; widows:
0; orphans: 0 } H1.western { font-family: "Times New Roman", serif; font-size: 12pt; font-weight: normal } H1.cjk
{ font-family: "Andale Sans UI"; font-size: 12pt; font-weight: normal } H1.ctl { font-family: "Tahoma"; font-size:
12pt; font-weight: normal } -->
<BODY DIR="LTR">
<p><strong>COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1</strong></p>
<p>1. Definitions.</p>
<blockquote>1.1. &ldquo;Contributor&rdquo; means each individual or entity that creates or contributes to the
creation of Modifications.</blockquote>
<blockquote>1.2. &ldquo;Contributor Version&rdquo; means the combination of the Original Software, prior
Modifications used by a Contributor (if any), and the Modifications made by that particular
Contributor.</blockquote>
<blockquote>1.3. &ldquo;Covered Software&rdquo; means (a) the Original Software, or (b) Modifications, or (c)
the combination of files containing Original Software with files containing Modifications, in each case including
portions thereof.</blockquote>
<blockquote>1.4. &ldquo;Executable&rdquo; means the Covered Software in any form other than Source
Code.</blockquote>
<blockquote>1.5. &ldquo;Initial Developer&rdquo; means the individual or entity that first makes Original
Software available under this License.</blockquote>
<blockquote>1.6. &ldquo;Larger Work&rdquo; means a work which combines Covered Software or portions
thereof with code not governed by the terms of this License.</blockquote>
<blockquote>1.7. &ldquo;License&rdquo; means this document.</blockquote>
<blockquote>1.8. &ldquo;Licensable&rdquo; means having the right to grant, to the maximum extent possible,
whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed
herein.</blockquote>
<blockquote>1.9. &ldquo;Modifications&rdquo; means the Source Code and Executable form of any of the
following:</blockquote>
<blockquote>A. Any file that results from an addition to, deletion from or modification of the contents of a file
containing Original Software or previous Modifications;</blockquote>
<blockquote>B. Any new file that contains any part of the Original Software or previous Modification;
or</blockquote>
<blockquote>C. Any new file that is contributed or otherwise made available under the terms of this
License.</blockquote>
<blockquote>1.10. &ldquo;Original Software&rdquo; means the Source Code and Executable form of computer
software code that is originally released under this License.</blockquote>
<blockquote>1.11. &ldquo;Patent Claims&rdquo; means any patent claim(s), now owned or hereafter acquired,
including without limitation, method, process, and apparatus claims, in any patent Licensable by
grantor.</blockquote>
<blockquote>1.12. &ldquo;Source Code&rdquo; means (a) the common form of computer software code in which
modifications are made and (b) associated documentation included in or with such code.</blockquote>
<blockquote>1.13. &ldquo;You&rdquo; (or &ldquo;Your&rdquo;) means an individual or a legal entity exercising

```

rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in

Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.</blockquote>

### <blockquote>3.2. Modifications.</blockquote>

<blockquote>The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.</blockquote>

### <blockquote>3.3. Required Notices.</blockquote>

<blockquote>You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.</blockquote>

### <blockquote>3.4. Application of Additional Terms.</blockquote>

<blockquote>You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.</blockquote>

### <blockquote>3.5. Distribution of Executable Versions.</blockquote>

<blockquote>You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.</blockquote>

### <blockquote>3.6. Larger Works.</blockquote>

<blockquote>You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.</blockquote>

## <p>4. Versions of the License.</p>

### <blockquote>4.1. New Versions.</blockquote>

<blockquote>Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.</blockquote>

### <blockquote>4.2. Effect of New Versions.</blockquote>

<blockquote>You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.</blockquote>

### <blockquote>4.3. Modified Versions.</blockquote>

<blockquote>When You are an Initial Developer and You want to create a new license for Your Original Software,

You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.</blockquote>

<p>5. DISCLAIMER OF WARRANTY.</p>

<blockquote>

<p>COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.</p>

</blockquote>

<p>6. TERMINATION.</p>

<blockquote>6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.</blockquote>

<blockquote>6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.</blockquote>

<blockquote>6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.</blockquote>

<blockquote>6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.</blockquote>

<p>7. LIMITATION OF LIABILITY.</p>

<blockquote>

<p>UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT

APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

**The GNU General Public License (GPL) Version 2, June 1991**

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

**Preamble**

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

**TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION**

**0**. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

**1**. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate

copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

**2**. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

**3**. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which

the executable runs, unless that component itself accompanies the executable.</p>

<p>If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.</p>

<p><strong>4</strong>. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.</p>

<p><strong>5</strong>. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.</p>

<p><strong>6</strong>. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.</p>

<p><strong>7</strong>. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.</p>

<p>If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.</p>

<p>It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.</p>

<p>This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.</p>

<p><strong>8</strong>. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.</p>

<p><strong>9</strong>. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.</p>

<p>Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free

Software Foundation.</p>

<p><strong>10</strong>. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.</p>

<p>NO WARRANTY</p>

<p><strong>11</strong>. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM &quot;AS IS&quot; WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.</p>

<p><strong>12</strong>. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.</p>

<p>END OF TERMS AND CONDITIONS</p>

<p><strong>How to Apply These Terms to Your New Programs</strong></p>

<p>If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.</p>

<p>To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the &quot;copyright&quot; line and a pointer to where the full notice is found.</p>

<blockquote>One line to give the program's name and a brief idea of what it does.<br />

Copyright (C) &lt;year&gt; &lt;name of author&gt;</blockquote>

<blockquote>This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.</blockquote>

<blockquote>This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.</blockquote>

<blockquote>You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA</blockquote>

<p>Also add information on how to contact you by electronic and paper mail.</p>

<p>If the program is interactive, make it output a short notice like this when it starts in an interactive mode:</p>

<blockquote>Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.</blockquote>

The hypothetical commands `show w` and `show c` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
<blockquote>Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.</blockquote>
```

```
<blockquote>signature of Ty Coon, 1 April 1989<br />
```

```
Ty Coon, President of Vice</blockquote>
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
<li style="background-color:yellow;">
```

```
<p><strong>&quot;CLASSPATH&quot; EXCEPTION TO THE GPL VERSION 2</strong><br />
```

```
<br />
```

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

```
<br />
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

```
<br />
```

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

```
</li>
```

```
<p><br />
```

```
<br />
```

```
</p>
```

```
<p><br />
```

```
</p>
```

```
</body>
```

```
</html>
```

This copy of Jackson JSON processor is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/>

A copy is also included with both the the downloadable source code package and jar that contains class bytecodes, as file "ASL 2.0". In both cases, that file should be located next to this file: in source distribution the location should be "release-notes/asl"; and in jar "META-INF/"

The project is licensed under the Confluent Community License, except for client libs, which is under the Apache 2.0 license.

See LICENSE file in each subfolder for detailed license agreement.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache log4j

Copyright 2007 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<meta name="description" content="Home page of The Apache Software Foundation">
```

```
<link rel="apple-touch-icon" sizes="57x57" href="/favicons/apple-touch-icon-57x57.png">
```

```
<link rel="apple-touch-icon" sizes="60x60" href="/favicons/apple-touch-icon-60x60.png">
```

```
<link rel="apple-touch-icon" sizes="72x72" href="/favicons/apple-touch-icon-72x72.png">
```

```
<link rel="apple-touch-icon" sizes="76x76" href="/favicons/apple-touch-icon-76x76.png">
```

```
<link rel="apple-touch-icon" sizes="114x114" href="/favicons/apple-touch-icon-114x114.png">
```

```
<link rel="apple-touch-icon" sizes="120x120" href="/favicons/apple-touch-icon-120x120.png">
```

```
<link rel="apple-touch-icon" sizes="144x144" href="/favicons/apple-touch-icon-144x144.png">
```

```
<link rel="apple-touch-icon" sizes="152x152" href="/favicons/apple-touch-icon-152x152.png">
<link rel="apple-touch-icon" sizes="180x180" href="/favicons/apple-touch-icon-180x180.png">
<link rel="icon" type="image/png" href="/favicons/favicon-32x32.png" sizes="32x32">
<link rel="icon" type="image/png" href="/favicons/favicon-194x194.png" sizes="194x194">
<link rel="icon" type="image/png" href="/favicons/favicon-96x96.png" sizes="96x96">
<link rel="icon" type="image/png" href="/favicons/android-chrome-192x192.png" sizes="192x192">
<link rel="icon" type="image/png" href="/favicons/favicon-16x16.png" sizes="16x16">
<link rel="manifest" href="/favicons/manifest.json">
<link rel="shortcut icon" href="/favicons/favicon.ico">
<meta name="msapplication-TileColor" content="#603cba">
<meta name="msapplication-TileImage" content="/favicons/mstile-144x144.png">
<meta name="msapplication-config" content="/favicons/browserconfig.xml">
<meta name="theme-color" content="#303284">
```

```
<title>Licenses</title>
```

```
<link href='https://fonts.googleapis.com/css?family=Source+Sans+Pro:400,700%7cDroid+Serif:400,700'
rel='stylesheet' type='text/css'>
<link href="/css/min.bootstrap.css" rel="stylesheet">
<link href="/css/styles.css" rel="stylesheet">
```

```
<!-- Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See
the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF
licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file
except in compliance with the License. You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0 . Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing
permissions and limitations under the License. -->
```

```
</head>
```

```
<body>
```

```
<!-- Navigation -->
```

```
<header>
```

```
<nav class="navbar navbar-default navbar-fixed-top">
```

```
<div class="container">
```

```
<div class="navbar-header">
```

```
<button class="navbar-toggle" type="button" data-toggle="collapse" data-target="#mainnav-collapse">
```

```
<span class="sr-only">Toggle navigation</span>
```

```
<span class="icon-bar"></span>
```

```
<span class="icon-bar"></span>
```

```
<span class="icon-bar"></span>
```

```
</button>
```

```
<a href="#" class="navbar-brand"><span class="glyphicon glyphicon-home"></span></a>
```

```
</div>
```

```
<div class="collapse navbar-collapse" id="mainnav-collapse">
```

```
<div style="line-height:20px; padding-top:5px; float:left"><a href="/">Home</a>&nbsp;&raquo;&nbsp;&lt;a
```

```

href="/licenses/">Licenses</a></div>
<ul class="nav navbar-nav navbar-right">
  <li class="dropdown">
    <a href="#" class="dropdown-toggle" data-toggle="dropdown">About <span class="caret"></span></a>
    <ul class="dropdown-menu" role="menu">
      <li><a href="/foundation">Overview</a></li>
      <li><a href="/foundation/members.html">Members</a></li>
      <li><a href="/foundation/how-it-works.html">Process</a></li>
      <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
      <li><a href="/foundation/glossary.html">Glossary</a></li>
      <li><a href="/foundation/preFAQ.html">FAQ</a></li>
      <li><a href="/foundation/contact.html">Contact</a></li>
    </ul>
  </li>
  <li><a href="/index.html#projects-list">Projects</a></li>
  <li class="dropdown">
    <a href="#" class="dropdown-toggle" data-toggle="dropdown">People <span class="caret"></span></a>
    <ul class="dropdown-menu" role="menu">
      <li><a href="http://people.apache.org">Overview</a></li>
      <li><a href="http://people.apache.org/committer-index.html">Committers</a></li>
      <li><a href="/foundation/how-it-works.html#meritocracy">Meritocracy</a></li>
      <li><a href="/foundation/how-it-works.html#roles">Roles</a></li>
      <li><a href="http://planet.apache.org/">Planet Apache</a></li>
    </ul>
  </li>
  <li class="dropdown">
    <a href="#" class="dropdown-toggle" data-toggle="dropdown">Get Involved <span
class="caret"></span></a>
    <ul class="dropdown-menu" role="menu">
      <li><a href="/foundation/getinvolved.html">Overview</a></li>
      <li><a href="http://community.apache.org/">Community Development</a></li>
      <li><a href="http://helpwanted.apache.org/">Help Wanted</a></li>
      <li><a href="http://www.apachecon.com/">ApacheCon</a></li>
    </ul>
  </li>
  <li><a href="/dyn/closer.cgi">Download</a></li>
  <li class="dropdown">
    <a href="#" class="dropdown-toggle" data-toggle="dropdown">Support Apache <span
class="caret"></span></a>
    <ul class="dropdown-menu" role="menu">
      <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
      <li><a href="/foundation/contributing.html">Donations</a></li>
      <li><a href="/foundation/buy_stuff.html">Buy Stuff</a></li>
      <li><a href="/foundation/thanks.html">Thanks</a></li>
    </ul>
  </li>
</ul>
</div>

```

```

</div>
</nav>
</header>
<!-- / Navigation -->
<div class="container">
<div class="row">
<div class="col-md-9 col-sm-8 col-xs-12">

</div>
<div class="col-md-3 col-sm-4 col-xs-12">
<div class="input-group" style="margin-bottom: 5px;">
<script>
(function() {
var cx = '005703438322411770421:5mgshgrgx2u';
var gcse = document.createElement('script');
gcse.type = 'text/javascript';
gcse.async = true;
gcse.src = (document.location.protocol == 'https:' ? 'https:' : 'http:') +
'/cse.google.com/cse.js?cx=' + cx;
var s = document.getElementsByTagName('script')[0];
s.parentNode.insertBefore(gcse, s);
})();
</script>
<gcse:searchbox-only></gcse:searchbox-only>
</div>
<a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/governance/">The Apache Way</a>
<a role="button" class="btn btn-block btn-default btn-xs"
href="https://community.apache.org/contributors/">Contribute</a>
<a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/thanks.html">ASF Sponsors</a>
</div>
</div>
</div>
<div class="container"><style type="text/css">
/* The following code is added by mdx_elementid.py
It was originally lifted from http://subversion.apache.org/style/site.css */
/*
* Hide class="elementid-permalink", except when an enclosing heading
* has the :hover property.
*/
.headerlink, .elementid-permalink {
visibility: hidden;
}
h2:hover > .headerlink, h3:hover > .headerlink, h1:hover > .headerlink, h6:hover > .headerlink, h4:hover >
.headerlink, h5:hover > .headerlink, dt:hover > .elementid-permalink { visibility: visible }</style>
<p>The Apache Software Foundation uses various licenses to <a href="#distributions">distribute
software and documentation</a>, to accept regular
<a href="#clas">contributions from individuals and corporations</a>, and to accept
larger <a href="#grants">grants of existing software products</a>.</p>

```

<p>These licenses help us achieve our goal of providing reliable and long-lived software products through collaborative open source software development. In all cases, contributors retain full rights to use their original contributions for any other purpose outside of Apache while providing the ASF and its projects the right to distribute and build upon their work within Apache.</p>

<h1 id="distributions">Licensing of Distributions<a class="headerlink" href="#distributions" title="Permanent link">&para;</a></h1>

<p>All software produced by The Apache Software Foundation or any of its projects or subjects is licensed according to the terms of the documents listed below.</p>

<h3 id="2.0">Apache License, Version 2.0 (current)<a class="headerlink" href="#2.0" title="Permanent link">&para;</a></h3>

<p><a href="LICENSE-2.0">http://www.apache.org/licenses/LICENSE-2.0</a> ( <a href="LICENSE-2.0.txt">TXT</a> or <a href="LICENSE-2.0.html">HTML</a> )</p>

<p>The 2.0 version of the Apache License was approved by the ASF in 2004. The goals of this license revision have been to reduce the number of frequently asked questions, to allow the license to be reusable without modification by any project (including non-ASF projects), to allow the license to be included by reference instead of listed in every file, to clarify the license on submission of contributions, to require a patent license on contributions that necessarily infringe the contributor's own patents, and to move comments regarding Apache and other inherited attribution notices to a location outside the license terms (the <a href="example-NOTICE.txt">NOTICE file</a> ).</p>

<p>The result is a license that is supposed to be compatible with other open source licenses, while remaining true to the original goals of the Apache Group and supportive of collaborative development across both nonprofit and commercial organizations. The Apache Software Foundation is still trying to determine if this version of the Apache License is <a href="GPL-compatibility.html">compatible with the GPL</a>.</p>

<p>All packages produced by the ASF are implicitly licensed under the Apache License, Version 2.0, unless otherwise explicitly stated. More developer documentation on how to apply the Apache License to your work can be found in \* <a href="./dev/apply-license.html">Applying the Apache License, Version 2.0</a> \*.</p>

<h3 id="1.1">Apache License, Version 1.1 (historic)<a class="headerlink" href="#1.1" title="Permanent link">&para;</a></h3>

<p><a href="LICENSE-1.1">http://www.apache.org/licenses/LICENSE-1.1</a> </p>

<p>The 1.1 version of the Apache License was approved by the ASF in 2000. The primary change from the 1.0 license is in the 'advertising clause' (section 3 of the 1.0 license); derived products are no longer required to include attribution in their advertising materials, only in their documentation.</p>

<p>Individual packages licensed under the 1.1 version may have used different wording due to varying requirements for attribution or mark identification, but the binding terms were all the same.</p>

<h3 id="1.0">Apache License, Version 1.0 (historic)<a class="headerlink" href="#1.0" title="Permanent link">&para;</a></h3>

[http://www.apache.org/licenses/LICENSE-1.0](LICENSE-1.0)

This is the original Apache License which applies only to older versions of Apache packages (such as version 1.2 of the Web server).

## Contributor License Agreements

The ASF desires that all contributors of ideas, code, or documentation to any Apache projects complete, sign, and submit (via fax or email) an [Individual Contributor License Agreement](icla.pdf) (ICLA).

The purpose of this agreement is to clearly define the terms under which intellectual property has been contributed to the ASF and thereby allow us to defend the project should there be a legal dispute regarding the software at some future time. A signed ICLA is required to be on file before an individual is given commit rights to an ASF project.

For a corporation that has assigned employees to work on an Apache project, a [Corporate CLA](cla-corporate.txt) (CCLA) is available for contributing intellectual property via the corporation, that may have been assigned as part of an employment agreement. Note that a Corporate CLA does not remove the need for every developer to sign their own ICLA as an individual, to cover any of their contributions which are not owned by the corporation signing the CCLA.

The ICLA is not tied to any employer you may have, so it is recommended to use one's personal email address in the contact details, rather than an @work address.

Your Full name will be published unless you provide an alternative Public name. For example if your full name is Andrew Bernard Charles Dickens, but you wish to be known as Andrew Dickens, please enter the latter as your Public name.

The email address and other contact details are not published.

## Software Grants

When an individual or corporation decides to donate a body of existing software or documentation to one of the Apache projects, they need to execute a formal [Software Grant Agreement](software-grant-template.pdf) (SGA) with the ASF. Typically, this is done after negotiating approval with the ASF [Incubator](http://incubator.apache.org/) or one of the PMCs, since the ASF will not accept software unless there is a viable community available to support a collaborative project.

## Submitting License Agreements and Grants

Documents may be submitted by fax or email.

If submitting by fax, please print, sign, and fax all pages of the document to +1-919-573-9199. Please send documents right-side-up, first page first; and send only one document per fax.

If submitting by email, please fill the form with a pdf viewer, print, sign, scan all pages into a single pdf file, and email the pdf file as an attachment to [secretary@apache.org](mailto:secretary@apache.org). If possible, send the attachment from the email address in the document.

Please send only one document per email.

If you prefer to sign electronically, please fill the form, save it locally (e.g. <icla.pdf>), and sign the file by preparing a detached PGP signature. For example,

```
<blockquote>
<p>gpg --armor --detach-sign icla.pdf</p>
</blockquote>
<p>The above will create a file icla.pdf.asc. Send both the file and signature
as attachments in the same email to secretary@apache.org. Please send only one
document (file plus signature) per email. Please do not submit your public key to Apache.
Instead, please upload your public key to pgpkeys.mit.edu. </p>
<p>The files typically are named
icla.pdf and icla.pdf.asc for individual agreements;
ccla.pdf and ccla.pdf.asc for corporate agreements;
software-grant.pdf and software-grant.pdf.asc for grants. </p>
<h1 id="crypto">Export restrictions<a class="headerlink" href="#crypto" title="Permanent link">&para;</a></h1>
<p>For export restriction information, please consult our <a href="/licenses/exports/">ASF Export
Classifications</a> page.</p>
<h1 id="trademarks">Trademark and Logo Usage<a class="headerlink" href="#trademarks" title="Permanent
link">&para;</a></h1>
<p>For ASF trademark and logo usage information, please consult our <a href="/foundation/marks/">ASF
Trademark Use Policy</a> page.</p>
<h1 id="questions">Questions?<a class="headerlink" href="#questions" title="Permanent link">&para;</a></h1>
<p>For answers to frequently asked licensing questions, please consult our
<a href="/foundation/license-faq.html">Licensing Frequently Asked Questions</a> page.</p></div>
```

```
<!-- Footer -->
```

```
<footer class="bg-primary">
<div class="container">
<div class="row">
<br />
<div class="col-sm-1">

</div>
<div class="col-sm-2">
<h5 class="white">Community</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="http://community.apache.org/">Overview</a></li>
<li><a href="/foundation/conferences.html">Conferences</a></li>
<li><a href="http://community.apache.org/gsoc.html">Summer of Code</a></li>
<li><a href="http://community.apache.org/newcomers/">Getting Started</a></li>
<li><a href="/foundation/how-it-works.html">The Apache Way</a></li>
<li><a href="/travel/">Travel Assistance</a></li>
<li><a href="/foundation/getinvolved.html">Get Involved</a></li>
<li><a href="http://community.apache.org/newbiefaq.html">Community FAQ</a></li>
</ul>
</div>

<div class="col-sm-2">
<h5 class="white">Innovation</h5>
<ul class="list-unstyled white" role="menu">
```

```
<li><a href="http://incubator.apache.org/">Incubator</a></li>
<li><a href="http://labs.apache.org/">Labs</a></li>
<li><a href="/licenses/">Licensing</a></li>
<li><a href="/foundation/license-faq.html">Licensing FAQ</a></li>
<li><a href="/foundation/marks/">Trademark Policy</a></li>
<li><a href="/foundation/contact.html">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-2">
<h5 class="white">Tech Operations</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="/dev/">Developer Information</a></li>
<li><a href="/dev/infrastructure.html">Infrastructure</a></li>
<li><a href="/security/">Security</a></li>
<li><a href="http://status.apache.org">Status</a></li>
<li><a href="/foundation/contact.html">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-2">
<h5 class="white">Press</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="/press/">Overview</a></li>
<li><a href="https://blogs.apache.org/">ASF News</a></li>
<li><a href="https://blogs.apache.org/foundation/">Announcements</a></li>
<li><a href="https://twitter.com/TheASF">Twitter Feed</a></li>
<li><a href="/press/#contact">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-2">
<h5 class="white">Legal</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="/legal/">Legal Affairs</a></li>
<li><a href="/licenses/">Licenses</a></li>
<li><a href="/foundation/marks/">Trademark Policy</a></li>
<li><a href="/foundation/records/">Public Records</a></li>
<li><a href="/foundation/policies/privacy.html">Privacy Policy</a></li>
<li><a href="/licenses/exports/">Export Information</a></li>
<li><a href="/foundation/license-faq.html">License/Distribution FAQ</a></li>
<li><a href="/foundation/contact.html">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-1">
</div>
```

```
</div>
<hr class="col-lg-12 hr-white" />
<div class="row">
  <div class="col-lg-12">
    <p class="text-center">Copyright © 2016 The Apache Software Foundation, Licensed under the <a
class="white" href="http://www.apache.org/licenses/LICENSE-2.0">Apache License, Version 2.0</a>.</p>
    <p class="text-center">Apache and the Apache feather logo are trademarks of The Apache Software
Foundation.</p>
  </div>
</div>
</div>

</footer>

<!-- / Footer -->

<script src="/js/jquery-2.1.1.min.js"></script>
<script src="/js/bootstrap.js"></script>
</body>
</html>
Apache License
    Version 2.0, January 2004
    http://www.apache.org/licenses/
```

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product currently only contains code developed by authors of specific components, as identified by the source code files; if such notes are missing files have been created by Tatu Saloranta.

For additional credits (generally to people who reported problems) see CREDITS file.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.7 commons-compress 1.21

## 1.7.1 Available under license :

Apache Commons Compress  
Copyright 2002-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

---

The files in the package `org.apache.commons.compress.archivers.sevenz`  
were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/),  
which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (<http://www.7-zip.org/sdk.html>)

---

The test file `lbzip2_32767.bz2` has been copied from `libbzip2`'s source  
repository:

This program, "bzip2", the associated library "libbzip2", and all  
documentation, are copyright (C) 1996-2019 Julian R Seward. All  
rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must  
not claim that you wrote the original software. If you use this  
software in a product, an acknowledgment in the product  
documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must  
not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote  
products derived from this software without specific prior written  
permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS  
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, [jseward@acm.org](mailto:jseward@acm.org)

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.8 dropwizard-logging 2.0.18

### 1.8.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Logback: the reliable, generic, fast and flexible logging framework.  
* Copyright (C) 1999-2015, QOS.ch. All rights reserved.  
*  
* This program and the accompanying materials are dual-licensed under  
* either the terms of the Eclipse Public License v1.0 as published by  
* the Eclipse Foundation  
*  
* or (per the licensee's choosing)  
*  
* under the terms of the GNU Lesser General Public License version 2.1  
* as published by the Free Software Foundation.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1508291183_1670974960.632932/0/dropwizard-logging-2-0-18-sources-  
jar/io/dropwizard/logging/ResilientOutputStreamBase.java
```

# 1.9 jcl-over-slf4j 1.7.30

## 1.9.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2004 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/LogFactory.java
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/impl/SLF4JLogFactory.java
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/LogConfigurationException.java
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/Log.java
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/impl/SimpleLog.java
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/impl/NoOpLog.java
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/impl/SLF4JLocationAwareLog.java
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-
jar/org/apache/commons/logging/impl/SLF4JLog.java
```

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

```
* /opt/cola/permits/1135880174_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-jar/META-
INF/maven/org.slf4j/jcl-over-slf4j/pom.xml
```

No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Found in path(s):

\* /opt/cola/permits/1135880174\_1613624046.95/0/jcl-over-slf4j-1-7-30-sources-1-jar/org/apache/commons/logging/package.html

## 1.10 javax-ws-rs-api 2.1.1

## 1.11 okio 2.5.0

### 1.11.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2018 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-Platform.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/ByteString.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/ByteString.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/-Util.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/-Platform.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/-Utf8.kt  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 Square, Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/SegmentedByteString.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-

jar/commonMain/okio/SegmentedByteString.kt

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ForwardingTimeout.kt

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 Square Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ByteString.kt

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2016 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Options.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/HashingSink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/HashingSource.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Pipe.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2019 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-
jar/commonMain/okio/internal/RealBufferedSource.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-
jar/commonMain/okio/internal/SegmentedByteString.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-
jar/commonMain/okio/internal/RealBufferedSink.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2018 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-DeprecatedUtf8.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-DeprecatedOkio.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/PeekSource.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-DeprecatedUpgrade.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Throttler.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/-Base64.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
```

\* Copyright (C) 2014 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Timeout.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Sink.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ForwardingSource.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/BufferedSource.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/DeflaterSink.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/InflaterSource.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/GzipSource.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/RealBufferedSource.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/SegmentPool.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Buffer.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/GzipSink.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/JvmOkio.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Segment.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Source.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/RealBufferedSink.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ForwardingSink.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/BufferedSink.kt  
\* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/AsyncTimeout.kt

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2019 Square, Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/RealBufferedSink.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Okio.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/RealBufferedSource.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Source.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/BufferedSink.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/Buffer.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Timeout.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/BufferedSource.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Sink.kt
- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Buffer.kt

No license file was found, but licenses were detected in source scan.

/\*

- \* Copyright (C) 2017 Square, Inc.
- \*
- \* Licensed under the Apache License, Version 2.0 (the "License");
- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1128191334\_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Utf8.kt

## 1.12 metrics-jersey2 4.1.17

### 1.12.1 Available under license :

Apache-2.0

## 1.13 jackson-module-afterburner 2.13.2

## 1.13.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components (as well their dependencies) may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-afterburner` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Additional licensing information exists for following 3rd party library dependencies

### ASM

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.14 netty-codec-http 4.1.74.Final

### 1.14.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2019 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolConfig.java
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandshakeHandler.java
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketDecoderConfig.java
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker00.java
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
```

jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker07.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/CorruptedWebSocketFrameException.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker08.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/CloseWebSocketFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolConfig.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketCloseStatus.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilter.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker13.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandler.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilterProvider.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakerFactory.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpMessageUtil.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateDecoder.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/HttpStatusClass.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameClientExtensionHandshaker.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameDecoder.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibDecoder.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawDecoder.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/ClientCookieEncoder.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionDecoder.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionUtil.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameServerExtensionHandshaker.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtension.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionData.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/rtsp/RtspHeaderNames.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateDecoder.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateClientExtensionHandshaker.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandler.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateServerExtensionHandshaker.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateEncoder.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/HttpHeaderNames.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/package-info.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandler.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/package-info.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketClientCompressionHandler.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameDecoderDelegate.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyProtocolException.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/rtsp/RtspHeaderValues.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/ServerCookieEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandshaker.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtension.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/HttpHeadersEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandshaker.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameCodec.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/HttpHeaderValues.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/Utf8FrameValidator.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketServerCompressionHandler.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtension.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/HttpChunkedInput.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameEncoder.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpClientUpgradeHandler.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpServerUpgradeHandler.java  
No license file was found, but licenses were detected in source scan.

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE>

2.0

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/META-  
INF/maven/io.netty/netty-codec-http/pom.xml  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations

```
* under the License.
*/
// (BSD License: https://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions in binary form must reproduce the above
// following disclaimer in the documentation and/or other
// * Neither the name of the Webbit nor the names of
```

Found in path(s):

```
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameEncoder.java
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameEncoder.java
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameEncoder.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHttpDecoder.java
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameDecoder.java
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHttpCodec.java
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdyPingFrame.java
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/spdy/SpdyPingFrame.java
```

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdySynReplyFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaders.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyWindowUpdateFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketProtocolHandler.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyRstStreamFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyCodecUtil.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyGoAwayFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandshakeHandler.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyHeadersFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdySessionHandler.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdySessionStatus.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/ComposedLastHttpContent.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyDataFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySynStreamFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/FullHttpRequest.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyRstStreamFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyStreamFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeadersFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockJZlibEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/FullHttpMessage.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameAggregator.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/DefaultFullHttpResponse.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyHeaders.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/FullHttpResponse.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyGoAwayFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyVersion.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandler.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyWindowUpdateFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyStreamStatus.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyDataFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySynReplyFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdySynStreamFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyStreamFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/cors/package-info.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdySettingsFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/DefaultFullHttpRequest.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameEncoder.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

```
* License for the specific language governing permissions and limitations
* under the License.
*/
/*
* Adaptation of https://bjoern.hoehrmann.de/utf-8/decoder/dfa/
*
* Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>
*
* Permission is hereby granted, free of charge, to any person obtaining a copy of this software
* and associated documentation files (the "Software"), to deal in the Software without restriction,
* including without limitation the rights to use, copy, modify, merge, publish, distribute,
* sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all copies or
* substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING
* BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR
* PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
* FOR ANY CLAIM,
* DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
* ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/
```

Found in path(s):

```
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/websocketx/Utf8Validator.java
```

No license file was found, but licenses were detected in source scan.

```
# The Netty Project licenses this file to you under the Apache License,
# version 2.0 (the "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at:
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

```
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/META-INF/native-
image/io.netty.codec.http.native-image.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2012 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
```

\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostStandardRequestDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/rtsp/RtspVersions.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySettingsFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostRequestDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/HttpObjectAggregator.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/DefaultHttpObject.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpResponseStreamIdHandler.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/HttpObjectDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/DefaultCookie.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/LastHttpContent.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/multipart/InternalAttribute.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/multipart/MixedFileUpload.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/multipart/DefaultHttpDataFactory.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/HttpClientCodec.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/HttpContent.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/HttpVersion.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker00.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-

jar/io/netty/handler/codec/rtsp/package-info.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/HttpPostMultipartRequestDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker07.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpResponseStatus.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketHandshakeException.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpResponseDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpRequestDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/QueryStringEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/rtsp/RtspResponseDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpContentDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyHttpEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/package-info.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpObjectEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/spdy/package-info.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/AbstractMemoryHttpData.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/PingWebSocketFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/package-info.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/HttpDataFactory.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/DefaultHttpMessage.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpRequestEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/CookieDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpHeaders.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/ContinuationWebSocketFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-

jar/io/netty/handler/codec/http/DefaultHttpRequest.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpObject.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/rtsp/RtspRequestEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpRequest.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/InterfaceHttpPostRequestDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpContentDecompressor.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/rtsp/RtspObjectEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker13.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpResponse.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpConstants.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpServerCodec.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/DefaultHttpContent.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpHeaderDateFormat.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/DefaultHttpHeaders.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/FileUpload.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/HttpPostBodyUtil.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/HttpData.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/QueryStringDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/package-info.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/DiskFileUpload.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/MemoryFileUpload.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketVersion.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker08.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/rtsp/RtspObjectDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-

jar/io/netty/handler/codec/http/websocketx/WebSocketFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/CaseIgnoringComparator.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/rtsp/RtspMethods.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/PongWebSocketFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpResponseEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/HttpPostRequestEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/TextWebSocketFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/spdy/SpdySession.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/rtsp/RtspRequestDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpMessage.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/AbstractDiskHttpData.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpContentCompressor.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketUtil.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/BinaryWebSocketFrame.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/DefaultLastHttpContent.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakerFactory.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/spdy/SpdyHttpHeaders.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/rtsp/RtspHeaders.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/InterfaceHttpData.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpContentEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/AbstractHttpData.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/MixedAttribute.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/Attribute.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-

jar/io/netty/handler/codec/http/DefaultHttpResponse.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/MemoryAttribute.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/rtsp/RtspResponseStatuses.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/Cookie.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpMethod.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/rtsp/RtspResponseEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/DiskAttribute.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2013 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License, version  
* 2.0 (the "License"); you may not use this file except in compliance with the  
* License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/cors/CorsHandler.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/cors/CorsConfig.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2019 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software
```

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

// (BSD License: <https://www.opensource.org/licenses/bsd-license>)

// All rights reserved.

// Redistribution and use in source and binary forms, with or

// \* Redistributions of source code must retain the above

// copyright notice, this list of conditions and the

// following disclaimer.

// \* Redistributions in binary form must reproduce the above

// following disclaimer in the documentation and/or other

// \* Neither the name of the Webbit nor the names of

Found in path(s):

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameDecoder.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameDecoder.java

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameDecoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version

\* 2.0 (the "License"); you may not use this file except in compliance with the

\* License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/cors/CorsConfigBuilder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2020 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/multipart/DeleteFileOnExitHook.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakeException.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakeException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/ReadOnlyHttpHeaders.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/HttpServerExpectContinueHandler.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-  
jar/io/netty/handler/codec/http/websocketx/WebSocketScheme.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/rtsp/RtspEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/HttpScheme.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/rtsp/RtspDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/HttpExpectationFailedEvent.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/EmptyHttpHeaders.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/CookieUtil.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/cookie/CookieEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/CombinedHttpHeaders.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/HttpUtil.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieEncoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/cookie/CookieDecoder.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/cookie/CookieUtil.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/cookie/DefaultCookie.java

```
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/cookie/package-info.java
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/cookie/CookieHeaderNames.java
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/cookie/Cookie.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketChunkedInput.java
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/HttpServerKeepAliveHandler.java
* /opt/cola/permits/1273209938_1645093288.25/0/netty-codec-http-4-1-74-final-sources-
jar/io/netty/handler/codec/http/multipart/FileUploadUtil.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/HttpMessageDecoderResult.java  
\* /opt/cola/permits/1273209938\_1645093288.25/0/netty-codec-http-4-1-74-final-sources-jar/io/netty/handler/codec/http/CompressionEncoderFactory.java

## 1.15 jackson-jaxrs-base 2.13.2

### 1.15.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.16 jersey-container-servlet 2.32

### 1.16.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

### ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

### ## Third-party Content

#### Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

#### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

#### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

#### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>
- \* Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE

PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR

PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement

Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any

associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you

could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free

software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you

permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.17 common-utils 5.5.1

### 1.17.1 Available under license :

The following libraries are included in packaged versions of this project:

- \* Apache ZooKeeper
  - \* COPYRIGHT: Copyright 2009-2014 The Apache Software Foundation
  - \* LICENSE: licenses/LICENSE.apache2.txt
  - \* NOTICE: licenses/NOTICE.zookeeper.txt
  - \* HOMEPAGE: <http://zookeeper.apache.org/>
  
  - \* jline
  - \* COPYRIGHT: Copyright (c) 2002-2006, Marc Prud'hommeaux <[mwp1@cornell.edu](mailto:mwp1@cornell.edu)>
  - \* LICENSE: licenses/LICENSE.bsd.txt
  - \* HOMEPAGE: <http://jline.sourceforge.net/>
  
  - \* SLF4J
  - \* COPYRIGHT: Copyright (c) 2004-2013 QOS.ch
  - \* LICENSE: licenses/LICENSE.mit.txt
  - \* HOMEPAGE: <http://www.slf4j.org/>
  
  - \* ZkClient
  - \* LICENSE: licenses/LICENSE.apache2.txt
  - \* HOMEPAGE: <https://github.com/sgroschupf/zkclient>
- Apache ZooKeeper  
Copyright 2009-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.18 netty-resolver 4.1.74.Final

## 1.18.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1273209878_1645093272.46/0/netty-resolver-4-1-74-final-sources-
jar/io/netty/resolver/HostsFileEntriesProvider.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1273209878_1645093272.46/0/netty-resolver-4-1-74-final-sources-
jar/io/netty/resolver/ResolvedAddressTypes.java
* /opt/cola/permits/1273209878_1645093272.46/0/netty-resolver-4-1-74-final-sources-
jar/io/netty/resolver/HostsFileEntries.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1273209878_1645093272.46/0/netty-resolver-4-1-74-final-sources-
jar/io/netty/resolver/NoopAddressResolver.java
* /opt/cola/permits/1273209878_1645093272.46/0/netty-resolver-4-1-74-final-sources-jar/io/netty/resolver/package-
info.java
* /opt/cola/permits/1273209878_1645093272.46/0/netty-resolver-4-1-74-final-sources-
jar/io/netty/resolver/NoopAddressResolverGroup.java
* /opt/cola/permits/1273209878_1645093272.46/0/netty-resolver-4-1-74-final-sources-
jar/io/netty/resolver/AddressResolverGroup.java
* /opt/cola/permits/1273209878_1645093272.46/0/netty-resolver-4-1-74-final-sources-
jar/io/netty/resolver/SimpleNameResolver.java
* /opt/cola/permits/1273209878_1645093272.46/0/netty-resolver-4-1-74-final-sources-
jar/io/netty/resolver/NameResolver.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209878\_1645093272.46/0/netty-resolver-4-1-74-final-sources-  
jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java  
\* /opt/cola/permits/1273209878\_1645093272.46/0/netty-resolver-4-1-74-final-sources-  
jar/io/netty/resolver/AddressResolver.java  
\* /opt/cola/permits/1273209878\_1645093272.46/0/netty-resolver-4-1-74-final-sources-  
jar/io/netty/resolver/DefaultNameResolver.java  
\* /opt/cola/permits/1273209878\_1645093272.46/0/netty-resolver-4-1-74-final-sources-  
jar/io/netty/resolver/InetAddressResolver.java  
\* /opt/cola/permits/1273209878\_1645093272.46/0/netty-resolver-4-1-74-final-sources-  
jar/io/netty/resolver/HostsFileParser.java  
\* /opt/cola/permits/1273209878\_1645093272.46/0/netty-resolver-4-1-74-final-sources-  
jar/io/netty/resolver/DefaultAddressResolverGroup.java  
\* /opt/cola/permits/1273209878\_1645093272.46/0/netty-resolver-4-1-74-final-sources-  
jar/io/netty/resolver/InetSocketAddressResolver.java  
\* /opt/cola/permits/1273209878\_1645093272.46/0/netty-resolver-4-1-74-final-sources-  
jar/io/netty/resolver/HostsFileEntriesResolver.java  
\* /opt/cola/permits/1273209878\_1645093272.46/0/netty-resolver-4-1-74-final-sources-  
jar/io/netty/resolver/CompositeNameResolver.java  
\* /opt/cola/permits/1273209878\_1645093272.46/0/netty-resolver-4-1-74-final-sources-  
jar/io/netty/resolver/AbstractAddressResolver.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209878\_1645093272.46/0/netty-resolver-4-1-74-final-sources-  
jar/io/netty/resolver/RoundRobinInetAddressResolver.java

No license file was found, but licenses were detected in source scan.

```
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE
2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
```

Found in path(s):

```
* /opt/cola/permits/1273209878_1645093272.46/0/netty-resolver-4-1-74-final-sources-jar/META-
INF/maven/io.netty/netty-resolver/pom.xml
```

## 1.19 kafka-protobuf-serializer 5.5.1

### 1.19.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
```

```
<modelVersion>4.0.0</modelVersion>
```

```
<parent>
```

```
  <groupId>io.confluent</groupId>
```

```
  <artifactId>kafka-schema-registry-parent</artifactId>
```

```
  <version>5.5.1</version>
```

```
</parent>
```

```
<licenses>
```

```
  <license>
```

```
    <name>Confluent Community License</name>
```

```
    <url>http://www.confluent.io/confluent-community-license</url>
```

```
    <distribution>repo</distribution>
```

```
  </license>
```

```
  <license>
```

```
    <name>Apache License 2.0</name>
```

```
    <url>http://www.apache.org/licenses/LICENSE-2.0.html</url>
```

```
    <distribution>repo</distribution>
```

```

</license>
</licenses>

<artifactId>kafka-protobuf-serializer</artifactId>
<packaging>jar</packaging>
<name>kafka-protobuf-serializer</name>

<dependencies>
  <dependency>
    <groupId>org.apache.kafka</groupId>
    <artifactId>kafka_${kafka.scala.version}</artifactId>
    <scope>provided</scope>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-protobuf-provider</artifactId>
  </dependency>
  <dependency>
    <groupId>com.google.protobuf</groupId>
    <artifactId>protobuf-java-util</artifactId>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-serializer</artifactId>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry-client</artifactId>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry</artifactId>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry</artifactId>
    <type>test-jar</type>
    <scope>test</scope>
  </dependency>
  <dependency>
    <groupId>org.apache.kafka</groupId>
    <artifactId>connect-api</artifactId>
    <scope>provided</scope>
  </dependency>
  <dependency>
    <groupId>org.apache.kafka</groupId>
    <artifactId>kafka-clients</artifactId>

```

```

    <classifier>test</classifier>
    <scope>test</scope>
</dependency>
<dependency>
  <groupId>org.apache.kafka</groupId>
  <artifactId>kafka_${kafka.scala.version}</artifactId>
  <classifier>test</classifier>
  <scope>test</scope>
</dependency>
<dependency>
  <groupId>org.mockito</groupId>
  <artifactId>mockito-core</artifactId>
  <scope>test</scope>
</dependency>
<dependency>
  <groupId>junit</groupId>
  <artifactId>junit</artifactId>
  <scope>test</scope>
</dependency>
</dependencies>

<build>
  <plugins>
    <plugin>
      <groupId>com.github.os72</groupId>
      <artifactId>protoc-jar-maven-plugin</artifactId>
    </plugin>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-jar-plugin</artifactId>
      <version>2.6</version>
      <executions>
        <execution>
          <goals>
            <goal>test-jar</goal>
          </goals>
          <phase>test-compile</phase>
        </execution>
      </executions>
    </plugin>
  </plugins>
</build>
</project>

```

Found in path(s):

\* /opt/cola/permits/1366801624\_1658170313.27049/0/kafka-protobuf-serializer-5-5-1-jar/META-INF/maven/io.confluent/kafka-protobuf-serializer/pom.xml

# 1.20 joda-time 2.10.9

## 1.20.1 Available under license :

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by  
Joda.org (<https://www.joda.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.21 dropwizard-request-logging 2.0.18

### 1.21.1 Available under license :

Apache-2.0

## 1.22 jersey-client 3.0.2

### 1.22.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms

of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

### ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

### ## Third-party Content

#### Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

#### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 3.0.0

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

#### Hibernate Validator CDI, 7.0.0.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

#### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

- \* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.11.3

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 9.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified

Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the

Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial

Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses

granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor

Boston, MA 02110-1335

USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program

proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed

only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or

otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.23 accessors-smart 2.4.7

### 1.23.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1257367618\_1642806643.41/0/accessors-smart-2-4-7-sources-jar/META-INF/maven/net.minidev/accessors-smart/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011 JSON-SMART authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

```
* /opt/cola/permits/1257367618_1642806643.41/0/accessors-smart-2-4-7-sources-
jar/net/minidev/asm/Accessor.java
* /opt/cola/permits/1257367618_1642806643.41/0/accessors-smart-2-4-7-sources-
jar/net/minidev/asm/DynamicClassLoader.java
* /opt/cola/permits/1257367618_1642806643.41/0/accessors-smart-2-4-7-sources-
jar/net/minidev/asm/BeansAccess.java
* /opt/cola/permits/1257367618_1642806643.41/0/accessors-smart-2-4-7-sources-
jar/net/minidev/asm/ASMUtil.java
```

## 1.24 jackson-module-parameter-names 2.13.2

### 1.24.1 Available under license :

Apache-2.0

## 1.25 jcip-annotation 1.0-1

### 1.25.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 Stephen Connolly.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1257847088_1643019261.83/0/jcip-annotations-1-0-1-sources-
jar/net/jcip/annotations/Immutable.java
* /opt/cola/permits/1257847088_1643019261.83/0/jcip-annotations-1-0-1-sources-
jar/net/jcip/annotations/NotThreadSafe.java
* /opt/cola/permits/1257847088_1643019261.83/0/jcip-annotations-1-0-1-sources-
jar/net/jcip/annotations/ThreadSafe.java
* /opt/cola/permits/1257847088_1643019261.83/0/jcip-annotations-1-0-1-sources-
jar/net/jcip/annotations/GuardedBy.java
```

# 1.26 bean-validation-api 2.0.1.Final

## 1.26.1 Available under license :

Bean Validation API

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

# 1.27 apache-commons-text 1.10.0

## 1.27.1 Available under license :

Apache Commons Text

Copyright 2014-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.28 logback-throttling-appender 1.1.0

### 1.28.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<name>Apache License 2.0</name>  
<url>http://www.apache.org/licenses/LICENSE-2.0.html</url>
```

Found in path(s):

```
* /opt/cola/permits/1265859119_1643960119.64/0/logback-throttling-appender-1-1-0-jar/META-INF/maven/io.dropwizard.logback/logback-throttling-appender/pom.xml
```

## 1.29 hk2-utils 2.6.1

## 1.29.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program

or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT

PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement,

but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an

announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and

any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the

author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and

conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/glassfish-ha-api>

\* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>

- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fighterfish>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.30 commons-logging 1.1.1

## 1.30.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
// -----  
// NOTICE file corresponding to the section 4d of The Apache License,  
// Version 2.0, in this case for Commons Logging  
// -----
```

Commons Logging  
Copyright 2001-2007 The Apache Software Foundation

This product includes/uses software(s) developed by 'an unknown organization'

- Unnamed - avalon-framework:avalon-framework:jar:4.1.3
- Unnamed - log4j:log4j:jar:1.2.12
- Unnamed - logkit:logkit:jar:1.0.1

# 1.31 jakarta-el 4.0.2

## 1.31.1 Available under license :

# Notices for Jakarta Expression Language

This content is produced and maintained by the Jakarta Expression Language project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.el>

## Trademarks

Jakarta Expression Language is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/el-ri>

## Third-party Content

## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import,

possession, or use, and re-export of encryption software, to see if this is permitted.

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely

in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available

under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such

interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in

accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute

so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free

programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or

(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is

making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.32 metrics-servlets 4.1.17

### 1.32.1 Available under license :

Apache-2.0

## 1.33 httpcomponents-client 5.0.3

### 1.33.1 Available under license :

Apache HttpComponents Client

Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
  
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

=====

This project includes Public Suffix List copied from  
<[https://publicsuffix.org/list/effective\\_tld\\_names.dat](https://publicsuffix.org/list/effective_tld_names.dat)>  
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <<http://mozilla.org/MPL/2.0/>>

Mozilla Public License Version 2.0

=====

### 1. Definitions

-----

#### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

#### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

#### 1.3. "Contribution"

means Covered Software of a particular Contributor.

#### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

#### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;
- or

(b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any

jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\* \* \* \* \*  
\* 6. Disclaimer of Warranty \*  
\* ----- \*

\*  
 \* Covered Software is provided under this License on an "as is" \*  
 \* basis, without warranty of any kind, either expressed, implied, or \*  
 \* statutory, including, without limitation, warranties that the \*  
 \* Covered Software is free of defects, merchantable, fit for a \*  
 \* particular purpose or non-infringing. The entire risk as to the \*  
 \* quality and performance of the Covered Software is with You. \*  
 \* Should any Covered Software prove defective in any respect, You \*  
 \* (not any Contributor) assume the cost of any necessary servicing, \*  
 \* repair, or correction. This disclaimer of warranty constitutes an \*  
 \* essential part of this License. No use of any Covered Software is \*  
 \* authorized under this License except under this disclaimer. \*

\*\*\*\*\*

\*\*\*\*\*

\*  
 \* 7. Limitation of Liability \*  
 \* ----- \*

\*  
 \* Under no circumstances and under no legal theory, whether tort \*  
 \* (including negligence), contract, or otherwise, shall any \*  
 \* Contributor, or anyone who distributes Covered Software as \*  
 \* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any character \*  
 \* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*

\*\*\*\*\*

8. Litigation  
 -----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

## 1.34 resourcelocator 1.0.3

### 1.34.1 Available under license :

Found license 'Eclipse Public License 1.0' in '\* Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'  
Found license 'General Public License 2.0' in '\* Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. \* This program and the accompanying materials are made available under the \* terms of the Eclipse Public License v. 2.0, which is available at \* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

## 1.35 commons-lang3 3.12.0

### 1.35.1 Available under license :

Apache Commons Lang  
Copyright 2001-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.36 lz4 1.9.2

## 1.36.1 Available under license :

This repository uses 2 different licenses :

- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file,  
and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that  
files in the `lib` directory are designed to be included into 3rd party applications,  
while all other files, in `programs`, `tests` or `examples`,  
receive more limited attention and support for such scenario.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this  
list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this  
list of conditions and the following disclaimer in the documentation and/or  
other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an

announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot

distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by

the Free Software Foundation; either version 2 of the License, or  
(at your option) any later version.

This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along  
with this program; if not, write to the Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate  
parts of the General Public License. Of course, the commands you use may  
be called something other than `show w' and `show c'; they could even be  
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may  
consider it more useful to permit linking proprietary applications with the  
library. If this is what you want to do, use the GNU Lesser General  
Public License instead of this License.

Copyright (c) 2014, Ipsantil  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: liblz4

Upstream-Contact: Yann Collet <[Cyan4973@github.com](mailto:Cyan4973@github.com)>

Source: <https://github.com/lz4/lz4>

Files: \*

Copyright: (C) 2011+ Yann Collet

License: GPL-2+

The full text of license: <https://github.com/Cyan4973/lz4/blob/master/lib/LICENSE>

## 1.37 jetty-servlet 11.0.6

### 1.37.1 Available under license :

Notices for Eclipse Jetty

=====

This content is produced and maintained by the Eclipse Jetty project.

Project home: <https://www.eclipse.org/jetty/>

Trademarks

-----

Eclipse Jetty, and Jetty are trademarks of the Eclipse Foundation.

Copyright

-----

All contributions are the property of the respective authors or of entities to which copyright has been assigned by the authors (eg. employer).

Declared Project Licenses

-----

This artifacts of this project are made available under the terms of:

- \* the Eclipse Public License v2.0  
<https://www.eclipse.org/legal/epl-2.0>  
SPDX-License-Identifier: EPL-2.0

or

- \* the Apache License, Version 2.0  
<https://www.apache.org/licenses/LICENSE-2.0>  
SPDX-License-Identifier: Apache-2.0

The following dependencies are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following dependencies are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javafx.security.auth.message

The following dependencies are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javafx.mail.glassfish

The following dependencies are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* jakarta.servlet:jakarta.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

The following dependencies are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- \* org.ow2.asm:asm-commons
- \* org.ow2.asm:asm

The following dependencies are ASL2 licensed.

- \* org.apache.taglibs:taglibs-standard-spec
- \* org.apache.taglibs:taglibs-standard-impl

The following dependencies are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- \* org.mortbay.jasper:apache-jsp
- \* org.apache.tomcat:tomcat-jasper
- \* org.apache.tomcat:tomcat-juli
- \* org.apache.tomcat:tomcat-jsp-api
- \* org.apache.tomcat:tomcat-el-api

- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-api
- \* org.apache.tomcat:tomcat-util-scan
- \* org.apache.tomcat:tomcat-util
- \* org.mortbay.jasper:apache-el
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-el-api

The following artifacts are CDDL + GPLv2 with classpath exception.  
<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* org.eclipse.jetty.toolchain:jetty-schemas

## Cryptography

-----  
 Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville. Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.  
 Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf.

Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses,

damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE

## POSSIBILITY OF SUCH DAMAGES.

### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

## Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

SPDX-License-Identifier: EPL-2.0 OR Apache-2.0

# 1.38 cloudevents-api 2.1.1

## 1.38.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--  
~ Copyright 2018-Present The CloudEvents Authors  
~ <p>  
~ Licensed under the Apache License, Version 2.0 (the "License");  
~ you may not use this file except in compliance with the License.  
~ You may obtain a copy of the License at  
~ <p>  
~ http://www.apache.org/licenses/LICENSE-2.0  
~ <p>  
~ Unless required by applicable law or agreed to in writing, software
```

~ distributed under the License is distributed on an "AS IS" BASIS,  
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
~ See the License for the specific language governing permissions and  
~ limitations under the License.  
~  
-->

Found in path(s):

\* /opt/cola/permits/1508291066\_1670974985.798763/0/cloudevents-api-2-1-1-2-jar/META-INF/maven/io.cloudevents/cloudevents-api/pom.xml

## 1.39 protobuf-java 3.19.4

### 1.39.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions are  
// * Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// * Redistributions in binary form must reproduce the above  
// copyright notice, this list of conditions and the following disclaimer  
// in the documentation and/or other materials provided with the  
// * Neither the name of Google Inc. nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

\* /opt/cola/permits/1444784973\_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/wrappers.proto  
\* /opt/cola/permits/1444784973\_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/descriptor.proto  
\* /opt/cola/permits/1444784973\_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/timestamp.proto  
\* /opt/cola/permits/1444784973\_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/duration.proto  
\* /opt/cola/permits/1444784973\_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/field\_mask.proto  
\* /opt/cola/permits/1444784973\_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/source\_context.proto  
\* /opt/cola/permits/1444784973\_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/type.proto  
\* /opt/cola/permits/1444784973\_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/compiler/plugin.proto  
\* /opt/cola/permits/1444784973\_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/empty.proto  
\* /opt/cola/permits/1444784973\_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/struct.proto  
\* /opt/cola/permits/1444784973\_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/api.proto  
\* /opt/cola/permits/1444784973\_1666041526.196175/0/protobuf-java-3-19-4-3-jar/google/protobuf/any.proto

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.google.protobuf  
Bnd-LastModified: 1643389670477  
Build-Jdk: 1.8.0\_181-google-v7  
Built-By: acozzette  
Bundle-Description: Core Protocol Buffers library. Protocol Buffers are a way of encoding structured data in an efficient yet extensible format.  
Bundle-DocURL: <https://developers.google.com/protocol-buffers/>  
Bundle-License: <https://opensource.org/licenses/BSD-3-Clause>  
Bundle-ManifestVersion: 2  
Bundle-Name: Protocol Buffers [Core]  
Bundle-SymbolicName: com.google.protobuf  
Bundle-Version: 3.19.4  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.google.protobuf;version="3.19.4"  
Import-Package: sun.misc;resolution:=optional,com.google.protobuf;version="[3.19,4)"  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.7))"  
Tool: Bnd-3.0.0.201509101326

Found in path(s):

\* /opt/cola/permits/1444784973\_1666041526.196175/0/protobuf-java-3-19-4-3-jar/META-INF/MANIFEST.MF

## 1.40 jersey-container-servlet-core 2.32

### 1.40.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU

General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

#### ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

#### ## Third-party Content

##### Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

##### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

##### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

##### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

##### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

##### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

##### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

##### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0

- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

#### JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

#### KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

#### org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

#### org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

#### org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

#### W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has

sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS"

BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and

may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and

modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice

that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not

distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the

Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole

combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.41 reflections 0.9.10

### 1.41.1 Available under license :

WTFPL OR BSD-3-Clause

## 1.42 netty 4.1.74.Final

### 1.42.1 Available under license :

Copyright (c) 2003-2008 Yuta Mori All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of

his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The MIT License

Copyright (c) 2009 William Kinney

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright 2009-2010 Ning, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*

\* Copyright (c) 2004-2006, 2008, 2009, 2011 Apple Inc. All rights reserved.

\*

\* @APPLE\_LICENSE\_HEADER\_START@

\*

\* This file contains Original Code and/or Modifications of Original Code

\* as defined in and that are subject to the Apple Public Source License

\* Version 2.0 (the 'License'). You may not use this file except in

\* compliance with the License. Please obtain a copy of the License at

\* <https://www.opensource.apple.com/apsl/> and read it before using this

\* file.  
\*  
\* The Original Code and all software distributed under the License are  
\* distributed on an 'AS IS' basis, WITHOUT WARRANTY OF ANY KIND, EITHER  
\* EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES,  
\* INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY,  
\* FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT OR NON-INFRINGEMENT.  
\* Please see the License for the specific language governing rights and  
\* limitations under the License.  
\*  
\* @APPLE\_LICENSE\_HEADER\_END@  
\*/

The MIT License (MIT)

Copyright (c) 2014 Cory Benfield

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2011, Google Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2010-2011 Matthew J. Francis and Contributors of the jbzip2 Project

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate of all present

and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa  
Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

(BSD License: <https://www.opensource.org/licenses/bsd-license>)

Copyright (c) 2011, Joe Walnes, Aslak Hellesøy and contributors

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the Webbit nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.

(<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/\*

\* Copyright (c) 2004-2007 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to  
\* the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE  
\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION  
\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION  
\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
\*/

The Netty Project

=====

Please visit the Netty web site for more information:

\* <https://netty.io/>

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in the 'license' directory of the distribution file, for the license terms of the components that this product depends on.

-----  
This product contains the extensions to Java Collections Framework which has been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

\* LICENSE:

\* [license/LICENSE.jsr166y.txt](#) (Public Domain)

\* HOMEPAGE:

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/>

\* <http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jboss/cache/experimental/jsr166/>

This product contains a modified version of Robert Harder's Public Domain Base64 Encoder and Decoder, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.base64.txt](#) (Public Domain)

\* HOMEPAGE:

\* <http://iharder.sourceforge.net/current/java/base64/>

This product contains a modified portion of 'Webbit', an event based WebSocket and HTTP server, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.webbit.txt](#) (BSD License)

\* HOMEPAGE:

\* <https://github.com/joewalnes/webbit>

This product contains a modified portion of 'SLF4J', a simple logging facade for Java, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.slf4j.txt](#) (MIT License)

\* HOMEPAGE:

\* <https://www.slf4j.org/>

This product contains a modified portion of 'Apache Harmony', an open source Java SE, which can be obtained at:

\* NOTICE:

\* [license/NOTICE.harmony.txt](#)

\* LICENSE:

\* [license/LICENSE.harmony.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <https://archive.apache.org/dist/harmony/>

This product contains a modified portion of 'jzip2', a Java bzip2 compression and decompression library written by Matthew J. Francis. It can be obtained at:

\* LICENSE:

\* [license/LICENSE.jzip2.txt](#) (MIT License)

\* HOMEPAGE:

\* <https://code.google.com/p/jzip2/>

This product contains a modified portion of 'libdivsufsort', a C API library to construct the suffix array and the Burrows-Wheeler transformed string for any input string of a constant-size alphabet written by Yuta Mori. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.libdivsufsort.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://github.com/y-256/libdivsufsort>

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jctools.txt (ASL2 License)
- \* HOMEPAGE:
  - \* <https://github.com/JCTools/JCTools>

This product optionally depends on 'JZlib', a re-implementation of zlib in pure Java, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jzlib.txt (BSD style License)
- \* HOMEPAGE:
  - \* <http://www.jcraft.com/jzlib/>

This product optionally depends on 'Compress-LZF', a Java library for encoding and decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.compress-lzf.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/ning/compress>

This product optionally depends on 'lz4', a LZ4 Java compression and decompression library written by Adrien Grand. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.lz4.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/jpountz/lz4-java>

This product optionally depends on 'lzma-java', a LZMA Java compression and decompression library, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.lzma-java.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/jponge/lzma-java>

This product optionally depends on 'zstd-jni', a zstd-jni Java compression and decompression library, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.zstd-jni.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/luben/zstd-jni>

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression and decompression library written by William Kinney. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jfastlz.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://code.google.com/p/jfastlz/>

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data interchange format, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.protobuf.txt (New BSD License)
- \* HOMEPAGE:
  - \* <https://github.com/google/protobuf>

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate a temporary self-signed X.509 certificate when the JVM does not provide the equivalent functionality. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.bouncycastle.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://www.bouncycastle.org/>

This product optionally depends on 'Snappy', a compression library produced by Google Inc, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.snappy.txt (New BSD License)
- \* HOMEPAGE:
  - \* <https://github.com/google/snappy>

This product optionally depends on 'JBoss Marshalling', an alternative Java serialization API, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jboss-marshalling.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/jboss-remoting/jboss-marshalling>

This product optionally depends on 'Caliper', Google's micro-benchmarking framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.caliper.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/google/caliper>

This product optionally depends on 'Apache Commons Logging', a logging framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.commons-logging.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://commons.apache.org/logging/>

This product optionally depends on 'Apache Log4J', a logging framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.log4j.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://logging.apache.org/log4j/>

This product optionally depends on 'Aalto XML', an ultra-high performance non-blocking XML processor, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.aalto-xml.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://wiki.fasterxml.com/AaltoHome>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.hpack.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/twitter/hpack>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Cory Benfield. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.hyper-hpack.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://github.com/python-hyper/hpack/>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Tatsuhiro Tsujikawa. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.nghttp2-hpack.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://github.com/nghttp2/nghttp2/>

This product contains a modified portion of 'Apache Commons Lang', a Java library provides utilities for the java.lang API, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.commons-lang.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://commons.apache.org/proper/commons-lang/>

This product contains the Maven wrapper scripts from 'Maven Wrapper', that provides an easy way to ensure a user has everything necessary to run the Maven build.

- \* LICENSE:
  - \* license/LICENSE.mvn-wrapper.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/takari/maven-wrapper>

This product contains the dnsinfo.h header file, that provides a way to retrieve the system DNS configuration on MacOS.

This private header is also used by Apple's open source mDNSResponder (<https://opensource.apple.com/tarballs/mDNSResponder/>).

- \* LICENSE:
  - \* license/LICENSE.dnsinfo.txt (Apple Public Source License 2.0)
- \* HOMEPAGE:
  - \* <https://www.opensource.apple.com/source/configd/configd-453.19/dnsinfo/dnsinfo.h>

This product optionally depends on 'Brotli4j', Brotli compression and decompression for Java., which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.brotli4j.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/hyperxpro/Brotli4j>

Protocol Buffers - Google's data interchange format  
Copyright 2013 Google Inc. All rights reserved.  
<https://developers.google.com/protocol-buffers/>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

This copy of Aalto XML processor is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<https://www.apache.org/licenses/>

A copy is also included with both the the downloadable source code package and jar that contains class bytecodes, as file "ASL 2.0". In both cases, that file should be located next to this file: in source distribution the location should be "release-notes/asl"; and in jar "META-INF/" Apache Harmony

Copyright 2006, 2010 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

# 1.43 guava 31.0.1-jre

## 1.43.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/Java8Compatibility.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/Java8Compatibility.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/BigDecimalMath.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/ToDoubleRounder.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/Java8Compatibility.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/VerifyException.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Verify.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/TypeVisitor.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractTable.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/HashingInputStream.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/FilteredMultimapValues.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/SubscriberExceptionContext.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/Runnables.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/SubscriberExceptionHandler.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/CharSequenceReader.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Utf8.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/xml/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/ParametricNullness.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/ParametricNullness.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/html/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/math/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/ParametricNullness.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ParametricNullness.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/net/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/escape/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/ParametricNullness.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ParametricNullness.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/ParametricNullness.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/ParametricNullness.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/ElementTypesAreNonnullByDefault.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/html/ParametricNullness.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ParametricNullness.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-

jar/com/google/common/io/ParametricNullness.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/escape/ParametricNullness.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/net/ParametricNullness.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ElementTypesAreNonnullByDefault.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/xml/ParametricNullness.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/ParametricNullness.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/ElementTypesAreNonnullByDefault.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2021 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/NullnessCasts.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/NullnessCasts.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/NullnessCasts.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2015 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you  
* may not use this file except in compliance with the License. You may  
* obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
*/
```

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or  
\* implied. See the License for the specific language governing  
\* permissions and limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Streams.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in

\* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the

\* following header:

\*

\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author

\* hereby disclaims copyright to this source code.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Hashing.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/package-info.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Strings.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Ascii.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SortedLists.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/annotations/Beta.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/annotations/package-info.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/Atomics.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/Monitor.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/net/package-info.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ListeningExecutorService.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Equivalence.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ContiguousSet.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2020 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\*/

\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ServiceManagerBridge.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2013 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/MoreFiles.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/MultimapBuilder.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableMapEntry.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2007 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\*/

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Synchronized.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/MutableClassToInstanceMap.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractBiMap.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RegularImmutableSet.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableSet.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingQueue.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingMapEntry.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ReverseNaturalOrdering.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingCollection.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingList.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingIterator.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ExplicitOrdering.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Sets.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Ordering.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingConcurrentMap.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractMapBasedMultiset.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/HashMultimap.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableList.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/TreeMultiset.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/MapDifference.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Multimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ClassToInstanceMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Maps.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Lists.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractSortedSetMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractListMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/NaturalOrdering.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractMapEntry.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ArrayListMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/LinkedListMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/BiMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/UsingToStringOrdering.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/LexicographicalOrdering.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Multimaps.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/NullsFirstOrdering.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/TreeMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractIterator.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/EnumBiMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractMapBasedMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/EnumHashBiMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractMultiset.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingListIterator.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ListMultimap.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ConcurrentHashMultiset.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Iterators.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/NullsLastOrdering.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractSetMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/HashMultiset.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SingletonImmutableSet.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Interner.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ComparatorOrdering.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Iterables.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Multisets.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/CompoundOrdering.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Multiset.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingSet.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SetMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ReverseOrdering.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SortedSetMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/LinkedHashMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/package-info.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingMultiset.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ByFunctionOrdering.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingObject.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingSortedSet.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/LinkedHashMultiset.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingSortedMap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/cache/LongAddable.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/BaseEncoding.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/StandardSystemProperty.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/ByteSource.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/ClassPath.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/RateLimiter.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/cache/LongAddables.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ListenableScheduledFuture.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/MutableTypeToInstanceMap.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/LongAddable.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/AbstractInvocationHandler.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/ByteSink.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/html/package-info.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/TypeCapture.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/LongAddables.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/ChecksumHashFunction.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/FileWriteMode.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/xml/package-info.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/SipHashFunction.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/AbstractByteHasher.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/CartesianList.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ServiceManager.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/SmoothRateLimiter.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/Closer.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/Parameter.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/CharSink.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/math/LinearTransformation.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/package-info.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/Invokable.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/math/StatsAccumulator.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/math/PairedStats.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/CharSource.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableRangeMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/math/Stats.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/TypeToInstanceMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/escape/package-info.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableRangeSet.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-

jar/com/google/common/math/PairedStatsAccumulator.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/FilteredKeyMultimap.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2005 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/Reflection.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2015 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/CollectSpliterators.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/package-info.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2015 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/FarmHashFingerprint64.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/LittleEndianByteArray.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/Platform.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/CombinedFuture.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/AsyncCallable.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/ReaderInputStream.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ConsumingQueueIterator.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/InterruptibleTask.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/MacHashFunction.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/AggregateFutureState.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/AtomicLongMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/GwtTransient.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2020 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/  
/\*\*  
\* Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular  
\* version.  
\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/FloatsMethodsForWeb.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2012 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\*/

- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingDeque.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RegularImmutableAsList.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractMultimap.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/UnmodifiableSortedMultiset.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/CompactHashSet.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingNavigableMap.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/FilteredKeyListMultimap.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableEnumMap.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/TransformedListIterator.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/FilteredKeySetMultimap.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingImmutableList.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/CompactLinkedHashSet.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/DescendingImmutableSortedSet.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/CompactLinkedHashMap.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/FilteredSetMultimap.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RangeMap.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingImmutableSet.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/TreeRangeMap.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingNavigableSet.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractNavigableMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/DescendingMultiset.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AllEqualOrdering.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/EvictingQueue.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/FilteredMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/TransformedIterator.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingBlockingDeque.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingImmutableMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/FilteredEntrySetMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/TreeTraverser.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/CompactHashMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SortedMultisetBridge.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/FilteredEntryMultimap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-

jar/com/google/common/collect/SortedMapDifference.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingImmutableCollection.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/RowSortedTable.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingListMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/AbstractSequentialIterator.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingSortedSetMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/MinMaxPriorityQueue.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/UnmodifiableListIterator.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ForwardingSetMultimap.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2016 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
* express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/CommonPattern.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/PatternCompiler.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/CommonMatcher.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/JdkPattern.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2007 The Guava Authors  
*  
*/
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
```

```
*/
```

```
/**
```

```
* Returns an array containing all of the elements in the specified collection. This method
* returns the elements in the order they are returned by the collection's iterator. The returned
* array is "safe" in that no references to it are maintained by the collection. The caller is
* thus free to modify the returned array.
```

```
*
```

```
* <p>This method assumes that the collection size doesn't change while the method is running.
```

```
*
```

```
* <p>TODO(kevinb): support concurrently modified collections?
```

```
*
```

```
* @param c the collection for which to return an array of elements
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/collect/ObjectArrays.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2020 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

```
/**
```

```
* Holder for web specializations of methods of { @code Doubles }. Intended to be empty for regular
* version.
```

```
*/
```

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/DoublesMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the

\* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

\* express or implied. See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableSortedMultiset.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/GeneralRange.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SortedIterables.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractRangeSet.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SortedIterable.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RangeSet.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingSortedMultiset.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Count.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RegularImmutableSortedMultiset.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/xml/XmlEscapers.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ForwardingFuture.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/LineProcessor.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/html/HtmlEscapers.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/SparseImmutableTable.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/net/UrlEscapers.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ForwardingListenableFuture.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractIdleService.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/cache/LocalCache.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/SignedBytes.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/escape/Platform.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/Service.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/annotations/GwtIncompatible.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/net/HostSpecifier.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/MapMaker.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/SettableFuture.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/UnsignedBytes.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/escape/Escapers.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/escape/ArrayBasedCharEscaper.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/TypeResolver.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Splitter.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AbstractService.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/ReferenceEntry.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/MapMakerInternalMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Cut.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RegularImmutableTable.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/ByteProcessor.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/net/InternetDomainName.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Platform.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/DenseImmutableTable.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/CacheBuilder.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/ByteArrayDataOutput.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/Callables.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/escape/ArrayBasedEscaperMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/JdkFutureAdapters.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/annotations/GwtCompatible.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/ByteArrayDataInput.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/MoreObjects.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/eventbus/SubscriberRegistry.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/Quantiles.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ListenerCallQueue.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/eventbus/Dispatcher.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/eventbus/Subscriber.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2011 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
/\*  
/\*  
\* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group  
\* and released to the public domain, as explained at  
\* <http://creativecommons.org/licenses/publicdomain>

\*  
\* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's  
\* java.util.HashMap class.  
\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/Striped.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Written by Doug Lea with assistance from members of JCP JSR-166  
\* Expert Group and released to the public domain, as explained at  
\* <http://creativecommons.org/publicdomain/zero/1.0/>  
\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/AtomicDoubleArray.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/cache/Striped64.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/cache/LongAdder.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/Striped64.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/LongAdder.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2016 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/AbstractNetwork.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/DirectedNetworkConnections.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/EdgesConnecting.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/AbstractGraph.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/DirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/StandardMutableNetwork.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/GraphConnections.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/MapRetrievalCache.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/StandardMutableValueGraph.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ElementOrder.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ValueGraph.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RangeGwtSerializationDependencies.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/AbstractValueGraph.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ForwardingGraph.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/MapIteratorCache.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/GraphBuilder.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/DirectedGraphConnections.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/Comparators.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/MutableValueGraph.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/AbstractGraphBuilder.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/StandardValueGraph.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/LinkedHashMapGwtSerializationDependencies.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/UndirectedNetworkConnections.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/StandardMutableGraph.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/UndirectedGraphConnections.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/NetworkBuilder.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/GraphConstants.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ForwardingNetwork.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/CollectCollectors.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ForwardingValueGraph.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/NetworkConnections.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/MoreCollectors.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/EndpointPair.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/EndpointPairIterator.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ValueGraphBuilder.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/ImmutableValueGraph.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/StandardNetwork.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/graph/MultiEdgesConnecting.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2014 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/Graph.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/ImmutableGraph.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/ImmutableNetwork.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/TopKSelector.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/MutableGraph.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/PredecessorsFunction.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/InsecureRecursiveDeleteException.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/Graphs.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/RecursiveDeleteOption.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/Network.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/MutableNetwork.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/SuccessorsFunction.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2009 The Guava Authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractIndexedListIterator.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableClassToInstanceMap.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ComputationException.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ComparisonChain.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SingletonImmutableTable.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableSortedMap.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableTable.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/DiscreteDomain.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/EmptyImmutableSetMultimap.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ForwardingTable.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RegularImmutableSortedSet.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableAsList.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableSetMultimap.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ImmutableEnumSet.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/SingletonImmutableList.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/TableCollectors.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RegularImmutableList.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/ArrayTable.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/escape/UnicodeEscaper.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/FluentIterable.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/internal/Finalizer.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/net/InetAddresses.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/Booleans.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/Bytes.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/CharMatcher.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/escape/Escaper.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/Converter.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/Floats.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/Joiner.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/io/FileBackedOutputStream.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/Doubles.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ListenableFutureTask.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/Longs.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/Ints.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/Shorts.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/net/PercentEscaper.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/Chars.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/thirdparty/publicsuffix/TrieParser.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/MultiReader.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/SequentialExecutor.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Stopwatch.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2019 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/Platform.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/Internal.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

```
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2020 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.
```

```
*/
```

```
/**
```

```
* Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular  
* version.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/IntsMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright (C) 2016 The Guava Authors
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.
```

```
*/
```

```
/**
```

```
* Holder for extra methods of { @code Objects } only in web. Intended to be empty for regular  
* version.
```

```
*/
```

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/ExtraObjectsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
\* express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Holder for web specializations of methods of { @code Shorts }. Intended to be empty for regular  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not  
\* use this file except in compliance with the License. You may obtain a copy of  
\* the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-

```
jar/com/google/common/collect/SortedMultiset.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/collect/SortedMultisets.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2007 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/*
* This following method is a modified version of one found in
* http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30
* which contained the following notice:
*
* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to
* the public domain, as explained at http://creativecommons.org/publicdomain/zero/1.0/
*
* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.
*/
```

```
Found in path(s):
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/util/concurrent/MoreExecutors.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2018 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
```

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/JdkBackedImmutableMap.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/JdkBackedImmutableBiMap.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/IndexedImmutableSet.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/BaseImmutableMultimap.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2007 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/LineReader.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/FinalizableWeakReference.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Defaults.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AbstractFuture.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/EnumMultiset.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/LittleEndianDataInputStream.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ExecutionList.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/AsyncEventBus.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/package-info.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/CountingInputStream.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/DeadEvent.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Objects.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Charsets.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Preconditions.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/FinalizablePhantomReference.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/EventBus.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Functions.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/MultiInputStream.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Throwables.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/LittleEndianDataOutputStream.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ListenableFuture.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/package-info.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/package-info.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/Primitives.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/eventbus/Subscribe.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/Closeables.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/CharStreams.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Suppliers.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/Files.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/LineBuffer.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/CountingOutputStream.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/FinalizableSoftReference.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/DirectExecutor.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-

```
jar/com/google/common/collect/HashMap.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/eventbus/AllowConcurrentEvents.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/base/Function.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/util/concurrent/package-info.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/base/FinalizableReferenceQueue.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/base/Supplier.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/base/FinalizableReference.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/io/Resources.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/io/Flushables.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/io/ByteStreams.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/base/Predicate.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/base/AbstractIterator.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/base/Predicates.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/collect/Interners.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2009 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/collect/ImmutableSortedAsList.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2017 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/util/concurrent/ForwardingCondition.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/primitives/ImmutableIntArray.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/primitives/ImmutableLongArray.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/primitives/ImmutableDoubleArray.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/util/concurrent/ForwardingLock.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/hash/AbstractHashFunction.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2006 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/AppendableWriter.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/CollectionFuture.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/escape/CharEscaper.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/CaseFormat.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/io/PatternFilenameFilter.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ImmediateFuture.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/Futures.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/escape/CharEscaperBuilder.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/TimeoutFuture.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/FuturesGetChecked.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AbstractTransformFuture.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/FluentFuture.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/annotations/VisibleForTesting.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/FakeTimeLimiter.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/SimpleTimeLimiter.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/TimeLimiter.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/reflect/TypeToken.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AggregateFuture.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

```

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
 * Not supported. <b>You are attempting to create a map that may contain a non-{@code Comparable}
 * key.</b> Proper calls will resolve to the version in {@code ImmutableSortedMap}, not this dummy
 * version.
 *
 * @throws UnsupportedOperationException always
 * @deprecated <b>Pass a key of type {@code Comparable} to use {@link
 *   ImmutableSortedMap#of(Comparable, Object)}.</b>
 */

```

Found in path(s):

```

* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java
No license file was found, but licenses were detected in source scan.

```

```

/*
 * Copyright (C) 2019 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/graph/IncidentEdgeSet.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-

```

jar/com/google/common/collect/CompactHashing.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2009 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*\*

\* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain  
\* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available  
\* under GWT but with a slightly different signature.

\*

\* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler wouldn't recognize  
\* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT  
\* compiler to autostrip the normal server method in order to expose the special, inherited GWT  
\* version.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/Partially.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/Crc32cHashFunction.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/Cache.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/FunctionalEquivalence.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/RegularContiguousSet.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/package-info.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/RemovalCause.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Present.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/collect/AbstractSortedMultiset.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/CacheLoader.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/RemovalListener.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/AbstractLoadingCache.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/UnsignedInteger.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/CacheBuilderSpec.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/MessageDigestHashFunction.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/ForwardingCache.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/AbstractStreamingHasher.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/BloomFilterStrategies.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/AsyncFunction.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/primitives/UnsignedLongs.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/cache/ForwardingLoadingCache.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/base/Absent.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/util/concurrent/ForwardingExecutorService.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-jar/com/google/common/hash/Funnel.java
- \* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-

jar/com/google/common/base/PairwiseEquivalence.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/Enums.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractScheduledService.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/package-info.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/cache/RemovalNotification.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/TreeRangeSet.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/UnsignedInts.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/IntMath.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/UnsignedLong.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/AbstractHasher.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/Hashing.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/primitives/ParseRequest.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/net/HttpHeaders.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/BloomFilter.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Queues.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/cache/Weigher.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/DoubleMath.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/BigIntegerMath.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/MathPreconditions.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/AbstractCompositeHashFunction.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/FutureCallback.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/Hasher.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-

jar/com/google/common/cache/CacheStats.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/UncheckedExecutionException.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/cache/RemovalListeners.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/Murmur3\_128HashFunction.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/HashingOutputStream.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/PrimitiveSink.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/DoubleUtils.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/BoundType.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/Ticker.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/cache/LoadingCache.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/TypeParameter.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/Uninterruptibles.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/Funnels.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/cache/AbstractCache.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/HashFunction.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/EmptyContiguousSet.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/Optional.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ExecutionError.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/net/HostAndPort.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/Murmur3\_32HashFunction.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/WrappingExecutorService.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/HashCode.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-

jar/com/google/common/collect/RegularImmutableMultiset.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/math/LongMath.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/net/MediaType.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/DescendingImmutableSortedMultiset.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/hash/AbstractNonStreamingHashFunction.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/reflect/Types.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2017 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/BaseGraph.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/util/concurrent/ClosingFuture.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/AbstractBaseGraph.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/graph/Traverser.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2012 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.

\*/

/\*

\* This method was rewritten in Java from an intermediate step of the Murmur hash function in  
\* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the  
\* following header:

\*

\* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author  
\* hereby disclaims copyright to this source code.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/base/SmallCharMatcher.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 The Guava Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableMapEntrySet.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableCollection.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Table.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/EmptyImmutableListMultimap.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/RegularImmutableBiMap.java

\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-

jar/com/google/common/collect/SingletonImmutableBiMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableBiMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableMapKeySet.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/RegularImmutableMap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/StandardTable.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/TreeBasedTable.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/CollectPreconditions.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/PeekingIterator.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Tables.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/StandardRowSortedTable.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Range.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/HashBasedTable.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Serialization.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/UnmodifiableIterator.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableMultiset.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableSortedSet.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Collections2.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableEntry.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/Platform.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableListMultimap.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableMapValues.java  
\* /opt/cola/permits/1208929711\_1632961079.01/0/guava-31-0-1-jre-sources-  
jar/com/google/common/collect/ImmutableMultimap.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2018 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/collect/JdkBackedImmutableMultiset.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/util/concurrent/ExecutionSequencer.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/hash/ImmutableSupplier.java
* /opt/cola/permits/1208929711_1632961079.01/0/guava-31-0-1-jre-sources-
jar/com/google/common/collect/JdkBackedImmutableSet.java
```

## 1.44 jackson-xc 2.13.2

### 1.44.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## Licensing

Jackson core and extension components may licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.45 guice 4.1.0

### 1.45.1 Available under license :

Google Guice - Core Library  
Copyright 2006-2016 Google, Inc.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.46 kafka-avro-serializer 5.5.1

## 1.46.1 Available under license :

Confluent Community License Agreement  
Version 1.0

This Confluent Community License Agreement Version 1.0 (the Agreement) sets forth the terms on which Confluent, Inc. (Confluent) makes available certain software made available by Confluent under this Agreement (the Software). BY INSTALLING, DOWNLOADING, ACCESSING, USING OR DISTRIBUTING ANY OF THE SOFTWARE, YOU AGREE TO THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE TO SUCH TERMS AND CONDITIONS, YOU MUST NOT USE THE SOFTWARE. IF YOU ARE RECEIVING THE SOFTWARE ON BEHALF OF A LEGAL ENTITY, YOU REPRESENT AND WARRANT THAT YOU HAVE THE ACTUAL AUTHORITY TO AGREE TO THE TERMS AND CONDITIONS OF THIS

AGREEMENT ON BEHALF OF SUCH ENTITY. Licensee means you, an individual, or the entity on whose behalf you are receiving the Software.

## 1. LICENSE GRANT AND CONDITIONS.

1.1 License. Subject to the terms and conditions of this Agreement, Confluent hereby grants to Licensee a non-exclusive, royalty-free, worldwide, non-transferable, non-sublicenseable license during the term of this Agreement to: (a) use the Software; (b) prepare modifications and derivative works of the Software; (c) distribute the Software (including without limitation in source code or object code form); and (d) reproduce copies of the Software (the License). Licensee is not granted the right to, and Licensee shall not, exercise the License for an Excluded Purpose. For purposes of this Agreement, Excluded Purpose means making available any software-as-a-service, platform-as-a-service, infrastructure-as-a-service or other similar online service that competes with Confluent products or services that provide the Software.

1.2 Conditions. In consideration of the License, Licensees distribution of the Software is subject to the following conditions:

(a) Licensee must cause any Software modified by Licensee to carry prominent notices stating that Licensee modified the Software.

(b) On each Software copy, Licensee shall reproduce and not remove or alter all Confluent or third party copyright or other proprietary notices contained in the Software, and Licensee must provide the notice below with each copy.

This software is made available by Confluent, Inc., under the terms of the Confluent Community License Agreement, Version 1.0 located at <http://www.confluent.io/confluent-community-license>. BY INSTALLING, DOWNLOADING, ACCESSING, USING OR DISTRIBUTING ANY OF THE SOFTWARE, YOU AGREE TO THE TERMS OF SUCH LICENSE AGREEMENT.

1.3 Licensee Modifications. Licensee may add its own copyright notices to modifications made by Licensee and may provide additional or different license terms and conditions for use, reproduction, or distribution of Licensees modifications. While redistributing the Software or modifications thereof, Licensee may choose to offer, for a fee or free of charge, support, warranty, indemnity, or other obligations. Licensee, and not Confluent, will be responsible for any such obligations.

1.4 No Sublicensing. The License does not include the right to sublicense the Software, however, each recipient to which Licensee provides the Software may exercise the Licenses so long as such recipient agrees to the terms and conditions of this Agreement.

2. TERM AND TERMINATION. This Agreement will continue unless and until earlier terminated as set forth herein. If Licensee breaches any of its conditions or obligations under this Agreement, this Agreement will terminate automatically and the License will terminate automatically and permanently.

3. INTELLECTUAL PROPERTY. As between the parties, Confluent will retain all right, title, and interest in the Software, and all intellectual property rights therein. Confluent hereby reserves all rights not expressly granted to Licensee in this Agreement. Confluent hereby reserves all rights in its trademarks and service marks, and no licenses therein are granted in this Agreement.

4. DISCLAIMER. CONFLUENT HEREBY DISCLAIMS ANY AND ALL WARRANTIES AND CONDITIONS, EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE, AND SPECIFICALLY DISCLAIMS ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO THE SOFTWARE.

5. LIMITATION OF LIABILITY. CONFLUENT WILL NOT BE LIABLE FOR ANY DAMAGES OF ANY KIND, INCLUDING BUT NOT LIMITED TO, LOST PROFITS OR ANY CONSEQUENTIAL, SPECIAL, INCIDENTAL, INDIRECT, OR DIRECT DAMAGES, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, ARISING OUT OF THIS AGREEMENT. THE FOREGOING SHALL APPLY TO THE EXTENT PERMITTED BY APPLICABLE LAW.

#### 6. GENERAL.

6.1 Governing Law. This Agreement will be governed by and interpreted in accordance with the laws of the state of California, without reference to its conflict of laws principles. If Licensee is located within the United States, all disputes arising out of this Agreement are subject to the exclusive jurisdiction of courts located in Santa Clara County, California, USA. If Licensee is located outside of the United States, any dispute, controversy or claim arising out of or relating to this Agreement will be referred to and finally determined by arbitration in accordance with the JAMS International Arbitration Rules. The tribunal will consist of one arbitrator. The place of arbitration will be Palo Alto, California. The language to be used in the arbitral proceedings will be English. Judgment upon the award rendered by the arbitrator may be entered in any court having jurisdiction thereof.

6.2 Assignment. Licensee is not authorized to assign its rights under this Agreement to any third party. Confluent may freely assign its rights under this Agreement to any third party.

6.3 Other. This Agreement is the entire agreement between the parties regarding the subject matter hereof. No amendment or modification of this Agreement will be valid or binding upon the parties unless made in writing and signed by the duly authorized representatives of both

parties. In the event that any provision, including without limitation any condition, of this Agreement is held to be unenforceable, this Agreement and all licenses and rights granted hereunder will immediately terminate. Waiver by Confluent of a breach of any provision of this Agreement or the failure by Confluent to exercise any right hereunder will not be construed as a waiver of any subsequent breach of that right or as a waiver of any other right.

Apache Kafka

Copyright 2016 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This distribution has a binary dependency on jersey, which is available under the CDDL License. The source code of jersey can be found at <https://github.com/jersey/jersey/>.

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Java ClassMate library was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi))

Other developers who have contributed code are:

### \* Brian Langel

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="description" content="Home page of The Apache Software Foundation">

  <link rel="apple-touch-icon" sizes="57x57" href="/favicons/apple-touch-icon-57x57.png">
  <link rel="apple-touch-icon" sizes="60x60" href="/favicons/apple-touch-icon-60x60.png">
  <link rel="apple-touch-icon" sizes="72x72" href="/favicons/apple-touch-icon-72x72.png">
  <link rel="apple-touch-icon" sizes="76x76" href="/favicons/apple-touch-icon-76x76.png">
  <link rel="apple-touch-icon" sizes="114x114" href="/favicons/apple-touch-icon-114x114.png">
  <link rel="apple-touch-icon" sizes="120x120" href="/favicons/apple-touch-icon-120x120.png">
  <link rel="apple-touch-icon" sizes="144x144" href="/favicons/apple-touch-icon-144x144.png">
  <link rel="apple-touch-icon" sizes="152x152" href="/favicons/apple-touch-icon-152x152.png">
  <link rel="apple-touch-icon" sizes="180x180" href="/favicons/apple-touch-icon-180x180.png">
  <link rel="icon" type="image/png" href="/favicons/favicon-32x32.png" sizes="32x32">
  <link rel="icon" type="image/png" href="/favicons/favicon-194x194.png" sizes="194x194">
  <link rel="icon" type="image/png" href="/favicons/favicon-96x96.png" sizes="96x96">
  <link rel="icon" type="image/png" href="/favicons/android-chrome-192x192.png" sizes="192x192">
  <link rel="icon" type="image/png" href="/favicons/favicon-16x16.png" sizes="16x16">
  <link rel="manifest" href="/favicons/manifest.json">
  <link rel="shortcut icon" href="/favicons/favicon.ico">
  <meta name="msapplication-TileColor" content="#603cba">
  <meta name="msapplication-TileImage" content="/favicons/mstile-144x144.png">
  <meta name="msapplication-config" content="/favicons/browserconfig.xml">
  <meta name="theme-color" content="#303284">

  <title>Apache License, Version 2.0</title>
  <link href='https://fonts.googleapis.com/css?family=Source+Sans+Pro:400,700%7cDroid+Serif:400,700'
rel='stylesheet' type='text/css'>
  <link href="/css/min.bootstrap.css" rel="stylesheet">
  <link href="/css/styles.css" rel="stylesheet">

```

```

  <!-- Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See
the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF
licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file
except in compliance with the License. You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0 . Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing
permissions and limitations under the License. -->

```

```

</head>

```

```

<body>

```

```

<!-- Navigation -->
<header>
<nav class="navbar navbar-default navbar-fixed-top">
  <div class="container">
    <div class="navbar-header">
      <button class="navbar-toggle" type="button" data-toggle="collapse" data-target="#mainnav-collapse">
        <span class="sr-only">Toggle navigation</span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a href="#" class="navbar-brand"><span class="glyphicon glyphicon-home"></span></a>
    </div>
    <div class="collapse navbar-collapse" id="mainnav-collapse">
      <div style="line-height:20px; padding-top:5px; float:left"><a href="/">Home</a>&nbsp;&raquo;&nbsp;&nbsp;<a href="/licenses/">Licenses</a></div>
      <ul class="nav navbar-nav navbar-right">
        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-toggle="dropdown">About <span class="caret"></span></a>
          <ul class="dropdown-menu" role="menu">
            <li><a href="/foundation">Overview</a></li>
            <li><a href="/foundation/members.html">Members</a></li>
            <li><a href="/foundation/how-it-works.html">Process</a></li>
            <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
            <li><a href="/foundation/glossary.html">Glossary</a></li>
            <li><a href="/foundation/preFAQ.html">FAQ</a></li>
            <li><a href="/foundation/contact.html ">Contact</a></li>
          </ul>
        </li>
        <li><a href="/index.html#projects-list">Projects</a></li>
        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-toggle="dropdown">People <span class="caret"></span></a>
          <ul class="dropdown-menu" role="menu">
            <li><a href="http://people.apache.org">Overview</a></li>
            <li><a href="http://people.apache.org/committer-index.html">Committers</a></li>
            <li><a href="/foundation/how-it-works.html#meritocracy">Meritocracy</a></li>
            <li><a href="/foundation/how-it-works.html#roles">Roles</a></li>
            <li><a href="http://planet.apache.org/">Planet Apache</a></li>
          </ul>
        </li>
        <li class="dropdown">
          <a href="#" class="dropdown-toggle" data-toggle="dropdown">Get Involved <span class="caret"></span></a>
          <ul class="dropdown-menu" role="menu">
            <li><a href="/foundation/getinvolved.html">Overview</a></li>
            <li><a href="http://community.apache.org">Community Development</a></li>
            <li><a href="http://helpwanted.apache.org/">Help Wanted</a></li>
            <li><a href="http://www.apachecon.com/">ApacheCon</a></li>
          </ul>
        </li>
      </ul>
    </div>
  </div>
</nav>

```

```

        </ul>
    </li>
    <li><a href="/dyn/closer.cgi">Download</a></li>
    <li class="dropdown">
        <a href="#" class="dropdown-toggle" data-toggle="dropdown">Support Apache <span
class="caret"></span></a>
        <ul class="dropdown-menu" role="menu">
            <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
            <li><a href="/foundation/contributing.html">Donations</a></li>
            <li><a href="/foundation/buy_stuff.html">Buy Stuff</a></li>
            <li><a href="/foundation/thanks.html">Thanks</a></li>
        </ul>
    </li>
</ul>
</div>
</div>
</nav>
</header>
<!-- / Navigation -->
<div class="container">
<div class="row">
<div class="col-md-9 col-sm-8 col-xs-12">

</div>
<div class="col-md-3 col-sm-4 col-xs-12">
<div class="input-group" style="margin-bottom: 5px;">
<script>
(function() {
var cx = '005703438322411770421:5mgshgrgx2u';
var gcse = document.createElement('script');
gcse.type = 'text/javascript';
gcse.async = true;
gcse.src = (document.location.protocol == 'https:' ? 'https:' : 'http:') +
    '//cse.google.com/cse.js?cx=' + cx;
var s = document.getElementsByTagName('script')[0];
s.parentNode.insertBefore(gcse, s);
})();
</script>
<gcse:searchbox-only></gcse:searchbox-only>
</div>
<a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/governance/">The Apache Way</a>
<a role="button" class="btn btn-block btn-default btn-xs"
href="https://community.apache.org/contributors/">Contribute</a>
<a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/thanks.html">ASF Sponsors</a>
</div>
</div>
</div>
<div class="container"><style type="text/css">

```

```

/* The following code is added by mdx_elementid.py
   It was originally lifted from http://subversion.apache.org/style/site.css */
/*
* Hide class="elementid-permalink", except when an enclosing heading
* has the :hover property.
*/
.headerlink, .elementid-permalink {
  visibility: hidden;
}
h2:hover > .headerlink, h3:hover > .headerlink, h1:hover > .headerlink, h6:hover > .headerlink, h4:hover >
.headerlink, h5:hover > .headerlink, dt:hover > .elementid-permalink { visibility: visible }</style>
<p>Apache License<br></br>Version 2.0, January 2004<br></br>
<a href="http://www.apache.org/licenses/">http://www.apache.org/licenses/</a> </p>
<p>TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION</p>
<p><strong><a name="definitions">1. Definitions</a></strong>.</p>
<p>"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.</p>
<p>"Licensor" shall mean the copyright owner or entity authorized by the
copyright owner that is granting the License.</p>
<p>"Legal Entity" shall mean the union of the acting entity and all other
entities that control, are controlled by, or are under common control with
that entity. For the purposes of this definition, "control" means (i) the
power, direct or indirect, to cause the direction or management of such
entity, whether by contract or otherwise, or (ii) ownership of fifty
percent (50%) or more of the outstanding shares, or (iii) beneficial
ownership of such entity.</p>
<p>"You" (or "Your") shall mean an individual or Legal Entity exercising
permissions granted by this License.</p>
<p>"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation source,
and configuration files.</p>
<p>"Object" form shall mean any form resulting from mechanical transformation
or translation of a Source form, including but not limited to compiled
object code, generated documentation, and conversions to other media types.</p>
<p>"Work" shall mean the work of authorship, whether in Source or Object form,
made available under the License, as indicated by a copyright notice that
is included in or attached to the work (an example is provided in the
Appendix below).</p>
<p>"Derivative Works" shall mean any work, whether in Source or Object form,
that is based on (or derived from) the Work and for which the editorial
revisions, annotations, elaborations, or other modifications represent, as
a whole, an original work of authorship. For the purposes of this License,
Derivative Works shall not include works that remain separable from, or
merely link (or bind by name) to the interfaces of, the Work and Derivative
Works thereof.</p>
<p>"Contribution" shall mean any work of authorship, including the original
version of the Work and any modifications or additions to that Work or
Derivative Works thereof, that is intentionally submitted to Licensor for

```

inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

**2. Grant of Copyright License**. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

**3. Grant of Patent License**. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

**4. Redistribution**. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

-

- You must give any other recipients of the Work or Derivative Works a copy of this License; and

- You must cause any modified files to carry prominent notices stating that You changed the files; and

- You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

<br/>

<br/>

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

</li>

</ol>

**5. Submission of Contributions**. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

**6. Trademarks**. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

**7. Disclaimer of Warranty**. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

**8. Limitation of Liability**. In no event and

under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

**9. Accepting Warranty or Additional Liability**.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License.

However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

**APPENDIX: How to apply the Apache License to your work**

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

```
Copyright [yyyy] [name of copyright owner]
```

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
<!-- Footer -->
```

```
<footer class="bg-primary">
```

```

<div class="container">
  <div class="row">
    <br />
    <div class="col-sm-1">

</div>
<div class="col-sm-2">
  <h5 class="white">Community</h5>
  <ul class="list-unstyled white" role="menu">
    <li><a href="http://community.apache.org/">Overview</a></li>
    <li><a href="/foundation/conferences.html">Conferences</a></li>
    <li><a href="http://community.apache.org/gsoc.html">Summer of Code</a></li>
    <li><a href="http://community.apache.org/newcomers/">Getting Started</a></li>
    <li><a href="/foundation/how-it-works.html">The Apache Way</a></li>
    <li><a href="/travel/">Travel Assistance</a></li>
    <li><a href="/foundation/getinvolved.html">Get Involved</a></li>
    <li><a href="http://community.apache.org/newbiefaq.html">Community FAQ</a></li>
  </ul>
</div>

<div class="col-sm-2">
<h5 class="white">Innovation</h5>
  <ul class="list-unstyled white" role="menu">
    <li><a href="http://incubator.apache.org/">Incubator</a></li>
    <li><a href="http://labs.apache.org/">Labs</a></li>
    <li><a href="/licenses/">Licensing</a></li>
    <li><a href="/foundation/license-faq.html">Licensing FAQ</a></li>
    <li><a href="/foundation/marks/">Trademark Policy</a></li>
    <li><a href="/foundation/contact.html">Contacts</a></li>
  </ul>
</div>

<div class="col-sm-2">
<h5 class="white">Tech Operations</h5>
  <ul class="list-unstyled white" role="menu">
    <li><a href="/dev/">Developer Information</a></li>
    <li><a href="/dev/infrastructure.html">Infrastructure</a></li>
    <li><a href="/security/">Security</a></li>
    <li><a href="http://status.apache.org">Status</a></li>
    <li><a href="/foundation/contact.html">Contacts</a></li>
  </ul>
</div>

<div class="col-sm-2">
<h5 class="white">Press</h5>
  <ul class="list-unstyled white" role="menu">
    <li><a href="/press/">Overview</a></li>
    <li><a href="https://blogs.apache.org/">ASF News</a></li>

```

```
<li><a href="https://blogs.apache.org/foundation/">Announcements</a></li>
<li><a href="https://twitter.com/TheASF">Twitter Feed</a></li>
<li><a href="/press/#contact">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-2">
<h5 class="white">Legal</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="/legal/">Legal Affairs</a></li>
<li><a href="/licenses/">Licenses</a></li>
<li><a href="/foundation/marks/">Trademark Policy</a></li>
<li><a href="/foundation/records/">Public Records</a></li>
<li><a href="/foundation/policies/privacy.html">Privacy Policy</a></li>
<li><a href="/licenses/exports/">Export Information</a></li>
<li><a href="/foundation/license-faq.html">License/Distribution FAQ</a></li>
<li><a href="/foundation/contact.html">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-1">
</div>
```

```
</div>
```

```
<hr class="col-lg-12 hr-white" />
```

```
<div class="row">
```

```
<div class="col-lg-12">
```

```
<p class="text-center">Copyright &#169; 2016 The Apache Software Foundation, Licensed under the <a
class="white" href="http://www.apache.org/licenses/LICENSE-2.0">Apache License, Version 2.0</a>.</p>
```

```
<p class="text-center">Apache and the Apache feather logo are trademarks of The Apache Software
Foundation.</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</footer>
```

```
<!-- / Footer -->
```

```
<script src="/js/jquery-2.1.1.min.js"></script>
```

```
<script src="/js/bootstrap.js"></script>
```

```
</body>
```

```
</html>
```

This copy of Jackson JSON processor annotations is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>  
Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

This copy of Jackson JSON processor streaming parser/generator is licensed under the  
Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the  
specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html><head>
<title>301 Moved Permanently</title>
</head><body>
<h1>Moved Permanently</h1>
<p>The document has moved <a href="https://opensource.org/licenses/mit-license.php">here</a>.</p>
</body></html>
```

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: schema-registry

Source: <https://github.com/confluentinc/schema-registry>

Files: \*

Copyright: 2018 Confluent, Inc.

License: Apache-2

Files: core/\*

Copyright: 2015 Confluent, Inc.

License: Confluent Community License

License: Confluent Community License

Licensed under the Confluent Community License; you may not use this file  
except in compliance with the License. You may obtain a copy of the License at

<http://www.confluent.io/confluent-community-license>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
WARRANTIES OF ANY KIND, either express or implied. See the License for the

specific language governing permissions and limitations under the License.

License: Apache-2

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

On Debian systems, the Apache 2.0 license can be found in `/usr/share/common-licenses/Apache-2.0`.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This distribution has a binary dependency on jersey, which is available under the CDDL License as described below.

### COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL - Version 1.1)

#### 1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the

name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS

NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Avro

Copyright 2009-2014 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

The following commands were used to generate license and notice files. Replace <VERSION> with the Schema Registry version, <SRC\_PATH> with the path to the Schema Registry source directory,

and <LICENSE\_TOOL\_PATH> with the path of the license tool.

```
cd <SRC_PATH>
mvn package -DskipTests
mkdir /tmp/jars
mkdir /tmp/overrides
cp package-schema-registry/target/kafka-schema-registry-package-<VERSION>-package/share/java/schema-registry/*.jar /tmp/jars/
cp package-kafka-serde-tools/target/kafka-serde-tools-package-<VERSION>-package/share/java/kafka-serde-tools/*.jar /tmp/jars/
cd <LICENSE_TOOL_PATH>
./bin/run_license_job.bash -i /tmp/jars -l <SRC_PATH>/licenses -n <SRC_PATH>/notices -h
<SRC_PATH>/licenses-and-notices.html -o /tmp/overrides
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
```

```
<html lang="en-US">
<head>
<title>GlassFish Dual License Header and License Notice GPL v2 and CDDL</title>
<meta http-equiv="content-type" content="text/html; charset=UTF-8">
<style type="text/css">
li {display: block;}
</style>
</head>
```

```
<body leftmargin="0" topmargin="0" marginheight="0" marginwidth="0" bgcolor="#ffffff">
```

```
<h3>COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0</h3>
```

```
<ul>
<li><p><b>1. Definitions.</b></p>
<ul>
<li>
<p>
<b>1.1. &ldquo;Contributor&rdquo;</b> means each individual or
entity that creates or contributes to the creation of
Modifications.
</p>
</li>

<li>
<p>
<b>1.2. &ldquo;Contributor Version&rdquo;</b> means
the combination of the Original Software, prior
Modifications used by a Contributor (if any), and the
Modifications made by that particular Contributor.
</p>
</li>
</ul>
```

<li>  
<p>  
<b>1.3. &ldquo;Covered Software&rdquo;</b> means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.  
</p>  
</li>

<li>  
<p>  
<b>1.4. &ldquo;Executable&rdquo;</b> means the Covered Software in any form other than Source Code.  
</p>  
</li>

<li>  
<p>  
<b>1.5. &ldquo;Initial Developer&rdquo;</b> means the individual or entity that first makes Original Software available under this License.  
</p>  
</li>

<li>  
<p>  
<b>1.6. &ldquo;Larger Work&rdquo;</b> means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.  
</p>  
</li>

<li>  
<p>  
<b>1.7. &ldquo;License&rdquo;</b> means this document.  
</p>  
</li>

<li>  
<p>  
<b>1.8. &ldquo;Licensable&rdquo;</b> means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.  
</p>  
</li>

<li>  
<p>  
<b>1.9. &ldquo;Modifications&rdquo;</b> means the Source Code and Executable form of any of the following:  
</p>  
<ul>  
<li>  
<p>  
<b>A.</b> Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;  
</p>  
</li>  
<li>  
<p>  
<b>B.</b> Any new file that contains any part of the Original Software or previous Modification; or  
</p>  
</li>  
<li>  
<p>  
<b>C.</b> Any new file that is contributed or otherwise made available under the terms of this License.  
</p>  
</li>  
</ul>  
</li>  
  
<li>  
<p>  
<b>1.10. &ldquo;Original Software&rdquo;</b> means the Source Code and Executable form of computer software code that is originally released under this License.  
</p>  
</li>  
  
<li>  
<p>  
<b>1.11. &ldquo;Patent Claims&rdquo;</b> means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.  
</p>  
</li>

<li>

<p>

<b>1.12. &ldquo;Source Code&rdquo;</b> means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

</p>

</li>

<li>

<p>

<b>1.13. &ldquo;You&rdquo; (or &ldquo;Your&rdquo;)</b> means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, &ldquo;You&rdquo; includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, &ldquo;control&rdquo; means (a) &nbsp;the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) &nbsp;ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

</p>

</li>

</ul>

</li>

<li>

<p><b>2. License Grants.</b></p>

<ul>

<li>

<p><b>2.1. The Initial Developer Grant.</b></p>

<p>

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

</p>

<ul>

<li>

<p>

<b>(a)</b> under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

</p>

</li>

<li>

<p>

<b>(b)</b> under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

</p>

</li>

<li>

<p>

<b>(c)</b> The licenses granted in Sections&nbsp;2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

</p>

</li>

<li>

<p>

<b>(d)</b> Notwithstanding Section&nbsp;2.1(b) above, no patent license is granted: (1)&nbsp;for code that You delete from the Original Software, or (2)&nbsp;for infringements caused by: (i)&nbsp;the modification of the Original Software, or (ii)&nbsp;the combination of the Original Software with other software or devices.

</p>

</li>

</ul>

</li>

<li>

<p><b>2.2. Contributor Grant.</b></p>

<p>

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

</p>

<ul>

<li>

<p>

<b>(a)</b> under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an

unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

</p>

</li>

<li>

<p>

<b>(b)</b> under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

</p>

</li>

<li>

<p>

<b>(c)</b> The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

</p>

</li>

<li>

<p>

<b>(d)</b> Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

</p>

</li>

</ul>

</li>

</ul>

</li>

<li>

<p><b>3. Distribution Obligations.</b></p>

<ul>

<li>

<p><b>3.1. Availability of Source Code.</b></p>

<p>

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

</p>

</li>

<li>

<p><b>3.2. Modifications.</b></p>

<p>

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

</p>

</li>

<li>

<p><b>3.3. Required Notices.</b></p>

<p>

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

</p>

</li>

<li>

<p><b>3.4. Application of Additional Terms.</b></p>

<p>

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so

only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

</p>

</li>

<li>

<p><b>3.5. Distribution of Executable Versions.</b></p>

<p>

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

</p>

</li>

<li>

<p><b>3.6. Larger Works.</b></p>

<p>

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

</p>

</li>

</ul>

</li>

<li>

<p><b>4. Versions of the License.</b></p>

<ul>

<li>

<p><b>4.1. New Versions.</b></p>

<p>

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

</p>

</li>

<li>

<p><b>4.2. Effect of New Versions.</b></p>

<p>

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

</p>

</li>

<li>

<p><b>4.3. Modified Versions.</b></p>

<p>

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You:

- (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and
- (b) otherwise make it clear that the license contains terms which differ from this License.

</p>

</li>

</ul>

</li>

<li>

<p><b>5. DISCLAIMER OF WARRANTY.</b></p>

<p>

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN &ldquo;AS IS&rdquo; BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

</p>

</li>

<li>

<p><b>6. TERMINATION.</b></p>

<ul>

<li>

<p>

<b>6.1.</b> This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

</p>

</li>

<li>

<p>

<b>6.2.</b> If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as &ldquo;Participant&rdquo;) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections&nbsp;2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

</p>

</li>

<li>

<p>

**6.3.** In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

</p>

</li>

</ul>

</li>

<li>

**7. LIMITATION OF LIABILITY.**

<p>

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

</p>

</li>

<li>

**8. U.S. GOVERNMENT END USERS.**

<p>

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This

U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

</p>

</li>

<li>

<p><b>9. MISCELLANEOUS.</b></p>

<p>

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

</p>

</li>

<li>

<p><b>10. RESPONSIBILITY FOR CLAIMS.</b></p>

<p>

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

</p>

</li>

<li>

<p>

<b>

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT  
AND DISTRIBUTION LICENSE (CDDL)

</b>

</p>

<p>

The code released under the CDDL shall be governed by the laws  
of the State of California (excluding conflict-of-law provisions).

Any litigation relating to this License shall be subject to the  
jurisdiction of the Federal Courts of the Northern District of  
California and the state courts of the State of California, with  
venue lying in Santa Clara County, California.

</p>

</li>

</ul>

<h3>The GNU General Public License (GPL) Version 2, June 1991</h3>

<p>

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

</p>

<p>

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

</p>

<p><b>Preamble</b></p>

<p>

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
License is intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.  
This General Public License applies to most of the Free Software  
Foundation's software and to any other program whose authors commit  
to using it. (Some other Free Software Foundation software is covered  
by the GNU Library General Public License instead.) You can apply it  
to your programs, too.

</p>

<p>

When we speak of free software, we are referring to freedom, not  
price. Our General Public Licenses are designed to make sure that  
you have the freedom to distribute copies of free software (and  
charge for this service if you wish), that you receive source code  
or can get it if you want it, that you can change the software or

use pieces of it in new free programs; and that you know you can do these things.

</p>

<p>

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

</p>

<p>

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

</p>

<p>

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

</p>

<p>

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

</p>

<p>

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

</p>

<p>

The precise terms and conditions for copying, distribution and modification follow.

</p>

<p><b>TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION</b></p>

<ul style="margin-left:0; padding-left:0; border-left:0">

<li>

<p>

<b>0.</b> This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The

"Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

</p>

<p>

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

</p>

</li>

<li>

<p>

**1.** You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

</p>

<p>

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

</p>

</li>

<li>

<p>

**2.** You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

</p>

<ul>

<li>

<p>

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

</p>

</li>

<li>

<p>

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

</p>

</li>

<li>

<p>

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

</p>

</li>

</ul>

<p>

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

</p>

<p>

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

</p>

<p>

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

</p>

</li>

<li>

<p>

<b>3.</b> You may copy and distribute the Program (or a work based

on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

</p>

<ul>

<li>

<p>

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

</p>

</li>

<li>

<p>

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

</p>

</li>

<li>

<p>

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

</p>

</li>

</ul>

<p>

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

</p>

<p>

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the

source code, even though third parties are not compelled to copy the source along with the object code.

</p>  
</li>

<li>

<p>

**4.** You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

</p>  
</li>

<li>

<p>

**5.** You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

</p>  
</li>

<li>

<p>

**6.** Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

</p>  
</li>

<li>

<p>

**7.** If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent

obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

</p>

<p>

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

</p>

<p>

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

</p>

<p>

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

</p>

</li>

<li>

<p>

**8.** If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

</p>

</li>

<li>

<p>

**9.** The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

</p>

<p>

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

</p>

</li>

<li>

<p>

**10.** If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

</p>

</li>

<li>

<p>NO WARRANTY</p>

</li>

<li>

<p>

**11.** BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

</p>

</li>

<li>

<p>

**12.** IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),

EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

</p>

</li>

<li>

<p>END OF TERMS AND CONDITIONS</p>

</li>

<li>

<p><b>How to Apply These Terms to Your New Programs</b></p>

<p>

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

</p>

<p>

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

</p>

<ul>

<li>

<p>

One line to give the program's name and a brief idea of what it does.

</p>

</li>

<li>

<p>

Copyright (C) <year> <name of author>

</p>

</li>

<li>

<p>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

</p>

</li>

<li>

<p>

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

</p>

</li>

<li>

<p>

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc.,  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

</p>

</li>

</ul>

<p>

Also add information on how to contact you by electronic and paper mail.

</p>

<p>

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

</p>

<ul>

<li>

<p>

Gnomovision version 69, Copyright (C) year name of author<br />

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type  
'show w'. This is free software, and you are welcome to redistribute  
it under certain conditions; type 'show c' for details.

</p>

</li>

</ul>

<p>

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

</p>

<p>

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

</p>

<ul>

<li>

<p>

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

</p>

<p>

signature of Ty Coon, 1 April 1989<br />

Ty Coon, President of Vice

</p>

</li>

</ul>

<p>

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

</p>

</li>

<li style="background-color:yellow;">

<p><b>"CLASSPATH" EXCEPTION TO THE GPL VERSION 2</b></p>

<p>

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

</p>

<p>

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

</p>

<p>

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

</p>

</li>

</ul>

</body>

</html>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"

"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1" />

<title>Untitled Document</title>

</head>

<body>

<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">

<HTML>

<!-- @page { margin: 0.79in } P { margin-bottom: 0.08in } H1 { margin-top: 0in; margin-bottom: 0.17in; widows: 0; orphans: 0 } H1.western { font-family: "Times New Roman", serif; font-size: 12pt; font-weight: normal } H1.cjk { font-family: "Andale Sans UI"; font-size: 12pt; font-weight: normal } H1.cml { font-family: "Tahoma"; font-size: 12pt; font-weight: normal } -->

<BODY DIR="LTR">

<p><strong>COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1</strong></p>

<p>1. Definitions.</p>

<blockquote>1.1. &ldquo;Contributor&rdquo; means each individual or entity that creates or contributes to the creation of Modifications.</blockquote>

<blockquote>1.2. &ldquo;Contributor Version&rdquo; means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.</blockquote>

<blockquote>1.3. &ldquo;Covered Software&rdquo; means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.</blockquote>

<blockquote>1.4. &ldquo;Executable&rdquo; means the Covered Software in any form other than Source Code.</blockquote>

<blockquote>1.5. &ldquo;Initial Developer&rdquo; means the individual or entity that first makes Original Software available under this License.</blockquote>

<blockquote>1.6. &ldquo;Larger Work&rdquo; means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.</blockquote>

<blockquote>1.7. &ldquo;License&rdquo; means this document.</blockquote>

<blockquote>1.8. &ldquo;Licensable&rdquo; means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.</blockquote>

<blockquote>1.9. &ldquo;Modifications&rdquo; means the Source Code and Executable form of any of the following:</blockquote>

<blockquote>A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;</blockquote>

<blockquote>B. Any new file that contains any part of the Original Software or previous Modification; or</blockquote>

<blockquote>C. Any new file that is contributed or otherwise made available under the terms of this License.</blockquote>

<blockquote>1.10. &ldquo;Original Software&rdquo; means the Source Code and Executable form of computer software code that is originally released under this License.</blockquote>

<blockquote>1.11. &ldquo;Patent Claims&rdquo; means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.</blockquote>

<blockquote>1.12. &ldquo;Source Code&rdquo; means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.</blockquote>

<blockquote>1.13. &ldquo;You&rdquo; (or &ldquo;Your&rdquo;) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, &ldquo;You&rdquo; includes

any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, “control” means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on

or through a medium customarily used for software exchange.</blockquote>

<blockquote>3.2. Modifications.</blockquote>

<blockquote>The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.</blockquote>

<blockquote>3.3. Required Notices.</blockquote>

<blockquote>You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.</blockquote>

<blockquote>3.4. Application of Additional Terms.</blockquote>

<blockquote>You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.</blockquote>

<blockquote>3.5. Distribution of Executable Versions.</blockquote>

<blockquote>You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.</blockquote>

<blockquote>3.6. Larger Works.</blockquote>

<blockquote>You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.</blockquote>

<p>4. Versions of the License.</p>

<blockquote>4.1. New Versions.</blockquote>

<blockquote>Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.</blockquote>

<blockquote>4.2. Effect of New Versions.</blockquote>

<blockquote>You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.</blockquote>

<blockquote>4.3. Modified Versions.</blockquote>

<blockquote>When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any

references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S

NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

**The GNU General Public License (GPL) Version 2, June 1991**

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

**Preamble**

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

**TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION**

**0**. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

**1**. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence

of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

**2**. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

**3**. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

**4**. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

**5**. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

**6**. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

**7**. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

**8**. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

**9**. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<blockquote>One line to give the program's name and a brief idea of what it does.<br />Copyright (C) &lt;year&gt; &lt;name of author&gt;</blockquote>
```

```
<blockquote>This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.</blockquote>
```

```
<blockquote>This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.</blockquote>
```

```
<blockquote>You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA</blockquote>
```

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
<blockquote>Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.</blockquote>
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public

License. Of course, the commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
<blockquote>Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.</blockquote>
```

```
<blockquote>signature of Ty Coon, 1 April 1989<br />
```

```
Ty Coon, President of Vice</blockquote>
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
<li style="background-color:yellow;">
```

```
<p><strong>&quot;CLASSPATH&quot; EXCEPTION TO THE GPL VERSION 2</strong><br />
```

```
<br />
```

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

```
<br />
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

```
<br />
```

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

```
</li>
```

```
<p><br />
```

```
<br />
```

```
</p>
```

```
<p><br />
```

```
</p>
```

```
</body>
```

```
</html>
```

This copy of Jackson JSON processor is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/>

A copy is also included with both the the downloadable source code package

and jar that contains class bytecodes, as file "ASL 2.0". In both cases, that file should be located next to this file: in source distribution the location should be "release-notes/asl"; and in jar "META-INF/"  
The project is licensed under the Confluent Community License, except for client libs, which is under the Apache 2.0 license.

See LICENSE file in each subfolder for detailed license agreement.

Apache log4j

Copyright 2007 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has been in development since 2007.  
It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License

Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta name="description" content="Home page of The Apache Software Foundation">
```

```

<link rel="apple-touch-icon" sizes="57x57" href="/favicons/apple-touch-icon-57x57.png">
<link rel="apple-touch-icon" sizes="60x60" href="/favicons/apple-touch-icon-60x60.png">
<link rel="apple-touch-icon" sizes="72x72" href="/favicons/apple-touch-icon-72x72.png">
<link rel="apple-touch-icon" sizes="76x76" href="/favicons/apple-touch-icon-76x76.png">
<link rel="apple-touch-icon" sizes="114x114" href="/favicons/apple-touch-icon-114x114.png">
<link rel="apple-touch-icon" sizes="120x120" href="/favicons/apple-touch-icon-120x120.png">
<link rel="apple-touch-icon" sizes="144x144" href="/favicons/apple-touch-icon-144x144.png">
<link rel="apple-touch-icon" sizes="152x152" href="/favicons/apple-touch-icon-152x152.png">
<link rel="apple-touch-icon" sizes="180x180" href="/favicons/apple-touch-icon-180x180.png">
<link rel="icon" type="image/png" href="/favicons/favicon-32x32.png" sizes="32x32">
<link rel="icon" type="image/png" href="/favicons/favicon-194x194.png" sizes="194x194">
<link rel="icon" type="image/png" href="/favicons/favicon-96x96.png" sizes="96x96">
<link rel="icon" type="image/png" href="/favicons/android-chrome-192x192.png" sizes="192x192">
<link rel="icon" type="image/png" href="/favicons/favicon-16x16.png" sizes="16x16">
<link rel="manifest" href="/favicons/manifest.json">
<link rel="shortcut icon" href="/favicons/favicon.ico">
<meta name="msapplication-TileColor" content="#603cba">
<meta name="msapplication-TileImage" content="/favicons/mstile-144x144.png">
<meta name="msapplication-config" content="/favicons/browserconfig.xml">
<meta name="theme-color" content="#303284">

<title>Licenses</title>
<link href='https://fonts.googleapis.com/css?family=Source+Sans+Pro:400,700%7cDroid+Serif:400,700'
rel='stylesheet' type='text/css'>
<link href="/css/min.bootstrap.css" rel="stylesheet">
<link href="/css/styles.css" rel="stylesheet">

```

<!-- Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0> . Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License. -->

```
</head>
```

```
<body>
```

```
<!-- Navigation -->
```

```
<header>
```

```
<nav class="navbar navbar-default navbar-fixed-top">
```

```
<div class="container">
```

```
<div class="navbar-header">
```

```
<button class="navbar-toggle" type="button" data-toggle="collapse" data-target="#mainnav-collapse">
```

```
<span class="sr-only">Toggle navigation</span>
```

```

<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
<a href="#" class="navbar-brand"><span class="glyphicon glyphicon-home"></span></a>
</div>
<div class="collapse navbar-collapse" id="mainnav-collapse">
  <div style="line-height:20px; padding-top:5px; float:left"><a href="/">Home</a>&nbsp;&raquo;&nbsp;&nbsp;<a
href="/licenses/">Licenses</a></div>
  <ul class="nav navbar-nav navbar-right">
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">About <span class="caret"></span></a>
      <ul class="dropdown-menu" role="menu">
        <li><a href="/foundation">Overview</a></li>
        <li><a href="/foundation/members.html">Members</a></li>
        <li><a href="/foundation/how-it-works.html">Process</a></li>
        <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
        <li><a href="/foundation/glossary.html">Glossary</a></li>
        <li><a href="/foundation/preFAQ.html">FAQ</a></li>
        <li><a href="/foundation/contact.html">Contact</a></li>
      </ul>
    </li>
    <li><a href="/index.html#projects-list">Projects</a></li>
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">People <span class="caret"></span></a>
      <ul class="dropdown-menu" role="menu">
        <li><a href="http://people.apache.org/">Overview</a></li>
        <li><a href="http://people.apache.org/committer-index.html">Committers</a></li>
        <li><a href="/foundation/how-it-works.html#meritocracy">Meritocracy</a></li>
        <li><a href="/foundation/how-it-works.html#roles">Roles</a></li>
        <li><a href="http://planet.apache.org/">Planet Apache</a></li>
      </ul>
    </li>
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">Get Involved <span
class="caret"></span></a>
      <ul class="dropdown-menu" role="menu">
        <li><a href="/foundation/getinvolved.html">Overview</a></li>
        <li><a href="http://community.apache.org/">Community Development</a></li>
        <li><a href="http://helpwanted.apache.org/">Help Wanted</a></li>
        <li><a href="http://www.apachecon.com/">ApacheCon</a></li>
      </ul>
    </li>
    <li><a href="/dyn/closer.cgi">Download</a></li>
    <li class="dropdown">
      <a href="#" class="dropdown-toggle" data-toggle="dropdown">Support Apache <span
class="caret"></span></a>
      <ul class="dropdown-menu" role="menu">

```

```

        <li><a href="/foundation/sponsorship.html">Sponsorship</a></li>
        <li><a href="/foundation/contributing.html">Donations</a></li>
        <li><a href="/foundation/buy_stuff.html">Buy Stuff</a></li>
        <li><a href="/foundation/thanks.html">Thanks</a></li>
    </ul>
</li>
</ul>
</div>
</div>
</nav>
</header>
<!-- / Navigation -->
<div class="container">
<div class="row">
<div class="col-md-9 col-sm-8 col-xs-12">
    
</div>
<div class="col-md-3 col-sm-4 col-xs-12">
    <div class="input-group" style="margin-bottom: 5px;">
        <script>
(function() {
var cx = '005703438322411770421:5mgshgrgx2u';
var gcse = document.createElement('script');
gcse.type = 'text/javascript';
gcse.async = true;
gcse.src = (document.location.protocol == 'https:' ? 'https:' : 'http:') +
    '//cse.google.com/cse.js?cx=' + cx;
var s = document.getElementsByTagName('script')[0];
s.parentNode.insertBefore(gcse, s);
})();
</script>
        <gcse:searchbox-only></gcse:searchbox-only>
    </div>
    <a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/governance/">The Apache Way</a>
    <a role="button" class="btn btn-block btn-default btn-xs"
href="https://community.apache.org/contributors/">Contribute</a>
    <a role="button" class="btn btn-block btn-default btn-xs" href="/foundation/thanks.html">ASF Sponsors</a>
</div>
</div>
</div>
<div class="container"><style type="text/css">
/* The following code is added by mdx_elementid.py
It was originally lifted from http://subversion.apache.org/style/site.css */
/*
* Hide class="elementid-permalink", except when an enclosing heading
* has the :hover property.
*/
.headerlink, .elementid-permalink {

```

visibility: hidden;

}

h2:hover > .headerlink, h3:hover > .headerlink, h1:hover > .headerlink, h6:hover > .headerlink, h4:hover > .headerlink, h5:hover > .headerlink, dt:hover > .elementid-permalink { visibility: visible }</style>

<p>The Apache Software Foundation uses various licenses to <a href="#distributions">distribute software and documentation</a>, to accept regular

<a href="#clas">contributions from individuals and corporations</a>, and to accept larger <a href="#grants">grants of existing software products</a>.</p>

<p>These licenses help us achieve our goal of providing reliable and long-lived software products through collaborative open source software development. In all cases, contributors retain full rights to use their original contributions for any other purpose outside of Apache while providing the ASF and its projects the right to distribute and build upon their work within Apache.</p>

<h1 id="distributions">Licensing of Distributions<a class="headerlink" href="#distributions" title="Permanent link">&para;</a></h1>

<p>All software produced by The Apache Software Foundation or any of its projects or subjects is licensed according to the terms of the documents listed below.</p>

<h3 id="2.0">Apache License, Version 2.0 (current)<a class="headerlink" href="#2.0" title="Permanent link">&para;</a></h3>

<p><a href="LICENSE-2.0">http://www.apache.org/licenses/LICENSE-2.0</a> ( <a href="LICENSE-2.0.txt">TXT</a> or <a href="LICENSE-2.0.html">HTML</a> )</p>

<p>The 2.0 version of the Apache License was approved by the ASF in 2004. The goals of this license revision have been to reduce the number of frequently asked questions, to allow the license to be reusable without modification by any project (including non-ASF projects), to allow the license to be included by reference instead of listed in every file, to clarify the license on submission of contributions, to require a patent license on contributions that necessarily infringe the contributor's own patents, and to move comments regarding Apache and other inherited attribution notices to a location outside the license terms (the <a href="example-NOTICE.txt">NOTICE file</a> ).</p>

<p>The result is a license that is supposed to be compatible with other open source licenses, while remaining true to the original goals of the Apache Group and supportive of collaborative development across both nonprofit and commercial organizations. The Apache Software Foundation is still trying to determine if this version of the Apache License is <a href="GPL-compatibility.html">compatible with the GPL</a>.</p>

<p>All packages produced by the ASF are implicitly licensed under the Apache License, Version 2.0, unless otherwise explicitly stated. More developer documentation on how to apply the Apache License to your work can be found in \* <a href="./dev/apply-license.html">Applying the Apache License, Version 2.0</a> \*.</p>

<h3 id="1.1">Apache License, Version 1.1 (historic)<a class="headerlink" href="#1.1" title="Permanent link">&para;</a></h3>

<p><a href="LICENSE-1.1">http://www.apache.org/licenses/LICENSE-1.1</a> </p>

<p>The 1.1 version of the Apache License was approved by the ASF in 2000. The

primary change from the 1.0 license is in the 'advertising clause' (section 3 of the 1.0 license); derived products are no longer required to include attribution in their advertising materials, only in their documentation.

Individual packages licensed under the 1.1 version may have used different wording due to varying requirements for attribution or mark identification, but the binding terms were all the same.

### Apache License, Version 1.0 (historic)

<http://www.apache.org/licenses/LICENSE-1.0>

This is the original Apache License which applies only to older versions of Apache packages (such as version 1.2 of the Web server).

## Contributor License Agreements

The ASF desires that all contributors of ideas, code, or documentation to any Apache projects complete, sign, and submit (via fax or email) an [Individual Contributor License Agreement](#) (ICLA).

The purpose of this agreement is to clearly define the terms under which intellectual property has been contributed to the ASF and thereby allow us to defend the project should there be a legal dispute regarding the software at some future time. A signed ICLA is required to be on file before an individual is given commit rights to an ASF project.

For a corporation that has assigned employees to work on an Apache project, a [Corporate CLA](#) (CCLA) is available for contributing intellectual property via the corporation, that may have been assigned as part of an employment agreement. Note that a Corporate CLA does not remove the need for every developer to sign their own ICLA as an individual, to cover any of their contributions which are not owned by the corporation signing the CCLA.

The ICLA is not tied to any employer you may have, so it is recommended to use one's personal email address in the contact details, rather than an @work address.

Your Full name will be published unless you provide an alternative Public name. For example if your full name is Andrew Bernard Charles Dickens, but you wish to be known as Andrew Dickens, please enter the latter as your Public name.

The email address and other contact details are not published.

## Software Grants

When an individual or corporation decides to donate a body of existing software or documentation to one of the Apache projects, they need to execute a formal [Software Grant Agreement](#) (SGA) with the ASF. Typically, this is done after negotiating approval with the ASF [Incubator](http://incubator.apache.org/) or one of the PMCs, since the ASF will not accept software unless there is a viable community available to support a collaborative project.

## Submitting License Agreements and Grants

Documents may be submitted by fax or email.

If submitting by fax, please print, sign, and fax all pages of the document to +1-919-573-9199. Please send documents right-side-up, first page first;

and send only one document per fax.</p>  
<p>If submitting by email, please fill the form with a pdf viewer,  
print, sign, scan all pages into a single pdf file,  
and email the pdf file as an attachment to secretary@apache.org. If possible,  
send the attachment from the email address in the document.  
Please send only one document per email.</p>  
<p>If you prefer to sign electronically, please fill the form, save it locally (e.g. icla.pdf), and sign the  
file by preparing a detached PGP signature. For example,</p>  
<blockquote>  
<p>gpg --armor --detach-sign icla.pdf</p>  
</blockquote>  
<p>The above will create a file icla.pdf.asc. Send both the file and signature  
as attachments in the same email to secretary@apache.org. Please send only one  
document (file plus signature) per email. Please do not submit your public key to Apache.  
Instead, please upload your public key to pgpkeys.mit.edu. </p>  
<p>The files typically are named  
icla.pdf and icla.pdf.asc for individual agreements;  
ccla.pdf and ccla.pdf.asc for corporate agreements;  
software-grant.pdf and software-grant.pdf.asc for grants. </p>  
<h1 id="crypto">Export restrictions<a class="headerlink" href="#crypto" title="Permanent link">&para;</a></h1>  
<p>For export restriction information, please consult our <a href="/licenses/exports/">ASF Export  
Classifications</a> page.</p>  
<h1 id="trademarks">Trademark and Logo Usage<a class="headerlink" href="#trademarks" title="Permanent  
link">&para;</a></h1>  
<p>For ASF trademark and logo usage information, please consult our <a href="/foundation/marks/">ASF  
Trademark Use Policy</a> page.</p>  
<h1 id="questions">Questions?<a class="headerlink" href="#questions" title="Permanent link">&para;</a></h1>  
<p>For answers to frequently asked licensing questions, please consult our  
<a href="/foundation/license-faq.html">Licensing Frequently Asked Questions</a> page.</p></div>

<!-- Footer -->

<footer class="bg-primary">  
<div class="container">  
<div class="row">  
<br />  
<div class="col-sm-1">  
  
</div>  
<div class="col-sm-2">  
<h5 class="white">Community</h5>  
<ul class="list-unstyled white" role="menu">  
<li><a href="http://community.apache.org/">Overview</a></li>  
<li><a href="/foundation/conferences.html">Conferences</a></li>  
<li><a href="http://community.apache.org/gsoc.html">Summer of Code</a></li>  
<li><a href="http://community.apache.org/newcomers/">Getting Started</a></li>  
<li><a href="/foundation/how-it-works.html">The Apache Way</a></li>  
<li><a href="/travel/">Travel Assistance</a></li>

```
<li><a href="/foundation/getinvolved.html">Get Involved</a></li>
<li><a href="http://community.apache.org/newbiefaq.html">Community FAQ</a></li>
</ul>
</div>
```

```
<div class="col-sm-2">
<h5 class="white">Innovation</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="http://incubator.apache.org/">Incubator</a></li>
<li><a href="http://labs.apache.org/">Labs</a></li>
<li><a href="/licenses/">Licensing</a></li>
<li><a href="/foundation/license-faq.html">Licensing FAQ</a></li>
<li><a href="/foundation/marks/">Trademark Policy</a></li>
<li><a href="/foundation/contact.html">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-2">
<h5 class="white">Tech Operations</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="/dev/">Developer Information</a></li>
<li><a href="/dev/infrastructure.html">Infrastructure</a></li>
<li><a href="/security/">Security</a></li>
<li><a href="http://status.apache.org">Status</a></li>
<li><a href="/foundation/contact.html">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-2">
<h5 class="white">Press</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="/press/">Overview</a></li>
<li><a href="https://blogs.apache.org/">ASF News</a></li>
<li><a href="https://blogs.apache.org/foundation/">Announcements</a></li>
<li><a href="https://twitter.com/TheASF">Twitter Feed</a></li>
<li><a href="/press/#contact">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-2">
<h5 class="white">Legal</h5>
<ul class="list-unstyled white" role="menu">
<li><a href="/legal/">Legal Affairs</a></li>
<li><a href="/licenses/">Licenses</a></li>
<li><a href="/foundation/marks/">Trademark Policy</a></li>
<li><a href="/foundation/records/">Public Records</a></li>
<li><a href="/foundation/policies/privacy.html">Privacy Policy</a></li>
<li><a href="/licenses/exports/">Export Information</a></li>
</ul>
</div>
```

```
<li><a href="/foundation/license-faq.html">License/Distribution FAQ</a></li>
<li><a href="/foundation/contact.html">Contacts</a></li>
</ul>
</div>
```

```
<div class="col-sm-1">
</div>
```

```
</div>
```

```
<hr class="col-lg-12 hr-white" />
```

```
<div class="row">
```

```
<div class="col-lg-12">
```

```
<p class="text-center">Copyright &#169; 2016 The Apache Software Foundation, Licensed under the <a
class="white" href="http://www.apache.org/licenses/LICENSE-2.0">Apache License, Version 2.0</a>.</p>
```

```
<p class="text-center">Apache and the Apache feather logo are trademarks of The Apache Software
Foundation.</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</footer>
```

```
<!-- / Footer -->
```

```
<script src="/js/jquery-2.1.1.min.js"></script>
```

```
<script src="/js/bootstrap.js"></script>
```

```
</body>
```

```
</html>
```

This product currently only contains code developed by authors of specific components, as identified by the source code files; if such notes are missing files have been created by Tatu Saloranta.

For additional credits (generally to people who reported problems) see CREDITS file.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.47 argparse 0.8.1

## 1.47.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/TerminalWidth.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2015 Andrew January
 *
 * Permission is hereby granted, free of charge, to any person
 * obtaining a copy of this software and associated documentation
 * files (the "Software"), to deal in the Software without
 * restriction, including without limitation the rights to use, copy,
 * modify, merge, publish, distribute, sublicense, and/or sell copies
 * of the Software, and to permit persons to whom the Software is
 * furnished to do so, subject to the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
 * BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
 * ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
```

\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/CaseInsensitiveEnumNameArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/EnumStringArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/CaseInsensitiveEnumStringArgumentType.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Adam Parkin

\*

\* Permission is hereby granted, free of charge, to any person  
\* obtaining a copy of this software and associated documentation  
\* files (the "Software"), to deal in the Software without  
\* restriction, including without limitation the rights to use, copy,  
\* modify, merge, publish, distribute, sublicense, and/or sell copies  
\* of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
\* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/helper/HelpScreenException.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2011 Tatsuhiro Tsujikawa

\*

\* Permission is hereby granted, free of charge, to any person  
\* obtaining a copy of this software and associated documentation  
\* files (the "Software"), to deal in the Software without

\* restriction, including without limitation the rights to use, copy,  
 \* modify, merge, publish, distribute, sublicense, and/or sell copies  
 \* of the Software, and to permit persons to whom the Software is  
 \* furnished to do so, subject to the following conditions:  
 \*  
 \* The above copyright notice and this permission notice shall be  
 \* included in all copies or substantial portions of the Software.  
 \*  
 \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
 \* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
 \* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
 \* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
 \* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN  
 \* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
 \* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
 \* SOFTWARE.  
 \*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/inf/ArgumentAction.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/helper/PrefixPattern.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/internal/SubparserImpl.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/impl/type/ConstructorArgumentType.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/inf/ArgumentGroup.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/impl/action/VersionArgumentAction.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/internal/UnrecognizedArgumentException.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/inf/Subparsers.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/impl/action/AppendConstArgumentAction.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/annotation/Arg.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/internal/UnrecognizedCommandException.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/inf/ArgumentType.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/helper/CJKTextWidthCounter.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/helper/TextWidthCounter.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-

jar/net/sourceforge/argparse4j/impl/action/StoreArgumentAction.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/Namespace.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/StoreFalseArgumentAction.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/FeatureControl.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/choice/CollectionArgumentChoice.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/ArgumentChoice.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/ArgumentGroupImpl.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/FileVerification.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/EnumArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/ArgumentParserException.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/Subparser.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/helper/ASCIITextWidthCounter.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/helper/ReflectHelper.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/ParseState.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/helper/TextHelper.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/StoreTrueArgumentAction.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/ArgumentParsers.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/SubparsersImpl.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/Argument.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/ArgumentParserImpl.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/choice/RangeArgumentChoice.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/Arguments.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/AppendArgumentAction.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/StringArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-

jar/net/sourceforge/argparse4j/inf/ArgumentParser.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/HelpArgumentAction.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/action/StoreConstArgumentAction.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/internal/ArgumentImpl.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2015 Tatsuhiro Tsujikawa  
*  
* Permission is hereby granted, free of charge, to any person  
* obtaining a copy of this software and associated documentation  
* files (the "Software"), to deal in the Software without  
* restriction, including without limitation the rights to use, copy,  
* modify, merge, publish, distribute, sublicense, and/or sell copies  
* of the Software, and to permit persons to whom the Software is  
* furnished to do so, subject to the following conditions:  
*  
* The above copyright notice and this permission notice shall be  
* included in all copies or substantial portions of the Software.  
*  
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN  
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
* SOFTWARE.  
*/
```

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/BooleanArgumentType.java  
\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/MetavarInference.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2012 Tatsuhiro Tsujikawa  
*  
* Permission is hereby granted, free of charge, to any person  
* obtaining a copy of this software and associated documentation  
* files (the "Software"), to deal in the Software without  
* restriction, including without limitation the rights to use, copy,  
* modify, merge, publish, distribute, sublicense, and/or sell copies
```

\* of the Software, and to permit persons to whom the Software is  
\* furnished to do so, subject to the following conditions:  
\*  
\* The above copyright notice and this permission notice shall be  
\* included in all copies or substantial portions of the Software.  
\*  
\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
\* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN  
\* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
\* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
\* SOFTWARE.  
\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/inf/MutuallyExclusiveGroup.java

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one  
\* or more contributor license agreements. See the NOTICE file  
\* distributed with this work for additional information  
\* regarding copyright ownership. The ASF licenses this file  
\* to you under the Apache License, Version 2.0 (the  
\* "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing,  
\* software distributed under the License is distributed on an  
\* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY  
\* KIND, either express or implied. See the License for the  
\* specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
jar/net/sourceforge/argparse4j/impl/type/FileArgumentType.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2013 Tatsuhiro Tsujikawa  
\*

\* Permission is hereby granted, free of charge, to any person  
 \* obtaining a copy of this software and associated documentation  
 \* files (the "Software"), to deal in the Software without  
 \* restriction, including without limitation the rights to use, copy,  
 \* modify, merge, publish, distribute, sublicense, and/or sell copies  
 \* of the Software, and to permit persons to whom the Software is  
 \* furnished to do so, subject to the following conditions:  
 \*  
 \* The above copyright notice and this permission notice shall be  
 \* included in all copies or substantial portions of the Software.  
 \*  
 \* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
 \* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
 \* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND  
 \* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS  
 \* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN  
 \* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN  
 \* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
 \* SOFTWARE.  
 \*/

Found in path(s):

\* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/impl/type/ReflectArgumentType.java  
 \* /opt/cola/permits/1257333064\_1642801966.95/0/argparse4j-0-8-1-sources-  
 jar/net/sourceforge/argparse4j/impl/action/CountArgumentAction.java

## 1.48 jackson-databind 2.13.2.2

### 1.48.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.  
 It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has  
 been in development since 2007.

It is currently developed by a community of developers.

## Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0  
 To find the details that apply to this artifact see the accompanying LICENSE file.

## Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included  
 in some artifacts (usually source distributions); but is always available  
 from the source code management (SCM) system project uses.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.49 drop-wizard-metrics 2.0.18

### 1.49.1 Available under license :

Apache-2.0

## 1.50 hdrhistogram 2.1.9

### 1.50.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Written by Gil Tene of Azul Systems, and released to the public domain,  
* as explained at http://creativecommons.org/publicdomain/zero/1.0/  
*/
```

Found in path(s):

```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/WriterReaderPhaser.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Written by Gil Tene of Azul Systems, and released to the public domain,  
* as explained at http://creativecommons.org/publicdomain/zero/1.0/  
*  
* @author Gil Tene  
*/
```

Found in path(s):

```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/AtomicHistogram.java
```

```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/RecordedValuesIterator.java
```

```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/DoubleRecorder.java
```

```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
```

jar/org/HdrHistogram/ShortCountsHistogram.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/EncodableHistogram.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/ZigZagEncoding.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/HistogramLogReader.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/DoublePercentileIterator.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/DoubleHistogramIterationValue.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/DoubleHistogram.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/HistogramIterationValue.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/AllValuesIterator.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/DoubleLinearIterator.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Histogram.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/AbstractHistogram.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/ConcurrentHistogram.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Version.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Recorder.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/DoubleRecordedValuesIterator.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/LogarithmicIterator.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/HistogramLogProcessor.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/SingleWriterDoubleRecorder.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/AbstractHistogramIterator.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/DoubleAllValuesIterator.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/IntCountsHistogram.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/SynchronizedDoubleHistogram.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/PercentileIterator.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/SingleWriterRecorder.java  
\* /opt/cola/permits/174180979\_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/ConcurrentDoubleHistogram.java

```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SynchronizedHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleLogarithmicIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/AbstractHistogramLogReader.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/LinearIterator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* package-info.java
* Written by Gil Tene of Azul Systems, and released to the public domain,
* as explained at http://creativecommons.org/publicdomain/zero/1.0/
*/
```

Found in path(s):

```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/package-
info.java
```

No license file was found, but licenses were detected in source scan.

```
/**
* Written by Gil Tene of Azul Systems, and released to the public domain,
* as explained at http://creativecommons.org/publicdomain/zero/1.0/
*
* @author Gil Tene
*/
```

```
package org.HdrHistogram;
```

```
final class Version {
    public static final String version="$VERSION$";
    public static final String build_time="$BUILD_TIMES$";
}
```

Found in path(s):

```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/Version.java.template
```

## 1.51 metrics-health-checks 4.1.17

### 1.51.1 Available under license :

Apache-2.0

# 1.52 snake-yaml 1.30

## 1.52.1 Available under license :

Found license 'GNU Lesser General Public License' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> \* Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

Found license 'Eclipse Public License 1.0' in '// This module is multi-licensed and may be used under the terms // EPL, Eclipse Public License, V1.0 or later, <http://www.eclipse.org/legal> // LGPL, GNU Lesser General Public License, V2.1 or later, <http://www.gnu.org/licenses/lgpl.html> // GPL, GNU General Public License, V2 or later, <http://www.gnu.org/licenses/gpl.html> // AL, Apache License, V2.0 or later, <http://www.apache.org/licenses> // BSD, BSD License, <http://www.opensource.org/licenses/bsd-license.php> \* Multi-licensed: EPL / LGPL / GPL / AL / BSD.'

# 1.53 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

# 1.54 opentracing-util 0.33.0

## 1.54.1 Available under license :

No license file was found, but licenses were detected in source scan.

2019 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

\* /opt/cola/permits/1257211068\_1642789583.52/0/opentracing-util-0-33-0-sources-jar/META-INF/maven/io.opentracing/opentracing-util/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016-2019 The OpenTracing Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257211068_1642789583.52/0/opentracing-util-0-33-0-sources-
jar/io/opentracing/util/ThreadLocalScope.java
* /opt/cola/permits/1257211068_1642789583.52/0/opentracing-util-0-33-0-sources-
jar/io/opentracing/util/ThreadLocalScopeManager.java
* /opt/cola/permits/1257211068_1642789583.52/0/opentracing-util-0-33-0-sources-
jar/io/opentracing/util/GlobalTracer.java
```

## 1.55 jackson-datatype-joda 2.13.2

### 1.55.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.56 gson 2.8.9

### 1.56.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
```

\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/TreeTypeAdapter.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/DateTypeAdapter.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/ConstructorConstructor.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/sql/SqlDateTypeAdapter.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/UnsafeAllocator.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/sql/SqlTimeTypeAdapter.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/LazilyParsedNumber.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2018 The Gson authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/GsonBuildConfig.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2011 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/ArrayTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/JsonTreeReader.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/TypeAdapterRuntimeTypeWrapper.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/CollectionTypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/MapTypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/TypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/JsonReaderInternalAccess.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/ReflectiveTypeAdapterFactory.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/TypeAdapters.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/ObjectTypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/TypeAdapter.java
* /opt/cola/permits/1330613678_1652979131.328877/0/gson-2-8-9-sources-2-
jar/com/google/gson/internal/bind/JsonTreeWriter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2009 Google Inc.
 *
```

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonStreamParser.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/LongSerializationPolicy.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldAttributes.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonParser.java  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (C) 2008 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/\$Gson\$Types.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2008 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");

- \* you may not use this file except in compliance with the License.
- \* You may obtain a copy of the License at
- \*
- \* <http://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonElement.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonObject.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonArray.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldNamingStrategy.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/SerializedName.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonDeserializationContext.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Excluder.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/FieldNamingPolicy.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/\$Gson\$Preconditions.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/DefaultDateTypeAdapter.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonSerializationContext.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonParseException.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/ObjectConstructor.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/Gson.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonIOException.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/reflect/TypeToken.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonDeserializer.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/Expose.java
- \* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Primitives.java



\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonReader.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/MalformedJsonException.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonScope.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonToken.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/stream/JsonWriter.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2017 The Gson authors  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/PreJava9ReflectionAccessor.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/ReflectionAccessor.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/reflect/UnsafeReflectionAccessor.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/PreJava9DateFormatProvider.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-

jar/com/google/gson/internal/JavaVersion.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2021 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/ToNumberPolicy.java

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/ToNumberStrategy.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2020 Google Inc.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/NumberTypeAdapter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright (C) 2010 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/JsonSyntaxException.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/Streams.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright (C) 2014 Google Inc.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/internal/bind/JsonAdapterAnnotationTypeAdapterFactory.java  
\* /opt/cola/permits/1330613678\_1652979131.328877/0/gson-2-8-9-sources-2-jar/com/google/gson/annotations/JsonAdapter.java

## 1.57 jersey-server 2.32

## 1.57.1 Available under license :

### # Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

### ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

### ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

### ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

### ## Third-party Content

#### Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

#### aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License
  - \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>
- # Notice for Jersey Core Server module  
This content is produced and maintained by the Eclipse Jersey project.

- \* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone

or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at

the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified

Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further

action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have.

You must make sure that they, too, receive or can get the source code.  
And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and  
(2) offer you this license which gives you legal permission to copy,  
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain  
that everyone understands that there is no warranty for this free  
software. If the software is modified by someone else and passed on, we  
want its recipients to know that what they have is not the original, so  
that any problems introduced by others will not reflect on the original  
authors' reputations.

Finally, any free program is threatened constantly by software patents.  
We wish to avoid the danger that redistributors of a free program will  
individually obtain patent licenses, in effect making the program  
proprietary. To prevent this, we have made it clear that any patent must  
be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and  
modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a  
notice placed by the copyright holder saying it may be distributed under  
the terms of this General Public License. The "Program", below, refers  
to any such program or work, and a "work based on the Program" means  
either the Program or any derivative work under copyright law: that is  
to say, a work containing the Program or a portion of it, either  
verbatim or with modifications and/or translated into another language.  
(Hereinafter, translation is included without limitation in the term  
"modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not  
covered by this License; they are outside its scope. The act of running  
the Program is not restricted, and the output from the Program is  
covered only if its contents constitute a work based on the Program  
(independent of having been made by running the Program). Whether that  
is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source  
code as you receive it, in any medium, provided that you conspicuously  
and appropriately publish on each copy an appropriate copyright notice  
and disclaimer of warranty; keep intact all the notices that refer to  
this License and to the absence of any warranty; and give any other  
recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or

distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may

add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.58 jersey-entity-filtering 2.31

### 1.58.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other

form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the

patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any

party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance

claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free

software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
  
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
  
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
  
- b) Accompany it with a written offer, valid for at least three

years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the

original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to

attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program

into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.59 dropwizard-jackson 2.0.18

### 1.59.1 Available under license :

Apache-2.0

## 1.60 javax-annotation-api 1.3.2

### 1.60.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to

grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

#### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

#### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

#### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION

OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such

program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this

License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a

consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type ``show w'`. This is free software, and you are welcome to redistribute it under certain conditions; type ``show c'` for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

# 1.61 json-smart 2.4.7

## 1.61.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2011 JSON-SMART authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
```

- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/parser/JSONParser.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/parser/JSONParserString.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/writer/JsonReaderI.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/parser/JSONParserBase.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/JSONNavi.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/writer/CollectionMapper.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/writer/CompressorMapper.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/writer/FakeMapper.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/parser/JSONParserInputStream.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/JStylerObj.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/JSONStyle.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/JSONArray.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/parser/JSONParserStream.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/writer/ArraysMapper.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/JSONAwareEx.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/writer/JsonReader.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/parser/ParseException.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/JSONValue.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/parser/JSONParserReader.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/writer/DefaultMapperCollection.java
- \* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/JSONAware.java

\* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/JSONStreamAware.java  
\* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/JSONStreamAwareEx.java  
\* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/writer/DefaultMapperOrdered.java  
\* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/parser/JSONParserMemory.java  
\* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/parser/JSONParserByteArray.java  
\* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/JSONObject.java  
\* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/writer/BeansMapper.java  
\* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/JSONUtil.java  
No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/META-INF/maven/net.minidev/json-smart/pom.xml  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2011-2014 JSON-SMART authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

\* /opt/cola/permits/1209224814\_1633027633.04/0/json-smart-2-4-7-sources-2-jar/net/minidev/json/writer/DefaultMapper.java

## 1.62 metrics-annotation 4.1.17

## 1.62.1 Available under license :

Apache-2.0

# 1.63 jersey-metainf-services 2.32

## 1.63.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

#### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

#### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

#### JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf.

Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses,

damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE

## POSSIBILITY OF SUCH DAMAGES.

### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

## Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or

collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will

automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR

DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the

appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.64 commons-configuration 1.8

## 1.64.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Apache Commons Configuration

Copyright 2001-2012 The Apache Software Foundation

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

## 1.65 dropwizard-core 2.0.18

### 1.65.1 Available under license :

Apache-2.0

## 1.66 netty-transport 4.1.74.Final

### 1.66.1 Available under license :

No license file was found, but licenses were detected in source scan.

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE>

2.0

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/META-INF/maven/io.netty/netty-transport/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/ServerChannelRecvByteBufAllocator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/DefaultChannelHandlerContext.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
```

```

*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
* Handles an I/O event or intercepts an I/O operation, and forwards it to its next handler in
* its { @link ChannelPipeline }.
*
* <h3>Sub-types</h3>
* <p>
* { @link ChannelHandler } itself does not provide many methods, but you usually have to implement one of its
* subtypes:
* <ul>
* <li>{ @link ChannelInboundHandler } to handle inbound I/O events, and</li>
* <li>{ @link ChannelOutboundHandler } to handle outbound I/O operations.</li>
* </ul>
* </p>
* <p>
* Alternatively, the following adapter classes are provided for your convenience:
* <ul>
* <li>{ @link ChannelInboundHandlerAdapter } to handle inbound I/O events,</li>
* <li>{ @link ChannelOutboundHandlerAdapter } to handle outbound I/O operations, and</li>
* <li>{ @link ChannelDuplexHandler } to handle both inbound and outbound events</li>
* </ul>
* </p>
* <p>
* For more information, please refer to the documentation of each subtype.
* </p>
*
* <h3>The context object</h3>
* <p>
* A { @link ChannelHandler } is provided with a { @link ChannelHandlerContext }
* object. A { @link ChannelHandler } is supposed to interact with the
* { @link ChannelPipeline } it belongs to via a context object. Using the
* context object, the { @link ChannelHandler } can pass events upstream or
* downstream, modify the pipeline dynamically, or store the information
* (using { @link AttributeKey }s) which is specific to the handler.
*
* <h3>State management</h3>
*
* A { @link ChannelHandler } often needs to store some stateful information.
* The simplest and recommended approach is to use member variables:
* <pre>

```

```

* public interface Message {
*   // your methods here
* }
*
* public class DataServerHandler extends { @link SimpleChannelInboundHandler } &lt; Message &gt; {
*
*   <b>private boolean loggedIn;</b>
*
*   { @code @Override }
*   public void channelRead0({ @link ChannelHandlerContext } ctx, Message message) {
*     if (message instanceof LoginMessage) {
*       authenticate((LoginMessage) message);
*       <b>loggedIn = true;</b>
*     } else (message instanceof GetDataMessage) {
*       if (<b>loggedIn</b>) {
*         ctx.writeAndFlush(fetchSecret((GetDataMessage) message));
*       } else {
*         fail();
*       }
*     }
*   }
*   ...
* }
* </pre>

```

\* Because the handler instance has a state variable which is dedicated to
\* one connection, you have to create a new handler instance for each new
\* channel to avoid a race condition where a unauthenticated client can get
\* the confidential information:

```

* <pre>
* // Create a new handler instance per channel.
* // See { @link ChannelInitializer#initChannel(Channel) }.
* public class DataServerInitializer extends { @link ChannelInitializer } &lt; { @link Channel } &gt; {
*   { @code @Override }
*   public void initChannel({ @link Channel } channel) {
*     channel.pipeline().addLast("handler", <b>new DataServerHandler()</b>);
*   }
* }
* </pre>

```

\* <h4>Using { @link AttributeKey }s</h4>

\* Although it's recommended to use member variables to store the state of a
\* handler, for some reason you might not want to create many handler instances.
\* In such a case, you can use { @link AttributeKey }s which is provided by
\* { @link ChannelHandlerContext }:

```

* <pre>
* public interface Message {

```

```

* // your methods here
* }
*
* { @code @Sharable }
* public class DataServerHandler extends { @link SimpleChannelInboundHandler } &lt; Message &gt; {
*     private final { @link AttributeKey } &lt; { @link Boolean } &gt;; auth =
*         { @link AttributeKey #valueOf(String) AttributeKey.valueOf("auth") };
*
*     { @code @Override }
*     public void channelRead({ @link ChannelHandlerContext } ctx, Message message) {
*         { @link Attribute } &lt; { @link Boolean } &gt;; attr = ctx.attr(auth);
*         if (message instanceof LoginMessage) {
*             authenticate((LoginMessage) o);
*             <b>attr.set(true)</b>;
*         } else (message instanceof GetDataMessage) {
*             if (<b>Boolean.TRUE.equals(attr.get())</b>) {
*                 ctx.writeAndFlush(fetchSecret((GetDataMessage) o));
*             } else {
*                 fail();
*             }
*         }
*     }
* }
* ...
* }
* </pre>

```

\* Now that the state of the handler is attached to the { @link ChannelHandlerContext }, you can add the same handler instance to different pipelines:

```

* <pre>
* public class DataServerInitializer extends { @link ChannelInitializer } &lt; { @link Channel } &gt; {
*
*     private static final DataServerHandler <b>SHARED</b> = new DataServerHandler();
*
*     { @code @Override }
*     public void initChannel({ @link Channel } channel) {
*         channel.pipeline().addLast("handler", <b>SHARED</b>);
*     }
* }
* </pre>

```

\*  
\*

\* <h4>The { @code @Sharable } annotation</h4>

\* <p>

\* In the example above which used an { @link AttributeKey }, you might have noticed the { @code @Sharable } annotation.

\* <p>

\* If a { @link ChannelHandler } is annotated with the { @code @Sharable } annotation, it means you can create an instance of the handler just once and add it to one or more { @link ChannelPipeline }s multiple times without

- \* a race condition.
- \* <p>
- \* If this annotation is not specified, you have to create a new handler
- \* instance every time you add it to a pipeline because it has unshared state
- \* such as member variables.
- \* <p>
- \* This annotation is provided for documentation purpose, just like
- \* <a href="http://www.javaconcurrencyinpractice.com/annotations/doc/">the JCIP annotations</a>.
- \*
- \* <h3>Additional resources worth reading</h3>
- \* <p>
- \* Please refer to the { @link ChannelHandler}, and
- \* { @link ChannelPipeline} to find out more about inbound and outbound operations,
- \* what fundamental differences they have, how they flow in a pipeline, and how to handle
- \* the operation in your application.
- \*/

Found in path(s):

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ChannelHandler.java

No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,  
 # version 2.0 (the "License"); you may not use this file except in compliance  
 # with the License. You may obtain a copy of the License at:  
 # distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/META-INF/native-image/io.netty.transport/native-image.properties

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
 \* version 2.0 (the "License"); you may not use this file except in compliance  
 \* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
 \* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
 \* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
 \* License for the specific language governing permissions and limitations  
 \* under the License.

\*/

Found in path(s):

- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/oio/OioEventLoopGroup.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/local/LocalChannel.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/AbstractChannelHandlerContext.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/package-info.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/socket/nio/NioSocketChannel.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ChannelFlushPromiseNotifier.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/SingleThreadEventLoop.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/AdaptiveRecvByteBufAllocator.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ChannelPromiseNotifier.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/socket/nio/package-info.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/oio/AbstractOioByteChannel.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/socket/DatagramPacket.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ThreadPerChannelEventLoopGroup.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/socket/InternetProtocolFamily.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/socket/oio/package-info.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/socket/DefaultSocketChannelConfig.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/EventLoopGroup.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/SucceededChannelFuture.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/group/DefaultChannelGroupFuture.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/oio/AbstractOioMessageChannel.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/embedded/EmbeddedEventLoop.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/local/LocalChannelRegistry.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/AbstractServerChannel.java
- \* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-

jar/io/netty/channel/socket/nio/ProtocolFamilyConverter.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/nio/NioEventLoop.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/bootstrap/ServerBootstrap.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/nio/NioServerSocketChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/oio/OioServerSocketChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/EventLoop.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/DefaultChannelPipeline.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/group/ChannelGroupFutureListener.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/nio/AbstractNioMessageChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/SocketChannelConfig.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/nio/NioDatagramChannelConfig.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ServerChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/DefaultEventLoop.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/SocketChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/local/LocalEventLoopGroup.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/local/LocalAddress.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/DatagramChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/oio/OioSocketChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/DefaultChannelConfig.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/ServerSocketChannelConfig.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/bootstrap/AbstractBootstrap.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/embedded/package-info.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelOption.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/RecvByteBufAllocator.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-

jar/io/netty/channel/socket/DefaultServerSocketChannelConfig.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/ChannelInputShutdownEvent.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/EventLoopException.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/DefaultEventLoopGroup.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/bootstrap/package-info.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/nio/AbstractNioByteChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelPipeline.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/Channel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/FailedChannelFuture.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/DatagramChannelConfig.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/embedded/EmbeddedSocketAddress.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/AbstractChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/group/ChannelGroupFuture.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/nio/NioEventLoopGroup.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/DefaultDatagramChannelConfig.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelDuplexHandler.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelPromise.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/embedded/EmbeddedChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/CompleteChannelFuture.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/nio/NioTask.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/DefaultFileRegion.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/group/CombinedIterator.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelOutboundHandlerAdapter.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/ServerSocketChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-

jar/io/netty/channel/socket/package-info.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/CombinedChannelDuplexHandler.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelFutureListener.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/local/LocalServerChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelPipelineException.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelHandlerContext.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelPromiseAggregator.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/FixedRecvByteBufAllocator.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelConfig.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelOutboundHandler.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelInboundHandlerAdapter.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/local/package-info.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/nio/AbstractNioChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/DefaultChannelPromise.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/bootstrap/Bootstrap.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ThreadPerChannelEventLoop.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/oio/package-info.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelInitializer.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/VoidChannelPromise.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/MultithreadEventLoopGroup.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/nio/NioDatagramChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelFuture.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/oio/OioDatagramChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelInboundHandler.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-

jar/io/netty/channel/oio/AbstractOioChannel.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelException.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/FileRegion.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/ChannelMetadata.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/nio/package-info.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/group/package-info.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2020 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/StacklessClosedChannelException.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-  
jar/io/netty/channel/socket/DuplexChannelConfig.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2015 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/DefaultMaxBytesRecvByteBufAllocator.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/pool/ChannelPool.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/pool/FixedChannelPool.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/pool/ChannelPoolMap.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/pool/ChannelPoolHandler.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/pool/ChannelHealthChecker.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/pool/SimpleChannelPool.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/MaxMessagesRecvByteBufAllocator.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/pool/package-info.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/DefaultMaxMessagesRecvByteBufAllocator.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/MaxBytesRecvByteBufAllocator.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/pool/AbstractChannelPoolMap.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/pool/AbstractChannelPoolHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ExtendedClosedChannelException.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/EventLoopTaskQueueFactory.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ChannelHandlerMask.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/socket/nio/NioChannelOption.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/SimpleUserEventChannelHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2015 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/CoalescingBufferQueue.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/DefaultSelectStrategyFactory.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/bootstrap/ServerBootstrapConfig.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/DefaultSelectStrategy.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/bootstrap/AbstractBootstrapConfig.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/group/VoidChannelGroupFuture.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/bootstrap/BootstrapConfig.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/SelectStrategy.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/WriteBufferWaterMark.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ChannelInboundInvoker.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ChannelOutboundInvoker.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/PreferHeapByteBufAllocator.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/socket/DuplexChannel.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-

jar/io/netty/channel/SelectStrategyFactory.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/ReflectiveChannelFactory.java
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/AbstractEventLoop.java
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/embedded/EmbeddedChannelId.java
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/PendingWriteQueue.java
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/ChannelFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/oio/OioByteStreamChannel.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2013 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ChannelOutboundBuffer.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/SimpleChannelInboundHandler.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ChannelProgressivePromise.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ChannelProgressiveFuture.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ChannelId.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/group/ChannelGroup.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ConnectTimeoutException.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/bootstrap/ChannelFactory.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/nio/SelectedSelectionKeySet.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/MessageSizeEstimator.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/group/ChannelMatcher.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/AddressedEnvelope.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ChannelProgressiveFutureListener.java

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/socket/oio/OioSocketChannelConfig.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/socket/oio/OioServerSocketChannelConfig.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/group/ChannelMatchers.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/DefaultChannelId.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/DefaultMessageSizeEstimator.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/AbstractEventLoopGroup.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/socket/oio/DefaultOioSocketChannelConfig.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/group/ChannelGroupException.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/socket/oio/DefaultOioServerSocketChannelConfig.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/group/DefaultChannelGroup.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/DefaultChannelProgressivePromise.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/ChannelHandlerAdapter.java  
\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/DefaultAddressedEnvelope.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273209945\_1645093285.59/0/netty-transport-4-1-74-final-sources-jar/io/netty/channel/AbstractCoalescingBufferQueue.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/bootstrap/FailedChannel.java
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/internal/ChannelUtils.java
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/socket/oio/DefaultOioDatagramChannelConfig.java
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/socket/ChannelOutputShutdownEvent.java
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/socket/ChannelInputShutdownReadComplete.java
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/socket/oio/OioDatagramChannelConfig.java
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/PendingBytesTracker.java
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/nio/SelectedSelectionKeySetSelector.java
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/DelegatingChannelPromiseNotifier.java
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/socket/ChannelOutputShutdownException.java
* /opt/cola/permits/1273209945_1645093285.59/0/netty-transport-4-1-74-final-sources-
jar/io/netty/channel/internal/package-info.java
```

## 1.67 metrics-json 4.1.17

## 1.67.1 Available under license :

Apache-2.0

# 1.68 j2objc-annotations 1.3

## 1.68.1 Available under license :

For org.w3c.dom code.

See <<http://www.w3.org/Consortium/Legal/>>.

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2007-2009, JSR305 expert group

All rights reserved.

<http://www.opensource.org/licenses/bsd-license.php>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the JSR305 expert group nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

```
package java.security;
```

```
import java.io.Serializable;
```

```
/**
```

```
* Legacy security code; do not use.
```

```
*/
```

```
public abstract class Permission implements Guard, Serializable {  
    public Permission(String name) { }
```

```
    public final String getName() { return null; }
```

```
    public void checkGuard(Object obj) throws SecurityException { }
```

```
    public PermissionCollection newPermissionCollection() {  
        return new AllPermissionCollection();  
    }
```

```
    public abstract String getActions();
```

```
public abstract boolean implies(Permission permission);
}
```

```
=====  
== NOTICE file corresponding to the section 4 d of      ==  
== the Apache License, Version 2.0,                    ==  
== in this case for the Android-specific code.          ==  
=====
```

#### Android Code

Copyright 2005-2008 The Android Open Source Project

This product includes software developed as part of  
The Android Open Source Project (<http://source.android.com>).

```
=====  
== NOTICE file corresponding to the section 4 d of      ==  
== the Apache License, Version 2.0,                    ==  
== in this case for the Apache Harmony distribution.     ==  
=====
```

#### Apache Harmony

Copyright 2006 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of Harmony were originally developed by  
Intel Corporation and are licensed to the Apache Software  
Foundation under the "Software Grant and Corporate Contribution  
License Agreement", informally known as the "Intel Harmony CLA".

```
=====  
== NOTICE file for the ICU License.                    ==  
=====
```

Copyright (c) 1995-2014 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the  
"Software"), to deal in the Software without restriction, including  
without limitation the rights to use, copy, modify, merge, publish,  
distribute, and/or sell copies of the Software, and to permit persons  
to whom the Software is furnished to do so, provided that the above  
copyright notice(s) and this permission notice appear in all copies of  
the Software and that both the above copyright notice(s) and this

permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

=====  
== NOTICE file for the KXML License. ==  
=====

Copyright (c) 2002,2003, Stefan Hausteiu, Oberhausen, Rhld., Germany

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

== NOTICE file for the W3C License.

==

=====  
Copyright (c) 2000 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. This program is distributed under the W3C's Software Intellectual Property License. This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

See W3C License <http://www.w3.org/Consortium/Legal/> for more details.

=====  
== NOTICE file for the fdlbm License.

==

=====  
Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunSoft, a Sun Microsystems, Inc. business.

Permission to use, copy, modify, and distribute this software is freely granted, provided that this notice is preserved.

\*\*\*\*\*  
Copyright (C) 2003, International Business Machines Corporation and \*  
others. All Rights Reserved. \*

\*\*\*\*\*  
Created on May 2, 2003

To change the template for this generated file go to  
Window>Preferences>Java>Code Generation>Code and Comments

-----  
\*\*\*\*\*  
(C) Copyright IBM Corp. 1996-2005 - All Rights Reserved \*

\*\*\*\*\*  
The original version of this source code and documentation is copyrighted \*  
and owned by IBM, These materials are provided under terms of a License \*  
Agreement between IBM and Sun. This technology is protected by multiple \*  
US and International patents. This notice and attribution to IBM may not \*  
to removed. \*

\*\*\*\*\*

(C) Copyright IBM Corp. and others, 1996-2009 - All Rights Reserved \*

\*

The original version of this source code and documentation is copyrighted \*  
and owned by IBM, These materials are provided under terms of a License \*  
Agreement between IBM and Sun. This technology is protected by multiple \*  
US and International patents. This notice and attribution to IBM may not \*  
to removed. \*

\*\*\*\*\*

-----

\*\*\*\*\*

(C) Copyright IBM Corp. and others, 1996-2009 - All Rights Reserved \*

\*

The original version of this source code and documentation is copyrighted \*  
and owned by IBM, These materials are provided under terms of a License \*  
Agreement between IBM and Sun. This technology is protected by multiple \*  
US and International patents. This notice and attribution to IBM may not \*  
to removed. \*

\*\*\*\*\*

- \* file name: UBiDiProps.java
- \* encoding: US-ASCII
- \* tab size: 8 (not used)
- \* indentation:4

\*

- \* created on: 2005jan16
- \* created by: Markus W. Scherer

\*

- \* Low-level Unicode bidi/shaping properties access.
- \* Java port of ubidi\_props.h/c.

-----

\*\*\*\*\*

Copyright (C) 2003-2004, International Business Machines Corporation and \*  
others. All Rights Reserved. \*

\*\*\*\*\*

-----

\*\*\*\*\*

Copyright (C) 2003-2004, International Business Machines Corporation and \*  
others. All Rights Reserved. \*

\*\*\*\*\*

-----

\*\*\*\*\*

Copyright (C) 2004, International Business Machines Corporation and \*  
others. All Rights Reserved. \*

\*\*\*\*\*

-----

\*\*\*\*\*

Copyright (C) 2009, International Business Machines Corporation and \*  
others. All Rights Reserved. \*

\*\*\*\*\*

-----

\*\*\*\*\*

Copyright (C) 2009-2010, International Business Machines Corporation and \*  
others. All Rights Reserved. \*

\*\*\*\*\*

-----

\*\*\*\*\*

Copyright (C) 2010, International Business Machines Corporation and \*  
others. All Rights Reserved. \*

\*\*\*\*\*

-----

(C) Copyright IBM Corp. 1996-2003 - All Rights Reserved \*

\*

The original version of this source code and documentation is copyrighted \*  
and owned by IBM, These materials are provided under terms of a License \*  
Agreement between IBM and Sun. This technology is protected by multiple \*  
US and International patents. This notice and attribution to IBM may not \*  
to removed. \*

#\*\*\*\*\*

This locale data is based on the ICU's Vietnamese locale data (rev. 1.38)  
found at:

<http://oss.software.ibm.com/cvs/icu/icu/source/data/locales/vi.txt?rev=1.38>

-----

(C) Copyright IBM Corp. 1999-2003 - All Rights Reserved

The original version of this source code and documentation is  
copyrighted and owned by IBM. These materials are provided  
under terms of a License Agreement between IBM and Sun.

This technology is protected by multiple US and International patents. This notice and attribution to IBM may not be removed.

-----  
(C) Copyright Taligent, Inc. 1996 - 1997, All Rights Reserved  
(C) Copyright IBM Corp. 1996 - 1998, All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.  
Talgient is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996 - All Rights Reserved  
(C) Copyright IBM Corp. 1996 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.  
Talgient is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996 - All Rights Reserved  
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.  
Talgient is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved  
(C) Copyright IBM Corp. 1996 - 1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These

materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved  
(C) Copyright IBM Corp. 1996 - 1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved  
(C) Copyright IBM Corp. 1996 - 1999 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved  
(C) Copyright IBM Corp. 1996 - 2002 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.  
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996, 1997 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996,1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996, 1997 - All Rights Reserved

-----  
(C) Copyright Taligent, Inc. 1996-1998 - All Rights Reserved

(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

-----  
(C) Copyright Taligent, Inc. 1996-1998 - All Rights Reserved

(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent

and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

-----

\*\*\*\*\*

\* Copyright (C) 1996-2004, International Business Machines Corporation and \*  
\* others. All Rights Reserved. \*

\*\*\*\*\*

-----

Oracle designates certain files in this repository as subject to the "Classpath" exception. The designated files include the following notices. In the following notices, the LICENSE file referred to is:

\*\*\*\*\*

START LICENSE file

\*\*\*\*\*

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the

Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program

or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body

of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible

use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

\*\*\*\*\*

END LICENSE file

\*\*\*\*\*

-----  
<!--

Copyright (c) 1998, 1999, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 1998, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

<!--

Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
<!--

Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<!--

Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
<!--

Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
<!--

Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<!--

Copyright (c) 1999, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<!--

Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1999, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (c) 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<?xml version="1.0" encoding="UTF-8"?>

<!--

Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<?xml version="1.0"?>

<!--

Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
<code>Replaceable</code> is an interface representing a string of characters that supports the replacement of a range of itself with a new string of characters. It is used by APIs that change a piece of text while retaining metadata. Metadata is data other than the Unicode characters returned by `char32At()`. One

example of metadata is style attributes; another is an edit history, marking each character with an author and revision number.

An implicit aspect of the `Replaceable` API is that during a replace operation, new characters take on the metadata of the old characters. For example, if the string "the **bold** font" has range (4, 8) replaced with "strong", then it becomes "the **strong** font".

`Replaceable` specifies ranges using a start offset and a limit offset. The range of characters thus specified includes the characters at offset start..limit-1. That is, the start offset is inclusive, and the limit offset is exclusive.

`Replaceable` also includes API to access characters in the string: `length()`, `charAt()`, `char32At()`, and `extractBetween()`.

For a subclass to support metadata, typical behavior of `replace()` is the following:

- Set the metadata of the new text to the metadata of the first character replaced
- If no characters are replaced, use the metadata of the previous character
- If there is no previous character (i.e. start == 0), use the following character
- If there is no following character (i.e. the replaceable was empty), use default metadata
- If the code point U+FFFF is seen, it should be interpreted as a special marker having no metadata

If this is not the behavior, the subclass should document any differences.

Copyright © IBM Corporation 1999. All rights reserved.

@author Alan Liu  
@stable ICU 2.0

`ReplaceableString` is an adapter class that implements the `Replaceable` API around an ordinary `StringBuffer`.

**Note:** This class does not support attributes and is not intended for general use. Most clients will need to implement `Replaceable` in their text representation class.

<p>Copyright &copy; IBM Corporation 1999. All rights reserved.

@see Replaceable

@author Alan Liu

@stable ICU 2.0

-----  
Copyright (C) 1991-2007 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Generated automatically from the Common Locale Data Repository. DO NOT EDIT!

-----  
Copyright (C) 1991-2011 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1994, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2000, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1995, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1996, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1997, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1999, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1999, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1999, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2000, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2001, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2002, 2006, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2002, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, 2013 Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (C) 2014 The Android Open Source Project  
Copyright (c) 2009, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 1995, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1994, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1994, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1994, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1994, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (c) 1995, 1996, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 1997, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1995, 1999, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1995, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1995, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1995, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1995, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1995, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1995, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1995, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1996, 1997, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 1999, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2001, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (c) 1996, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1996, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1996, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1996, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 1999, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1997, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1997, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1997, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (c) 1997, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1997, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1998, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1998, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1998, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1998, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1998, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 1999, 2000, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2004, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (c) 1999, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1999, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 1999, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2000, 2007, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2000, 2007, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2000, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2000, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2001, 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2001, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2001, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2001, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2002, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (c) 2003, 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (c) 2003, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2003, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2003, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2003,2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2004, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2004, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2004, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2004, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2004, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2004, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2004, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2005, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.

-----

Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved

(C) Copyright IBM Corp. 1996 - 1999 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed. Taligent is a registered trademark of Taligent, Inc.

-----  
Copyright (c) 2005, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.

-----  
Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2006, 2007, Oracle and/or its affiliates. All rights reserved.

-----  
Copyright (c) 2006, 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any

questions.

-----  
Copyright (c) 2006, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2006, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2007, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2007, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2007, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2007, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.

-----  
Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2008, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2008, 2011, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2008, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

Copyright (c) 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2009, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2009, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2009, 2013, Oracle and/or its affiliates. All rights reserved.  
Copyright 2009 Google Inc. All Rights Reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2010, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2010, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
Copyright (c) 2010, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2012, 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright (c) 2013, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
Copyright 2015 Google Inc.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Google designates this particular file as subject to the "Classpath" exception as provided by Google in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

-----  
Licensed Materials - Property of IBM

(C) Copyright IBM Corp. 1999 All Rights Reserved.

(C) IBM Corp. 1997-1998. All Rights Reserved.

The program is provided "as is" without any warranty express or implied, including the warranty of non-infringement and the implied warranties of merchantability and fitness for a particular purpose. IBM will not be liable for any damages suffered by you as a result of using the Program. In no event will IBM be liable for any special, indirect or consequential damages or lost profits even if IBM has been advised of the possibility of their occurrence. IBM will not be liable for any third party claims against you.

-----  
is licensed under the same terms. The copyright and license information for java/net/Inet4AddressImpl.java follows.

Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
licensed under the same terms. The copyright and license information for  
`java/net/PlainDatagramSocketImpl.java` follows.

Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
licensed under the same terms. The copyright and license information for  
`java/net/PlainSocketImpl.java` follows.

Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
licensed under the same terms. The copyright and license information for sun/nio/ch/FileChannelImpl.java follows.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
licensed under the same terms. The copyright and license information for sun/nio/ch/FileDispatcherImpl.java follows.

Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
licensed under the same terms. The copyright and license information for sun/nio/ch/InheritedChannel.java follows.

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
licensed under the same terms. The copyright and license information for sun/nio/ch/ServerSocketChannelImpl.java follows.

Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
same terms. The copyright and license information for sun/nio/ch/Net.java follows.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
the same terms. The copyright and license information for `java/io/FileSystem.java` follows.

Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
the same terms. The copyright and license information for `java/lang/Long.java` follows.

Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

the same terms. The copyright and license information for sun/nio/ch/IOStatus.java follows.

Copyright (c) 2002, 2003, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

under the same terms. The copyright and license information for

java/io/UnixFileSystem.java follows.

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----  
under the same terms. The copyright and license information for java/lang/Integer.java follows.

Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
under the same terms. The copyright and license information for  
`java/net/NetworkInterface.java` follows.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License  
version 2 for more details (a copy is included in the LICENSE file that  
accompanied this code).

You should have received a copy of the GNU General Public License version  
2 along with this work; if not, write to the Free Software Foundation,  
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA  
or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any  
questions.

-----  
under the same terms. The copyright and license information for  
`java/net/SocketOptions.java` follows.

Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it  
under the terms of the GNU General Public License version 2 only, as  
published by the Free Software Foundation. Oracle designates this  
particular file as subject to the "Classpath" exception as provided  
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

under the same terms. The copyright and license information for `java/util/zip/ZipFile.java` follows.

Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.  
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit [www.oracle.com](http://www.oracle.com) if you need additional information or have any questions.

-----

```
=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xalan Java distribution. ==  
=====
```

Apache Xalan (Xalan XSLT processor)

Copyright 1999-2006 The Apache Software Foundation

Apache Xalan (Xalan serializer)

Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

---

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,  
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems.,  
<http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation.,  
<http://www.ibm.com>.

---

The binary distribution package (ie. jars, samples and documentation) of  
this product includes software developed by the following:

- The Apache Software Foundation
  - Xerces Java - see LICENSE.txt
  - JAXP 1.3 APIs - see LICENSE.txt
  - Bytecode Engineering Library - see LICENSE.txt
  - Regular Expression - see LICENSE.txt
- Scott Hudson, Frank Flannery, C. Scott Ananian
  - CUP Parser Generator runtime (javacup\runtime) - see LICENSE.txt

---

The source distribution package (ie. all source and tools required to build  
Xalan Java) of this product includes software developed by the following:

- The Apache Software Foundation
  - Xerces Java - see LICENSE.txt
  - JAXP 1.3 APIs - see LICENSE.txt
  - Bytecode Engineering Library - see LICENSE.txt
  - Regular Expression - see LICENSE.txt
  - Ant - see LICENSE.txt
  - Stylebook doc tool - see LICENSE.txt
- Elliot Joel Berk and C. Scott Ananian
  - Lexical Analyzer Generator (JLex) - see LICENSE.txt

---

Apache Xerces Java  
Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of Apache Xerces Java in xercesImpl.jar and xml-apis.jar  
were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the  
Apache Software Foundation that were originally developed at iClick, Inc.,  
software copyright (c) 1999.

---

Apache xml-commons xml-apis (redistribution of xml-apis.jar)

Apache XML Commons  
Copyright 2001-2003,2006 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license  
document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share  
and change it. By contrast, the GNU General Public License is intended to  
guarantee your freedom to share and change free software--to make sure the  
software is free for all its users. This General Public License applies to  
most of the Free Software Foundation's software and to any other program whose  
authors commit to using it. (Some other Free Software Foundation software is  
covered by the GNU Library General Public License instead.) You can apply it to  
your programs, too.

When we speak of free software, we are referring to freedom, not price. Our  
General Public Licenses are designed to make sure that you have the freedom to

distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is

not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the

right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so

long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original

copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

ICU

There are two licenses here:

- ICU license
- Unicode Terms of Use

-----  
ICU License - ICU 1.8.1 and later

From <http://source.icu-project.org/repos/icu/icu/trunk/license.html>

X License (old version). For license pedigree see the

ICU FAQ at <http://icu-project.org/userguide/icufaq.html>

## COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2014 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

-----  
Unicode Terms of Use, from <http://www.unicode.org/copyright.html>

For the general privacy policy governing access to this site, see the Unicode Privacy Policy. For trademark usage, see the Unicode Consortium Name and Trademark Usage Policy.

Notice to End User: Terms of Use

Carefully read the following legal agreement ("Agreement"). Use or copying of the software and/or codes provided with this agreement (The "Software") constitutes your acceptance of these terms. If you have any questions about these terms of use, please contact the Unicode Consortium.

A. Unicode Copyright.

1. Copyright 1991-2014 Unicode, Inc. All rights reserved.
2. Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without

fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

3. Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files solely for informational purposes in the creation of products supporting the Unicode Standard, subject to the Terms and Conditions herein.

4. Further specifications of rights and restrictions pertaining to the use of the particular set of data files known as the "Unicode Character Database" can be found in Exhibit 1.

5. Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page. The online code charts carry specific restrictions. All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

6. No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

7. Modification is not permitted with respect to this document. All copies of this document must be verbatim.

B. Restricted Rights Legend. Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

C. Warranties and Disclaimers.

1. This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

2. If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

3. EXCEPT AS PROVIDED IN SECTION C.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

D. Waiver of Damages. In no event shall Unicode or its licensors be liable for

any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

#### E. Trademarks & Logos.

1. The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.
2. The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.
3. All third party trademarks referenced herein are the property of their respective owners.

#### F. Miscellaneous.

1. Jurisdiction and Venue. This server is operated from a location in the State of California, United States of America. Unicode makes no representation that the materials are appropriate for use in other locations. If you access this server from other locations, you are responsible for compliance with local laws. This Agreement, all use of this site and any claims and damages resulting from use of this site are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this site shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.
2. Modification by Unicode Unicode shall have the right to modify this Agreement at any time by posting it to this site. The user may not assign any part of this Agreement without Unicode's prior written consent.
3. Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.
4. Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.
5. Entire Agreement. This Agreement constitutes the entire agreement between the parties.

#### EXHIBIT 1

#### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online

code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2014 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in  
<http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that

- (a) this copyright and permission notice appear with all copies of the Data Files or Software,
- (b) this copyright and permission notice appear in associated documentation, and
- (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior

written authorization of the copyright holder.

JUnit

Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

- i) changes to the Program, and

- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

### 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial

Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as

reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
  
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND

AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2006 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

## 1.69 jersey 2.34

### 1.69.1 Available under license :

# Notice for Jersey Json Jackson module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Jackson JAX-RS Providers version 2.10.1

- \* License: Apache License, 2.0

- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

- \* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at

<http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

### Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

/\*

\* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Public License v. 2.0, which is available at

\* <http://www.eclipse.org/legal/epl-2.0>.

\*

\* This Source Code may also be made available under the following Secondary

\* Licenses when the conditions for such availability set forth in the

\* Eclipse Public License v. 2.0 are satisfied: GNU General Public License,

\* version 2 with the GNU Classpath Exception, which is available at

\* <https://www.gnu.org/software/classpath/license.html>.

\*

\* SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

\*/

/\*

\* Copyright (c) YYYY Oracle and/or its affiliates. All rights reserved.

\*

\* This program and the accompanying materials are made available under the

\* terms of the Eclipse Distribution License v. 1.0, which is available at

\* <http://www.eclipse.org/org/documents/edl-v10.php>.

\*

\* SPDX-License-Identifier: BSD-3-Clause

\*/

# Notice for Jersey Core Server module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at

<http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made

available under the following Secondary Licenses when the conditions for such

availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU

General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

### ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

### ## Third-party Content

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright: (c) 2000-2011 INRIA, France Telecom. All rights reserved.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Notice for Jersey Core Common module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

### ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

### ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at

<http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made

available under the following Secondary Licenses when the conditions for such

availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU

General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

### ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

### ## Third-party Content

Google Guava Version 18.0

- \* License: Apache License, 2.0

- \* Copyright: (C) 2009 The Guava Authors

JSR-166 Extension - JEP 266

- \* License: Creative Commons 1.0 (CC0)

- \* No copyright

- \* Written by Doug Lea with assistance from members of JCP JSR-166

- \* Expert Group and released to the public domain, as explained at

- \* <http://creativecommons.org/publicdomain/zero/1.0/>

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

- \* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

### ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

### ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <https://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

### ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey/examples>

## ## Third-party Content

### Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Copyright: (c) 2010-2017 Google, Inc.

### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

### Jackson JAX-RS Providers Version 2.9.9

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

### jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

### jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

#### JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

#### KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

#### org.objectweb.asm Version 7.2

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

#### org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

#### org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

#### W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. <http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in

accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program,

the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS

SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient

receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this

License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source

code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH

YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type  
'show w'. This is free software, and you are welcome to redistribute  
it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the  
appropriate parts of the General Public License. Of course, the commands  
you use may be called something other than 'show w' and 'show c'; they  
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
program 'Gnomovision' (which makes passes at compilers) written by  
James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program  
into proprietary programs. If your program is a subroutine library, you  
may consider it more useful to permit linking proprietary applications  
with the library. If this is what you want to do, use the GNU Library  
General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is  
making a combined work based on this library. Thus, the terms and  
conditions of the GNU General Public License version 2 cover the whole  
combination.

As a special exception, the copyright holders of this library give you  
permission to link this library with independent modules to produce an  
executable, regardless of the license terms of these independent  
modules, and to copy and distribute the resulting executable under  
terms of your choice, provided that you also meet, for each linked  
independent module, the terms and conditions of the license of that  
module. An independent module is a module which is not derived from or  
based on this library. If you modify this library, you may extend this  
exception to your version of the library, but you are not obligated to  
do so. If you do not wish to do so, delete this exception statement  
from your version.

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Notice for Jersey Bean Validation module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made

available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

# 1.70 avro 1.11.0

## 1.70.1 Available under license :

Trevni Java Avro

Copyright 2009-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.71 jetty-io 11.0.6

### 1.71.1 Available under license :

Notices for Eclipse Jetty

=====

This content is produced and maintained by the Eclipse Jetty project.

Project home: <https://www.eclipse.org/jetty/>

## Trademarks

-----

Eclipse Jetty, and Jetty are trademarks of the Eclipse Foundation.

## Copyright

-----

All contributions are the property of the respective authors or of entities to which copyright has been assigned by the authors (eg. employer).

## Declared Project Licenses

-----

This artifacts of this project are made available under the terms of:

- \* the Eclipse Public License v2.0  
<https://www.eclipse.org/legal/epl-2.0>  
SPDX-License-Identifier: EPL-2.0

or

- \* the Apache License, Version 2.0  
<https://www.apache.org/licenses/LICENSE-2.0>  
SPDX-License-Identifier: Apache-2.0

The following dependencies are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following dependencies are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javafx.security.auth.message

The following dependencies are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javafx.mail.glassfish

The following dependencies are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* jakarta.servlet:jakarta.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

The following dependencies are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- \* org.ow2.asm:asm-commons
- \* org.ow2.asm:asm

The following dependencies are ASL2 licensed.

- \* org.apache.taglibs:taglibs-standard-spec
- \* org.apache.taglibs:taglibs-standard-impl

The following dependencies are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- \* org.mortbay.jasper:apache-jsp
- \* org.apache.tomcat:tomcat-jasper
- \* org.apache.tomcat:tomcat-juli
- \* org.apache.tomcat:tomcat-jsp-api
- \* org.apache.tomcat:tomcat-el-api
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-api
- \* org.apache.tomcat:tomcat-util-scan
- \* org.apache.tomcat:tomcat-util
- \* org.mortbay.jasper:apache-el
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-el-api

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* org.eclipse.jetty.toolchain:jetty-schemas

## Cryptography

-----

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License

(if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add

their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors,

compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing

version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

SPDX-License-Identifier: EPL-2.0 OR Apache-2.0

# 1.72 slf4j 1.7.29

## 1.72.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.73 hibernate-validator 6.1.7.Final

### 1.73.1 Available under license :

Hibernate Validator, declare and validate application constraints

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

Adam Stawicki  
Ahmed Al Hafoudh  
Alaa Nassef  
Andrey Derevyanko  
Andrey Rodionov  
Asutosh Pandya  
Benson Margulies  
Brent Douglas  
Carlos Vara  
Carlo de Wolf  
Chris Beckey  
Christian Ivan  
Dag Hovland  
Damir Alibegovic  
Dario Seidl  
Davide D'Alto  
Davide Marchignoli  
Denis Tiago  
Doug Lea  
Emmanuel Bernard  
Efthymis Sarbanis  
Federico  
Federico Mancini  
Gavin King  
George Gastaldi  
Gerhard Petracek  
Guillaume Husta  
Guillaume Smet  
Gunnar Morling  
Hardy Ferentschik  
Henno Vermeulen  
Hillmer Chona  
Jan-Willem Willebrands  
Jason T. Greene  
Jesper Preuss  
Jiri Bilek  
Julien Furgerot  
Julien May  
Juraci Krohling  
Justin Nauman  
Kathryn Killebrew  
Kazuki Shimizu  
Kevin Pollet  
Khalid Alqinyah  
Lee KyoungIl  
Leonardo Loch Zanivan  
Lucas Pouzac  
Lukas Niemeier

Mark Hobson  
Marko Bekhta  
Matthias Kurz  
Mert Caliskan  
Michal Fotyga  
Nicola Ferraro  
Nicolas Franois  
Paolo Perrotta  
Pete Muir  
Rob Dickinson  
Sanne Grinovero  
Sebastian Bayerl  
Shahram Goodarzi  
Shane Bryzak  
Shelly McGowan  
Sjaak Derksen  
Steve Ebersole  
Strong Liu  
Tadhg Pearson  
Takashi Aoe  
Tomaz Cerar  
Tommy Johansen  
Victor Rezende dos Santos  
Willi Schnborn  
Xavier Sosnovsky  
Yanming Zhou  
Yoann Rodire

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.74 jetty-security 11.0.6

### 1.74.1 Available under license :

Notices for Eclipse Jetty

=====

This content is produced and maintained by the Eclipse Jetty project.

Project home: <https://www.eclipse.org/jetty/>

## Trademarks

-----

Eclipse Jetty, and Jetty are trademarks of the Eclipse Foundation.

## Copyright

-----

All contributions are the property of the respective authors or of entities to which copyright has been assigned by the authors (eg. employer).

## Declared Project Licenses

-----

This artifacts of this project are made available under the terms of:

- \* the Eclipse Public License v2.0  
<https://www.eclipse.org/legal/epl-2.0>  
SPDX-License-Identifier: EPL-2.0

or

- \* the Apache License, Version 2.0  
<https://www.apache.org/licenses/LICENSE-2.0>  
SPDX-License-Identifier: Apache-2.0

The following dependencies are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following dependencies are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javafx.security.auth.message

The following dependencies are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javafx.mail.glassfish

The following dependencies are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* jakarta.servlet:jakarta.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

The following dependencies are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- \* org.ow2.asm:asm-commons
- \* org.ow2.asm:asm

The following dependencies are ASL2 licensed.

- \* org.apache.taglibs:taglibs-standard-spec
- \* org.apache.taglibs:taglibs-standard-impl

The following dependencies are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- \* org.mortbay.jasper:apache-jsp
- \* org.apache.tomcat:tomcat-jasper
- \* org.apache.tomcat:tomcat-juli
- \* org.apache.tomcat:tomcat-jsp-api
- \* org.apache.tomcat:tomcat-el-api
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-api
- \* org.apache.tomcat:tomcat-util-scan
- \* org.apache.tomcat:tomcat-util
- \* org.mortbay.jasper:apache-el
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-el-api

The following artifacts are CDDL + GPLv2 with classpath exception.  
<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* org.eclipse.jetty.toolchain:jetty-schemas

## Cryptography

-----

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.  
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content  
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License,

Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

- a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and
- b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
  - i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
  - iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was

received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

SPDX-License-Identifier: EPL-2.0 OR Apache-2.0

## 1.75 classmate 1.5.1

## 1.75.1 Available under license :

Java ClassMate library was originally written by Tatu Saloranta (tatu.saloranta@iki.fi)

Other developers who have contributed code are:

\* Brian Langel

This copy of Java ClassMate library is licensed under Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.76 jetty-servlets 11.0.6

## 1.76.1 Available under license :

Notices for Eclipse Jetty

=====

This content is produced and maintained by the Eclipse Jetty project.

Project home: <https://www.eclipse.org/jetty/>

Trademarks

-----

Eclipse Jetty, and Jetty are trademarks of the Eclipse Foundation.

Copyright

-----

All contributions are the property of the respective authors or of entities to which copyright has been assigned by the authors (eg. employer).

Declared Project Licenses

-----

This artifacts of this project are made available under the terms of:

\* the Eclipse Public License v2.0

<https://www.eclipse.org/legal/epl-2.0>

SPDX-License-Identifier: EPL-2.0

or

\* the Apache License, Version 2.0

<https://www.apache.org/licenses/LICENSE-2.0>

SPDX-License-Identifier: Apache-2.0

The following dependencies are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following dependencies are EPL and ASL2.

\* org.eclipse.jetty.orbit:javafx.security.auth.message

The following dependencies are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javafx.mail.glassfish

The following dependencies are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* jakarta.servlet:jakarta.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

The following dependencies are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

\* org.ow2.asm:asm-commons

\* org.ow2.asm:asm

The following dependencies are ASL2 licensed.

\* org.apache.taglibs:taglibs-standard-spec

\* org.apache.taglibs:taglibs-standard-impl

The following dependencies are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

\* org.mortbay.jasper:apache-jsp

\* org.apache.tomcat:tomcat-jasper

\* org.apache.tomcat:tomcat-juli

\* org.apache.tomcat:tomcat-jsp-api

\* org.apache.tomcat:tomcat-el-api

\* org.apache.tomcat:tomcat-jasper-el

\* org.apache.tomcat:tomcat-api

\* org.apache.tomcat:tomcat-util-scan

\* org.apache.tomcat:tomcat-util

\* org.mortbay.jasper:apache-el

\* org.apache.tomcat:tomcat-jasper-el

\* org.apache.tomcat:tomcat-el-api

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* org.eclipse.jetty.toolchain:jetty-schemas

## Cryptography

-----

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement

or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights

in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software

or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: { name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE

file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

SPDX-License-Identifier: EPL-2.0 OR Apache-2.0

## 1.77 protobuf-java-format 1.2

### 1.77.1 Available under license :

Copyright (c) 2009, Orbitz World Wide

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Orbitz World Wide nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2009, Orbitz LLC  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Orbitz LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.78 jackson-jaxrs 2.13.2

### 1.78.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported

commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

# 1.79 protobuf-java-util 3.20.1

## 1.79.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0  
Automatic-Module-Name: com.google.protobuf.util  
Bnd-LastModified: 1650575265454  
Build-Jdk: 1.8.0\_181-google-v7  
Built-By: haberman  
Bundle-Description: Utilities for Protocol Buffers  
Bundle-DocURL: <https://developers.google.com/protocol-buffers/>  
Bundle-License: <https://opensource.org/licenses/BSD-3-Clause>  
Bundle-ManifestVersion: 2  
Bundle-Name: Protocol Buffers [Util]  
Bundle-SymbolicName: com.google.protobuf.util  
Bundle-Version: 3.20.1  
Created-By: Apache Maven Bundle Plugin  
Export-Package: com.google.protobuf.util;version="3.20.1";uses:="com.google.protobuf,java.annotation"  
Import-Package: com.google.common.base;version="[30.1,31)",com.google.common.io;version="[30.1,31)",com.google.common.math;version="[30.1,31)",com.google.common.primitives;version="[30.1,31)",com.google.gson;version="[2.8,3)",com.google.gson.stream;version="[2.8,3)",com.google.protobuf;version="[3.20,4)",java.annotation;version="[3.0,4)"  
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.7))"  
Tool: Bnd-3.0.0.201509101326

Found in path(s):

\* /opt/cola/permits/1338477547\_1654302204.1928751/0/protobuf-java-util-3-20-1-jar/META-INF/MANIFEST.MF

# 1.80 dropwizard-lifecycle 2.0.18

## 1.80.1 Available under license :

Apache-2.0

# 1.81 common-config 5.5.1

## 1.81.1 Available under license :

The following libraries are included in packaged versions of this project:

- \* Apache ZooKeeper
  - \* COPYRIGHT: Copyright 2009-2014 The Apache Software Foundation
  - \* LICENSE: licenses/LICENSE.apache2.txt
  - \* NOTICE: licenses/NOTICE.zookeeper.txt
  - \* HOMEPAGE: <http://zookeeper.apache.org/>
  
  - \* jline
  - \* COPYRIGHT: Copyright (c) 2002-2006, Marc Prud'hommeaux <mwp1@cornell.edu>
  - \* LICENSE: licenses/LICENSE.bsd.txt
  - \* HOMEPAGE: <http://jline.sourceforge.net/>
  
  - \* SLF4J
  - \* COPYRIGHT: Copyright (c) 2004-2013 QOS.ch
  - \* LICENSE: licenses/LICENSE.mit.txt
  - \* HOMEPAGE: <http://www.slf4j.org/>
  
  - \* ZkClient
  - \* LICENSE: licenses/LICENSE.apache2.txt
  - \* HOMEPAGE: <https://github.com/sgroschupf/zkclient>
- Apache ZooKeeper  
Copyright 2009-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.82 hk2-api 2.6.1

## 1.82.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified

Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the

Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial

Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses

granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor

Boston, MA 02110-1335

USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program

proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed

only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or

otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

##### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify

it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

```
## CLASSPATH EXCEPTION
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fighterfish>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.83 cloudevents-core 2.1.1

## 1.83.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2018-Present The CloudEvents Authors
~ <p>
~ Licensed under the Apache License, Version 2.0 (the "License");
~ you may not use this file except in compliance with the License.
~ You may obtain a copy of the License at
~ <p>
~ http://www.apache.org/licenses/LICENSE-2.0
~ <p>
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS,
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
~ See the License for the specific language governing permissions and
~ limitations under the License.
~
-->
```

Found in path(s):

\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-jar/META-INF/maven/io.cloudevents/cloudevents-core/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018-Present The CloudEvents Authors

\* <p>

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\* <p>

\* <http://www.apache.org/licenses/LICENSE-2.0>

\* <p>

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-jar/io/cloudevents/core/CloudEventUtils.java

\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-jar/io/cloudevents/core/extensions/DistributedTracingExtension.java

\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-jar/io/cloudevents/core/format/EventFormat.java

\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-jar/io/cloudevents/core/message/impl/BaseBinaryMessageReader.java

\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-jar/io/cloudevents/core/message/impl/MessageUtils.java

\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-jar/io/cloudevents/core/v03/V1ToV03AttributesConverter.java

\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-jar/io/cloudevents/core/impl/CloudEventReaderAdapter.java

\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-jar/io/cloudevents/core/message/impl/BaseStructuredMessageReader.java

\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-jar/io/cloudevents/core/v03/CloudEventV03.java

\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-jar/io/cloudevents/core/message/Encoding.java

\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-jar/io/cloudevents/core/format/EventSerializationException.java

\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-jar/io/cloudevents/core/v1/CloudEventBuilder.java

\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-

jar/io/cloudevents/core/v1/V03ToV1AttributesConverter.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/extensions/DaterefExtension.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/impl/BaseCloudEventBuilder.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/extensions/impl/ExtensionUtils.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/builder/CloudEventBuilder.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/provider/ExtensionProvider.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/message/MessageReader.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/message/impl/GenericStructuredMessageReader.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/message/StructuredMessageWriter.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/v1/CloudEventV1.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/message/MessageWriter.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/impl/BaseCloudEvent.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/message/StructuredMessageReader.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/provider/EventFormatProvider.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/v03/CloudEventBuilder.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/format/EventDeserializationException.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/impl/CloudEventContextReaderAdapter.java  
\* /opt/cola/permits/1508291239\_1670975013.352485/0/cloudevents-core-2-1-1-sources-1-  
jar/io/cloudevents/core/message/impl/BaseGenericBinaryMessageReaderImpl.java

## 1.84 netty-handler-proxy 4.1.74.Final

### 1.84.1 Available under license :

No license file was found, but licenses were detected in source scan.

~ Copyright 2014 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE>

2.0

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1273210050\_1645093267.2/0/netty-handler-proxy-4-1-74-final-sources-jar/META-INF/maven/io.netty/netty-handler-proxy/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273210050\_1645093267.2/0/netty-handler-proxy-4-1-74-final-sources-jar/io/netty/handler/proxy/Socks4ProxyHandler.java

\* /opt/cola/permits/1273210050\_1645093267.2/0/netty-handler-proxy-4-1-74-final-sources-jar/io/netty/handler/proxy/Socks5ProxyHandler.java

\* /opt/cola/permits/1273210050\_1645093267.2/0/netty-handler-proxy-4-1-74-final-sources-jar/io/netty/handler/proxy/ProxyConnectException.java

\* /opt/cola/permits/1273210050\_1645093267.2/0/netty-handler-proxy-4-1-74-final-sources-jar/io/netty/handler/proxy/HttpProxyHandler.java

\* /opt/cola/permits/1273210050\_1645093267.2/0/netty-handler-proxy-4-1-74-final-sources-jar/io/netty/handler/proxy/ProxyHandler.java

\* /opt/cola/permits/1273210050\_1645093267.2/0/netty-handler-proxy-4-1-74-final-sources-jar/io/netty/handler/proxy/package-info.java

\* /opt/cola/permits/1273210050\_1645093267.2/0/netty-handler-proxy-4-1-74-final-sources-jar/io/netty/handler/proxy/ProxyConnectionEvent.java

# 1.85 javassist 3.27.0-GA

## 1.85.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Javassist, a Java-bytecode translator toolkit.
 * Copyright (C) 2004 Bill Burke. All Rights Reserved.
 *
 * The contents of this file are subject to the Mozilla Public License Version
 * 1.1 (the "License"); you may not use this file except in compliance with
 * the License. Alternatively, the contents of this file may be used under
 * the terms of the GNU Lesser General Public License Version 2.1 or later,
 * or the Apache License Version 2.0.
 *
 * Software distributed under the License is distributed on an "AS IS" basis,
 * WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
 * for the specific language governing rights and limitations under the
 * License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1068708327_1594455721.14/0/javassist-3-27-0-ga-sources-
jar/javassist/bytecode/annotation/StringMemberValue.java
* /opt/ws_local/PERMITS_SQL/1068708327_1594455721.14/0/javassist-3-27-0-ga-sources-
jar/javassist/bytecode/annotation/IntegerMemberValue.java
* /opt/ws_local/PERMITS_SQL/1068708327_1594455721.14/0/javassist-3-27-0-ga-sources-
jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/ws_local/PERMITS_SQL/1068708327_1594455721.14/0/javassist-3-27-0-ga-sources-
jar/javassist/bytecode/annotation/Annotation.java
* /opt/ws_local/PERMITS_SQL/1068708327_1594455721.14/0/javassist-3-27-0-ga-sources-
jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/ws_local/PERMITS_SQL/1068708327_1594455721.14/0/javassist-3-27-0-ga-sources-
jar/javassist/bytecode/annotation/ByteMemberValue.java
* /opt/ws_local/PERMITS_SQL/1068708327_1594455721.14/0/javassist-3-27-0-ga-sources-
jar/javassist/bytecode/annotation/DoubleMemberValue.java
* /opt/ws_local/PERMITS_SQL/1068708327_1594455721.14/0/javassist-3-27-0-ga-sources-
jar/javassist/bytecode/annotation/FloatMemberValue.java
* /opt/ws_local/PERMITS_SQL/1068708327_1594455721.14/0/javassist-3-27-0-ga-sources-
jar/javassist/bytecode/annotation/MemberValue.java
* /opt/ws_local/PERMITS_SQL/1068708327_1594455721.14/0/javassist-3-27-0-ga-sources-
jar/javassist/bytecode/annotation/EnumMemberValue.java
* /opt/ws_local/PERMITS_SQL/1068708327_1594455721.14/0/javassist-3-27-0-ga-sources-
jar/javassist/bytecode/annotation/ArrayMemberValue.java
* /opt/ws_local/PERMITS_SQL/1068708327_1594455721.14/0/javassist-3-27-0-ga-sources-
jar/javassist/bytecode/annotation/ShortMemberValue.java
* /opt/ws_local/PERMITS_SQL/1068708327_1594455721.14/0/javassist-3-27-0-ga-sources-
```

jar/javassist/bytecode/annotation/ClassMemberValue.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-  
jar/javassist/bytecode/annotation/BooleanMemberValue.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-  
jar/javassist/bytecode/annotation/LongMemberValue.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-  
jar/javassist/bytecode/annotation/MemberValueVisitor.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Javassist, a Java-bytecode translator toolkit.  
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.  
*  
* The contents of this file are subject to the Mozilla Public License Version  
* 1.1 (the "License"); you may not use this file except in compliance with  
* the License. Alternatively, the contents of this file may be used under  
* the terms of the GNU Lesser General Public License Version 2.1 or later,  
* or the Apache License Version 2.0.  
*  
* Software distributed under the License is distributed on an "AS IS" basis,  
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License  
* for the specific language governing rights and limitations under the  
* License.  
*/
```

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-  
jar/javassist/expr/ExprEditor.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-  
jar/javassist/compiler/ast/NewExpr.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-  
jar/javassist/tools/Callback.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-  
jar/javassist/runtime/Inner.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-  
jar/javassist/tools/reflect/CannotInvokeException.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-  
jar/javassist/bytecode/BadBytecode.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-  
jar/javassist/URLClassPath.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-  
jar/javassist/bytecode/InnerClassesAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-  
jar/javassist/compiler/MemberCodeGen.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-  
jar/javassist/bytecode/SourceFileAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-  
jar/javassist/util/proxy/ProxyObjectOutputStream.java

\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/ConstantAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/SignatureAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/Symbol.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/NestHostAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/DeprecatedAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/analysis/Util.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/SyntheticAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/expr/ConstructorCall.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/stackmap/Tracer.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/InstructionPrinter.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/NestMembersAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/Opcodes.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/web/BadHttpRequest.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/Bytecode.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/LongVector.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/analysis/Analyzer.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/Modifier.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/analysis/Type.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/convert/TransformNew.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/Lex.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/annotation/AnnotationsWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/IntConst.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/reflect/Reflection.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/Member.java

\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/rmi/AppletServer.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/MemberResolver.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/rmi/RemoteException.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/ExceptionTable.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/ASTList.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/analysis/Executor.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/ByteStream.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/expr/Cast.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/ClassFile.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/util/proxy/SerializedProxy.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/Javac.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/expr/NewExpr.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/convert/TransformReadField.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/LoaderClassPath.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/AttributeInfo.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/Translator.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/AccessFlag.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CtMethod.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/CodeAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/Stmnt.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/ClassPoolTail.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/annotation/AnnotationImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/Pair.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/util/proxy/DefineClassHelper.java

\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CtNewMethod.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/Loader.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/SymbolTable.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/FieldInfo.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CtNewWrappedMethod.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/reflect/CannotReflectException.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CtConstructor.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/Parser.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/util/HotSwapper.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/MethodDecl.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/ClassPool.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/CodeIterator.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/ClassClassPath.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/ByteArrayClassPath.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/util/proxy/ProxyFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/ByteArray.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/ClassMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/util/proxy/DefinePackageHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/expr/MethodCall.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/convert/TransformAccessArrayField.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/DoubleConst.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/util/proxy/MethodHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/AnnotationsAttribute.java

\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/reflect/Loader.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CtField.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CtNewClass.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/util/proxy/Proxy.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/reflect/ClassMetaobject.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/expr/Handler.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/framedump.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/ParameterAnnotationsAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/JvstTypeChecker.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/util/HotSwapAgent.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/ClassFilePrinter.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/DuplicateMemberException.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/JvstCodeGen.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/StackMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/analysis/ControlFlow.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/KeywordTable.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/Visitor.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ProceedHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CtBehavior.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/convert/TransformCall.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/CodeAnalyzer.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/FieldDecl.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/EnclosingMethodAttribute.java

\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/CastExpr.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/runtime/Desc.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/util/proxy/MethodFilter.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/ClassPath.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/Variable.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/reflect/Sample.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/CondExpr.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/analysis/SubroutineScanner.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/stackmap/TypeTag.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/util/proxy/ProxyObject.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/AssignExpr.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/MethodInfo.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/expr/Instanceof.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/LineNumberAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/analysis/Subroutine.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/expr/NewArray.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/NoFieldException.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/NotFoundException.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CtClassType.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/scopedpool/SoftValueHashMap.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/ExceptionsAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/Expr.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/Descriptor.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/ArrayInit.java

\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/StringL.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/analysis/IntQueue.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/util/proxy/FactoryHelper.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/convert/TransformBefore.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/ClassFileWriter.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/SyntaxError.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CtPrimitiveType.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/AnnotationDefaultAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/rmi/RemoteRef.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CtNewConstructor.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/CallExpr.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/analysis/MultiArrayType.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/convert/TransformFieldAccess.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/InstanceOfExpr.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/stackmap/MapMaker.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/expr/Expr.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CtMember.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/TokenId.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CtNewWrappedConstructor.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/util/proxy/ProxyObjectInputStream.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CodeConverter.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CtArray.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/rmi/ObjectNotFoundException.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/runtime/DotClass.java

\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/rmi/StubGenerator.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/LocalVariableTypeAttribute.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/ASTree.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/StackMapTable.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CannotCompileException.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/convert/TransformNewClass.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/Mnemonic.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/CodeGen.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/annotation/NoSuchClassError.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/SerialVersionUID.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/convert/Transformer.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/stackmap/TypedBlock.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/web/Viewer.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/analysis/MultiType.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/stackmap/BasicBlock.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/CtClass.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/Keyword.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/reflect/Compiler.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/util/proxy/RuntimeSupport.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/Declarator.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/reflect/Metalevel.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/stackmap/TypeData.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/convert/TransformWriteField.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/LocalVariableAttribute.java

\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/reflect/Metaobject.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/AccessorMaker.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/expr/FieldAccess.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/analysis/FramePrinter.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/TypeChecker.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/rmi/Sample.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/rmi/ObjectImporter.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/ast/BinExpr.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/rmi/Proxy.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/runtime/Cflow.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/reflect/CannotCreateException.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/compiler/CompileError.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/analysis/Frame.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/convert/TransformAfter.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/scopedpool/ScopedClassPool.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolRepository.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/util/proxy/SecurityActions.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/web/Webserver.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/tools/Dump.java  
\* /opt/ws\_local/PERMITS\_SQL/1068708327\_1594455721.14/0/javassist-3-27-0-ga-sources-jar/javassist/bytecode/ConstPool.java

## 1.86 netty-handler 4.1.74.Final

## 1.86.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2020 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/pcap/PcapWriter.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/pcap/UDPPacket.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/pcap/EthernetPacket.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/pcap/package-info.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/pcap/PcapWriteHandler.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/pcap/IPPacket.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/pcap/PcapHeaders.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/pcap/TCPpacket.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
```

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/BouncyCastleAlpnSslUtils.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/SslContextOption.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/SslProtocols.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/OpenSslContextOption.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/BouncyCastleAlpnSslEngine.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/OpenSslSessionId.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/BouncyCastle.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/GroupsConverter.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/AsyncRunnable.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/Ciphers.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/OpenSslClientSessionCache.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/OpenSslSessionCache.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/OpenSslAsyncPrivateKeyMethod.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2022 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateCompressionAlgorithm.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

// Try the OpenJDK's proprietary implementation.

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/util/SelfSignedCertificate.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-

jar/io/netty/handler/ssl/util/TrustManagerFactoryWrapper.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/address/DynamicAddressConnectHandler.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/OpenSslPrivateKeyMethod.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/util/X509KeyManagerWrapper.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/address/package-info.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/util/KeyManagerFactoryWrapper.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/PseudoRandomFunction.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/SslMasterKeyHandler.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/util/SimpleKeyManagerFactory.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2012 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/traffic/TrafficCounter.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/traffic/package-info.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/traffic/GlobalTrafficShapingHandler.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/traffic/ChannelTrafficShapingHandler.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2013 The Netty Project
```

\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/SslHandshakeCompletionEvent.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2011 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/traffic/AbstractTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/META-INF/native-image/io.netty.handler/native-image.properties

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
*/opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolNegotiationHandler.java
*/opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolNames.java
*/opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/OpenSslSessionTicketKey.java
*/opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/SslContextBuilder.java
*/opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolAccessor.java
*/opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/util/LazyJavaxX509Certificate.java
*/opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/ClientAuth.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
```

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/traffic/GlobalChannelTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2018 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,

\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

\* License for the specific language governing permissions and limitations

\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/DefaultOpenSslKeyMaterial.java

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialProvider.java

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/OpenSslX509TrustManagerWrapper.java

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterial.java

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/OpenSslPrivateKey.java

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/OpenSslCachingX509KeyManagerFactory.java

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/OpenSslX509KeyManagerFactory.java

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/OpenSslCachingKeyMaterialProvider.java

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/ExtendedOpenSslSession.java

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/OpenSslSession.java

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/SignatureAlgorithmConverter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/OpenSslEngine.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/JettyNpnSslEngine.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/JdkSslEngine.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/OpenSslServerSessionContext.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/CipherSuiteFilter.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/util/ThreadLocalInsecureRandom.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/OpenSslContext.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/SniHandler.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolUtil.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/OpenSslApplicationProtocolNegotiator.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ipfilter/package-info.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/traffic/GlobalChannelTrafficCounter.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
```

jar/io/netty/handler/ipfilter/IpSubnetFilterRule.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/SslUtils.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ipfilter/AbstractRemoteAddressFilter.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/JdkSslClientContext.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/Java7SslParametersUtils.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/util/SimpleTrustManagerFactory.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactory.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/CipherSuiteConverter.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/JdkApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/SslProvider.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/OpenSsl.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ipfilter/RuleBasedIpFilter.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/OpenSslSessionContext.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/JdkDefaultApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/OpenSslEngineMap.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/SupportedCipherSuiteFilter.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/ApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/OpenSslDefaultApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ipfilter/IpFilterRuleType.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/util/BouncyCastleSelfSignedCertGenerator.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/JdkSslServerContext.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/util/InsecureTrustManagerFactory.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/util/LazyX509Certificate.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/OpenSslServerContext.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-

jar/io/netty/handler/ssl/util/OpenJdkSelfSignedCertGenerator.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/OpenSslSessionStats.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/JdkSslContext.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/JdkBaseApplicationProtocolNegotiator.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/PemReader.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ipfilter/IpFilterRule.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/SslContext.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/JettyAlpnSslEngine.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/OpenSslClientContext.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/IdentityCipherSuiteFilter.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/ApplicationProtocolConfig.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ipfilter/UniqueIpFilter.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/OpenSslNpnApplicationProtocolNegotiator.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License, version  
\* 2.0 (the "License"); you may not use this file except in compliance with the  
\* License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/flow/FlowControlHandler.java  
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/SslHandler.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/timeout/ReadTimeoutHandler.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/logging/LoggingHandler.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/stream/ChunkedInput.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/timeout/ReadTimeoutException.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/stream/ChunkedWriteHandler.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/timeout/WriteTimeoutException.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/timeout/IdleState.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/timeout/package-info.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/stream/ChunkedNioFile.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/stream/ChunkedNioStream.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/stream/package-info.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/ssl/util/package-info.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/timeout/TimeoutException.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
jar/io/netty/handler/stream/ChunkedFile.java
* /opt/cola/permits/1273210061_1645093272.13/0/netty-handler-4-1-74-final-sources-
```

jar/io/netty/handler/logging/LogLevel.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/timeout/WriteTimeoutHandler.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/timeout/IdleStateHandler.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/timeout/IdleStateEvent.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/package-info.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/NotSslRecordException.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/stream/ChunkedStream.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/logging/package-info.java

No license file was found, but licenses were detected in source scan.

```
/*  
 * Copyright 2020 The Netty Project  
 *  
 * The Netty Project licenses this file to you under the Apache License,  
 * version 2.0 (the "License"); you may not use this file except in compliance  
 * with the License. You may obtain a copy of the License at:  
 *  
 * https://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
 * License for the specific language governing permissions and limitations  
 * under the License.  
 */
```

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/SslHandshakeTimeoutException.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ipfilter/IpSubnetFilter.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ipfilter/IpSubnetFilterRuleComparator.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactoryBuilder.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/ssl/SslClosedEngineException.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/logging/ByteBufFormat.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-  
jar/io/netty/handler/address/ResolveAddressHandler.java

No license file was found, but licenses were detected in source scan.

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE>

2.0

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/META-INF/maven/io.netty/netty-handler/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2022 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version  
\* 2.0 (the "License"); you may not use this file except in compliance with the  
\* License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations under  
\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io.netty.handler.ssl.OpenSslCertificateCompressionConfig.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance

\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/PemPrivateKey.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslContext.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/PemX509Certificate.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateException.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/flow/package-info.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/flush/package-info.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslEngine.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/util/X509TrustManagerWrapper.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/DelegatingSslContext.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/Java8SslUtils.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/flush/FlushConsolidationHandler.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialManager.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/PemEncoded.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/PemValue.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslClientContext.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslServerContext.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2017 The Netty Project

\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/JdkAlpnSslUtils.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/SslCloseCompletionEvent.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/OptionalSslHandler.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/Conscrypt.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/AbstractSniHandler.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/SslClientHelloHandler.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/ocsp/package-info.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/ocsp/OcspClientHandler.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/SniCompletionEvent.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/JdkAlpnSslEngine.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/SslCompletionEvent.java  
\* /opt/cola/permits/1273210061\_1645093272.13/0/netty-handler-4-1-74-final-sources-jar/io/netty/handler/ssl/ConscryptAlpnSslEngine.java

## 1.87 dropwizard-util 2.0.18

### 1.87.1 Available under license :

Apache-2.0

# 1.88 jsr305 3.0.2

## 1.88.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (c) 2005 Brian Goetz  
* Released under the Creative Commons Attribution License  
* (http://creativecommons.org/licenses/by/2.5)  
* Official home: http://www.jcip.net  
*/
```

Found in path(s):

```
* /opt/cola/permits/1334730768_1653653249.5131547/0/jsr305-3-0-2-sources-8-  
jar/javax/annotation/concurrent/GuardedBy.java  
* /opt/cola/permits/1334730768_1653653249.5131547/0/jsr305-3-0-2-sources-8-  
jar/javax/annotation/concurrent/NotThreadSafe.java  
* /opt/cola/permits/1334730768_1653653249.5131547/0/jsr305-3-0-2-sources-8-  
jar/javax/annotation/concurrent/Immutable.java  
* /opt/cola/permits/1334730768_1653653249.5131547/0/jsr305-3-0-2-sources-8-  
jar/javax/annotation/concurrent/ThreadSafe.java
```

# 1.89 commons-io 2.11.0

## 1.89.1 Available under license :

Apache Commons IO  
Copyright 2002-2021 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.90 netty-codec 4.1.74.Final

## 1.90.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/compression/JdkZlibDecoder.java
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/xml/XmlFrameDecoder.java
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/compression/Crc32c.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
/*
 * Written by Robert Harder and released to the public domain, as explained at
 * https://creativecommons.org/licenses/publicdomain
 */
/**
```

\* Enumeration of supported Base64 dialects.  
\* <p>  
\* The internal lookup tables in this class has been derived from  
\* <a href="http://iharder.sourceforge.net/current/java/base64/">Robert Harder's Public Domain  
\* Base64 Encoder/Decoder</a>.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/base64/Base64Dialect.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/serialization/ObjectEncoderOutputStream.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/serialization/CachingClassResolver.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/MessageAggregator.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/MessageToByteEncoder.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/package-info.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/serialization/SoftReferenceMap.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/marshalling/ThreadLocalMarshallerProvider.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/compression/CompressionException.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/compression/ZlibDecoder.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-

jar/io/netty/handler/codec/ReplayingDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/xml/package-info.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/marshalling/package-info.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/ZlibCodecFactory.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/string/StringDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/serialization/ClassLoaderClassResolver.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/ByteToMessageCodec.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/serialization/CompactObjectOutputStream.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/MessageToMessageCodec.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/CodecException.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/marshalling/CompatibleMarshallingEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/marshalling/CompatibleMarshallingDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/JZlibEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/marshalling/LimitingByteInput.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/ReplayingDecoderByteBuf.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/string/StringEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/Delimiters.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/LengthFieldPrepender.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/serialization/WeakReferenceMap.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/bytes/ByteArrayEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/ByteToMessageDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/serialization/ReferenceMap.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/protobuf/package-info.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/serialization/CompactObjectInputStream.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-

jar/io/netty/handler/codec/compression/ZlibUtil.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/UnsupportedMessageTypeException.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/SnappyFrameDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/DecoderException.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/marshalling/MarshallingDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/marshalling/DefaultMarshallerProvider.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/JZlibDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/CorruptedFrameException.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/serialization/CompatibleObjectEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/base64/Base64Decoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/marshalling/ChannelBufferByteInput.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/marshalling/MarshallerProvider.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/package-info.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/JdkZlibEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/serialization/ObjectEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/SnappyFrameEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/ZlibWrapper.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/marshalling/MarshallingEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/marshalling/DefaultUnmarshallerProvider.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/marshalling/ContextBoundUnmarshallerProvider.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/marshalling/ChannelBufferByteOutput.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/EncoderException.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/marshalling/ThreadLocalUnmarshallerProvider.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-

jar/io/netty/handler/codec/MessageToMessageDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/serialization/ObjectDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/DecoderResult.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/LineBasedFrameDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/FixedLengthFrameDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/DelimiterBasedFrameDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/base64/Base64Encoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/base64/package-info.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/PrematureChannelClosureException.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/string/package-info.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Snappy.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/DecompressionException.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/ZlibEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/MessageToMessageEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/bytes/package-info.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/serialization/package-info.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/bytes/ByteArrayDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/serialization/ClassResolvers.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/TooLongFrameException.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/serialization/ClassResolver.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/serialization/ObjectDecoderInputStream.java  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

\* "License"); you may not use this file except in compliance with the License. You may obtain a

\* copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/Headers.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/DefaultHeaders.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/EmptyHeaders.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2021 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/ZstdConstants.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/StandardCompressionOptions.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/BrotliEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/BrotliOptions.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/CompressionOptions.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-

jar/io/netty/handler/codec/compression/DeflateOptions.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/GzipOptions.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/ZstdEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Zstd.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/ZstdOptions.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Brotli.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/BrotliDecoder.java  
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2015 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/protobuf/ProtobufEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/protobuf/ProtobufDecoderNano.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/protobuf/ProtobufEncoderNano.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/ProtocolDetectionState.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/protobuf/ProtobufDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/HeadersUtils.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/protobuf/ProtobufVarint32FrameDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/UnsupportedValueConverter.java

```
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/ProtocolDetectionResult.java
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/protobuf/ProtobufVarint32LengthFieldPrepender.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2015 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
```

```
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
```

```
*/
```

```
Found in path(s):
```

```
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/DefaultHeadersImpl.java
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/ValueConverter.java
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/CharSequenceValueConverter.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Copyright 2012 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
```

```
*/
```

```
/*
```

```
* Written by Robert Harder and released to the public domain, as explained at
```

```
* https://creativecommons.org/licenses/publicdomain
*/
/**
 * Utility class for { @link ByteBuf } that encodes and decodes to and from
 * Base64 notation.
 * <p>
 * The encoding and decoding algorithm in this class has been derived from
 * http://iharder.sourceforge.net/current/java/base64/Robert Harder's Public Domain
 * Base64 Encoder/Decoder</a>.
 */
```

Found in path(s):

```
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/base64/Base64.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/compression/Bzip2BitReader.java
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/DecoderResultProvider.java
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/compression/Bzip2HuffmanStageEncoder.java
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Decoder.java
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/compression/Lz4Constants.java
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/json/package-info.java
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/AsciiHeadersEncoder.java
* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
```

jar/io/netty/handler/codec/compression/Bzip2BitWriter.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Lz4FrameDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2HuffmanStageDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Crc32.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2Encoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/FastLzFrameDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2Rand.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2Constants.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2MoveToFrontTable.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/MessageAggregationException.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/SnappyFramedDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2DivSufSort.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/LzmaFrameEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/SnappyFramedEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2HuffmanAllocator.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/LzfDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2MTFAndRLE2StageEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/FastLzFrameEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2BlockDecompressor.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/LzfEncoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/json/JsonObjectDecoder.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/FastLz.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Bzip2BlockCompressor.java  
\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-  
jar/io/netty/handler/codec/compression/Lz4FrameEncoder.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
/**
 * A decoder that splits the received {@link ByteBuf}s dynamically by the
 * value of the length field in the message. It is particularly useful when you
 * decode a binary message which has an integer header field that represents the
 * length of the message body or the whole message.
 *
 * <p>
 * {@link LengthFieldBasedFrameDecoder} has many configuration parameters so
 * that it can decode any message with a length field, which is often seen in
 * proprietary client-server protocols. Here are some example that will give
 * you the basic idea on which option does what.
 *
 * <h3>2 bytes length field at offset 0, do not strip header</h3>
 *
 * The value of the length field in this example is <tt>12 (0x0C)</tt> which
 * represents the length of "HELLO, WORLD". By default, the decoder assumes
 * that the length field represents the number of the bytes that follows the
 * length field. Therefore, it can be decoded with the simplistic parameter
 * combination.
 *
 * <pre>
 * <b>lengthFieldOffset</b> = <b>0</b>
 * <b>lengthFieldLength</b> = <b>2</b>
 * lengthAdjustment = 0
 * initialBytesToStrip = 0 (= do not strip header)
 *
 * BEFORE DECODE (14 bytes)    AFTER DECODE (14 bytes)
 * +-----+-----+ +-----+-----+
 * | Length | Actual Content |---->| Length | Actual Content |
 * | 0x000C | "HELLO, WORLD" |   | 0x000C | "HELLO, WORLD" |
 * +-----+-----+ +-----+-----+
 * </pre>
 */
```

```

* <h3>2 bytes length field at offset 0, strip header</h3>
*
* Because we can get the length of the content by calling
* { @link ByteBuf#readableBytes() }, you might want to strip the length
* field by specifying <tt>initialBytesToStrip</tt>. In this example, we
* specified <tt>2</tt>, that is same with the length of the length field, to
* strip the first two bytes.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = 0
* <b>initialBytesToStrip</b> = <b>2</b> (= the length of the Length field)
*
* BEFORE DECODE (14 bytes)    AFTER DECODE (12 bytes)
* +-----+-----+ +-----+
* | Length | Actual Content |---->| Actual Content |
* | 0x000C | "HELLO, WORLD" |   | "HELLO, WORLD" |
* +-----+-----+ +-----+
* </pre>
*
* <h3>2 bytes length field at offset 0, do not strip header, the length field
* represents the length of the whole message</h3>
*
* In most cases, the length field represents the length of the message body
* only, as shown in the previous examples. However, in some protocols, the
* length field represents the length of the whole message, including the
* message header. In such a case, we specify a non-zero
* <tt>lengthAdjustment</tt>. Because the length value in this example message
* is always greater than the body length by <tt>2</tt>, we specify <tt>-2</tt>
* as <tt>lengthAdjustment</tt> for compensation.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>-2</b> (= the length of the Length field)
* initialBytesToStrip = 0
*
* BEFORE DECODE (14 bytes)    AFTER DECODE (14 bytes)
* +-----+-----+ +-----+-----+
* | Length | Actual Content |---->| Length | Actual Content |
* | 0x000E | "HELLO, WORLD" |   | 0x000E | "HELLO, WORLD" |
* +-----+-----+ +-----+-----+
* </pre>
*
* <h3>3 bytes length field at the end of 5 bytes header, do not strip header</h3>
*
* The following message is a simple variation of the first example. An extra
* header value is prepended to the message. <tt>lengthAdjustment</tt> is zero
* again because the decoder always takes the length of the prepended data into

```

```

* account during frame length calculation.
* <pre>
* <b>lengthFieldOffset</b> = <b>2</b> (= the length of Header 1)
* <b>lengthFieldLength</b> = <b>3</b>
* lengthAdjustment = 0
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes)          AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* | Header 1 | Length | Actual Content |----->| Header 1 | Length | Actual Content |
* | 0xCAFE | 0x00000C | "HELLO, WORLD" | | 0xCAFE | 0x00000C | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* </pre>
*
* <h3>3 bytes length field at the beginning of 5 bytes header, do not strip header</h3>
*
* This is an advanced example that shows the case where there is an extra
* header between the length field and the message body. You have to specify a
* positive <tt>lengthAdjustment</tt> so that the decoder counts the extra
* header into the frame length calculation.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 3
* <b>lengthAdjustment</b> = <b>2</b> (= the length of Header 1)
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes)          AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* | Length | Header 1 | Actual Content |----->| Length | Header 1 | Actual Content |
* | 0x00000C | 0xCAFE | "HELLO, WORLD" | | 0x00000C | 0xCAFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field</h3>
*
* This is a combination of all the examples above. There are the prepended
* header before the length field and the extra header after the length field.
* The prepended header affects the <tt>lengthFieldOffset</tt> and the extra
* header affects the <tt>lengthAdjustment</tt>. We also specified a non-zero
* <tt>initialBytesToStrip</tt> to strip the length field and the prepended
* header from the frame. If you don't want to strip the prepended header, you
* could specify <tt>0</tt> for <tt>initialBytesToSkip</tt>.
* <pre>
* lengthFieldOffset = 1 (= the length of HDR1)
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>1</b> (= the length of HDR2)
* <b>initialBytesToStrip</b> = <b>3</b> (= the length of HDR1 + LEN)

```

```

*
* BEFORE DECODE (16 bytes)          AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+ +-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x000C | 0xFE | "HELLO, WORLD" |   | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field, the length field
* represents the length of the whole message</h3>
*
* Let's give another twist to the previous example. The only difference from
* the previous example is that the length field represents the length of the
* whole message instead of the message body, just like the third example.
* We have to count the length of HDR1 and Length into <tt>lengthAdjustment</tt>.
* Please note that we don't need to take the length of HDR2 into account
* because the length field already includes the whole header length.
* <pre>
* lengthFieldOffset = 1
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>-3</b> (= the length of HDR1 + LEN, negative)
* <b>initialBytesToStrip</b> = <b>3</b>
*
* BEFORE DECODE (16 bytes)          AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+ +-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x0010 | 0xFE | "HELLO, WORLD" |   | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+
* </pre>
* @see LengthFieldPrepender
*/

```

Found in path(s):

```

* /opt/cola/permits/1273209852_1645093276.85/0/netty-codec-4-1-74-final-sources-
jar/io/netty/handler/codec/LengthFieldBasedFrameDecoder.java

```

No license file was found, but licenses were detected in source scan.

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE>

2.0

~

~ Unless required by applicable law or agreed to in writing, software

~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/META-INF/maven/io.netty/netty-codec/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <https://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/DatagramPacketEncoder.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/CodecOutputList.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/compression/ByteBufChecksum.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/string/LineSeparator.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/compression/CompressionUtil.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/DateFormatter.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/DatagramPacketDecoder.java

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/string/LineEncoder.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2019 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209852\_1645093276.85/0/netty-codec-4-1-74-final-sources-jar/io/netty/handler/codec/compression/Lz4XXHash32.java

## 1.91 jersey-hk2 2.32

### 1.91.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

### Angular JS, v1.6.6

- \* License MIT (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://angularjs.org>
- \* Coyright: (c) 2010-2017 Google, Inc.

### aopalliance Version 1

- \* License: all the source code provided by AOP Alliance is Public Domain.
- \* Project: <http://aopalliance.sourceforge.net>
- \* Copyright: Material in the public domain is not protected by copyright

### Bean Validation API 2.0.2

- \* License: Apache License, 2.0
- \* Project: <http://beanvalidation.org/1.1/>
- \* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors
- \* by the @authors tag.

### Hibernate Validator CDI, 6.1.2.Final

- \* License: Apache License, 2.0
- \* Project: <https://beanvalidation.org/>
- \* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

### Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

### Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

### javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

### Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

### Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code,

documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's

receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of

the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement,

including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate

entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is

intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under

the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is

normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License

along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this  
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the  
appropriate parts of the General Public License. Of course, the commands  
you use may be called something other than ``show w'` and ``show c'`; they  
could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the program, if  
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program  
into proprietary programs. If your program is a subroutine library, you  
may consider it more useful to permit linking proprietary applications  
with the library. If this is what you want to do, use the GNU Library  
General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is  
making a combined work based on this library. Thus, the terms and  
conditions of the GNU General Public License version 2 cover the whole  
combination.

As a special exception, the copyright holders of this library give you  
permission to link this library with independent modules to produce an  
executable, regardless of the license terms of these independent  
modules, and to copy and distribute the resulting executable under

terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.92 jersey-bean-validation 2.32

### 1.92.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

Bootstrap v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> &

<http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

\* License: CC0

\* No copyright

\* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

\* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>

\* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

\* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany

the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product

offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any

Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the

freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire

whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source

along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented

by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL

NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notice for Jersey Bean Validation module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

# 1.93 jakarta xml bind api 2.3.3

## 1.93.1 Available under license :

Copyright (c) 2017, 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[/]: # " Copyright (c) 2018, 2019 Oracle and/or its affiliates. All rights reserved. "

[/]: # " "

[/]: # " This program and the accompanying materials are made available under the "

[/]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "

[/]: # " <http://www.eclipse.org/org/documents/edl-v10.php>. "

[/]: # " "

[/]: # " SPDX-License-Identifier: BSD-3-Clause "

# Notices for Jakarta XML Binding

This content is produced and maintained by the Jakarta XML Binding project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaxb>

## Trademarks

Jakarta XML Binding is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/jaxb-api>
- \* <https://github.com/eclipse-ee4j/jaxb-tck>

## ## Third-party Content

This project leverages the following third party content.

Apache River (3.0.0)

- \* License: Apache-2.0 AND BSD-3-Clause

ASM 7 (n/a)

- \* License: BSD-3-Clause
- \* Project: <https://asm.ow2.io/>
- \* Source: <https://repository.ow2.org/nexus/#nexus-search;gav~org.ow2.asm~asm-commons~~~~kw,versionexpand>

JTHarness (5.0)

- \* License: (GPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0)
- \* Project: <https://wiki.openjdk.java.net/display/CodeTools/JT+Harness>
- \* Source: <http://hg.openjdk.java.net/code-tools/jtharness/>

normalize.css (3.0.2)

- \* License: MIT

SigTest (n/a)

- \* License: GPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import,

possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.94 jersey-media-jaxb 2.32

## 1.94.1 Available under license :

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

#### Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

#### Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in org.glassfish.jersey.server.validation.internal.hibernate

#### Bootstrap v3.3.7

\* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)

\* Project: <http://getbootstrap.com>

\* Copyright: 2011-2016 Twitter, Inc

#### Google Guava Version 18.0

\* License: Apache License, 2.0

\* Copyright (C) 2009 The Guava Authors

#### javax.inject Version: 1

\* License: Apache License, 2.0

\* Copyright (C) 2009 The JSR-330 Expert Group

#### Javassist Version 3.25.0-GA

\* License: Apache License, 2.0

\* Project: <http://www.javassist.org/>

\* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

#### Jackson JAX-RS Providers Version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

#### jQuery v1.12.4

\* License: [jquery.org/license](http://jquery.org/license)

\* Project: [jquery.org](http://jquery.org)

\* Copyright: (c) jQuery Foundation

#### jQuery Barcode plugin 0.3

\* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> &  
<http://www.gnu.org/licenses/gpl.html>)

\* Project: <http://www.pasella.it/projects/jquery/barcode>

\* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

#### JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)
- \* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

- \* License: Apache License, 2.0
- \* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

- \* License: Apache License, 2.0
- \* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.
- \* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

- \* License: W3C License
- \* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.  
<http://www.w3.org/Consortium/Legal/>
- # Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf.

Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses,

damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE

## POSSIBILITY OF SUCH DAMAGES.

### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

## Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or

collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will

automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR

DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the

appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

## 1.95 zstd-jni 1.5.0-2

## 1.95.1 Available under license :

BSD-2-Clause

# 1.96 log4j-over-slf4j 1.7.30

## 1.96.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/META-INF/maven/org.slf4j/log4j-over-slf4j/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* Licensed to the Apache Software Foundation (ASF) under one or more  
\* contributor license agreements. See the NOTICE file distributed with  
\* this work for additional information regarding copyright ownership.  
\* The ASF licenses this file to You under the Apache License, Version 2.0  
\* (the "License"); you may not use this file except in compliance with  
\* the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.

\*/

Found in path(s):

\* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/helpers/NullEnumeration.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2001-2004 The Apache Software Foundation.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/spi/Configurator.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/spi/LoggerFactory.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/NDC.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/Appender.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/BasicConfigurator.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/ConsoleAppender.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/spi/LoggerRepository.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/Layout.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/WriterAppender.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/xml/DOMConfigurator.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/SimpleLayout.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/spi/LoggingEvent.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/RollingFileAppender.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/spi/HierarchyEventListener.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/PatternLayout.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/Logger.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/Level.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/Category.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/Priority.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-jar/org/apache/log4j/spi/ErrorHandler.java
- \* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-

jar/org/apache/log4j/spi/OptionHandler.java  
\* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-  
jar/org/apache/log4j/FileAppender.java  
\* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-  
jar/org/apache/log4j/LogManager.java  
\* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-  
jar/org/apache/log4j/AppenderSkeleton.java  
\* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-  
jar/org/apache/log4j/helpers/LogLog.java  
\* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-  
jar/org/apache/log4j/PropertyConfigurator.java  
\* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-  
jar/org/apache/log4j/Log4jLoggerFactory.java  
\* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-  
jar/org/apache/log4j/MDC.java  
\* /opt/ws\_local/PERMITS\_SQL/1088524438\_1599802440.27/0/log4j-over-slf4j-1-7-30-sources-1-  
jar/org/apache/log4j/spi/Filter.java

## 1.97 jakarta-inject 2.6.1

### 1.97.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which

are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall

apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness

for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged

intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of

the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s),

version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis

or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other

recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not

signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if

necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For

more information regarding authorship of content, please consult the listed source code repository logs.

### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

### ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fightersfish>

### ## Third-party Content

This project leverages the following third party content.

None

### ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

## 1.98 metrics 4.1.17

## 1.98.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.99 jackson-datatype-jdk8 2.13.2

### 1.99.1 Available under license :

Apache-2.0

## 1.100 httpcomponents-core 5.0.2

### 1.100.1 Available under license :

Apache HttpComponents Core  
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.101 jakarta-inject-api 2.0.1

### 1.101.1 Available under license :

# Notices for Eclipse Jakarta Dependency Injection

This content is produced and maintained by the Eclipse Jakarta Dependency Injection project.

\* Project home: <https://projects.eclipse.org/projects/cdi.batch>

## Trademarks

Jakarta Dependency Injection is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Apache License, Version 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

SPDX-License-Identifier: Apache-2.0

## Source Code

The project maintains the following source code repositories:

<https://github.com/eclipse-ee4j/injection-api>

<https://github.com/eclipse-ee4j/injection-spec>

<https://github.com/eclipse-ee4j/injection-tck>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

None

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.102 lz4 1.9.1

### 1.102.1 Available under license :

This repository uses 2 different licenses :

- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file,  
and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that files in the `lib` directory are designed to be included into 3rd party applications, while all other files, in `programs`, `tests` or `examples`, receive more limited attention and support for such scenario.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or

other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#### GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their

rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License

along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not

signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER

PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Copyright (c) 2014, Ipsantil

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: liblz4

Upstream-Contact: Yann Collet <Cyan4973@github.com>

Source: <https://github.com/lz4/lz4>

Files: \*

Copyright: (C) 2011+ Yann Collet

License: GPL-2+

The full text of license: <https://github.com/Cyan4973/lz4/blob/master/lib/LICENSE>

# 1.103 jboss-logging 3.3.2.Final

## 1.103.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.104 jakarta-annotation-api 2.0.0

## 1.104.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE  
PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION  
OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content  
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from  
and are Distributed by that particular Contributor. A Contribution  
"originates" from a Contributor if it was added to the Program by  
such Contributor itself or anyone acting on such Contributor's behalf.  
Contributions do not include changes or additions to the Program that  
are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which  
are necessarily infringed by the use or sale of its Contribution alone  
or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition

of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in

writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the

minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have.

You must make sure that they, too, receive or can get the source code.

And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it,

under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are

prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those

countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notices for Jakarta Annotations

This content is produced and maintained by the Jakarta Annotations project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.ca>

### ## Trademarks

Jakarta Annotations is a trademark of the Eclipse Foundation.

### ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made

available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/common-annotations-api>

## ## Third-party Content

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.105 metrics-jmx 4.1.17

## 1.105.1 Available under license :

Apache-2.0

# 1.106 asm 9.1

## 1.106.1 Available under license :

No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

\* All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\* 3. Neither the name of the copyright holders nor the names of its

\* contributors may be used to endorse or promote products derived from  
\* this software without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
\* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
\* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF  
\* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/signature/package.html  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/package.html

No license file was found, but licenses were detected in source scan.

// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the  
// documentation and/or other materials provided with the distribution.  
// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.

Found in path(s):

\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/ModuleWriter.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/FieldWriter.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/ClassWriter.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/SymbolTable.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/TypeReference.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/Edge.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/RecordComponentVisitor.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/signature/SignatureWriter.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/FieldVisitor.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/Opcodes.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/AnnotationWriter.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/ClassReader.java

\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/Handler.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/RecordComponentWriter.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/ByteVector.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/AnnotationVisitor.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/TypePath.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/MethodTooLargeException.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/signature/SignatureReader.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/CurrentFrame.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/ConstantDynamic.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/MethodVisitor.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/signature/SignatureVisitor.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/ClassTooLargeException.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/ClassVisitor.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/Label.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/Type.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/Constants.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/ModuleVisitor.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/MethodWriter.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/Frame.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/Context.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/Attribute.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/Handle.java  
\* /opt/cola/permits/1175494765\_1624391692.09/0/asm-9-1-sources-2-jar/org/objectweb/asm/Symbol.java

## 1.107 jackson-datatype-guava 2.13.2

### 1.107.1 Available under license :

This copy of Jackson JSON processor `jackson-datatype-guava` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

## 1.108 kafka-protobuf-provider 5.5.1

## 1.108.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">

  <modelVersion>4.0.0</modelVersion>

  <parent>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry-parent</artifactId>
    <version>5.5.1</version>
  </parent>

  <licenses>
    <license>
      <name>Confluent Community License</name>
      <url>http://www.confluent.io/confluent-community-license</url>
      <distribution>repo</distribution>
    </license>
    <license>
      <name>Apache License 2.0</name>
      <url>http://www.apache.org/licenses/LICENSE-2.0.html</url>
      <distribution>repo</distribution>
    </license>
  </licenses>

  <artifactId>kafka-protobuf-provider</artifactId>
  <packaging>jar</packaging>
  <name>kafka-protobuf-provider</name>

  <dependencies>
    <dependency>
      <groupId>com.squareup.wire</groupId>
      <artifactId>wire-schema</artifactId>
    </dependency>
    <dependency>
      <groupId>com.google.protobuf</groupId>
      <artifactId>protobuf-java</artifactId>
    </dependency>
    <dependency>
      <groupId>com.google.protobuf</groupId>
      <artifactId>protobuf-java-util</artifactId>
    </dependency>
    <dependency>
      <groupId>io.confluent</groupId>
      <artifactId>kafka-schema-registry-client</artifactId>
    </dependency>
  </dependencies>
</project>
```

```

<dependency>
  <groupId>org.mockito</groupId>
  <artifactId>mockito-core</artifactId>
  <scope>test</scope>
</dependency>
<dependency>
  <groupId>junit</groupId>
  <artifactId>junit</artifactId>
  <scope>test</scope>
</dependency>
</dependencies>

<build>
  <plugins>
    <plugin>
      <groupId>com.github.os72</groupId>
      <artifactId>protoc-jar-maven-plugin</artifactId>
    </plugin>
  </plugins>
</build>
</project>

```

Found in path(s):

\* /opt/cola/permits/1366801572\_1658170533.3425114/0/kafka-protobuf-provider-5-5-1-jar/META-INF/maven/io.confluent/kafka-protobuf-provider/pom.xml

## 1.109 activation-api 1.2.2

### 1.109.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# Notices for Jakarta Activation

This content is produced and maintained by Jakarta Activation project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaf>

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0, which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaf>

## Third-party Content

This project leverages the following third party content.

JUnit (4.12)

\* License: Eclipse Public License

# 1.110 swagger-annotations 1.6.0

## 1.110.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2016 SmartBear Software
 * <p>
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * <p>
 * http://www.apache.org/licenses/LICENSE-2.0
 * <p>
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/SwaggerDefinition.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/ResponseHeader.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/Example.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/ApiImplicitParam.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/ApiOperation.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/ApiModelProperty.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/Authorization.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/ExtensionProperty.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/ApiModel.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/Info.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/Api.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/ApiResponses.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
```

```
jar/io/swagger/annotations/ApiResponse.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/Contact.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/Extension.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/AuthorizationScope.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/ApiImplicitParams.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/Tag.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/ApiParam.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/License.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/ExternalDocs.java
* /opt/cola/permits/1258508968_1643078605.92/0/swagger-annotations-1-6-0-sources-
jar/io/swagger/annotations/ExampleProperty.java
```

## 1.111 opentracing-api 0.33.0

### 1.111.1 Available under license :

No license file was found, but licenses were detected in source scan.

2019 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

```
* /opt/cola/permits/1257211210_1642789561.33/0/opentracing-api-0-33-0-sources-jar/META-
INF/maven/io.opentracing/opentracing-api/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2016-2019 The OpenTracing Authors
```

```
*
```

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
\* in compliance with the License. You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software distributed under the License  
\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
\* or implied. See the License for the specific language governing permissions and limitations under  
\* the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/IntOrStringTag.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/log/Fields.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/Tracer.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/SpanContext.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/Tags.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/BinaryInject.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/BinaryExtract.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/TextMapExtract.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/StringTag.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/BinaryAdapters.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/TextMap.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/Format.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/TextMapExtractAdapter.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/Span.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/References.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/AbstractTag.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/Scope.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/BooleanTag.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/TextMapInject.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-

jar/io/opentracing/propagation/TextMapInjectAdapter.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/Tag.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/TextMapAdapter.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/tag/IntTag.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/ScopeManager.java  
\* /opt/cola/permits/1257211210\_1642789561.33/0/opentracing-api-0-33-0-sources-jar/io/opentracing/propagation/Binary.java

# 1.112 jetty 11.0.6

## 1.112.1 Available under license :

Notices for Eclipse Jetty

=====

This content is produced and maintained by the Eclipse Jetty project.

Project home: <https://www.eclipse.org/jetty/>

Trademarks

-----

Eclipse Jetty, and Jetty are trademarks of the Eclipse Foundation.

Copyright

-----

All contributions are the property of the respective authors or of entities to which copyright has been assigned by the authors (eg. employer).

Declared Project Licenses

-----

This artifacts of this project are made available under the terms of:

\* the Eclipse Public License v2.0  
<https://www.eclipse.org/legal/epl-2.0>  
SPDX-License-Identifier: EPL-2.0

or

\* the Apache License, Version 2.0  
<https://www.apache.org/licenses/LICENSE-2.0>  
SPDX-License-Identifier: Apache-2.0

The following dependencies are EPL.

\* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following dependencies are EPL and ASL2.

\* org.eclipse.jetty.orbit:javax.security.auth.message

The following dependencies are EPL and CDDL 1.0.

\* org.eclipse.jetty.orbit:javax.mail.glassfish

The following dependencies are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* jakarta.servlet:jakarta.servlet-api

\* javax.annotation:javax.annotation-api

\* javax.transaction:javax.transaction-api

\* javax.websocket:javax.websocket-api

The following dependencies are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

\* org.ow2.asm:asm-commons

\* org.ow2.asm:asm

The following dependencies are ASL2 licensed.

\* org.apache.taglibs:taglibs-standard-spec

\* org.apache.taglibs:taglibs-standard-impl

The following dependencies are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

\* org.mortbay.jasper:apache-jsp

\* org.apache.tomcat:tomcat-jasper

\* org.apache.tomcat:tomcat-juli

\* org.apache.tomcat:tomcat-jsp-api

\* org.apache.tomcat:tomcat-el-api

\* org.apache.tomcat:tomcat-jasper-el

\* org.apache.tomcat:tomcat-api

\* org.apache.tomcat:tomcat-util-scan

\* org.apache.tomcat:tomcat-util

\* org.mortbay.jasper:apache-el

\* org.apache.tomcat:tomcat-jasper-el

\* org.apache.tomcat:tomcat-el-api

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

\* org.eclipse.jetty.toolchain:jetty-schemas

Cryptography

-----

Content may contain encryption software. The country in which you are currently

may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other

form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the

patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any

party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance

claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

#### 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

SPDX-License-Identifier: EPL-2.0 OR Apache-2.0

## 1.113 nimbus-jose-jwt 9.15.2

### 1.113.1 Available under license :

Nimbus JOSE + JWT

Copyright 2012 - 2020, Connect2id Ltd.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use  
this file except in compliance with the License. You may obtain a copy of the  
License at

<https://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed  
under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR  
CONDITIONS OF ANY KIND, either express or implied. See the License for the  
specific language governing permissions and limitations under the License.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.114 jackson 2.0.0

## 1.114.1 Available under license :

This product includes software developed by The Apache Software Foundation (<http://www.apache.org/>).

The binary distribution of this product bundles binaries of org.iq80.leveldb:leveldb-api (<https://github.com/dain/leveldb>), which has the following notices:

- \* Copyright 2011 Dain Sundstrom <[dain@iq80.com](mailto:dain@iq80.com)>
- \* Copyright 2011 FuseSource Corp. <http://fusesource.com>

The binary distribution of this product bundles binaries of AWS SDK for Java - Bundle 1.11.563 (<https://github.com/aws/aws-sdk-java>), which has the following notices:

This software includes third party software subject to the following copyrights:

- XML parsing and utility functions from JetS3t - Copyright 2006-2009 James Murty.
- PKCS#1 PEM encoded private key parsing and utility functions from [oauth.googlecode.com](http://oauth.googlecode.com) - Copyright 1998-2010 AOL Inc.

The binary distribution of this product bundles binaries of Gson 2.2.4, which has the following notices:

The Netty Project  
=====

Please visit the Netty web site for more information:

- \* <http://netty.io/>

Copyright 2014 The Netty Project

The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in

the 'license' directory of the distribution file, for the license terms of the components that this product depends on.

-----  
This product contains the extensions to Java Collections Framework which has been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

\* LICENSE:

\* license/LICENSE.jsr166y.txt (Public Domain)

\* HOMEPAGE:

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/>

\* <http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jboss/cache/experimental/jsr166/>

This product contains a modified version of Robert Harder's Public Domain Base64 Encoder and Decoder, which can be obtained at:

\* LICENSE:

\* license/LICENSE.base64.txt (Public Domain)

\* HOMEPAGE:

\* <http://iharder.sourceforge.net/current/java/base64/>

This product contains a modified portion of 'Webbit', an event based WebSocket and HTTP server, which can be obtained at:

\* LICENSE:

\* license/LICENSE.webbit.txt (BSD License)

\* HOMEPAGE:

\* <https://github.com/joewalnes/webbit>

This product contains a modified portion of 'SLF4J', a simple logging facade for Java, which can be obtained at:

\* LICENSE:

\* license/LICENSE.slf4j.txt (MIT License)

\* HOMEPAGE:

\* <http://www.slf4j.org/>

This product contains a modified portion of 'ArrayDeque', written by Josh Bloch of Google, Inc:

\* LICENSE:

\* license/LICENSE.deque.txt (Public Domain)

This product contains a modified portion of 'Apache Harmony', an open source Java SE, which can be obtained at:

\* LICENSE:

\* license/LICENSE.harmony.txt (Apache License 2.0)

\* HOMEPAGE:

\* <http://archive.apache.org/dist/harmony/>

This product contains a modified version of Roland Kuhn's ASL2 AbstractNodeQueue, which is based on Dmitry Vyukov's non-intrusive MPSC queue. It can be obtained at:

\* LICENSE:

\* license/LICENSE.abstractnodequeue.txt (Public Domain)

\* HOMEPAGE:

\* <https://github.com/akka/akka/blob/wip-2.2.3-for-scala-2.11/akka-actor/src/main/java/akka/dispatch/AbstractNodeQueue.java>

This product contains a modified portion of 'jzip2', a Java bzip2 compression and decompression library written by Matthew J. Francis. It can be obtained at:

\* LICENSE:

\* license/LICENSE.jzip2.txt (MIT License)

\* HOMEPAGE:

\* <https://code.google.com/p/jzip2/>

This product contains a modified portion of 'libdivsufsort', a C API library to construct the suffix array and the Burrows-Wheeler transformed string for any input string of a constant-size alphabet written by Yuta Mori. It can be obtained at:

\* LICENSE:

\* license/LICENSE.libdivsufsort.txt (MIT License)

\* HOMEPAGE:

\* <https://code.google.com/p/libdivsufsort/>

This product contains a modified portion of Nitsan Wakart's 'JCTools', Java Concurrency Tools for the JVM, which can be obtained at:

\* LICENSE:

\* license/LICENSE.jctools.txt (ASL2 License)

\* HOMEPAGE:

\* <https://github.com/JCTools/JCTools>

This product optionally depends on 'Jzlib', a re-implementation of zlib in pure Java, which can be obtained at:

\* LICENSE:

\* license/LICENSE.jzlib.txt (BSD style License)

\* HOMEPAGE:

\* <http://www.jcraft.com/jzlib/>

This product optionally depends on 'Compress-LZF', a Java library for encoding and decoding data in LZF format, written by Tatu Saloranta. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.compress-lzf.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/ning/compress>

This product optionally depends on 'lz4', a LZ4 Java compression and decompression library written by Adrien Grand. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.lz4.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/jpountz/lz4-java>

This product optionally depends on 'lzma-java', a LZMA Java compression and decompression library, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.lzma-java.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/jponge/lzma-java>

This product contains a modified portion of 'jfastlz', a Java port of FastLZ compression and decompression library written by William Kinney. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jfastlz.txt (MIT License)
- \* HOMEPAGE:
  - \* <https://code.google.com/p/jfastlz/>

This product contains a modified portion of and optionally depends on 'Protocol Buffers', Google's data interchange format, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.protobuf.txt (New BSD License)
- \* HOMEPAGE:
  - \* <http://code.google.com/p/protobuf/>

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate a temporary self-signed X.509 certificate when the JVM does not provide the equivalent functionality. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.bouncycastle.txt (MIT License)
- \* HOMEPAGE:
  - \* <http://www.bouncycastle.org/>

This product optionally depends on 'Snappy', a compression library produced

by Google Inc, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.snappy.txt (New BSD License)
- \* HOMEPAGE:
  - \* <http://code.google.com/p/snappy/>

This product contains a modified portion of UnsignedBytes LexicographicalComparator from Guava v21 project by Google Inc, which can be obtained at:

- \* LICENSE:
  - \* license/COPYING (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/google/guava>

This product optionally depends on 'JBoss Marshalling', an alternative Java serialization API, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.jboss-marshalling.txt (GNU LGPL 2.1)
- \* HOMEPAGE:
  - \* <http://www.jboss.org/jbossmarshalling>

This product optionally depends on 'Caliper', Google's micro-benchmarking framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.caliper.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <http://code.google.com/p/caliper/>

This product optionally depends on 'Apache Commons Logging', a logging framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.commons-logging.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <http://commons.apache.org/logging/>

This product optionally depends on 'Apache Log4J', a logging framework, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.log4j.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <http://logging.apache.org/log4j/>

This product optionally depends on 'Aalto XML', an ultra-high performance

non-blocking XML processor, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.aalto-xml.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <http://wiki.fasterxml.com/AaltoHome>

This product contains a modified version of 'HPACK', a Java implementation of the HTTP/2 HPACK algorithm written by Twitter. It can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.hpack.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://github.com/twitter/hpack>

This product contains a modified portion of 'Apache Commons Lang', a Java library provides utilities for the java.lang API, which can be obtained at:

- \* LICENSE:
  - \* license/LICENSE.common-lang.txt (Apache License 2.0)
- \* HOMEPAGE:
  - \* <https://commons.apache.org/proper/commons-lang/>

This product contains a modified portion of 'JDOM 1.1', which can be obtained at:

- \* LICENSE:
  - \* <https://github.com/hunterhacker/jdom/blob/jdom-1.1/core/LICENSE.txt>
- \* HOMEPAGE:
  - \* <http://www.jdom.org/>

The binary distribution of this product bundles binaries of Commons Codec 1.4, which has the following notices:

- \* `src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java` contains test data from <http://aspell.net/test/orig/batch0.tab>. Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

=====

The content of package `org.apache.commons.codec.language.bm` has been translated from the original php source code available at <http://stevemorse.org/phoneticinfo.htm> with permission from the original authors.

Original source copyright: Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

The binary distribution of this product bundles binaries of Commons Lang 2.6, which has the following notices:

- \* This product includes software from the Spring Framework, under the Apache License 2.0 (see: `StringUtils.containsWhitespace()`)

The binary distribution of this product bundles binaries of

Apache Log4j 1.2.17,  
which has the following notices:

- \* ResolverUtil.java  
Copyright 2005-2006 Tim Fennell
- Dumbster SMTP test server  
Copyright 2004 Jason Paul Kitchen
- TypeUtil.java  
Copyright 2002-2012 Ramnivas Laddad, Juergen Hoeller, Chris Beams

The binary distribution of this product bundles binaries of  
"Java Concurrency in Practice" book annotations 1.0,  
which has the following notices:

- \* Copyright (c) 2005 Brian Goetz and Tim Peierls Released under the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/2.5>)  
Official home: <http://www.jcip.net> Any republication or derived work distributed in source code form must include this copyright and license notice.

The binary distribution of this product bundles binaries of

- Jetty :: Http Utility 9.3.19.,
- Jetty :: IO Utility 9.3.19.,
- Jetty :: Security 9.3.19.,
- Jetty :: Server Core 9.3.19.,
- Jetty :: Servlet Handling 9.3.19.,
- Jetty :: Utilities 9.3.19.,
- Jetty :: Utilities :: Ajax,
- Jetty :: Webapp Application Support 9.3.19.,
- Jetty :: XML utilities 9.3.19.,

which has the following notices:

- \* =====  
Jetty Web Container  
Copyright 1995-2016 Mort Bay Consulting Pty Ltd.  
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd  
unless otherwise noted.

Jetty is dual licensed under both

- \* The Apache 2.0 License  
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

- \* The Eclipse Public 1.0 License  
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

-----

## Eclipse

The following artifacts are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javax.mail.glassfish

-----

## Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* javax.servlet:javax.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

-----

## Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- \* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

-----

## OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

-----

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

-----

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

-----

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

-----

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies./

The binary distribution of this product bundles binaries of Snappy for Java 1.0.4.1, which has the following notices:

\* This product includes software developed by Google Snappy: <http://code.google.com/p/snappy/> (New BSD License)

This product includes software developed by Apache PureJavaCrc32C from [apache-hadoop-common http://hadoop.apache.org/](http://hadoop.apache.org/) (Apache 2.0 license)

This library contained statically linked libstdc++. This inclusion is allowed by "GCC Runtime Library Exception" <http://gcc.gnu.org/onlinedocs/libstdc++/manual/license.html>

== Contributors ==

- \* Tatu Saloranta
- \* Providing benchmark suite
- \* Alec Wysoker
- \* Performance and memory usage improvement

The binary distribution of this product bundles binaries of Xerces2 Java Parser 2.9.1, which has the following notices:

\* =====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xerces Java distribution. ==  
=====

Apache Xerces Java  
Copyright 1999-2007 The Apache Software Foundation

This product includes software developed at The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

The binary distribution of this product bundles binaries of Logback Classic Module 1.1.2, Logback Core Module 1.1.2,

which has the following notices:

\* Logback: the reliable, generic, fast and flexible logging framework.

Copyright (C) 1999-2012, QOS.ch. All rights reserved.

The binary distribution of this product bundles binaries of

Apache HBase - Annotations 1.2.6,

Apache HBase - Client 1.2.6,

Apache HBase - Common 1.2.6,

Apache HBase - Hadoop Compatibility 1.2.6,

Apache HBase - Hadoop Two Compatibility 1.2.6,

Apache HBase - Prefix Tree 1.2.6,

Apache HBase - Procedure 1.2.6,

Apache HBase - Protocol 1.2.6,

Apache HBase - Server 1.2.6,

which has the following notices:

\* Apache HBase

Copyright 2007-2015 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

--

This product incorporates portions of the 'Hadoop' project

Copyright 2007-2009 The Apache Software Foundation

Licensed under the Apache License v2.0

--

Our Orca logo we got here: <http://www.vectorfree.com/jumping-orca>

It is licensed Creative Commons Attribution 3.0.

See <https://creativecommons.org/licenses/by/3.0/us/>

We changed the logo by stripping the colored background, inverting it and then rotating it some.

Later we found that vectorfree.com image is not properly licensed.

The original is owned by vectorportal.com. The original was

relicensed so we could use it as Creative Commons Attribution 3.0.

The license is bundled with the download available here:

<http://www.vectorportal.com/subcategory/205/KILLER-WHALE-FREE-VECTOR.eps/iframe/9136/detailtest.asp>

--

This product includes portions of the Bootstrap project v3.0.0

Copyright 2013 Twitter, Inc.

Licensed under the Apache License v2.0

This product uses the Glyphicons Halflings icon set.

<http://glyphicons.com/>

Copyright Jan Kovak

Licensed under the Apache License v2.0 as a part of the Bootstrap project.

--

This product includes portions of the Guava project v14, specifically  
'hbase-common/src/main/java/org/apache/hadoop/hbase/io/LimitInputStream.java'

Copyright (C) 2007 The Guava Authors

Licensed under the Apache License, Version 2.0

The binary distribution of this product bundles binaries of  
Phoenix Core 4.7.0,  
which has the following notices:

Apache Phoenix

Copyright 2013-2016 The Apache Software Foundation

This product includes software developed by The Apache Software  
Foundation (<http://www.apache.org/>).

This also includes:

The phoenix-spark module has been adapted from the phoenix-spark library  
distributed under the terms of the Apache 2 license. Original source copyright:  
Copyright 2014 Simply Measured, Inc.  
Copyright 2015 Interset Software Inc.

The file bin/daemon.py is based on the file of the same name in python-daemon 2.0.5  
(<https://pypi.python.org/pypi/python-daemon/>). Original source copyright:

# Copyright 20082015 Ben Finney <ben+python@benfinney.id.au>

# Copyright 20072008 Robert Niederreiter, Jens Klein

# Copyright 20042005 Chad J. Schroeder

# Copyright 2003 Clark Evans

# Copyright 2002 Noah Spurrier

# Copyright 2001 Jrgen Hermann

The binary distribution of this product bundles binaries of  
Plexus Cipher: encryption/decryption Component 1.4,  
which has the following notices:

\* The code in this component contains a class - Base64 taken from <http://juliusdavies.ca/svn/not-yet-commons-ssl/tags/commons-ssl-0.3.10/src/java/org/apache/commons/ssl/Base64.java>  
which is Apache license: <http://www.apache.org/licenses/LICENSE-2.0>

The PBE key processing routine PBECipher.createCipher() is adopted from <http://juliusdavies.ca/svn/not-yet-commons-ssl/tags/commons-ssl-0.3.10/src/java/org/apache/commons/ssl/OpenSSL.java>

which is also Apache APL-2.0 license: <http://www.apache.org/licenses/LICENSE-2.0>

The binary distribution of this product bundles binaries of  
software.amazon.ion:ion-java 1.0.1,  
which has the following notices:

\* Amazon Ion Java Copyright 2007-2016 Amazon.com, Inc. or its affiliates. All Rights Reserved.

The binary distribution of this product bundles binaries of  
joda-time:joda-time:2.9.9  
which has the following notices:

\* =====  
= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =  
=====

This product includes software developed by  
Joda.org (<http://www.joda.org/>).

The binary distribution of this product bundles binaries of  
Ehcache 3.3.1,  
which has the following notices:

\* Ehcache V3 Copyright 2014-2016 Terracotta, Inc.

The binary distribution of this product bundles binaries of  
snakeyaml (<https://bitbucket.org/asomov/snakeyaml>),  
which has the following notices:

\* Copyright (c) 2008, <http://www.snakeyaml.org>

The binary distribution of this product bundles binaries of  
swagger-annotations (<https://github.com/swagger-api/swagger-core>),  
which has the following notices:

\* Copyright 2016 SmartBear Software

The binary distribution of this product bundles binaries of  
metrics-core 3.2.4  
which has the following notices:

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

This product includes software developed by Coda Hale and Yammer, Inc.

This product includes code derived from the JSR-166 project (ThreadLocalRandom, Striped64,  
LongAdder), which was released with the following comments:

Written by Doug Lea with assistance from members of JCP JSR-166  
Expert Group and released to the public domain, as explained at  
<http://creativecommons.org/publicdomain/zero/1.0/>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

#### APACHE HADOOP SUBCOMPONENTS:

The Apache Hadoop project contains subcomponents with separate copyright notices and license terms. Your use of the source code for the these subcomponents is subject to the terms and conditions of the following licenses.

For the org.apache.hadoop.util.bloom.\* classes:

```
/**
 *
 * Copyright (c) 2005, European Commission project OneLab under contract
 * 034819 (http://www.one-lab.org)
 * All rights reserved.
 * Redistribution and use in source and binary forms, with or
 * without modification, are permitted provided that the following
 * conditions are met:
 * - Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * - Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the distribution.
 * - Neither the name of the University Catholique de Louvain - UCL
 * nor the names of its contributors may be used to endorse or
 * promote products derived from this software without specific prior
 * written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
 * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
 * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
 * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
 * COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
 * BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
 * LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
 * CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN
 * ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
 * POSSIBILITY OF SUCH DAMAGE.
 */
```

For portions of the native implementation of slicing-by-8 CRC calculation in src/main/native/src/org/apache/hadoop/util:

Copyright (c) 2008,2009,2010 Massachusetts Institute of Technology.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Massachusetts Institute of Technology nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Other portions are under the same license from Intel:

<http://sourceforge.net/projects/slicing-by-8/>

/\*++

\*

\* Copyright (c) 2004-2006 Intel Corporation - All Rights Reserved

\*

\* This software program is licensed subject to the BSD License,

\* available at <http://www.opensource.org/licenses/bsd-license.html>

\*

\* Abstract: The main routine

\*

--\*/

For src/main/native/src/org/apache/hadoop/io/compress/lz4/{lz4.h,lz4.c,lz4hc.h,lz4hc.c},

/\*

LZ4 - Fast LZ compression algorithm

Header File

Copyright (C) 2011-2014, Yann Collet.

BSD 2-Clause License (<http://www.opensource.org/licenses/bsd-license.php>)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

You can contact the author at :

- LZ4 source repository : <http://code.google.com/p/lz4/>

- LZ4 public forum : <https://groups.google.com/forum/#!forum/lz4c>

\*/

For hadoop-common-project/hadoop-common/src/main/native/gtest

-----  
Copyright 2008, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above

copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The binary distribution of this product bundles these dependencies under the following license:

re2j 1.1

-----  
(GO license)

This is a work derived from Russ Cox's RE2 in Go, whose license <http://golang.org/LICENSE> is as follows:

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

For hadoop-hdfs-project/hadoop-hdfs-native-client/src/main/native/fuse-dfs/util/tree.h

-----  
Copyright 2002 Niels Provos <provos@citi.umich.edu>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The binary distribution of this product bundles binaries of leveldbjni (<https://github.com/fusesource/leveldbjni>), which is available under the following license:

Copyright (c) 2011 FuseSource Corp. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the distribution.

\* Neither the name of FuseSource Corp. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

For `hadoop-yarn-project/hadoop-yarn/hadoop-yarn-server/hadoop-yarn-server-nodemanager/src/main/native/container-executor/impl/compat/{fstatat|openat|unlinkat}.h`:

Copyright (c) 2012 The FreeBSD Foundation  
All rights reserved.

This software was developed by Pawel Jakub Dawidek under sponsorship from the FreeBSD Foundation.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHORS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHORS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

The binary distribution of this product bundles binaries of leveldb (<http://code.google.com/p/leveldb/>), which is available under the following license:

Copyright (c) 2011 The LevelDB Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The binary distribution of this product bundles binaries of snappy (<http://code.google.com/p/snappy/>), which is available under the following license:

Copyright 2011, Google Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

For:

hadoop-hdfs-project/hadoop-hdfs/src/main/webapps/static/dataTables.bootstrap.js  
hadoop-hdfs-project/hadoop-hdfs/src/main/webapps/static/dataTables.bootstrap.css  
hadoop-hdfs-project/hadoop-hdfs/src/main/webapps/static/jquery.dataTables.min.js  
hadoop-yarn-project/hadoop-yarn/hadoop-yarn-common/src/main/resources/webapps/static/dt-1.10.7/  
-----

Copyright (C) 2008-2016, SpryMedia Ltd.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For:

hadoop-hdfs-project/hadoop-hdfs/src/main/webapps/static/dust-full-2.0.0.min.js  
hadoop-hdfs-project/hadoop-hdfs/src/main/webapps/static/dust-helpers-1.1.1.min.js  
-----

Copyright (c) 2010 Aleksander Williams

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For:

hadoop-hdfs-project/hadoop-hdfs/src/main/webapps/static/moment.min.js

-----

Copyright (c) 2011-2016 Tim Wood, Iskren Chernev, Moment.js contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The binary distribution of this product bundles these dependencies under the

following license:

hadoop-hdfs-project/hadoop-hdfs/src/main/webapps/static/bootstrap-3.3.7

hadoop-tools/hadoop-sls/src/main/html/js/thirdparty/bootstrap.min.js

hadoop-tools/hadoop-sls/src/main/html/css/bootstrap.min.css

hadoop-tools/hadoop-sls/src/main/html/css/bootstrap-responsive.min.css

bootstrap v3.3.6

broccoli-asset-rev v2.4.2

broccoli-funnel v1.0.1

datatables v1.10.8

em-helpers v0.5.13

em-table v0.1.6

ember v2.2.0

ember-array-contains-helper v1.0.2

ember-bootstrap v0.5.1

ember-cli v1.13.13

ember-cli-app-version v1.0.0

ember-cli-babel v5.1.6

ember-cli-content-security-policy v0.4.0

ember-cli-dependency-checker v1.2.0

ember-cli-htmlbars v1.0.2

ember-cli-htmlbars-inline-precompile v0.3.1

ember-cli-ic-ajax v0.2.1

ember-cli-inject-live-reload v1.4.0

ember-cli-jquery-ui v0.0.20

ember-cli-qunit v1.2.1

ember-cli-release v0.2.8

ember-cli-shims v0.0.6

ember-cli-sri v1.2.1

ember-cli-test-loader v0.2.1

ember-cli-uglify v1.2.0

ember-d3 v0.1.0

ember-data v2.1.0

ember-disable-proxy-controllers v1.0.1

ember-export-application-global v1.0.5

ember-load-initializers v0.1.7

ember-qunit v0.4.16

ember-qunit-notifications v0.1.0

ember-resolver v2.0.3

ember-spin-spinner v0.2.3

ember-truth-helpers v1.2.0

jquery v2.1.4

jquery-ui v1.11.4

loader.js v3.3.0

momentjs v2.10.6

qunit v1.19.0

select2 v4.0.0

snippet-ss v1.11.0

spin.js v2.3.2

Azure Data Lake Store - Java client SDK 2.0.11

JCodings 1.0.8

Joni 2.1.2

Mockito 1.8.5

JUL to SLF4J bridge 1.7.25

SLF4J API Module 1.7.25

SLF4J LOG4J-12 Binding 1.7.25

-----  
The MIT License (MIT)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For:

./hadoop-hdfs-project/hadoop-hdfs/src/main/webapps/static/nvd3-1.8.5.\* (css and js files)

-----  
Copyright (c) 2011-2014 Novus Partners, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

For:

hadoop-hdfs-project/hadoop-hdfs/src/main/webapps/static/angular-nvd3-1.0.9.min.js

-----  
The MIT License (MIT)

Copyright (c) 2014 Konstantin Skipor

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For:

hadoop-hdfs-project/hadoop-hdfs/src/main/webapps/static/angular-1.6.4.min.js

hadoop-hdfs-project/hadoop-hdfs/src/main/webapps/static/angular-route-1.6.4.min.js

-----  
The MIT License

Copyright (c) 2010-2017 Google, Inc. <http://angularjs.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For:

hadoop-hdfs-project/hadoop-hdfs/src/main/webapps/static/jquery-3.3.1.min.js

hadoop-tools/hadoop-sls/src/main/html/js/thirdparty/jquery.js

hadoop-yarn-project/hadoop-yarn/hadoop-yarn-common/src/main/resources/webapps/static/jquery

Apache HBase - Server which contains JQuery minified javascript library version 1.8.3

Microsoft JDBC Driver for SQLServer - version 6.2.1.jre7

-----

MIT License

Copyright (c) 2003-2017 Optimatika

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For:

oj! Algorithms - version 43.0

-----

Copyright 2005, 2012, 2013 jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

All files located in the node\_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

For:

hadoop-yarn-project/hadoop-yarn/hadoop-yarn-common/src/main/resources/webapps/static/jt/jquery.jstree.js

-----

Copyright (c) 2014 Ivan Bozhanov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For:

hadoop-tools/hadoop-sls/src/main/html/js/thirdparty/d3.v3.js  
hadoop-hdfs-project/hadoop-hdfs/src/main/webapps/static/d3-3.5.17.min.js

-----  
D3 is available under a 3-clause BSD license. For details, see:  
hadoop-tools/hadoop-sls/src/main/html/js/thirdparty/d3-LICENSE

The binary distribution of this product bundles these dependencies under the following license:

HSQLDB Database 2.3.4

-----  
(HSQL License)  
"COPYRIGHTS AND LICENSES (based on BSD License)

For work developed by the HSQL Development Group:

Copyright (c) 2001-2016, The HSQL Development Group  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the HSQL Development Group nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS ""AS IS"" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL HSQL DEVELOPMENT GROUP, HSQLDB.ORG, OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

For work originally developed by the Hypersonic SQL Group:

Copyright (c) 1995-2000 by the Hypersonic SQL Group.

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this  
list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice,  
this list of conditions and the following disclaimer in the documentation  
and/or other materials provided with the distribution.

Neither the name of the Hypersonic SQL Group nor the names of its  
contributors may be used to endorse or promote products derived from this  
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS ""AS IS""  
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO EVENT SHALL THE HYPERSONIC SQL GROUP,  
OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the  
Hypersonic SQL Group."

The binary distribution of this product bundles these dependencies under the  
following license:

Java Servlet API 3.1.0

servlet-api 2.5

jsp-api 2.1

jsr311-api 1.1.1

Glassfish Jasper 6.1.14

Servlet Specification 2.5 API 6.1.14

-----  
(CDDL 1.0)

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

- A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;
- B. Any new file that contains any part of the Original Software or previous Modification; or
- C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of

computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

2.1. The Initial Developer Grant. Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof);

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License;

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant. Conditioned upon Your compliance with

Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent

Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b)

above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source

Code. Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2.

Modifications. The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to

grant the rights conveyed by this License.

### 3.3. Required Notices. You must

include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions. You may distribute the

Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works. You

may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1.

New Versions. Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this

License.

4.2. Effect of New Versions. You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions. When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial

Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

### 6.3. In

the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the

jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

The binary distribution of this product bundles these dependencies under the following license:

jersey-client 1.19  
jersey-core 1.19  
jersey-grizzly2 1.19  
jersey-grizzly2-servlet 1.19  
jersey-json 1.19  
jersey-server 1.19  
jersey-servlet 1.19  
jersey-guice 1.19  
Jersey Test Framework - Grizzly 2 Module 1.19  
JAXB RI 2.2.3  
Java Architecture for XML Binding 2.2.11  
grizzly-framework 2.2.21  
grizzly-http 2.2.21  
grizzly-http-server 2.2.21  
grizzly-http-servlet 2.2.21  
grizzly-rcm 2.2.21

-----  
(CDDL 1.1)

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

#### 1. Definitions.

1.1. Contributor means each individual or entity that creates or

contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants

You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual

property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims

infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections

2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is

granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under

intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the

making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted

in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted:

(1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

#### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such

Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You

may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an

Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND

LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

##### The Covered

Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

The binary distribution of this product bundles these dependencies under the following license:

Protocol Buffer Java API 2.5.0

-----  
This license applies to all parts of Protocol Buffers except the following:

- Atomicops support for generic gcc, located in  
src/google/protobuf/stubs/atomicops\_internals\_generic\_gcc.h.  
This file is copyrighted by Red Hat Inc.

- Atomicops support for AIX/POWER, located in  
src/google/protobuf/stubs/atomicops\_internals\_power.h.  
This file is copyrighted by Bloomberg Finance LP.

Copyright 2014, Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

\* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above  
copyright notice, this list of conditions and the following disclaimer  
in the documentation and/or other materials provided with the  
distribution.

\* Neither the name of Google Inc. nor the names of its  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR  
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner  
of the input file used when generating it. This code is not  
standalone and requires a support library to be linked with it. This  
support library is itself covered by the above license.

For:

XML Commons External Components XML APIs 1.3.04  
-----

By obtaining, using and/or copying this work, you (the licensee) agree that you

have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
- Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
- Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

The binary distribution of this product bundles these dependencies under the following license:

JUnit 4.11

Eclipse JDT Core 3.1.1

-----  
(EPL v1.0)

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when

combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
  - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

- ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
- iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
- iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
  - b) a copy of this Agreement must be included with each copy of the Program.
- Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court

requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

The binary distribution of this product bundles these dependencies under the following license:

JSch 0.1.54

ParaNamer Core 2.3

JLine 0.9.94

leveldbjni-all 1.8

Hamcrest Core 1.3

ASM Core 5.0.4

ASM Commons 5.0.2

ASM Tree 5.0.2

-----  
(3-clause BSD)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the <organization> nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The binary distribution of this product bundles these dependencies under the following license:

FindBugs-jsr305 3.0.0

dnsjava 2.1.7, Copyright (c) 1998-2011, Brian Wellington. All rights reserved.

-----  
(2-clause BSD)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of the FreeBSD Project.

The binary distribution of this product bundles these dependencies under the following license:

"Java Concurrency in Practice" book annotations 1.0

-----  
(CCAL v2.5)

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS

LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

## 1. Definitions

"Collective Work" means a work, such as a periodical issue, anthology or encyclopedia, in which the Work in its entirety in unmodified form, along with a number of other contributions, constituting separate and independent works in themselves, are assembled into a collective whole. A work that constitutes a Collective Work will not be considered a Derivative Work (as defined below) for the purposes of this License.

"Derivative Work" means a work based upon the Work or upon the Work and other pre-existing works, such as a translation, musical arrangement, dramatization, fictionalization, motion picture version, sound recording, art reproduction, abridgment, condensation, or any other form in which the Work may be recast, transformed, or adapted, except that a work that constitutes a Collective Work will not be considered a Derivative Work for the purpose of this License. For the avoidance of doubt, where the Work is a musical composition or sound recording, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered a Derivative Work for the purpose of this License.

"Licensor" means the individual or entity that offers the Work under the terms of this License.

"Original Author" means the individual or entity who created the Work.

"Work" means the copyrightable work of authorship offered under the terms of this License.

"You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.

2. Fair Use Rights. Nothing in this license is intended to reduce, limit, or restrict any rights arising from fair use, first sale or other limitations on the exclusive rights of the copyright owner under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

to reproduce the Work, to incorporate the Work into one or more Collective Works, and to reproduce the Work as incorporated in the Collective Works;  
to create and reproduce Derivative Works;  
to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission the Work including as

incorporated in Collective Works;

to distribute copies or phonorecords of, display publicly, perform publicly, and perform publicly by means of a digital audio transmission Derivative Works.

For the avoidance of doubt, where the work is a musical composition:

**Performance Royalties Under Blanket Licenses.** Licensor waives the exclusive right to collect, whether individually or via a performance rights society (e.g. ASCAP, BMI, SESAC), royalties for the public performance or public digital performance (e.g. webcast) of the Work.

**Mechanical Rights and Statutory Royalties.** Licensor waives the exclusive right to collect, whether individually or via a music rights agency or designated agent (e.g. Harry Fox Agency), royalties for any phonorecord You create from the Work ("cover version") and distribute, subject to the compulsory license created by 17 USC Section 115 of the US Copyright Act (or the equivalent in other jurisdictions).

**Webcasting Rights and Statutory Royalties.** For the avoidance of doubt, where the Work is a sound recording, Licensor waives the exclusive right to collect, whether individually or via a performance-rights society (e.g. SoundExchange), royalties for the public digital performance (e.g. webcast) of the Work, subject to the compulsory license created by 17 USC Section 114 of the US Copyright Act (or the equivalent in other jurisdictions).

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats.

All rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

You may distribute, publicly display, publicly perform, or publicly digitally perform the Work only under the terms of this License, and You must include a copy of, or the Uniform Resource Identifier for, this License with every copy or phonorecord of the Work You distribute, publicly display, publicly perform, or publicly digitally perform. You may not offer or impose any terms on the Work that alter or restrict the terms of this License or the recipients' exercise of the rights granted hereunder. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties. You may not distribute, publicly display, publicly perform, or publicly digitally perform the Work with any technological measures that control access or use of the Work in a manner inconsistent with the terms of this License Agreement. The above applies to the Work as incorporated in a Collective Work, but this does not require the Collective Work apart from the Work itself to be made subject to the terms of this License. If You create a Collective Work, upon notice from any Licensor You must, to the extent practicable, remove from the Collective Work any credit as required by clause 4(b), as requested. If You create a Derivative Work, upon notice from any Licensor You must, to the extent practicable, remove from the Derivative Work any credit as required by clause 4(b), as requested.

If you distribute, publicly display, publicly perform, or publicly digitally perform the Work or any Derivative Works or Collective Works, You must keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or (ii) if the Original Author and/or Licensor designate another party or parties (e.g. a sponsor institute, publishing entity, journal) for attribution in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; the title of the Work if supplied; to the extent reasonably practicable, the Uniform Resource Identifier, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and in the case of a Derivative Work, a credit identifying the use of the Work in the Derivative Work (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). Such credit may be implemented in any reasonable manner; provided, however, that in the case of a Derivative Work or Collective Work, at a minimum such credit will appear where any other comparable authorship credit appears and in a manner at least as prominent as such other comparable authorship credit.

#### 5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING

THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 7. Termination

This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Derivative Works or Collective Works from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any

such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

## 8. Miscellaneous

Each time You distribute or publicly digitally perform the Work or a Collective Work, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.

Each time You distribute or publicly digitally perform a Derivative Work, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.

If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.

The binary distribution of this product bundles these dependencies under the following license:

jamon-runtime 2.4.1

-----  
(MPL 2.0)

Mozilla Public License  
Version 2.0

### 1. Definitions

#### 1.1. Contributor

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

#### 1.2. Contributor Version

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

#### 1.3. Contribution

means Covered Software of a particular Contributor.

#### 1.4. Covered Software

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

#### 1.5. Incompatible With Secondary Licenses

means

that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

#### 1.6. Executable Form

means any form of the work other than Source Code Form.

#### 1.7. Larger Work

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

#### 1.8. License

means this document.

#### 1.9. Licensable

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

#### 1.10. Modifications

means any of the following:

any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

any new file in Source Code Form that contains any Covered Software.

#### 1.11. Patent Claims of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

#### 1.12. Secondary License

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

### 1.13. Source Code Form

means the form of the work preferred for making modifications.

### 1.14. You (or Your)

means an individual or a legal entity exercising rights under this License. For legal entities, You includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

for any code that a Contributor has removed from Covered Software; or

for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a

timely manner, at a charge no more than the cost of distribution to the recipient; and

You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent

prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

## 6. Disclaimer of Warranty

Covered Software is provided under this License on an as is basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

## 7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character

including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

## 8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

#### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

##### Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

##### Exhibit B - Incompatible With Secondary Licenses Notice

This Source Code Form is Incompatible With Secondary Licenses, as defined by the Mozilla Public License, v. 2.0.

The binary distribution of this product bundles these dependencies under the following license:

JDOM 1.1

-----  
/\*--

Copyright (C) 2000-2004 Jason Hunter & Brett McLaughlin.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the disclaimer that follows these conditions in the documentation and/or other materials provided with the distribution.
3. The name "JDOM" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact <request\_AT\_jdom\_DOT\_org>.

4. Products derived from this software may not be called "JDOM", nor may "JDOM" appear in their name, without prior written permission from the JDOM Project Management <request\_AT\_jdom\_DOT\_org>.

In addition, we request (but do not require) that you include in the end-user documentation provided with the redistribution and/or in the software itself an acknowledgement equivalent to the following:

"This product includes software developed by the  
JDOM Project (<http://www.jdom.org/>)."

Alternatively, the acknowledgment may be graphical using the logos available at <http://www.jdom.org/images/logos>.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JDOM AUTHORS OR THE PROJECT CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the JDOM Project and was originally created by Jason Hunter <jhunter\_AT\_jdom\_DOT\_org> and Brett McLaughlin <brett\_AT\_jdom\_DOT\_org>. For more information on the JDOM Project, please see <<http://www.jdom.org/>>.

\*/

The binary distribution of this product bundles these dependencies under the following license:

Hbase Server 1.2.4

-----  
This project bundles a derivative image for our Orca Logo. This image is available under the Creative Commons By Attribution 3.0 License.

Creative Commons Legal Code

Attribution 3.0 Unported

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS LICENSE DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS

INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE INFORMATION PROVIDED, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM ITS USE.

## License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE ("CCPL" OR "LICENSE"). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. TO THE EXTENT THIS LICENSE MAY BE CONSIDERED TO BE A CONTRACT, THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

### 1. Definitions

- a. "Adaptation" means a work based upon the Work, or upon the Work and other pre-existing works, such as a translation, adaptation, derivative work, arrangement of music or other alterations of a literary or artistic work, or phonogram or performance and includes cinematographic adaptations or any other form in which the Work may be recast, transformed, or adapted including in any form recognizably derived from the original, except that a work that constitutes a Collection will not be considered an Adaptation for the purpose of this License. For the avoidance of doubt, where the Work is a musical work, performance or phonogram, the synchronization of the Work in timed-relation with a moving image ("synching") will be considered an Adaptation for the purpose of this License.
- b. "Collection" means a collection of literary or artistic works, such as encyclopedias and anthologies, or performances, phonograms or broadcasts, or other works or subject matter other than works listed in Section 1(f) below, which, by reason of the selection and arrangement of their contents, constitute intellectual creations, in which the Work is included in its entirety in unmodified form along with one or more other contributions, each constituting separate and independent works in themselves, which together are assembled into a collective whole. A work that constitutes a Collection will not be considered an Adaptation (as defined above) for the purposes of this License.
- c. "Distribute" means to make available to the public the original and copies of the Work or Adaptation, as appropriate, through sale or other transfer of ownership.
- d. "Licensor" means the individual, individuals, entity or entities that offer(s) the Work under the terms of this License.
- e. "Original Author" means, in the case of a literary or artistic work,

the individual, individuals, entity or entities who created the Work or if no individual or entity can be identified, the publisher; and in addition (i) in the case of a performance the actors, singers, musicians, dancers, and other persons who act, sing, deliver, declaim, play in, interpret or otherwise perform literary or artistic works or expressions of folklore; (ii) in the case of a phonogram the producer being the person or legal entity who first fixes the sounds of a performance or other sounds; and, (iii) in the case of broadcasts, the organization that transmits the broadcast.

- f. "Work" means the literary and/or artistic work offered under the terms of this License including without limitation any production in the literary, scientific and artistic domain, whatever may be the mode or form of its expression including digital form, such as a book, pamphlet and other writing; a lecture, address, sermon or other work of the same nature; a dramatic or dramatico-musical work; a choreographic work or entertainment in dumb show; a musical composition with or without words; a cinematographic work to which are assimilated works expressed by a process analogous to cinematography; a work of drawing, painting, architecture, sculpture, engraving or lithography; a photographic work to which are assimilated works expressed by a process analogous to photography; a work of applied art; an illustration, map, plan, sketch or three-dimensional work relative to geography, topography, architecture or science; a performance; a broadcast; a phonogram; a compilation of data to the extent it is protected as a copyrightable work; or a work performed by a variety or circus performer to the extent it is not otherwise considered a literary or artistic work.
- g. "You" means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.
- h. "Publicly Perform" means to perform public recitations of the Work and to communicate to the public those public recitations, by any means or process, including by wire or wireless means or public digital performances; to make available to the public Works in such a way that members of the public may access these Works from a place and at a place individually chosen by them; to perform the Work to the public by any means or process and the communication to the public of the performances of the Work, including by public digital performance; to broadcast and rebroadcast the Work by any means including signs, sounds or images.
- i. "Reproduce" means to make copies of the Work by any means including without limitation by sound or visual recordings and the right of fixation and reproducing fixations of the Work, including storage of a protected performance or phonogram in digital form or other electronic medium.

2. Fair Dealing Rights. Nothing in this License is intended to reduce, limit, or restrict any uses free from copyright or rights arising from limitations or exceptions that are provided for in connection with the copyright protection under copyright law or other applicable laws.

3. License Grant. Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:

- a. to Reproduce the Work, to incorporate the Work into one or more Collections, and to Reproduce the Work as incorporated in the Collections;
- b. to create and Reproduce Adaptations provided that any such Adaptation, including any translation in any medium, takes reasonable steps to clearly label, demarcate or otherwise identify that changes were made to the original Work. For example, a translation could be marked "The original work was translated from English to Spanish," or a modification could indicate "The original work has been modified.";
- c. to Distribute and Publicly Perform the Work including as incorporated in Collections; and,
- d. to Distribute and Publicly Perform Adaptations.
- e. For the avoidance of doubt:

- i. Non-waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme cannot be waived, the Licensor reserves the exclusive right to collect such royalties for any exercise by You of the rights granted under this License;
- ii. Waivable Compulsory License Schemes. In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme can be waived, the Licensor waives the exclusive right to collect such royalties for any exercise by You of the rights granted under this License; and,
- iii. Voluntary License Schemes. The Licensor waives the right to collect royalties, whether individually or, in the event that the Licensor is a member of a collecting society that administers voluntary licensing schemes, via that society, from any exercise by You of the rights granted under this License.

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. Subject to Section 8(f), all rights not expressly granted by Licensor are hereby reserved.

4. Restrictions. The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:

- a. You may Distribute or Publicly Perform the Work only under the terms of this License. You must include a copy of, or the Uniform Resource Identifier (URI) for, this License with every copy of the Work You Distribute or Publicly Perform. You may not offer or impose any terms on the Work that restrict the terms of this License or the ability of the recipient of the Work to exercise the rights granted to that recipient under the terms of the License. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties with every copy of the Work You Distribute or Publicly Perform. When You Distribute or Publicly Perform the Work, You may not impose any effective technological measures on the Work that restrict the ability of a recipient of the Work from You to exercise the rights granted to that recipient under the terms of the License. This Section 4(a) applies to the Work as incorporated in a Collection, but this does not require the Collection apart from the Work itself to be made subject to the terms of this License. If You create a Collection, upon notice from any Licensor You must, to the extent practicable, remove from the Collection any credit as required by Section 4(b), as requested. If You create an Adaptation, upon notice from any Licensor You must, to the extent practicable, remove from the Adaptation any credit as required by Section 4(b), as requested.
- b. If You Distribute, or Publicly Perform the Work or any Adaptations or Collections, You must, unless a request has been made pursuant to Section 4(a), keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or if the Original Author and/or Licensor designate another party or parties (e.g., a sponsor institute, publishing entity, journal) for attribution ("Attribution Parties") in Licensor's copyright notice, terms of service or by other reasonable means, the name of such party or parties; (ii) the title of the Work if supplied; (iii) to the extent reasonably practicable, the URI, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and (iv) , consistent with Section 3(b), in the case of an Adaptation, a credit identifying the use of the Work in the Adaptation (e.g., "French translation of the Work by Original Author," or "Screenplay based on original Work by Original Author"). The credit required by this Section 4 (b) may be implemented in any reasonable manner; provided, however, that in the case of a Adaptation or Collection, at a minimum such credit will appear, if a credit for all contributing authors of the Adaptation or Collection appears, then as part of these credits and in a manner at least as prominent as the credits for the other contributing authors. For the avoidance of doubt, You may only use the credit required by this Section for the purpose of attribution in the manner set out above and, by exercising Your rights under this

License, You may not implicitly or explicitly assert or imply any connection with, sponsorship or endorsement by the Original Author, Licensor and/or Attribution Parties, as appropriate, of You or Your use of the Work, without the separate, express prior written permission of the Original Author, Licensor and/or Attribution Parties.

- c. Except as otherwise agreed in writing by the Licensor or as may be otherwise permitted by applicable law, if You Reproduce, Distribute or Publicly Perform the Work either by itself or as part of any Adaptations or Collections, You must not distort, mutilate, modify or take other derogatory action in relation to the Work which would be prejudicial to the Original Author's honor or reputation. Licensor agrees that in those jurisdictions (e.g. Japan), in which any exercise of the right granted in Section 3(b) of this License (the right to make Adaptations) would be deemed to be a distortion, mutilation, modification or other derogatory action prejudicial to the Original Author's honor and reputation, the Licensor will waive or not assert, as appropriate, this Section, to the fullest extent permitted by the applicable national law, to enable You to reasonably exercise Your right under Section 3(b) of this License (right to make Adaptations) but not otherwise.

## 5. Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

6. Limitation on Liability. EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. Termination

- a. This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Adaptations or Collections from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.

b. Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

## 8. Miscellaneous

- a. Each time You Distribute or Publicly Perform the Work or a Collection, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.
- b. Each time You Distribute or Publicly Perform an Adaptation, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.
- c. If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.
- d. No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.
- e. This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.
- f. The rights granted under, and the subject matter referenced, in this License were drafted utilizing the terminology of the Berne Convention for the Protection of Literary and Artistic Works (as amended on September 28, 1979), the Rome Convention of 1961, the WIPO Copyright Treaty of 1996, the WIPO Performances and Phonograms Treaty of 1996 and the Universal Copyright Convention (as revised on July 24, 1971). These rights and subject matter take effect in the relevant jurisdiction in which the License terms are sought to be enforced according to the corresponding provisions of the implementation of those treaty provisions in the applicable national law. If the standard suite of rights granted under applicable copyright law includes additional rights not granted under this License, such additional rights are deemed to be included in the License; this License is not intended to restrict the license of any rights under applicable law.

## Creative Commons Notice

Creative Commons is not a party to this License, and makes no warranty whatsoever in connection with the Work. Creative Commons will not be liable to You or any party on any legal theory for any damages whatsoever, including without limitation any general, special, incidental or consequential damages arising in connection to this license. Notwithstanding the foregoing two (2) sentences, if Creative Commons has expressly identified itself as the Licensor hereunder, it shall have all rights and obligations of Licensor.

Except for the limited purpose of indicating to the public that the Work is licensed under the CCPL, Creative Commons does not authorize the use by either party of the trademark "Creative Commons" or any related trademark or logo of Creative Commons without the prior written consent of Creative Commons. Any permitted use will be in compliance with Creative Commons' then-current trademark usage guidelines, as may be published on its website or otherwise made available upon request from time to time. For the avoidance of doubt, this trademark restriction does not form part of this License.

Creative Commons may be contacted at <https://creativecommons.org/>.

-----

For: hadoop-hdfs-project/hadoop-hdfs/src/main/java/org/apache/hadoop/hdfs/server/datanode/checker/AbstractFuture.java and  
hadoop-hdfs-project/hadoop-hdfs/src/main/java/org/apache/hadoop/hdfs/server/datanode/checker/TimeoutFuture.java

Copyright (C) 2007 The Guava Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Oozie Client

Copyright 2020 Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.115 jetty-setuid-java 1.0.4

### 1.115.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved. This program and the accompanying materials
// are made available under the terms of the Eclipse Public License v1.0
// and Apache License v2.0 which accompanies this distribution.
// The Eclipse Public License is available at
// The Apache License v2.0 is available at
// You may elect to redistribute this code under either of these licenses.
```

Found in path(s):

```
* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-
jar/org/eclipse/jetty/setuid/SetUIDListener.java
* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-
jar/org/eclipse/jetty/setuid/SetUIDServer.java
* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-
jar/org/eclipse/jetty/setuid/SetUID.java
* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-
jar/org/eclipse/jetty/setuid/Group.java
* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-
jar/org/eclipse/jetty/setuid/RLimit.java
* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-
jar/org/eclipse/jetty/setuid/Passwd.java
```

## 1.116 dropwizard-jetty 2.0.18

### 1.116.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright 2013-2014 The Apache Software Foundation (Curator Project)
```

\*  
\* The Apache Software Foundation licenses this file to you under the Apache  
\* License, version 2.0 (the "License"); you may not use this file except in  
\* compliance with the License. You may obtain a copy of the License at:  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1508291049\_1670974969.4034815/0/dropwizard-jetty-2-0-18-sources-1-jar/io/dropwizard/jetty/LocalIpFilter.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2012 The Netty Project

\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1508291049\_1670974969.4034815/0/dropwizard-jetty-2-0-18-sources-1-jar/io/dropwizard/jetty/NetUtil.java

## 1.117 error\_prone\_annotations 2.10.0

### 1.117.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/RestrictedApi.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/MustBeClosed.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/CompatibleWith.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/DoNotMock.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/FormatMethod.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/FormatString.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2021 The Error Prone Authors.  
\*  
\* Licensed under the Apache License, Version 2.0 (the "License");  
\* you may not use this file except in compliance with the License.  
\* You may obtain a copy of the License at  
\*  
\* <http://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS,  
\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
\* See the License for the specific language governing permissions and  
\* limitations under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/InlineMeValidationDisabled.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-

jar/com/google/errorprone/annotations/InlineMe.java

\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-

jar/com/google/errorprone/annotations/Modifier.java

No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2014 The Error Prone Authors.

\*

\* Licensed under the Apache License, Version 2.0 (the "License");

\* you may not use this file except in compliance with the License.

\* You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software

\* distributed under the License is distributed on an "AS IS" BASIS,

\* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

\* See the License for the specific language governing permissions and

\* limitations under the License.

\*/

Found in path(s):

\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-

jar/com/google/errorprone/annotations/concurrent/LockMethod.java

\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-

jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java

\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-

jar/com/google/errorprone/annotations/NoAllocation.java

No license file was found, but licenses were detected in source scan.

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

Found in path(s):

\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/META-

INF/maven/com.google.errorprone/error\_prone\_annotations/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/DoNotCall.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/CheckReturnValue.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/concurrent/GuardedBy.java
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1287386049_1647249958.14/0/error-prone-annotations-2-10-0-sources-
jar/com/google/errorprone/annotations/RequiredModifiers.java
```

\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/concurrent/LazyInit.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/Var.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/CompileTimeConstant.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/Immutable.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/IncompatibleModifiers.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/SuppressPackageLocation.java  
\* /opt/cola/permits/1287386049\_1647249958.14/0/error-prone-annotations-2-10-0-sources-jar/com/google/errorprone/annotations/ForOverride.java

## 1.118 jakarta-servlet-api 4.0.4

### 1.118.1 Available under license :

Found license 'General Public License 2.0' in 'Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License, Copyright &#169; 2019 Eclipse Foundation. All rights reserved.<br>'

Found license 'General Public License 2.0' in 'Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'General Public License 2.0' in 'Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2009, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License, Copyright &#169; 2019 Eclipse Foundation. All rights reserved.<br>'

Found license 'Eclipse Public License 1.0' in 'Copyright (c) 2008, 2018 Oracle and/or its affiliates. All rights reserved. This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0, which is available at Eclipse Public License v. 2.0 are satisfied: GNU General Public License,'

## 1.119 okhttp 4.10.0

## 1.119.1 Available under license :

Note that publicsuffices.gz is compiled from The Public Suffix List:

[https://publicsuffix.org/list/public\\_suffix\\_list.dat](https://publicsuffix.org/list/public_suffix_list.dat)

It is subject to the terms of the Mozilla Public License, v. 2.0:

<https://mozilla.org/MPL/2.0/>

# 1.120 cglib 3.2.0

## 1.120.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

# 1.121 zstd 1.5.0

## 1.121.1 Available under license :

BSD License

For Zstandard software

Copyright (c) 2016-present, Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name Facebook nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#### GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and

(2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and

you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of

Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by

modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License

may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into  
proprietary programs. If your program is a subroutine library, you may  
consider it more useful to permit linking proprietary applications with the  
library. If this is what you want to do, use the GNU Lesser General  
Public License instead of this License.

## 1.122 dropwizard-validation 2.0.18

### 1.122.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Hibernate Validator, declare and validate application constraints  
*  
* License: Apache License, Version 2.0  
* See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1508291129_1670974993.4238553/0/dropwizard-validation-2-0-18-sources-1-  
jar/io/dropwizard/validation/InterpolationHelper.java
```

## 1.123 opentracing-noop 0.33.0

### 1.123.1 Available under license :

No license file was found, but licenses were detected in source scan.

2019 The OpenTracing Authors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License  
is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

or implied. See the License for the specific language governing permissions and limitations under

the License.

Found in path(s):

\* /opt/cola/permits/1257210881\_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/META-INF/maven/io.opentracing/opentracing-noop/pom.xml  
No license file was found, but licenses were detected in source scan.

/\*

\* Copyright 2016-2019 The OpenTracing Authors

\*

\* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

\* in compliance with the License. You may obtain a copy of the License at

\*

\* <http://www.apache.org/licenses/LICENSE-2.0>

\*

\* Unless required by applicable law or agreed to in writing, software distributed under the License

\* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express

\* or implied. See the License for the specific language governing permissions and limitations under

\* the License.

\*/

Found in path(s):

\* /opt/cola/permits/1257210881\_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/io/opentracing/noop/NoopScopeManager.java

\* /opt/cola/permits/1257210881\_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/io/opentracing/noop/NoopSpanContext.java

\* /opt/cola/permits/1257210881\_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/io/opentracing/noop/NoopTracerFactory.java

\* /opt/cola/permits/1257210881\_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/io/opentracing/noop/NoopTracer.java

\* /opt/cola/permits/1257210881\_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/io/opentracing/noop/NoopSpan.java

\* /opt/cola/permits/1257210881\_1642789614.43/0/opentracing-noop-0-33-0-sources-jar/io/opentracing/noop/NoopSpanBuilder.java

## 1.124 jctools-core 3.3.0

### 1.124.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/META-INF/maven/org.jctools/jctools-core/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/AtomicQueueFactory.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/ConcurrentCircularArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/spec/Preference.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/package-
info.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/spec/Ordering.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/IndexedQueueSizeUtil.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/SpSCChunkedAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/MPMCUnboundedXaddChunk.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/SpSCAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/RangeUtil.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/util/PaddedAtomicLong.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/QueueFactory.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/LinkedQueueNode.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/MpscAtomicArrayQueue.java
```

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscUnboundedXaddArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MessagePassingQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscBlockingConsumerArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpmcAtomicArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscLinkedQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscChunkedArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpSCArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/UnsafeRefArrayAccess.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/maps/AbstractEntry.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/maps/NonBlockingSetInt.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpMCArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/BaseSpSCLinkedArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/BaseLinkedQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/maps/NonBlockingHashSet.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/UnsafeJvmInfo.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MessagePassingQueueUtil.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscCompoundQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/maps/NonBlockingIdentityHashMap.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java  
\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscUnboundedXaddChunk.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/maps/ConcurrentAutoTable.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/LinkedListAtomicNode.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpSCLinkedListAtomicQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpscLinkedListAtomicQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpSCLinkedListQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscGrowableArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/spec/ConcurrentQueueSpec.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/UnsafeAccess.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscUnboundedArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpmcArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SupportsIterator.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpscArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/MpmcUnboundedXaddArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpSCChunkedArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/UnsafeLongArrayAccess.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/BaseSpSCLinkedListAtomicArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpSCUnboundedArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/InternalAPI.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/maps/NonBlockingHashMap.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/MpscGrowableAtomicArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/SpSCGrowableArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/atomic/SpSCGrowableAtomicArrayQueue.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/PortableJvmInfo.java

\* /opt/cola/permits/1257772382\_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/queues/BaseMpscLinkedListArrayQueue.java

```
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/queues/atomic/SpmcAtomicArrayQueue.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-
jar/org/jctools/maps/NonBlockingHashMapLong.java
* /opt/cola/permits/1257772382_1643010290.62/0/jctools-core-3-3-0-sources-jar/org/jctools/util/Pow2.java
```

# 1.125 animal-sniffer-annotation 1.0

## 1.125.1 Available under license :

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head profile="http://www.w3.org/1999/xhtml/vocab">
  <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <link rel="shortcut icon" href="https://opensource.org/files/osi_favicon.png" type="image/png" />
  <meta name="HandheldFriendly" content="true" />
  <link rel="shortlink" href="/node/47" />
  <meta name="Generator" content="Drupal 7 (http://drupal.org)" />
  <link rel="canonical" href="/licenses/CDDL-1.0" />
  <meta name="MobileOptimized" content="width" />
  <title>Common Development and Distribution License (CDDL-1.0) | Open Source Initiative</title>
  <link type="text/css" rel="stylesheet" href="https://opensource.org/files/css/css_xE-rWrJf-
fncB6ztZfd2huxqgxu4WO-qwma6Xer30m4.css" media="all" />
  <link type="text/css" rel="stylesheet"
href="https://opensource.org/files/css/css_4p37TiWeuzRfdymI_IPgCuu6wEwSDhUquxUkHLI7QnU.css"
media="all" />
  <link type="text/css" rel="stylesheet"
href="https://opensource.org/files/css/css_MnXiytJtb186Ydycnpwpw34cuUsHaKc80ey5LiQXhSY.css"
media="all" />
  <link type="text/css" rel="stylesheet" href="//maxcdn.bootstrapcdn.com/bootstrap/3.2.0/css/bootstrap.min.css"
media="all" />
  <link type="text/css" rel="stylesheet" href="https://opensource.org/files/css/css_KGZcOm3i1wmtbgZsjo-
3V9FM4wZ-5UDcpJ7Vfzmt45E.css" media="all" />
  <link type="text/css" rel="stylesheet"
href="https://opensource.org/files/css/css_G9cu63kkDQ56GYuF3QrqJxma5HT-bUVZckUWKUzFCF4.css"
media="all" />

  <!--[if (lt IE 9)]>
  <link type="text/css" rel="stylesheet" href="https://opensource.org/sites/all/themes/bootstrap-
business/css/ie8.css?ooglib" media="all" />
  <![endif]-->

  <!-- HTML5 element support for IE6-8 -->
  <!--[if lt IE 9]>
  <script src="//html5shiv.googlecode.com/svn/trunk/html5.js"></script>
  <![endif]-->
```

```

<script type="text/javascript" src="//code.jquery.com/jquery-1.10.2.min.js"></script>
<script type="text/javascript">
<!----><![CDATA[//><!--
window.jQuery || document.write("<script
src='/sites/all/modules/jquery_update/replace/jquery/1.10/jquery.min.js'>\x3C/script>")
//--><![]]>
</script>
<script type="text/javascript"
src="https://opensource.org/files/js/js_aczm2rRgH_slWBPnvD3KMrK7rwa li99HOq8IUAb99Co.js"></script>
<script type="text/javascript" src="//maxcdn.bootstrapcdn.com/bootstrap/3.2.0/js/bootstrap.min.js"></script>
<script type="text/javascript">
<!----><![CDATA[//><!--
jQuery(document).ready(function($) {
  $(window).scroll(function() {
    if($(this).scrollTop() != 0) {
      $("#toTop").fadeIn();
    } else {
      $("#toTop").fadeOut();
    }
  });

  $("#toTop").click(function() {
    $("body,html").animate({scrollTop:0},800);
  });

});
//--><![]]>
</script>
<script type="text/javascript"
src="https://opensource.org/files/js/js_ruOYJN6FkJU2O5L1dAKVnDloSn5R6LjnLW88zFxS1Uw.js"></script>
<script type="text/javascript" src="https://opensource.org/files/js/js_JQHTvV_SkyFIN3f2BnQwnusF-
eI6tkX8wrKak2siiZU.js"></script>
<script type="text/javascript">
<!----><![CDATA[//><!--
jQuery.extend(Drupal.settings,
{"basePath":"","pathPrefix":"","ajaxPageState":{"theme":"bootstrap_business","theme_token":"D5bF-
vfxh3x4rhnCcr3T2k7ur5CHjnreBuWtI5Py_f8"},"js":{"\\code.jquery.com\\jquery-
1.10.2.min.js":1,"0":1,"misc\\jquery.once.js":1,"misc\\drupal.js":1,"\\maxcdn.bootstrapcdn.com\\bootstrap\\3.2.0\\js
\\bootstrap.min.js":1,"1":1,"sites\\all\\libraries\\superfish\\jquery.hoverIntent.minified.js":1,"sites\\all\\libraries\\supe
rfish\\sftouchscreen.js":1,"sites\\all\\libraries\\superfish\\sfsmallscreen.js":1,"sites\\all\\libraries\\superfish\\suppositi
on.js":1,"sites\\all\\libraries\\superfish\\superfish.js":1,"sites\\all\\libraries\\superfish\\supersubs.js":1,"sites\\all\\mod
ules\\superfish\\superfish.js":1,"sites\\all\\themes\\bootstrap-
business\\js\\jquery.browser.min.js":1},"css":{"modules\\system\\system.base.css":1,"modules\\system\\system.men
us.css":1,"modules\\system\\system.messages.css":1,"modules\\system\\system.theme.css":1,"modules\\aggregator\\
aggregator.css":1,"modules\\comment\\comment.css":1,"modules\\field\\theme\\field.css":1,"sites\\all\\modules\\mol
lom\\mollom.css":1,"modules\\node\\node.css":1,"modules\\search\\search.css":1,"modules\\user\\user.css":1,"sites\\
all\\modules\\views\\css\\views.css":1,"sites\\all\\modules\\ctools\\css\\ctools.css":1,"\\maxcdn.bootstrapcdn.com\\
bootstrap\\3.2.0\\css\\bootstrap.min.css":1,"sites\\all\\libraries\\superfish\\css\\superfish.css":1,"sites\\all\\themes\\bo

```

```

otstrap-business\css\style.css":1,"sites\all\themes\bootstrap-
business\color\colors.css":1,"sites\all\themes\bootstrap-business\css\local.css":1,"sites\all\themes\bootstrap-
business\css\ie8.css":1}},"urlIsAjaxTrusted":{"\licenses\cddl1.php":true},"superfish":{"1":{"id":"1","sf":{"anima
tion":{"opacity":"show","height":"show"},"speed":"\u0027fast\u0027","autoArrows":false,"dropShadows":true,"dis
ableHI":false},"plugins":{"touchscreen":{"mode":"window_width"},"smallscreen":{"mode":"window_width"},"add
Selected":false,"menuClasses":false,"hyperlinkClasses":false,"title":"Navigation"},"supposition":true,"bgiframe":fal
se,"supersubs":{"minWidth":"12","maxWidth":"27","extraWidth":1}}}}});
//--><![]]>
</script>
</head>
<body class="html not-front not-logged-in no-sidebars page-node page-node- page-node-47 node-type-page" >
<div id="skip-link">
  <a href="#main-content" class="element-invisible element-focusable">Skip to main content</a>
</div>
<div id="toTop"><span class="glyphicon glyphicon-chevron-up"></span></div>

<!-- #header-top -->
<div id="header-top" class="clearfix">
  <div class="container">

    <!-- #header-top-inside -->
    <div id="header-top-inside" class="clearfix">
      <div class="row">

        <div class="col-md-8">
          <!-- #header-top-left -->
          <div id="header-top-left" class="clearfix">
            <div class="region region-header-top-left">
              <div id="block-menu-secondary-menu" class="block block-menu clearfix">

                <div class="content">
                  <ul class="menu"><li class="first leaf"><a href="/" title="">Home</a></li>
                  <li class="leaf"><a href="/blog" title="">From the Board</a></li>
                  <li class="leaf"><a href="/contact" title="">Contact</a></li>
                  <li class="last leaf"><a href="/civicrm/contribute/transact?reset=1&amp;id=2" title="">Donate</a></li>
                </ul> </div>
              </div>
            </div>
          </div>
          <!-- EOF:#header-top-left -->
        </div>

        <div class="col-md-4">
          <!-- #header-top-right -->
          <div id="header-top-right" class="clearfix">

```

```

        <div class="region region-header-top-right">
<div id="block-search-form" class="block block-search clearfix">

<div class="content">
    <form action="/licenses/cddl1.php" method="post" id="search-block-form" accept-charset="UTF-8"><div><div
class="container-inline">
    <h2 class="element-invisible">Search form</h2>
    <div class="form-item form-type-textfield form-item-search-block-form">
<input onBlur="if (this.value == &#039;&#039;) { this.value = &#039;Search this website...&#039;;}" onFocus="if
(this.value == &#039;Search this website...&#039;) { this.value = &#039;&#039;;}" type="text" id="edit-search-
block-form--2" name="search_block_form" value="Search this website..." size="15" maxlength="128"
class="form-text" />
</div>
<div class="form-actions form-wrapper" id="edit-actions"><input value="" type="submit" id="edit-submit"
name="op" class="form-submit" /></div><input type="hidden" name="form_build_id" value="form-
KxXCPRthSHIavIFsWuRt0aA5XfPKSjxX6XBfkcMCQPQ" />
<input type="hidden" name="form_id" value="search_block_form" />
</div>
</div></form> </div>
</div>
</div>
    </div>
    <!-- EOF:#header-top-right -->
</div>

</div>
</div>
<!-- EOF: #header-top-inside -->

</div>
</div>
<!-- EOF: #header-top -->

<!-- header -->
<header id="header" role="banner" class="clearfix">
<div class="container">

<!-- #header-inside -->
<div id="header-inside" class="clearfix">
<div class="row">
<div class="col-md-8">

        <div id="logo">
            <a href="/" title="Home" rel="home">  </a>
        </div>

```

```

        <div id="site-name">
        <a href="/" title="Home">Open Source Initiative</a>
        </div>

    </div>

    <div class="col-md-4">

    </div>
</div>
</div>
</div>
<!-- EOF: #header-inside -->

</div>
</header>
<!-- EOF: #header -->

<!-- #main-navigation -->
<div id="main-navigation" class="clearfix">
    <div class="container">

        <!-- #main-navigation-inside -->
        <div id="main-navigation-inside" class="clearfix">
            <div class="row">
                <div class="col-md-12">
                    <nav role="navigation">
                        <div class="region region-navigation">
                            <div id="block-superfish-1" class="block block-superfish clearfix">

                                <div class="content">
                                    <ul id="superfish-1" class="menu sf-menu sf-navigation sf-horizontal sf-style-none sf-total-items-6 sf-parent-items-6 sf-single-items-0"><li id="menu-37-1" class="first odd sf-item-1 sf-depth-1 sf-total-children-4 sf-parent-children-2 sf-single-children-2 menuparent"><a href="/about" title="About the Open Source Initiative" class="sf-depth-1 menuparent">About</a><ul><li id="menu-75-1" class="first odd sf-item-1 sf-depth-2 sf-no-children"><a href="/history" title="History of the OSI" class="sf-depth-2">History</a></li><li id="menu-82-1" class="middle even sf-item-2 sf-depth-2 sf-total-children-7 sf-parent-children-0 sf-single-children-7 menuparent"><a href="/board" title="Board of Directors" class="sf-depth-2 menuparent">Board</a><ul><li id="menu-83-1" class="first odd sf-item-1 sf-depth-3 sf-no-children"><a href="/docs/board-annotated" title="OSI Board -- With Annotations" class="sf-depth-3">Board - Annotated</a></li><li id="menu-96-1" class="middle even sf-item-2 sf-depth-3 sf-no-children"><a href="/minutes" title="Public Minutes of Board Meetings" class="sf-depth-3">Minutes</a></li><li id="menu-185-1" class="middle odd sf-item-3 sf-depth-3 sf-no-children"><a href="/organization" title="These portfolios represent the activities of the current OSI board." class="sf-depth-3">Organization & Operations</a></li><li id="menu-95-1" class="middle even sf-item-4 sf-depth-3 sf-no-children"><a href="/articles-of-incorporation" title="OSI incorporation record" class="sf-depth-3">Articles of Incorporation</a></li><li id="menu-1475-1" class="middle odd sf-item-5 sf-depth-3 sf-no-children"><a

```

[Board Elections](/elections)

- [Bylaws](/bylaws "Bylaws of the Open Source Initiative")
- [Conflict of Interest](/conflict_of_interest_policy)
- [Trademark & Logo](/trademark)
  - [Trademark Guidelines](/trademark-guidelines "OSI's Trademark Policy")
  - [Logo Guidelines](/logo-usage-guidelines "Guidelines for appearance and usage of OSI Logo")
  - [Terms of Service](/ToS "Rules for posting content on this site")
  - [Licenses](/licenses)
    - [Open Source Definition](/osd "The actual OSD defining what constitutes an Open Source licence")
    - [OSD - Annotated](/osd-annotated "The OSD with explanations and rationale interspersed.")
    - [Licenses by Category](/licenses/category "Licenses by Category")
    - [Licenses by Name](/licenses/alphabetical "Licenses that are approved by the OSI as conforming to the OSD")
    - [License Review Process](/approval "Certifying licences as OSD-compliant")
    - [Licence Proliferation](/proliferation "Supporting choice while maintaining sanity")
    - [LP report to the Board](/proliferation-report "License Proliferation Committee's report to the OSI Board")
    - [Open Standards](/osr-intro "Open Standards Requirement for Software")
      - [The Open Standards Requirement](/osr "An 'open standard' must not prohibit conforming implementations in open source software.")
      - [Open Standards Requirement Compliance](/osr-compliance)
      - [Open Standards Requirement Rationale](/osr-rationale)
      - [OSR Frequently Asked Questions](/osr-faq "Frequently asked questions about the Open Standards Requirement")
      - [Membership](/membership "Page for our various membership programs")
      - [Individuals](/members)
      - [Join](/civicrm/contribute/transact?reset=1&id=1)
      - [Affiliates](/affiliates "Home page for OSI's membership scheme for non-profits and not-for-profits")
      - [---

Open Source Used In AppDynamics\\_Cloud\\_Common\\_Ingestion\\_Service 22.12.0 1145](/affiliates/about)



```

        <!-- EOF: #main-navigation-inside -->

    </div>
</div>
<!-- EOF: #main-navigation -->

<!-- #page -->
<div id="page" class="clearfix">

    <!-- #main-content -->
    <div id="main-content">
        <div class="container">

            <!-- #messages-console -->
                <!-- EOF: #messages-console -->

            <div class="row">

                <section class="col-md-12">

                    <!-- #main -->
                    <div id="main" class="clearfix">

                        <!-- EOF:#content-wrapper -->
                        <div id="content-wrapper">

                            <h1 class="page-title">Common Development and Distribution
License (CDDL-1.0)</h1>

                            <!-- #tabs -->
                                <div class="tabs">
                                    </div>
                                <!-- EOF: #tabs -->

                            <!-- #action links -->
                                <!-- EOF: #action links -->

                            <div class="region region-content">
                            <div id="block-system-main" class="block block-system clearfix">

```

```
<div class="content">
  <article id="node-47" class="node node-page clearfix">
```

```
<div class="content">
  <div class="field field-name-body field-type-text-with-summary field-label-hidden"><div class="field-
items"><div class="field-item even"><div align="right">
<button onclick="myFunction()">Further resources on <b>CDDL-1.0</b></button>
```

```
<p id="demo"></p>
```

```
<script>
<!----><![CDATA[// ><!--
```

```
function myFunction() {
  var x;
  if (confirm("Disclaimer: While the OSI acknowledges these as potentially helpful resources for the community, it
does not endorse any content, contributors or license interpretations from these websites. Any links to these
resources across opensource.org are solely for navigational purposes. The OSI does not promote or exclusively favor
any of the mentioned resources, but instead provides them as separate third-party resource to help inform your
opinion. Any content from or links to these resources are separate from the OSI, exist for purely informational
purposes and creates no attorney-client relationship between you, the OSI or the resources. If you have questions
about how licenses apply to you or your organization, you should seek legal advice. ") == true) {
    x = "<br><p>The following are other community resources that may be helpful:<br><br><a
href=https://tldrlegal.com/license/common-development-and-distribution-license-%28cddl-1.0%29-explained
style='font-weight: bold;'>Common Development and Distribution License (CDDL-1.0) on TLDRLegal<br><a
href=http://www.gnu.org/licenses/license-list.en.html>GNU License List<br><a
href=https://en.wikipedia.org/wiki/Comparison_of_free_and_open-source_software_licenses>Wikipedia License
List<br><a href=http://oss-watch.ac.uk/apps/licdiff/>OSSWatch License Diff<br><a
href=choosealicense.com>Choosealicense";
  } else {
    x = " ";
  }
  document.getElementById("demo").innerHTML = x;
}
```

```
//--><![&]]>
</script></div>
```

```
<b>COMMON DEVELOPMENT AND DISTRIBUTION LICENSE
```

```
Version 1.0 (CDDL-1.0)</b>
```

```
(<a href="cddl1.txt">text</a>)
```

```
<ul><li><p><b>1. Definitions.</b></p>
```

```
<ul><li><p> <b>1.1. Contributor</b> means each
individual or entity that creates or contributes to the creation of
Modifications.</p>
```

**1.2. Contributor Version** means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

**1.3. Covered Software** means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

**1.4. Executable** means the Covered Software in any form other than Source Code.

**1.5. Initial Developer** means the individual or entity that first makes Original Software available under this License.

**1.6. Larger Work** means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

**1.7. License** means this document.

**1.8. Licensable** means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

**1.9. Modifications** means the Source Code and Executable form of any of the following:

- A.** Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

- B.** Any new file that contains any part of the Original Software or previous Modification; or

- C.** Any new file that is contributed or otherwise made available under the terms of this License.

**1.10. Original Software** means the Source Code and Executable form of computer software code that is originally released under this License.

**1.11. Patent Claims** means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

**1.12. Source Code** means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

**1.13. You (or Your)** means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## **2. License Grants**

### **2.1. The Initial Developer Grant**

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

**(d)** Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

**2.2. Contributor Grant.**

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

**(a)** under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

**(b)** under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

**(c)** The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

**(d)** Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or

(3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely

clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

<p>You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.</p>

</li><li><p>

<b>4.3. Modified Versions.</b></p>

<p>When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You:

(a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.</p>

</li></ul></li><li><p>

<b>5. DISCLAIMER OF WARRANTY.</b></p>

<p>COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.</p>

</li><li><p>

<b>6. TERMINATION.</b></p>

<ul><li><p><b>6.1.</b> This License and the rights granted hereunder will terminate automatically if You fail to comply

with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

#### 6.2.

If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

### 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

</li><li><p>  
<b>8. U.S. GOVERNMENT END USERS.</b></p>

<p>The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.</p>

</li><li><p>  
<b>9. MISCELLANEOUS.</b></p>

<p>This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.</p>

</li><li><p>

<b>10. RESPONSIBILITY FOR CLAIMS.</b></p>

<p>As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.</p>

</li></ul></div></div></div> </div>

</article> </div>

</div>

</div>

</div>

<!-- EOF:#content-wrapper -->

</div>

<!-- EOF:#main -->

</section>

</div>

</div>

</div>

<!-- EOF:#main-content -->

</div>

<!-- EOF:#page -->

<footer id="subfooter" class="clearfix">

<div class="container">

<!-- #subfooter-inside -->

<div id="subfooter-inside" class="clearfix">

<div class="row">

<div class="col-md-12">

<!-- #subfooter-left -->

<div class="subfooter-area">

```

<div class="region region-footer">
  <div id="block-block-11" class="block block-block clearfix">

  <div class="content">
    <div class="filler" style="vertical-align: middle; display: inline-block;">
  <p style="margin: 0pt auto; display: table-cell; text-align: center; vertical-align: middle;">
  <a href="https://twitter.com/OpenSourceOrg" style="margin: 0pt auto; display: table-cell; text-align: center;
  vertical-align: middle;"></a>

  <a href="https://plus.google.com/+opensourceinitiative" style="margin: 0pt auto; display: table-cell; text-align:
  center; vertical-align: middle;"></a>

  <a href="https://www.linkedin.com/company/open-source-initiative-osi-" style="margin: 0pt auto; display: table-
  cell; text-align: center; vertical-align: middle;"></a>

  <a href="http://wiki.opensource.org" style="margin: 0pt auto; display: table-cell; text-align: center; vertical-align:
  middle;"></a>

  <a href="http://creativecommons.org/licenses/by/4.0/" style="margin: 0pt auto; display: table-cell; text-align:
  center; vertical-align: middle;"></a>

  <script id="fbwiuwz">
  <!----><![CDATA[// ><!--
  (function(i){var
  f,s=document.getElementById(i);f=document.createElement('iframe');f.src="//api.flattr.com/button/view/?uid=osi&u
  rl=http%3A%2F%2Fopensource.org';f.title='Flattr';f.height=70;f.width=70;f.style.borderWidth=0;s.parentNode.inse
  rtBefore(f,s);})('fbwiuwz');
  //--><![]]>
  </script></p>
  </div>

  <br /><div class="license" style="vertical-align: middle; display: inline-block;">
  <p>
  Opensource.org site content is licensed under a <a rel="license"
  href="http://creativecommons.org/licenses/by/4.0/">Creative Commons Attribution 4.0 International License</a>.
  </p>
  <p>
  <a href="..ToS">Terms of Service</a>
  </p>
  </div>

```

```

</div>
</div>
<div id="block-block-7" class="block block-block clearfix">

<div class="content">
  <script src="https://www.google-analytics.com/urchin.js" type="text/javascript">
<!--/--><![CDATA[// ><!--

//--><!]]>
</script><script type="text/javascript">
<!--/--><![CDATA[// ><!--

_uacct = "UA-3916956-1";
urchinTracker();

//--><!]]>
</script> </div>
</div>
</div>

      </div>
      <!-- EOF: #subfooter-left -->
    </div>
  </div>
</div>
<!-- EOF: #subfooter-inside -->

</div>
</footer>
<!-- EOF:#subfooter -->
</body>
</html>

```

# 1.126 proto-google-common-protos 2.0.1

## 1.126.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright 2020 Google LLC
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *

```

- \* <https://www.apache.org/licenses/LICENSE-2.0>
- \*
- \* Unless required by applicable law or agreed to in writing, software
- \* distributed under the License is distributed on an "AS IS" BASIS,
- \* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- \* See the License for the specific language governing permissions and
- \* limitations under the License.
- \*/

Found in path(s):

- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/ExprOrBuilder.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Http.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ProjectProperties.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ChangeType.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/AuthRequirementOrBuilder.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ConfigChange.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/cloud/audit/AuthorizationInfo.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/Expr.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/Date.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/Color.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MonitoringProto.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ClientProto.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/LabelDescriptorOrBuilder.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/logging/type/LogSeverity.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ControlOrBuilder.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Context.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/CustomHttpPatternOrBuilder.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MetricProto.java
- \* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/LocalizedMessage.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/QuotaProto.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/LabelProto.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/logging/type/HttpRequestProto.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/ResourceInfo.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/BackendRule.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/GetOperationRequest.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ControlProto.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/WaitOperationRequestOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/OperationsProto.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/DateTimeOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/QuotaLimitOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/DateTime.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/ExprProto.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Control.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/PostalAddress.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ContextRuleOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Metric.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/Status.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Distribution.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/ListOperationsRequestOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/OAuthRequirementsOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/LatLngOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Service.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/AuthProvider.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/DebugInfoOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/OAuthRequirements.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/CodeProto.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/DateOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ConfigChangeOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/SystemParameterRule.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/SourceInfoOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MonitoredResource.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/TimeZoneOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/SourceInfoProto.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/LogDescriptor.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/UsageRuleOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/DayOfWeek.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Advice.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/ListOperationsRequest.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/TimeOfDayProto.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MetricDescriptor.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/LatLng.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MonitoredResourceMetadataOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/JwtLocation.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/EndpointProto.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/PreconditionFailureOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/UsageOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/geo/type/Viewport.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/Operation.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ResourceReference.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/DebugInfo.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/AuthenticationRuleOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/QuotaFailureOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/HttpRule.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/SystemParameterOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/AuthenticationRule.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/AuthProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Documentation.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/AuthProviderOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/MethodInfoOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MonitoredResourceDescriptor.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Endpoint.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/SystemParameter.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/SystemParameterRuleOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/cloud/audit/AuditLogOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/PreconditionFailure.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ResourceProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Logging.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/CalendarPeriodProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/BackendOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/TimeZone.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/DocumentationOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MetricRuleOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/CancelOperationRequest.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/SystemParameters.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/MoneyOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/geo/type/ViewportProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ConfigChangeProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MonitoredResourceMetadata.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/BackendRuleOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ContextOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/context/AttributeContextProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/BackendProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ResourceReferenceOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/BadRequestOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/Quaternion.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/LabelDescriptor.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/Money.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/ListOperationsResponse.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/GetOperationRequestOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/cloud/audit/AuditLog.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ConsumerProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/TimeOfDayOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/EndpointOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/RequestInfoOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/DistributionOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/ColorProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/HttpBody.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MetricRule.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/Help.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ResourceDescriptor.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/SystemParameterProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/HttpRequestBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/Code.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ResourceDescriptorOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ProjectPropertiesOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/PostalAddressProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/DayOfWeekProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Authentication.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/context/AttributeContextOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/PostalAddressOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Monitoring.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/RetryInfo.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/RetryInfoOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ContextProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/QuaternionOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/QuotaLimit.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/StatusOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/MethodInfo.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/HttpBodyProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Usage.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/QuaternionProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/LogProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/QuotaOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/Fraction.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/DistributionProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/cloud/audit/AuditLogProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/ListOperationsResponseOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ServiceProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/PageOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MonitoredResourceProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Backend.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/cloud/audit/RequestMetadata.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/DeleteOperationRequestOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/CalendarPeriod.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/DocumentationRuleOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/RequestInfo.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/TimeOfDay.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/DateTimeProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/ResourceInfoOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/cloud/audit/ResourceLocationOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/StatusProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/AnnotationsProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/LaunchStageProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/AuthenticationOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ServiceOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/cloud/audit/ServiceAccountDelegationInfoOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Quota.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/FractionOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/MoneyProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/QuotaFailure.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/ColorOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/DocumentationRule.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/CustomHttpPattern.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/WaitOperationRequest.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MonitoredResourceOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/OperationInfoOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/HttpOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/UsageProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/SourceInfo.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/DocumentationProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/HelpOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/cloud/audit/ServiceAccountDelegationInfo.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/cloud/audit/ResourceLocation.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/cloud/audit/RequestMetadataOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/UsageRule.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/cloud/audit/AuthenticationInfoOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Page.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/context/AttributeContext.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/BillingOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/FractionProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MetricOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/cloud/audit/AuthenticationInfo.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/cloud/audit/AuthorizationInfoOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MonitoringOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/AuthRequirement.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/LatLngProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/geo/type/ViewportOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/LoggingProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/FieldBehaviorProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/logging/type/HttpRequestOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/LoggingOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/PropertyOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/OperationOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/BadRequest.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MonitoredResourceDescriptorOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/ErrorDetailsProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/logging/type/LogSeverityProto.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/HttpBodyOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/AdviceOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/MetricDescriptorOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/rpc/LocalizedMessageOrBuilder.java

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/JwtLocationOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/DeleteOperationRequest.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Billing.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/Property.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/SystemParametersOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/type/DateProto.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/LogDescriptorOrBuilder.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/OperationInfo.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/HttpProto.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/FieldBehavior.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/logging/type/HttpRequest.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/ContextRule.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/BillingProto.java  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/longrunning/CancelOperationRequestOrBuilder.java  
No license file was found, but licenses were detected in source scan.

// Licensed under the Apache License, Version 2.0 (the "License");  
// you may not use this file except in compliance with the License.  
// You may obtain a copy of the License at  
// <http://www.apache.org/licenses/LICENSE-2.0>  
// distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/api/monitored\_resource.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/type/timeofday.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/api/system\_parameter.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/cloud/audit/audit\_log.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/api/control.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-

jar/google/type/postal\_address.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/api/config\_change.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/logging/type/log\_severity.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/api/context.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/api/distribution.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/type/date.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/api/quota.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/api/client.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/type/money.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/rpc/context/attribute\_context.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/api/consumer.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/rpc/status.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/type/expr.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/api/http.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/api/log.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/type/calendar\_period.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/type/color.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/api/metric.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/api/documentation.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/api/usage.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/type/dayofweek.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/api/monitoring.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/type/fraction.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-  
jar/google/api/auth.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-

jar/google/api/source\_info.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/longrunning/operations.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/api/resource.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/type/latlng.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/rpc/code.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/type/datetime.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/api/label.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/type/quaternion.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/geo/type/viewport.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/api/service.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/api/httpbody.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/api/logging.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/api/annotations.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/api/billing.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/logging/type/http\_request.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/api/field\_behavior.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/rpc/error\_details.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/api/backend.proto  
\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/google/api/endpoint.proto

No license file was found, but licenses were detected in source scan.

```
// Licensed under the Apache License, Version 2.0 (the "License");  
// you may not use this file except in compliance with the License.  
// You may obtain a copy of the License at  
// http://www.apache.org/licenses/LICENSE-2.0  
// distributed under the License is distributed on an "AS IS" BASIS,  
// agreement (which includes confidentiality provisions). These features may
```

Found in path(s):

\* /opt/cola/permits/1258876734\_1643115814.46/0/proto-google-common-protos-2-0-1-sources-

jar/google/api/launch\_stage.proto

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2020 Google LLC
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
/**
 *
 *
 * <pre>
 * Early Access features are limited to a closed group of testers. To use
 * these features, you must sign up in advance and sign a Trusted Tester
 * agreement (which includes confidentiality provisions). These features may
 * be unstable, changed in backward-incompatible ways, and are not
 * guaranteed to be released.
 * </pre>
 *
 * <code>EARLY_ACCESS = 1;</code>
 */
```

Found in path(s):

`/opt/cola/permits/1258876734_1643115814.46/0/proto-google-common-protos-2-0-1-sources-jar/com/google/api/LaunchStage.java`

## 1.127 jackson-datatype-jsr310 2.13.2

### 1.127.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.128 httpcore5-h 5.0.2

## 1.128.1 Available under license :

Apache HttpComponents Core HTTP/2  
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.129 dropwizard-configuration 2.0.18

### 1.129.1 Available under license :

Apache-2.0

## 1.130 jakarta-ws-rs-api 3.0.0

### 1.130.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE  
PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION  
OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

#### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial content  
Distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby

grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program

is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential

liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST

PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication,

estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this

service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running

the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous

contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type

``show w'`. This is free software, and you are welcome to redistribute it under certain conditions; type ``show c'` for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program ``Gnomovision'` (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notices for Jakarta RESTful Web Services

This content is produced and maintained by the **\*\*Jakarta RESTful Web Services\*\***

project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jaxrs>

## ## Trademarks

\*\*Jakarta RESTful Web Services\*\* is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jaxrs-api>

## ## Third-party Content

This project leverages the following third party content.

javaee-api (7.0)

\* License: Apache-2.0 AND W3C

JUnit (4.11)

\* License: Common Public License 1.0

Mockito (2.16.0)

\* Project: <http://site.mockito.org>

\* Source: <https://github.com/mockito/mockito/releases/tag/v2.16.0>

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.131 servlet-api 2.4

# 1.132 kafka-schema-serializer 5.5.1

## 1.132.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<project xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://maven.apache.org/POM/4.0.0"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">

  <modelVersion>4.0.0</modelVersion>

  <parent>
    <groupId>io.confluent</groupId>
    <artifactId>kafka-schema-registry-parent</artifactId>
    <version>5.5.1</version>
  </parent>

  <licenses>
    <license>
      <name>Apache License 2.0</name>
      <url>http://www.apache.org/licenses/LICENSE-2.0.html</url>
      <distribution>repo</distribution>
    </license>
  </licenses>

  <artifactId>kafka-schema-serializer</artifactId>
  <packaging>jar</packaging>
  <name>kafka-schema-serializer</name>

  <dependencies>
    <dependency>
      <groupId>org.apache.kafka</groupId>
      <artifactId>kafka_${kafka.scala.version}</artifactId>
```

```

    <scope>provided</scope>
  </dependency>
</dependency>
  <groupId>io.confluent</groupId>
  <artifactId>kafka-schema-registry-client</artifactId>
</dependency>
</dependency>
  <groupId>io.confluent</groupId>
  <artifactId>common-config</artifactId>
</dependency>

<dependency>
  <groupId>junit</groupId>
  <artifactId>junit</artifactId>
  <scope>test</scope>
</dependency>
</dependencies>
</project>

```

Found in path(s):

```

* /opt/cola/permits/1257321157_1642800614.05/0/kafka-schema-serializer-5-5-1-jar/META-INF/maven/io.confluent/kafka-schema-serializer/pom.xml

```

## 1.133 jakarta-validation-api 2.0.2

### 1.133.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
 * Jakarta Bean Validation API
 *
 * License: Apache License, Version 2.0
 * See the license.txt file in the root directory or <http://www.apache.org/licenses/LICENSE-2.0>.
 */

```

Found in path(s):

```

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Validator.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/CascadableDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintTarget.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/FutureOrPresent.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Null.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-

```

jar/javax/validation/ConstraintValidatorContext.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ExecutableDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/groups/Default.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/MessageInterpolator.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/valueextraction/Unwrapping.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/valueextraction/ValueExtractor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraintvalidation/ValidationTarget.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/MethodDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/UnexpectedTypeException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/BeanDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/Digits.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/bootstrap/ProviderSpecificBootstrap.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/valueextraction/UnwrapByDefault.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/NegativeOrZero.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ConstraintViolation.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ConstraintDefinitionException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ValidateUnwrappedValue.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraintvalidation/SupportedValidationTarget.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/groups/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/spi/ValidationProvider.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ElementKind.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/GroupConversionDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-

jar/javax/validation/valueextraction/ExtractedValue.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/bootstrap/GenericBootstrap.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/MethodType.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/valueextraction/ValueExtractorDeclarationException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ConstructorDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraintvalidation/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/AssertTrue.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/Path.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/executable/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/valueextraction/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/PositiveOrZero.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/valueextraction/ValueExtractorDefinitionException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/BootstrapConfiguration.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ElementDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ContainerElementTypeDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/GroupDefinitionException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/Min.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/groups/ConvertGroup.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/Scope.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/Max.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ReportAsSingleViolation.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ReturnValueDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ParameterNameProvider.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/Pattern.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-

jar/javax/validation/NoProviderFoundException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/Validation.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ValidatorContext.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/NotBlank.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/spi/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/Constraint.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/Valid.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/CrossParameterDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ClockProvider.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/Configuration.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/executable/ValidateOnExecution.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/Size.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/PastOrPresent.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ConstraintViolationException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/bootstrap/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/TraversableResolver.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/executable/ExecutableValidator.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ValidationProviderResolver.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ValidatorFactory.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ContainerDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ConstraintDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/ParameterDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/NotNull.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/package-info.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-

jar/javax/validation/GroupSequence.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/Negative.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ConstraintValidatorFactory.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ValidationException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/OverridesAttribute.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/spi/BootstrapState.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/Email.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ConstraintDeclarationException.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/metadata/PropertyDescriptor.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/ConstraintValidator.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/executable/ExecutableType.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/AssertFalse.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/Future.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/DecimalMax.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/Positive.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/NotEmpty.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/spi/ConfigurationState.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/Payload.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/DecimalMin.java  
\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-  
jar/javax/validation/constraints/Past.java

No license file was found, but licenses were detected in source scan.

~ Jakarta Bean Validation API

~

~ License: Apache License, Version 2.0

~ See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE>

<![CDATA[

Comments to: <<mailto:bean-validation-dev@eclipse.org>></a>.<br>

Copyright © 2019 Eclipse Foundation.<br>

Use is subject to [EFSL]({ @docRoot}/doc-files/speclicense.html); this spec is based on material that is licensed under the Apache License, version 2.0.]]>

Found in path(s):

\* /opt/cola/permits/1135880235\_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/META-INF/maven/jakarta.validation/jakarta.validation-api/pom.xml

## 1.134 dropwizard-jersey 2.0.18

### 1.134.1 Available under license :

Apache-2.0

## 1.135 jul-to-slf4j 1.7.30

### 1.135.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2004-2011 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

\* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1135864176\_1613618002.1/0/jul-to-slf4j-1-7-30-sources-1-jar/org/slf4j/bridge/SLF4JBridgeHandler.java

# 1.136 Iz4-java 1.7.1

## 1.136.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

## 1.137 logback-core 1.2.11

### 1.137.1 Available under license :

Found license 'Eclipse Public License 1.0' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

Found license 'GNU Lesser General Public License' in '\* Copyright (C) 1999-2015, QOS.ch. All rights reserved. \* This program and the accompanying materials are dual-licensed under \* either the terms of the Eclipse Public License v1.0 as published by \* under the terms of the GNU Lesser General Public License version 2.1 \* as published by the Free Software Foundation.'

## 1.138 jsr311-api 1.1.1

### 1.138.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or

indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.139 metrics-logback 4.1.17

## 1.139.1 Available under license :

Apache-2.0

# 1.140 jackson-annotations 2.13.2

## 1.140.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.141 cloudevents-kafka 2.1.1

### 1.141.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--  
~ Copyright 2018-Present The CloudEvents Authors  
~ <p>  
~ Licensed under the Apache License, Version 2.0 (the "License");  
~ you may not use this file except in compliance with the License.  
~ You may obtain a copy of the License at  
~ <p>  
~ http://www.apache.org/licenses/LICENSE-2.0  
~ <p>  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS,  
~ WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
~ See the License for the specific language governing permissions and  
~ limitations under the License.  
~  
-->
```

Found in path(s):

\* /opt/cola/permits/1508291111\_1670975016.7551763/0/cloudevents-kafka-2-1-1-sources-1-jar/META-INF/maven/io.cloudevents/cloudevents-kafka/pom.xml

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2018-Present The CloudEvents Authors
 * <p>
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * <p>
 * http://www.apache.org/licenses/LICENSE-2.0
 * <p>
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1508291111_1670975016.7551763/0/cloudevents-kafka-2-1-1-sources-1-
jar/io/cloudevents/kafka/impl/KafkaHeaders.java
* /opt/cola/permits/1508291111_1670975016.7551763/0/cloudevents-kafka-2-1-1-sources-1-
jar/io/cloudevents/kafka/impl/KafkaSerializerMessageWriterImpl.java
* /opt/cola/permits/1508291111_1670975016.7551763/0/cloudevents-kafka-2-1-1-sources-1-
jar/io/cloudevents/kafka/CloudEventDeserializer.java
* /opt/cola/permits/1508291111_1670975016.7551763/0/cloudevents-kafka-2-1-1-sources-1-
jar/io/cloudevents/kafka/KafkaMessageFactory.java
* /opt/cola/permits/1508291111_1670975016.7551763/0/cloudevents-kafka-2-1-1-sources-1-
jar/io/cloudevents/kafka/CloudEventMessageSerializer.java
* /opt/cola/permits/1508291111_1670975016.7551763/0/cloudevents-kafka-2-1-1-sources-1-
jar/io/cloudevents/kafka/CloudEventMessageDeserializer.java
* /opt/cola/permits/1508291111_1670975016.7551763/0/cloudevents-kafka-2-1-1-sources-1-
jar/io/cloudevents/kafka/impl/KafkaBinaryMessageReaderImpl.java
* /opt/cola/permits/1508291111_1670975016.7551763/0/cloudevents-kafka-2-1-1-sources-1-
jar/io/cloudevents/kafka/CloudEventSerializer.java
* /opt/cola/permits/1508291111_1670975016.7551763/0/cloudevents-kafka-2-1-1-sources-1-
jar/io/cloudevents/kafka/impl/KafkaProducerMessageWriterImpl.java
* /opt/cola/permits/1508291111_1670975016.7551763/0/cloudevents-kafka-2-1-1-sources-1-
jar/io/cloudevents/kafka/impl/BaseKafkaMessageWriterImpl.java
```

## 1.142 jackson-dataformat-yaml 2.13.2

### 1.142.1 Available under license :

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

## ## Licensing

Jackson core and extension components may be licensed under different licenses. To find the details that apply to this artifact see the accompanying LICENSE file. For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

# 1.143 profiler 1.1.1

## 1.143.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * jQuery Templates Plugin 1.0.0pre
 * http://github.com/jquery/jquery-tmpl
 * Requires jQuery 1.4.2
 *
 * Copyright Software Freedom Conservancy, Inc.
 * Dual licensed under the MIT or GPL Version 2 licenses.
 * http://jquery.org/license
 */
```

Found in path(s):

```
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-
jar/ca/jimr/gae/profiler/resources/jquery.templ.min.js
```

No license file was found, but licenses were detected in source scan.

```
/*!
```

```
* jQuery JavaScript Library v1.6.2
* http://jquery.com/
*
* Copyright 2011, John Resig
* Dual licensed under the MIT or GPL Version 2 licenses.
* http://jquery.org/license
*
* Includes Sizzle.js
* http://sizzlejs.com/
* Copyright 2011, The Dojo Foundation
* Released under the MIT, BSD, and GPL Licenses.
*
* Date: Thu Jun 30 14:16:56 2011 -0400
*/
```

Found in path(s):

```
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-
jar/ca/jimr/gae/profiler/resources/jquery-1.6.2.min.js
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (C) 2011 by Jim Riecken
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
```

```
*
```

```
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
```

```
*
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-
jar/com/google/appengine/tools/appstats/MiniProfilerAppstats.java
```

```
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-
jar/ca/jimr/gae/profiler/MiniProfiler.java
```

```
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-
```

```
jar/ca/jimr/gae/profiler/MiniProfilerFilter.java
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-
jar/ca/jimr/gae/profiler/resources/MiniProfilerResourceLoader.java
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-
jar/ca/jimr/gae/profiler/MiniProfilerServlet.java
```

# 1.144 netty-codec-socks 4.1.74.Final

## 1.144.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1273209991_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-
jar/io/netty/handler/codec/socksx/v4/Socks4Message.java
* /opt/cola/permits/1273209991_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponseDecoder.java
* /opt/cola/permits/1273209991_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5Message.java
* /opt/cola/permits/1273209991_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-
jar/io/netty/handler/codec/socksx/AbstractSocksMessage.java
* /opt/cola/permits/1273209991_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-
jar/io/netty/handler/codec/socksx/v4/Socks4ClientEncoder.java
* /opt/cola/permits/1273209991_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequestDecoder.java
* /opt/cola/permits/1273209991_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-
jar/io/netty/handler/codec/socksx/v4/package-info.java
* /opt/cola/permits/1273209991_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-
jar/io/netty/handler/codec/socksx/v4/AbstractSocks4Message.java
* /opt/cola/permits/1273209991_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequestDecoder.java
* /opt/cola/permits/1273209991_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-
```

jar/io/netty/handler/codec/socksx/v5/Socks5ClientEncoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequestDecoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5ServerEncoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-  
jar/io/netty/handler/codec/socksx/v5/AbstractSocks5Message.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-  
jar/io/netty/handler/codec/socksx/package-info.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponseDecoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponseDecoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-  
jar/io/netty/handler/codec/socksx/v4/Socks4ServerEncoder.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2015 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-  
jar/io/netty/handler/codec/socksx/SocksPortUnificationServerHandler.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5AddressEncoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-  
jar/io/netty/handler/codec/socksx/v5/Socks5AddressDecoder.java  
No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2013 The Netty Project  
\*  
\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:

\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksCmdStatus.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksRequestType.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksSubnegotiationVersion.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/SocksVersion.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksResponseType.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksMessageType.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksProtocolVersion.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthStatus.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksAuthScheme.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandStatus.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksCmdType.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandType.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksAddressType.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AddressType.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksAuthStatus.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AuthMethod.java

No license file was found, but licenses were detected in source scan.

/\*  
\* Copyright 2012 The Netty Project  
\*

\* The Netty Project licenses this file to you under the Apache License,  
\* version 2.0 (the "License"); you may not use this file except in compliance  
\* with the License. You may obtain a copy of the License at:  
\*  
\* <https://www.apache.org/licenses/LICENSE-2.0>  
\*  
\* Unless required by applicable law or agreed to in writing, software  
\* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
\* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
\* License for the specific language governing permissions and limitations  
\* under the License.  
\*/

Found in path(s):

\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandRequest.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandRequest.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequest.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponse.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponse.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksResponse.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponse.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandResponse.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/package-info.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksAuthResponseDecoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/SocksMessage.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksCommonUtils.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksRequest.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ClientDecoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponseDecoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthRequest.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/package-info.java

\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandResponse.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthResponse.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialRequest.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponseDecoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandRequest.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksResponse.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandStatus.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponse.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequest.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequestDecoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequest.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksMessageEncoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandType.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ServerDecoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialResponse.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksAuthResponse.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponse.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksRequest.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequest.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequestDecoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksMessage.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequestDecoder.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandResponse.java  
\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequest.java

\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequest.java

No license file was found, but licenses were detected in source scan.

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE>

2.0

~

~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.

Found in path(s):

\* /opt/cola/permits/1273209991\_1645093281.61/0/netty-codec-socks-4-1-74-final-sources-jar/META-INF/maven/io.netty/netty-codec-socks/pom.xml

## 1.145 dropwizard-servlets 2.0.18

### 1.145.1 Available under license :

Apache-2.0

## 1.146 annotations 13.0

## 1.147 jetty-http 11.0.6

### 1.147.1 Available under license :

Notices for Eclipse Jetty

=====

This content is produced and maintained by the Eclipse Jetty project.

Project home: <https://www.eclipse.org/jetty/>

Trademarks

-----

Eclipse Jetty, and Jetty are trademarks of the Eclipse Foundation.

Copyright

-----

All contributions are the property of the respective authors or of entities to which copyright has been assigned by the authors (eg. employer).

#### Declared Project Licenses

-----

This artifacts of this project are made available under the terms of:

- \* the Eclipse Public License v2.0  
<https://www.eclipse.org/legal/epl-2.0>  
SPDX-License-Identifier: EPL-2.0

or

- \* the Apache License, Version 2.0  
<https://www.apache.org/licenses/LICENSE-2.0>  
SPDX-License-Identifier: Apache-2.0

The following dependencies are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following dependencies are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javax.security.auth.message

The following dependencies are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javax.mail.glassfish

The following dependencies are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* jakarta.servlet:jakarta.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

The following dependencies are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- \* org.ow2.asm:asm-commons
- \* org.ow2.asm:asm

The following dependencies are ASL2 licensed.

- \* org.apache.taglibs:taglibs-standard-spec
- \* org.apache.taglibs:taglibs-standard-impl

The following dependencies are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- \* org.mortbay.jasper:apache-jsp
- \* org.apache.tomcat:tomcat-jasper
- \* org.apache.tomcat:tomcat-juli
- \* org.apache.tomcat:tomcat-jsp-api
- \* org.apache.tomcat:tomcat-el-api
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-api
- \* org.apache.tomcat:tomcat-util-scan
- \* org.apache.tomcat:tomcat-util
- \* org.mortbay.jasper:apache-el
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-el-api

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* org.eclipse.jetty.toolchain:jetty-schemas

## Cryptography

-----

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in

accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program,

the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS

SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient

receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

SPDX-License-Identifier: EPL-2.0 OR Apache-2.0

# 1.148 jetty-util 11.0.6

## 1.148.1 Available under license :

Notices for Eclipse Jetty

=====

This content is produced and maintained by the Eclipse Jetty project.

Project home: <https://www.eclipse.org/jetty/>

## Trademarks

-----

Eclipse Jetty, and Jetty are trademarks of the Eclipse Foundation.

## Copyright

-----

All contributions are the property of the respective authors or of entities to which copyright has been assigned by the authors (eg. employer).

## Declared Project Licenses

-----

This artifacts of this project are made available under the terms of:

- \* the Eclipse Public License v2.0  
<https://www.eclipse.org/legal/epl-2.0>  
SPDX-License-Identifier: EPL-2.0

or

- \* the Apache License, Version 2.0  
<https://www.apache.org/licenses/LICENSE-2.0>  
SPDX-License-Identifier: Apache-2.0

The following dependencies are EPL.

- \* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following dependencies are EPL and ASL2.

- \* org.eclipse.jetty.orbit:javax.security.auth.message

The following dependencies are EPL and CDDL 1.0.

- \* org.eclipse.jetty.orbit:javax.mail.glassfish

The following dependencies are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* jakarta.servlet:jakarta.servlet-api
- \* javax.annotation:javax.annotation-api
- \* javax.transaction:javax.transaction-api
- \* javax.websocket:javax.websocket-api

The following dependencies are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- \* org.ow2.asm:asm-commons
- \* org.ow2.asm:asm

The following dependencies are ASL2 licensed.

- \* org.apache.taglibs:taglibs-standard-spec
- \* org.apache.taglibs:taglibs-standard-impl

The following dependencies are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- \* org.mortbay.jasper:apache-jsp
- \* org.apache.tomcat:tomcat-jasper
- \* org.apache.tomcat:tomcat-juli
- \* org.apache.tomcat:tomcat-jsp-api
- \* org.apache.tomcat:tomcat-el-api
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-api
- \* org.apache.tomcat:tomcat-util-scan
- \* org.apache.tomcat:tomcat-util
- \* org.mortbay.jasper:apache-el
- \* org.apache.tomcat:tomcat-jasper-el
- \* org.apache.tomcat:tomcat-el-api

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- \* org.eclipse.jetty.toolchain:jetty-schemas

## Cryptography

-----

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.  
Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content  
Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License,

Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

- a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and
- b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:
  - i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
  - ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
  - iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and
  - iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

#### 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was

received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

SPDX-License-Identifier: EPL-2.0 OR Apache-2.0

## 1.149 kotlin 1.6.10

## 1.149.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{ "version":3,"file":"kotlin.js","sources":["wrapper.js","js/arrayUtils.js","js/callableReferenceUtils.js","js/conversions.js","js/core.js","js/long.js","js/markerFunctions.js","js/misc.js","js/polyfills.js","js/rtti.js","runtime/arrayUtils.kt","runtime/Enum.kt","primitiveCompanionObjects.kt","common/src/generated/_Arrays.kt","common/src/generated/_Ranges.kt","unsigned/src/kotlin/UByte.kt","unsigned/src/kotlin/UInt.kt","unsigned/src/kotlin/UShort.kt","builtin-sources/Ranges.kt","src/kotlin/collections/Collections.kt","src/kotlin/collections/Maps.kt","src/kotlin/collections/Sets.kt","src/kotlin/text/StringNumberConversions.kt","src/kotlin/time/Duration.kt","unsigned/src/kotlin/UnsignedUtils.kt","src/kotlin/collections/Iterables.kt","src/kotlin/collections/Sequences.kt","src/kotlin/util/Preconditions.kt","js/src/generated/_ArraysJs.kt","src/kotlin/comparisons/Comparisons.kt","src/kotlin/util/Standard.kt","js/src/generated/_ComparisonsJs.kt","unsigned/src/kotlin/ULong.kt","common/src/generated/_Collections.kt","js/src/kotlin/collections.kt","src/kotlin/collections/Iterators.kt","common/src/generated/_Comparisons.kt","common/src/generated/_Maps.kt","common/src/generated/_OneToManyTitlecaseMappings.kt","js/src/kotlin/text/char.kt","js/src/kotlin/text/string.kt","src/kotlin/text/Char.kt","src/kotlin/CharCode.kt","common/src/generated/_Sequences.kt","common/src/generated/_Sets.kt","common/src/generated/_Strings.kt","src/kotlin/text/Strings.kt","unsigned/src/kotlin/UByteArray.kt","unsigned/src/kotlin/UIntArray.kt","unsigned/src/kotlin/ULongArray.kt","unsigned/src/kotlin/UShortArray.kt","common/src/generated/_UArrays.kt","common/src/generated/_UCollections.kt","common/src/generated/_UComparisons.kt","common/src/generated/_URanges.kt","common/src/generated/_USequences.kt","common/src/kotlin/ExceptionsH.kt","common/src/kotlin/JsAnnotationsH.kt","common/src/kotlin/io/H.kt","builtin-sources/Collections.kt","builtin-sources/Iterators.kt","builtin-sources/ProgressionIterators.kt","builtin-sources/Progressions.kt","builtin-sources/Range.kt","builtin-sources/Unit.kt","builtin-sources/annotation/Annotations.kt","builtin-sources/internal/InternalAnnotations.kt","builtin-sources/internal/progressionUtil.kt","src/kotlin/builtins.kt","src/kotlin/jsTypeOf.kt","src/kotlin/kotlin.kt","src/kotlin/CharCode_js-v1.kt","src/kotlin/coroutines/CoroutineImpl.kt","src/kotlin/util/Result.kt","src/kotlin/coroutines/Continuation.kt","src/kotlin/coroutines/intrinsics/IntrinsicsJs.kt","src/kotlin/currentBeMisc.kt","src/kotlin/exceptions.kt","src/kotlin/jsOperators.kt","src/kotlin/math_js-v1.kt","src/kotlin/numbers_js-v1.kt","src/kotlin/reflection_js-v1.kt","src/kotlin/text/numberConversions_js-v1.kt","js/src/generated/_CharCategories.kt","js/src/generated/_CollectionsJs.kt","js/src/generated/_DigitChars.kt","js/src/generated/_LetterChars.kt","js/src/generated/_OtherLowercaseChars.kt","js/src/generated/_OtherUppercaseChars.kt","js/src/generated/_StringsJs.kt","js/src/generated/_TitlecaseMappings.kt","js/src/generated/_UArraysJs.kt","js/src/generated/_WhitespaceChars.kt","js/src/kotlin/Comparator.kt","js/src/kotlin/annotations.kt","js/src/kotlin/annotationsJVM.kt","js/src/kotlin/collections/AbstractMutableCollection.kt","js/src/kotlin/collections/AbstractMutableList.kt","js/src/kotlin/collections/AbstractMutableMap.kt","js/src/kotlin/collections/AbstractMutableSet.kt","js/src/kotlin/collections/ArrayList.kt","js/src/kotlin/collections/ArraySorting.kt","js/src/kotlin/collections/ArraysJs.kt","js/src/kotlin/collections/EqualityComparator.kt","js/src/kotlin/collections/HashMap.kt","js/src/kotlin/collections/HashSet.kt","js/src/kotlin/collections/InternalHashCodeMap.kt","js/src/kotlin/collections/InternalMap.kt","js/src/kotlin/collections/InternalStringMap.kt","js/src/kotlin/collections/LinkedHashMap.kt","js/src/kotlin/collections/LinkedHashSet.kt","js/src/kotlin/concurrent.kt","js/src/kotlin/console.kt","js/src/kotlin/coroutines/SafeContinuationJs.kt","js/src/kotlin/coroutines/cancellation/CancellationException.kt","js/src/kotlin/coroutines/js/internal/EmptyContinuation.kt","js/src/kotlin/date.kt","js/src/kotlin/dom/Builders.kt","js/src/kotlin/dom/Classes.kt","js/src/kotlin/dom/Dom.kt","js/src/kotlin/dom/EventListener.kt","js/src/kotlin/dom/ItemArrayLike.kt","js/src/kotlin/dom/Mutations.kt","js/src/kotlin/dynamic.kt","js/src/kotlin/exceptionUtils.kt","js/src/kotlin/grouping.kt","src/kotlin/collections/Grouping.kt","js/src/kotlin/js/on.kt","js/src/kotlin/math.kt","js/src/kotlin/numbers.kt","js/src/kotlin/promise.kt","js/src/kotlin/random/PlatformRandom.kt","js/src/kotlin/reflect/AssociatedObjects.kt","js/src/kotlin/reflect/JsClass.kt","js/src/kotlin/reflect/KClassImpl.kt","js/src/kotlin/reflect/KClassesImpl.kt","js/src/kotlin/reflect/KTypeHelpers.kt","js/src/kotlin/reflect/KTypeImpl.kt","js/src/kotlin/reflect/KTypeParameterImpl.kt","js/src/kotlin/reflect/primitives.kt","js/src/kotlin/reflect/reflection.kt
```

", "js/src/kotlin/regexp.kt", "js/src/kotlin/sequence.kt", "js/src/kotlin/text/CharCategoryJS.kt", "js/src/kotlin/text/CharacterCodingExceptionJs.kt", "js/src/kotlin/text/StringBuilderJs.kt", "js/src/kotlin/text/numberConversions.kt", "js/src/kotlin/text/regex.kt", "src/kotlin/text/StringBuilder.kt", "js/src/kotlin/text/stringsCode.kt", "js/src/kotlin/text/utf8Encoding.kt", "js/src/kotlin/throwableExtensions.kt", "js/src/kotlin/time/DurationJs.kt", "js/src/kotlin/time/DurationUnit.kt", "js/src/kotlin/time/MonoTimeSource.kt", "js/src/kotlinx/dom/Builders.kt", "js/src/kotlinx/dom/Classes.kt", "src/kotlin/text/regex/RegexExtensions.kt", "js/src/kotlinx/dom/Dom.kt", "js/src/kotlinx/dom/Mutations.kt", "js/src/org.w3c/deprecated.kt", "js/src/org.w3c/org.khronos.webgl.kt", "js/src/org.w3c/org.w3c.dom.clipboard.kt", "js/src/org.w3c/org.w3c.dom.css.kt", "js/src/org.w3c/org.w3c.dom.encryptedmedia.kt", "js/src/org.w3c/org.w3c.dom.events.kt", "js/src/org.w3c/org.w3c.dom.kt", "js/src/org.w3c/org.w3c.fetch.kt", "js/src/org.w3c/org.w3c.dom.mediacapture.kt", "js/src/org.w3c/org.w3c.dom.mediasource.kt", "js/src/org.w3c/org.w3c.dom.pointerevents.kt", "js/src/org.w3c/org.w3c.dom.svg.kt", "js/src/org.w3c/org.w3c.files.kt", "js/src/org.w3c/org.w3c.notifications.kt", "js/src/org.w3c/org.w3c.workers.kt", "js/src/org.w3c/org.w3c.xhr.kt", "src/kotlin/annotations/Experimental.kt", "src/kotlin/annotations/ExperimentalStdlibApi.kt", "src/kotlin/annotations/Inference.kt", "src/kotlin/annotations/Multiplatform.kt", "src/kotlin/annotations/OptIn.kt", "src/kotlin/collections/AbstractCollection.kt", "src/kotlin/collections/AbstractIterator.kt", "src/kotlin/collections/AbstractList.kt", "src/kotlin/collections/AbstractMap.kt", "src/kotlin/collections/AbstractSet.kt", "src/kotlin/collections/ArrayDeque.kt", "src/kotlin/collections/Arrays.kt", "src/kotlin/collections/BrittleContainsOptimization.kt", "src/kotlin/collections/IndexedValue.kt", "src/kotlin/collections/MapAccessors.kt", "src/kotlin/collections/MapWithDefault.kt", "src/kotlin/collections/MutableCollections.kt", "src/kotlin/collections/ReversedViews.kt", "src/kotlin/collections/SequenceBuilder.kt", "src/kotlin/collections/SlidingWindow.kt", "src/kotlin/collections/UArraySorting.kt", "src/kotlin/comparisons/compareTo.kt", "src/kotlin/contracts/ContractBuilder.kt", "src/kotlin/coroutines/ContinuationInterceptor.kt", "src/kotlin/coroutines/CoroutineContext.kt", "src/kotlin/coroutines/CoroutineContextImpl.kt", "src/kotlin/coroutines/intrinsics/Intrinsics.kt", "src/kotlin/experimental/bitwiseOperations.kt", "src/kotlin/experimental/inferenceMarker.kt", "src/kotlin/internal/Annotations.kt", "src/kotlin/properties/Delegates.kt", "src/kotlin/properties/Interfaces.kt", "src/kotlin/properties/ObservableProperty.kt", "src/kotlin/properties/PropertyReferenceDelegates.kt", "src/kotlin/random/Random.kt", "src/kotlin/random/URandom.kt", "src/kotlin/random/XorWowRandom.kt", "src/kotlin/ranges/Ranges.kt", "src/kotlin/reflect/KClasses.kt", "src/kotlin/reflect/KTypeProjection.kt", "src/kotlin/reflect/KVariance.kt", "src/kotlin/reflect/typeOf.kt", "src/kotlin/text/Appendable.kt", "src/kotlin/text/Indent.kt", "src/kotlin/text/Typography.kt", "src/kotlin/text/regex/MatchResult.kt", "src/kotlin/time/DurationUnit.kt", "src/kotlin/time/ExperimentalTime.kt", "src/kotlin/time/TimeSource.kt", "src/kotlin/time/TimeSources.kt", "src/kotlin/time/measureTime.kt", "src/kotlin/util/DeepRecursive.kt", "src/kotlin/util/FloorDivMod.kt", "src/kotlin/util/HashCode.kt", "src/kotlin/util/KotlinVersion.kt", "src/kotlin/util/Lateinit.kt", "src/kotlin/util/Lazy.kt", "src/kotlin/util/Numbers.kt", "src/kotlin/util/Suspend.kt", "src/kotlin/util/Tuples.kt", "unsigned/src/kotlin/UIntRange.kt", "unsigned/src/kotlin/UIterators.kt", "unsigned/src/kotlin/ULongRange.kt", "unsigned/src/kotlin/UMath.kt", "unsigned/src/kotlin/UNumbers.kt", "unsigned/src/kotlin/UProgressionUtil.kt", "unsigned/src/kotlin/UStrings.kt", "unsigned/src/kotlin/annotations/Unsigned.kt", "common/src/kotlin/MathH.kt"], "sourcesContent": ["(function (root, factory) {\n if (typeof define === 'function' && define.amd) {\n define('kotlin', ['exports'], factory);\n }\n else if (typeof exports === 'object') {\n factory(module.exports);\n }\n else {\n root.kotlin = {};\n factory(root.kotlin);\n }\n})(this, function (Kotlin) {\n var \_ = Kotlin;\n \n insertContent();\n});\n\n/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\nKotlin.isBooleanArray = function (a) {\n return (Array.isArray(a) || a instanceof Int8Array) && a.\$type\$ === \"BooleanArray\";\n};\n\nKotlin.isByteArray = function (a) {\n return a instanceof Int8Array && a.\$type\$ !== \"BooleanArray\";\n};\n\nKotlin.isShortArray = function (a) {\n return a instanceof Int16Array;\n};\n\nKotlin.isCharArray = function (a) {\n return a instanceof Uint16Array && a.\$type\$ === \"CharArray\";\n};\n\nKotlin.isIntArray = function (a) {\n return a instanceof Int32Array;\n};\n\nKotlin.isFloatArray = function (a) {\n return a instanceof Float32Array;\n};\n\nKotlin.isDoubleArray = function (a) {\n return a instanceof Float64Array;\n};\n\nKotlin.isLongArray = function (a) {\n return Array.isArray(a) && a.\$type\$ === \"LongArray\";\n};\n\nKotlin.isArray = function (a) {\n return Array.isArray(a) &&

```

!a.$type$;\n};\n\nKotlin.isArrayish = function (a) {\n  return Array.isArray(a) ||
ArrayBuffer.isView(a);\n};\n\nKotlin.arrayToString = function (a) {\n  if (a === null) return \"null\"\n  var
toString = Kotlin.isCharArray(a) ? String.fromCharCode : Kotlin.toString;\n  return \"[\" +
Array.prototype.map.call(a, function(e) { return toString(e); }).join(\", \") + \"]\";\n};\n\nKotlin.arrayDeepToString
= function (arr) {\n  return Kotlin.kotlin.collections.contentDeepToStringImpl(arr);\n};\n\nKotlin.arrayEquals =
function (a, b) {\n  if (a === b) {\n    return true;\n  }\n  if (a === null || b === null || !Kotlin.isArrayish(b) ||
a.length !== b.length) {\n    return false;\n  }\n  for (var i = 0, n = a.length; i < n; i++) {\n    if
(!Kotlin.equals(a[i], b[i])) {\n      return false;\n    }\n  }\n  return true;\n};\n\nKotlin.arrayDeepEquals =
function (a, b) {\n  return Kotlin.kotlin.collections.contentDeepEqualsImpl(a, b);\n};\n\nKotlin.arrayHashCode =
function (arr) {\n  if (arr === null) return 0\n  var result = 1;\n  for (var i = 0, n = arr.length; i < n; i++) {\n
result = ((31 * result | 0) + Kotlin.hashCode(arr[i])) | 0;\n  }\n  return result;\n};\n\nKotlin.arrayDeepHashCode =
function (arr) {\n  return
Kotlin.kotlin.collections.contentDeepHashCodeImpl(arr);\n};\n\nKotlin.primitiveArraySort = function (array) {\n
array.sort(Kotlin.doubleCompareTo);\n};\n\n\"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\nKotlin.getCallableRef = function(name, f) {\n  f.callableName = name;\n  return
f;\n};\n\nKotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {\n  getter.get = getter;\n
getter.set = setter;\n  getter.callableName = name;\n  return getPropertyRefClass(getter, setter,
propertyRefClassMetadataCache[paramCount]);\n};\n\nfunction getPropertyRefClass(obj, setter, cache) {\n
obj.$metadata$ = getPropertyRefMetadata(typeof setter === \"function\" ? cache.mutable : cache.immutable);\n
obj.constructor = obj;\n  return obj;\n}\n\nvar propertyRefClassMetadataCache = [\n  {\n    mutable: { value:
null, implementedInterface: function () {\n      return Kotlin.kotlin.reflect.KMutableProperty0 }\n    },\n
immutable: { value: null, implementedInterface: function () {\n      return Kotlin.kotlin.reflect.KProperty0 }\n
}\n  },\n  {\n    mutable: { value: null, implementedInterface: function () {\n      return
Kotlin.kotlin.reflect.KMutableProperty1 }\n    },\n    immutable: { value: null, implementedInterface: function
() {\n      return Kotlin.kotlin.reflect.KProperty1 }\n    }\n  }\n];\n\nfunction getPropertyRefMetadata(cache)
{\n  if (cache.value === null) {\n    cache.value = {\n      interfaces: [cache.implementedInterface()],\n
baseClass: null,\n      functions: {},\n      properties: {},\n      types: {},\n      staticMembers: {}\n
};\n  }\n  return cache.value;\n}\n\n\"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\nKotlin.toShort = function (a) {\n  return (a & 0xFFFF) << 16 >>
16;\n};\n\nKotlin.toByte = function (a) {\n  return (a & 0xFF) << 24 >> 24;\n};\n\nKotlin.toChar = function (a) {\n
return a & 0xFFFF;\n};\n\nKotlin.numberToLong = function (a) {\n  return a instanceof Kotlin.Long ? a :
Kotlin.Long.fromNumber(a);\n};\n\nKotlin.numberToInt = function (a) {\n  return a instanceof Kotlin.Long ?
a.toInt() : Kotlin.doubleToInt(a);\n};\n\nKotlin.numberToShort = function (a) {\n  return
Kotlin.toShort(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToByte = function (a) {\n  return
Kotlin.toByte(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToDouble = function (a) {\n  return
+a;\n};\n\nKotlin.numberToChar = function (a) {\n  return
Kotlin.toChar(Kotlin.numberToInt(a));\n};\n\nKotlin.doubleToInt = function(a) {\n  if (a > 2147483647) return
2147483647;\n  if (a < -2147483648) return -2147483648;\n  return a | 0;\n};\n\nKotlin.toBoxedChar = function
(a) {\n  if (a == null) return a;\n  if (a instanceof Kotlin.BoxedChar) return a;\n  return new
Kotlin.BoxedChar(a);\n};\n\nKotlin.unboxChar = function(a) {\n  if (a == null) return a;\n  return
Kotlin.toChar(a);\n};\n\n\"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\nKotlin.equals = function (obj1, obj2) {\n  if (obj1 == null) {\n    return obj2 ==
null;\n  }\n  if (obj2 == null) {\n    return false;\n  }\n  if (obj1 !== obj2) {\n    return obj2 !== obj2;\n
}\n  if (typeof obj1 === \"object\" && typeof obj1.equals === \"function\") {\n    return obj1.equals(obj2);\n
}\n  if (typeof obj1 === \"number\" && typeof obj2 === \"number\") {\n    return obj1 === obj2 && (obj1 !==
}

```

```

0 || 1 / obj1 === 1 / obj2)\n  }\n\n  return obj1 === obj2;\n};\n\nKotlin.hashCode = function (obj) {\n  if (obj ==
null) {\n    return 0;\n  }\n  var objType = typeof obj;\n  if ("object" === objType) {\n    return "function"
=== typeof obj.hashCode ? obj.hashCode() : getObjectHashCode(obj);\n  }\n  if ("function" === objType) {\n
  return getObjectHashCode(obj);\n  }\n  if ("number" === objType) {\n    return
Kotlin.numberHashCode(obj);\n  }\n  if ("boolean" === objType) {\n    return Number(obj)\n  }\n\n  var str
= String(obj);\n  return getStringHashCode(str);\n};\n\nKotlin.toString = function (o) {\n  if (o == null) {\n
return "null";\n  }\n  else if (Kotlin.isArrayish(o)) {\n    return "["+o+"]";\n  }\n  else {\n    return
o.toString();\n  }\n};\n\n/** @const *\nvar POW_2_32 = 4294967296;\n// TODO: consider switching to Symbol
type once we are on ES6.\n/** @const *\nvar OBJECT_HASH_CODE_PROPERTY_NAME =
"kotlinHashCodeValue$";\n\nfunction getObjectHashCode(obj) {\n  if
(! (OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\n    var hash = (Math.random() * POW_2_32) | 0; //
Make 32-bit signed integer.\n    Object.defineProperty(obj, OBJECT_HASH_CODE_PROPERTY_NAME, {\n
value: hash, enumerable: false });\n  }\n  return
obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n}\n\nfunction getStringHashCode(str) {\n  var hash = 0;\n
for (var i = 0; i < str.length; i++) {\n    var code = str.charCodeAt(i);\n    hash = (hash * 31 + code) | 0; // Keep
it 32-bit.\n  }\n  return hash;\n}\n\nKotlin.identityHashCode = getObjectHashCode;\n", /*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by
the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n *\n // Copyright 2009 The Closure
Library Authors. All Rights Reserved.\n *\n *\n // Licensed under the Apache License, Version 2.0 (the "License");\n
// you may not use this file except in compliance with the License.\n // You may obtain a copy of the License at\n
//\n // http://www.apache.org/licenses/LICENSE-2.0\n // Unless required by applicable law or agreed to in writing,
software\n // distributed under the License is distributed on an "AS-IS" BASIS,\n // WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied.\n *\n *\n * Constructs a 64-bit two's-complement integer,
given its low and high 32-bit\n * values as *signed* integers. See the from* functions below for more\n *
convenient ways of constructing Longs.\n *\n * The internal representation of a long is the two given signed, 32-bit
values.\n * We use 32-bit pieces because these are the size of integers on which\n * Javascript performs bit-
operations. For operations like addition and\n * multiplication, we split each number into 16-bit pieces, which can
easily be\n * multiplied within Javascript's floating-point representation without overflow\n * or change in sign.\n
*\n * In the algorithms below, we frequently reduce the negative case to the\n * positive case by negating the
input(s) and then post-processing the result.\n * Note that we must ALWAYS check specially whether those values
are MIN_VALUE\n * (-2^63) because -MIN_VALUE == MIN_VALUE (since 2^63 cannot be represented as\n * a
positive number, it overflows back into a negative). Not handling this\n * case would often result in infinite
recursion.\n *\n * @param {number} low The low (signed) 32 bits of the long.\n * @param {number} high The
high (signed) 32 bits of the long.\n * @constructor\n * @final\n *\n Kotlin.Long = function(low, high) {\n  /**\n
 * @type {number}\n * @private\n *\n this.low_ = low | 0; // force into 32 signed bits.\n\n /**\n
 * @type
{number}\n * @private\n *\n this.high_ = high | 0; // force into 32 signed bits.\n};\n\nKotlin.Long.$metadata$ =
{\n  kind: "class",\n  simpleName: "Long",\n  interfaces: []\n};\n\n// NOTE: Common constant values
ZERO, ONE, NEG_ONE, etc. are defined below the\n// from* methods on which they depend.\n\n\n/**\n * A cache
of the Long representations of small integer values.\n * @type {!Object}\n * @private\n *\n Kotlin.Long.IntCache_
= {};\n\n\n/**\n * Returns a Long representing the given (32-bit) integer value.\n * @param {number} value The
32-bit integer in question.\n * @return {!Kotlin.Long} The corresponding Long value.\n *\n Kotlin.Long.fromInt =
function(value) {\n  if (-128 <= value && value < 128) {\n    var cachedObj = Kotlin.Long.IntCache_[value];\n
if (cachedObj) {\n    return cachedObj;\n  }\n  }\n\n  var obj = new Kotlin.Long(value | 0, value < 0 ? -1 : 0);\n
if (-128 <= value && value < 128) {\n    Kotlin.Long.IntCache_[value] = obj;\n  }\n  return obj;\n};\n\n\n/**\n
 * Converts this number value to `Long`.\n * The fractional part, if any, is rounded down towards zero.\n * Returns
zero if this `Double` value is `NaN`, `Long.MIN_VALUE` if it's less than `Long.MIN_VALUE`,\n *
`Long.MAX_VALUE` if it's bigger than `Long.MAX_VALUE`.\n * @param {number} value The number in
question.\n * @return {!Kotlin.Long} The corresponding Long value.\n *\n Kotlin.Long.fromNumber =

```

```

function(value) {\n if (isNaN(value)) {\n return Kotlin.Long.ZERO;\n } else if (value <= -
Kotlin.Long.TWO_PWR_63_DBL_) {\n return Kotlin.Long.MIN_VALUE;\n } else if (value + 1 >=
Kotlin.Long.TWO_PWR_63_DBL_) {\n return Kotlin.Long.MAX_VALUE;\n } else if (value < 0) {\n return
Kotlin.Long.fromNumber(-value).negate();\n } else {\n return new Kotlin.Long(\n (value %
Kotlin.Long.TWO_PWR_32_DBL_) | 0,\n (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0);\n
});\n\n/**\n * Returns a Long representing the 64-bit integer that comes by concatenating\n * the given high and
low bits. Each is assumed to use 32 bits.\n * @param {number} lowBits The low 32-bits.\n * @param {number}
highBits The high 32-bits.\n * @return {!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromBits
= function(lowBits, highBits) {\n return new Kotlin.Long(lowBits, highBits);\n};\n\n/**\n * Returns a Long
representation of the given string, written using the given\n * radix.\n * @param {string} str The textual
representation of the Long.\n * @param {number=} opt_radix The radix in which the text is written.\n * @return
{!Kotlin.Long} The corresponding Long value.\n */\nKotlin.Long.fromString = function(str, opt_radix) {\n if
(str.length == 0) {\n throw Error('number format error: empty string');\n }\n\n var radix = opt_radix || 10;\n if
(radix < 2 || 36 < radix) {\n throw Error('radix out of range: ' + radix);\n }\n\n if (str.charAt(0) == '-') {\n return
Kotlin.Long.fromString(str.substring(1), radix).negate();\n } else if (str.indexOf('-') >= 0) {\n throw Error('number
format error: interior \"-\" character: ' + str);\n }\n\n // Do several (8) digits each time through the loop, so as to\n //
minimize the calls to the very expensive emulated div.\n var radixToPower =
Kotlin.Long.fromNumber(Math.pow(radix, 8));\n var result = Kotlin.Long.ZERO;\n for (var i = 0; i < str.length;
i += 8) {\n var size = Math.min(8, str.length - i);\n var value = parseInt(str.substring(i, i + size), radix);\n if
(size < 8) {\n var power = Kotlin.Long.fromNumber(Math.pow(radix, size));\n result =
result.multiply(power).add(Kotlin.Long.fromNumber(value));\n } else {\n result =
result.multiply(radixToPower);\n result = result.add(Kotlin.Long.fromNumber(value));\n }\n }\n return
result;\n};\n\n// NOTE: the compiler should inline these constant values below and then remove\n// these
variables, so there should be no runtime penalty for these.\n\n/**\n * Number used repeated below in calculations.
This must appear before the\n * first call to any from* function below.\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_16_DBL_ = 1 << 16;\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_24_DBL_ = 1 << 24;\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_32_DBL_ =\n Kotlin.Long.TWO_PWR_16_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_31_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ / 2;\n\n/**\n * @type
{number}\n * @private\n */\nKotlin.Long.TWO_PWR_48_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_;\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_64_DBL_ =\n Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_32_DBL_;\n\n/**\n * @type {number}\n * @private\n
*/\nKotlin.Long.TWO_PWR_63_DBL_ =\n Kotlin.Long.TWO_PWR_64_DBL_ / 2;\n\n/**\n * @type
{!Kotlin.Long}\n */\nKotlin.Long.ZERO = Kotlin.Long.fromInt(0);\n\n/**\n * @type {!Kotlin.Long}\n
*/\nKotlin.Long.ONE = Kotlin.Long.fromInt(1);\n\n/**\n * @type {!Kotlin.Long}\n */\nKotlin.Long.NEG_ONE =
Kotlin.Long.fromInt(-1);\n\n/**\n * @type {!Kotlin.Long}\n */\nKotlin.Long.MAX_VALUE =\n
Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0);\n\n/**\n * @type {!Kotlin.Long}\n
*/\nKotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0);\n\n/**\n * @type {!Kotlin.Long}\n */\n
@private\n */\nKotlin.Long.TWO_PWR_24_ = Kotlin.Long.fromInt(1 << 24);\n\n/**\n * @return {number} The
value, assuming it is a 32-bit integer.\n */\nKotlin.Long.prototype.toInt = function() {\n return this.low_;\n};\n\n/**\n
* @return {number} The closest floating-point representation to this value.\n */\nKotlin.Long.prototype.toNumber =
function() {\n return this.high_ * Kotlin.Long.TWO_PWR_32_DBL_ +\n
this.getLowBitsUnsigned();\n};\n\n/**\n * @return {number} The 32-bit hashCode of this value.\n
*/\nKotlin.Long.prototype.hashCode = function() {\n return this.high_ ^ this.low_;\n};\n\n/**\n * @param
{number=} opt_radix The radix in which the text should be written.\n * @return {string} The textual representation
of this value.\n * @override\n */\nKotlin.Long.prototype.toString = function(opt_radix) {\n var radix = opt_radix ||

```



```

@param {Kotlin.Long} other Long to add to this one.\n * @return {!Kotlin.Long} The sum of this and the given
Long.\n */\nKotlin.Long.prototype.add = function(other) {\n // Divide each number into 4 chunks of 16 bits, and
then sum the chunks.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 = this.low_
>>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ & 0xFFFF;\n
var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n c00
+= a00 + b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 + b16;\n c32 += c16 >>> 16;\n c16 &=
0xFFFF;\n c32 += a32 + b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 + b48;\n c48 &=
0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n/**\n * Returns the
difference of this and the given Long.\n * @param {Kotlin.Long} other Long to subtract from this.\n * @return
{!Kotlin.Long} The difference of this and the given Long.\n */\nKotlin.Long.prototype.subtract = function(other)
{\n return this.add(other.negate());\n};\n\n\n/**\n * Returns the product of this and the given long.\n * @param
{Kotlin.Long} other Long to multiply with this.\n * @return {!Kotlin.Long} The product of this and the other.\n
*/\nKotlin.Long.prototype.multiply = function(other) {\n if (this.isZero()) {\n return Kotlin.Long.ZERO;\n } else
if (other.isZero()) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n
return other.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return this.isOdd() ? Kotlin.Long.MIN_VALUE :
Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n if (other.isNegative()) {\n return
this.negate().multiply(other.negate());\n } else {\n return this.negate().multiply(other).negate();\n }\n } else if
(other.isNegative()) {\n return this.multiply(other.negate()).negate();\n }\n\n // If both longs are small, use float
multiplication\n if (this.lessThan(Kotlin.Long.TWO_PWR_24_) &&\n
other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\n return Kotlin.Long.fromNumber(this.toNumber() *
other.toNumber());\n }\n\n // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.\n // We can
skip products that would overflow.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 =
this.low_ >>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ &
0xFFFF;\n var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00
= 0;\n c00 += a00 * b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 * b00;\n c32 += c16 >>> 16;\n
c16 &= 0xFFFF;\n c16 += a00 * b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 * b00;\n c48 +=
c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a16 * b16;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a00 *
b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 * b00 + a32 * b16 + a16 * b32 + a00 * b48;\n c48
&= 0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n\n/**\n * Returns this
Long divided by the given one.\n * @param {Kotlin.Long} other Long by which to divide.\n * @return
{!Kotlin.Long} This Long divided by the given one.\n */\nKotlin.Long.prototype.div = function(other) {\n if
(other.isZero()) {\n throw Error('division by zero');\n } else if (this.isZero()) {\n return Kotlin.Long.ZERO;\n
}\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n if (other.equalsLong(Kotlin.Long.ONE) |\n
other.equalsLong(Kotlin.Long.NEG_ONE)) {\n return Kotlin.Long.MIN_VALUE; // recall that -MIN_VALUE
== MIN_VALUE\n } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.ONE;\n
}\n } else {\n // At this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.\n var halfThis =
this.shiftRight(1);\n var approx = halfThis.div(other).shiftLeft(1);\n if
(approx.equalsLong(Kotlin.Long.ZERO)) {\n return other.isNegative() ? Kotlin.Long.ONE :
Kotlin.Long.NEG_ONE;\n } else {\n var rem = this.subtract(other.multiply(approx));\n var result =
approx.add(rem.div(other));\n return result;\n }\n }\n } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n
if (other.isNegative()) {\n return this.negate().div(other.negate());\n } else {\n return
this.negate().div(other).negate();\n }\n } else if (other.isNegative()) {\n return
this.div(other.negate()).negate();\n }\n\n // Repeat the following until the remainder is less than other: find a\n //
floating-point that approximates remainder / other *from below*, add this\n // into the result, and subtract it from
the remainder. It is critical that\n // the approximate value is less than or equal to the real value so that the\n //
remainder never becomes negative.\n var res = Kotlin.Long.ZERO;\n var rem = this;\n while

```

```

    (rem.greaterThanOrEqualTo(other)) {\n // Approximate the result of division. This may be a little greater or\n //
    smaller than the actual value.\n var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));\n\n
    // We will tweak the approximate result by changing it in the 48-th digit or\n // the smallest non-fractional digit,
    whichever is larger.\n var log2 = Math.ceil(Math.log(approx) / Math.LN2);\n var delta = (log2 <= 48) ? 1 :
    Math.pow(2, log2 - 48);\n // Decrease the approximation until it is smaller than the remainder. Note\n // that if
    it is too large, the product overflows and is negative.\n var approxRes = Kotlin.Long.fromNumber(approx);\n
    var approxRem = approxRes.multiply(other);\n while (approxRem.isNegative() || approxRem.greaterThan(rem))
    {\n approx -= delta;\n approxRes = Kotlin.Long.fromNumber(approx);\n approxRem =
    approxRes.multiply(other);\n }\n\n // We know the answer can't be zero... and actually, zero would cause\n //
    infinite recursion since we would make no progress.\n if (approxRes.isZero()) {\n approxRes =
    Kotlin.Long.ONE;\n }\n\n res = res.add(approxRes);\n rem = rem.subtract(approxRem);\n }\n return
    res;\n};\n\n\n/**\n * Returns this Long modulo the given one.\n * @param {Kotlin.Long} other Long by which to
    mod.\n * @return {!Kotlin.Long} This Long modulo the given one.\n */\nKotlin.Long.prototype.modulo =
    function(other) {\n return this.subtract(this.div(other).multiply(other));\n};\n\n\n/**\n * @return {!Kotlin.Long} The
    bitwise-NOT of this value. *\nKotlin.Long.prototype.not = function() {\n return Kotlin.Long.fromBits(~this.low_,
    ~this.high_);\n};\n\n\n/**\n * Returns the bitwise-AND of this Long and the given one.\n * @param {Kotlin.Long}
    other The Long with which to AND.\n * @return {!Kotlin.Long} The bitwise-AND of this and the other.\n
    */\nKotlin.Long.prototype.and = function(other) {\n return Kotlin.Long.fromBits(this.low_ & other.low_,\n
    this.high_ & other.high_);\n};\n\n\n/**\n * Returns the bitwise-OR of this Long and the given one.\n *
    @param {Kotlin.Long} other The Long with which to OR.\n * @return {!Kotlin.Long} The bitwise-OR of this and
    the other.\n */\nKotlin.Long.prototype.or = function(other) {\n return Kotlin.Long.fromBits(this.low_ |
    other.low_,\n this.high_ | other.high_);\n};\n\n\n/**\n * Returns the bitwise-XOR of this Long
    and the given one.\n * @param {Kotlin.Long} other The Long with which to XOR.\n * @return {!Kotlin.Long}
    The bitwise-XOR of this and the other.\n */\nKotlin.Long.prototype.xor = function(other) {\n return
    Kotlin.Long.fromBits(this.low_ ^ other.low_,\n this.high_ ^ other.high_);\n};\n\n\n/**\n *
    Returns this Long with bits shifted to the left by the given amount.\n * @param {number} numBits The number of
    bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the left by the given amount.\n
    */\nKotlin.Long.prototype.shiftLeft = function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return
    this;\n } else {\n var low = this.low_;\n if (numBits < 32) {\n var high = this.high_;\n return
    Kotlin.Long.fromBits(\n low << numBits,\n (high << numBits) | (low >>> (32 - numBits));\n } else
    {\n return Kotlin.Long.fromBits(0, low << (numBits - 32));\n }\n }\n};\n\n\n/**\n * Returns this Long with
    bits shifted to the right by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n
    * @return {!Kotlin.Long} This shifted to the right by the given amount.\n */\nKotlin.Long.prototype.shiftRight =
    function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return this;\n } else {\n var high = this.high_;\n
    if (numBits < 32) {\n var low = this.low_;\n return Kotlin.Long.fromBits(\n (low >>> numBits) | (high
    <<< (32 - numBits)),\n high >> numBits);\n } else {\n return Kotlin.Long.fromBits(\n high >>
    (numBits - 32),\n high >= 0 ? 0 : -1);\n }\n }\n};\n\n\n/**\n * Returns this Long with bits shifted to the right
    by the given amount, with\n * zeros placed into the new leading bits.\n * @param {number} numBits The number
    of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount, with\n *
    zeros placed into the new leading bits.\n */\nKotlin.Long.prototype.shiftRightUnsigned = function(numBits) {\n
    numBits &= 63;\n if (numBits == 0) {\n return this;\n } else {\n var high = this.high_;\n if (numBits < 32) {\n
    var low = this.low_;\n return Kotlin.Long.fromBits(\n (low >>> numBits) | (high <<< (32 - numBits)),\n
    high >>> numBits);\n } else if (numBits == 32) {\n return Kotlin.Long.fromBits(high, 0);\n } else {\n
    return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\n }\n }\n};\n\n\n// Support for
    Kotlin\nKotlin.Long.prototype.equals = function (other) {\n return other instanceof Kotlin.Long &&
    this.equalsLong(other);\n};\n\nKotlin.Long.prototype.compareTo_11rb$ =
    Kotlin.Long.prototype.compare;\n\nKotlin.Long.prototype.inc = function() {\n return
    this.add(Kotlin.Long.ONE);\n};\n\nKotlin.Long.prototype.dec = function() {\n return

```



```

bufInt32[highIndex] & 0x80000000;\n  };\n\n  Kotlin.numberHashCode = function(obj) {\n    if ((obj | 0) ===
obj) {\n      return obj | 0;\n    } else {\n      bufFloat64[0] = obj;\n      return (bufInt32[highIndex]
* 31 | 0) + bufInt32[lowIndex] | 0;\n    };\n  });\n\n  Kotlin.ensureNotNull = function(x) {\n    return x != null
? x : Kotlin.throwNPE();\n  };
\n\n  /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n  nif (typeof String.prototype.startsWith === "undefined") {\n
Object.defineProperty(String.prototype, "startsWith", {\n  value: function (searchString, position) {\n
position = position || 0;\n  return this.lastIndexOf(searchString, position) === position;\n  };\n});\n\n  nif
(typeof String.prototype.endsWith === "undefined") {\n  Object.defineProperty(String.prototype, "endsWith",
{\n  value: function (searchString, position) {\n    var subjectString = this.toString();\n    if (position
=== undefined || position > subjectString.length) {\n      position = subjectString.length;\n    }\n
position -= searchString.length;\n    var lastIndex = subjectString.indexOf(searchString, position);\n
return lastIndex !== -1 && lastIndex === position;\n  };\n});\n\n  // ES6 Math polyfills\n  nif (typeof Math.sign
=== "undefined") {\n  Math.sign = function(x) {\n    x = +x; // convert to a number\n    if (x === 0 ||
isNaN(x)) {\n      return Number(x);\n    }\n    return x > 0 ? 1 : -1;\n  };\n}\n\n  nif (typeof Math.trunc ===
"undefined") {\n  Math.trunc = function(x) {\n    if (isNaN(x)) {\n      return NaN;\n    }\n    if (x > 0)
{\n      return Math.floor(x);\n    }\n    return Math.ceil(x);\n  };\n}\n\n  (function() {\n    var epsilon =
2.220446049250313E-16;\n    var taylor_2_bound = Math.sqrt(epsilon);\n    var taylor_n_bound =
Math.sqrt(taylor_2_bound);\n    var upper_taylor_2_bound = 1/taylor_2_bound;\n    var upper_taylor_n_bound =
1/taylor_n_bound;\n\n    if (typeof Math.sinh === "undefined") {\n      Math.sinh = function(x) {\n        if
(Math.abs(x) < taylor_n_bound) {\n          var result = x;\n          if (Math.abs(x) > taylor_2_bound) {\n
result += (x * x * x) / 6;\n          }\n          return result;\n        } else {\n          var y =
Math.exp(x);\n          var y1 = 1 / y;\n          if (!isFinite(y)) return Math.exp(x - Math.LN2);\n          if
(!isFinite(y1)) return -Math.exp(-x - Math.LN2);\n          return (y - y1) / 2;\n        }\n      };\n    }\n\n    if
(typeof Math.cosh === "undefined") {\n      Math.cosh = function(x) {\n        var y = Math.exp(x);\n        var
y1 = 1 / y;\n        if (!isFinite(y) || !isFinite(y1)) return Math.exp(Math.abs(x) - Math.LN2);\n        return (y +
y1) / 2;\n      };\n    }\n\n    if (typeof Math.tanh === "undefined") {\n      Math.tanh = function(x) {\n        if
(Math.abs(x) < taylor_n_bound) {\n          var result = x;\n          if (Math.abs(x) > taylor_2_bound) {\n
result -= (x * x * x) / 3;\n          }\n          return result;\n        } else {\n          var a =
Math.exp(+x), b = Math.exp(-x);\n          return a === Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\n
}\n      };\n    }\n\n    // Inverse hyperbolic function implementations derived from boost special math functions,\n
// Copyright Eric Ford & Hubert Holin 2001.\n\n    if (typeof Math.asinh === "undefined") {\n      var asinh =
function(x) {\n        if (x >= +taylor_n_bound)\n          {\n            if (x > upper_taylor_n_bound)\n              {\n                // approximation by laurent series in
1/x at 0+ order from -1 to 0\n                return Math.log(x) + Math.LN2;\n              }\n            else\n              {\n                // approximation by laurent series in 1/x at 0+ order from -1 to 1\n
                return\n                Math.log(x * 2 + (1 / (x * 2)));\n              }\n            }\n          }\n        else\n          {\n            return
Math.log(x + Math.sqrt(x * x + 1));\n          }\n        else if (x <= -taylor_n_bound)\n          {\n            return
-asinh(-x);\n          }\n        else\n          {\n            // approximation by taylor series in x at 0 up to
order 2\n            var result = x;\n            if (Math.abs(x) >= taylor_2_bound)\n              {\n                var x3 =
x * x * x;\n                // approximation by taylor series in x at 0 up to order 4\n                result -= x3 / 6;\n
              }\n            return result;\n          }\n        };\n      }\n      Math.asinh = asinh;\n    }\n\n    if (typeof Math.acosh ===
"undefined") {\n      Math.acosh = function(x) {\n        if (x < 1)\n          {\n            return NaN;\n          }\n
        else if (x - 1 >= taylor_n_bound)\n          {\n            if (x > upper_taylor_2_bound)\n              {\n
                // approximation by laurent series in 1/x at 0+ order from -1 to 0\n                return Math.log(x) + Math.LN2;\n
              }\n            else\n              {\n                return Math.log(x + Math.sqrt(x * x - 1));\n              }\n
            }\n          }\n        else\n          {\n            var y = Math.sqrt(x - 1);\n            // approximation by taylor series in y at 0
up to order 2\n            var result = y;\n            if (y >= taylor_2_bound)\n              {\n                var y3 = y *

```



```

    });\n    }\n    }\n\n    // Patch sort to work with TypedArrays if needed.\n    // TODO: consider to
remove following function and replace it with `Kotlin.doubleCompareTo` (see misc.js)\n    var
totalOrderComparator = function (a, b) {\n        if (a < b) return -1;\n        if (a > b) return 1;\n\n        if (a === b) {\n            if (a !== 0) return 0;\n\n            var ia = 1 / a;\n            return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n        }\n\n        return a !== a ? (b !== b ? 0 : 1) : -1\n    };\n\n    for (var i = 0; i < arrays.length; ++i) {\n        var TypedArray =
arrays[i];\n        if (typeof TypedArray.prototype.sort === "undefined") {\n
Object.defineProperty(TypedArray.prototype, 'sort', {\n            value: function(compareFunction) {\n
return Array.prototype.sort.call(this, compareFunction || totalOrderComparator);\n            }\n        });\n    }\n\n    }()\n};\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\nKotlin.Kind = {\n    CLASS: "class",\n    INTERFACE: "interface",\n    OBJECT:
"object"\n};\n\nKotlin.callGetter = function (thisObject, klass, propertyName) {\n    var propertyDescriptor =
Object.getOwnPropertyDescriptor(klass, propertyName);\n    if (propertyDescriptor != null &&
propertyDescriptor.get != null) {\n        return propertyDescriptor.get.call(thisObject);\n    }\n\n    propertyDescriptor =
Object.getOwnPropertyDescriptor(thisObject, propertyName);\n    if (propertyDescriptor != null && "value" in
propertyDescriptor) {\n        return thisObject[propertyName];\n    }\n\n    return Kotlin.callGetter(thisObject,
Object.getPrototypeOf(klass), propertyName);\n};\n\nKotlin.callSetter = function (thisObject, klass, propertyName,
value) {\n    var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n    if
(propertyDescriptor != null && propertyDescriptor.set != null) {\n        propertyDescriptor.set.call(thisObject,
value);\n        return;\n    }\n\n    propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject,
propertyName);\n    if (propertyDescriptor != null && "value" in propertyDescriptor) {\n
thisObject[propertyName] = value;\n        return\n    }\n\n    Kotlin.callSetter(thisObject,
Object.getPrototypeOf(klass), propertyName, value);\n};\n\nfunction isInheritanceFromInterface(ctor, iface) {\n    if
(ctor === iface) return true;\n\n    var metadata = ctor.$metadata$;\n    if (metadata != null) {\n        var interfaces =
metadata.interfaces;\n        for (var i = 0; i < interfaces.length; i++) {\n            if
(isInheritanceFromInterface(interfaces[i], iface)) {\n                return true;\n            }\n        }\n    }\n\n    var
superPrototype = ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype) : null;\n    var superConstructor =
superPrototype != null ? superPrototype.constructor : null;\n    return superConstructor != null &&
isInheritanceFromInterface(superConstructor, iface);\n}\n\n**\n * @param {*} object\n * @param
{Function|Object} klass\n * @returns {Boolean}\n */\nKotlin.isType = function (object, klass) {\n    if (klass ===
Object) {\n        switch (typeof object) {\n            case "string":\n            case "number":\n            case
"boolean":\n            case "function":\n                return true;\n            default:\n                return object instanceof
Object;\n        }\n    }\n\n    if (object == null || klass == null || (typeof object !== 'object' && typeof object !==
'function')) {\n        return false;\n    }\n\n    if (typeof klass === "function" && object instanceof klass) {\n
return true;\n    }\n\n    var proto = Object.getPrototypeOf(klass);\n    var constructor = proto != null ?
proto.constructor : null;\n    if (constructor != null && "$metadata$" in constructor) {\n        var metadata =
constructor.$metadata$;\n        if (metadata.kind === Kotlin.Kind.OBJECT) {\n            return object === klass;\n
        }\n    }\n\n    var classMetadata = klass.$metadata$;\n\n    // In WebKit (JavaScriptCore) for some interfaces from
DOM typeof returns "object", nevertheless they can be used in RHS of instanceof\n    if (classMetadata == null)\n    {\n        return object instanceof klass;\n    }\n\n    if (classMetadata.kind === Kotlin.Kind.INTERFACE &&
object.constructor != null) {\n        return isInheritanceFromInterface(object.constructor, klass);\n    }\n\n    return
false;\n};\n\nKotlin.isNumber = function (a) {\n    return typeof a == "number" || a instanceof
Kotlin.Long;\n};\n\nKotlin.isChar = function (value) {\n    return value instanceof
Kotlin.BoxedChar;\n};\n\nKotlin.isComparable = function (value) {\n    var type = typeof value;\n\n    return type
=== "string" ||\n        type === "boolean" ||\n        Kotlin.isNumber(value) ||\n        Kotlin.isType(value,
Kotlin.kotlin.Comparable);\n};\n\nKotlin.isCharSequence = function (value) {\n    return typeof value === "string"
|| Kotlin.isType(value, Kotlin.kotlin.CharSequence);\n};\n\n/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be

```





```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component1(): Long {\n    return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component1(): Float {\n    return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component1(): Double {\n    return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component1(): Boolean {\n    return
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the size of this array is less than 1, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component1(): Char {\n    return
get(0)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component2(): T {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component2(): Byte {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component2(): Short {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component2(): Int {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component2(): Long {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component2(): Float {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component2(): Double {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component2(): Boolean {\n    return
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component2(): Char {\n    return
get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component3(): T {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component3(): Byte {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n

```

```

*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component3(): Short {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component3(): Int {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component3(): Long {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component3(): Float {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component3(): Boolean {\n    return
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component3(): Char {\n    return
get(2)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component4(): T {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component4(): Byte {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component4(): Short {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component4(): Int {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component4(): Float {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component4(): Boolean {\n    return
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char {\n    return
get(3)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n

```

```

*^@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component5(): T {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component5(): Byte {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component5(): Short {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component5(): Long {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component5(): Float {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component5(): Double {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component5(): Boolean {\n  return
get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
[IndexOutOfBoundsExcep] except in Kotlin/JS\n * where the behavior is unspecified.\n
*^@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component5(): Char {\n  return
get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\n\npublic operator fun
<@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {\n  return indexOf(element)
>= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\n\npublic operator fun
ByteArray.contains(element: Byte): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n */\n\npublic operator fun ShortArray.contains(element: Short): Boolean {\n  return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\n\npublic operator fun
IntArray.contains(element: Int): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if
[element] is found in the array.\n */\n\npublic operator fun LongArray.contains(element: Long): Boolean {\n  return
indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\n\n@Deprecated("The
function has unclear behavior when searching for NaN or zero values and will be removed soon. Use 'any { it ==
element }' instead to continue using this behavior, or '.asList().contains(element: T)' to get the same search behavior
as in a list.", ReplaceWith("any { it == element }"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.6")\n@Suppress("DEPRECATION_ERROR")\npublic operator fun FloatArray.contains(element: Float):
Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n
*/\n\n@Deprecated("The function has unclear behavior when searching for NaN or zero values and will be removed
soon. Use 'any { it == element }' instead to continue using this behavior, or '.asList().contains(element: T)' to get the
same search behavior as in a list.", ReplaceWith("any { it == element
}"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.6")\n@Suppress("DEPRECATION_ERROR")\npublic operator fun DoubleArray.contains(element: Double):
Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n
*/\n\npublic operator fun BooleanArray.contains(element: Boolean): Boolean {\n  return indexOf(element) >=
0\n}\n\n/**\n * Returns `true` if [element] is found in the array.\n */\n\npublic operator fun
CharArray.contains(element: Char): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns an element

```



```

samples.collections.Collections.Elements.elementAtOrElse\n *^n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n  return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n *^n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n  return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n *^n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
<T> Array<out T>.elementAtOrNull(index: Int): T? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.elementAtOrNull(index: Int): Byte? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.elementAtOrNull(index: Int): Short? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.elementAtOrNull(index: Int): Int? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.elementAtOrNull(index: Int): Long? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.elementAtOrNull(index: Int): Float? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.elementAtOrNull(index: Int): Double? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.elementAtOrNull(index: Int): Boolean? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *^n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.elementAtOrNull(index: Int): Char? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.find(predicate: (T) -> Boolean): T? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n *^n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.find(predicate: (Short) -> Boolean): Short? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample

```

```

samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.find(predicate: (Int) -> Boolean): Int? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.find(predicate: (Long) -> Boolean): Long? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.find(predicate: (Float) -> Boolean): Float? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n    return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.find(predicate: (Boolean) -> Boolean): Boolean? {\n    return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.find(predicate: (Char) -> Boolean): Char? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.findLast(predicate: (T) -> Boolean): T? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element
matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.findLast(predicate: (Int) -> Boolean): Int? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.findLast(predicate: (Double) -> Boolean): Double? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.findLast(predicate: (Boolean) -> Boolean): Boolean? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns
first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out
T>.first(): T {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*/\npublic fun ByteArray.first(): Byte {\n    if (isEmpty())\n        throw NoSuchElementException("Array is

```

```

empty.}\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n */\npublic fun ShortArray.first(): Short {\n if (isEmpty())\n throw
NoSuchElementException("Array is empty.}\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.first(): Int {\n if (isEmpty())\n
throw NoSuchElementException("Array is empty.}\n return this[0]\n}\n\n/**\n * Returns first element.\n *
@throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.first(): Long {\n if
(isEmpty())\n throw NoSuchElementException("Array is empty.}\n return this[0]\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.first(): Float
{\n if (isEmpty())\n throw NoSuchElementException("Array is empty.}\n return this[0]\n}\n\n/**\n *
Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun
DoubleArray.first(): Double {\n if (isEmpty())\n throw NoSuchElementException("Array is empty.}\n
return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*/\npublic fun BooleanArray.first(): Boolean {\n if (isEmpty())\n throw NoSuchElementException("Array is
empty.}\n return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the
array is empty.\n */\npublic fun CharArray.first(): Char {\n if (isEmpty())\n throw
NoSuchElementException("Array is empty.}\n return this[0]\n}\n\n/**\n * Returns the first element matching
the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun
<T> Array<out T>.first(predicate: (T) -> Boolean): T {\n for (element in this) if (predicate(element)) return
element\n throw NoSuchElementException("Array contains no element matching the predicate.}\n}\n\n/**\n *
Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n */\npublic inline fun ByteArray.first(predicate: (Byte) -> Boolean): Byte {\n for (element in
this) if (predicate(element)) return element\n throw NoSuchElementException("Array contains no element
matching the predicate.}\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.first(predicate: (Short) -
> Boolean): Short {\n for (element in this) if (predicate(element)) return element\n throw
NoSuchElementException("Array contains no element matching the predicate.}\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun IntArray.first(predicate: (Int) -> Boolean): Int {\n for (element in this) if (predicate(element))
return element\n throw NoSuchElementException("Array contains no element matching the
predicate.}\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.first(predicate: (Long) -
> Boolean): Long {\n for (element in this) if (predicate(element)) return element\n throw
NoSuchElementException("Array contains no element matching the predicate.}\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun FloatArray.first(predicate: (Float) -> Boolean): Float {\n for (element in this) if
(predicate(element)) return element\n throw NoSuchElementException("Array contains no element matching the
predicate.}\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.first(predicate:
(Double) -> Boolean): Double {\n for (element in this) if (predicate(element)) return element\n throw
NoSuchElementException("Array contains no element matching the predicate.}\n}\n\n/**\n * Returns the first
element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*/\npublic inline fun BooleanArray.first(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if
(predicate(element)) return element\n throw NoSuchElementException("Array contains no element matching the
predicate.}\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.first(predicate: (Char) ->
Boolean): Char {\n for (element in this) if (predicate(element)) return element\n throw
NoSuchElementException("Array contains no element matching the predicate.}\n}\n\n/**\n * Returns the first
non-null value produced by [transform] function being applied to elements of this array in iteration order.\n * or

```

throws [NoSuchElementException] if no non-null value was produced.

```

samples.collections.Collections.Transformations.firstNotNullOf
*/
@SinceKotlin("1.5")
@kotlin.internal.InlineOnly
public inline fun <T, R : Any> Array<out T>.firstNotNullOf(transform: (T) -> R?): R {
    return firstNotNullOfOrNull(transform) ?: throw
    NoSuchElementException("No element of the array was transformed to a non-null value.")
}
*/
Returns the first non-null value produced by [transform] function being applied to elements of this array in iteration order, or `null` if no non-null value was produced.
*/
samples.collections.Collections.Transformations.firstNotNullOf
*/
@SinceKotlin("1.5")
@kotlin.internal.InlineOnly
public inline fun <T, R : Any> Array<out T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {
    for (element in this) {
        val result = transform(element)
        if (result != null) return result
    }
    return null
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun <T> Array<out T>.firstOrNull(): T? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun ByteArray.firstOrNull(): Byte? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun ShortArray.firstOrNull(): Short? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun IntArray.firstOrNull(): Int? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun LongArray.firstOrNull(): Long? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun FloatArray.firstOrNull(): Float? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun DoubleArray.firstOrNull(): Double? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun BooleanArray.firstOrNull(): Boolean? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element, or `null` if the array is empty.
*/
public fun CharArray.firstOrNull(): Char? {
    return if (isEmpty()) null else this[0]
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun <T> Array<out T>.firstOrNull(predicate: (T) -> Boolean): T? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun ByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun ShortArray.firstOrNull(predicate: (Short) -> Boolean): Short? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun BooleanArray.firstOrNull(predicate: (Boolean) -> Boolean): Boolean? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns the first element matching the given [predicate], or `null` if element was not found.
*/
public inline fun CharArray.firstOrNull(predicate: (Char) -> Boolean): Char? {
    for (element in this) if (predicate(element)) return element
    return null
}
*/
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.
*/

```

```

*  

@kotlin.internal.InlineOnly  

public inline fun <T> Array<out T>.getOrNull(index: Int, default: () -> T): T? {  

    return if (index >= 0 && index <= lastIndex) get(index) else default(index)  

}
* Returns an element at the given [index] or the result of calling the [default] function if the [index] is out of bounds of this array.
*  

@kotlin.internal.InlineOnly  

public inline fun ByteArray.getOrNull(index: Int, default: () -> Byte): Byte? {  

    return if (index >= 0 && index <= lastIndex) get(index) else default(index)  

}
* Returns an element at the given [index] or the result of calling the [default] function if the [index] is out of bounds of this array.
*  

@kotlin.internal.InlineOnly  

public inline fun ShortArray.getOrNull(index: Int, default: () -> Short): Short? {  

    return if (index >= 0 && index <= lastIndex) get(index) else default(index)  

}
* Returns an element at the given [index] or the result of calling the [default] function if the [index] is out of bounds of this array.
*  

@kotlin.internal.InlineOnly  

public inline fun IntArray.getOrNull(index: Int, default: () -> Int): Int? {  

    return if (index >= 0 && index <= lastIndex) get(index) else default(index)  

}
* Returns an element at the given [index] or the result of calling the [default] function if the [index] is out of bounds of this array.
*  

@kotlin.internal.InlineOnly  

public inline fun LongArray.getOrNull(index: Int, default: () -> Long): Long? {  

    return if (index >= 0 && index <= lastIndex) get(index) else default(index)  

}
* Returns an element at the given [index] or the result of calling the [default] function if the [index] is out of bounds of this array.
*  

@kotlin.internal.InlineOnly  

public inline fun FloatArray.getOrNull(index: Int, default: () -> Float): Float? {  

    return if (index >= 0 && index <= lastIndex) get(index) else default(index)  

}
* Returns an element at the given [index] or the result of calling the [default] function if the [index] is out of bounds of this array.
*  

@kotlin.internal.InlineOnly  

public inline fun DoubleArray.getOrNull(index: Int, default: () -> Double): Double? {  

    return if (index >= 0 && index <= lastIndex) get(index) else default(index)  

}
* Returns an element at the given [index] or the result of calling the [default] function if the [index] is out of bounds of this array.
*  

@kotlin.internal.InlineOnly  

public inline fun BooleanArray.getOrNull(index: Int, default: () -> Boolean): Boolean? {  

    return if (index >= 0 && index <= lastIndex) get(index) else default(index)  

}
* Returns an element at the given [index] or the result of calling the [default] function if the [index] is out of bounds of this array.
*  

@kotlin.internal.InlineOnly  

public inline fun CharArray.getOrNull(index: Int, default: () -> Char): Char? {  

    return if (index >= 0 && index <= lastIndex) get(index) else default(index)  

}
* Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.getOrNull
*  

public fun <T> Array<out T>.getOrNull(index: Int): T? {  

    return if (index >= 0 && index <= lastIndex) get(index) else null  

}
* Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.getOrNull
*  

public fun ByteArray.getOrNull(index: Int): Byte? {  

    return if (index >= 0 && index <= lastIndex) get(index) else null  

}
* Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.getOrNull
*  

public fun ShortArray.getOrNull(index: Int): Short? {  

    return if (index >= 0 && index <= lastIndex) get(index) else null  

}
* Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.getOrNull
*  

public fun IntArray.getOrNull(index: Int): Int? {  

    return if (index >= 0 && index <= lastIndex) get(index) else null  

}
* Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.getOrNull
*  

public fun LongArray.getOrNull(index: Int): Long? {  

    return if (index >= 0 && index <= lastIndex) get(index) else null  

}
* Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.getOrNull
*  

public fun FloatArray.getOrNull(index: Int): Float? {  

    return if (index >= 0 && index <= lastIndex) get(index) else null  

}
* Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.getOrNull
*  

public fun DoubleArray.getOrNull(index: Int): Double?

```



```

    return index\n    }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first element matching the
given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
LongArray.indexOfFirst(predicate: (Long) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
BooleanArray.indexOfFirst(predicate: (Boolean) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {\n    for (index in indices) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T>
Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    for (index in indices.reversed()) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n    for (index in indices.reversed()) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {\n    for (index in indices.reversed()) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {\n    for (index in indices.reversed()) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {\n    for (index in indices.reversed()) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {\n    for (index in indices.reversed()) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
DoubleArray.indexOfLast(predicate: (Double) -> Boolean): Int {\n    for (index in indices.reversed()) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
BooleanArray.indexOfLast(predicate: (Boolean) -> Boolean): Int {\n    for (index in indices.reversed()) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
CharArray.indexOfLast(predicate: (Char) -> Boolean): Int {\n    for (index in indices.reversed()) {\n        if
(predicate(this[index])) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns the last element.\n */\n\n * @throws NoSuchElementException if the array is empty.\n */\n\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun <T> Array<out T>.last(): T {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n */\n\n * @throws NoSuchElementException if the array is empty.\n */\n\n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun ByteArray.last(): Byte {\n    if (isEmpty())\n

```

```

throw NoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun ShortArray.last(): Short {\n    if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun IntArray.last(): Int {\n    if (isEmpty())\n    throw
NoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last element.\n * \n *
@throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun LongArray.last(): Long {\n    if (isEmpty())\n    throw
NoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun FloatArray.last(): Float {\n    if (isEmpty())\n    throw
NoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun DoubleArray.last(): Double {\n    if (isEmpty())\n    throw
NoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun BooleanArray.last(): Boolean {\n    if (isEmpty())\n    throw
NoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last
element.\n * \n * @throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic fun CharArray.last(): Char {\n    if (isEmpty())\n    throw
NoSuchElementException("Array is empty.")\n    return this[lastIndex]\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n *
@sample samples.collections.Collections.Elements.last\n */\npublic inline fun <T> Array<out
T>.last(predicate: (T) -> Boolean): T {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n
        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun ByteArray.last(predicate: (Byte) -> Boolean):
Byte {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return
element\n    }\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun ShortArray.last(predicate: (Short) -> Boolean):
Short {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element))
return element\n    }\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun IntArray.last(predicate: (Int) -> Boolean): Int
{\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element)) return
element\n    }\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun LongArray.last(predicate: (Long) -> Boolean):
Long {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if (predicate(element))
return element\n    }\n    throw NoSuchElementException("Array contains no element matching the
predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample

```

```

samples.collections.Collections.Elements.last\n */\npublic inline fun FloatArray.last(predicate: (Float) -> Boolean):
Float {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element))
return element\n }\n throw NoSuchElementException("Array contains no element matching the
predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun DoubleArray.last(predicate: (Double) ->
Boolean): Double {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if
(predicate(element)) return element\n }\n throw NoSuchElementException("Array contains no element
matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun BooleanArray.last(predicate: (Boolean) ->
Boolean): Boolean {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if
(predicate(element)) return element\n }\n throw NoSuchElementException("Array contains no element
matching the predicate.\")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n * @throws
NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n */\npublic inline fun CharArray.last(predicate: (Char) -> Boolean):
Char {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element))
return element\n }\n throw NoSuchElementException("Array contains no element matching the
predicate.\")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic
fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.lastIndexOf(element: T): Int {\n if (element == null) {\n
for (index in indices.reversed()) {\n if (this[index] == null) {\n return index\n }\n }\n } else {\n for
(index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain
element.\n */\npublic fun ByteArray.lastIndexOf(element: Byte): Int {\n for (index in indices.reversed()) {\n if
(element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of
[element], or -1 if the array does not contain element.\n */\npublic fun ShortArray.lastIndexOf(element: Short): Int
{\n for (index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
IntArray.lastIndexOf(element: Int): Int {\n for (index in indices.reversed()) {\n if (element == this[index]) {\n
return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain
element.\n */\npublic fun LongArray.lastIndexOf(element: Long): Int {\n for (index in indices.reversed())
{\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last
index of [element], or -1 if the array does not contain element.\n */\n@Deprecated("The function has unclear
behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfLast { it == element }'
instead to continue using this behavior, or '.asList().lastIndexOf(element: T)' to get the same search behavior as in a
list.", ReplaceWith("indexOfLast { it == element }"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.6")\npublic fun FloatArray.lastIndexOf(element: Float): Int {\n for (index in indices.reversed())
{\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last
index of [element], or -1 if the array does not contain element.\n */\n@Deprecated("The function has unclear
behavior when searching for NaN or zero values and will be removed soon. Use 'indexOfLast { it == element }'
instead to continue using this behavior, or '.asList().lastIndexOf(element: T)' to get the same search behavior as in a
list.", ReplaceWith("indexOfLast { it == element }"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.6")\npublic fun DoubleArray.lastIndexOf(element: Double): Int {\n for (index in
indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
BooleanArray.lastIndexOf(element: Boolean): Int {\n for (index in indices.reversed()) {\n if (element ==
this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n */\npublic fun CharArray.lastIndexOf(element: Char): Int {\n for (index in

```

```

indices.reversed() {\n    if (element == this[index]) {\n        return index\n    }\n    return -1\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \n\npublic fun <T> Array<out T>.lastOrNull(): T? {\n    return if
(isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n *
@sample samples.collections.Collections.Elements.last\n * \n\npublic fun ByteArray.lastOrNull(): Byte? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n *
@sample samples.collections.Collections.Elements.last\n * \n\npublic fun ShortArray.lastOrNull(): Short? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *
\n * @sample samples.collections.Collections.Elements.last\n * \n\npublic fun IntArray.lastOrNull(): Int? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n *
@sample samples.collections.Collections.Elements.last\n * \n\npublic fun LongArray.lastOrNull(): Long? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n *
@sample samples.collections.Collections.Elements.last\n * \n\npublic fun FloatArray.lastOrNull(): Float? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n * \n *
@sample samples.collections.Collections.Elements.last\n * \n\npublic fun DoubleArray.lastOrNull(): Double? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *
\n * @sample samples.collections.Collections.Elements.last\n * \n\npublic fun BooleanArray.lastOrNull(): Boolean?
{\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is
empty.\n * \n * @sample samples.collections.Collections.Elements.last\n * \n\npublic fun CharArray.lastOrNull():
Char? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \n\npublic inline fun <T> Array<out T>.lastOrNull(predicate: (T) ->
Boolean): T? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \n\npublic inline fun ByteArray.lastOrNull(predicate: (Byte) ->
Boolean): Byte? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \n\npublic inline fun ShortArray.lastOrNull(predicate: (Short) ->
Boolean): Short? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \n\npublic inline fun IntArray.lastOrNull(predicate: (Int) ->
Boolean): Int? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \n\npublic inline fun LongArray.lastOrNull(predicate: (Long) ->
Boolean): Long? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \n\npublic inline fun FloatArray.lastOrNull(predicate: (Float) ->
Boolean): Float? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n * \n\npublic inline fun DoubleArray.lastOrNull(predicate: (Double) ->
Boolean): Double? {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last element matching the given

```

```

[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^\npublic inline fun BooleanArray.lastOrNull(predicate: (Boolean)
-> Boolean): Boolean? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if
(predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n *^\npublic inline fun CharArray.lastOrNull(predicate: (Char) ->
Boolean): Char? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if
(predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a random element from this array.\n
* \n * @throws NoSuchElementException if this array is empty.\n
*^\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.random(): T {\n
return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n *^\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun ByteArray.random(): Byte {\n return random(Random)\n}\n\n/**\n * Returns a random element from
this array.\n * \n * @throws NoSuchElementException if this array is empty.\n *^\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.random(): Short {\n return
random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n *^\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.random(): Int {\n return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n *^\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.random(): Long {\n return
random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n *^\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun FloatArray.random(): Float {\n return random(Random)\n}\n\n/**\n * Returns a random element from
this array.\n * \n * @throws NoSuchElementException if this array is empty.\n *^\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.random(): Double {\n
return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n *^\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun BooleanArray.random(): Boolean {\n return random(Random)\n}\n\n/**\n * Returns a random element
from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n *^\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.random(): Char {\n return
random(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n *^\n@SinceKotlin("1.3")\npublic
fun <T> Array<out T>.random(random: Random): T {\n if (isEmpty())\n throw
NoSuchElementException("Array is empty.")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n *^\n@SinceKotlin("1.3")\npublic fun ByteArray.random(random: Random): Byte {\n if
(isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n *^\n@SinceKotlin("1.3")\npublic
fun ShortArray.random(random: Random): Short {\n if (isEmpty())\n throw
NoSuchElementException("Array is empty.")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n *^\n@SinceKotlin("1.3")\npublic fun IntArray.random(random: Random): Int {\n if
(isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n *^\n@SinceKotlin("1.3")\npublic
fun LongArray.random(random: Random): Long {\n if (isEmpty())\n throw
NoSuchElementException("Array is empty.")\n return get(random.nextInt(size))\n}\n\n/**\n * Returns a random

```

```

element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n *\n@SinceKotlin("1.3")\npublic fun FloatArray.random(random: Random): Float {\n if
(isEmpty())\n    throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n *\n@SinceKotlin("1.3")\npublic
fun DoubleArray.random(random: Random): Double {\n if (isEmpty())\n    throw
NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n *\n@SinceKotlin("1.3")\npublic fun BooleanArray.random(random: Random): Boolean {\n
if (isEmpty())\n    throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n *\n@SinceKotlin("1.3")\npublic
fun CharArray.random(random: Random): Char {\n if (isEmpty())\n    throw NoSuchElementException("Array
is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if
this array is empty.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <T> Array<out T>.randomOrNull(): T? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun ByteArray.randomOrNull(): Byte? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this array, or `null` if this array is empty.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun ShortArray.randomOrNull(): Short? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun IntArray.randomOrNull(): Int? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this array, or `null` if this array is empty.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun LongArray.randomOrNull(): Long? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun FloatArray.randomOrNull(): Float? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun DoubleArray.randomOrNull(): Double? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun BooleanArray.randomOrNull(): Boolean? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun CharArray.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array using the specified source of randomness, or `null` if this array is empty.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T> Array<out
T>.randomOrNull(random: Random): T? {\n    if (isEmpty())\n        return null\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n\n*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
ByteArray.randomOrNull(random: Random): Byte? {\n    if (isEmpty())\n        return null\n    return

```

```

get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
ShortArray.randomOrNull(random: Random): Short? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
IntArray.randomOrNull(random: Random): Int? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
LongArray.randomOrNull(random: Random): Long? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
FloatArray.randomOrNull(random: Random): Float? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
DoubleArray.randomOrNull(random: Random): Double? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
BooleanArray.randomOrNull(random: Random): Boolean? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharArray.randomOrNull(random: Random): Char? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or
has more than one element.\n */\npublic fun <T> Array<out T>.single(): T {\n return when (size) {\n 0 ->
throw NoSuchElementException("Array is empty.")\n 1 -> this[0]\n else -> throw
IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun ByteArray.single(): Byte
{\n return when (size) {\n 0 -> throw NoSuchElementException("Array is empty.")\n 1 -> this[0]\n
else -> throw IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun
ShortArray.single(): Short {\n return when (size) {\n 0 -> throw NoSuchElementException("Array is
empty.")\n 1 -> this[0]\n else -> throw IllegalArgumentException("Array has more than one element.")\n
}\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or has more than one
element.\n */\npublic fun IntArray.single(): Int {\n return when (size) {\n 0 -> throw
NoSuchElementException("Array is empty.")\n 1 -> this[0]\n else -> throw
IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n */\npublic fun LongArray.single(): Long
{\n return when (size) {\n 0 -> throw NoSuchElementException("Array is empty.")\n 1 -> this[0]\n
else -> throw IllegalArgumentException("Array has more than one element.")\n }\n}\n\n/**\n * Returns the
single element, or throws an exception if the array is empty or has more than one element.\n */\npublic fun
FloatArray.single(): Float {\n return when (size) {\n 0 -> throw NoSuchElementException("Array is
empty.")\n 1 -> this[0]\n else -> throw IllegalArgumentException("Array has more than one element.")\n
}\n}

```

```

}
}

Returns the single element, or throws an exception if the array is empty or has more than one
element.
public fun DoubleArray.single(): Double {
    return when (size) {
        0 -> throw NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}

Returns the single element, or throws an exception if the array is empty or has more than one element.
public fun BooleanArray.single(): Boolean {
    return when (size) {
        0 -> throw NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}

Returns the single element, or throws an exception if the array is empty or has more than one element.
public fun CharArray.single(): Char {
    return when (size) {
        0 -> throw NoSuchElementException("Array is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("Array has more than one element.")
    }
}

Returns the single element matching the given [predicate], or throws exception if there is no or
more than one matching element.
public inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {
    var single: T? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) throw IllegalArgumentException("Array contains more than one matching element.")
            single = element
            found = true
        }
    }
    if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")
    @Suppress("UNCHECKED_CAST") return single as T
}

Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.
public inline fun ByteArray.single(predicate: (Byte) -> Boolean): Byte {
    var single: Byte? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) throw IllegalArgumentException("Array contains more than one matching element.")
            single = element
            found = true
        }
    }
    if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")
    @Suppress("UNCHECKED_CAST") return single as Byte
}

Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.
public inline fun ShortArray.single(predicate: (Short) -> Boolean): Short {
    var single: Short? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) throw IllegalArgumentException("Array contains more than one matching element.")
            single = element
            found = true
        }
    }
    if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")
    @Suppress("UNCHECKED_CAST") return single as Short
}

Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.
public inline fun IntArray.single(predicate: (Int) -> Boolean): Int {
    var single: Int? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) throw IllegalArgumentException("Array contains more than one matching element.")
            single = element
            found = true
        }
    }
    if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")
    @Suppress("UNCHECKED_CAST") return single as Int
}

Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.
public inline fun LongArray.single(predicate: (Long) -> Boolean): Long {
    var single: Long? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) throw IllegalArgumentException("Array contains more than one matching element.")
            single = element
            found = true
        }
    }
    if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")
    @Suppress("UNCHECKED_CAST") return single as Long
}

Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.
public inline fun FloatArray.single(predicate: (Float) -> Boolean): Float {
    var single: Float? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) throw IllegalArgumentException("Array contains more than one matching element.")
            single = element
            found = true
        }
    }
    if (!found) throw NoSuchElementException("Array contains no element matching the predicate.")
    @Suppress("UNCHECKED_CAST") return single as Float
}

Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.
public inline fun DoubleArray.single(predicate: (Double) -> Boolean): Double {
    var single:

```

```

Double? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found)
throw IllegalArgumentException("Array contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no element
matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Double\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one
matching element.\n */\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n    var
single: Boolean? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n            single =
element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Boolean\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no
or more than one matching element.\n */\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char
{\n    var single: Char? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if
(found) throw IllegalArgumentException("Array contains more than one matching element.")\n            single =
element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Array contains no
element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as Char\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic fun <T>
Array<out T>.singleOrNull(): T? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or
`null` if the array is empty or has more than one element.\n */\npublic fun ByteArray.singleOrNull(): Byte? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n */\npublic fun ShortArray.singleOrNull(): Short? {\n    return if (size == 1) this[0] else
null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic
fun IntArray.singleOrNull(): Int? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or
`null` if the array is empty or has more than one element.\n */\npublic fun LongArray.singleOrNull(): Long? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n */\npublic fun FloatArray.singleOrNull(): Float? {\n    return if (size == 1) this[0] else
null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one element.\n */\npublic
fun DoubleArray.singleOrNull(): Double? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n */\npublic fun BooleanArray.singleOrNull():
Boolean? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is
empty or has more than one element.\n */\npublic fun CharArray.singleOrNull(): Char? {\n    return if (size == 1)
this[0] else null\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not
found or more than one element was found.\n */\npublic inline fun <T> Array<out T>.singleOrNull(predicate: (T) -
-> Boolean): T? {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if
(predicate(element)) {\n            if (found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or
`null` if element was not found or more than one element was found.\n */\npublic inline fun
ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte? {\n    var single: Byte? = null\n    var found = false\n
for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single = element\n
            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.\n */\npublic
inline fun ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {\n    var single: Short? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n            single
= element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n */\npublic inline fun IntArray.singleOrNull(predicate: (Int) -> Boolean): Int? {\n    var single: Int? = null\n
var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) return null\n
            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n    return single\n}\n\n/**\n *

```

Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.

```

*\npublic inline fun LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {\n  var\n  single: Long? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if\n      (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return\n  single\n}\n\n**\n * Returns the single element matching the given [predicate], or `null` if element was not found or\n more than one element was found.
*\npublic inline fun FloatArray.singleOrNull(predicate: (Float) -> Boolean):\n Float? {\n  var single: Float? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element))\n    {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return\n  null\n  return single\n}\n\n**\n * Returns the single element matching the given [predicate], or `null` if element\n was not found or more than one element was found.
*\npublic inline fun DoubleArray.singleOrNull(predicate:\n (Double) -> Boolean): Double? {\n  var single: Double? = null\n  var found = false\n  for (element in this) {\n    if\n    (predicate(element)) {\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n**\n * Returns the single element matching the given\n [predicate], or `null` if element was not found or more than one element was found.
*\npublic inline fun\n BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n  var single: Boolean? = null\n  var\n  found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single\n      = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n**\n * Returns the\n single element matching the given [predicate], or `null` if element was not found or more than one element was\n found.
*\npublic inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {\n  var single: Char?\n  = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return\n      null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return\n  single\n}\n\n**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws\n IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -\n  n).coerceAtLeast(0))\n}\n\n**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws\n IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.drop\n *\npublic fun ByteArray.drop(n: Int): List<Byte> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -\n  n).coerceAtLeast(0))\n}\n\n**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws\n IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.drop\n *\npublic fun ShortArray.drop(n: Int): List<Short> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -\n  n).coerceAtLeast(0))\n}\n\n**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws\n IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.drop\n *\npublic fun IntArray.drop(n: Int): List<Int> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -\n  n).coerceAtLeast(0))\n}\n\n**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws\n IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.drop\n *\npublic fun LongArray.drop(n: Int): List<Long> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -\n  n).coerceAtLeast(0))\n}\n\n**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws\n IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.drop\n *\npublic fun FloatArray.drop(n: Int): List<Float> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -\n  n).coerceAtLeast(0))\n}\n\n**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws\n IllegalArgumentException if [n] is negative.\n * \n * @sample\n samples.collections.Collections.Transformations.drop\n *\npublic fun DoubleArray.drop(n: Int): List<Double> {\n

```

```

require(n >= 0) { \"Requested element count $n is less than zero.\" } }n  return takeLast((size -
n).coerceAtLeast(0))n}n\n/**n * Returns a list containing all elements except first [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic fun BooleanArray.drop(n: Int): List<Boolean>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" } }n  return takeLast((size -
n).coerceAtLeast(0))n}n\n/**n * Returns a list containing all elements except first [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic fun CharArray.drop(n: Int): List<Char> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" } }n  return takeLast((size -
n).coerceAtLeast(0))n}n\n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic fun <T> Array<out T>.dropLast(n: Int): List<T>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" } }n  return take((size -
n).coerceAtLeast(0))n}n\n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" } }n  return take((size -
n).coerceAtLeast(0))n}n\n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic fun ShortArray.dropLast(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" } }n  return take((size -
n).coerceAtLeast(0))n}n\n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic fun IntArray.dropLast(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" } }n  return take((size -
n).coerceAtLeast(0))n}n\n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic fun LongArray.dropLast(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" } }n  return take((size -
n).coerceAtLeast(0))n}n\n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic fun FloatArray.dropLast(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" } }n  return take((size -
n).coerceAtLeast(0))n}n\n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic fun DoubleArray.dropLast(n: Int): List<Double>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" } }n  return take((size -
n).coerceAtLeast(0))n}n\n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic fun BooleanArray.dropLast(n: Int):
List<Boolean> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" } }n  return take((size -
n).coerceAtLeast(0))n}n\n/**n * Returns a list containing all elements except last [n] elements.n * n * @throws
IllegalArgumentException if [n] is negative.n * n * @sample
samples.collections.Collections.Transformations.drop\n * \npublic fun CharArray.dropLast(n: Int): List<Char> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" } }n  return take((size -
n).coerceAtLeast(0))n}n\n/**n * Returns a list containing all elements except last elements that satisfy the given
[predicate].n * n * @sample samples.collections.Collections.Transformations.drop\n * \npublic inline fun <T>
Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n  for (index in lastIndex downTo 0) {\n    if

```

```

(!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropLastWhile(predicate: (Byte) -> Boolean): List<Byte> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ShortArray.dropLastWhile(predicate: (Short) -> Boolean): List<Short> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun IntArray.dropLastWhile(predicate: (Int) -> Boolean): List<Int> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun LongArray.dropLastWhile(predicate: (Long) -> Boolean): List<Long> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun FloatArray.dropLastWhile(predicate: (Float) -> Boolean): List<Float> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun DoubleArray.dropLastWhile(predicate: (Double) -> Boolean): List<Double> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Array<out T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n  var yielding = false\n  val list = ArrayList<T>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))\n      list.add(item)\n      yielding = true\n  }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ByteArray.dropWhile(predicate: (Byte) -> Boolean): List<Byte> {\n  var yielding = false\n  val list = ArrayList<Byte>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))\n      list.add(item)\n      yielding = true\n  }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun ShortArray.dropWhile(predicate: (Short) -> Boolean): List<Short> {\n  var yielding = false\n  val list = ArrayList<Short>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))\n      list.add(item)\n      yielding = true\n  }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun

```

```

IntArray.dropWhile(predicate: (Int) -> Boolean): List<Int> {\n  var yielding = false\n  val list =
ArrayList<Int>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements
except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun LongArray.dropWhile(predicate:
(Long) -> Boolean): List<Long> {\n  var yielding = false\n  val list = ArrayList<Long>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding =
true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n  var yielding = false\n  val list =
ArrayList<Float>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun DoubleArray.dropWhile(predicate:
(Double) -> Boolean): List<Double> {\n  var yielding = false\n  val list = ArrayList<Double>()\n  for (item in
this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  var yielding = false\n  val list = ArrayList<Boolean>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if
(!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list
containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun CharArray.dropWhile(predicate:
(Char) -> Boolean): List<Char> {\n  var yielding = false\n  val list = ArrayList<Char>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n      list.add(item)\n      yielding =
true\n    }\n  return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun <T> Array<out
T>.filter(predicate: (T) -> Boolean): List<T> {\n  return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns
a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun ByteArray.filter(predicate: (Byte) -> Boolean):
List<Byte> {\n  return filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements
matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n  return filterTo(ArrayList<Short>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun IntArray.filter(predicate: (Int) -> Boolean):
List<Int> {\n  return filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements
matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n  return filterTo(ArrayList<Long>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun FloatArray.filter(predicate: (Float) ->
Boolean): List<Float> {\n  return filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing
only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n  return
filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun BooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n  return filterTo(ArrayList<Boolean>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n *\npublic inline fun CharArray.filter(predicate: (Char) ->

```

```

Boolean): List<Char> {\n  return filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing
only elements matching the given [predicate].\n * @param [predicate] function that takes the index of an element
and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun <T> Array<out
T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n  return filterIndexedTo(ArrayList<T>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic
inline fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n  return
filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun ShortArray.filterIndexed(predicate:
(index: Int, Short) -> Boolean): List<Short> {\n  return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n
* Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n
* @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun
IntArray.filterIndexed(predicate: (index: Int, Int) -> Boolean): List<Int> {\n  return
filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun LongArray.filterIndexed(predicate:
(index: Int, Long) -> Boolean): List<Long> {\n  return filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n/**\n
* Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n
* @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun
FloatArray.filterIndexed(predicate: (index: Int, Float) -> Boolean): List<Float> {\n  return
filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun DoubleArray.filterIndexed(predicate:
(index: Int, Double) -> Boolean): List<Double> {\n  return filterIndexedTo(ArrayList<Double>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic
inline fun BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n  return
filterIndexedTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching
the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun CharArray.filterIndexed(predicate:
(index: Int, Char) -> Boolean): List<Char> {\n  return filterIndexedTo(ArrayList<Char>(), predicate)\n}\n\n/**\n
* Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that
takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the
element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <T, C :
MutableCollection<in T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C
{\n  forEachIndexed { index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of

```

```

predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterIndexedTo(destination: C, predicate:
(index: Int, Byte) -> Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) -> Boolean): C {\n  forEachIndexed {
index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterIndexedTo(destination: C, predicate: (index:
Int, Int) -> Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterIndexedTo(destination: C, predicate: (index: Int, Long) -> Boolean): C {\n  forEachIndexed {
index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterIndexedTo(destination: C, predicate:
(index: Int, Float) -> Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) -> Boolean): C {\n
forEachIndexed { index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterIndexedTo(destination: C, predicate:
(index: Int, Boolean) -> Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))
destination.add(element)\n  }\n  return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n  forEachIndexed {
index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n *
\n * @sample samples.collections.Collections.Filtering.filterIsInstance\n
*\npublic inline fun <reified R>
Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n  return
filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type
parameter R to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterIsInstanceTo\n
*\npublic inline fun <reified R, C :

```



```

matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : MutableCollection<in Long>>
LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : MutableCollection<in Float>>
FloatArray.filterNotTo(destination: C, predicate: (Float) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : MutableCollection<in Double>>
DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : MutableCollection<in Boolean>>
BooleanArray.filterNotTo(destination: C, predicate: (Boolean) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : MutableCollection<in Char>>
CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*^\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterTo(destination: C, predicate: (T) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : MutableCollection<in
Byte>> ByteArray.filterTo(destination: C, predicate: (Byte) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*^\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) ->
Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : MutableCollection<in Int>>
IntArray.filterTo(destination: C, predicate: (Int) -> Boolean): C {\n  for (element in this) if (predicate(element))
destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching the given [predicate]
to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun
<C : MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C {\n  for
(element in this) if (predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : MutableCollection<in Float>>
FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*^\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double)
-> Boolean): C {\n  for (element in this) if (predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n *^\npublic inline fun <C : MutableCollection<in
Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching

```

```

the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterTo(destination: C, predicate: (Char) ->
Boolean): C {\n    for (element in this) if (predicate(element)) destination.add(element)\n    return
destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun <T> Array<out T>.slice(indices: IntRange): List<T> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun ByteArray.slice(indices: IntRange): List<Byte> {\n    if
(indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun ShortArray.slice(indices: IntRange): List<Short> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun IntArray.slice(indices: IntRange): List<Int> {\n    if
(indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun LongArray.slice(indices: IntRange): List<Long> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun FloatArray.slice(indices: IntRange): List<Float> {\n    if
(indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun DoubleArray.slice(indices: IntRange): List<Double> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n
if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun CharArray.slice(indices: IntRange): List<Char> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun <T> Array<out T>.slice(indices: Iterable<Int>): List<T> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<T>(size)\n    for
(index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Byte>(size)\n    for
(index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun ShortArray.slice(indices: Iterable<Int>): List<Short> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Short>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Int>(size)\n    for
(index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun LongArray.slice(indices: Iterable<Int>): List<Long> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Long>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun FloatArray.slice(indices: Iterable<Int>): List<Float> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Float>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n    val
size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<Double>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n
* Returns a list containing elements at specified [indices].\n */\npublic fun BooleanArray.slice(indices: Iterable<Int>):

```

```

List<Boolean> {\n  val size = indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list = ArrayList<Boolean>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun CharArray.slice(indices: Iterable<Int>): List<Char> {\n  val size = indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n  val list = ArrayList<Char>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun <T> Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n  val result = arrayOfNulls(this, indices.size)\n  var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return result}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n  val result = ByteArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return result}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun ShortArray.sliceArray(indices: Collection<Int>): ShortArray {\n  val result = ShortArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return result}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun IntArray.sliceArray(indices: Collection<Int>): IntArray {\n  val result = IntArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return result}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun LongArray.sliceArray(indices: Collection<Int>): LongArray {\n  val result = LongArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return result}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun FloatArray.sliceArray(indices: Collection<Int>): FloatArray {\n  val result = FloatArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return result}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n  val result = DoubleArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return result}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n  val result = BooleanArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return result}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun CharArray.sliceArray(indices: Collection<Int>): CharArray {\n  val result = CharArray(indices.size)\n  var targetIndex = 0\n  for (sourceIndex in indices) {\n    result[targetIndex++] = this[sourceIndex]\n  }\n  return result}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun <T> Array<T>.sliceArray(indices: IntRange): Array<T> {\n  if (indices.isEmpty()) return copyOfRange(0, 0)\n  return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun ByteArray.sliceArray(indices: IntRange): ByteArray {\n  if (indices.isEmpty()) return ByteArray(0)\n  return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun ShortArray.sliceArray(indices: IntRange): ShortArray {\n  if (indices.isEmpty()) return ShortArray(0)\n  return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun IntArray.sliceArray(indices: IntRange): IntArray {\n  if (indices.isEmpty()) return IntArray(0)\n  return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun LongArray.sliceArray(indices: IntRange): LongArray {\n  if (indices.isEmpty()) return LongArray(0)\n  return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun FloatArray.sliceArray(indices: IntRange): FloatArray {\n  if (indices.isEmpty()) return FloatArray(0)\n  return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n */\npublic fun

```



```

[n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n * \n\npublic fun
CharArray.take(n: Int): List<Char> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if
(n == 0) return emptyList()\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<Char>(n)\n    for (item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws
IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n\npublic fun <T> Array<out T>.takeLast(n: Int): List<T>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val
size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list =
ArrayList<T>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns
a list containing last [n] elements.\n * \n * @throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n\npublic fun ByteArray.takeLast(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Byte>(n)\n
for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last
[n] elements.\n * \n * @throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n\npublic fun ShortArray.takeLast(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Short>(n)\n
for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last
[n] elements.\n * \n * @throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n\npublic fun IntArray.takeLast(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Int>(n)\n
for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last
[n] elements.\n * \n * @throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n\npublic fun LongArray.takeLast(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Long>(n)\n
for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last
[n] elements.\n * \n * @throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n\npublic fun FloatArray.takeLast(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Float>(n)\n
for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last
[n] elements.\n * \n * @throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \n\npublic fun DoubleArray.takeLast(n: Int): List<Double>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val
size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list =
ArrayList<Double>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n * \n\npublic fun BooleanArray.takeLast(n: Int):
List<Boolean> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return
emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list
= ArrayList<Boolean>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentOutOfRangeException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n * \n\npublic fun CharArray.takeLast(n: Int):
List<Char> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return

```

```

emptyList()\n  val size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list
= ArrayList<Char>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n *
Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun <T> Array<out
T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n  for (index in lastIndex downTo 0) {\n    if
(!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a
list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun ByteArray.takeLastWhile(predicate:
(Byte) -> Boolean): List<Byte> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
inline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun IntArray.takeLastWhile(predicate: (Int)
-> Boolean): List<Int> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n      return
drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic inline fun
LongArray.takeLastWhile(predicate: (Long) -> Boolean): List<Long> {\n  for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns
a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun FloatArray.takeLastWhile(predicate:
(Float) -> Boolean): List<Float> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
inline fun DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun
BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n  for (index in lastIndex
downTo 0) {\n    if (!predicate(this[index])) {\n      return drop(index + 1)\n    }\n  }\n  return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun CharArray.takeLastWhile(predicate:
(Char) -> Boolean): List<Char> {\n  for (index in lastIndex downTo 0) {\n    if (!predicate(this[index])) {\n
return drop(index + 1)\n    }\n  }\n  return toList()\n}\n\n/**\n * Returns a list containing first elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic
inline fun <T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n  val list = ArrayList<T>()\n  for
(item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun ByteArray.takeWhile(predicate: (Byte)
-> Boolean): List<Byte> {\n  val list = ArrayList<Byte>()\n  for (item in this) {\n    if (!predicate(item))\n
break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic inline fun
ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {\n  val list = ArrayList<Short>()\n  for (item
in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a
list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun IntArray.takeWhile(predicate: (Int) ->
Boolean): List<Int> {\n  val list = ArrayList<Int>()\n  for (item in this) {\n    if (!predicate(item))\n

```

```

break\n    list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long> {\n    val list = ArrayList<Long>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun FloatArray.takeWhile(predicate: (Float) -> Boolean): List<Float> {\n    val list = ArrayList<Float>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n    val list = ArrayList<Double>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun BooleanArray.takeWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n    val list = ArrayList<Boolean>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n */\npublic inline fun CharArray.takeWhile(predicate: (Char) -> Boolean): List<Char> {\n    val list = ArrayList<Char>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun <T> Array<T>.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ByteArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ShortArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun IntArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun LongArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun FloatArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun DoubleArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun BooleanArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun CharArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n * \n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if

```

```

[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic fun <T>
Array<T>.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic fun
ByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic fun
ShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic fun
IntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic fun
LongArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n */\n@SinceKotlin("1.4")\npublic fun
FloatArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n    val midPoint = (fromIndex + toIndex) / 2\n    if (fromIndex == midPoint) return\n    var reverseIndex =
toIndex - 1\n    for (index in fromIndex until midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if

```

```

[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *^\n@SinceKotlin("1.4")\npublic fun
DoubleArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex,
size)\n  val midPoint = (fromIndex + toIndex) / 2\n  if (fromIndex == midPoint) return\n  var reverseIndex =
toIndex - 1\n  for (index in fromIndex until midPoint) {\n    val tmp = this[index]\n    this[index] =
this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses elements of the
array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to reverse.\n *
@param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *^\n@SinceKotlin("1.4")\npublic fun
BooleanArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n  AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n  val midPoint = (fromIndex + toIndex) / 2\n  if (fromIndex == midPoint) return\n  var
reverseIndex = toIndex - 1\n  for (index in fromIndex until midPoint) {\n    val tmp = this[index]\n
this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Reverses
elements of the array in the specified range in-place.\n * \n * @param fromIndex the start of the range (inclusive) to
reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n *^\n@SinceKotlin("1.4")\npublic
fun CharArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n  AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n  val midPoint = (fromIndex + toIndex) / 2\n  if (fromIndex == midPoint) return\n  var
reverseIndex = toIndex - 1\n  for (index in fromIndex until midPoint) {\n    val tmp = this[index]\n
this[index] = this[reverseIndex]\n    this[reverseIndex] = tmp\n    reverseIndex--\n  }\n}\n\n/**\n * Returns a
list with elements in reversed order.\n *^\npublic fun <T> Array<out T>.reversed(): List<T> {\n  if (isEmpty())
return emptyList()\n  val list = toMutableList()\n  list.reverse()\n  return list\n}\n\n/**\n * Returns a list with
elements in reversed order.\n *^\npublic fun ByteArray.reversed(): List<Byte> {\n  if (isEmpty()) return
emptyList()\n  val list = toMutableList()\n  list.reverse()\n  return list\n}\n\n/**\n * Returns a list with elements
in reversed order.\n *^\npublic fun ShortArray.reversed(): List<Short> {\n  if (isEmpty()) return emptyList()\n  val
list = toMutableList()\n  list.reverse()\n  return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*\npublic fun IntArray.reversed(): List<Int> {\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n
list.reverse()\n  return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n *^\npublic fun
LongArray.reversed(): List<Long> {\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n
list.reverse()\n  return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n *^\npublic fun
FloatArray.reversed(): List<Float> {\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n
list.reverse()\n  return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n *^\npublic fun
DoubleArray.reversed(): List<Double> {\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n
list.reverse()\n  return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n *^\npublic fun
BooleanArray.reversed(): List<Boolean> {\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n
list.reverse()\n  return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n *^\npublic fun
CharArray.reversed(): List<Char> {\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n
list.reverse()\n  return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n *^\npublic
fun <T> Array<T>.reversedArray(): Array<T> {\n  if (isEmpty()) return this\n  val result = arrayOfNulls(this,
size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return
result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n *^\npublic fun
ByteArray.reversedArray(): ByteArray {\n  if (isEmpty()) return this\n  val result = ByteArray(size)\n  val
lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result\n}\n\n/**\n *
Returns an array with elements of this array in reversed order.\n *^\npublic fun ShortArray.reversedArray():
ShortArray {\n  if (isEmpty()) return this\n  val result = ShortArray(size)\n  val lastIndex = lastIndex\n  for (i
in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result\n}\n\n/**\n * Returns an array with elements of this

```

```

array in reversed order.\n */\npublic fun IntArray.reversedArray(): IntArray {\n    if (isEmpty()) return this\n    val result = IntArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun\nLongArray.reversedArray(): LongArray {\n    if (isEmpty()) return this\n    val result = LongArray(size)\n    val\nlastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun FloatArray.reversedArray():\nFloatArray {\n    if (isEmpty()) return this\n    val result = FloatArray(size)\n    val lastIndex = lastIndex\n    for (i in\n0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this\narray in reversed order.\n */\npublic fun DoubleArray.reversedArray(): DoubleArray {\n    if (isEmpty()) return\nthis\n    val result = DoubleArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex -\ni] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic\nfun BooleanArray.reversedArray(): BooleanArray {\n    if (isEmpty()) return this\n    val result =\nBooleanArray(size)\n    val lastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun\nCharArray.reversedArray(): CharArray {\n    if (isEmpty()) return this\n    val result = CharArray(size)\n    val\nlastIndex = lastIndex\n    for (i in 0..lastIndex)\n        result[lastIndex - i] = this[i]\n    return result\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun <T>\nArray<T>.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun ByteArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly\nshuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun ShortArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun IntArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly\nshuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun LongArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun FloatArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly\nshuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun DoubleArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly shuffles elements in this array in-place.\n */\n@SinceKotlin("1.4")\npublic fun BooleanArray.shuffle(): Unit {\n    shuffle(Random)\n}\n\n/**\n * Randomly\nshuffles elements in this array in-place using the specified [random]\ninstance as the source of randomness.\n */\n * See:\nhttps://en.wikipedia.org/wiki/Fisher%20%93Yates\_shuffle#The\_modern\_algorithm\n */\n@SinceKotlin("1.4")\npublic fun <T> Array<T>.shuffle(random: Random): Unit {\n    for (i in lastIndex\ndownTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the\nsource of randomness.\n */\n * See:\nhttps://en.wikipedia.org/wiki/Fisher%20%93Yates\_shuffle#The\_modern\_algorithm\n */\n@SinceKotlin("1.4")\npublic fun ByteArray.shuffle(random: Random): Unit {\n    for (i in lastIndex\ndownTo\n1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the\nsource of randomness.\n */\n * See:\nhttps://en.wikipedia.org/wiki/Fisher%20%93Yates\_shuffle#The\_modern\_algorithm\n */\n@SinceKotlin("1.4")\npublic fun ShortArray.shuffle(random: Random): Unit {\n    for (i in lastIndex\ndownTo\n1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the\nsource of randomness.\n */\n * See:\nhttps://en.wikipedia.org/wiki/Fisher%20%93Yates\_shuffle#The\_modern\_algorithm\n */\n@SinceKotlin("1.4")\npublic fun IntArray.shuffle(random: Random): Unit {\n    for (i in lastIndex\ndownTo 1)

```

```

{\n    val j = random.nextInt(i + 1)\n    val copy = this[i]\n    this[i] = this[j]\n    this[j] = copy\n
}\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun LongArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo
1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
}\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun FloatArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo
1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
}\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.shuffle(random: Random): Unit {\n    for (i in lastIndex
downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
}\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun BooleanArray.shuffle(random: Random): Unit {\n    for (i in lastIndex
downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
}\n}\n\n/**\n * Randomly shuffles elements in this array in-place using the specified [random] instance as the
source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.4")\npublic fun CharArray.shuffle(random: Random): Unit {\n    for (i in lastIndex downTo
1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n
}\n}\n\n/**\n * Sorts elements in the array in-place according to natural sort order of the value returned by specified
[selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each
other after sorting.\n * \npublic inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T) -
> R?): Unit {\n    if (size > 1) sortWith(compareBy(selector))\n}\n}\n\n/**\n * Sorts elements in the array in-place
descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \npublic inline fun
<T, R : Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n    if (size > 1)
sortWith(compareByDescending(selector))\n}\n}\n\n/**\n * Sorts elements in the array in-place descending according
to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n * \npublic fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n    sortWith(reverseOrder())\n}\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural
sort order.\n * \npublic fun ByteArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n
}\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n * \npublic fun
ShortArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n}\n\n/**\n * Sorts
elements in the array in-place descending according to their natural sort order.\n * \npublic fun
IntArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n}\n\n/**\n * Sorts elements
in the array in-place descending according to their natural sort order.\n * \npublic fun LongArray.sortDescending():
Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n}\n\n/**\n * Sorts elements in the array in-place
descending according to their natural sort order.\n * \npublic fun FloatArray.sortDescending(): Unit {\n    if (size >
1) {\n        sort()\n        reverse()\n    }\n}\n}\n\n/**\n * Sorts elements in the array in-place descending according
to their natural sort order.\n * \npublic fun DoubleArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n
reverse()\n    }\n}\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n

```

```

*^public fun CharArray.sortDescending(): Unit {
    if (size > 1) {
        sort()
        reverse()
    }
}
Returns a list of all elements sorted according to their natural sort order.
The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
^public fun <T : Comparable<T>>
Array<out T>.sorted(): List<T> {
    return sortedArray().asList()
}
Returns a list of all elements sorted according to their natural sort order.
^public fun ByteArray.sorted(): List<Byte> {
    return
toTypedArray().apply { sort() }.asList()
}
Returns a list of all elements sorted according to their natural sort order.
^public fun ShortArray.sorted(): List<Short> {
    return toTypedArray().apply { sort()
}.asList()
}
Returns a list of all elements sorted according to their natural sort order.
^public fun IntArray.sorted(): List<Int> {
    return toTypedArray().apply { sort() }.asList()
}
Returns a list of all elements sorted according to their natural sort order.
^public fun LongArray.sorted(): List<Long> {
    return toTypedArray().apply { sort() }.asList()
}
Returns a list of all elements sorted according to their natural sort order.
^public fun FloatArray.sorted(): List<Float> {
    return toTypedArray().apply { sort()
}.asList()
}
Returns a list of all elements sorted according to their natural sort order.
^public fun DoubleArray.sorted(): List<Double> {
    return toTypedArray().apply { sort() }.asList()
}
Returns a list of all elements sorted according to their natural sort order.
^public fun CharArray.sorted(): List<Char> {
    return toTypedArray().apply { sort() }.asList()
}
Returns an array with all elements of this array sorted according to their natural sort order.
The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
^public fun <T : Comparable<T>> Array<T>.sortedArray(): Array<T> {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted according to their natural sort order.
^public fun ByteArray.sortedArray(): ByteArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted according to their natural sort order.
^public fun ShortArray.sortedArray(): ShortArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted according to their natural sort order.
^public fun IntArray.sortedArray(): IntArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted according to their natural sort order.
^public fun LongArray.sortedArray(): LongArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted according to their natural sort order.
^public fun FloatArray.sortedArray(): FloatArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted according to their natural sort order.
^public fun DoubleArray.sortedArray(): DoubleArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted according to their natural sort order.
^public fun CharArray.sortedArray(): CharArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted descending according to their natural sort order.
The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
^public fun <T : Comparable<T>>
Array<T>.sortedArrayDescending(): Array<T> {
    if (isEmpty()) return this
    return this.copyOf().apply {
sortWith(reverseOrder()) }
}
Returns an array with all elements of this array sorted descending according to their natural sort order.
^public fun ByteArray.sortedArrayDescending(): ByteArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}
Returns an array with all elements of this array sorted descending according to their natural sort order.
^public fun ShortArray.sortedArrayDescending(): ShortArray {
    if (isEmpty()) return this
    return this.copyOf().apply {
sortDescending() }
}
Returns an array with all elements of this array sorted descending according to their natural sort order.
^public fun IntArray.sortedArrayDescending(): IntArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}
Returns an array with all elements of this array sorted descending according to their natural sort order.
^public fun LongArray.sortedArrayDescending(): LongArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}
Returns an array with all elements of this array sorted descending according to their natural sort order.
^public fun FloatArray.sortedArrayDescending(): FloatArray {
    if (isEmpty()) return this
    return this.copyOf().apply {

```



`Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {`  
`\n return`  
`sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending`  
`according to natural sort order of the value returned by specified [selector] function.\n */\n`  
`public inline fun <R : Comparable<R>> ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> {`  
`\n return`  
`sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending`  
`according to natural sort order of the value returned by specified [selector] function.\n */\n`  
`public inline fun <R : Comparable<R>> ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> {`  
`\n return`  
`sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending`  
`according to natural sort order of the value returned by specified [selector] function.\n */\n`  
`public inline fun <R : Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {`  
`\n return`  
`sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending`  
`according to natural sort order of the value returned by specified [selector] function.\n */\n`  
`public inline fun <R : Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {`  
`\n return`  
`sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending`  
`according to natural sort order of the value returned by specified [selector] function.\n */\n`  
`public inline fun <R : Comparable<R>> FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {`  
`\n return`  
`sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending`  
`according to natural sort order of the value returned by specified [selector] function.\n */\n`  
`public inline fun <R : Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {`  
`\n return`  
`sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending`  
`according to natural sort order of the value returned by specified [selector] function.\n */\n`  
`public inline fun <R : Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {`  
`\n return`  
`sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending`  
`according to natural sort order of the value returned by specified [selector] function.\n */\n`  
`public inline fun <R : Comparable<R>> CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {`  
`\n return`  
`sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending`  
`according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order`  
`relative to each other after sorting.\n */\n`  
`public fun <T : Comparable<T>> Array<out T>.sortedDescending():`  
`List<T> {`  
`\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted descending`  
`according to their natural sort order.\n */\n`  
`public fun ByteArray.sortedDescending(): List<Byte> {`  
`\n return`  
`copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their`  
`natural sort order.\n */\n`  
`public fun ShortArray.sortedDescending(): List<Short> {`  
`\n return`  
`copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n`  
`*/\n`  
`public fun IntArray.sortedDescending(): List<Int> {`  
`\n return`  
`copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n`  
`*/\n`  
`public fun`  
`LongArray.sortedDescending(): List<Long> {`  
`\n return`  
`copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns`  
`a list of all elements sorted descending according to their natural sort order.\n */\n`  
`public fun`  
`FloatArray.sortedDescending(): List<Float> {`  
`\n return`  
`copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns`  
`a list of all elements sorted descending according to their natural sort order.\n */\n`  
`public fun`  
`DoubleArray.sortedDescending(): List<Double> {`  
`\n return`  
`copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n`  
`*/\n`  
`public fun`  
`CharArray.sortedDescending(): List<Char> {`  
`\n return`  
`copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n * \n * The sort is _stable_. It means that equal`  
`elements preserve their order relative to each other after sorting.\n */\n`  
`public fun <T> Array<out`  
`T>.sortedWith(comparator: Comparator<in T>): List<T> {`  
`\n return`  
`sortedArrayWith(comparator).asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified`  
`[comparator].\n */\n`  
`public fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {`  
`\n return`  
`toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according`

to the specified [comparator].\n \*\npublic fun ShortArray.sortedWith(comparator: Comparator<in Short>): List<Short> {\n return toTypedArray().apply { sortedWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*\npublic fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {\n return toTypedArray().apply { sortedWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*\npublic fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {\n return toTypedArray().apply { sortedWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*\npublic fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {\n return toTypedArray().apply { sortedWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*\npublic fun DoubleArray.sortedWith(comparator: Comparator<in Double>): List<Double> {\n return toTypedArray().apply { sortedWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*\npublic fun BooleanArray.sortedWith(comparator: Comparator<in Boolean>): List<Boolean> {\n return toTypedArray().apply { sortedWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a list of all elements sorted according to the specified [comparator].\n \*\npublic fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {\n return toTypedArray().apply { sortedWith(comparator) }.asList()\n}\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun <T> Array<out T>.asList(): List<T>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun ByteArray.asList(): List<Byte>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun ShortArray.asList(): List<Short>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun IntArray.asList(): List<Int>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun LongArray.asList(): List<Long>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun FloatArray.asList(): List<Float>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun DoubleArray.asList(): List<Double>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun BooleanArray.asList(): List<Boolean>\n\n/\*\*\n \* Returns a [List] that wraps the original array.\n \*\npublic expect fun CharArray.asList(): List<Char>\n\n/\*\*\n \* Returns `true` if the two specified arrays are *deeply* equal to one another.\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* If two corresponding elements are nested arrays, they are also compared deeply.\n \* If any of arrays contains itself on any nesting level the behavior is undefined.\n \* \n \* The elements of other types are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic expect infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean\n\n/\*\*\n \* Returns `true` if the two specified arrays are *deeply* equal to one another.\n \* i.e. contain the same number of the same elements in the same order.\n \* \n \* The specified arrays are also considered deeply equal if both are `null`.\n \* \n \* If two corresponding elements are nested arrays, they are also compared deeply.\n \* If any of arrays contains itself on any nesting level the behavior is undefined.\n \* \n \* The elements of other types are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*\n@SinceKotlin("1.4")\npublic expect infix fun <T> Array<out T>?.contentDeepEquals(other: Array<out T>?): Boolean\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \* Nested arrays are treated as lists too.\n \* \n \* If any of arrays contains itself on any nesting level the behavior is undefined.\n \*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic expect fun <T> Array<out T>.contentDeepHashCode(): Int\n\n/\*\*\n \* Returns a hash code based on the contents of this array as if it is [List].\n \* Nested arrays are treated as lists too.\n \* \n \* If any of arrays contains itself on any nesting level the behavior is undefined.\n \*\n@SinceKotlin("1.4")\npublic expect fun <T> Array<out T>?.contentDeepHashCode(): Int\n\n/\*\*\n \* Returns a string representation of the contents of this array as if it is a [List].\n \* Nested arrays are treated as lists too.\n \* \n \* If any of arrays contains itself on any nesting level that reference\n \* is rendered as `"[...]"` to prevent recursion.\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentDeepToString\n \*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic expect fun <T> Array<out

`T>.contentDeepToString(): String`  
Returns a string representation of the contents of this array as if it is a `List`. Nested arrays are treated as lists too. If any of arrays contains itself on any nesting level that reference is rendered as `"[...]"` to prevent recursion.

`samples.collections.Arrays.ContentOperations.contentDeepToString`  
`@SinceKotlin("1.4")`  
`public expect fun <T> Array<out T>?.contentDeepToString(): String`  
Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`  
`@SinceKotlin("1.1")`  
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`  
`public expect infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean`  
Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`  
`@SinceKotlin("1.1")`  
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`  
`public expect infix fun ByteArray.contentEquals(other: ByteArray): Boolean`  
Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`  
`@SinceKotlin("1.1")`  
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`  
`public expect infix fun ShortArray.contentEquals(other: ShortArray): Boolean`  
Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`  
`@SinceKotlin("1.1")`  
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`  
`public expect infix fun IntArray.contentEquals(other: IntArray): Boolean`  
Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`  
`@SinceKotlin("1.1")`  
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`  
`public expect infix fun LongArray.contentEquals(other: LongArray): Boolean`  
Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`  
`@SinceKotlin("1.1")`  
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`  
`public expect infix fun FloatArray.contentEquals(other: FloatArray): Boolean`  
Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`  
`@SinceKotlin("1.1")`  
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`  
`public expect infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean`  
Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the `[equals][Any.equals]` function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`  
`@SinceKotlin("1.1")`  
`@DeprecatedSinceKotlin(hiddenSince = "1.4")`  
`public expect infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean`  
Returns `true` if the two specified arrays are



```

[List].\n *\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
ShortArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
IntArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
LongArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
FloatArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
DoubleArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
BooleanArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
CharArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun <T> Array<out T>?.contentHashCode(): Int\n\n**\n *
Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect
fun ByteArray?.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun ShortArray?.contentHashCode(): Int\n\n**\n * Returns a
hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun
IntArray?.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun LongArray?.contentHashCode(): Int\n\n**\n * Returns a
hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun
FloatArray?.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun DoubleArray?.contentHashCode(): Int\n\n**\n * Returns a
hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun
BooleanArray?.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin(\n1.4\n)\npublic expect fun CharArray?.contentHashCode(): Int\n\n**\n * Returns a
string representation of the contents of the specified array as if it is [List].\n *\n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *\n@Deprecated(\nUse Kotlin compiler 1.4 to
avoid deprecation warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic
expect fun <T> Array<out T>.contentToString(): String\n\n**\n * Returns a string representation of the contents of
the specified array as if it is [List].\n *\n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *\n@Deprecated(\nUse Kotlin compiler 1.4 to
avoid deprecation warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic
expect fun ByteArray.contentToString(): String\n\n**\n * Returns a string representation of the contents of the
specified array as if it is [List].\n *\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation
warning.\n)\n@SinceKotlin(\n1.1\n)\n@DeprecatedSinceKotlin(hiddenSince = \n1.4\n)\npublic expect fun
ShortArray.contentToString(): String\n\n**\n * Returns a string representation of the contents of the specified array
as if it is [List].\n *\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@Deprecated(\nUse Kotlin compiler 1.4 to avoid deprecation

```

warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun  
IntArray.contentToString(): String\n\n/\*\*\n \* Returns a string representation of the contents of the specified array as  
if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*/\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation

warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun  
LongArray.contentToString(): String\n\n/\*\*\n \* Returns a string representation of the contents of the specified array  
as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*/\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation

warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun  
FloatArray.contentToString(): String\n\n/\*\*\n \* Returns a string representation of the contents of the specified array  
as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*/\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation

warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun  
DoubleArray.contentToString(): String\n\n/\*\*\n \* Returns a string representation of the contents of the specified  
array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*/\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation

warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun  
BooleanArray.contentToString(): String\n\n/\*\*\n \* Returns a string representation of the contents of the specified  
array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*/\n@Deprecated(\"Use Kotlin compiler 1.4 to avoid deprecation

warning.\")\n@SinceKotlin(\"1.1\")\n@DeprecatedSinceKotlin(hiddenSince = \"1.4\")\npublic expect fun  
CharArray.contentToString(): String\n\n/\*\*\n \* Returns a string representation of the contents of the specified array  
as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*/\n@SinceKotlin(\"1.4\")\npublic expect fun <T> Array<out T>?.contentToString(): String\n\n/\*\*\n \* Returns a  
string representation of the contents of the specified array as if it is [List].\n \* \n \* @sample  
samples.collections.Arrays.ContentOperations.contentToString\n \*/\n@SinceKotlin(\"1.4\")\npublic expect fun  
ByteArray?.contentToString(): String\n\n/\*\*\n \* Returns a string representation of the contents of the specified array  
as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*/\n@SinceKotlin(\"1.4\")\npublic expect fun ShortArray?.contentToString(): String\n\n/\*\*\n \* Returns a string  
representation of the contents of the specified array as if it is [List].\n \* \n \* @sample  
samples.collections.Arrays.ContentOperations.contentToString\n \*/\n@SinceKotlin(\"1.4\")\npublic expect fun  
IntArray?.contentToString(): String\n\n/\*\*\n \* Returns a string representation of the contents of the specified array  
as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*/\n@SinceKotlin(\"1.4\")\npublic expect fun LongArray?.contentToString(): String\n\n/\*\*\n \* Returns a string  
representation of the contents of the specified array as if it is [List].\n \* \n \* @sample  
samples.collections.Arrays.ContentOperations.contentToString\n \*/\n@SinceKotlin(\"1.4\")\npublic expect fun  
FloatArray?.contentToString(): String\n\n/\*\*\n \* Returns a string representation of the contents of the specified  
array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*/\n@SinceKotlin(\"1.4\")\npublic expect fun DoubleArray?.contentToString(): String\n\n/\*\*\n \* Returns a string  
representation of the contents of the specified array as if it is [List].\n \* \n \* @sample  
samples.collections.Arrays.ContentOperations.contentToString\n \*/\n@SinceKotlin(\"1.4\")\npublic expect fun  
BooleanArray?.contentToString(): String\n\n/\*\*\n \* Returns a string representation of the contents of the specified  
array as if it is [List].\n \* \n \* @sample samples.collections.Arrays.ContentOperations.contentToString\n \*/\n@SinceKotlin(\"1.4\")\npublic expect fun CharArray?.contentToString(): String\n\n/\*\*\n \* Copies this array or  
its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the  
[destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param  
destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by  
default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param



LongArray\n\n/\*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\npublic expect fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\npublic expect fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\npublic expect fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\npublic expect fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
```

```
*\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T> Array<T>.copyOf(): Array<T>\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
```

```
*\n@SinceKotlin("1.3")\npublic expect fun ByteArray.copyOf(): ByteArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
```

samples.collections.Arrays.CopyOfOperations.copyOf\n \*\npublic expect fun ShortArray.copyOf():  
ShortArray\n\n/\*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOf\n \*\npublic expect fun IntArray.copyOf(): IntArray\n\n/\*\*\n
\* Returns new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOf\n \*\npublic expect fun LongArray.copyOf():  
LongArray\n\n/\*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOf\n \*\npublic expect fun FloatArray.copyOf():  
FloatArray\n\n/\*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOf\n \*\npublic expect fun DoubleArray.copyOf():  
DoubleArray\n\n/\*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOf\n \*\npublic expect fun BooleanArray.copyOf():  
BooleanArray\n\n/\*\*\n \* Returns new array which is a copy of the original array.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.copyOf\n \*\npublic expect fun CharArray.copyOf():  
CharArray\n\n/\*\*\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \*  
The copy is either truncated or padded at the end with zero values if necessary.\n \* \n \* - If [newSize] is less than the  
size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of  
the original array, the extra elements in the copy array are filled with zero values.\n \* \n \* @sample  
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*\npublic expect fun  
ByteArray.copyOf(newSize: Int): ByteArray\n\n/\*\*\n \* Returns new array which is a copy of the original array,  
resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n  
\* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If  
[newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero  
values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n \*\npublic  
expect fun ShortArray.copyOf(newSize: Int): ShortArray\n\n/\*\*\n \* Returns new array which is a copy of the  
original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values  
if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the  
[newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are  
filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n  
\*\npublic expect fun IntArray.copyOf(newSize: Int): IntArray\n\n/\*\*\n \* Returns new array which is a copy of the  
original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values  
if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the  
[newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are  
filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n  
\*\npublic expect fun LongArray.copyOf(newSize: Int): LongArray\n\n/\*\*\n \* Returns new array which is a copy of  
the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero  
values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the  
[newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are  
filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n  
\*\npublic expect fun FloatArray.copyOf(newSize: Int): FloatArray\n\n/\*\*\n \* Returns new array which is a copy of  
the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero  
values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the  
[newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are  
filled with zero values.\n \* \n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n  
\*\npublic expect fun DoubleArray.copyOf(newSize: Int): DoubleArray\n\n/\*\*\n \* Returns new array which is a  
copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with  
`false` values if necessary.\n \* \n \* - If [newSize] is less than the size of the original array, the copy array is  
truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the  
copy array are filled with `false` values.\n \* \n \* @sample



copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\npublic expect fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray\n\n/\*\*\n \* Returns a new array which is a copy of the specified range of the original array.\n \* \n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\npublic expect fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic expect fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic expect fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic expect fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic expect fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic expect fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic expect fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic expect fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic expect fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/\*\*\n \* Fills this array or its subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*/\n@SinceKotlin("1.3")\npublic expect fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit

[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws  
 IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \*  
 @SinceKotlin("1.3")\n public expect fun  
 BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n \* Fills this array or its  
 subrange with the specified [element] value.\n \* \n \* @param fromIndex the start of the range (inclusive) to fill, 0  
 by default.\n \* @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n \* \n \*  
 @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this  
 array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n\n  
 \*  
 @SinceKotlin("1.3")\n public expect fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size):  
 Unit\n\n \* Returns the range of valid indices for the array.\n \*  
 @public val <T> Array<out T>.indices:  
 IntRange\n get() = IntRange(0, lastIndex)\n\n \* Returns the range of valid indices for the array.\n \*  
 @public  
 val ByteArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n \* Returns the range of valid indices for  
 the array.\n \*  
 @public val ShortArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n \* Returns the  
 range of valid indices for the array.\n \*  
 @public val IntArray.indices: IntRange\n get() = IntRange(0,  
 lastIndex)\n\n \* Returns the range of valid indices for the array.\n \*  
 @public val LongArray.indices:  
 IntRange\n get() = IntRange(0, lastIndex)\n\n \* Returns the range of valid indices for the array.\n \*  
 @public  
 val FloatArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n \* Returns the range of valid indices for  
 the array.\n \*  
 @public val DoubleArray.indices: IntRange\n get() = IntRange(0, lastIndex)\n\n \* Returns the  
 range of valid indices for the array.\n \*  
 @public val BooleanArray.indices: IntRange\n get() = IntRange(0,  
 lastIndex)\n\n \* Returns the range of valid indices for the array.\n \*  
 @public val CharArray.indices: IntRange\n  
 get() = IntRange(0, lastIndex)\n\n \* Returns `true` if the array is empty.\n\n  
 \*  
 @kotlin.internal.InlineOnly\n public inline fun <T> Array<out T>.isEmpty(): Boolean {\n return size ==  
 0\n}\n\n \* Returns `true` if the array is empty.\n \*  
 @kotlin.internal.InlineOnly\n public inline fun  
 ByteArray.isEmpty(): Boolean {\n return size == 0\n}\n\n \* Returns `true` if the array is empty.\n\n  
 \*  
 @kotlin.internal.InlineOnly\n public inline fun ShortArray.isEmpty(): Boolean {\n return size == 0\n}\n\n \*  
 \* Returns `true` if the array is empty.\n \*  
 @kotlin.internal.InlineOnly\n public inline fun IntArray.isEmpty():  
 Boolean {\n return size == 0\n}\n\n \* Returns `true` if the array is empty.\n\n  
 \*  
 @kotlin.internal.InlineOnly\n public inline fun LongArray.isEmpty(): Boolean {\n return size == 0\n}\n\n \*  
 \* Returns `true` if the array is empty.\n \*  
 @kotlin.internal.InlineOnly\n public inline fun FloatArray.isEmpty():  
 Boolean {\n return size == 0\n}\n\n \* Returns `true` if the array is empty.\n\n  
 \*  
 @kotlin.internal.InlineOnly\n public inline fun DoubleArray.isEmpty(): Boolean {\n return size ==  
 0\n}\n\n \* Returns `true` if the array is empty.\n \*  
 @kotlin.internal.InlineOnly\n public inline fun  
 BooleanArray.isEmpty(): Boolean {\n return size == 0\n}\n\n \* Returns `true` if the array is empty.\n\n  
 \*  
 @kotlin.internal.InlineOnly\n public inline fun CharArray.isEmpty(): Boolean {\n return size == 0\n}\n\n \*  
 \* Returns `true` if the array is not empty.\n \*  
 @kotlin.internal.InlineOnly\n public inline fun <T> Array<out  
 T>.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n \* Returns `true` if the array is not empty.\n\n  
 \*  
 @kotlin.internal.InlineOnly\n public inline fun ByteArray.isNotEmpty(): Boolean {\n return  
 !isEmpty()\n}\n\n \* Returns `true` if the array is not empty.\n \*  
 @kotlin.internal.InlineOnly\n public inline  
 fun ShortArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n \* Returns `true` if the array is not  
 empty.\n \*  
 @kotlin.internal.InlineOnly\n public inline fun IntArray.isNotEmpty(): Boolean {\n return  
 !isEmpty()\n}\n\n \* Returns `true` if the array is not empty.\n \*  
 @kotlin.internal.InlineOnly\n public inline  
 fun LongArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n \* Returns `true` if the array is not  
 empty.\n \*  
 @kotlin.internal.InlineOnly\n public inline fun FloatArray.isNotEmpty(): Boolean {\n return  
 !isEmpty()\n}\n\n \* Returns `true` if the array is not empty.\n \*  
 @kotlin.internal.InlineOnly\n public inline  
 fun DoubleArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n \* Returns `true` if the array is not  
 empty.\n \*  
 @kotlin.internal.InlineOnly\n public inline fun BooleanArray.isNotEmpty(): Boolean {\n return  
 !isEmpty()\n}\n\n \* Returns `true` if the array is not empty.\n \*  
 @kotlin.internal.InlineOnly\n public inline  
 fun CharArray.isNotEmpty(): Boolean {\n return !isEmpty()\n}\n\n \* Returns the last valid index for the  
 array.\n \*  
 @public val <T> Array<out T>.lastIndex: Int\n get() = size - 1\n\n \* Returns the last valid index

for the array.  
`public val ByteArray.lastIndex: Int` `get() = size - 1` \* Returns the last valid index for the array.  
`public val ShortArray.lastIndex: Int` `get() = size - 1` \* Returns the last valid index for the array.  
`public val IntArray.lastIndex: Int` `get() = size - 1` \* Returns the last valid index for the array.  
`public val LongArray.lastIndex: Int` `get() = size - 1` \* Returns the last valid index for the array.  
`public val FloatArray.lastIndex: Int` `get() = size - 1` \* Returns the last valid index for the array.  
`public val DoubleArray.lastIndex: Int` `get() = size - 1` \* Returns the last valid index for the array.  
`public val BooleanArray.lastIndex: Int` `get() = size - 1` \* Returns the last valid index for the array.  
`public val CharArray.lastIndex: Int` `get() = size - 1` \* Returns an array containing all elements of the original array and then the given [element].  
`@Suppress("NO_ACTUAL_FOR_EXPECT")` `public expect operator fun <T> Array<T>.plus(element: T): Array<T>` \* Returns an array containing all elements of the original array and then the given [element].  
`public expect operator fun ByteArray.plus(element: Byte): ByteArray` \* Returns an array containing all elements of the original array and then the given [element].  
`public expect operator fun ShortArray.plus(element: Short): ShortArray` \* Returns an array containing all elements of the original array and then the given [element].  
`public expect operator fun IntArray.plus(element: Int): IntArray` \* Returns an array containing all elements of the original array and then the given [element].  
`public expect operator fun LongArray.plus(element: Long): LongArray` \* Returns an array containing all elements of the original array and then the given [element].  
`public expect operator fun FloatArray.plus(element: Float): FloatArray` \* Returns an array containing all elements of the original array and then the given [element].  
`public expect operator fun DoubleArray.plus(element: Double): DoubleArray` \* Returns an array containing all elements of the original array and then the given [element].  
`public expect operator fun BooleanArray.plus(element: Boolean): BooleanArray` \* Returns an array containing all elements of the original array and then the given [element].  
`public expect operator fun CharArray.plus(element: Char): CharArray` \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.  
`@Suppress("NO_ACTUAL_FOR_EXPECT")` `public expect operator fun <T> Array<T>.plus(elements: Collection<T>): Array<T>` \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.  
`public expect operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray` \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.  
`public expect operator fun ShortArray.plus(elements: Collection<Short>): ShortArray` \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.  
`public expect operator fun IntArray.plus(elements: Collection<Int>): IntArray` \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.  
`public expect operator fun LongArray.plus(elements: Collection<Long>): LongArray` \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.  
`public expect operator fun FloatArray.plus(elements: Collection<Float>): FloatArray` \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.  
`public expect operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray` \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.  
`public expect operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray` \* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.  
`public expect operator fun CharArray.plus(elements: Collection<Char>): CharArray` \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.  
`@Suppress("NO_ACTUAL_FOR_EXPECT")` `public expect operator fun <T> Array<T>.plus(elements: Array<out T>): Array<T>` \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.  
`public expect operator fun ByteArray.plus(elements: ByteArray): ByteArray` \* Returns an array containing all elements of the original array and then all elements of the given [elements] array.  
`public expect operator fun ShortArray.plus(elements: ShortArray):`

`ShortArray.plus(elements: IntArray): IntArray` Returns an array containing all elements of the original array and then all elements of the given [elements] array.

`IntArray.plus(elements: IntArray): IntArray` Returns an array containing all elements of the original array and then all elements of the given [elements] array.

`LongArray.plus(elements: LongArray): LongArray` Returns an array containing all elements of the original array and then all elements of the given [elements] array.

`FloatArray.plus(elements: FloatArray): FloatArray` Returns an array containing all elements of the original array and then all elements of the given [elements] array.

`DoubleArray.plus(elements: DoubleArray): DoubleArray` Returns an array containing all elements of the original array and then all elements of the given [elements] array.

`BooleanArray.plus(elements: BooleanArray): BooleanArray` Returns an array containing all elements of the original array and then all elements of the given [elements] array.

`CharArray.plus(elements: CharArray): CharArray` Returns an array containing all elements of the original array and then the given [element].

`Array<T>.plusElement(element: T): Array<T>` Returns an array containing all elements of the original array and then the given [element].

`IntArray.sort(): Unit` Sorts the array in-place.

`LongArray.sort(): Unit` Sorts the array in-place.

`ShortArray.sort(): Unit` Sorts the array in-place.

`FloatArray.sort(): Unit` Sorts the array in-place.

`DoubleArray.sort(): Unit` Sorts the array in-place.

`CharArray.sort(): Unit` Sorts the array in-place according to the natural order of its elements. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

`ArrayOfComparable<T>.sort(): Unit` Sorts a range in the array in-place. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

`Array<out T>.sort(): Unit` Sorts a range in the array in-place. The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.

`Array.sort(fromIndex: Int = 0, toIndex: Int = size): Unit` Sorts a range in the array in-place.

`ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit` Sorts a range in the array in-place.

@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* \n \* @sample  
 samples.collections.Arrays.Sorting.sortRangeOfArray\n \* \n \* @SinceKotlin("1.4")\n public expect fun  
 IntArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n \* \n \* \n \* Sorts a range in the array in-place.\n \* \n \*  
 @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n \* @param toIndex the end of the range  
 (exclusive) to sort, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is  
 less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if  
 [fromIndex] is greater than [toIndex].\n \* \n \* @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n  
 \* \n \* @SinceKotlin("1.4")\n public expect fun LongArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n \* \n \* \n \*  
 \* Sorts a range in the array in-place.\n \* \n \* @param fromIndex the start of the range (inclusive) to sort, 0 by  
 default.\n \* @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n \* \n \* @throws  
 IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \*  
 @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* \n \* @sample  
 samples.collections.Arrays.Sorting.sortRangeOfArray\n \* \n \* @SinceKotlin("1.4")\n public expect fun  
 FloatArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n \* \n \* \n \* Sorts a range in the array in-place.\n \* \n \*  
 @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n \* @param toIndex the end of the range  
 (exclusive) to sort, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is  
 less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if  
 [fromIndex] is greater than [toIndex].\n \* \n \* @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n  
 \* \n \* @SinceKotlin("1.4")\n public expect fun DoubleArray.sort(fromIndex: Int = 0, toIndex: Int = size):  
 Unit\n \* \n \* \n \* Sorts a range in the array in-place.\n \* \n \* @param fromIndex the start of the range (inclusive) to  
 sort, 0 by default.\n \* @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n \* \n \*  
 @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this  
 array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* \n \* @sample  
 samples.collections.Arrays.Sorting.sortRangeOfArray\n \* \n \* @SinceKotlin("1.4")\n public expect fun  
 CharArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit\n \* \n \* \n \* Sorts elements of the array in the specified  
 range in-place.\n \* The elements are sorted descending according to their natural sort order.\n \* \n \* The sort is  
 \_stable\_. It means that equal elements preserve their order relative to each other after sorting.\n \* \n \* @param  
 fromIndex the start of the range (inclusive) to sort.\n \* @param toIndex the end of the range (exclusive) to sort.\n \*  
 \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of  
 this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n  
 \* \n \* @SinceKotlin("1.4")\n public fun <T : Comparable<T>> Array<out T>.sortDescending(fromIndex: Int,  
 toIndex: Int): Unit {\n \* \n \* \n \* sortWith(reverseOrder(), fromIndex, toIndex)\n \* \n \* \n \* Sorts elements of the array in  
 the specified range in-place.\n \* The elements are sorted descending according to their natural sort order.\n \* \n \*  
 @param fromIndex the start of the range (inclusive) to sort.\n \* @param toIndex the end of the range (exclusive) to  
 sort.\n \* \n \* \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the  
 size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n  
 \* \n \* @SinceKotlin("1.4")\n public fun ByteArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n \* \n \*  
 sort(fromIndex, toIndex)\n \* \n \* \n \* reverse(fromIndex, toIndex)\n \* \n \* \n \* Sorts elements of the array in the specified  
 range in-place.\n \* The elements are sorted descending according to their natural sort order.\n \* \n \* @param  
 fromIndex the start of the range (inclusive) to sort.\n \* @param toIndex the end of the range (exclusive) to sort.\n \*  
 \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of  
 this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n  
 \* \n \* @SinceKotlin("1.4")\n public fun ShortArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n \* \n \*  
 sort(fromIndex, toIndex)\n \* \n \* \n \* reverse(fromIndex, toIndex)\n \* \n \* \n \* Sorts elements of the array in the specified  
 range in-place.\n \* The elements are sorted descending according to their natural sort order.\n \* \n \* @param  
 fromIndex the start of the range (inclusive) to sort.\n \* @param toIndex the end of the range (exclusive) to sort.\n \*  
 \n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of  
 this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```

*\n@SinceKotlin("1.4")\npublic fun IntArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n
sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified
range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param
fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n
*\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\npublic fun LongArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n
sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified
range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param
fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n
*\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\npublic fun FloatArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n
sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified
range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param
fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n
*\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n
sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified
range in-place.\n * The elements are sorted descending according to their natural sort order.\n * \n * @param
fromIndex the start of the range (inclusive) to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n
*\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of
this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.4")\npublic fun CharArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {\n
sort(fromIndex, toIndex)\n  reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts the array in-place according to the
order specified by the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting.\n */\npublic expect fun <T> Array<out T>.sortWith(comparator:
Comparator<in T>): Unit\n\n/**\n * Sorts a range in the array in-place with the given [comparator].\n * \n * The
sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n
*\n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range
(exclusive) to sort, size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is
less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if
[fromIndex] is greater than [toIndex].\n */\npublic expect fun <T> Array<out T>.sortWith(comparator:
Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Unit\n\n/**\n * Returns an array of Boolean containing
all of the elements of this generic array.\n */\npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n
return BooleanArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Byte containing all of the
elements of this generic array.\n */\npublic fun Array<out Byte>.toByteArray(): ByteArray {\n  return
ByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Char containing all of the elements of this
generic array.\n */\npublic fun Array<out Char>.toCharArray(): CharArray {\n  return CharArray(size) { index ->
this[index] }\n}\n\n/**\n * Returns an array of Double containing all of the elements of this generic array.\n
*/\npublic fun Array<out Double>.toDoubleArray(): DoubleArray {\n  return DoubleArray(size) { index ->
this[index] }\n}\n\n/**\n * Returns an array of Float containing all of the elements of this generic array.\n
*/\npublic fun Array<out Float>.toFloatArray(): FloatArray {\n  return FloatArray(size) { index -> this[index] }\n}\n\n/**\n
*\n * Returns an array of Int containing all of the elements of this generic array.\n */\npublic fun Array<out
Int>.toIntArray(): IntArray {\n  return IntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of
Long containing all of the elements of this generic array.\n */\npublic fun Array<out Long>.toLongArray():
LongArray {\n  return LongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of Short containing

```

all of the elements of this generic array.

```

public fun Array<out Short>.toShortArray(): ShortArray {
    return ShortArray(size) { index -> this[index] }
}

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun ByteArray.toTypedArray(): Array<Byte>

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun ShortArray.toTypedArray(): Array<Short>

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun IntArray.toTypedArray(): Array<Int>

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun LongArray.toTypedArray(): Array<Long>

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun FloatArray.toTypedArray(): Array<Float>

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun DoubleArray.toTypedArray(): Array<Double>

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun BooleanArray.toTypedArray(): Array<Boolean>

```

\* Returns a \*typed\* object array containing all of the elements of this primitive array.

```

public expect fun CharArray.toTypedArray(): Array<Char>

```

\* Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

\* If any of two pairs would have the same key the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original array.

```

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <T, K, V> Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity), transform)
}

```

\* Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

\* If any of two pairs would have the same key the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original array.

```

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <K, V> ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity), transform)
}

```

\* Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

\* If any of two pairs would have the same key the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original array.

```

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <K, V> ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity), transform)
}

```

\* Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

\* If any of two pairs would have the same key the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original array.

```

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <K, V> IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity), transform)
}

```

\* Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

\* If any of two pairs would have the same key the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original array.

```

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <K, V> LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {
    val capacity = mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity), transform)
}

```

\* Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array.

\* If any of two pairs would have the same key the last one gets added to the map.

\* The returned map preserves the entry iteration order of the original array.

```

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <K, V> FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {
    val capacity =

```

```

mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
CharArray.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <T, K>
Array<out T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, T>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <K>
ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Byte>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <K>
ShortArray.associateBy(keySelector: (Short) -> K): Map<K, Short> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Short>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <K>
IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Int>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *

```

returned from [keySelector] function applied to each element.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \* \n \* The returned map preserves the entry iteration order of the original array.\n \* \n \* @sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Long>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
FloatArray.associateBy(keySelector: (Float) -> K): Map<K, Float> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Float>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Double>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Boolean>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
CharArray.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n    val capacity =
mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Char>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n    val
capacity = mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, V> {\n    val
capacity = mapCapacity(size).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, V>(capacity),

```

```

keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {\n
val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {\n
val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> LongArray.associateBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, V> {\n
val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {\n
val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, V>
{\n
val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by
[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, V>
{\n
val capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by
[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n *\npublic inline
fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n
val

```

capacity = mapCapacity(size).coerceAtLeast(16)\n return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)\n}\n\n/\*\*\n \* Populates and returns the [destination] mutable map with key-value pairs,\n \* where key is provided by the [keySelector] function applied to each element of the given array\n \* and value is the element itself.\n \* \n \* If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n \* \n \* @sample

```
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * public inline fun <T, K, M : MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * public inline fun <K, M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * public inline fun <K, M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * public inline fun <K, M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * public inline fun <K, M : MutableMap<in K, in Long>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * public inline fun <K, M : MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * public inline fun <K, M : MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n * public
```

```

inline fun <K, M : MutableMap<in K, in Boolean>> BooleanArray.associateByTo(destination: M, keySelector:
(Boolean) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n
return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where
key is provided by the [keySelector] function applied to each element of the given array\n * and value is the element
itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic
inline fun <K, M : MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector: (Char) ->
K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is
provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to
elements of the given array.\n * \n * If any two elements would have the same key returned by [keySelector] the last
one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -
> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) ->
K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) ->
K, valueTransform: (Short) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K,
valueTransform: (Int) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) ->
K, valueTransform: (Long) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic

```

```

inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) ->
K, valueTransform: (Float) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateByTo(destination: M, keySelector:
(Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector]
function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M,
keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector]
function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector:
(Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic
inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) ->
Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M :
MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {\n for
(element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) ->
Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M :
MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M {\n for
(element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the

```

```

map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n *^/npublic
inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) ->
Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return
destination\n}\n/n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n *^/npublic inline fun <K, V, M :
MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M {\n for
(element in this) {\n destination += transform(element)\n }\n return destination\n}\n/n/**\n * Populates and
returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n *^/npublic
inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) ->
Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return
destination\n}\n/n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n *^/npublic inline fun <K, V, M :
MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {\n
for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n/n/**\n * Populates
and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n *^/npublic
inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) ->
Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return
destination\n}\n/n/**\n * Returns a [Map] where keys are elements from the given array and values are\n * produced
by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets
added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith\n *^/n@SinceKotlin("1.4")\npublic inline
fun <K, V> Array<out K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n val result =
LinkedHashMap<K, V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result,
valueSelector)\n}\n/n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith\n
*^/n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
ByteArray.associateWith(valueSelector: (Byte) -> V): Map<Byte, V> {\n val result = LinkedHashMap<Byte,
V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n/n/**\n * Returns a
[Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*^/n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
ShortArray.associateWith(valueSelector: (Short) -> V): Map<Short, V> {\n val result = LinkedHashMap<Short,
V>(mapCapacity(size).coerceAtLeast(16))\n return associateWithTo(result, valueSelector)\n}\n/n/**\n * Returns a
[Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample

```

```

samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
IntArray.associateWith(valueSelector: (Int) -> V): Map<Int, V> {\n    val result = LinkedHashMap<Int,
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a
[Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
LongArray.associateWith(valueSelector: (Long) -> V): Map<Long, V> {\n    val result = LinkedHashMap<Long,
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a
[Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
FloatArray.associateWith(valueSelector: (Float) -> V): Map<Float, V> {\n    val result = LinkedHashMap<Float,
V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a
[Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
DoubleArray.associateWith(valueSelector: (Double) -> V): Map<Double, V> {\n    val result =
LinkedHashMap<Double, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
BooleanArray.associateWith(valueSelector: (Boolean) -> V): Map<Boolean, V> {\n    val result =
LinkedHashMap<Boolean, V>(mapCapacity(size).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one
gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n *
@sample samples.collections.Collections.Transformations.associateWith\n
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V>
CharArray.associateWith(valueSelector: (Char) -> V): Map<Char, V> {\n    val result = LinkedHashMap<Char,
V>(mapCapacity(size).coerceAtMost(128)).coerceAtLeast(16))\n    return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each
element of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function
applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n *
@sample samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.4")\npublic
inline fun <K, V, M : MutableMap<in K, in V>> Array<out K>.associateWithTo(destination: M, valueSelector: (K)
-> V): M {\n    for (element in this) {\n        destination.put(element, valueSelector(element))\n    }\n    return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs for each element
of the given array,\n * where key is the element itself and value is provided by the [valueSelector] function applied
to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n *

```

```

@sample samples.collections.Collections.Transformations.associateWithTo
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Byte, in V>>
ByteArray.associateWithTo(destination: M, valueSelector: (Byte) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Short, in V>>
ShortArray.associateWithTo(destination: M, valueSelector: (Short) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Int, in V>>
IntArray.associateWithTo(destination: M, valueSelector: (Int) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Long, in V>>
LongArray.associateWithTo(destination: M, valueSelector: (Long) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Float, in V>>
FloatArray.associateWithTo(destination: M, valueSelector: (Float) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Double, in V>>
DoubleArray.associateWithTo(destination: M, valueSelector: (Double) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs for each element of the given array,\n * where key is the element
itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are
equal, the last one overwrites the former value in the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateWithTo
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <V, M : MutableMap<in Boolean, in
V>> BooleanArray.associateWithTo(destination: M, valueSelector: (Boolean) -> V): M {\n  for (element in this)
{\n  destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs for each element of the given array,\n * where key is the
element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements

```

are equal, the last one overwrites the former value in the map.

```

@sample
samples.collections.Collections.Transformations.associateWithTo
*/
@SinceKotlin("1.4")
@kotlin.internal.InlineOnly
public inline fun <V, M : MutableMap<in Char, in V>>
CharArray.associateWithTo(destination: M, valueSelector: (Char) -> V): M {
    for (element in this) {
        destination.put(element, valueSelector(element))
    }
    return destination
}
*/
Append all elements to the given [destination] collection.
*/
public fun <T, C : MutableCollection<in T>> Array<out T>.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}
*/
Append all elements to the given [destination] collection.
*/
public fun <C : MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}
*/
Append all elements to the given [destination] collection.
*/
public fun <C : MutableCollection<in Short>> ShortArray.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}
*/
Append all elements to the given [destination] collection.
*/
public fun <C : MutableCollection<in Int>> IntArray.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}
*/
Append all elements to the given [destination] collection.
*/
public fun <C : MutableCollection<in Long>> LongArray.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}
*/
Append all elements to the given [destination] collection.
*/
public fun <C : MutableCollection<in Float>> FloatArray.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}
*/
Append all elements to the given [destination] collection.
*/
public fun <C : MutableCollection<in Double>> DoubleArray.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}
*/
Append all elements to the given [destination] collection.
*/
public fun <C : MutableCollection<in Boolean>> BooleanArray.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}
*/
Append all elements to the given [destination] collection.
*/
public fun <C : MutableCollection<in Char>> CharArray.toCollection(destination: C): C {
    for (item in this) {
        destination.add(item)
    }
    return destination
}
}
*/
Returns a new [HashSet] of all elements.
*/
public fun <T> Array<out T>.toHashSet(): HashSet<T> {
    return toCollection(HashSet<T>(mapCapacity(size)))
}
*/
Returns a new [HashSet] of all elements.
*/
public fun ByteArray.toHashSet(): HashSet<Byte> {
    return toCollection(HashSet<Byte>(mapCapacity(size)))
}
*/
Returns a new [HashSet] of all elements.
*/
public fun ShortArray.toHashSet(): HashSet<Short> {
    return toCollection(HashSet<Short>(mapCapacity(size)))
}
*/
Returns a new [HashSet] of all elements.
*/
public fun IntArray.toHashSet(): HashSet<Int> {
    return toCollection(HashSet<Int>(mapCapacity(size)))
}
*/
Returns a new [HashSet] of all elements.
*/
public fun LongArray.toHashSet(): HashSet<Long> {
    return toCollection(HashSet<Long>(mapCapacity(size)))
}
*/
Returns a new [HashSet] of all elements.
*/
public fun FloatArray.toHashSet(): HashSet<Float> {
    return toCollection(HashSet<Float>(mapCapacity(size)))
}
*/
Returns a new [HashSet] of all elements.
*/
public fun DoubleArray.toHashSet(): HashSet<Double> {
    return toCollection(HashSet<Double>(mapCapacity(size)))
}
*/
Returns a new [HashSet] of all elements.
*/
public fun BooleanArray.toHashSet(): HashSet<Boolean> {
    return toCollection(HashSet<Boolean>(mapCapacity(size)))
}
*/
Returns a new [HashSet] of all elements.
*/
public fun CharArray.toHashSet(): HashSet<Char> {
    return toCollection(HashSet<Char>(mapCapacity(size.coerceAtMost(128))))
}
}
*/
Returns a [List] containing all elements.
*/
public fun <T> Array<out T>.toList(): List<T> {
    return when (size) {
        0 -> emptyList()
        1 -> listOf(this[0])
        else -> this.toMutableList()
    }
}
*/
Returns a [List] containing all elements.
*/
public fun ByteArray.toList(): List<Byte> {
    return when (size) {
        0 -> emptyList()
        1 -> listOf(this[0])
        else -> this.toMutableList()
    }
}
*/
Returns a [List] containing all elements.
*/

```



```

* The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toSet():
Set<Float> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n */\n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toSet():
Set<Double> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n */\n\n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
BooleanArray.toSet(): Set<Boolean> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n    }
else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n}\n}\n\n/**\n * Returns a [Set] of all
elements.\n */\n\n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
CharArray.toSet(): Set<Char> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -
-> toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))\n    }\n}\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\n *
@sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <T, R> Array<out
T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n}\n\n/**\n *
Returns a single list of all elements yielded from results of [transform] function being invoked on each element of
original array.\n */\n\n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun
<R> ByteArray.flatMap(transform: (Byte) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n */\n\n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> ShortArray.flatMap(transform:
(Short) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\n *
@sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n */\n\n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> LongArray.flatMap(transform:
(Long) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\n *
@sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
FloatArray.flatMap(transform: (Float) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n */\n\n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n */\n\n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n */\n\n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> CharArray.flatMap(transform:
(Char) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n */\n *
@sample samples.collections.Collections.Transformations.flatMap\n */\n\n */\n\n * @SinceKotlin("1.4")\n */\n\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n */\n\n @OverloadResolution
ByLambdaReturnType\n */\n\n @kotlin.jvm.JvmName("flatMapSequence")\n */\n\n public inline fun <T, R> Array<out

```

```

T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ByteArray.flatMapIndexed(transform: (index: Int, Byte) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ShortArray.flatMapIndexed(transform: (index: Int, Short) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> IntArray.flatMapIndexed(transform: (index: Int, Int) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> LongArray.flatMapIndexed(transform: (index: Int, Long) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> FloatArray.flatMapIndexed(transform: (index: Int, Float) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> DoubleArray.flatMapIndexed(transform: (index: Int, Double) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic

```

```

inline fun <R> BooleanArray.flatMapIndexed(transform: (index: Int, Boolean) -> Iterable<R>): List<R> {\n
return flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded
from results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <R> CharArray.flatMapIndexed(transform: (index: Int, Char) -> Iterable<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequence")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R> Array<out T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++,
element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> ByteArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Byte) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++,
element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> ShortArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Short) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++,
element)\n destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> IntArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Int) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++, element)\n
destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> LongArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Long) -> Iterable<R>): C {\n var index = 0\n for (element in this) {\n val list = transform(index++,

```

```

element)\n    destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> FloatArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Float) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapIndexedTo(destination: C, transform: (index:
Int, Double) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> BooleanArray.flatMapIndexedTo(destination: C, transform: (index:
Int, Boolean) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> CharArray.flatMapIndexedTo(destination: C, transform: (index: Int,
Char) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,
element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\npu
blic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Sequence<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n
*\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C,
transform: (T) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n
*\npublic inline
fun <R, C : MutableCollection<in R>> ByteArray.flatMapTo(destination: C, transform: (Byte) -> Iterable<R>): C
{\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\npublic inline
fun <R, C : MutableCollection<in R>> ShortArray.flatMapTo(destination: C, transform: (Short) -> Iterable<R>): C {\n    for (element in this) {\n        val
list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given

```

```

[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> IntArray.flatMapTo(destination: C,
transform: (Int) -> Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n  }\n  destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline
fun <R, C : MutableCollection<in R>> LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C
{\n  for (element in this) {\n    val list = transform(element)\n  }\n  destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
FloatArray.flatMapTo(destination: C, transform: (Float) -> Iterable<R>): C {\n  for (element in this) {\n    val
list = transform(element)\n  }\n  destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C,
transform: (Double) -> Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n  }\n
  destination.addAll(list)\n }\n return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n */\npublic inline
fun <R, C : MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) ->
Iterable<R>): C {\n  for (element in this) {\n    val list = transform(element)\n  }\n  destination.addAll(list)\n
}\n return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being
invoked on each element of original array, to the given [destination].\n */\npublic inline fun <R, C :
MutableCollection<in R>> CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n  for
(element in this) {\n    val list = transform(element)\n  }\n  destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n */\n\n*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <T, R, C :
MutableCollection<in R>> Array<out T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n  for
(element in this) {\n    val list = transform(element)\n  }\n  destination.addAll(list)\n }\n return
destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun
<T, K> Array<out T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups elements of the original
array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where
each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<Byte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>

```

```

IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<Int>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<Float>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K> DoubleArray.groupBy(keySelector: (Double) -> K): Map<K, List<Double>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied
to each element of the original array\n * by the key returned by the given [keySelector] function applied to the
element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The
returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V>
Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>

```

```

ShortArray.groupBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V>
IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V>
LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V>
FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V>
DoubleArray.groupBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V>
BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
values returned by the [valueTransform] function applied to each element of the original array\n * by the key
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n */\npublic inline fun <K, V>
CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline
fun <T, K, M : MutableMap<in K, MutableList<T>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -

```

```

-> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key)
{ ArrayList<T>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline
fun <K, M : MutableMap<in K, MutableList<Byte>>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -
-> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key)
{ ArrayList<Byte>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline
fun <K, M : MutableMap<in K, MutableList<Short>>>> ShortArray.groupByTo(destination: M, keySelector: (Short)
-> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Short>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K, M : MutableMap<in K, MutableList<Int>>>> IntArray.groupByTo(destination: M,
keySelector: (Int) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Int>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K, M : MutableMap<in K, MutableList<Long>>>> LongArray.groupByTo(destination: M,
keySelector: (Long) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Long>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K, M : MutableMap<in K, MutableList<Float>>>> FloatArray.groupByTo(destination: M,
keySelector: (Float) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Float>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K, M : MutableMap<in K, MutableList<Double>>>> DoubleArray.groupByTo(destination: M,
keySelector: (Double) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Double>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic
inline fun <K, M : MutableMap<in K, MutableList<Boolean>>>> BooleanArray.groupByTo(destination:
M, keySelector: (Boolean) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Boolean>() }\n    list.add(element)\n  }\n  return
destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and puts to the [destination] map each group key associated with a list of
corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K, M : MutableMap<in K,

```



```

map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> DoubleArray.groupByTo(destination: M, keySelector:
(Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n val key =
keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n }\n return destination\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K,
valueTransform: (Boolean) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list
= destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector:
(Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Creates a [Grouping] source from an array to be used later with one of group-and-fold
operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample
samples.collections.Grouping.groupingByEachCount\n * \n\n@SinceKotlin("1.1")\n\npublic inline fun <T, K>
Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T,
K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun
keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying
the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n * \n\npublic inline fun <T, R> Array<out T>.map(transform:
(T) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n * \n\npublic inline fun <R> ByteArray.map(transform: (Byte)
-> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n * \n\npublic inline fun <R> ShortArray.map(transform:
(Short) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n * \n\npublic inline fun <R> IntArray.map(transform: (Int) ->
R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results
of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n * \n\npublic inline fun <R> LongArray.map(transform:
(Long) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n * \n\npublic inline fun <R> FloatArray.map(transform: (Float)
-> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n * \n\npublic inline fun <R> DoubleArray.map(transform:
(Double) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n * \n\npublic inline fun <R> BooleanArray.map(transform:

```

```

(Boolean) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list
containing the results of applying the given [transform] function\n * to each element in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.map\n */\npublic inline fun <R>
CharArray.map(transform: (Char) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to each element and its index in
the original array.\n * @param [transform] function that takes the index of an element and the element itself\n *
and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R> Array<out
T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n    return mapIndexedTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element and its index in the original array.\n * @param [transform] function that takes the index of an element and
the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <R>
ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n */\npublic inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short) -> R): List<R> {\n
return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying
the given [transform] function\n * to each element and its index in the original array.\n * @param [transform]
function that takes the index of an element and the element itself\n * and returns the result of the transform applied
to the element.\n */\npublic inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -> R): List<R> {\n
return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying
the given [transform] function\n * to each element and its index in the original array.\n * @param [transform]
function that takes the index of an element and the element itself\n * and returns the result of the transform applied
to the element.\n */\npublic inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {\n
return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of
applying the given [transform] function\n * to each element and its index in the original array.\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the
transform applied to the element.\n */\npublic inline fun <R> FloatArray.mapIndexed(transform: (index: Int, Float) -
> R): List<R> {\n    return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to each element and its index in the original array.\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <R> DoubleArray.mapIndexed(transform: (index: Int,
Double) -> R): List<R> {\n    return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list
containing the results of applying the given [transform] function\n * to each element and its index in the original
array.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the
result of the transform applied to the element.\n */\npublic inline fun <R> BooleanArray.mapIndexed(transform:
(index: Int, Boolean) -> R): List<R> {\n    return mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to each element and its index in
the original array.\n * @param [transform] function that takes the index of an element and the element itself\n *
and returns the result of the transform applied to the element.\n */\npublic inline fun <R>
CharArray.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of
applying the given [transform] function\n * to each element and its index in the original array.\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the
transform applied to the element.\n */\npublic inline fun <T, R : Any> Array<out
T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n    return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original array\n * and appends only the non-null results to the given [destination].\n *

```

@param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*\n
 public inline fun <T, R : Any, C : MutableCollection<in R>> Array<out T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n
 \*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \*

@param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*\n
 public inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n
 \*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \*

@param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*\n
 public inline fun <R, C : MutableCollection<in R>> ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n
 \*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \*

@param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*\n
 public inline fun <R, C : MutableCollection<in R>> ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n
 \*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \*

@param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*\n
 public inline fun <R, C : MutableCollection<in R>> IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n
 \*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \*

@param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*\n
 public inline fun <R, C : MutableCollection<in R>> LongArray.mapIndexedTo(destination: C, transform: (index: Int, Long) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n
 \*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \*

@param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*\n
 public inline fun <R, C : MutableCollection<in R>> FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n
 \*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \*

@param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*\n
 public inline fun <R, C : MutableCollection<in R>> DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n
 \*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \*

@param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*\n
 public inline fun <R, C : MutableCollection<in R>> BooleanArray.mapIndexedTo(destination: C, transform: (index: Int, Boolean) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n
 \*\n \* Applies the given [transform] function to each element and its index in the original array\n \* and appends the results to the given [destination].\n \*

@param [transform] function that takes the index of an element and the element itself\n \* and returns the result of the transform applied to the element.\n \*\n
 public inline fun <R, C : MutableCollection<in R>> CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n var index = 0\n for (item in

```

this)\n    destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Returns a list containing
only the non-null results of applying the given [transform] function\n * to each element in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.mapNotNull\n */\npublic inline fun <T, R : Any>
Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {\n    return mapNotNullTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original array\n * and
appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C :
MutableCollection<in R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n    forEach {
element -> transform(element)?.let { destination.add(it) } }\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element of the original array\n * and appends the results to the given [destination].\n
*/\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C, transform: (T) ->
R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the
given [transform] function to each element of the original array\n * and appends the results to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> ByteArray.mapTo(destination: C,
transform: (Byte) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return
destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and
appends the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>>
ShortArray.mapTo(destination: C, transform: (Short) -> R): C {\n    for (item in this)\n
destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C :
MutableCollection<in R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n    for (item in this)\n
destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R, C :
MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n    for (item in this)\n
destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n */\npublic inline fun <R,
C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n    for (item in
this)\n        destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the given [transform]
function to each element of the original array\n * and appends the results to the given [destination].\n */\npublic
inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {\n
    for (item in this)\n        destination.add(transform(item))\n    return destination\n}\n\n/**\n * Applies the
given [transform] function to each element of the original array\n * and appends the results to the given
[destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C,
transform: (Boolean) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return
destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and appends
the results to the given [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C,
transform: (Char) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return
destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an
[IndexValue] containing the index of that element and the element itself.\n */\npublic fun <T> Array<out
T>.withIndex(): Iterable<IndexedValue<T>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a
lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that
element and the element itself.\n */\npublic fun ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {\n    return
IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n
* into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun
ShortArray.withIndex(): Iterable<IndexedValue<Short>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n *
Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the
index of that element and the element itself.\n */\npublic fun IntArray.withIndex(): Iterable<IndexedValue<Int>>
{\n    return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the
original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic

```

```

fun LongArray.withIndex(): Iterable<IndexedValue<Long>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun FloatArray.withIndex():\nIterable<IndexedValue<Float>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun DoubleArray.withIndex(): Iterable<IndexedValue<Double>> {\n  return\nIndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun\nBooleanArray.withIndex(): Iterable<IndexedValue<Boolean>> {\n  return IndexingIterable { iterator()\n}\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the element itself.\n */\npublic fun CharArray.withIndex():\nIterable<IndexedValue<Char>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing\n only distinct elements from the given array.\n * \n * Among equal elements of the given array, only the first one will\n be present in the resulting list.\n * The elements in the resulting list are in the same order as they were in the source\n array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun\n<T> Array<out T>.distinct(): List<T> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list\n containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same\n order as they were in the source array.\n * \n * @sample\n samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun\nByteArray.distinct():\nList<Byte> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements\n from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source\n array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun\nShortArray.distinct(): List<Short> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing\n only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they\n were in the source array.\n * \n * @sample\n samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun\nIntArray.distinct():\nList<Int> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements from\n the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun\nLongArray.distinct(): List<Long> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing\n only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same order as they\n were in the source array.\n * \n * @sample\n samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun\nFloatArray.distinct():\nList<Float> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct elements\n from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the source\n array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun\nDoubleArray.distinct(): List<Double> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list\n containing only distinct elements from the given array.\n * \n * The elements in the resulting list are in the same\n order as they were in the source array.\n * \n * @sample\n samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun\nBooleanArray.distinct():\nList<Boolean> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only distinct\n elements from the given array.\n * \n * The elements in the resulting list are in the same order as they were in the\n source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic\nfun CharArray.distinct(): List<Char> {\n  return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing\n only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * \n * Among elements of the given array with equal keys, only the first one will be present in the resulting list.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * \n * @sample\n samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <T, K> Array<out

```

```

T>.distinctBy(selector: (T) -> K): List<T> {\n  val set = HashSet<K>()\n  val list = ArrayList<T>()\n  for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n      list.add(e)\n  }\n  return list}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector]\n * function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>\nByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n  val set = HashSet<K>()\n  val list =\n  ArrayList<Byte>()\n  for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n      list.add(e)\n  }\n  return list}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys\n * returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they\n * were in the source array.\n * \n * @sample\n * samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>\nShortArray.distinctBy(selector: (Short) -> K): List<Short> {\n  val set = HashSet<K>()\n  val list =\n  ArrayList<Short>()\n  for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n      list.add(e)\n  }\n  return list}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys\n * returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they\n * were in the source array.\n * \n * @sample\n * samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>\nIntArray.distinctBy(selector: (Int) -> K): List<Int> {\n  val set = HashSet<K>()\n  val list = ArrayList<Int>()\n  for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n      list.add(e)\n  }\n  return list}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys returned by the given\n * [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source\n * array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline\nfun <K> LongArray.distinctBy(selector: (Long) -> K): List<Long> {\n  val set = HashSet<K>()\n  val list =\n  ArrayList<Long>()\n  for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n      list.add(e)\n  }\n  return list}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys\n * returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they\n * were in the source array.\n * \n * @sample\n * samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>\nFloatArray.distinctBy(selector: (Float) -> K): List<Float> {\n  val set = HashSet<K>()\n  val list =\n  ArrayList<Float>()\n  for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n      list.add(e)\n  }\n  return list}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys\n * returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they\n * were in the source array.\n * \n * @sample\n * samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>\nDoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n  val set = HashSet<K>()\n  val list =\n  ArrayList<Double>()\n  for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n      list.add(e)\n  }\n  return list}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys\n * returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they\n * were in the source array.\n * \n * @sample\n * samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>\nBooleanArray.distinctBy(selector: (Boolean) -> K): List<Boolean> {\n  val set = HashSet<K>()\n  val list =\n  ArrayList<Boolean>()\n  for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n      list.add(e)\n  }\n  return list}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys\n * returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they\n * were in the source array.\n * \n * @sample\n * samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>\nCharArray.distinctBy(selector: (Char) -> K): List<Char> {\n  val set = HashSet<K>()\n  val list =\n  ArrayList<Char>()\n  for (e in this) {\n    val key = selector(e)\n    if (set.add(key))\n      list.add(e)\n  }\n}

```

`return list`  
`\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun <T> Array<out T>.intersect(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun ByteArray.intersect(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun ShortArray.intersect(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun IntArray.intersect(other: Iterable<Int>): Set<Int> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun LongArray.intersect(other: Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun BooleanArray.intersect(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun CharArray.intersect(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.retainAll(other)\n return set}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun <T> Array<out T>.subtract(other: Iterable<T>): Set<T> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the`

element iteration order of the original array.

```

public infix fun IntArray.subtract(other: Iterable<Int>): Set<Int>
{
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by this array and not contained by the specified collection.

\* The returned set preserves the element iteration order of the original array.

```

public infix fun LongArray.subtract(other:
Iterable<Long>): Set<Long>
{
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by this array and not contained by the specified collection.

\* The returned set preserves the element iteration order of the original array.

```

public infix fun FloatArray.subtract(other: Iterable<Float>): Set<Float>
{
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by this array and not contained by the specified collection.

\* The returned set preserves the element iteration order of the original array.

```

public infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double>
{
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by this array and not contained by the specified collection.

\* The returned set preserves the element iteration order of the original array.

```

public infix fun BooleanArray.subtract(other: Iterable<Boolean>):
Set<Boolean>
{
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

```

\* Returns a set containing all elements that are contained by this array and not contained by the specified collection.

\* The returned set preserves the element iteration order of the original array.

```

public infix fun CharArray.subtract(other: Iterable<Char>): Set<Char>
{
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}

```

\* Returns a new [MutableSet] containing all distinct elements from the given array.

\* The returned set preserves the element iteration order of the original array.

```

public fun <T> Array<out T>.toMutableSet(): MutableSet<T>
{
    return toCollection(LinkedHashSet<T>(mapCapacity(size)))
}

```

\* Returns a new [MutableSet] containing all distinct elements from the given array.

\* The returned set preserves the element iteration order of the original array.

```

public fun ByteArray.toMutableSet():
MutableSet<Byte>
{
    return toCollection(LinkedHashSet<Byte>(mapCapacity(size)))
}

```

\* Returns a new [MutableSet] containing all distinct elements from the given array.

\* The returned set preserves the element iteration order of the original array.

```

public fun ShortArray.toMutableSet(): MutableSet<Short>
{
    return toCollection(LinkedHashSet<Short>(mapCapacity(size)))
}

```

\* Returns a new [MutableSet] containing all distinct elements from the given array.

\* The returned set preserves the element iteration order of the original array.

```

public fun IntArray.toMutableSet(): MutableSet<Int>
{
    return toCollection(LinkedHashSet<Int>(mapCapacity(size)))
}

```

\* Returns a new [MutableSet] containing all distinct elements from the given array.

\* The returned set preserves the element iteration order of the original array.

```

public fun LongArray.toMutableSet(): MutableSet<Long>
{
    return toCollection(LinkedHashSet<Long>(mapCapacity(size)))
}

```

\* Returns a new [MutableSet] containing all distinct elements from the given array.

\* The returned set preserves the element iteration order of the original array.

```

public fun FloatArray.toMutableSet(): MutableSet<Float>
{
    return toCollection(LinkedHashSet<Float>(mapCapacity(size)))
}

```

\* Returns a new [MutableSet] containing all distinct elements from the given array.

\* The returned set preserves the element iteration order of the original array.

```

public fun DoubleArray.toMutableSet(): MutableSet<Double>
{
    return toCollection(LinkedHashSet<Double>(mapCapacity(size)))
}

```

\* Returns a new [MutableSet] containing all distinct elements from the given array.

\* The returned set preserves the element iteration order of the original array.

```

public fun BooleanArray.toMutableSet(): MutableSet<Boolean>
{
    return toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))
}

```

\* Returns a new [MutableSet] containing all distinct elements from the given array.

\* The returned set preserves the element iteration order of the original array.

```

public fun CharArray.toMutableSet(): MutableSet<Char>
{
    return toCollection(LinkedHashSet<Char>(mapCapacity(size.coerceAtMost(128))))
}

```

\* Returns a set containing all distinct elements from both collections.

\* The returned set preserves the element iteration order of the original array.

\* Those elements of the [other] collection that are unique are iterated in the end

\* in the order of the [other] collection.

\* To get a set containing all elements that are contained in both collections use

```

[intersect].\n *\npublic infix fun <T> Array<out T>.union(other: Iterable<T>): Set<T> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct elements
from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those
elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n *
\n * To get a set containing all elements that are contained in both collections use [intersect].\n *\npublic infix fun
ByteArray.union(other: Iterable<Byte>): Set<Byte> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n
return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set
preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are
unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements
that are contained in both collections use [intersect].\n *\npublic infix fun ShortArray.union(other:
Iterable<Short>): Set<Short> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n *
Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element
iteration order of the original array.\n * Those elements of the [other] collection that are unique are iterated in the
end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both
collections use [intersect].\n *\npublic infix fun IntArray.union(other: Iterable<Int>): Set<Int> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct elements
from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those
elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n *
\n * To get a set containing all elements that are contained in both collections use [intersect].\n *\npublic infix fun
LongArray.union(other: Iterable<Long>): Set<Long> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n
return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set
preserves the element iteration order of the original array.\n * Those elements of the [other] collection that are
unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements
that are contained in both collections use [intersect].\n *\npublic infix fun FloatArray.union(other: Iterable<Float>):
Set<Float> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set
containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order
of the original array.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the
order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use
[intersect].\n *\npublic infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {\n    val set =
this.toMutableSet()\n    set.addAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all distinct elements
from both collections.\n * \n * The returned set preserves the element iteration order of the original array.\n * Those
elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n *
\n * To get a set containing all elements that are contained in both collections use [intersect].\n *\npublic infix fun
BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n
return set\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set
preserves the element iteration order of the original array.\n * Those elements of the [other]
collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set
containing all elements that are contained in both collections use [intersect].\n *\npublic infix fun
CharArray.union(other: Iterable<Char>): Set<Char> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return
set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\npublic inline fun <T> Array<out T>.all(predicate: (T) ->
Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n *
Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *\npublic inline fun ByteArray.all(predicate: (Byte) -> Boolean):
Boolean {\n    for (element in this) if (!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true`
if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
*\npublic inline fun ShortArray.all(predicate: (Short) -> Boolean): Boolean {\n    for (element in this) if
(!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given

```

```

[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n * \n public inline fun
IntArray.all(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n
return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n * \n public inline fun LongArray.all(predicate: (Long) -> Boolean):
Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if
all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n
* \n public inline fun FloatArray.all(predicate: (Float) -> Boolean): Boolean {\n for (element in this) if
(!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n * \n public inline fun
DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return
false\n return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n * \n public inline fun BooleanArray.all(predicate: (Boolean) ->
Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n *
Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n * \n public inline fun CharArray.all(predicate: (Char) -> Boolean):
Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if
array has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n * \n public fun
<T> Array<out T>.any(): Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n * \n public fun ByteArray.any():
Boolean {\n return !isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n * \n public fun ShortArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n * \n public fun IntArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n * \n public fun LongArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n * \n public fun FloatArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n * \n public fun DoubleArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n * \n public fun BooleanArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n * \n public fun CharArray.any(): Boolean {\n return
!isEmpty()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n * \n public inline fun <T> Array<out
T>.any(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n * \n public inline fun ByteArray.any(predicate:
(Byte) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n * \n public inline fun ShortArray.any(predicate:
(Short) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n * \n public inline fun IntArray.any(predicate: (Int) -
> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n *
Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n * \n public inline fun LongArray.any(predicate:
(Long) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return

```

```

false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun FloatArray.any(predicate:
(Float) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun DoubleArray.any(predicate:
(Double) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun BooleanArray.any(predicate:
(Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharArray.any(predicate:
(Char) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns the number of elements in this array.\n * \n */\n@kotlin.internal.InlineOnly\npublic inline
fun <T> Array<out T>.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements in this array.\n
*\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the
number of elements in this array.\n * \n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n */\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements in this array.\n
*\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the
number of elements in this array.\n * \n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of elements in this array.\n * \n */\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements in this array.\n
*\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.count(): Int {\n    return size\n}\n\n/**\n * Returns
the number of elements in this array.\n * \n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n * \n */\npublic inline fun
<T> Array<out T>.count(predicate: (T) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n * \n */\npublic inline fun ByteArray.count(predicate: (Byte) -> Boolean): Int {\n    var count = 0\n
for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements
matching the given [predicate].\n * \n */\npublic inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {\n
var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the
number of elements matching the given [predicate].\n * \n */\npublic inline fun IntArray.count(predicate: (Int) ->
Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return
count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n * \n */\npublic inline fun
LongArray.count(predicate: (Long) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n * \n */\npublic inline fun FloatArray.count(predicate: (Float) -> Boolean): Int {\n    var count = 0\n
for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements
matching the given [predicate].\n * \n */\npublic inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {\n
var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the
number of elements matching the given [predicate].\n * \n */\npublic inline fun BooleanArray.count(predicate: (Boolean)
-> Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return
count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n * \n */\npublic inline fun
CharArray.count(predicate: (Char) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes current accumulator
value and an element, and calculates the next accumulator value.\n * \n */\npublic inline fun <T, R> Array<out

```

```

T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n  var accumulator = initial\n  for (element in this)
accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n *
\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R>
ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {\n  var accumulator = initial\n  for (element in this)
accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n *
\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R>
ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R {\n  var accumulator = initial\n  for (element in this)
accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n *
\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R>
IntArray.fold(initial: R, operation: (acc: R, Int) -> R): R {\n  var accumulator = initial\n  for (element in this)
accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n *
\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R>
LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {\n  var accumulator = initial\n  for (element in this)
accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n *
\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R>
FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {\n  var accumulator = initial\n  for (element in this)
accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n *
\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes
current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <R>
DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R): R {\n  var accumulator = initial\n  for (element in
this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that
takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun
<R> BooleanArray.fold(initial: R, operation: (acc: R, Boolean) -> R): R {\n  var accumulator = initial\n  for
(element in this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and
each element.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation]
function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\n
*\npublic inline fun <R> CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {\n  var accumulator =
initial\n  for (element in this) accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator
value and each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array
is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and
the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Array<out
T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n  var index = 0\n  var accumulator =
initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return

```

```

accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*/\npublic inline fun <R> ByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): R {\n  var
index = 0\n  var accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator,
element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n
* \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n */\npublic inline fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R
{\n  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator = operation(index++,
accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n */\npublic inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R,
Int) -> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator =
operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself, and
calculates the next accumulator value.\n */\npublic inline fun <R> LongArray.foldIndexed(initial: R, operation:
(index: Int, acc: R, Long) -> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in this)
accumulator = operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n
* \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n */\npublic inline fun <R> FloatArray.foldIndexed(initial: R,
operation: (index: Int, acc: R, Float) -> R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in
this) accumulator = operation(index++, accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and
each element with its index in the original array.\n * \n * Returns the specified [initial] value if the array is empty.\n
* \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the
element itself, and calculates the next accumulator value.\n */\npublic inline fun <R>
DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {\n  var index = 0\n  var
accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator, element)\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*/\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): R {\n
  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator = operation(index++, accumulator,
element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from left to right\n * to current accumulator value and each element with its index in the original array.\n
* \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n */\npublic inline fun <R> CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R

```



```

and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
CharArray.foldRight(initial: R, operation: (Char, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator =
initial\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\npublic inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R
{\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator =
operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the
original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n
* \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator
value, and calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldRightIndexed(initial: R,
operation: (index: Int, Byte, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while
(index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*/\npublic inline fun <R> ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {\n
var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index,
get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param
[operation] function that takes the index of an element, the element itself\n * and current accumulator value, and
calculates the next accumulator value.\n */\npublic inline fun <R> IntArray.foldRightIndexed(initial: R, operation:
(index: Int, Int, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array
is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current
accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
LongArray.foldRightIndexed(initial: R, operation: (index: Int, Long, acc: R) -> R): R {\n  var index = lastIndex\n
var accumulator = initial\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n
    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n
* \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the
index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator
value.\n */\npublic inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) ->
R): R {\n  var index = lastIndex\n  var accumulator = initial\n  while (index >= 0) {\n    accumulator =
operation(index, get(index), accumulator)\n    --index\n  }\n  return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the
original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n
* \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator
value, and calculates the next accumulator value.\n */\npublic inline fun <R> DoubleArray.foldRightIndexed(initial:
R, operation: (index: Int, Double, acc: R) -> R): R {\n  var index = lastIndex\n  var accumulator = initial\n
while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n  return

```

accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element with its index in the original array and current accumulator value.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, the element itself\n \* and current accumulator value, and calculates the next accumulator value.\n

```

*/\npublic inline fun <R> BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R> CharArray.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun <T> Array<out T>.forEach(action: (T) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun ByteArray.forEach(action: (Byte) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun ShortArray.forEach(action: (Short) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun IntArray.forEach(action: (Int) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun LongArray.forEach(action: (Long) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun FloatArray.forEach(action: (Float) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun DoubleArray.forEach(action: (Double) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun BooleanArray.forEach(action: (Boolean) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n */\npublic inline fun CharArray.forEach(action: (Char) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * \n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * \n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * \n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * \n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * \n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit): Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * \n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n */\npublic inline fun FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): Unit {\n    var index = 0\n    for (item in this)

```

```

action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n */\npublic inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit):
Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on
each element, providing sequential index with the element.\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n */\npublic inline fun
BooleanArray.forEachIndexed(action: (index: Int, Boolean) -> Unit): Unit {\n    var index = 0\n    for (item in this)
action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n */\npublic inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit
{\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Array<out Double>.max(): Double? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Array<out Float>.max(): Float? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun <T : Comparable<T>> Array<out T>.max(): T? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun ByteArray.max(): Byte? {\n    return maxOrNull()\n}\n\n@Deprecated("Use
maxOrNull instead.", ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\npublic fun ShortArray.max(): Short? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun IntArray.max(): Int? {\n    return maxOrNull()\n}\n\n@Deprecated("Use
maxOrNull instead.", ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\npublic fun LongArray.max(): Long? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun FloatArray.max(): Float? {\n    return maxOrNull()\n}\n\n@Deprecated("Use
maxOrNull instead.", ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\npublic fun DoubleArray.max(): Double? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.",
ReplaceWith("this.maxOrNull()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun CharArray.max(): Char? {\n    return maxOrNull()\n}\n\n@Deprecated("Use
maxByOrNull instead.", ReplaceWith("this.maxByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince =
"1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <T, R : Comparable<R>> Array<out
T>.maxBy(selector: (T) -> R): T? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull
instead.", ReplaceWith("this.maxByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> ByteArray.maxBy(selector:
(Byte) -> R): Byte? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> ShortArray.maxBy(selector: (Short) -> R):
Short? {\n    return maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.",
ReplaceWith("this.maxByOrNull(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> IntArray.maxBy(selector: (Int) -> R): Int?

```

```

{\n  return maxByOrNull(selector)\n}\n\n@Deprecated(\`Use maxByOrNull instead.\`),
ReplaceWith(\`this.maxByOrNull(selector)\`))\n\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince = `1.6`)\npublic inline fun <R : Comparable<R>> LongArray.maxBy(selector: (Long) -> R):
Long? {\n  return maxByOrNull(selector)\n}\n\n@Deprecated(\`Use maxByOrNull instead.\`),
ReplaceWith(\`this.maxByOrNull(selector)\`))\n\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince = `1.6`)\npublic inline fun <R : Comparable<R>> FloatArray.maxBy(selector: (Float) -> R):
Float? {\n  return maxByOrNull(selector)\n}\n\n@Deprecated(\`Use maxByOrNull instead.\`),
ReplaceWith(\`this.maxByOrNull(selector)\`))\n\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince = `1.6`)\npublic inline fun <R : Comparable<R>> DoubleArray.maxBy(selector: (Double) ->
R): Double? {\n  return maxByOrNull(selector)\n}\n\n@Deprecated(\`Use maxByOrNull instead.\`),
ReplaceWith(\`this.maxByOrNull(selector)\`))\n\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince = `1.6`)\npublic inline fun <R : Comparable<R>> BooleanArray.maxBy(selector: (Boolean) -
> R): Boolean? {\n  return maxByOrNull(selector)\n}\n\n@Deprecated(\`Use maxByOrNull instead.\`),
ReplaceWith(\`this.maxByOrNull(selector)\`))\n\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince = `1.6`)\npublic inline fun <R : Comparable<R>> CharArray.maxBy(selector: (Char) -> R):
Char? {\n  return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the
given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n\n@SinceKotlin(`1.4`)\npublic inline fun <T, R :
Comparable<R>> Array<out T>.maxByOrNull(selector: (T) -> R): T? {\n  if (isEmpty()) return null\n  var
maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n\n@SinceKotlin(`1.4`)\npublic inline fun <R :
Comparable<R>> ByteArray.maxByOrNull(selector: (Byte) -> R): Byte? {\n  if (isEmpty()) return null\n  var
maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n\n@SinceKotlin(`1.4`)\npublic inline fun <R :
Comparable<R>> ShortArray.maxByOrNull(selector: (Short) -> R): Short? {\n  if (isEmpty()) return null\n  var
maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n\n@SinceKotlin(`1.4`)\npublic inline fun <R :
Comparable<R>> IntArray.maxByOrNull(selector: (Int) -> R): Int? {\n  if (isEmpty()) return null\n  var maxElem
= this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n\n@SinceKotlin(`1.4`)\npublic inline fun <R :
Comparable<R>> LongArray.maxByOrNull(selector: (Long) -> R): Long? {\n  if (isEmpty()) return null\n  var
maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n\n@SinceKotlin(`1.4`)\npublic inline fun <R :

```

```

Comparable<R>> FloatArray.maxByOrNull(selector: (Float) -> R): Float? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
/** Returns the first element yielding the largest value of the given function or `null` if there are no elements.
 * @sample samples.collections.Collections.Aggregates.maxByOrNull
 */
@SinceKotlin("1.4")
public inline fun <R : Comparable<R>> DoubleArray.maxByOrNull(selector: (Double) -> R): Double? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
/** Returns the first element yielding the largest value of the given function or `null` if there are no elements.
 * @sample samples.collections.Collections.Aggregates.maxByOrNull
 */
@SinceKotlin("1.4")
public inline fun <R : Comparable<R>> BooleanArray.maxByOrNull(selector: (Boolean) -> R): Boolean? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
/** Returns the first element yielding the largest value of the given function or `null` if there are no elements.
 * @sample samples.collections.Collections.Aggregates.maxByOrNull
 */
@SinceKotlin("1.4")
public inline fun <R : Comparable<R>> CharArray.maxByOrNull(selector: (Char) -> R): Char? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
/** Returns the largest value among all values produced by [selector] function applied to each element in the array.
 * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.maxOf(selector: (T) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
/** Returns the largest value among all values produced by [selector] function applied to each element in the array.
 * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun ByteArray.maxOf(selector: (Byte) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
/** Returns the largest value among all values produced by [selector] function applied to each element in the array.
 * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun ShortArray.maxOf(selector: (Short) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
/** Returns the largest value among all values produced by [selector] function applied to each element in the array.
 * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun IntArray.maxOf(selector: (Int) -> Double):

```

```

Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return
    maxValue
}

/**
 * Returns the largest value among all values produced by [selector] function
 * applied to each element in the array.
 * If any of values produced by [selector] function is `NaN`, the returned result is
 * `NaN`.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun LongArray.maxOf(selector: (Long) ->
Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return
    maxValue
}

/**
 * Returns the largest value among all values produced by [selector] function
 * applied to each element in the array.
 * If any of values produced by [selector] function is `NaN`, the returned result is
 * `NaN`.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun FloatArray.maxOf(selector: (Float) ->
Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return
    maxValue
}

/**
 * Returns the largest value among all values produced by [selector] function
 * applied to each element in the array.
 * If any of values produced by [selector] function is `NaN`, the returned result is
 * `NaN`.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun DoubleArray.maxOf(selector: (Double) ->
Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return
    maxValue
}

/**
 * Returns the largest value among all values produced by [selector] function
 * applied to each element in the array.
 * If any of values produced by [selector] function is `NaN`, the returned result is
 * `NaN`.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun BooleanArray.maxOf(selector: (Boolean) ->
Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return
    maxValue
}

/**
 * Returns the largest value among all values produced by [selector] function
 * applied to each element in the array.
 * If any of values produced by [selector] function is `NaN`, the returned result is
 * `NaN`.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun CharArray.maxOf(selector: (Char) ->
Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return
    maxValue
}

/**
 * Returns the largest value among all values produced by [selector] function
 * applied to each element in the array.
 * If any of values produced by [selector] function is `NaN`, the returned result is
 * `NaN`.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Array<out T>.maxOf(selector: (T) ->
Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return
    maxValue
}

/**
 * Returns the largest value among all values produced by [selector] function
 * applied to each element in the array.
 * If any of values produced by [selector] function is `NaN`, the returned result is
 * `NaN`.
 * @throws NoSuchElementException if the array is empty.
 */
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOf(selector: (Byte) -> Float):
Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOf(selector: (Short) ->
Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i
in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOf(selector: (Int) -> Float):
Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOf(selector: (Long) ->
Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i
in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOf(selector: (Float) ->
Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i
in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOf(selector: (Double) ->
Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i
in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOf(selector: (Boolean) ->
Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i
in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*/

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOf(selector: (Char) -> Float):
Float {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.maxOf(selector: (T) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.maxOf(selector: (Byte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.maxOf(selector: (Short) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.maxOf(selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.maxOf(selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
FloatArray.maxOf(selector: (Float) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.maxOf(selector: (Double) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.maxOf(selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.maxOf(selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n
maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOfOrNull(selector:
(T) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOfOrNull(selector: (Byte) ->
Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`
if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOfOrNull(selector: (Short) -
> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex)
{\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOfOrNull(selector: (Int) ->
Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`
if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is

```

```

`NaN`.
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOrNull(selector: (Long) -
> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex)
{\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOrNull(selector: (Float) -
> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex)
{\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOrNull(selector:
(Double) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOrNull(selector:
(Boolean) -> Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return
maxValue}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOrNull(selector: (Char) ->
Double): Double? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`
if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.maxOrNull(selector:
(T) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex)
{\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue}\n\n/**\n *
Returns the largest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*/@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly\npublic inline fun ByteArray.maxOrNull(selector: (Byte) ->
Float): Float? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n
val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue}\n\n/**\n * Returns
the largest value among all values produced by [selector] function\n * applied to each element in the array or `null`

```

if there are no elements.\n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.maxOrNull(selector: (Short) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.maxOrNull(selector: (Int) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.maxOrNull(selector: (Long) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.maxOrNull(selector: (Float) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.maxOrNull(selector: (Double) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.maxOrNull(selector: (Boolean) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.maxOrNull(selector: (Char) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns
```

the largest value among all values produced by [selector] function\n \* applied to each element in the array or `null` if there are no elements.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out T>.maxOrNull(selector: (T) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nByteArray.maxOrNull(selector: (Byte) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced\n * by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nShortArray.maxOrNull(selector: (Short) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced\n * by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nIntArray.maxOrNull(selector: (Int) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced\n * by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nLongArray.maxOrNull(selector: (Long) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced\n * by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nFloatArray.maxOrNull(selector: (Float) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced\n * by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nDoubleArray.maxOrNull(selector: (Double) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced\n * by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>\nBooleanArray.maxOrNull(selector: (Boolean) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced\n * by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```

maxValue = v\n    }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.maxOrNull(selector: (Char) -> R): R? {\n    if (isEmpty()) return null\n    var maxValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (maxValue < v) {\n
maxValue = v\n    }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.maxOfWith(comparator:
Comparator<in R>, selector: (Byte) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.maxOfWith(comparator:
Comparator<in R>, selector: (Short) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.maxOfWith(comparator:
Comparator<in R>, selector: (Int) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue
= selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.maxOfWith(comparator:
Comparator<in R>, selector: (Long) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n *
Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.maxOfWith(comparator:
Comparator<in R>, selector: (Float) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var

```

```

maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.internal.InlineOnly\n public inline fun <R> DoubleArray.maxOfWith(comparator:
Comparator<in R>, selector: (Double) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.internal.InlineOnly\n public inline fun <R> BooleanArray.maxOfWith(comparator:
Comparator<in R>, selector: (Boolean) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.internal.InlineOnly\n public inline fun <R> CharArray.maxOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n *\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.internal.InlineOnly\n public inline fun <T, R> Array<out
T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n  if (isEmpty()) return null\n
var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n *\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.internal.InlineOnly\n public inline fun <R>
ByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Byte) -> R): R? {\n  if (isEmpty()) return
null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n *\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.internal.InlineOnly\n public inline fun <R>
ShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\n  if (isEmpty())
return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n *\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.internal.InlineOnly\n public inline fun <R>

```

```

IntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\n  if (isEmpty()) return
null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
LongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\n  if (isEmpty())
return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
FloatArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Float) -> R): R? {\n  if (isEmpty())
return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
DoubleArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {\n  if (isEmpty())
return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
BooleanArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {\n  if (isEmpty())
return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
CharArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n  if (isEmpty()) return
null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n      maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*/\n@SinceKotlin("1.4")\npublic fun Array<out Double>.maxOrNull(): Double? {\n  if (isEmpty()) return null\n
var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    max = maxOf(max, e)\n  }\n  return
max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN`
returns `NaN`.\n
*/\n@SinceKotlin("1.4")\npublic fun Array<out Float>.maxOrNull(): Float? {\n  if (isEmpty())
return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    max = maxOf(max, e)\n  }\n
return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>> Array<out T>.maxOrNull(): T? {\n  if (isEmpty())
return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (max < e) max = e\n  }\n
return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*/

```

```

*^@SinceKotlin("1.4")\npublic fun ByteArray.maxOrNull(): Byte? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n*^@SinceKotlin("1.4")\npublic fun ShortArray.maxOrNull(): Short? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n*^@SinceKotlin("1.4")\npublic fun IntArray.maxOrNull(): Int? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n*^@SinceKotlin("1.4")\npublic fun LongArray.maxOrNull(): Long? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n*^@SinceKotlin("1.4")\npublic fun FloatArray.maxOrNull(): Float? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        max = maxOf(max, e)\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n*^@SinceKotlin("1.4")\npublic fun DoubleArray.maxOrNull(): Double? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        max = maxOf(max, e)\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\n*^@SinceKotlin("1.4")\npublic fun CharArray.maxOrNull(): Char? {\n    if (isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max = e\n    }\n    return max\n}\n\n@Deprecated("Use maxWithOrNull instead.")\nReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun <T> Array<out T>.maxWith(comparator: Comparator<in T>): T? {\n    return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.")\nReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun ByteArray.maxWith(comparator: Comparator<in Byte>): Byte? {\n    return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.")\nReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun ShortArray.maxWith(comparator: Comparator<in Short>): Short? {\n    return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.")\nReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun IntArray.maxWith(comparator: Comparator<in Int>): Int? {\n    return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.")\nReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun LongArray.maxWith(comparator: Comparator<in Long>): Long? {\n    return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.")\nReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun FloatArray.maxWith(comparator: Comparator<in Float>): Float? {\n    return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.")\nReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun DoubleArray.maxWith(comparator: Comparator<in Double>): Double? {\n    return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.")\nReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun BooleanArray.maxWith(comparator: Comparator<in Boolean>): Boolean? {\n    return maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead.")\nReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\npublic fun CharArray.maxWith(comparator: Comparator<in Char>): Char? {\n    return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n */\n*^@SinceKotlin("1.4")\npublic fun <T> Array<out

```

```

T>.maxWithOrNull(comparator: Comparator<in T>): T? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}

* Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.

* Kotlin("1.4")
public fun ByteArray.maxWithOrNull(comparator: Comparator<in Byte>): Byte? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}

* Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.

* Kotlin("1.4")
public fun ShortArray.maxWithOrNull(comparator: Comparator<in Short>): Short? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}

* Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.

* Kotlin("1.4")
public fun IntArray.maxWithOrNull(comparator: Comparator<in Int>): Int? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}

* Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.

* Kotlin("1.4")
public fun LongArray.maxWithOrNull(comparator: Comparator<in Long>): Long? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}

* Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.

* Kotlin("1.4")
public fun FloatArray.maxWithOrNull(comparator: Comparator<in Float>): Float? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}

* Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.

* Kotlin("1.4")
public fun DoubleArray.maxWithOrNull(comparator: Comparator<in Double>): Double? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}

* Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.

* Kotlin("1.4")
public fun BooleanArray.maxWithOrNull(comparator: Comparator<in Boolean>): Boolean? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}

* Returns the first element having the largest value according to the provided [comparator] or `null` if there are no elements.

* Kotlin("1.4")
public fun CharArray.maxWithOrNull(comparator: Comparator<in Char>): Char? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}

@Deprecated("Use minOrNull instead.", ReplaceWith("this.minOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
@SinceKotlin("1.1")
public fun Array<out Double>.min(): Double? {
    return minOrNull()
}

@Deprecated("Use minOrNull instead.", ReplaceWith("this.minOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
@SinceKotlin("1.1")
public fun Array<out Float>.min(): Float? {
    return minOrNull()
}

@Deprecated("Use minOrNull instead.", ReplaceWith("this.minOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun <T : Comparable<T>> Array<out T>.min(): T? {
    return minOrNull()
}

@Deprecated("Use minOrNull()")
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun ByteArray.min(): Byte? {
    return minOrNull()
}

@Deprecated("Use minOrNull instead.", ReplaceWith("this.minOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun ShortArray.min(): Short? {
    return minOrNull()
}

@Deprecated("Use minOrNull instead.",

```

```

ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun IntArray.min(): Int? {\n    return minOrNull()\n}\n\n@Deprecated("Use
minOrNull instead.\", ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun LongArray.min(): Long? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.\",
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun FloatArray.min(): Float? {\n    return minOrNull()\n}\n\n@Deprecated("Use
minOrNull instead.\", ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic fun DoubleArray.min(): Double? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.\",
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.5\",
hiddenSince = \"1.6\")\npublic fun CharArray.min(): Char? {\n    return minOrNull()\n}\n\n@Deprecated("Use
minByOrNull instead.\", ReplaceWith("this.minByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince =
\"1.4\", errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <T, R : Comparable<R>> Array<out
T>.minBy(selector: (T) -> R): T? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull
instead.\", ReplaceWith("this.minByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\",
errorSince = \"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> ByteArray.minBy(selector:
(Byte) -> R): Byte? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("this.minByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> ShortArray.minBy(selector: (Short) -> R):
Short? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("this.minByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> IntArray.minBy(selector: (Int) -> R): Int?
{\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("this.minByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> LongArray.minBy(selector: (Long) -> R):
Long? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("this.minByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> FloatArray.minBy(selector: (Float) -> R):
Float? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("this.minByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> DoubleArray.minBy(selector: (Double) ->
R): Double? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("this.minByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> BooleanArray.minBy(selector: (Boolean) -
> R): Boolean? {\n    return minByOrNull(selector)\n}\n\n@Deprecated("Use minByOrNull instead.\",
ReplaceWith("this.minByOrNull(selector)\")\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince =
\"1.5\", hiddenSince = \"1.6\")\npublic inline fun <R : Comparable<R>> CharArray.minBy(selector: (Char) -> R):
Char? {\n    return minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n *\n@SinceKotlin("1.4")\npublic inline fun <T, R :
Comparable<R>> Array<out T>.minByOrNull(selector: (T) -> R): T? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n *\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> ByteArray.minByOrNull(selector: (Byte) -> R): Byte? {\n    if (isEmpty()) return null\n    var

```

```

minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin("1.4")\n * public inline fun <R :
Comparable<R>> ShortArray.minByOrNull(selector: (Short) -> R): Short? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin("1.4")\n * public inline fun <R :
Comparable<R>> IntArray.minByOrNull(selector: (Int) -> R): Int? {\n    if (isEmpty()) return null\n    var minElem
= this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin("1.4")\n * public inline fun <R :
Comparable<R>> LongArray.minByOrNull(selector: (Long) -> R): Long? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin("1.4")\n * public inline fun <R :
Comparable<R>> FloatArray.minByOrNull(selector: (Float) -> R): Float? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin("1.4")\n * public inline fun <R :
Comparable<R>> DoubleArray.minByOrNull(selector: (Double) -> R): Double? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin("1.4")\n * public inline fun <R :
Comparable<R>> BooleanArray.minByOrNull(selector: (Boolean) -> R): Boolean? {\n    if (isEmpty()) return
null\n    var minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var
minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if
(minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n * @SinceKotlin("1.4")\n * public inline fun
<R : Comparable<R>> CharArray.minByOrNull(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var
minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the smallest
value among all values produced by [selector] function\n * applied to each element in the array.\n * \n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * \n * @throws
NoSuchElementException if the array is empty.\n

```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOf(selector: (T) ->  
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return  
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to  
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is  
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOf(selector: (Byte) ->  
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return  
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to  
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is  
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOf(selector: (Short) ->  
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return  
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to  
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is  
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOf(selector: (Int) -> Double):  
Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in  
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return  
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to  
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is  
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOf(selector: (Long) ->  
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return  
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to  
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is  
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOf(selector: (Float) ->  
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return  
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to  
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is  
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) ->  
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return  
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to  
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
```

```

`NaN`.n * .n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun BooleanArray.minOf(selector: (Boolean) ->
Double): Double {n if (isEmpty()) throw NoSuchElementException()n var minValue = selector(this[0])n for
(i in 1..lastIndex) {n val v = selector(this[i])n minValue = minOf(minValue, v)n }n return
minValue.n}n/n/**n * Returns the smallest value among all values produced by [selector] functionn * applied to
each element in the array.n * .n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.n * .n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun CharArray.minOf(selector: (Char) ->
Double): Double {n if (isEmpty()) throw NoSuchElementException()n var minValue = selector(this[0])n for
(i in 1..lastIndex) {n val v = selector(this[i])n minValue = minOf(minValue, v)n }n return
minValue.n}n/n/**n * Returns the smallest value among all values produced by [selector] functionn * applied to
each element in the array.n * .n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.n * .n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun <T> Array<out T>.minOf(selector: (T) ->
Float): Float {n if (isEmpty()) throw NoSuchElementException()n var minValue = selector(this[0])n for (i in
1..lastIndex) {n val v = selector(this[i])n minValue = minOf(minValue, v)n }n return
minValue.n}n/n/**n * Returns the smallest value among all values produced by [selector] functionn * applied to
each element in the array.n * .n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.n * .n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun ByteArray.minOf(selector: (Byte) -> Float):
Float {n if (isEmpty()) throw NoSuchElementException()n var minValue = selector(this[0])n for (i in
1..lastIndex) {n val v = selector(this[i])n minValue = minOf(minValue, v)n }n return
minValue.n}n/n/**n * Returns the smallest value among all values produced by [selector] functionn * applied to
each element in the array.n * .n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.n * .n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun ShortArray.minOf(selector: (Short) ->
Float): Float {n if (isEmpty()) throw NoSuchElementException()n var minValue = selector(this[0])n for (i in
1..lastIndex) {n val v = selector(this[i])n minValue = minOf(minValue, v)n }n return
minValue.n}n/n/**n * Returns the smallest value among all values produced by [selector] functionn * applied to
each element in the array.n * .n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.n * .n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun IntArray.minOf(selector: (Int) -> Float):
Float {n if (isEmpty()) throw NoSuchElementException()n var minValue = selector(this[0])n for (i in
1..lastIndex) {n val v = selector(this[i])n minValue = minOf(minValue, v)n }n return
minValue.n}n/n/**n * Returns the smallest value among all values produced by [selector] functionn * applied to
each element in the array.n * .n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.n * .n * @throws NoSuchElementException if the array is empty.n
*/n@SinceKotlin("1.4")n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)n@OverloadResolution
ByLambdaReturnTypen@kotlin.internal.InlineOnlynpublic inline fun LongArray.minOf(selector: (Long) ->
Float): Float {n if (isEmpty()) throw NoSuchElementException()n var minValue = selector(this[0])n for (i in
1..lastIndex) {n val v = selector(this[i])n minValue = minOf(minValue, v)n }n return
minValue.n}n/n/**n * Returns the smallest value among all values produced by [selector] functionn * applied to

```

each element in the array.\n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n \* \n \* @throws NoSuchElementException if the array is empty.\n

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOf(selector: (Float) -> Float):
Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOf(selector: (Double) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOf(selector: (Boolean) ->
Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOf(selector: (Char) -> Float):
Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in
1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.minOf(selector: (T) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue =
selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.minOf(selector: (Byte) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue
= selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.minOf(selector: (Short) -> R): R {\n    if (isEmpty()) throw NoSuchElementException()\n    var
minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if (minValue > v) {\n
minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values

```

```

produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.minOf(selector: (Int) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.minOf(selector: (Long) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
FloatArray.minOf(selector: (Float) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.minOf(selector: (Double) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.minOf(selector: (Boolean) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array.\n * \n * @throws
NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.minOf(selector: (Char) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var minValue
= selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOfOrNull(selector:
(T) -> Double): Double? {\n if (isEmpty()) return null\n var minValue = selector(this[0])\n for (i in
1..lastIndex) {\n val v = selector(this[i])\n minValue = minOf(minValue, v)\n }\n return

```

minValue\n}\n\n/\*\*\n \* Returns the smallest value among all values produced by [selector] function\n \* applied to each element in the array or `null` if there are no elements.\n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOrNull(selector: (Byte) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOrNull(selector: (Short) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOrNull(selector: (Int) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOrNull(selector: (Long) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOrNull(selector: (Float) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOrNull(selector: (Double) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOrNull(selector: (Boolean) -> Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in
```

```

1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n } \n return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOfOrNull(selector: (Char) ->
Double): Double? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n } \n return minValue\n}\n\n/**\n * Returns
the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null`
if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.minOfOrNull(selector:
(T) -> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex)
{\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n } \n return minValue\n}\n\n/**\n *
Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.minOfOrNull(selector: (Byte) ->
Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n } \n return minValue\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.minOfOrNull(selector: (Short) -
> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n } \n return minValue\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.minOfOrNull(selector: (Int) ->
Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n } \n return minValue\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.minOfOrNull(selector: (Long) -
> Float): Float? {\n    if (isEmpty()) return null\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n
    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n } \n return minValue\n}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.minOfOrNull(selector: (Float) ->

```

```

Float): Float? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n
val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is
`NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.minOfOrNull(selector:
(Double) -> Float): Float? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.minOfOrNull(selector:
(Boolean) -> Float): Float? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return
minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function
is `NaN`, the returned result is `NaN`.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.minOfOrNull(selector: (Char) ->
Float): Float? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n
val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue}\n\n/**\n * Returns the
smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if
there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>> Array<out
T>.minOfOrNull(selector: (T) -> R): R? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for
(i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n      minValue = v\n    }\n  }\n
return minValue}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n *
applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ByteArray.minOfOrNull(selector: (Byte) -> R): R? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
ShortArray.minOfOrNull(selector: (Short) -> R): R? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
IntArray.minOfOrNull(selector: (Int) -> R): R? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue}\n\n/**\n * Returns the smallest value among all values produced

```

```

by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
LongArray.minOfOrNull(selector: (Long) -> R): R? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
FloatArray.minOfOrNull(selector: (Float) -> R): R? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
DoubleArray.minOfOrNull(selector: (Double) -> R): R? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
BooleanArray.minOfOrNull(selector: (Boolean) -> R): R? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharArray.minOfOrNull(selector: (Char) -> R): R? {\n if (isEmpty()) return null\n var minValue =
selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (minValue > v) {\n
minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n *
@throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.minOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.minOfWith(comparator:
Comparator<in R>, selector: (Byte) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.minOfWith(comparator:
Comparator<in R>, selector: (Short) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.minOfWith(comparator:
Comparator<in R>, selector: (Int) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var minValue
= selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (comparator.compare(minValue,
v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value
according to the provided [comparator]\n * among all values produced by [selector] function applied to each
element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n *\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.minOfWith(comparator:
Comparator<in R>, selector: (Long) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.minOfWith(comparator:
Comparator<in R>, selector: (Float) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.minOfWith(comparator:
Comparator<in R>, selector: (Double) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.minOfWith(comparator:
Comparator<in R>, selector: (Boolean) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n *\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.minOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Array<out
T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n  if (isEmpty()) return null\n
var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/*\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ByteArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Byte) -> R): R? {\n  if (isEmpty()) return
null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/*\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Short) -> R): R? {\n  if (isEmpty())
return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/*\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
IntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Int) -> R): R? {\n  if (isEmpty()) return
null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/*\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
LongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Long) -> R): R? {\n  if (isEmpty()) return
null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/*\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
FloatArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Float) -> R): R? {\n  if (isEmpty()) return
null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/*\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
DoubleArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Double) -> R): R? {\n  if (isEmpty())
return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/*\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]

```

```

function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
BooleanArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Boolean) -> R): R? {\n if (isEmpty())
return null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n*\n * Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
CharArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n if (isEmpty()) return
null\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if
(comparator.compare(minValue, v) > 0) {\n minValue = v\n }\n }\n return minValue\n}\n\n*\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic fun Array<out Double>.minOrNull(): Double? {\n if (isEmpty()) return null\n
var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n min = minOf(min, e)\n }\n return
min\n}\n\n*\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is
`NaN` returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic fun Array<out Float>.minOrNull(): Float? {\n if
(isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n min = minOf(min,
e)\n }\n return min\n}\n\n*\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>> Array<out T>.minOrNull(): T? {\n if (isEmpty())
return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n
return min\n}\n\n*\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun ByteArray.minOrNull(): Byte? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n*\n *
Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun ShortArray.minOrNull(): Short? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n*\n *
Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun IntArray.minOrNull(): Int? {\n if (isEmpty())
return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n
return min\n}\n\n*\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun LongArray.minOrNull(): Long? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n*\n *
Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic fun FloatArray.minOrNull(): Float? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n min = minOf(min, e)\n }\n return min\n}\n\n*\n *
Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic fun DoubleArray.minOrNull(): Double? {\n if (isEmpty()) return null\n var
min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n min = minOf(min, e)\n }\n return
min\n}\n\n*\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun CharArray.minOrNull(): Char? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return
min\n}\n\n*\n @Deprecated("Use minWithOrNull instead.")\n
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun <T> Array<out T>.minWith(comparator: Comparator<in T>): T? {\n
return minWithOrNull(comparator)\n}\n\n*\n @Deprecated("Use minWithOrNull instead.")\n
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun ByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n

```

```

return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.",
ReplaceWith("this.minWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun ShortArray.minWith(comparator: Comparator<in Short>): Short? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.",
ReplaceWith("this.minWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun IntArray.minWith(comparator: Comparator<in Int>): Int? {\n  return
minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.",
ReplaceWith("this.minWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun LongArray.minWith(comparator: Comparator<in Long>): Long? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.",
ReplaceWith("this.minWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun FloatArray.minWith(comparator: Comparator<in Float>): Float? {\n
return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.",
ReplaceWith("this.minWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun DoubleArray.minWith(comparator: Comparator<in Double>): Double?
{\n  return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.",
ReplaceWith("this.minWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun BooleanArray.minWith(comparator: Comparator<in Boolean>):
Boolean? {\n  return minWithOrNull(comparator)\n}\n\n@Deprecated("Use minWithOrNull instead.",
ReplaceWith("this.minWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun CharArray.minWith(comparator: Comparator<in Char>): Char? {\n
return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to
the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun <T> Array<out
T>.minWithOrNull(comparator: Comparator<in T>): T? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for
(i in 1..lastIndex) {\n    val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return
min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or
`null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun ByteArray.minWithOrNull(comparator:
Comparator<in Byte>): Byte? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n    if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first
element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\npublic fun ShortArray.minWithOrNull(comparator: Comparator<in Short>): Short? {\n
if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if
(comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun IntArray.minWithOrNull(comparator: Comparator<in Int>): Int? {\n
if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if
(comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun LongArray.minWithOrNull(comparator: Comparator<in Long>): Long? {\n
if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if
(comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun FloatArray.minWithOrNull(comparator: Comparator<in Float>): Float? {\n
if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if
(comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n */\n@SinceKotlin("1.4")\npublic fun DoubleArray.minWithOrNull(comparator: Comparator<in Double>):
Double? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if

```

```

(comparator.compare(min, e) > 0) min = e\n } \n return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun BooleanArray.minWithOrNull(comparator: Comparator<in Boolean>):
Boolean? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n
if (comparator.compare(min, e) > 0) min = e\n } \n return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\npublic fun CharArray.minWithOrNull(comparator: Comparator<in Char>): Char? {\n
if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if
(comparator.compare(min, e) > 0) min = e\n } \n return min\n}\n\n/**\n * Returns `true` if the array has no
elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n *\npublic fun <T> Array<out
T>.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n *\npublic fun ByteArray.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun ShortArray.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun IntArray.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun LongArray.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun FloatArray.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun DoubleArray.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *\npublic fun BooleanArray.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun <T> Array<out
T>.none(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun ByteArray.none(predicate:
(Byte) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun ShortArray.none(predicate:
(Short) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun IntArray.none(predicate: (Int)
-> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n *
Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun LongArray.none(predicate:
(Long) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun FloatArray.none(predicate:
(Float) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun DoubleArray.none(predicate:
(Double) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun
BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element))
return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharArray.none(predicate:
(Char) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.onEach(action: (T) ->
Unit): Array<out T> {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.onEach(action: (Byte) ->
Unit): ByteArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.onEach(action: (Short) ->
Unit): ShortArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.onEach(action: (Int) -> Unit):
IntArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on
each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.onEach(action: (Long) ->
Unit): LongArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.onEach(action: (Float) ->
Unit): FloatArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.onEach(action: (Double) ->
Unit): DoubleArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.onEach(action: (Boolean)
-> Unit): BooleanArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element and returns the array itself afterwards.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.onEach(action: (Char) ->
Unit): CharArray {\n    return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given
[action] on each element, providing sequential index with the element,\n * and returns the array itself afterwards.\n *
@param [action] function that takes the index of an element and the element itself\n * and performs the action on
the element.\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.onEachIndexed(action: (index: Int, T) -> Unit): Array<out T> {\n    return apply { forEachIndexed(action)
}\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and
returns the array itself afterwards.\n * @param [action] function that takes the index of an element and the element
itself\n * and performs the action on the element.\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic
inline fun ByteArray.onEachIndexed(action: (index: Int, Byte) -> Unit): ByteArray {\n    return apply {
forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index
with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.onEachIndexed(action:
(index: Int, Short) -> Unit): ShortArray {\n    return apply { forEachIndexed(action) }\n}\n\n/**\n * Performs the
given [action] on each element, providing sequential index with the element,\n * and returns the array itself
afterwards.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the action on the element.\n */\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): IntArray {
    return apply { forEachIndexed(action) }
}

```

Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.

@param [action] function that takes the index of an element and the element itself and performs the action on the element.

```

*@SinceKotlin("1.4")
*@kotlin.internal.InlineOnly
*public inline fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit): LongArray {
    return apply { forEachIndexed(action) }
}

```

Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.

@param [action] function that takes the index of an element and the element itself and performs the action on the element.

```

*@SinceKotlin("1.4")
*@kotlin.internal.InlineOnly
*public inline fun FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): FloatArray {
    return apply { forEachIndexed(action) }
}

```

Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.

@param [action] function that takes the index of an element and the element itself and performs the action on the element.

```

*@SinceKotlin("1.4")
*@kotlin.internal.InlineOnly
*public inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): DoubleArray {
    return apply { forEachIndexed(action) }
}

```

Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.

@param [action] function that takes the index of an element and the element itself and performs the action on the element.

```

*@SinceKotlin("1.4")
*@kotlin.internal.InlineOnly
*public inline fun BooleanArray.forEachIndexed(action: (index: Int, Boolean) -> Unit): BooleanArray {
    return apply { forEachIndexed(action) }
}

```

Performs the given [action] on each element, providing sequential index with the element, and returns the array itself afterwards.

@param [action] function that takes the index of an element and the element itself and performs the action on the element.

```

*@SinceKotlin("1.4")
*@kotlin.internal.InlineOnly
*public inline fun CharArray.reduce(operation: (index: Int, Char) -> Unit): CharArray {
    return apply {
        forEachIndexed(action)
    }
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.

```

*@sample
*samples.collections.Collections.Aggregates.reduce
*
*public inline fun <S, T : S> Array<out T>.reduce(operation: (acc: S, T) -> S): S {
    if (isEmpty()) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.

```

*@sample
*samples.collections.Collections.Aggregates.reduce
*
*public inline fun ByteArray.reduce(operation: (acc: Byte, Byte) -> Byte): Byte {
    if (isEmpty()) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.

@param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.

```

*@sample
*samples.collections.Collections.Aggregates.reduce
*
*public inline fun ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {
    if (isEmpty()) throw
    UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current

accumulator value and each element.  
 Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.  
 @param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.  
 @sample samples.collections.Collections.Aggregates.reduce  
 public inline fun IntArray.reduce(operation: (acc: Int, Int) -> Int): Int {  
   if (isEmpty()) throw  
   UnsupportedOperationException("Empty array can't be reduced.")  
   var accumulator = this[0]  
   for (index in 1..lastIndex) {  
     accumulator = operation(accumulator, this[index])  
   }  
   return accumulator  
 }  
 Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.  
 Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.  
 @param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.  
 @sample samples.collections.Collections.Aggregates.reduce  
 public inline fun LongArray.reduce(operation: (acc: Long, Long) -> Long): Long {  
   if (isEmpty()) throw  
   UnsupportedOperationException("Empty array can't be reduced.")  
   var accumulator = this[0]  
   for (index in 1..lastIndex) {  
     accumulator = operation(accumulator, this[index])  
   }  
   return accumulator  
 }  
 Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.  
 Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.  
 @param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.  
 @sample samples.collections.Collections.Aggregates.reduce  
 public inline fun FloatArray.reduce(operation: (acc: Float, Float) -> Float): Float {  
   if (isEmpty()) throw  
   UnsupportedOperationException("Empty array can't be reduced.")  
   var accumulator = this[0]  
   for (index in 1..lastIndex) {  
     accumulator = operation(accumulator, this[index])  
   }  
   return accumulator  
 }  
 Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.  
 Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.  
 @param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.  
 @sample samples.collections.Collections.Aggregates.reduce  
 public inline fun DoubleArray.reduce(operation: (acc: Double, Double) -> Double): Double {  
   if (isEmpty()) throw  
   UnsupportedOperationException("Empty array can't be reduced.")  
   var accumulator = this[0]  
   for (index in 1..lastIndex) {  
     accumulator = operation(accumulator, this[index])  
   }  
   return accumulator  
 }  
 Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.  
 Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.  
 @param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.  
 @sample samples.collections.Collections.Aggregates.reduce  
 public inline fun BooleanArray.reduce(operation: (acc: Boolean, Boolean) -> Boolean): Boolean {  
   if (isEmpty()) throw  
   UnsupportedOperationException("Empty array can't be reduced.")  
   var accumulator = this[0]  
   for (index in 1..lastIndex) {  
     accumulator = operation(accumulator, this[index])  
   }  
   return accumulator  
 }  
 Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element.  
 Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.  
 @param [operation] function that takes current accumulator value and an element and calculates the next accumulator value.  
 @sample samples.collections.Collections.Aggregates.reduce  
 public inline fun CharArray.reduce(operation: (acc: Char, Char) -> Char): Char {  
   if (isEmpty()) throw  
   UnsupportedOperationException("Empty array can't be reduced.")  
   var accumulator = this[0]  
   for (index in 1..lastIndex) {  
     accumulator = operation(accumulator, this[index])  
   }  
   return accumulator  
 }  
 Accumulates value starting with the first element and applying [operation] from left to right to current

accumulator value and each element with its index in the original array. \n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way, \n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty. \n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself, \n \* and calculates the next accumulator value. \n \* \n \* @sample samples.collections.Collections.Aggregates.reduce

```

public inline fun <S, T : S> Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator: S = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

\n \* Accumulates value starting with the first element and applying [operation] from left to right \n \* to current accumulator value and each element with its index in the original array. \n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way, \n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty. \n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself, \n \* and calculates the next accumulator value. \n \* \n \* @sample samples.collections.Collections.Aggregates.reduce

```

public inline fun ByteArray.reduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

\n \* Accumulates value starting with the first element and applying [operation] from left to right \n \* to current accumulator value and each element with its index in the original array. \n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way, \n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty. \n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself, \n \* and calculates the next accumulator value. \n \* \n \* @sample samples.collections.Collections.Aggregates.reduce

```

public inline fun ShortArray.reduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): Short {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

\n \* Accumulates value starting with the first element and applying [operation] from left to right \n \* to current accumulator value and each element with its index in the original array. \n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way, \n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty. \n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself, \n \* and calculates the next accumulator value. \n \* \n \* @sample samples.collections.Collections.Aggregates.reduce

```

public inline fun IntArray.reduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): Int {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

\n \* Accumulates value starting with the first element and applying [operation] from left to right \n \* to current accumulator value and each element with its index in the original array. \n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way, \n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty. \n \* \n \* @param [operation] function that takes the index of an element, current accumulator value and the element itself, \n \* and calculates the next accumulator value. \n \* \n \* @sample samples.collections.Collections.Aggregates.reduce

```

public inline fun LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}

```

\n \* Accumulates value starting with the first element and applying [operation] from left to right \n \* to current accumulator value and each element with its index in the original array. \n \* \n \* Throws an exception if this array is empty. If the array can be empty in an expected way, \n \* please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty. \n \* \n \* @param [operation] function that takes the index of an

```

element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduce\n *^\npublic inline fun
FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): Float {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduce\n *^\npublic inline fun
DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {\n if (isEmpty())\n
throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for
(index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduce\n *^\npublic inline fun
BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {\n if
(isEmpty())\n throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator =
this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from
left to right\n * to current accumulator value and each element with its index in the original array.\n * \n * Throws
an exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function
that takes the index of an element, current accumulator value and the element itself,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n *^\npublic inline fun
CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns `null` if
the array is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator
value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n *^\n@SinceKotlin("1.4")\npublic inline fun <S, T : S>
Array<out T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {\n if (isEmpty())\n return
null\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index,
accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first
element and applying [operation] from left to right\n * to current accumulator value and each element with its index
in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value and the element itself,\n * and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*^\n@SinceKotlin("1.4")\npublic inline fun ByteArray.reduceIndexedOrNull(operation: (index: Int, acc: Byte,
Byte) -> Byte): Byte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in
1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to

```



```

*\n@SinceKotlin("1.4")\npublic inline fun CharArray.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S> Array<out T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n if (isEmpty())\n return null\n var accumulator: S = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun ByteArray.reduceOrNull(operation: (acc: Byte, Byte) -> Byte): Byte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun ShortArray.reduceOrNull(operation: (acc: Short, Short) -> Short): Short? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun IntArray.reduceOrNull(operation: (acc: Int, Int) -> Int): Int? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun LongArray.reduceOrNull(operation: (acc: Long, Long) -> Long): Long? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun FloatArray.reduceOrNull(operation: (acc: Float, Float) -> Float): Float? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates the next

```

```

accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
DoubleArray.reduceOrNull(operation: (acc: Double, Double) -> Double): Double? {\n if (isEmpty())\n return
null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator,
this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if
the array is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
BooleanArray.reduceOrNull(operation: (acc: Boolean, Boolean) -> Boolean): Boolean? {\n if (isEmpty())\n
return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator =
operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the
first element and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n *
Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current accumulator value and
an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun
CharArray.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n return null\n var
accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n
}\n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is
empty. If the array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null`
when its receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\npublic inline fun <S, T : S> Array<out
T>.reduceRight(operation: (T, acc: S) -> S): S {\n var index = lastIndex\n if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator: S = get(index--)\n while
(index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes an element and current accumulator value,\n * and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*\npublic inline
fun ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {\n var index = lastIndex\n if (index < 0)
throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = get(index--)\n
while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\npublic inline fun ShortArray.reduceRight(operation:
(Short, acc: Short) -> Short): Short {\n var index = lastIndex\n if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = get(index--)\n while
(index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an

```

expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample` `samples.collections.Collections.Aggregates.reduceRight`

```

public inline fun IntArray.reduceRight(operation: (Int, acc: Int) -> Int): Int {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample` `samples.collections.Collections.Aggregates.reduceRight`

```

public inline fun LongArray.reduceRight(operation: (Long, acc: Long) -> Long): Long {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample` `samples.collections.Collections.Aggregates.reduceRight`

```

public inline fun FloatArray.reduceRight(operation: (Float, acc: Float) -> Float): Float {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample` `samples.collections.Collections.Aggregates.reduceRight`

```

public inline fun DoubleArray.reduceRight(operation: (Double, acc: Double) -> Double): Double {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample` `samples.collections.Collections.Aggregates.reduceRight`

```

public inline fun BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value.

Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.

`@param [operation]` function that takes an element and current accumulator value, and calculates the next accumulator value.

`@sample` `samples.collections.Collections.Aggregates.reduceRight`

```

public inline fun CharArray.reduceRight(operation: (Char, acc: Char) -> Char): Char {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while

```

```

(index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n } \n return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n\npublic inline fun <S, T : S> Array<out T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n    var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator: S = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n\npublic inline fun ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte {\n    var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n\npublic inline fun ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short {\n    var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n\npublic inline fun IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {\n    var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\n\npublic inline fun LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {\n    var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),

```

```

accumulator)\n    --index\n } \n return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n *\npublic inline fun
FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {\n    var index =
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n *\npublic inline fun
DoubleArray.reduceRightIndexed(operation: (index: Int, Double, acc: Double) -> Double): Double {\n    var index =
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n *\npublic inline fun
BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {\n    var
index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element with its index in the original array and
current accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n *\npublic inline fun
CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n    var index = lastIndex\n
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator =
get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n
    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n
* Returns `null` if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the
element itself and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n *\n@SinceKotlin("1.4")\npublic inline fun <S,
T : S> Array<out T>.reduceRightIndexedOrNull(operation: (index: Int, T, acc: S) -> S): S? {\n    var index =
lastIndex\n    if (index < 0) return null\n    var accumulator: S = get(index--)\n    while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n *

```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```
samples.collections.Collections.Aggregates.reduceRightOrNull\n *^/\n@SinceKotlin("1.4")\npublic inline fun  
ByteArray.reduceRightIndexedOrNull(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte? {\n    var index =  
lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n *
```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```
samples.collections.Collections.Aggregates.reduceRightOrNull\n *^/\n@SinceKotlin("1.4")\npublic inline fun  
ShortArray.reduceRightIndexedOrNull(operation: (index: Int, Short, acc: Short) -> Short): Short? {\n    var index =  
lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n *
```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```
samples.collections.Collections.Aggregates.reduceRightOrNull\n *^/\n@SinceKotlin("1.4")\npublic inline fun  
IntArray.reduceRightIndexedOrNull(operation: (index: Int, Int, acc: Int) -> Int): Int? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator =  
operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n *
```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```
samples.collections.Collections.Aggregates.reduceRightOrNull\n *^/\n@SinceKotlin("1.4")\npublic inline fun  
LongArray.reduceRightIndexedOrNull(operation: (index: Int, Long, acc: Long) -> Long): Long? {\n    var index =  
lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n *
```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```
samples.collections.Collections.Aggregates.reduceRightOrNull\n *^/\n@SinceKotlin("1.4")\npublic inline fun  
FloatArray.reduceRightIndexedOrNull(operation: (index: Int, Float, acc: Float) -> Float): Float? {\n    var index =  
lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n *
```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```
samples.collections.Collections.Aggregates.reduceRightOrNull\n *^/\n@SinceKotlin("1.4")\npublic inline fun  
DoubleArray.reduceRightIndexedOrNull(operation: (index: Int, Double, acc: Double) -> Double): Double? {\n    var  
index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n *
```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns null if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```
samples.collections.Collections.Aggregates.reduceRightOrNull\n\n@SinceKotlin("1.4")\npublic inline fun\nBooleanArray.reduceRightIndexedOrNull(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}
```

Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns null if the array is empty. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

```
samples.collections.Collections.Aggregates.reduceRightOrNull\n\n@SinceKotlin("1.4")\npublic inline fun\nCharArray.reduceRightIndexedOrNull(operation: (index: Int, Char, acc: Char) -> Char): Char? {\n    var index =\n    lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}
```

Accumulates value starting with the last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty. @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value. @sample

```
samples.collections.Collections.Aggregates.reduceRightOrNull\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>\nArray<out T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n    var index = lastIndex\n    if (index < 0)\n    return null\n    var accumulator: S = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--),\n        accumulator)\n    }\n    return accumulator\n}\n\nAccumulates value starting with the last element and\napplying [operation] from right to left to each element and current accumulator value. Returns null if\nthe array is empty. @param [operation] function that takes an element and current accumulator value,\nand calculates the next accumulator value. @sample
```

```
samples.collections.Collections.Aggregates.reduceRightOrNull\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun\nByteArray.reduceRightOrNull(operation: (Byte, acc: Byte) -> Byte): Byte? {\n    var index = lastIndex\n    if (index\n    < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator =\n        operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\nAccumulates value starting with the\nlast element and applying [operation] from right to left to each element and current accumulator value. Returns\nnull if the array is empty. @param [operation] function that takes an element and current\naccumulator value, and calculates the next accumulator value. @sample
```

```
samples.collections.Collections.Aggregates.reduceRightOrNull\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun\nShortArray.reduceRightOrNull(operation: (Short, acc: Short) -> Short): Short? {\n    var index = lastIndex\n    if\n    (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator =\n        operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\nAccumulates value starting with the\nlast element and applying [operation] from right to left to each element and current accumulator value. Returns\nnull if the array is empty. @param [operation] function that takes an element and current\naccumulator value, and calculates the next accumulator value. @sample
```

```
samples.collections.Collections.Aggregates.reduceRightOrNull\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun\nIntArray.reduceRightOrNull(operation: (Int, acc: Int) -> Int): Int? {\n    var index = lastIndex\n    if (index < 0)\n    return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--),\n        accumulator)\n    }\n    return accumulator\n}\n\nAccumulates value starting with the last element and
```



return result\n}\n\n/\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.runningFold(initial: R, operation: (acc: R, Byte) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.runningFold(initial: R, operation: (acc: R, Short) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.runningFold(initial: R, operation: (acc: R, Int) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.runningFold(initial: R, operation: (acc: R, Long) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> FloatArray.runningFold(initial: R, operation: (acc: R, Float) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.runningFold(initial: R,
operation: (acc: R, Double) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result =
ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.runningFold(initial:
R, operation: (acc: R, Boolean) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result =
ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.runningFold(initial: R,
operation: (acc: R, Char) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size
+ 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator =
operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\npublic inline fun <T, R> Array<out T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n    if (isEmpty())
return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningFold\n
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ByteArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n    if (isEmpty())
return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
```

function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.runningFold
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <R>
ShortArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {n if (isEmpty())
return listOf(initial)n val result = ArrayList<R>(size + 1).apply { add(initial) }n var accumulator = initialn
for (index in indices) {n accumulator = operation(index, accumulator, this[index])n
result.add(accumulator)n }n return resultn}n/n/**n * Returns a list containing successive accumulation
values generated by applying [operation] from left to rightn * to each element, its index in the original array and
current accumulator value that starts with [initial] value.n * n * Note that `acc` value passed to [operation] function
should not be mutated;n * otherwise it would affect the previous value in resulting list.n * n * @param [operation]
function that takes the index of an element, current accumulator value and the element itself, and calculates the
next accumulator value.n * n * @sample samples.collections.Collections.Aggregates.runningFoldn
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <R>
IntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {n if (isEmpty()) return
listOf(initial)n val result = ArrayList<R>(size + 1).apply { add(initial) }n var accumulator = initialn for
(index in indices) {n accumulator = operation(index, accumulator, this[index])n result.add(accumulator)n
}n return resultn}n/n/**n * Returns a list containing successive accumulation values generated by applying
[operation] from left to rightn * to each element, its index in the original array and current accumulator value that
starts with [initial] value.n * n * Note that `acc` value passed to [operation] function should not be mutated;n *
otherwise it would affect the previous value in resulting list.n * n * @param [operation] function that takes the
index of an element, current accumulator value and the element itself, and calculates the next accumulator
value.n * n * @sample samples.collections.Collections.Aggregates.runningFoldn
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <R>
LongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {n if (isEmpty())
return listOf(initial)n val result = ArrayList<R>(size + 1).apply { add(initial) }n var accumulator = initialn
for (index in indices) {n accumulator = operation(index, accumulator, this[index])n
result.add(accumulator)n }n return resultn}n/n/**n * Returns a list containing successive accumulation
values generated by applying [operation] from left to rightn * to each element, its index in the original array and
current accumulator value that starts with [initial] value.n * n * Note that `acc` value passed to [operation] function
should not be mutated;n * otherwise it would affect the previous value in resulting list.n * n * @param [operation]
function that takes the index of an element, current accumulator value and the element itself, and calculates the
next accumulator value.n * n * @sample samples.collections.Collections.Aggregates.runningFoldn
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <R>
FloatArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {n if (isEmpty())
return listOf(initial)n val result = ArrayList<R>(size + 1).apply { add(initial) }n var accumulator = initialn
for (index in indices) {n accumulator = operation(index, accumulator, this[index])n
result.add(accumulator)n }n return resultn}n/n/**n * Returns a list containing successive accumulation
values generated by applying [operation] from left to rightn * to each element, its index in the original array and
current accumulator value that starts with [initial] value.n * n * Note that `acc` value passed to [operation] function
should not be mutated;n * otherwise it would affect the previous value in resulting list.n * n * @param [operation]
function that takes the index of an element, current accumulator value and the element itself, and calculates the
next accumulator value.n * n * @sample samples.collections.Collections.Aggregates.runningFoldn
*/n@SinceKotlin("1.4")n@kotlin.internal.InlineOnlynpublic inline fun <R>
DoubleArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {n if
(isEmpty()) return listOf(initial)n val result = ArrayList<R>(size + 1).apply { add(initial) }n var accumulator =
initialn for (index in indices) {n accumulator = operation(index, accumulator, this[index])n
result.add(accumulator)n }n return resultn}n/n/**n * Returns a list containing successive accumulation
values generated by applying [operation] from left to rightn * to each element, its index in the original array and

```

current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n \* \n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun <R> BooleanArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element, its index in the original array and current accumulator value that starts with [initial] value.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningFold\n \* \n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun <R> CharArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element and current accumulator value that starts with the first element of this array.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningReduce\n \* \n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public inline fun <S, T : S> Array<out T>.runningReduce(operation: (acc: S, T) -> S): List<S> {\n if (isEmpty()) return emptyList()\n var accumulator: S = this[0]\n val result = ArrayList<S>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element and current accumulator value that starts with the first element of this array.\n \* \n \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningReduce\n \* \n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun ByteArray.runningReduce(operation: (acc: Byte, Byte) -> Byte): List<Byte> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Byte>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element and current accumulator value that starts with the first element of this array.\n \* \n \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningReduce\n \* \n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\n public inline fun ShortArray.runningReduce(operation: (acc: Short, Short) -> Short): List<Short> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Short>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/\*\*\n \* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n \* to each element and current accumulator value that starts with the first element of this array.\n \* \n \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningReduce\n \* \n

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.runningReduce(operation: (acc: Int, Int) -> Int): List<Int> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Int>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.runningReduce(operation: (acc: Long, Long) -> Long): List<Long> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Long>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.runningReduce(operation: (acc: Float, Float) -> Float): List<Float> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Float>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.runningReduce(operation: (acc: Double, Double) -> Double): List<Double> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Double>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.runningReduce(operation: (acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Boolean>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n */
```

```
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.runningReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Char>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current
```

```

accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n * \n @SinceKotlin("1.4")\npublic inline fun <S, T :
S> Array<out T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n if (isEmpty()) return
emptyList()\n var accumulator: S = this[0]\n val result = ArrayList<S>(size).apply { add(accumulator) }\n for
(index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\npublic inline fun
ByteArray.runningReduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): List<Byte> {\n if (isEmpty())
return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Byte>(size).apply { add(accumulator)
}\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\npublic inline fun
ShortArray.runningReduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): List<Short> {\n if
(isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Short>(size).apply {
add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\npublic inline fun
IntArray.runningReduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): List<Int> {\n if (isEmpty()) return
emptyList()\n var accumulator = this[0]\n val result = ArrayList<Int>(size).apply { add(accumulator) }\n for
(index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\npublic inline fun
LongArray.runningReduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): List<Long> {\n if
(isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Long>(size).apply {
add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*\n @SinceKotlin("1.4")\n @kotlin.internal.InlineOnly\npublic inline fun
FloatArray.runningReduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): List<Float> {\n if

```

```

(isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Float>(size).apply {
add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.runningReduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): List<Double> {\n    if
(isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Double>(size).apply {
add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n
        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.runningReduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): List<Boolean>
{\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result =
ArrayList<Boolean>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator =
operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each element, its index in the original array and current accumulator value that starts with the first element of this
array.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and
the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n    if (isEmpty())
return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Char>(size).apply { add(accumulator)
}\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>
Array<out T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n    return runningFold(initial,
operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that
`acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <R> ByteArray.scan(initial: R, operation: (acc: R, Byte) -> R): List<R> {\n    return runningFold(initial,
operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that
`acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in

```

resulting list.

```

    * @param [operation] function that takes current accumulator value and an element, and
    calculates the next accumulator value.
    * @sample samples.collections.Collections.Aggregates.scan
    * \n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n @kotlin.internal.InlineOnly \n publi
    c inline fun <R> ShortArray.scan(initial: R, operation: (acc: R, Short) -> R): List<R> { \n    return
    runningFold(initial, operation) \n } \n \n /** \n * Returns a list containing successive accumulation values generated by
    applying [operation] from left to right \n * to each element and current accumulator value that starts with [initial]
    value. \n * \n * Note that `acc` value passed to [operation] function should not be mutated; \n * otherwise it would
    affect the previous value in resulting list. \n * \n * @param [operation] function that takes current accumulator value
    and an element, and calculates the next accumulator value. \n * \n * @sample
    samples.collections.Collections.Aggregates.scan
    * \n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n @kotlin.internal.InlineOnly \n publi
    c inline fun <R> IntArray.scan(initial: R, operation: (acc: R, Int) -> R): List<R> { \n    return runningFold(initial,
    operation) \n } \n \n /** \n * Returns a list containing successive accumulation values generated by applying [operation]
    from left to right \n * to each element and current accumulator value that starts with [initial] value. \n * \n * Note that
    `acc` value passed to [operation] function should not be mutated; \n * otherwise it would affect the previous value in
    resulting list. \n * \n * @param [operation] function that takes current accumulator value and an element, and
    calculates the next accumulator value. \n * \n * @sample
    samples.collections.Collections.Aggregates.scan
    * \n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n @kotlin.internal.InlineOnly \n publi
    c inline fun <R> LongArray.scan(initial: R, operation: (acc: R, Long) -> R): List<R> { \n    return
    runningFold(initial, operation) \n } \n \n /** \n * Returns a list containing successive accumulation values generated by
    applying [operation] from left to right \n * to each element and current accumulator value that starts with [initial]
    value. \n * \n * Note that `acc` value passed to [operation] function should not be mutated; \n * otherwise it would
    affect the previous value in resulting list. \n * \n * @param [operation] function that takes current accumulator value
    and an element, and calculates the next accumulator value. \n * \n * @sample
    samples.collections.Collections.Aggregates.scan
    * \n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n @kotlin.internal.InlineOnly \n publi
    c inline fun <R> FloatArray.scan(initial: R, operation: (acc: R, Float) -> R): List<R> { \n    return
    runningFold(initial, operation) \n } \n \n /** \n * Returns a list containing successive accumulation values generated by
    applying [operation] from left to right \n * to each element and current accumulator value that starts with [initial]
    value. \n * \n * Note that `acc` value passed to [operation] function should not be mutated; \n * otherwise it would
    affect the previous value in resulting list. \n * \n * @param [operation] function that takes current accumulator value
    and an element, and calculates the next accumulator value. \n * \n * @sample
    samples.collections.Collections.Aggregates.scan
    * \n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n @kotlin.internal.InlineOnly \n publi
    c inline fun <R> DoubleArray.scan(initial: R, operation: (acc: R, Double) -> R): List<R> { \n    return
    runningFold(initial, operation) \n } \n \n /** \n * Returns a list containing successive accumulation values generated by
    applying [operation] from left to right \n * to each element and current accumulator value that starts with [initial]
    value. \n * \n * Note that `acc` value passed to [operation] function should not be mutated; \n * otherwise it would
    affect the previous value in resulting list. \n * \n * @param [operation] function that takes current accumulator value
    and an element, and calculates the next accumulator value. \n * \n * @sample
    samples.collections.Collections.Aggregates.scan
    * \n @SinceKotlin("1.4") \n @WasExperimental(ExperimentalStdlibApi::class) \n @kotlin.internal.InlineOnly \n publi
    c inline fun <R> BooleanArray.scan(initial: R, operation: (acc: R, Boolean) -> R): List<R> { \n    return
    runningFold(initial, operation) \n } \n \n /** \n * Returns a list containing successive accumulation values generated by
    applying [operation] from left to right \n * to each element and current accumulator value that starts with [initial]
    value. \n * \n * Note that `acc` value passed to [operation] function should not be mutated; \n * otherwise it would
    affect the previous value in resulting list. \n * \n * @param [operation] function that takes current accumulator value
    and an element, and calculates the next accumulator value. \n * \n * @sample
  
```

samples.collections.Collections.Aggregates.scan

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R> Array<out T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ByteArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> ShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> IntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <R> LongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
```

```

next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <R> FloatArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n  return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <R> DoubleArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n
return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <R> BooleanArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n
return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation values
generated by applying [operation] from left to right\n * to each element, its index in the original array and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun <R> CharArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n  return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n *\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun <T>
Array<out T>.sumBy(selector: (T) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n *\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
ByteArray.sumBy(selector: (Byte) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n *\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
ShortArray.sumBy(selector: (Short) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n *\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
IntArray.sumBy(selector: (Int) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n *\n@Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
LongArray.sumBy(selector: (Long) -> Int): Int {\n  var sum: Int = 0\n  for (element in this) {\n    sum +=
selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function

```

```

applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
FloatArray.sumBy(selector: (Float) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
DoubleArray.sumBy(selector: (Double) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
BooleanArray.sumBy(selector: (Boolean) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
CharArray.sumBy(selector: (Char) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun <T>
Array<out T>.sumByDouble(selector: (T) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
ByteArray.sumByDouble(selector: (Byte) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
ShortArray.sumByDouble(selector: (Short) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
IntArray.sumByDouble(selector: (Int) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n
        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
LongArray.sumByDouble(selector: (Long) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
FloatArray.sumByDouble(selector: (Float) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
DoubleArray.sumByDouble(selector: (Double) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\n@Deprecated("Use sumOf instead.\",
ReplaceWith("this.sumOf(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic inline fun
BooleanArray.sumByDouble(selector: (Boolean) -> Double): Double {\n    var sum: Double = 0.0\n    for (element
in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced

```

by [selector] function applied to each element in the array.\n \*  
@Deprecated("Use sumOf instead.")  
ReplaceWith("this.sumOf(selector)")  
@DeprecatedSinceKotlin(warningSince = "1.5")  
public inline fun  
CharArray.sumByDouble(selector: (Char) -> Double): Double {\n var sum: Double = 0.0\n for (element in this)  
{\n sum += selector(element)\n }\n return sum\n}\n  
Returns the sum of all values produced by  
[selector] function applied to each element in the array.\n

\*  
@SinceKotlin("1.4")  
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)  
@OverloadResolution  
ByLambdaReturnType  
@kotlin.jvm.JvmName("sumOfDouble")  
@kotlin.internal.InlineOnly  
public inline fun  
<T> Array<out T>.sumOf(selector: (T) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element  
in this) {\n sum += selector(element)\n }\n return sum\n}\n  
Returns the sum of all values produced  
by [selector] function applied to each element in the array.\n

\*  
@SinceKotlin("1.4")  
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)  
@OverloadResolution  
ByLambdaReturnType  
@kotlin.jvm.JvmName("sumOfDouble")  
@kotlin.internal.InlineOnly  
public inline fun  
ByteArray.sumOf(selector: (Byte) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in  
this) {\n sum += selector(element)\n }\n return sum\n}\n  
Returns the sum of all values produced by  
[selector] function applied to each element in the array.\n

\*  
@SinceKotlin("1.4")  
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)  
@OverloadResolution  
ByLambdaReturnType  
@kotlin.jvm.JvmName("sumOfDouble")  
@kotlin.internal.InlineOnly  
public inline fun  
ShortArray.sumOf(selector: (Short) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in  
this) {\n sum += selector(element)\n }\n return sum\n}\n  
Returns the sum of all values produced by  
[selector] function applied to each element in the array.\n

\*  
@SinceKotlin("1.4")  
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)  
@OverloadResolution  
ByLambdaReturnType  
@kotlin.jvm.JvmName("sumOfDouble")  
@kotlin.internal.InlineOnly  
public inline fun  
IntArray.sumOf(selector: (Int) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in this)  
{\n sum += selector(element)\n }\n return sum\n}\n  
Returns the sum of all values produced by  
[selector] function applied to each element in the array.\n

\*  
@SinceKotlin("1.4")  
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)  
@OverloadResolution  
ByLambdaReturnType  
@kotlin.jvm.JvmName("sumOfDouble")  
@kotlin.internal.InlineOnly  
public inline fun  
LongArray.sumOf(selector: (Long) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in  
this) {\n sum += selector(element)\n }\n return sum\n}\n  
Returns the sum of all values produced by  
[selector] function applied to each element in the array.\n

\*  
@SinceKotlin("1.4")  
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)  
@OverloadResolution  
ByLambdaReturnType  
@kotlin.jvm.JvmName("sumOfDouble")  
@kotlin.internal.InlineOnly  
public inline fun  
FloatArray.sumOf(selector: (Float) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in  
this) {\n sum += selector(element)\n }\n return sum\n}\n  
Returns the sum of all values produced by  
[selector] function applied to each element in the array.\n

\*  
@SinceKotlin("1.4")  
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)  
@OverloadResolution  
ByLambdaReturnType  
@kotlin.jvm.JvmName("sumOfDouble")  
@kotlin.internal.InlineOnly  
public inline fun  
DoubleArray.sumOf(selector: (Double) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element  
in this) {\n sum += selector(element)\n }\n return sum\n}\n  
Returns the sum of all values produced  
by [selector] function applied to each element in the array.\n

\*  
@SinceKotlin("1.4")  
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)  
@OverloadResolution  
ByLambdaReturnType  
@kotlin.jvm.JvmName("sumOfDouble")  
@kotlin.internal.InlineOnly  
public inline fun  
BooleanArray.sumOf(selector: (Boolean) -> Double): Double {\n var sum: Double = 0.toDouble()\n for  
(element in this) {\n sum += selector(element)\n }\n return sum\n}\n  
Returns the sum of all values  
produced by [selector] function applied to each element in the array.\n

\*  
@SinceKotlin("1.4")  
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)  
@OverloadResolution  
ByLambdaReturnType  
@kotlin.jvm.JvmName("sumOfDouble")  
@kotlin.internal.InlineOnly  
public inline fun  
CharArray.sumOf(selector: (Char) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in

this) {\n sum += selector(element)\n }\n return sum\n}\n\n/\*\*\n \* Returns the sum of all values produced by [selector] function applied to each element in the array.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun <T>\nArray<out T>.sumOf(selector: (T) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\n        selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n    applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun\nByteArray.sumOf(selector: (Byte) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\n        selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n    applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun\nShortArray.sumOf(selector: (Short) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\n        selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n    applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun\nIntArray.sumOf(selector: (Int) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\n        selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n    applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun\nLongArray.sumOf(selector: (Long) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\n        selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n    applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun\nFloatArray.sumOf(selector: (Float) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\n        selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n    applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun\nDoubleArray.sumOf(selector: (Double) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\n        selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]\n    function applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun\nBooleanArray.sumOf(selector: (Boolean) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\n        selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]\n    function applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun\nCharArray.sumOf(selector: (Char) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n        sum +=\n        selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function\n    applied to each element in the array.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```

ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Array<out T>.sumOf(selector: (T) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.sumOf(selector: (Byte) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.sumOf(selector: (Short) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.sumOf(selector: (Int) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.sumOf(selector: (Long) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.sumOf(selector: (Float) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.sumOf(selector: (Double) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.sumOf(selector: (Boolean) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this)
{\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.sumOf(selector: (Char) -> Long): Long {\n  var sum: Long = 0.toLong()\n  for (element in this) {\n
sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> UInt): UInt {\n
var sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return

```

```

sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> UInt): UInt {\n  var
sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector: (Short) -> UInt): UInt {\n  var
sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> UInt): UInt {\n  var
sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sumOf(selector: (Long) -> UInt): UInt {\n  var
sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> UInt): UInt {\n  var
sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sumOf(selector: (Double) -> UInt): UInt {\n
var sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> UInt): UInt
{\n  var sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> UInt): UInt {\n  var
sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.sumOf(selector: (T) -> ULong):
ULong {\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n  }\n}

```

```

return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in
the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sumOf(selector: (Byte) -> ULong): ULong
{\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sumOf(selector: (Short) -> ULong): ULong
{\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.sumOf(selector: (Int) -> ULong): ULong {\n
var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.sumOf(selector: (Long) -> ULong): ULong
{\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.sumOf(selector: (Float) -> ULong): ULong
{\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sumOf(selector: (Double) -> ULong):
ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in
the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.sumOf(selector: (Boolean) -> ULong):
ULong {\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in
the array.\n
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.sumOf(selector: (Char) -> ULong): ULong
{\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return

```

```

sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an
[IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any>
Array<T?>.requireNoNulls(): Array<T> {\n    for (element in this) {\n        if (element == null) {\n            throw
IllegalArgumentException("null element found in $this.")\n        }\n    }\n}
@Suppress("UNCHECKED_CAST")\n return this as Array<T>}\n\n/**\n * Splits the original array into pair
of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains
elements for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun <T> Array<out
T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n    val first = ArrayList<T>()\n    val second =
ArrayList<T>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n
            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair
of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list contains
elements for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
ByteArray.partition(predicate: (Byte) -> Boolean): Pair<List<Byte>, List<Byte>> {\n    val first =
ArrayList<Byte>()\n    val second = ArrayList<Byte>()\n    for (element in this) {\n        if (predicate(element)) {\n
            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
ShortArray.partition(predicate: (Short) -> Boolean): Pair<List<Short>, List<Short>> {\n    val first =
ArrayList<Short>()\n    val second = ArrayList<Short>()\n    for (element in this) {\n        if (predicate(element)) {\n
            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
IntArray.partition(predicate: (Int) -> Boolean): Pair<List<Int>, List<Int>> {\n    val first = ArrayList<Int>()\n    val
second = ArrayList<Int>()\n    for (element in this) {\n        if (predicate(element)) {\n            first.add(element)\n
        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Splits the original
array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while
*second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
LongArray.partition(predicate: (Long) -> Boolean): Pair<List<Long>, List<Long>> {\n    val first =
ArrayList<Long>()\n    val second = ArrayList<Long>()\n    for (element in this) {\n        if (predicate(element)) {\n
            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
FloatArray.partition(predicate: (Float) -> Boolean): Pair<List<Float>, List<Float>> {\n    val first =
ArrayList<Float>()\n    val second = ArrayList<Float>()\n    for (element in this) {\n        if (predicate(element)) {\n
            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which
[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
DoubleArray.partition(predicate: (Double) -> Boolean): Pair<List<Double>, List<Double>> {\n    val first =
ArrayList<Double>()\n    val second = ArrayList<Double>()\n    for (element in this) {\n        if (predicate(element))
{\n            first.add(element)\n        } else {\n            second.add(element)\n        }\n    }\n    return Pair(first,
second)\n}\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains elements for which

```

```

[predicate] yielded `true`,\n * while *second* list contains elements for which [predicate] yielded `false`.\n * \n *
@sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n */\npublic inline fun
BooleanArray.partition(predicate: (Boolean) -> Boolean): Pair<List<Boolean>, List<Boolean>> {\n val first =
ArrayList<Boolean>()\n val second = ArrayList<Boolean>()\n for (element in this) {\n if
(predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n
return Pair(first, second)\n }\n\n/**\n * Splits the original array into pair of lists,\n * where *first* list contains
elements for which [predicate] yielded `true`,\n * while *second* list contains elements for which [predicate]
yielded `false`.\n * \n * @sample samples.collections.Arrays.Transformations.partitionArrayOfPrimitives\n
*/\npublic inline fun CharArray.partition(predicate: (Char) -> Boolean): Pair<List<Char>, List<Char>> {\n val
first = ArrayList<Char>()\n val second = ArrayList<Char>()\n for (element in this) {\n if
(predicate(element)) {\n first.add(element)\n } else {\n second.add(element)\n }\n }\n
return Pair(first, second)\n }\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other]
array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Array<out T>.zip(other:
Array<out R>): List<Pair<T, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n }\n\n/**\n * Returns a list of pairs
built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun
<R> ByteArray.zip(other: Array<out R>): List<Pair<Byte, R>> {\n return zip(other) { t1, t2 -> t1 to t2
}\n }\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> ShortArray.zip(other: Array<out
R>): List<Pair<Short, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n }\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R>
IntArray.zip(other: Array<out R>): List<Pair<Int, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n }\n\n/**\n *
Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> LongArray.zip(other: Array<out
R>): List<Pair<Long, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n }\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R>
FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n }\n\n/**\n *
Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> DoubleArray.zip(other: Array<out
R>): List<Pair<Double, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n }\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R>
BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n return zip(other) { t1, t2 -> t1 to t2
}\n }\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <R> CharArray.zip(other: Array<out R>):
List<Pair<Char, R>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n }\n\n/**\n * Returns a list of values built from the
elements of `this` array and the [other] array with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V> Array<out
T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n val size = minOf(size, other.size)\n val
list = ArrayList<V>(size)\n for (i in 0 until size) {\n list.add(transform(this[i], other[i]))\n }\n return

```

```

list<T>.zip(other: List<T>): List<T> * Returns a list of values built from the elements of `this` array and the [other] array with the same
index using the provided [transform] function applied to each pair of elements. The returned list has length
of the shortest collection. @sample samples.collections.Iterables.Operations.zipIterableWithTransform
public inline fun <R, V> ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}
list<T>.zip(other: List<T>): List<T> * Returns a list of values built from the elements
of `this` array and the [other] array with the same index using the provided [transform] function applied to each
pair of elements. The returned list has length of the shortest collection. @sample
samples.collections.Iterables.Operations.zipIterableWithTransform
public inline fun <R, V>
ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {
    val size = minOf(size,
other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}
list<T>.zip(other: List<T>): List<T> * Returns a list of values built from the elements of `this` array and the [other] array
with the same index using the provided [transform] function applied to each pair of elements. The returned
list has length of the shortest collection. @sample
samples.collections.Iterables.Operations.zipIterableWithTransform
public inline fun <R, V>
IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}
list<T>.zip(other: List<T>): List<T> * Returns a list of values built from the elements of `this` array and the [other] array with the same
index using the provided [transform] function applied to each pair of elements. The returned list has length
of the shortest collection. @sample samples.collections.Iterables.Operations.zipIterableWithTransform
public inline fun <R, V> LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}
list<T>.zip(other: List<T>): List<T> * Returns a list of values built from the elements
of `this` array and the [other] array with the same index using the provided [transform] function applied to each
pair of elements. The returned list has length of the shortest collection. @sample
samples.collections.Iterables.Operations.zipIterableWithTransform
public inline fun <R, V>
FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {
    val size = minOf(size,
other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}
list<T>.zip(other: List<T>): List<T> * Returns a list of values built from the elements of `this` array and the [other] array
with the same index using the provided [transform] function applied to each pair of elements. The returned
list has length of the shortest collection. @sample
samples.collections.Iterables.Operations.zipIterableWithTransform
public inline fun <R, V>
DoubleArray.zip(other: Array<out R>, transform: (a: Double, b: R) -> V): List<V> {
    val size = minOf(size,
other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}
list<T>.zip(other: List<T>): List<T> * Returns a list of values built from the elements of `this` array and the [other] array
with the same index using the provided [transform] function applied to each pair of elements. The returned
list has length of the shortest collection. @sample
samples.collections.Iterables.Operations.zipIterableWithTransform
public inline fun <R, V>
BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {
    val size = minOf(size,
other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}
list<T>.zip(other: List<T>): List<T> * Returns a list of values built from the elements of `this` array and the [other] array
with the same index using the provided [transform] function applied to each pair of elements. The returned
list has length of the shortest collection. @sample
samples.collections.Iterables.Operations.zipIterableWithTransform
public inline fun <R, V>
CharArray.zip(other: Array<out R>, transform: (a: Char, b: R) -> V): List<V> {
    val size = minOf(size,
other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}
list<T>.zip(other: List<T>): List<T> * Returns a list of pairs built from the elements of `this` collection and [other] array with
the same index. The returned list has length of the shortest collection. @sample

```

```

samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <T, R> Array<out T>.zip(other:
Iterable<R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> ShortArray.zip(other: Iterable<R>):
List<Pair<Short, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> LongArray.zip(other: Iterable<R>):
List<Pair<Long, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
FloatArray.zip(other: Iterable<R>): List<Pair<Float, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> DoubleArray.zip(other:
Iterable<R>): List<Pair<Double, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun
<R> BooleanArray.zip(other: Iterable<R>): List<Pair<Boolean, R>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> CharArray.zip(other: Iterable<R>):
List<Pair<Char, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the
elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <T, R, V> Array<out
T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline
fun <R, V> ByteArray.zip(other: Iterable<R>, transform: (a: Byte, b: R) -> V): List<V> {\n    val arraySize = size\n
val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in
other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n *
Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {\n    val
arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n
for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n
return

```

list\n}\n\n/\*\*\n \* Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n \* using the provided [transform] function applied to each pair of elements.\n \* The returned list has length of the shortest collection.\n \* \n \* @sample

samples.collections.Iterables.Operations.zipIterableWithTransform\n \*\npublic inline fun <R, V>

IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/\*\*\n \* Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n \* using the provided [transform] function applied to each pair of elements.\n \* The returned list has length of the shortest collection.\n \* \n \* @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n \*\npublic inline

fun <R, V> LongArray.zip(other: Iterable<R>, transform: (a: Long, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return

list\n}\n\n/\*\*\n \* Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n \* using the provided [transform] function applied to each pair of elements.\n \* The returned list has length of the shortest collection.\n \* \n \* @sample

samples.collections.Iterables.Operations.zipIterableWithTransform\n \*\npublic inline fun <R, V>

FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/\*\*\n \* Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n \* using the provided [transform] function applied to each pair of elements.\n \* The returned list has length of the shortest collection.\n \* \n \* @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n \*\npublic inline

fun <R, V> DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return

list\n}\n\n/\*\*\n \* Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n \* using the provided [transform] function applied to each pair of elements.\n \* The returned list has length of the shortest collection.\n \* \n \* @sample

samples.collections.Iterables.Operations.zipIterableWithTransform\n \*\npublic inline fun <R, V>

BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return list\n}\n\n/\*\*\n \* Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n \* using the provided [transform] function applied to each pair of elements.\n \* The returned list has length of the shortest collection.\n \* \n \* @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n

\*\npublic inline fun <R, V> CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n val arraySize = size\n val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n var i = 0\n for (element in other) {\n if (i >= arraySize) break\n list.add(transform(this[i++], element))\n }\n return

list\n}\n\n/\*\*\n \* Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n \* The returned list has length of the shortest collection.\n \* \n \* @sample

samples.collections.Iterables.Operations.zipIterable\n \*\npublic infix fun ByteArray.zip(other: ByteArray):

List<Pair<Byte, Byte>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/\*\*\n \* Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n \* The returned list has length of the shortest collection.\n \* \n \* @sample samples.collections.Iterables.Operations.zipIterable\n \*\npublic infix fun

ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/\*\*\n \* Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n \* The returned list has length of the shortest collection.\n \* \n \* @sample

```

samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun IntArray.zip(other: IntArray):
List<Pair<Int, Int>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun
LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n
* Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun FloatArray.zip(other: FloatArray):
List<Pair<Float, Float>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun
DoubleArray.zip(other: DoubleArray): List<Pair<Double, Double>> {\n  return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun BooleanArray.zip(other: BooleanArray):
List<Pair<Boolean, Boolean>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun
CharArray.zip(other: CharArray): List<Pair<Char, Char>> {\n  return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n
* Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun
<V> ByteArray.zip(other: ByteArray, transform: (a: Byte, b: Byte) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n
}\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n
}\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V> IntArray.zip(other:
IntArray, transform: (a: Int, b: Int) -> V): List<V> {\n  val size = minOf(size, other.size)\n  val list =
ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n  }\n  return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same
index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length
of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <V> LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {\n  val
size = minOf(size, other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n  }\n  return list\n}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {\n  val size = minOf(size,
other.size)\n  val list = ArrayList<V>(size)\n  for (i in 0 until size) {\n    list.add(transform(this[i], other[i]))\n
}\n  return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array

```

```

with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {\n    val size =
minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i],
other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the
[other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n *
The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <V>
CharArray.zip(other: CharArray, transform: (a: Char, b: Char) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the
given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value
of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string
(which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *\npublic fun
<T, A : Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence = "\", "\", prefix: CharSequence = "\"",
postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? =
null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)
buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n
        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *\npublic fun <A :
Appendable> ByteArray.joinTo(buffer: A, separator: CharSequence = "\", "\", prefix: CharSequence = "\"", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Byte) -> CharSequence)? =
null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)
buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *\npublic fun <A :
Appendable> ShortArray.joinTo(buffer: A, separator: CharSequence = "\", "\", prefix: CharSequence = "\"", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Short) -> CharSequence)? =
null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)
buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            if (transform != null)\n                buffer.append(transform(element))\n            else\n                buffer.append(element.toString())\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of

```

```

[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A :
Appendable> IntArray.joinTo(buffer: A, separator: CharSequence = "\", \", prefix: CharSequence = "\"", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Int) -> CharSequence)? = null):
A {\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count > 1)
buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      if (transform != null)\nbuffer.append(transform(element))\n      else\n        buffer.append(element.toString())\n    } else break\n
}\n  if (limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\n  return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A :
Appendable> LongArray.joinTo(buffer: A, separator: CharSequence = "\", \", prefix: CharSequence = "\"", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Long) -> CharSequence)? =
null): A {\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count > 1)
buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      if (transform != null)\nbuffer.append(transform(element))\n      else\n        buffer.append(element.toString())\n    } else break\n
}\n  if (limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\n  return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A :
Appendable> FloatArray.joinTo(buffer: A, separator: CharSequence = "\", \", prefix: CharSequence = "\"", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Float) -> CharSequence)? =
null): A {\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count > 1)
buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      if (transform != null)\nbuffer.append(transform(element))\n      else\n        buffer.append(element.toString())\n    } else break\n
}\n  if (limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\n  return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A :
Appendable> DoubleArray.joinTo(buffer: A, separator: CharSequence = "\", \", prefix: CharSequence = "\"", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Double) -> CharSequence)? =
null): A {\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count > 1)
buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      if (transform != null)\nbuffer.append(transform(element))\n      else\n        buffer.append(element.toString())\n    } else break\n
}\n  if (limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\n  return
buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \npublic fun <A :
Appendable> BooleanArray.joinTo(buffer: A, separator: CharSequence = "\", \", prefix: CharSequence = "\"",
postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Boolean) ->
CharSequence)? = null): A {\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count
> 1) buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      if (transform != null)\nbuffer.append(transform(element))\n      else\n        buffer.append(element.toString())\n    } else break\n
}\n  if (limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\n  return

```

```

buffer\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to \"...\").\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \n\npublic fun <A :
Appendable> CharArray.joinTo(buffer: A, separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix:
CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? =
null): A {\n  buffer.append(prefix)\n  var count = 0\n  for (element in this) {\n    if (++count > 1)
buffer.append(separator)\n    if (limit < 0 || count <= limit) {\n      if (transform != null)\nbuffer.append(transform(element))\n      else\n        buffer.append(element)\n    } else break\n  }\n  if
(limit >= 0 && count > limit) buffer.append(truncated)\n  buffer.append(postfix)\n  return buffer\n}\n\n/**\n *
Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only
the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n *
@sample samples.collections.Collections.Transformations.joinToString\n * \n\npublic fun <T> Array<out
T>.joinToString(separator: CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit:
Int = -1, truncated: CharSequence = \"...\", transform: ((T) -> CharSequence)? = null): String {\n  return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a
string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n
* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
[limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n *
@sample samples.collections.Collections.Transformations.joinToString\n * \n\npublic fun ByteArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Byte) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n * \n\npublic fun ShortArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Short) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n * \n\npublic fun IntArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Int) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n * \n\npublic fun LongArray.joinToString(separator:
CharSequence = \", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Long) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample

```

```

samples.collections.Collections.Transformations.joinToString\n *^npublic fun FloatArray.joinToString(separator:
CharSequence = "\", \"", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *^npublic fun DoubleArray.joinToString(separator:
CharSequence = "\", \"", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *^npublic fun
BooleanArray.joinToString(separator: CharSequence = "\", \"", prefix: CharSequence = \"\", postfix: CharSequence =
\"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): String {\n
return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates
a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n
* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
[limit]\n * elements will be appended, followed by the [truncated] string (which defaults to \"...\").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *^npublic fun CharArray.joinToString(separator:
CharSequence = "\", \"", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated:
CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that
wraps the original array returning its elements when being iterated.\n *^npublic fun <T> Array<out T>.asIterable():
Iterable<T> {\n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an
[Iterable] instance that wraps the original array returning its elements when being iterated.\n *^npublic fun
ByteArray.asIterable(): Iterable<Byte> {\n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator()
}\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being
iterated.\n *^npublic fun ShortArray.asIterable(): Iterable<Short> {\n  if (isEmpty()) return emptyList()\n  return
Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its
elements when being iterated.\n *^npublic fun IntArray.asIterable(): Iterable<Int> {\n  if (isEmpty()) return
emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.\n *^npublic fun LongArray.asIterable(): Iterable<Long> {\n  if
(isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that
wraps the original array returning its elements when being iterated.\n *^npublic fun FloatArray.asIterable():
Iterable<Float> {\n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an
[Iterable] instance that wraps the original array returning its elements when being iterated.\n *^npublic fun
DoubleArray.asIterable(): Iterable<Double> {\n  if (isEmpty()) return emptyList()\n  return Iterable {
this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when
being iterated.\n *^npublic fun BooleanArray.asIterable(): Iterable<Boolean> {\n  if (isEmpty()) return
emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.\n *^npublic fun CharArray.asIterable(): Iterable<Char> {\n  if
(isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that
wraps the original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n *^npublic fun <T> Array<out T>.asSequence():
Sequence<T> {\n  if (isEmpty()) return emptySequence()\n  return Sequence { this.iterator() }\n}\n\n/**\n *

```

```

Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *^npublic fun ByteArray.asSequence():
Sequence<Byte> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *^npublic fun ShortArray.asSequence():
Sequence<Short> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *^npublic fun IntArray.asSequence():
Sequence<Int> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *^npublic fun LongArray.asSequence():
Sequence<Long> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *^npublic fun FloatArray.asSequence():
Sequence<Float> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *^npublic fun DoubleArray.asSequence():
Sequence<Double> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *^npublic fun
BooleanArray.asSequence(): Sequence<Boolean> {\n if (isEmpty()) return emptySequence()\n return Sequence
{ this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements
when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n *^npublic
fun CharArray.asSequence(): Sequence<Char> {\n if (isEmpty()) return emptySequence()\n return Sequence {
this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the array.\n
*^n@kotlin.jvm.JvmName("averageOfByte")\npublic fun Array<out Byte>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*^n@kotlin.jvm.JvmName("averageOfShort")\npublic fun Array<out Short>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*^n@kotlin.jvm.JvmName("averageOfInt")\npublic fun Array<out Int>.average(): Double {\n var sum: Double
= 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count
== 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*^n@kotlin.jvm.JvmName("averageOfLong")\npublic fun Array<out Long>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*^n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun Array<out Float>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*^n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Array<out Double>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*^npublic fun ByteArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in
this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the array.\n *^npublic fun ShortArray.average():
Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of

```



```

*\n@SinceKotlin("1.3")\npublic fun IntRange.random(random: Random): Int {\n    try {\n        return
random.nextInt(this)\n    } catch(e: IllegalArgumentException) {\n        throw
NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using the
specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\npublic fun LongRange.random(random: Random): Long {\n    try {\n        return
random.nextLong(this)\n    } catch(e: IllegalArgumentException) {\n        throw
NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using the
specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\npublic fun CharRange.random(random: Random): Char {\n    try {\n        return
random.nextInt(first.code, last.code + 1).toChar()\n    } catch(e: IllegalArgumentException) {\n        throw
NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range, or `null` if this
range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun IntRange.randomOrNull(): Int? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this range, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun LongRange.randomOrNull(): Long? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this range, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun CharRange.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this range using the specified source of randomness, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
IntRange.randomOrNull(random: Random): Int? {\n    if (isEmpty())\n        return null\n    return
random.nextInt(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of
randomness, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
LongRange.randomOrNull(random: Random): Long? {\n    if (isEmpty())\n        return null\n    return
random.nextLong(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of
randomness, or `null` if this range is empty.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
CharRange.randomOrNull(random: Random): Char? {\n    if (isEmpty())\n        return null\n    return
random.nextInt(first.code, last.code + 1).toChar()\n}\n\n/**\n * Returns `true` if this range contains the specified
[element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun IntRange.contains(element:
Int?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range contains
the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun LongRange.contains(element:
Long?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range
contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun CharRange.contains(element:
Char?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value]
belongs to this range.\n *\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun
ClosedRange<Int>.contains(value: Byte): Boolean {\n    return contains(value.toInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun
ClosedRange<Long>.contains(value: Byte): Boolean {\n    return contains(value.toLong())\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator
fun ClosedRange<Short>.contains(value: Byte): Boolean {\n    return contains(value.toShort())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n *\n@Deprecated("This `contains` operation mixing integer

```



```

= \"1.5\")\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun
ClosedRange<Short>.contains(value: Float): Boolean {\n  return value.toShortExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*/\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value:
Float): Boolean {\n  return contains(value.toDouble())\n}\n\n/**\n * Checks if the specified [value] belongs to this
range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun
ClosedRange<Long>.contains(value: Int): Boolean {\n  return contains(value.toLong())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun
ClosedRange<Byte>.contains(value: Int): Boolean {\n  return value.toByteExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*/\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Int):
Boolean {\n  return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and
floating point arguments has ambiguous semantics and is going to be
removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince =
\"1.5\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun
ClosedRange<Double>.contains(value: Int): Boolean {\n  return contains(value.toDouble())\n}\n\n/**\n * Checks
if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer and
floating point arguments has ambiguous semantics and is going to be
removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince =
\"1.5\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value:
Int): Boolean {\n  return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this
range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value:
Long): Boolean {\n  return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic
operator fun ClosedRange<Byte>.contains(value: Long): Boolean {\n  return value.toByteExactOrNull().let { if (it
!= null) contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*/\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value:
Long): Boolean {\n  return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince =
\"1.5\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun
ClosedRange<Double>.contains(value: Long): Boolean {\n  return contains(value.toDouble())\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince =
\"1.5\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value:
Long): Boolean {\n  return contains(value.toFloat())\n}\n\n/**\n * Checks if the specified [value] belongs to this
range.\n */\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun ClosedRange<Int>.contains(value:
Short): Boolean {\n  return contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this
range.\n */\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun
ClosedRange<Long>.contains(value: Short): Boolean {\n  return contains(value.toLong())\n}\n\n/**\n * Checks if
the specified [value] belongs to this range.\n */\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator
fun ClosedRange<Byte>.contains(value: Short): Boolean {\n  return value.toByteExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*/\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics
and is going to be removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince

```

```

= \"1.5\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun
ClosedRange<Double>.contains(value: Short): Boolean {\n    return contains(value.toDouble())\n}\n\n/**\n *
Checks if the specified [value] belongs to this range.\n */\n@Deprecated(\"This `contains` operation mixing integer
and floating point arguments has ambiguous semantics and is going to be
removed.\")\n@DeprecatedSinceKotlin(warningSince = \"1.3\", errorSince = \"1.4\", hiddenSince =
\"1.5\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value:
Short): Boolean {\n    return contains(value.toFloat())\n}\n\n/**\n * Returns a progression from this value down to
the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If
the [to] value is greater than `this` value the returned progression is empty.\n */\n\npublic infix fun Int.downTo(to: Byte):
IntProgression {\n    return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n/**\n * Returns a progression
from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal
to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n\npublic infix
fun Long.downTo(to: Byte): LongProgression {\n    return LongProgression.fromClosedRange(this, to.toLong(), -
1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n *
The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the
returned progression is empty.\n */\n\npublic infix fun Byte.downTo(to: Byte): IntProgression {\n    return
IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value
down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n
* If the [to] value is greater than `this` value the returned progression is empty.\n */\n\npublic infix fun
Short.downTo(to: Byte): IntProgression {\n    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -
1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The
[to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned
progression is empty.\n */\n\npublic infix fun Char.downTo(to: Char): CharProgression {\n    return
CharProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from this value down to the
specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to]
value is greater than `this` value the returned progression is empty.\n */\n\npublic infix fun Int.downTo(to: Int):
IntProgression {\n    return IntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n * Returns a progression from
this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to
`this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n\npublic infix
fun Long.downTo(to: Int): LongProgression {\n    return LongProgression.fromClosedRange(this, to.toLong(), -
1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n *
The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the
returned progression is empty.\n */\n\npublic infix fun Byte.downTo(to: Int): IntProgression {\n    return
IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/**\n * Returns a progression from this value down to the
specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to]
value is greater than `this` value the returned progression is empty.\n */\n\npublic infix fun Short.downTo(to: Int):
IntProgression {\n    return IntProgression.fromClosedRange(this.toInt(), to, -1)\n}\n\n/**\n * Returns a progression
from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal
to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n */\n\npublic infix
fun Int.downTo(to: Long): LongProgression {\n    return LongProgression.fromClosedRange(this.toLong(), to, -
1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n *
The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value the
returned progression is empty.\n */\n\npublic infix fun Long.downTo(to: Long): LongProgression {\n    return
LongProgression.fromClosedRange(this, to, -1L)\n}\n\n/**\n * Returns a progression from this value down to the
specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to]
value is greater than `this` value the returned progression is empty.\n */\n\npublic infix fun Byte.downTo(to: Long):
LongProgression {\n    return LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n/**\n * Returns a
progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less

```

than or equal to `this` value.\n \* If the [to] value is greater than `this` value the returned progression is empty.\n

```

*^public infix fun Short.downTo(to: Long): LongProgression {\n    return
LongProgression.fromClosedRange(this.toLong(), to, -1L)\n}\n\n**\n * Returns a progression from this value
down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n
* If the [to] value is greater than `this` value the returned progression is empty.\n *^public infix fun Int.downTo(to:
Short): IntProgression {\n    return IntProgression.fromClosedRange(this, to.toInt(), -1)\n}\n\n**\n * Returns a
progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less
than or equal to `this` value.\n * If the [to] value is greater than `this` value the returned progression is empty.\n
*^public infix fun Long.downTo(to: Short): LongProgression {\n    return LongProgression.fromClosedRange(this,
to.toLong(), -1L)\n}\n\n**\n * Returns a progression from this value down to the specified [to] value with the step -
1.\n * \n * The [to] value should be less than or equal to `this` value.\n * If the [to] value is greater than `this` value
the returned progression is empty.\n *^public infix fun Byte.downTo(to: Short): IntProgression {\n    return
IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)\n}\n\n**\n * Returns a progression from this value
down to the specified [to] value with the step -1.\n * \n * The [to] value should be less than or equal to `this` value.\n
* If the [to] value is greater than `this` value the returned progression is empty.\n *^public infix fun
Short.downTo(to: Short): IntProgression {\n    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -
1)\n}\n\n**\n * Returns a progression that goes over the same range in the opposite direction with the same step.\n
*^public fun IntProgression.reversed(): IntProgression {\n    return IntProgression.fromClosedRange(last, first, -
step)\n}\n\n**\n * Returns a progression that goes over the same range in the opposite direction with the same
step.\n *^public fun LongProgression.reversed(): LongProgression {\n    return
LongProgression.fromClosedRange(last, first, -step)\n}\n\n**\n * Returns a progression that goes over the same
range in the opposite direction with the same step.\n *^public fun CharProgression.reversed(): CharProgression {\n
    return CharProgression.fromClosedRange(last, first, -step)\n}\n\n**\n * Returns a progression that goes over the
same range with the given step.\n *^public infix fun IntProgression.step(step: Int): IntProgression {\n
    checkStepIsPositive(step > 0, step)\n    return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -
step)\n}\n\n**\n * Returns a progression that goes over the same range with the given step.\n *^public infix fun
LongProgression.step(step: Long): LongProgression {\n    checkStepIsPositive(step > 0, step)\n    return
LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n**\n * Returns a progression
that goes over the same range with the given step.\n *^public infix fun CharProgression.step(step: Int):
CharProgression {\n    checkStepIsPositive(step > 0, step)\n    return CharProgression.fromClosedRange(first, last, if
(this.step > 0) step else -step)\n}\n\ninternal fun Int.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByte() else null\n}\n\ninternal fun
Long.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByte() else null\n}\n\ninternal fun
Short.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByte() else null\n}\n\ninternal fun
Double.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toInt().toByte() else null\n}\n\ninternal fun
Float.toByteExactOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat()) this.toInt().toByte() else null\n}\n\ninternal fun
Long.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong())
this.toInt() else null\n}\n\ninternal fun Double.toIntExactOrNull(): Int? {\n    return if (this in
Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun
Float.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat())
this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun
Float.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun

```

```

Int.ToShortExactOrNull(): Short? {\n  return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt())
this.ToShort() else null\n}\n\ninternal fun Long.ToShortExactOrNull(): Short? {\n  return if (this in
Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.ToShort() else null\n}\n\ninternal fun
Double.ToShortExactOrNull(): Short? {\n  return if (this in
Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toInt().toShort() else null\n}\n\ninternal fun
Float.ToShortExactOrNull(): Short? {\n  return if (this in
Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat()) this.toInt().toShort() else null\n}\n\n**\n * Returns
a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to
`this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Byte): IntRange {\n  return this ..
(to.toInt() - 1).toInt()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n *
\n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun
Long.until(to: Byte): LongRange {\n  return this .. (to.toLong() - 1).toLong()\n}\n\n**\n * Returns a range from
this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value,
then the returned range is empty.\n */\npublic infix fun Byte.until(to: Byte): IntRange {\n  return this.toInt() ..
(to.toInt() - 1).toInt()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n *
\n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun
Short.until(to: Byte): IntRange {\n  return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n**\n * Returns a range from
this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value,
then the returned range is empty.\n */\npublic infix fun Char.until(to: Char): CharRange {\n  if (to <= '\u0000')
return CharRange.EMPTY\n  return this .. (to - 1).toChar()\n}\n\n**\n * Returns a range from this value up to but
excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned
range is empty.\n */\npublic infix fun Int.until(to: Int): IntRange {\n  if (to <= Int.MIN_VALUE) return
IntRange.EMPTY\n  return this .. (to - 1).toInt()\n}\n\n**\n * Returns a range from this value up to but excluding
the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is
empty.\n */\npublic infix fun Long.until(to: Int): LongRange {\n  return this .. (to.toLong() -
1).toLong()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the
[to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to:
Int): IntRange {\n  if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n  return this.toInt() .. (to -
1).toInt()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the
[to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to:
Int): IntRange {\n  if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n  return this.toInt() .. (to -
1).toInt()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the
[to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to:
Long): LongRange {\n  if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n  return this.toLong() .. (to -
1).toLong()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the
[to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to:
Long): LongRange {\n  if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n  return this .. (to -
1).toLong()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the
[to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to:
Long): LongRange {\n  if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n  return this.toLong() .. (to -
1).toLong()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the
[to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to:
Long): LongRange {\n  if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n  return this.toLong() .. (to -
1).toLong()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the
[to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to:
Short): IntRange {\n  return this .. (to.toInt() - 1).toInt()\n}\n\n**\n * Returns a range from this value up to but
excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned
range is empty.\n */\npublic infix fun Long.until(to: Short): LongRange {\n  return this .. (to.toLong() -

```

1).toLong()\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Byte.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/\*\*\n \* Returns a range from this value up to but excluding the specified [to] value.\n \* \n \* If the [to] value is less than or equal to `this` value, then the returned range is empty.\n \*/\npublic infix fun Short.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/\*\*\n \* Ensures that this value is not less than the specified [minimumValue].\n \* \n \* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n \* \n \* @sample samples.comparisons.ComparableOps.coerceAtLeastComparable\n \*/\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {\n return if (this < minimumValue) minimumValue else this\n}\n\n/\*\*\n \* Ensures that this value is not less than the specified [minimumValue].\n \* \n \* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n \* \n \* @sample samples.comparisons.ComparableOps.coerceAtLeast\n \*/\npublic fun Byte.coerceAtLeast(minimumValue: Byte): Byte {\n return if (this < minimumValue) minimumValue else this\n}\n\n/\*\*\n \* Ensures that this value is not less than the specified [minimumValue].\n \* \n \* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n \* \n \* @sample samples.comparisons.ComparableOps.coerceAtLeast\n \*/\npublic fun Short.coerceAtLeast(minimumValue: Short): Short {\n return if (this < minimumValue) minimumValue else this\n}\n\n/\*\*\n \* Ensures that this value is not less than the specified [minimumValue].\n \* \n \* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n \* \n \* @sample samples.comparisons.ComparableOps.coerceAtLeast\n \*/\npublic fun Int.coerceAtLeast(minimumValue: Int): Int {\n return if (this < minimumValue) minimumValue else this\n}\n\n/\*\*\n \* Ensures that this value is not less than the specified [minimumValue].\n \* \n \* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n \* \n \* @sample samples.comparisons.ComparableOps.coerceAtLeast\n \*/\npublic fun Long.coerceAtLeast(minimumValue: Long): Long {\n return if (this < minimumValue) minimumValue else this\n}\n\n/\*\*\n \* Ensures that this value is not less than the specified [minimumValue].\n \* \n \* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n \* \n \* @sample samples.comparisons.ComparableOps.coerceAtLeast\n \*/\npublic fun Float.coerceAtLeast(minimumValue: Float): Float {\n return if (this < minimumValue) minimumValue else this\n}\n\n/\*\*\n \* Ensures that this value is not less than the specified [minimumValue].\n \* \n \* @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n \* \n \* @sample samples.comparisons.ComparableOps.coerceAtLeast\n \*/\npublic fun Double.coerceAtLeast(minimumValue: Double): Double {\n return if (this < minimumValue) minimumValue else this\n}\n\n/\*\*\n \* Ensures that this value is not greater than the specified [maximumValue].\n \* \n \* @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n \* \n \* @sample samples.comparisons.ComparableOps.coerceAtMostComparable\n \*/\npublic fun <T : Comparable<T>> T.coerceAtMost(maximumValue: T): T {\n return if (this > maximumValue) maximumValue else this\n}\n\n/\*\*\n \* Ensures that this value is not greater than the specified [maximumValue].\n \* \n \* @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n \* \n \* @sample samples.comparisons.ComparableOps.coerceAtMost\n \*/\npublic fun Byte.coerceAtMost(maximumValue: Byte): Byte {\n return if (this > maximumValue) maximumValue else this\n}\n\n/\*\*\n \* Ensures that this value is not greater than the specified [maximumValue].\n \* \n \* @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n \* \n \* @sample samples.comparisons.ComparableOps.coerceAtMost\n \*/\npublic fun Short.coerceAtMost(maximumValue: Short): Short {\n return if (this > maximumValue) maximumValue else this\n}\n\n/\*\*\n \* Ensures that this value is not greater than the specified [maximumValue].\n \* \n \* @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n \* \n \* @sample samples.comparisons.ComparableOps.coerceAtMost\n \*/\npublic fun Int.coerceAtMost(maximumValue: Int): Int {\n return if (this > maximumValue) maximumValue else this\n}\n\n/\*\*\n \* Ensures that this value is not greater than the specified [maximumValue].\n \* \n \* @return this value if it's less than or equal to the [maximumValue] or

```

the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n
*\npublic fun Long.coerceAtMost(maximumValue: Long): Long {\n    return if (this > maximumValue)\n
maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n *
\n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n *
@sample samples.comparisons.ComparableOps.coerceAtMost\n *\npublic fun
Float.coerceAtMost(maximumValue: Float): Float {\n    return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n *\npublic fun Double.coerceAtMost(maximumValue:
Double): Double {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range,
or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n *\npublic fun
<T : Comparable<T>> T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n    if (minimumValue !== null
&& maximumValue !== null) {\n        if (minimumValue > maximumValue) throw
IllegalArgumentOutOfRangeException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n        if (this < minimumValue) return minimumValue\n        if (this >
maximumValue) return maximumValue\n    }\n    else {\n        if (minimumValue !== null && this <
minimumValue) return minimumValue\n        if (maximumValue !== null && this > maximumValue) return
maximumValue\n    }\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Byte.coerceIn(minimumValue: Byte,
maximumValue: Byte): Byte {\n    if (minimumValue > maximumValue) throw
IllegalArgumentOutOfRangeException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Short.coerceIn(minimumValue: Short,
maximumValue: Short): Short {\n    if (minimumValue > maximumValue) throw
IllegalArgumentOutOfRangeException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Int.coerceIn(minimumValue: Int, maximumValue:
Int): Int {\n    if (minimumValue > maximumValue) throw IllegalArgumentOutOfRangeException("Cannot coerce value to an
empty range: maximum $maximumValue is less than minimum $minimumValue.")\n    if (this < minimumValue)
return minimumValue\n    if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures
that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in
the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater
than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n *\npublic fun
Long.coerceIn(minimumValue: Long, maximumValue: Long): Long {\n    if (minimumValue > maximumValue)
throw IllegalArgumentOutOfRangeException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value

```

```

is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *^\npublic fun Float.coerceIn(minimumValue: Float,
maximumValue: Float): Float {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *^\npublic fun Double.coerceIn(minimumValue: Double,
maximumValue: Double): Double {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInFloatingPointRange\n *^\n@SinceKotlin("1.1")\npublic fun <T :
Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {\n    if (range.isEmpty()) throw
IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n    return when {\n        // this <
start equiv to this <= start && !(this >= start)\n        range.lessThanOrEqualTo(this, range.start) &&
!range.lessThanOrEqualTo(range.start, this) -> range.start\n        // this > end equiv to this >= end && !(this <= end)\n
range.lessThanOrEqualTo(range.endInclusive, this) && !range.lessThanOrEqualTo(this, range.endInclusive) ->
range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInComparable\n *^\npublic fun <T : Comparable<T>>
T.coerceIn(range: ClosedRange<T>): T {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<T>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an
empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this > range.endInclusive ->
range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n
*^\npublic fun Int.coerceIn(range: ClosedRange<Int>): Int {\n    if (range is ClosedFloatingPointRange) {\n
return this.coerceIn<Int>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce
value to an empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this >
range.endInclusive -> range.endInclusive\n        else -> this\n    }\n}\n\n/**\n * Ensures that this value lies in the
specified [range].\n * \n * @return this value if it's in the [range], or `range.start` if this value is less than
`range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *^\npublic fun Long.coerceIn(range: ClosedRange<Long>): Long
{\n    if (range is ClosedFloatingPointRange) {\n        return this.coerceIn<Long>(range)\n    }\n    if
(range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n    return
when {\n        this < range.start -> range.start\n        this > range.endInclusive -> range.endInclusive\n        else ->
this\n    }\n}\n\n"/\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic
value class UByte @PublishedApi internal constructor(@PublishedApi internal val data: Byte) :
Comparable<UByte> {\n    companion object {\n        /**\n         * A constant holding the minimum value an
instance of UByte can have.\n         */\n        public const val MIN_VALUE: UByte = UByte(0)\n    }\n}

```

```

A constant holding the maximum value an instance of UByte can have.\n
    *^\n    public const val
MAX_VALUE: UByte = UByte(-1)\n\n    /**\n    * The number of bytes used to represent an instance of
UByte in a binary form.\n    *^\n    public const val SIZE_BYTES: Int = 1\n\n    /**\n    * The number of
bits used to represent an instance of UByte in a binary form.\n    *^\n    public const val SIZE_BITS: Int = 8\n
}\n\n    /**\n    * Compares this value with the specified value for order.\n    * Returns zero if this value is equal to
the specified other value, a negative number if it's less than other,\n    * or a positive number if it's greater than
other.\n    *^\n    @kotlin.internal.InlineOnly\n    @Suppress("OVERRIDE_BY_INLINE")\n    public override
inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n\n    /**\n    * Compares
this value with the specified value for order.\n    * Returns zero if this value is equal to the specified other value, a
negative number if it's less than other,\n    * or a positive number if it's greater than other.\n    *^\n
@kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UShort): Int =
this.toInt().compareTo(other.toInt())\n\n    /**\n    * Compares this value with the specified value for order.\n    *
Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n    * or a
positive number if it's greater than other.\n    *^\n    @kotlin.internal.InlineOnly\n    public inline operator fun
compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n    /**\n    * Compares this value with the
specified value for order.\n    * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n    * or a positive number if it's greater than other.\n    *^\n    @kotlin.internal.InlineOnly\n
public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n    /** Adds the
other value to this value. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): UInt =
this.toUInt().plus(other.toUInt())\n\n    /** Adds the other value to this value. *\n    @kotlin.internal.InlineOnly\n
public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n\n    /** Adds the other value
to this value. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): UInt =
this.toUInt().plus(other)\n\n    /** Adds the other value to this value. *\n    @kotlin.internal.InlineOnly\n    public
inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n    /** Subtracts the other value from
this value. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): UInt =
this.toUInt().minus(other.toUInt())\n\n    /** Subtracts the other value from this value. *\n
@kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UShort): UInt =
this.toUInt().minus(other.toUInt())\n\n    /** Subtracts the other value from this value. *\n
@kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n
\n    /** Subtracts the other value from this value. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun
minus(other: ULong): ULong = this.toULong().minus(other)\n\n    /** Multiplies this value by the other value. *\n
@kotlin.internal.InlineOnly\n    public inline operator fun times(other: UByte): UInt =
this.toUInt().times(other.toUInt())\n\n    /** Multiplies this value by the other value. *\n
@kotlin.internal.InlineOnly\n    public inline operator fun times(other: UShort): UInt =
this.toUInt().times(other.toUInt())\n\n    /** Multiplies this value by the other value. *\n
@kotlin.internal.InlineOnly\n    public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n
\n    /** Multiplies this value by the other value. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun
times(other: ULong): ULong = this.toULong().times(other)\n\n    /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. *\n    @kotlin.internal.InlineOnly\n    public inline operator
fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n\n    /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. *\n    @kotlin.internal.InlineOnly\n    public inline operator
fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n\n    /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. *\n    @kotlin.internal.InlineOnly\n    public inline operator
fun div(other: UInt): UInt = this.toUInt().div(other)\n\n    /** Divides this value by the other value, truncating the
result to an integer that is closer to zero. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other:
ULong): ULong = this.toULong().div(other)\n\n    /**\n    * Calculates the remainder of truncating division of this
value by the other value.\n    * \n    * The result is always less than the divisor.\n    *^\n
@kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UByte): UInt =

```

```

this.toUInt().rem(other.toUInt())\n /**\n * Calculates the remainder of truncating division of this value by the
other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\n /**\n * Calculates the
remainder of truncating division of this value by the other value.\n * \n * The result is always less than the
divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt =
this.toUInt().rem(other)\n /**\n * Calculates the remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /**\n * Divides this value by
the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types,
the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: UByte): UInt = this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this
value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned
types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: UShort): UInt = this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this
value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned
types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: UInt): UInt = this.toUInt().floorDiv(other)\n /**\n * Divides this value by the
other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the
results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public
inline fun floorDiv(other: ULong): ULong = this.toULong().floorDiv(other)\n\n /**\n * Calculates the
remainder of flooring division of this value by the other value.\n * \n * The result is always less than the
divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n
*/\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UByte): UByte =
this.toUInt().mod(other.toUInt()).toUByte()\n /**\n * Calculates the remainder of flooring division of this value
by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the
remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun mod(other: UShort): UShort = this.toUInt().mod(other.toUInt()).toUShort()\n /**\n *
Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less
than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the
same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt): UInt =
this.toUInt().mod(other)\n /**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of
flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun
mod(other: ULong): ULong = this.toULong().mod(other)\n\n /**\n * Returns this value incremented by one.\n
*/\n @sample samples.misc.Builtins.inc\n */\n @kotlin.internal.InlineOnly\n public inline operator fun
inc(): UByte = UByte(data.inc())\n\n /**\n * Returns this value decremented by one.\n */\n @sample
samples.misc.Builtins.dec\n */\n @kotlin.internal.InlineOnly\n public inline operator fun dec(): UByte =
UByte(data.dec())\n\n /**\n * Creates a range from this value to the specified [other] value.\n */\n
@kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UByte): UIntRange =
UIntRange(this.toUInt(), other.toUInt())\n\n /**\n * Performs a bitwise AND operation between the two values.\n
*/\n @kotlin.internal.InlineOnly\n public inline infix fun and(other: UByte): UByte = UByte(this.data and other.data)\n
\n /**\n * Performs a bitwise OR operation between the two values.\n */\n @kotlin.internal.InlineOnly\n public inline
infix fun or(other: UByte): UByte = UByte(this.data or other.data)\n\n /**\n * Performs a bitwise XOR operation
between the two values.\n */\n @kotlin.internal.InlineOnly\n public inline infix fun xor(other: UByte): UByte =
UByte(this.data xor other.data)\n\n /**\n * Inverts the bits in this value.\n */\n @kotlin.internal.InlineOnly\n public
inline fun inv(): UByte = UByte(data.inv())\n\n /**\n * Converts this [UByte] value to [Byte].\n * \n * If
this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same
numerical value as this `UByte`. Otherwise the result is negative.\n * \n * The resulting `Byte` value has the

```

```

same binary representation as this `UByte` value.
    @kotlin.internal.InlineOnly
    public inline fun
toByte(): Byte = data
    /**
     * Converts this [UByte] value to [Short].
     * The resulting `Short` value
represents the same numerical value as this `UByte`.
     * The least significant 8 bits of the resulting `Short`
value are the same as the bits of this `UByte` value,
     * whereas the most significant 8 bits are filled with zeros.
    */
    @kotlin.internal.InlineOnly
    public inline fun toShort(): Short = data.toShort() and 0xFF
    /**
     * Converts this [UByte] value to [Int].
     * The resulting `Int` value represents the same numerical value as
this `UByte`.
     * The least significant 8 bits of the resulting `Int` value are the same as the bits of this
`UByte` value,
     * whereas the most significant 24 bits are filled with zeros.
    */
    @kotlin.internal.InlineOnly
    public inline fun toInt(): Int = data.toInt() and 0xFF
    /**
     * Converts this
[UByte] value to [Long].
     * The resulting `Long` value represents the same numerical value as this
`UByte`.
     * The least significant 8 bits of the resulting `Long` value are the same as the bits of this
`UByte` value,
     * whereas the most significant 56 bits are filled with zeros.
    */
    @kotlin.internal.InlineOnly
    public inline fun toLong(): Long = data.toLong() and 0xFF
    /** Returns this
value.
    */
    @kotlin.internal.InlineOnly
    public inline fun toUByte(): UByte = this
    /**
     * Converts this
[UByte] value to [UShort].
     * The resulting `UShort` value represents the same numerical value as this
`UByte`.
     * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this
`UByte` value,
     * whereas the most significant 8 bits are filled with zeros.
    */
    @kotlin.internal.InlineOnly
    public inline fun toUShort(): UShort = UShort(data.toShort() and 0xFF)
    /**
     * Converts this [UByte] value to [UInt].
     * The resulting `UInt` value represents the same numerical value
as this `UByte`.
     * The least significant 8 bits of the resulting `UInt` value are the same as the bits of this
`UByte` value,
     * whereas the most significant 24 bits are filled with zeros.
    */
    @kotlin.internal.InlineOnly
    public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFF)
    /**
     * Converts this [UByte] value to [ULong].
     * The resulting `ULong` value represents the same numerical
value as this `UByte`.
     * The least significant 8 bits of the resulting `ULong` value are the same as the bits
of this `UByte` value,
     * whereas the most significant 56 bits are filled with zeros.
    */
    @kotlin.internal.InlineOnly
    public inline fun toULong(): ULong = ULong(data.toLong() and 0xFF)
    /**
     * Converts this [UByte] value to [Float].
     * The resulting `Float` value represents the same numerical
value as this `UByte`.
    */
    @kotlin.internal.InlineOnly
    public inline fun toFloat(): Float =
this.toInt().toFloat()
    /**
     * Converts this [UByte] value to [Double].
     * The resulting `Double`
value represents the same numerical value as this `UByte`.
    */
    @kotlin.internal.InlineOnly
    public inline
fun toDouble(): Double = this.toInt().toDouble()
    public override fun toString(): String =
toInt().toString()
}
}
/**
 * Converts this [Byte] value to [UByte].
 * If this value is positive, the resulting
`UByte` value represents the same numerical value as this `Byte`.
 * The resulting `UByte` value has the same
binary representation as this `Byte` value.
    */
    @SinceKotlin("1.5")
    @WasExperimental(ExperimentalUnsignedTypes::class)
    @kotlin.internal.InlineOnly
    public inline fun Byte.toUByte(): UByte = UByte(this)
    /**
     * Converts this [Short] value to [UByte].
     * If
this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents
     * the same numerical value as this `Short`.
     * The resulting `UByte` value is represented by the least significant 8
bits of this `Short` value.
    */
    @SinceKotlin("1.5")
    @WasExperimental(ExperimentalUnsignedTypes::class)
    @kotlin.internal.InlineOnly
    public inline fun Short.toUByte(): UByte = UByte(this.toByte())
    /**
     * Converts this [Int] value to [UByte].
     *
     * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value
represents
     * the same numerical value as this `Int`.
     * The resulting `UByte` value is represented by the least
significant 8 bits of this `Int` value.
    */
    @SinceKotlin("1.5")
    @WasExperimental(ExperimentalUnsignedTypes::class)
    @kotlin.internal.InlineOnly
    public inline fun Int.toUByte(): UByte = UByte(this.toByte())
    /**
     * Converts this [Long] value to [UByte].
     *
     * If this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value
represents
     * the same numerical value as this `Long`.
     * The resulting `UByte` value is represented by the

```

least significant 8 bits of this `Long` value.

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUByte(): UByte = UByte(this.toByte())\n"/*\n * Copyright 2010-2021 JetBrains s.r.o.\n and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license\n that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage\nkotlin\n\nimport kotlin.experimental.*\nimport\nkotlin.jvm.*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic value class UInt @PublishedApi internal constructor(@PublishedApi internal val data: Int) :\n    Comparable<UInt> {\n\n    companion object {\n\n        /**\n         * A constant holding the minimum value an\n         instance of UInt can have.\n         */\n        public const val MIN_VALUE: UInt = UInt(0)\n\n        /**\n         * A\n         constant holding the maximum value an instance of UInt can have.\n         */\n        public const val MAX_VALUE:\n        UInt = UInt(-1)\n\n        /**\n         * The number of bytes used to represent an instance of UInt in a binary form.\n         */\n        public const val SIZE_BYTES: Int = 4\n\n        /**\n         * The number of bits used to represent an\n         instance of UInt in a binary form.\n         */\n        public const val SIZE_BITS: Int = 32\n    }\n\n    /**\n     * Returns zero if this value is equal to the specified other\n     value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UByte): Int =\n    this.compareTo(other.toUInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     *\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a\n     positive number if it's greater than other.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun\n    compareTo(other: UShort): Int = this.compareTo(other.toUInt())\n\n    /**\n     * Compares this value with the\n     specified value for order.\n     *\n     * Returns zero if this value is equal to the specified other value, a negative number if\n     it's less than other,\n     * or a positive number if it's greater than other.\n     */\n\n    @kotlin.internal.InlineOnly\n    @Suppress("OVERRIDE_BY_INLINE")\n    public override inline operator fun compareTo(other: UInt): Int =\n    uintCompare(this.data, other.data)\n\n    /**\n     * Compares this value with the specified value for order.\n     *\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a\n     positive number if it's greater than other.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun\n    compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n    /**\n     * Adds the other value to this value.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): UInt = this.plus(other.toUInt())\n\n    /**\n     * Adds the other value to this value.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other:\n    UShort): UInt = this.plus(other.toUInt())\n\n    /**\n     * Adds the other value to this value.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): UInt = UInt(this.data.plus(other.data))\n\n    /**\n     * Adds the other value to this value.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other:\n    ULong): ULong = this.toULong().plus(other)\n\n    /**\n     * Subtracts the other value from this value.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): UInt = this.minus(other.toUInt())\n\n    /**\n     * Subtracts the other value from this value.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun\n    minus(other: UShort): UInt = this.minus(other.toUInt())\n\n    /**\n     * Subtracts the other value from this value.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): UInt =\n    UInt(this.data.minus(other.data))\n\n    /**\n     * Subtracts the other value from this value.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: ULong): ULong =\n    this.toULong().minus(other)\n\n    /**\n     * Multiplies this value by the other value.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UByte): UInt = this.times(other.toUInt())\n\n    /**\n     * Multiplies this value by the\n     other value.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UShort): UInt =\n    this.times(other.toUInt())\n\n    /**\n     * Multiplies this value by the other value.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UInt): UInt = UInt(this.data.times(other.data))\n\n    /**\n     * Multiplies this value\n     by the other value.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: ULong): ULong =\n    this.toULong().times(other)\n\n    /**\n     * Divides this value by the other value, truncating the result to an integer that is\n     closer to zero.\n     */\n\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UByte): UInt =
```

```

this.div(other.toUInt())\n /** Divides this value by the other value, truncating the result to an integer that is closer
to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UShort): UInt =
this.div(other.toUInt())\n /** Divides this value by the other value, truncating the result to an integer that is closer
to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): UInt = uintDivide(this,
other)\n /** Divides this value by the other value, truncating the result to an integer that is closer to zero. */\n
@kotlin.internal.InlineOnly\n public inline operator fun div(other: ULong): ULong =
this.toULong().div(other)\n\n /**\n * Calculates the remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UByte): UInt = this.rem(other.toUInt())\n /**\n * Calculates the remainder of
truncating division of this value by the other value.\n * \n * The result is always less than the divisor.\n */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: UShort): UInt = this.rem(other.toUInt())\n
/**\n * Calculates the remainder of truncating division of this value by the other value.\n * \n * The result is
always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt):
UInt = uintRemainder(this, other)\n /**\n * Calculates the remainder of truncating division of this value by the
other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /**\n * Divides this value by
the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types,
the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: UByte): UInt = this.floorDiv(other.toUInt())\n /**\n * Divides this value by the
other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the
results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public
inline fun floorDiv(other: UShort): UInt = this.floorDiv(other.toUInt())\n /**\n * Divides this value by the other
value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the results
of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline
fun floorDiv(other: UInt): UInt = div(other)\n /**\n * Divides this value by the other value, flooring the result to
an integer that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and
truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other:
ULong): ULong = this.toULong().floorDiv(other)\n\n /**\n * Calculates the remainder of flooring division of
this value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned
types, the remainders of flooring division and truncating division are the same.\n */\n
@kotlin.internal.InlineOnly\n public inline fun mod(other: UByte): UByte = this.mod(other.toUInt()).toUByte()\n
/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is
always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating
division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UShort): UShort =
this.mod(other.toUInt()).toUShort()\n /**\n * Calculates the remainder of flooring division of this value by the
other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders
of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n public inline
fun mod(other: UInt): UInt = rem(other)\n /**\n * Calculates the remainder of flooring division of this value by
the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the
remainders of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun mod(other: ULong): ULong = this.toULong().mod(other)\n\n /**\n * Returns this value
incremented by one.\n */\n @sample samples.misc.Builtins.inc\n */\n @kotlin.internal.InlineOnly\n
public inline operator fun inc(): UInt = UInt(data.inc())\n\n /**\n * Returns this value decremented by one.\n */\n
@sample samples.misc.Builtins.dec\n */\n @kotlin.internal.InlineOnly\n public inline operator fun
dec(): UInt = UInt(data.dec())\n\n /** Creates a range from this value to the specified [other] value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UInt): UIntRange = UIntRange(this,
other)\n\n /**\n * Shifts this value left by the [bitCount] number of bits.\n * \n * Note that only the five
lowest-order bits of the [bitCount] are used as the shift distance.\n * \n * The shift distance actually used is therefore

```

```

always in the range `0..31`.
 *
 @kotlin.internal.InlineOnly
 public inline infix fun shl(bitCount: Int): UInt
 = UInt(data shl bitCount)
 /**
 * Shifts this value right by the [bitCount] number of bits, filling the leftmost
 bits with zeros.
 *
 * Note that only the five lowest-order bits of the [bitCount] are used as the shift
 distance.
 *
 The shift distance actually used is therefore always in the range `0..31`.
 *
 @kotlin.internal.InlineOnly
 public inline infix fun shr(bitCount: Int): UInt = UInt(data ushr bitCount)
 /**
 Performs a bitwise AND operation between the two values.
 *
 @kotlin.internal.InlineOnly
 public inline infix fun and(other: UInt): UInt = UInt(this.data and other.data)
 /**
 Performs a bitwise OR operation between the two
 values.
 *
 @kotlin.internal.InlineOnly
 public inline infix fun or(other: UInt): UInt = UInt(this.data or
 other.data)
 /**
 Performs a bitwise XOR operation between the two values.
 *
 @kotlin.internal.InlineOnly
 public inline infix fun xor(other: UInt): UInt = UInt(this.data xor other.data)
 /**
 Inverts the bits in this value.
 *
 @kotlin.internal.InlineOnly
 public inline fun inv(): UInt = UInt(data.inv())
 /**
 * Converts this
 [UInt] value to [Byte].
 *
 * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte`
 value represents
 *
 the same numerical value as this `UInt`.
 *
 * The resulting `Byte` value is
 represented by the least significant 8 bits of this `UInt` value.
 *
 Note that the resulting `Byte` value may be
 negative.
 *
 @kotlin.internal.InlineOnly
 public inline fun toByte(): Byte = data.toByte()
 /**
 *
 Converts this [UInt] value to [Short].
 *
 * If this value is less than or equals to [Short.MAX_VALUE], the
 resulting `Short`
 value represents
 *
 the same numerical value as this `UInt`.
 *
 * The resulting `Short`
 value is represented by the least significant 16 bits of this `UInt` value.
 *
 Note that the resulting `Short` value
 may be negative.
 *
 @kotlin.internal.InlineOnly
 public inline fun toShort(): Short = data.toShort()
 /**
 *
 Converts this [UInt] value to [Int].
 *
 * If this value is less than or equals to [Int.MAX_VALUE],
 the resulting `Int`
 value represents
 *
 the same numerical value as this `UInt`. Otherwise the result is negative.
 *
 * The resulting `Int` value has the same binary representation as this `UInt`
 value.
 *
 @kotlin.internal.InlineOnly
 public inline fun toInt(): Int = data
 /**
 *
 Converts this [UInt] value to
 [Long].
 *
 * The resulting `Long` value represents the same numerical value as this `UInt`.
 *
 * The
 least significant 32 bits of the resulting `Long` value are the same as the bits of
 this `UInt`
 value,
 *
 whereas the
 most significant 32 bits are filled with zeros.
 *
 @kotlin.internal.InlineOnly
 public inline fun toLong():
 Long = data.toLong() and 0xFFFF_FFFF
 /**
 *
 Converts this [UInt] value to [UByte].
 *
 * If this
 value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value
 represents
 *
 the same
 numerical value as this `UInt`.
 *
 * The resulting `UByte` value is represented by
 the least significant 8 bits
 of this `UInt` value.
 *
 @kotlin.internal.InlineOnly
 public inline fun toUByte(): UByte =
 data.toUByte()
 /**
 *
 Converts this [UInt] value to [UShort].
 *
 * If this
 value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value
 represents
 *
 the same
 numerical value as this `UInt`.
 *
 * The resulting `UShort` value is represented by
 the least significant 16 bits
 of this `UInt` value.
 *
 @kotlin.internal.InlineOnly
 public inline fun toUShort(): UShort = data.toUShort()
 /**
 Returns this value.
 *
 @kotlin.internal.InlineOnly
 public inline fun toUInt(): UInt = this
 /**
 *
 Converts this [UInt] value
 to [ULong].
 *
 * The resulting `ULong` value represents the same numerical value as
 this `UInt`.
 *
 *
 * The least significant 32 bits of the resulting `ULong` value are the same as the
 bits of this
 `UInt`
 value,
 *
 whereas the
 most significant 32 bits are filled with zeros.
 *
 @kotlin.internal.InlineOnly
 public inline
 fun toULong(): ULong = ULong(data.toLong() and 0xFFFF_FFFF)
 /**
 *
 Converts this [UInt] value to
 [Float].
 *
 * The resulting value is the closest `Float` to this `UInt` value.
 *
 In
 case when this `UInt`
 value is exactly between two `Float`s,
 *
 the one with zero at least significant bit of mantissa is selected.
 *
 @kotlin.internal.InlineOnly
 public inline fun toFloat(): Float = this.toDouble().toFloat()
 /**
 *
 Converts
 this [UInt] value to [Double].
 *
 * The resulting `Double` value represents the
 same numerical value as
 this
 `UInt`.
 *
 @kotlin.internal.InlineOnly
 public inline fun toDouble(): Double =
 uintToDouble(data)
 public override fun toString(): String = toLong().toString()
 /**
 *
 Converts
 this [Byte] value to [UInt].
 *
 *
 * If this value is positive, the resulting `UInt` value represents the same
 numerical value as
 this `Byte`.
 *
 *
 * The least significant 8 bits of the resulting `UInt` value are the same as the
 bits of this
 `Byte`
 value,
 *
 whereas the
 most significant 24 bits are filled with the sign bit of this value.

```

```

*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Byte.toUInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Short] value to [UInt].\n *\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Short`.\n *\n * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `Short` value,\n *\n * whereas the most significant 16 bits are filled with the sign bit of this value.\n */
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Short.toUInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Int] value to [UInt].\n *\n * If this value is positive, the resulting `UInt` value represents the same numerical value as this `Int`.\n *\n * The resulting `UInt` value has the same binary representation as this `Int` value.\n */
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Int.toUInt(): UInt = UInt(this)\n/**\n * Converts this [Long] value to [UInt].\n *\n * If this value is positive and less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents\n *\n * the same numerical value as this `Long`.\n *\n * The resulting `UInt` value is represented by the least significant 32 bits of this `Long` value.\n */
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Long.toUInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Float] value to [UInt].\n *\n * The fractional part, if any, is rounded down towards zero.\n *\n * Returns zero if this `Float` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n */
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Float.toUInt(): UInt = doubleToUInt(this.toDouble())\n/**\n * Converts this [Double] value to [UInt].\n *\n * The fractional part, if any, is rounded down towards zero.\n *\n * Returns zero if this `Double` value is negative or `NaN`, [UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n */
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun Double.toUInt(): UInt = doubleToUInt(this)\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport kotlin.experimental.*\nimport kotlin.jvm.*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@JvmInline\npublic value class UInt @PublishedApi internal constructor(@PublishedApi internal val data: Short) : Comparable<UInt> {\n\n    companion object {\n\n        /**\n         * A constant holding the minimum value an instance of UInt can have.\n         */\n        public const val MIN_VALUE: UInt = UInt(0)\n\n        /**\n         * A constant holding the maximum value an instance of UInt can have.\n         */\n        public const val MAX_VALUE: UInt = UInt(-1)\n\n        /**\n         * The number of bytes used to represent an instance of UInt in a binary form.\n         */\n        public const val SIZE_BYTES: Int = 2\n\n        /**\n         * The number of bits used to represent an instance of UInt in a binary form.\n         */\n        public const val SIZE_BITS: Int = 16\n    }\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UInt): Int = this.toInt().compareTo(other.toInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public override inline operator fun compareTo(other: UInt): Int = this.toInt().compareTo(other.toInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n
```

```

public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n /** Adds the
other value to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UByte): UInt =
this.toUInt().plus(other.toUInt())\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())\n /** Adds the other value
to this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun plus(other: UInt): UInt =
this.toUInt().plus(other)\n /** Adds the other value to this value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n /** Subtracts the other value from
this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun minus(other: UByte): UInt =
this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun minus(other: UShort): UInt =
this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n
/** Subtracts the other value from this value. */\n @kotlin.internal.InlineOnly\n public inline operator fun
minus(other: ULong): ULong = this.toULong().minus(other)\n\n /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte): UInt =
this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt =
this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n
/** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun
times(other: ULong): ULong = this.toULong().times(other)\n\n /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator
fun div(other: UByte): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator
fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by the other value,
truncating the result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator
fun div(other: UInt): UInt = this.toUInt().div(other)\n /** Divides this value by the other value, truncating the
result to an integer that is closer to zero. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other:
ULong): ULong = this.toULong().div(other)\n\n /**\n * Calculates the remainder of truncating division of this
value by the other value.\n * \n * The result is always less than the divisor.\n */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: UByte): UInt =
this.toUInt().rem(other.toUInt())\n /**\n * Calculates the remainder of truncating division of this value by the
other value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: UShort): UInt = this.toUInt().rem(other.toUInt())\n /**\n * Calculates the
remainder of truncating division of this value by the other value.\n * \n * The result is always less than the
divisor.\n */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt =
this.toUInt().rem(other)\n /**\n * Calculates the remainder of truncating division of this value by the other
value.\n * \n * The result is always less than the divisor.\n */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /**\n * Divides this value by
the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned
types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: UByte): UInt = this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this
value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned
types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: UShort): UInt = this.toUInt().floorDiv(other.toUInt())\n /**\n * Divides this
value by the other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned
types, the results of flooring division and truncating division are the same.\n */\n @kotlin.internal.InlineOnly\n
public inline fun floorDiv(other: UInt): UInt = this.toUInt().floorDiv(other)\n /**\n * Divides this value by the

```

```

other value, flooring the result to an integer that is closer to negative infinity.\n * \n * For unsigned types, the
results of flooring division and truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n public
inline fun floorDiv(other: ULong): ULong = this.toULong().floorDiv(other)\n\n /**\n * Calculates the
remainder of flooring division of this value by the other value.\n * \n * The result is always less than the
divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n
*\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UByte): UByte =
this.toUInt().mod(other.toUInt()).toUByte()\n\n /**\n * Calculates the remainder of flooring division of this value
by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the
remainders of flooring division and truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n
public inline fun mod(other: UShort): UShort = this.toUInt().mod(other.toUInt()).toUShort()\n\n /**\n *
Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is always less
than the divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the
same.\n * \n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt): UInt =
this.toUInt().mod(other)\n\n /**\n * Calculates the remainder of flooring division of this value by the other
value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders of
flooring division and truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n public inline fun
mod(other: ULong): ULong = this.toULong().mod(other)\n\n /**\n * Returns this value incremented by one.\n
*\n * @sample samples.misc.Builtins.inc\n * \n @kotlin.internal.InlineOnly\n public inline operator fun
inc(): UShort = UShort(data.inc())\n\n /**\n * Returns this value decremented by one.\n * \n * @sample
samples.misc.Builtins.dec\n * \n @kotlin.internal.InlineOnly\n public inline operator fun dec(): UShort =
UShort(data.dec())\n\n /** Creates a range from this value to the specified [other] value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: UShort): UIntRange =
UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a bitwise AND operation between the two values. *\n
@kotlin.internal.InlineOnly\n public inline infix fun and(other: UShort): UShort = UShort(this.data and
other.data)\n\n /** Performs a bitwise OR operation between the two values. *\n @kotlin.internal.InlineOnly\n
public inline infix fun or(other: UShort): UShort = UShort(this.data or other.data)\n\n /** Performs a bitwise XOR
operation between the two values. *\n @kotlin.internal.InlineOnly\n public inline infix fun xor(other: UShort):
UShort = UShort(this.data xor other.data)\n\n /** Inverts the bits in this value. *\n @kotlin.internal.InlineOnly\n
public inline fun inv(): UShort = UShort(data.inv())\n\n /**\n * Converts this [UShort] value to [Byte].\n * \n
* If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same
numerical value as this `UShort`.\n * \n * The resulting `Byte` value is represented by the least significant 8 bits
of this `UShort` value.\n * Note that the resulting `Byte` value may be negative.\n * \n @kotlin.internal.InlineOnly\n
public inline fun toByte(): Byte = data.toByte()\n\n /**\n * Converts this [UShort]
value to [Short].\n * \n * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value
represents\n * the same numerical value as this `UShort`. Otherwise the result is negative.\n * \n * The
resulting `Short` value has the same binary representation as this `UShort` value.\n * \n @kotlin.internal.InlineOnly\n
public inline fun toShort(): Short = data\n\n /**\n * Converts this [UShort] value
to [Int].\n * \n * The resulting `Int` value represents the same numerical value as this `UShort`.\n * \n * The
least significant 16 bits of the resulting `Int` value are the same as the bits of this `UShort` value,\n * whereas the
most significant 16 bits are filled with zeros.\n * \n @kotlin.internal.InlineOnly\n public inline fun toInt(): Int
= data.toInt() and 0xFFFF\n\n /**\n * Converts this [UShort] value to [Long].\n * \n * The resulting `Long`
value represents the same numerical value as this `UShort`.\n * \n * The least significant 16 bits of the resulting
`Long` value are the same as the bits of this `UShort` value,\n * whereas the most significant 48 bits are filled
with zeros.\n * \n @kotlin.internal.InlineOnly\n public inline fun toLong(): Long = data.toLong() and
0xFFFF\n\n /**\n * Converts this [UShort] value to [UByte].\n * \n * If this value is less than or equals to
[UByte.MAX_VALUE], the resulting `UByte` value represents\n * the same numerical value as this `UShort`.\n
*\n * The resulting `UByte` value is represented by the least significant 8 bits of this `UShort` value.\n * \n
@kotlin.internal.InlineOnly\n public inline fun toUByte(): UByte = data.toUByte()\n\n /** Returns this value. *\n

```

```

@kotlin.internal.InlineOnly\n public inline fun toUShort(): UShort = this\n /**\n * Converts this [UShort]
value to [UInt].\n *\n * The resulting `UInt` value represents the same numerical value as this `UShort`.\n
*\n * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `UShort` value,\n
* whereas the most significant 16 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline
fun toUInt(): UInt = UInt(data.toInt() and 0xFFFF)\n /**\n * Converts this [UShort] value to [ULong].\n *\n
* The resulting `ULong` value represents the same numerical value as this `UShort`.\n *\n * The least
significant 16 bits of the resulting `ULong` value are the same as the bits of this `UShort` value,\n * whereas the
most significant 48 bits are filled with zeros.\n */\n @kotlin.internal.InlineOnly\n public inline fun toULong():
ULong = ULong(data.toLong() and 0xFFFF)\n /**\n * Converts this [UShort] value to [Float].\n *\n *
The resulting `Float` value represents the same numerical value as this `UShort`.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toFloat(): Float = this.toInt().toFloat()\n /**\n * Converts this
[UShort] value to [Double].\n *\n * The resulting `Double` value represents the same numerical value as this
`UShort`.\n */\n @kotlin.internal.InlineOnly\n public inline fun toDouble(): Double =
this.toInt().toDouble()\n\n public override fun toString(): String = toInt().toString()\n}\n\n/**\n * Converts this
[Byte] value to [UShort].\n *\n * If this value is positive, the resulting `UShort` value represents the same numerical
value as this `Byte`.\n *\n * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this
`Byte` value,\n * whereas the most significant 8 bits are filled with the sign bit of this value.\n
*/\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n
public inline fun Byte.toUShort(): UShort = UShort(this.toShort())\n /**\n * Converts this [Short] value to
[UShort].\n *\n * If this value is positive, the resulting `UShort` value represents the same numerical value as this
`Short`.\n *\n * The resulting `UShort` value has the same binary representation as this `Short` value.\n
*/\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n
public inline fun Short.toUShort(): UShort = UShort(this)\n /**\n * Converts this [Int] value to [UShort].\n *\n * If
this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n *
the same numerical value as this `Int`.\n *\n * The resulting `UShort` value is represented by the least significant 16
bits of this `Int` value.\n
*/\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n
public inline fun Int.toUShort(): UShort = UShort(this.toShort())\n /**\n * Converts this [Long] value to
[UShort].\n *\n * If this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort`
value represents\n * the same numerical value as this `Long`.\n *\n * The resulting `UShort` value is represented by
the least significant 16 bits of this `Long` value.\n
*/\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n
public inline fun Long.toUShort(): UShort = UShort(this.toShort())\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin.ranges\n\n/**\n * A range of values of type `Char`.\n */\n public class CharRange(start: Char, endInclusive:
Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {\n override val start: Char get() = first\n
override val endInclusive: Char get() = last\n\n override fun contains(value: Char): Boolean = first <= value &&
value <= last\n\n /**\n * Checks whether the range is empty.\n *\n * The range is empty if its start value is
greater than the end value.\n */\n override fun isEmpty(): Boolean = first > last\n\n override fun equals(other:
Any?): Boolean =\n other is CharRange && (isEmpty() && other.isEmpty()) ||\n first == other.first && last
== other.last\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * first.code + last.code)\n\n
override fun toString(): String = "$first..$last"\n\n companion object {\n /**\n * An empty range of values of
type Char. */\n public val EMPTY: CharRange = CharRange(1.toChar(), 0.toChar())\n }\n}\n\n/**\n * A
range of values of type `Int`.\n */\n public class IntRange(start: Int, endInclusive: Int) : IntProgression(start,
endInclusive, 1), ClosedRange<Int> {\n override val start: Int get() = first\n override val endInclusive: Int get() =
last\n\n override fun contains(value: Int): Boolean = first <= value && value <= last\n\n /**\n * Checks
whether the range is empty.\n *\n * The range is empty if its start value is greater than the end value.\n */\n
}

```



```

new [MutableList].\n * @sample samples.collections.Collections.Lists.emptyMutableList\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableListOf(): MutableList<T> =
ArrayList()\n\n**\n * Returns an empty new [ArrayList].\n * @sample
samples.collections.Collections.Lists.emptyArrayList\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> arrayListOf(): ArrayList<T> =
ArrayList()\n\n**\n * Returns a new [MutableList] with the given elements.\n * @sample
samples.collections.Collections.Lists.mutableList\n *\npublic fun <T> mutableListOf(vararg elements: T):
MutableList<T> =\n    if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs =
true))\n\n**\n * Returns a new [ArrayList] with the given elements.\n * @sample
samples.collections.Collections.Lists.arrayList\n *\npublic fun <T> arrayListOf(vararg elements: T): ArrayList<T>
=\n    if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n**\n *
Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The
returned list is serializable (JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n *\npublic fun
<T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()\n\n**\n *
Returns a new read-only list only of those given elements, that are not null. The returned list is serializable
(JVM).\n * @sample samples.collections.Collections.Lists.listOfNotNull\n *\npublic fun <T : Any>
listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()\n\n**\n * Creates a new read-only list with
the specified [size], where each element is calculated by calling the specified\n * [init] function.\n * \n * The
function [init] is called for each list element sequentially starting from the first one.\n * It should return the value for
a list element given its index.\n * \n * @sample samples.collections.Collections.Lists.readOnlyListFromInitializer\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> List(size: Int, init: (index: Int) -> T):
List<T> = MutableList(size, init)\n\n**\n * Creates a new mutable list with the specified [size], where each element
is calculated by calling the specified\n * [init] function.\n * \n * The function [init] is called for each list element
sequentially starting from the first one.\n * It should return the value for a list element given its index.\n * \n *
@sample samples.collections.Collections.Lists.mutableListFromInitializer\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList(size: Int, init: (index:
Int) -> T): MutableList<T> {\n    val list = ArrayList<T>(size)\n    repeat(size) { index -> list.add(init(index)) }\n
return list\n}\n\n**\n * Builds a new read-only [List] by populating a [MutableList] using the given
[builderAction]\n * and returning a read-only list with the same elements.\n * \n * The list passed as a receiver to the
[builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified
behavior.\n * \n * The returned list is serializable (JVM).\n * \n * @sample
samples.collections.Builders.Lists.buildListSample\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <E> buildList(@BuilderInference builderAction: MutableList<E>().->Unit): List<E> {\n    contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return
buildListInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal
expect inline fun <E> buildListInternal(builderAction: MutableList<E>().->Unit): List<E>\n\n**\n * Builds a
new read-only [List] by populating a [MutableList] using the given [builderAction]\n * and returning a read-only list
with the same elements.\n * \n * The list passed as a receiver to the [builderAction] is valid only inside that
function.\n * Using it outside of the function produces an unspecified behavior.\n * \n * The returned list is
serializable (JVM).\n * \n * [capacity] is used to hint the expected number of elements added in the
[builderAction].\n * \n * @throws IllegalArgumentException if the given [capacity] is negative.\n * \n * @sample
samples.collections.Builders.Lists.buildListSampleWithCapacity\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <E> buildList(capacity: Int, @BuilderInference builderAction: MutableList<E>().->Unit): List<E> {\n
contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return buildListInternal(capacity,
builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline
fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>().->Unit): List<E>\n\n**\n * Returns an

```

```

[IntRange] of the valid indices for this collection.\n * @sample
samples.collections.Collections.Collections.indicesOfCollection\n * \npublic val Collection<*>.indices: IntRange\n
get() = 0..size - 1\n\n/**\n * Returns the index of the last item in the list or -1 if the list is empty.\n * \n * @sample
samples.collections.Collections.Lists.lastIndexOfList\n * \npublic val <T> List<T>.lastIndex: Int\n
get() =
this.size - 1\n\n/**\n * Returns `true` if the collection is not empty.\n * \n * @sample
samples.collections.Collections.Collections.collectionIsNotEmpty\n * \n@kotlin.internal.InlineOnly\npublic inline
fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns `true` if this nullable collection is
either null or empty.\n * \n * @sample samples.collections.Collections.Collections.collectionIsNullOrEmpty\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.isNullOrEmpty():
Boolean {\n
contract {\n
returns(false) implies (this@isNullOrEmpty != null)\n
}\n
return this == null ||
this.isEmpty()\n}\n\n/**\n * Returns this Collection if it's not `null` and the empty list otherwise.\n * \n * @sample
samples.collections.Collections.Collections.collectionOrElse\n * \n@kotlin.internal.InlineOnly\npublic inline fun
<T> Collection<T>?.orElse(): Collection<T> = this ?: emptyList()\n\n/**\n * Returns this List if it's not `null` and
the empty list otherwise.\n * \n * @sample samples.collections.Collections.Lists.listOrElse\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>?.orElse(): List<T> = this ?: emptyList()\n\n/**\n
* Returns this collection if it's not empty\n * or the result of calling [defaultValue] function if the collection is
empty.\n * \n * @sample samples.collections.Collections.Collections.collectionIfEmpty\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () ->
R): R where C : Collection<*>, C : R =\n
if (isEmpty()) defaultValue() else this\n\n/**\n * Checks if all
elements in the specified collection are contained in this collection.\n * \n * Allows to overcome type-safety
restriction of `containsAll` that requires to pass a collection of type `Collection<E>`.\n * \n * @sample
samples.collections.Collections.Collections.collectionContainsAll\n
*\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T>
Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\n\n/**\n * Returns a
new list with the elements of this list randomly shuffled\n * using the specified [random] instance as the source of
randomness.\n * \n * \n@SinceKotlin("1.3")\npublic fun <T> Iterable<T>.shuffled(random: Random): List<T> =
toMutableList().apply { shuffle(random) }\n\n\ninternal fun <T> List<T>.optimizeReadOnlyList() = when (size) {\n
0 -> emptyList()\n
1 -> listOf(this[0])\n
else -> this\n}\n\n/**\n * Searches this list or its range for the provided
[element] using the binary search algorithm.\n * \n * The list is expected to be sorted into ascending order according
to the Comparable natural ordering of its elements,\n * otherwise the result is undefined.\n * \n * If the list contains
multiple elements equal to the specified [element], there is no guarantee which one will be found.\n * \n * `null`
value is considered to be less than any non-null value.\n * \n * @return the index of the element, if it is contained in
the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * \n * The
insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified
subrange of list) still remains sorted.\n * \n * @sample
samples.collections.Collections.Lists.binarySearchOnComparable\n * \n * @sample
samples.collections.Collections.Lists.binarySearchWithBoundaries\n * \npublic fun <T : Comparable<T>>
List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\n
rangeCheck(size, fromIndex,
toIndex)\n
var low = fromIndex\n
var high = toIndex - 1\n
while (low <= high) {\n
val mid = (low +
high).ushr(1) // safe from overflows\n
val midVal = get(mid)\n
val cmp = compareValues(midVal,
element)\n
if (cmp < 0)\n
low = mid + 1\n
else if (cmp > 0)\n
high = mid - 1\n
else\n
return mid // key found\n
}\n
return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range
for the provided [element] using the binary search algorithm.\n * \n * The list is expected to be sorted into ascending
order according to the specified [comparator],\n * otherwise the result is undefined.\n * \n * If the list contains
multiple elements equal to the specified [element], there is no guarantee which one will be found.\n * \n * `null`
value is considered to be less than any non-null value.\n * \n * @return the index of the element, if it is contained in
the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * \n * The

```

```

insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified
subrange of list) still remains sorted according to the specified [comparator].\n * @sample
samples.collections.Collections.Lists.binarySearchWithComparator\n */\npublic fun <T>
List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {\n
rangeCheck(size, fromIndex, toIndex)\n\n    var low = fromIndex\n    var high = toIndex - 1\n\n    while (low <=
high) {\n        val mid = (low + high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp =
comparator.compare(midVal, element)\n\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n            high = mid - 1\n        else\n            return mid // key found\n    }\n    return -(low + 1) // key not found\n}\n\n/**\n * Searches this list or its range for an element having the key returned by the specified [selector] function\n * equal to
the provided [key] value using the binary search algorithm.\n * The list is expected to be sorted into ascending order
according to the Comparable natural ordering of keys of its elements.\n * otherwise the result is undefined.\n * If
the list contains multiple elements with the specified [key], there is no guarantee which one will be found.\n * \n *
`null` value is considered to be less than any non-null value.\n * \n * @return the index of the element with the
specified [key], if it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-
insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so
that the list (or the specified subrange of list) still remains sorted.\n * @sample
samples.collections.Collections.Lists.binarySearchByKey\n */\npublic inline fun <T, K : Comparable<K>>
List<T>.binarySearchBy(\n    key: K?,\n    fromIndex: Int = 0,\n    toIndex: Int = size,\n    crossinline selector: (T) ->
K?):\n    Int =\n    binarySearch(fromIndex, toIndex) { compareValues(selector(it), key) }\n\n// do not introduce this
overload --- too rare\n//\npublic fun <T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>,\n    fromIndex: Int = 0, toIndex: Int = size(), selector: (T) -> K): Int =\n//\n    binarySearch(fromIndex, toIndex) {\n        comparator.compare(selector(it), key) }\n\n\n/**\n * Searches this list or its range for an element for which the
given [comparison] function returns zero using the binary search algorithm.\n * \n * The list is expected to be sorted
so that the signs of the [comparison] function's return values ascend on the list elements,\n * i.e. negative values
come before zero and zeroes come before positive values.\n * Otherwise, the result is undefined.\n * \n * If the list
contains multiple elements for which [comparison] returns zero, there is no guarantee which one will be found.\n * \n *
@param comparison function that returns zero when called on the list element being searched.\n * On the
elements coming before the target element, the function must return negative values;\n * on the elements coming
after the target element, the function must return positive values.\n * \n * @return the index of the found element, if
it is contained in the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point -
1)`.\n * The insertion point is defined as the index at which the element should be inserted,\n * so that the list (or
the specified subrange of list) still remains sorted.\n * @sample
samples.collections.Collections.Lists.binarySearchWithComparisonFunction\n */\npublic fun <T>
List<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int {\n    rangeCheck(size,
fromIndex, toIndex)\n\n    var low = fromIndex\n    var high = toIndex - 1\n\n    while (low <= high) {\n        val mid
= (low + high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp = comparison(midVal)\n\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n            high = mid - 1\n        else\n            return
mid // key found\n    }\n    return -(low + 1) // key not found\n}\n\n\n/**\n * Checks that `from` and `to` are in\n * the
range of [0..size] and throws an appropriate exception, if they aren't.\n * \n */\nprivate fun rangeCheck(size: Int,
fromIndex: Int, toIndex: Int) {\n    when {\n        fromIndex > toIndex -> throw
IllegalArgumentException("fromIndex ($fromIndex) is greater than toIndex ($toIndex).")\n        fromIndex < 0 ->
throw IndexOutOfBoundsException("fromIndex ($fromIndex) is less than zero.")\n        toIndex > size -> throw
IndexOutOfBoundsException("toIndex ($toIndex) is greater than size ($size).")\n    }\n}\n\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal expect fun checkIndexOverflow(index: Int):
Int\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal expect fun checkCountOverflow(count: Int):
Int\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun throwIndexOverflow() {\n    throw
ArithmeticException("Index overflow has happened.") }\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun
throwCountOverflow() {\n    throw ArithmeticException("Count overflow has happened.") }\n\n\n", /*\n * Copyright

```

2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```

*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n@file:OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\nprivate object EmptyMap : Map<Any?, Nothing>, Serializable {
    private const val serialVersionUID: Long = 8246714829545688274
    override fun equals(other: Any?): Boolean = other is Map<*, *> && other.isEmpty()
    override fun hashCode(): Int = 0
    override fun toString(): String = "{}"
    override val size: Int get() = 0
    override fun isEmpty(): Boolean = true
    override fun containsKey(key: Any?): Boolean = false
    override fun containsValue(value: Nothing): Boolean = false
    override fun get(key: Any?): Nothing? = null
    override val entries: Set<Map.Entry<Any?, Nothing>> get() = EmptySet
    override val keys: Set<Any?> get() = EmptySet
    override val values: Collection<Nothing> get() = EmptyList
    private fun readResolve(): Any = EmptyMap
}
\n\n/**
 * Returns an empty read-only map of specified type.
 *
 * The returned map is serializable (JVM).
 *
 * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap
 */
\n\npublic fun <K, V> emptyMap(): Map<K, V> = @Suppress("UNCHECKED_CAST") (EmptyMap as Map<K, V>)
\n\n/**
 * Returns a new read-only map with the specified contents, given as a list of pairs
 * where the first value is the key and the second is the value.
 *
 * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.
 *
 * Entries of the map are iterated in the order they were specified.
 *
 * The returned map is serializable (JVM).
 *
 * @sample samples.collections.Maps.Instantiation.mapFromPairs
 */
\n\npublic fun <K, V> mapOf(vararg pairs: Pair<K, V>): Map<K, V> =
    if (pairs.size > 0)
        pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))
    else emptyMap()
\n\n/**
 * Returns an empty read-only map.
 *
 * The returned map is serializable (JVM).
 *
 * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap
 */
\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <K, V> mapOf(): Map<K, V> = emptyMap()
\n\n/**
 * Returns an empty new [MutableMap].
 *
 * The returned map preserves the entry iteration order.
 *
 * @sample samples.collections.Maps.Instantiation.emptyMutableMap
 */
\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <K, V> mutableMapOf(): MutableMap<K, V> = LinkedHashMap()
\n\n/**
 * Returns a new [MutableMap] with the specified contents, given as a list of pairs
 * where the first component is the key and the second is the value.
 *
 * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.
 *
 * Entries of the map are iterated in the order they were specified.
 *
 * @sample samples.collections.Maps.Instantiation.mutableMapFromPairs
 *
 * @sample samples.collections.Maps.Instantiation.emptyMutableMap
 */
\n\npublic fun <K, V> mutableMapOf(vararg pairs: Pair<K, V>): MutableMap<K, V> =
    LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }
\n\n/**
 * Returns an empty new [HashMap].
 *
 * @sample samples.collections.Maps.Instantiation.emptyHashMap
 */
\n\n@SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <K, V> hashMapOf(): HashMap<K, V> = HashMap<K, V>()
\n\n/**
 * Returns a new [HashMap] with the specified contents, given as a list of pairs
 * where the first component is the key and the second is the value.
 *
 * @sample samples.collections.Maps.Instantiation.hashMapFromPairs
 */
\n\npublic fun <K, V> hashMapOf(vararg pairs: Pair<K, V>): HashMap<K, V> =
    HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }
\n\n/**
 * Returns an empty new [LinkedHashMap].
 *
 * @SinceKotlin("1.1")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <K, V> linkedMapOf(): LinkedHashMap<K, V> = LinkedHashMap<K, V>()
\n\n/**
 * Returns a new [LinkedHashMap] with the specified contents, given as a list of pairs
 * where the first component is the key and the second is the value.
 *
 * If multiple pairs have the same key, the resulting map will contain the value from the last of those pairs.
 *
 * Entries of the map are iterated in the order they were specified.
 *
 * @sample samples.collections.Maps.Instantiation.linkedMapFromPairs
 */
\n\npublic fun <K, V> linkedMapOf(vararg pairs: Pair<K, V>): LinkedHashMap<K, V> =
    pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))
\n\n/**
 * Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]
 * and returning a read-only map with the same key-value pairs.
 *
 * The map passed as a receiver to the [builderAction] is valid only inside

```

that function.

- \* Using it outside of the function produces an unspecified behavior.
- \* Entries of the map are iterated in the order they were added by the [builderAction].
- \* The returned map is serializable (JVM).

```
@sample samples.collections.Builders.Maps.buildMapSample
*^@SinceKotlin("1.6")@WasExperimental(ExperimentalStdlibApi::class)@kotlin.internal.InlineOnly\npublic inline fun <K, V> buildMap(@BuilderInference builderAction: MutableMap<K, V>().->Unit): Map<K, V> {\n contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return buildMapInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")@kotlin.internal.InlineOnly\ninternal expect inline fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>().->Unit): Map<K, V>\n\n/**\n * Builds a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and returning a read-only map with the same key-value pairs.\n * The map passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an unspecified behavior.\n * [capacity] is used to hint the expected number of pairs added in the [builderAction].\n * Entries of the map are iterated in the order they were added by the [builderAction].\n * The returned map is serializable (JVM).\n * @throws IllegalArgumentException if the given [capacity] is negative.\n * @sample samples.collections.Builders.Maps.buildMapSample\n *^@SinceKotlin("1.6")@WasExperimental(ExperimentalStdlibApi::class)@kotlin.internal.InlineOnly\npublic inline fun <K, V> buildMap(capacity: Int, @BuilderInference builderAction: MutableMap<K, V>().->Unit): Map<K, V> {\n contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return buildMapInternal(capacity, builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")@kotlin.internal.InlineOnly\ninternal expect inline fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>().->Unit): Map<K, V>\n\n/**\n * Calculate the initial capacity of a map.\n *^@PublishedApi\ninternal expect fun mapCapacity(expectedSize: Int): Int\n\n/**\n * Returns `true` if this map is not empty.\n * @sample samples.collections.Maps.Usage.mapIsNotEmpty\n *^@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.isEmpty(): Boolean = !isNotEmpty()\n\n/**\n * Returns `true` if this nullable map is either null or empty.\n * @sample samples.collections.Maps.Usage.mapIsNullOrEmpty\n *^@SinceKotlin("1.3")@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>?.isNullOrEmpty(): Boolean {\n contract {\n returns(false) implies (this@isNullOrEmpty != null)\n }\n\n return this == null || isEmpty()\n}\n\n/**\n * Returns the [Map] if its not `null`, or the empty [Map] otherwise.\n * @sample samples.collections.Maps.Usage.mapOrElse\n *^@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<K, V>?.orElse(): Map<K, V> = this ?: emptyMap()\n\n/**\n * Returns this map if it's not empty\n * or the result of calling [defaultValue] function if the map is empty.\n * @sample samples.collections.Maps.Usage.mapIfEmpty\n *^@SinceKotlin("1.3")@kotlin.internal.InlineOnly\npublic inline fun <M, R> M.ifEmpty(defaultValue: () -> R): R where M : Map<*, *>, M : R =\n if (isEmpty())\n defaultValue() else this\n\n/**\n * Checks if the map contains the given key.\n * This method allows to use the `x in map` syntax for checking whether an object is contained in the map.\n * @sample samples.collections.Maps.Usage.containsKey\n *^@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean = containsKey(key)\n\n/**\n * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n *^@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.get(key: K): V? =\n @Suppress("UNCHECKED_CAST") (this as Map<K, V>).get(key)\n\n/**\n * Allows to use the index operator for storing values in a mutable map.\n *^@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit {\n put(key, value)\n}\n\n/**\n * Returns `true` if the map contains the specified [key].\n * Allows to overcome type-safety restriction of `containsKey` that requires to pass a key of type `K`.\n *^@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K> Map<out K, *>.containsKey(key: K): Boolean =\n @Suppress("UNCHECKED_CAST") (this as Map<K, *>).containsKey(key)\n\n/**\n * Returns `true` if the map maps one or more keys to the specified [value].\n * Allows to overcome type-safety restriction of

```

```

`containsValue` that requires to pass a value of type `V`.
samples.collections.Maps.Usage.containsValue
// false warning, extension takes precedence in some cases
@kotlin.internal.InlineOnly
public inline fun <K,
@kotlin.internal.OnlyInputTypes V> Map<K, V>.containsValue(value: V): Boolean =
this.containsValue(value)
Remove the specified key and its corresponding value from this map.
@return the previous value associated with the key, or `null` if the key was not present in the map.
Allows to overcome type-safety restriction of `remove` that requires to pass a key of type `K`.
@kotlin.internal.InlineOnly
public inline fun <@kotlin.internal.OnlyInputTypes K, V> MutableMap<out K,
V>.remove(key: K): V? = @Suppress("UNCHECKED_CAST") (this as MutableMap<K,
V>).remove(key)
Returns the key component of the map entry.
This method allows to use destructuring declarations when working with maps, for example:
for ((key, value) in map) {
do something with the key and the value
}
@kotlin.internal.InlineOnly
public inline operator fun <K, V> Map.Entry<K, V>.component1(): K = key
Returns the value component of the map entry.
This method allows to use destructuring declarations when working with maps, for example:
for ((key, value) in map) {
do something with the key and the value
}
@kotlin.internal.InlineOnly
public inline operator fun <K, V> Map.Entry<K, V>.component2(): V =
value
Converts entry to [Pair] with key being first component and value being second.
@kotlin.internal.InlineOnly
public inline fun <K, V> Map.Entry<K, V>.toPair(): Pair<K, V> = Pair(key,
value)
Returns the value for the given key, or the result of the [defaultValue] function if there was no
entry for the given key.
@sample samples.collections.Maps.Usage.getOrElse
@kotlin.internal.InlineOnly
public inline fun <K, V> Map<K, V>.getOrElse(key: K, defaultValue: () -> V): V
= get(key) ?: defaultValue()
internal inline fun <K, V> Map<K, V>.getOrElseNullable(key: K, defaultValue: ()
-> V): V {
val value = get(key)
if (value == null && !containsKey(key)) {
return defaultValue()
}
else {
@Suppress("UNCHECKED_CAST")
return value as V
}
}
Returns the value for the given [key] or throws an exception if there is no such key in the map.
If the map was created by [withDefault], resorts to its `defaultValue` provider function
instead of throwing an exception.
@throws NoSuchElementException when the map doesn't contain a value for the specified key and
no implicit default value was provided for that map.
@SinceKotlin("1.1")
public fun <K, V> Map<K, V>.getValue(key: K): V
= getOrImplicitDefault(key)
Returns the value for the given key. If the key is not found in the map, calls
the [defaultValue] function, puts its result into the map under the given key and returns it.
Note that the operation is not guaranteed to be atomic if the map is being modified concurrently.
@sample
samples.collections.Maps.Usage.getOrPut
public inline fun <K, V> MutableMap<K, V>.getOrPut(key: K,
defaultValue: () -> V): V {
val value = get(key)
return if (value == null) {
val answer =
defaultValue()
put(key, answer)
answer
} else {
value
}
}
Returns an [Iterator] over the entries in the [Map].
@sample samples.collections.Maps.Usage.forOverEntries
@kotlin.internal.InlineOnly
public inline operator fun <K, V> Map<out K, V>.iterator():
Iterator<Map.Entry<K, V>> = entries.iterator()
Returns a [MutableIterator] over the mutable entries in
the [MutableMap].
@kotlin.jvm.JvmName("mutableIterator")
@kotlin.internal.InlineOnly
public inline operator fun <K, V> MutableMap<K, V>.iterator(): MutableIterator<MutableMap.MutableEntry<K, V>> =
entries.iterator()
Populates the given [destination] map with entries having the keys of this map and the
values obtained
by applying the [transform] function to each entry in this [Map].
public inline fun <K, V,
R, M : MutableMap<in K, in R>> Map<out K, V>.mapValuesTo(destination: M, transform: (Map.Entry<K, V>) ->
R): M {
return entries.associateByTo(destination, { it.key }, transform)
}
Populates the given [destination] map with entries having the keys obtained
by applying the [transform] function to each entry in this [Map] and the values of this map.
In case if any two entries are mapped to the equal keys, the value of the
latter one will overwrite the value associated with the former one.
public inline fun <K, V, R, M :
MutableMap<in R, in V>> Map<out K, V>.mapKeysTo(destination: M, transform: (Map.Entry<K, V>) -> R): M
{
return entries.associateByTo(destination, transform, { it.value })
}
Puts all the given [pairs] into

```

```

this [MutableMap] with the first component in the pair being the key and the second the value.
public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Array<out Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}
* Puts all the elements of the given collection into this [MutableMap] with the first component in the pair being the key and the second the value.
public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Iterable<Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}
* Puts all the elements of the given sequence into this [MutableMap] with the first component in the pair being the key and the second the value.
public fun <K, V> MutableMap<in K, in V>.putAll(pairs: Sequence<Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}
* Returns a new map with entries having the keys of this map and the values obtained by applying the [transform] function to each entry in this [Map].
* The returned map preserves the entry iteration order of the original map.
@sample samples.collections.maps.transformations.mapValues
public inline fun <K, V, R> Map<out K, V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {
    return mapValuesTo(LinkedHashMap<K, R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()
}
* Returns a new Map with entries having the keys obtained by applying the [transform] function to each entry in this [Map] and the values of this map.
* In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite the value associated with the former one.
* The returned map preserves the entry iteration order of the original map.
@sample samples.collections.maps.transformations.mapKeys
public inline fun <K, V, R> Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {
    return mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()
}
* Returns a map containing all key-value pairs with keys matching the given [predicate].
* The returned map preserves the entry iteration order of the original map.
@sample samples.collections.maps.filtering.filterKeys
public inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {
    val result = LinkedHashMap<K, V>()
    for (entry in this) {
        if (predicate(entry.key)) {
            result.put(entry.key, entry.value)
        }
    }
    return result
}
* Returns a map containing all key-value pairs with values matching the given [predicate].
* The returned map preserves the entry iteration order of the original map.
@sample samples.collections.maps.filtering.filterValues
public inline fun <K, V> Map<out K, V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {
    val result = LinkedHashMap<K, V>()
    for (entry in this) {
        if (predicate(entry.value)) {
            result.put(entry.key, entry.value)
        }
    }
    return result
}
* Appends all entries matching the given [predicate] into the mutable map given as [destination] parameter.
* @return the destination map.
@sample samples.collections.maps.filtering.filterTo
public inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {
    for (element in this) {
        if (predicate(element)) {
            destination.put(element.key, element.value)
        }
    }
    return destination
}
* Returns a new map containing all key-value pairs matching the given [predicate].
* The returned map preserves the entry iteration order of the original map.
@sample samples.collections.maps.filtering.filter
public inline fun <K, V> Map<out K, V>.filter(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {
    return filterTo(LinkedHashMap<K, V>(), predicate)
}
* Appends all entries not matching the given [predicate] into the given [destination].
* @return the destination map.
@sample samples.collections.maps.filtering.filterNotTo
public inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterNotTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {
    for (element in this) {
        if (!predicate(element)) {
            destination.put(element.key, element.value)
        }
    }
    return destination
}
* Returns a new map containing all key-value pairs not matching the given [predicate].
* The returned map preserves the entry iteration order of the original map.
@sample samples.collections.maps.filtering.filterNot
public inline fun <K, V> Map<out K, V>.filterNot(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {
    return filterNotTo(LinkedHashMap<K, V>(), predicate)
}
* Returns a new map containing all key-value pairs from the given collection of pairs.
* The returned map preserves the entry iteration order of the original collection.
* If any of two pairs would have the same key the last one gets added to the map.
public fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V>

```

```

{\n  if (this is Collection) {\n      return when (size) {\n          0 -> emptyMap()\n          1 -> mapOf(if (this is
List) this[0] else iterator().next())\n          else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))\n      }\n  }\n  return toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs from the given collection of pairs.\n */\npublic fun <K, V, M :
MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =\n  destination.apply {
putAll(this@toMap) }\n\n/**\n * Returns a new map containing all key-value pairs from the given array of pairs.\n
*\n * The returned map preserves the entry iteration order of the original array.\n * If any of two pairs would have
the same key the last one gets added to the map.\n */\npublic fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K,
V> = when (size) {\n  0 -> emptyMap()\n  1 -> mapOf(this[0])\n  else -> toMap(LinkedHashMap<K,
V>(mapCapacity(size)))\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs
from the given array of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K,
V>>.toMap(destination: M): M =\n  destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new map
containing all key-value pairs from the given sequence of pairs.\n *\n * The returned map preserves the entry
iteration order of the original sequence.\n * If any of two pairs would have the same key the last one gets added to
the map.\n */\npublic fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> = toMap(LinkedHashMap<K,
V>()).optimizeReadOnlyMap()\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs
from the given sequence of pairs.\n */\npublic fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K,
V>>.toMap(destination: M): M =\n  destination.apply { putAll(this@toMap) }\n\n/**\n * Returns a new read-only
map containing all key-value pairs from the original map.\n *\n * The returned map preserves the entry iteration
order of the original map.\n */\n@SinceKotlin("1.1")\npublic fun <K, V> Map<out K, V>.toMap(): Map<K, V> =
when (size) {\n  0 -> emptyMap()\n  1 -> toSingletonMap()\n  else -> toMutableMap()\n}\n\n/**\n * Returns a
new mutable map containing all key-value pairs from the original map.\n *\n * The returned map preserves the entry
iteration order of the original map.\n */\n@SinceKotlin("1.1")\npublic fun <K, V> Map<out K,
V>.toMutableMap(): MutableMap<K, V> = LinkedHashMap(this)\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs from the given map.\n */\n@SinceKotlin("1.1")\npublic fun <K, V,
M : MutableMap<in K, in V>> Map<out K, V>.toMap(destination: M): M =\n  destination.apply {
putAll(this@toMap) }\n\n/**\n * Creates a new read-only map by replacing or adding an entry to this map from a
given key-value [pair].\n *\n * The returned map preserves the entry iteration order of the original map.\n * The
[pair] is iterated in the end if it has a unique key.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pair:
Pair<K, V>): Map<K, V> =\n  if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply { put(pair.first,
pair.second) }\n\n/**\n * Creates a new read-only map by replacing or adding entries to this map from a given
collection of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of the original map.\n
* Those [pairs] with unique keys are iterated in the end in the order of [pairs] collection.\n */\npublic operator fun <K,
V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =\n  if (this.isEmpty()) pairs.toMap() else
LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n * Creates a new read-only map by replacing or adding entries
to this map from a given array of key-value [pairs].\n *\n * The returned map preserves the entry iteration order of
the original map.\n * Those [pairs] with unique keys are iterated in the end in the order of [pairs] array.\n */\npublic
operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =\n  if (this.isEmpty())
pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }\n\n/**\n * Creates a new read-only map by
replacing or adding entries to this map from a given sequence of key-value [pairs].\n *\n * The returned map
preserves the entry iteration order of the original map.\n * Those [pairs] with unique keys are iterated in the end
in the order of [pairs] sequence.\n */\npublic operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K,
V>>): Map<K, V> =\n  LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()\n\n/**\n * Creates
a new read-only map by replacing or adding entries to this map from another [map].\n *\n * The returned map
preserves the entry iteration order of the original map.\n * Those entries of another [map] that are missing in this
map are iterated in the end in the order of that [map].\n */\npublic operator fun <K, V> Map<out K, V>.plus(map:
Map<out K, V>): Map<K, V> =\n  LinkedHashMap(this).apply { putAll(map) }\n\n/**\n * Appends or replaces
the given [pair] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V>

```

```

MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) { \n  put(pair.first, pair.second)\n }\n\n/**\n * Appends or
replaces all pairs from the given collection of [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic
inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>) {\n
putAll(pairs)\n }\n\n/**\n * Appends or replaces all pairs from the given array of [pairs] in this mutable map.\n
*/\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs:
Array<out Pair<K, V>>) {\n  putAll(pairs)\n }\n\n/**\n * Appends or replaces all pairs from the given sequence of
[pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in
K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) {\n  putAll(pairs)\n }\n\n/**\n * Appends or replaces all
entries from the given [map] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K,
V> MutableMap<in K, in V>.plusAssign(map: Map<K, V>) {\n  putAll(map)\n }\n\n/**\n * Returns a map
containing all entries of the original map except the entry with the given [key].\n */\n * The returned map preserves
the entry iteration order of the original map.\n */\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K,
V>.minus(key: K): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(key)
}\n\n/**\n * Returns a map containing all entries of the original map except those entries\n
* the keys of which are contained in the given [keys] collection.\n */\n * The returned map preserves the entry
iteration order of the original map.\n */\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K,
V>.minus(keys: Iterable<K>): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(keys)
}\n\n/**\n * Returns a map containing all entries of the original map except those entries\n
* the keys of which are contained in the given [keys] array.\n */\n * The returned map preserves the entry iteration
order of the original map.\n */\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K, V>.minus(keys:
Array<out K>): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(keys)
}\n\n/**\n * Returns a map containing all entries of the original map except those entries\n
* the keys of which are contained in the given [keys] sequence.\n */\n * The returned map preserves the entry
iteration order of the original map.\n */\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K,
V>.minus(keys: Sequence<K>): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(keys)
}\n\n/**\n * Removes the entry with the given [key] from this mutable map.\n
*/\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(key: K) {\n  remove(key)\n }\n\n/**\n * Removes all entries the keys of which are contained in
the given [keys] collection from this mutable map.\n
*/\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Iterable<K>) {\n  this.keys.removeAll(keys)\n }\n\n/**\n * Removes all entries the keys of
which are contained in the given [keys] array from this mutable map.\n
*/\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Array<out K>) {\n  this.keys.removeAll(keys)\n }\n\n/**\n * Removes all entries from the
keys of which are contained in the given [keys] sequence from this mutable map.\n
*/\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
V>.minusAssign(keys: Sequence<K>) {\n  this.keys.removeAll(keys)\n }\n\n\n// do not expose for now
@PublishedApi\ninternal fun <K, V> Map<K, V>.optimizeReadOnlyMap() = when (size) {\n  0 -> emptyMap()\n
1 -> toSingletonMapOrSelf()\n  else -> this\n }\n\n"/\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SetsKt")\n@file:OptIn(kotlin.experimenta
l.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport kotlin.contracts.*\n\ninternal object
EmptySet : Set<Nothing>, Serializable {\n  private const val serialVersionUID: Long =
3406603774387020532\n\n  override fun equals(other: Any?): Boolean = other is Set<*> && other.isEmpty()\n
  override fun hashCode(): Int = 0\n  override fun toString(): String = ""\n\n  override val size: Int get() = 0\n
  override fun isEmpty(): Boolean = true\n  override fun contains(element: Nothing): Boolean = false\n  override
fun containsAll(elements: Collection<Nothing>): Boolean = elements.isEmpty()\n  override fun iterator():

```

```

Iterator<Nothing> = EmptyIterator\n\n private fun readResolve(): Any = EmptySet\n}\n\n/**\n * Returns an
empty read-only set. The returned set is serializable (JVM).\n * @sample
samples.collections.Collections.Sets.emptyReadOnlySet\n * \npublic fun <T> emptySet(): Set<T> =
EmptySet\n}\n\n/**\n * Returns a new read-only set with the given elements.\n * Elements of the set are iterated in the
order they were specified.\n * The returned set is serializable (JVM).\n * @sample
samples.collections.Collections.Sets.readOnlySet\n * \npublic fun <T> setOf(vararg elements: T): Set<T> = if
(elements.size > 0) elements.toSet() else emptySet()\n}\n\n/**\n * Returns an empty read-only set. The returned set is
serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n
*\n*\n@kotlin.internal.InlineOnly\npublic inline fun <T> setOf(): Set<T> = emptySet()\n}\n\n/**\n * Returns an empty
new [MutableSet].\n * \n * The returned set preserves the element iteration order.\n * @sample
samples.collections.Collections.Sets.emptyMutableSet\n
*\n*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableSetOf(): MutableSet<T> =
LinkedHashSet()\n}\n\n/**\n * Returns a new [MutableSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.mutableSet\n * \npublic
fun <T> mutableSetOf(vararg elements: T): MutableSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n}\n\n/**\n * Returns an empty new [HashSet].
*\n*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(): HashSet<T> =
HashSet()\n}\n\n/**\n * Returns a new [HashSet] with the given elements. *\npublic fun <T> hashSetOf(vararg elements:
T): HashSet<T> = elements.toCollection(HashSet(mapCapacity(elements.size)))\n}\n\n/**\n * Returns an empty new
[LinkedHashSet].\n * @sample samples.collections.Collections.Sets.emptyLinkedHashSet\n
*\n*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf(): LinkedHashSet<T>
= LinkedHashSet()\n}\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.linkedHashSet\n
*\npublic fun <T> linkedSetOf(vararg elements: T): LinkedHashSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n}\n\n/**\n * Returns a new read-only set either
with single given element, if it is not null, or empty set if the element is null.\n * The returned set is serializable
(JVM).\n * @sample samples.collections.Collections.Sets.setOfNotNull\n * \n*\n@SinceKotlin("1.4")\npublic fun <T
: Any> setOfNotNull(element: T?): Set<T> = if (element != null) setOf(element) else emptySet()\n}\n\n/**\n * Returns
a new read-only set only with those given elements, that are not null.\n * Elements of the set are iterated in the order
they were specified.\n * The returned set is serializable (JVM).\n * @sample
samples.collections.Collections.Sets.setOfNotNull\n * \n*\n@SinceKotlin("1.4")\npublic fun <T : Any>
setOfNotNull(vararg elements: T?): Set<T> {\n return elements.filterNotNullTo(LinkedHashSet())\n}\n\n/**\n *
Builds a new read-only [Set] by populating a [MutableSet] using the given [builderAction]\n * and returning a read-
only set with the same elements.\n * \n * The set passed as a receiver to the [builderAction] is valid only inside that
function.\n * Using it outside of the function produces an unspecified behavior.\n * \n * Elements of the set are
iterated in the order they were added by the [builderAction].\n * \n * The returned set is serializable (JVM).\n * \n *
@sample samples.collections.Builders.Sets.buildSetSample\n
*\n*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun <E> buildSet(@BuilderInference builderAction: MutableSet<E>.() -> Unit): Set<E> {\n contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return
buildSetInternal(builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal
expect inline fun <E> buildSetInternal(builderAction: MutableSet<E>.() -> Unit): Set<E>\n}\n\n/**\n * Builds a
new read-only [Set] by populating a [MutableSet] using the given [builderAction]\n * and returning a read-only set
with the same elements.\n * \n * The set passed as a receiver to the [builderAction] is valid only inside that
function.\n * Using it outside of the function produces an unspecified behavior.\n * \n * [capacity] is used to hint the
expected number of elements added in the [builderAction].\n * \n * Elements of the set are iterated in the order they
were added by the [builderAction].\n * \n * The returned set is serializable (JVM).\n * \n * @throws
IllegalArgumentException if the given [capacity] is negative.\n * \n * @sample

```

```

samples.collections.Builders.Sets.buildSetSample\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildSet(capacity: Int, @BuilderInference builderAction: MutableSet<E>().->Unit): Set<E> {\n
contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return buildSetInternal(capacity,\n
builderAction)\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal expect inline fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>().->Unit): Set<E>\n\n/** Returns this Set if it's not `null` and the empty set otherwise. */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>?.orEmpty(): Set<T> = this ?: emptySet()\n\ninternal fun <T> Set<T>.optimizeReadOnlySet() = when (size) {\n
0 -> emptySet()\n 1 -> setOf(iterator().next())\n else -> this\n}\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n@file:Suppress("PLATFORM_CLASS_MAPPED_TO_KOTLIN")\n\npackage kotlin.text\n\n/**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.1")\npublic fun String.toByteArrayOrNull(): Byte? = toByteOrNull(radix = 10)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.1")\npublic fun String.toByteArrayOrNull(radix: Int): Byte? {\n val int = this.toIntOrNull(radix) ?: return null\n if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\n return int.toByteArray()\n}\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.1")\npublic fun String.toShortOrNull(): Short? = toShortOrNull(radix = 10)\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.1")\npublic fun String.toShortOrNull(radix: Int): Short? {\n val int = this.toIntOrNull(radix) ?: return null\n if (int < Short.MIN_VALUE || int > Short.MAX_VALUE) return null\n return int.toShort()\n}\n\n/**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.1")\npublic fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.1")\npublic fun String.toIntOrNull(radix: Int): Int? {\n checkRadix(radix)\n\n val length = this.length\n if (length == 0) return null\n\n val start: Int\n val isNegative: Boolean\n val limit: Int\n val firstChar = this[0]\n if (firstChar < '0') { // Possible leading sign\n if (length == 1) return null // non-digit (possible sign) only, no digits after\n\n start = 1\n\n if (firstChar == '-') {\n isNegative = true\n limit = Int.MIN_VALUE\n } else if (firstChar == '+') {\n isNegative = false\n limit = Int.MAX_VALUE\n } else\n return null\n } else {\n start = 0\n isNegative = false\n limit = -Int.MAX_VALUE\n }\n\n val limitForMaxRadix = (-Int.MAX_VALUE) / 36\n var limitBeforeMul = limitForMaxRadix\n var result = 0\n for (i in start until length) {\n val digit = digitOf(this[i], radix)\n\n if (digit < 0) return null\n if (result < limitBeforeMul) {\n if (limitBeforeMul == limitForMaxRadix) {\n limitBeforeMul = limit / radix\n\n if (result < limitBeforeMul) {\n return null\n }\n } else {\n return null\n }\n }\n\n result *= radix\n\n if (result < limit + digit) return null\n\n result -= digit\n }\n\n return if (isNegative) result else -result\n}\n\n/**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.1")\npublic fun String.toLongOrNull(): Long? = toLongOrNull(radix = 10)\n\n/**\n * Parses the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.1")\npublic fun String.toLongOrNull(radix: Int): Long? {\n checkRadix(radix)\n\n val length = this.length\n if (length == 0) return null\n\n val start: Int\n val isNegative:

```

```

Boolean val limit: Long val firstChar = this[0] if (firstChar < '0') { // Possible leading sign
    if (length == 1) return null // non-digit (possible sign) only, no digits after
    start = 1 if (firstChar == '-')
    {
        isNegative = true limit = Long.MIN_VALUE } else if (firstChar == '+') {
        isNegative = false limit = -Long.MAX_VALUE } else return null } else {
    start = 0
    isNegative = false limit = -Long.MAX_VALUE }
    val limitForMaxRadix = (-Long.MAX_VALUE) / 36
    var limitBeforeMul = limitForMaxRadix var result = 0L for (i in start until length) {
        val digit = digitOf(this[i], radix) if (digit < 0) return null if (result < limitBeforeMul)
        {
            if (limitBeforeMul == limitForMaxRadix) {
                limitBeforeMul = limit / radix if (result < limitBeforeMul) {
                    return null } else {
                        return null
                    }
                }
            result *= radix if (result < limit + digit) return null result -= digit }
        }
    return if (isNegative) result else -result
}

internal fun numberFormatError(input: String): Nothing = throw
NumberFormatException("Invalid number format: '$input'")

/*
 * Copyright 2010-2021 JetBrains s.r.o. and
 * Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that
 * can be found in the license/LICENSE.txt file.
 */
package kotlin.time
import kotlin.contracts.*
import kotlin.jvm.JvmInline
import kotlin.math.*

/**
 * Represents the amount of time one instant of time is away
 * from another instant.
 *
 * A negative duration is possible in a situation when the second instant is earlier than the
 * first one.
 *
 * The type can store duration values up to 146 years with nanosecond precision,
 * and up to 146 million years with millisecond precision.
 *
 * If a duration-returning operation provided in `kotlin.time`
 * produces a duration value that doesn't fit into the above range,
 * the returned `Duration` is infinite.
 *
 * An infinite duration value [Duration.INFINITE] can be used to represent infinite timeouts.
 *
 * To construct a duration use either the extension function [toDuration],
 * or the extension properties [hours], [minutes], [seconds],
 * and so on,
 * available on [Int], [Long], and [Double] numeric types.
 *
 * To get the value of this duration
 * expressed in a particular [duration units][DurationUnit]
 * use the functions [toInt], [toLong], and [toDouble]
 * or the properties [inWholeHours], [inWholeMinutes], [inWholeSeconds], [inWholeNanoseconds],
 * and so on.
 */
@SinceKotlin("1.6")
@WasExperimental(ExperimentalTime::class)
@JvmInline
public value class
Duration internal constructor(private val rawValue: Long) : Comparable<Duration> {
    private val value: Long
    get() = rawValue shr 1
    private inline val unitDiscriminator: Int get() = rawValue.toInt() and 1
    private fun
    isInNanos() = unitDiscriminator == 0
    private fun isInMillis() = unitDiscriminator == 1
    private val
    storageUnit get() = if (isInNanos()) DurationUnit.NANOSECONDS else DurationUnit.MILLISECONDS

    init {
        if (durationAssertionsEnabled) {
            if (isInNanos()) {
                if (value !in -
                MAX_NANOS..MAX_NANOS) throw AssertionError("$value ns is out of nanoseconds range")
            } else {
                if (value !in -MAX_MILLIS..MAX_MILLIS) throw AssertionError("$value ms is out of milliseconds
                range")
                if (value in -MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) throw
                AssertionError("$value ms is denormalized")
            }
        }
    }

    companion object {
        /** The
        duration equal to exactly 0 seconds.
        */
        public val ZERO: Duration = Duration(0L)
        /** The duration
        whose value is positive infinity. It is useful for representing timeouts that should never expire.
        */
        public val
        INFINITE: Duration = durationOfMillis(MAX_MILLIS)
        internal val NEG_INFINITE: Duration =
        durationOfMillis(-MAX_MILLIS)
        /** Converts the given time duration [value] expressed in the specified
        [sourceUnit] into the specified [targetUnit].
        */
        @ExperimentalTime
        public fun convert(value: Double,
        sourceUnit: DurationUnit, targetUnit: DurationUnit): Double =
        convertDurationUnit(value, sourceUnit,
        targetUnit)

        // Duration construction extension properties in Duration companion scope
        /** Returns a
        [Duration] equal to this [Int] number of nanoseconds.
        */
        @kotlin.internal.InlineOnly
        public inline val
        Int.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)
        /** Returns a [Duration] equal to this
        [Long] number of nanoseconds.
        */
        @kotlin.internal.InlineOnly
        public inline val Long.nanoseconds
        get() = toDuration(DurationUnit.NANOSECONDS)
        /**
        * Returns a [Duration] equal to this
        [Double] number of nanoseconds.
        *
        * Depending on its magnitude, the value is rounded to an integer
        number of nanoseconds or milliseconds.
        *
        * @throws IllegalArgumentException if this [Double]
        value is `NaN`.
        */
        @kotlin.internal.InlineOnly
        public inline val Double.nanoseconds get() =

```

```

toDuration(DurationUnit.NANOSECONDS)\n\n    /** Returns a [Duration] equal to this [Int] number of
microseconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Int.microseconds get() =
toDuration(DurationUnit.MICROSECONDS)\n\n    /** Returns a [Duration] equal to this [Long] number of
microseconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Long.microseconds get() =
toDuration(DurationUnit.MICROSECONDS)\n\n    /**\n     * Returns a [Duration] equal to this [Double]
number of microseconds.\n     * Depending on its magnitude, the value is rounded to an integer number
of nanoseconds or milliseconds.\n     * @throws IllegalArgumentException if this [Double] value is
`NaN`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Double.microseconds get() =
toDuration(DurationUnit.MICROSECONDS)\n\n\n    /** Returns a [Duration] equal to this [Int] number of
milliseconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Int.milliseconds get() =
toDuration(DurationUnit.MILLISECONDS)\n\n    /** Returns a [Duration] equal to this [Long] number of
milliseconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Long.milliseconds get() =
toDuration(DurationUnit.MILLISECONDS)\n\n    /**\n     * Returns a [Duration] equal to this [Double]
number of milliseconds.\n     * Depending on its magnitude, the value is rounded to an integer number of
nanoseconds or milliseconds.\n     * @throws IllegalArgumentException if this [Double] value is
`NaN`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Double.milliseconds get() =
toDuration(DurationUnit.MILLISECONDS)\n\n\n    /** Returns a [Duration] equal to this [Int] number of
seconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Int.seconds get() =
toDuration(DurationUnit.SECONDS)\n\n    /** Returns a [Duration] equal to this [Long] number of seconds. */\n    @kotlin.internal.InlineOnly\n    public inline val Long.seconds get() =
toDuration(DurationUnit.SECONDS)\n\n    /**\n     * Returns a [Duration] equal to this [Double] number of
seconds.\n     * Depending on its magnitude, the value is rounded to an integer number of nanoseconds or
milliseconds.\n     * @throws IllegalArgumentException if this [Double] value is `NaN`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Double.seconds get() =
toDuration(DurationUnit.SECONDS)\n\n\n    /** Returns a [Duration] equal to this [Int] number of minutes. */\n    @kotlin.internal.InlineOnly\n    public inline val Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n    /** Returns a [Duration] equal to this [Long] number of minutes. */\n    @kotlin.internal.InlineOnly\n    public inline val Long.minutes get() = toDuration(DurationUnit.MINUTES)\n\n    /**\n     * Returns a
[Duration] equal to this [Double] number of minutes.\n     * Depending on its magnitude, the value is
rounded to an integer number of nanoseconds or milliseconds.\n     * @throws IllegalArgumentException
if this [Double] value is `NaN`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Double.minutes
get() = toDuration(DurationUnit.MINUTES)\n\n\n    /** Returns a [Duration] equal to this [Int] number of hours.
*/\n    @kotlin.internal.InlineOnly\n    public inline val Int.hours get() = toDuration(DurationUnit.HOURS)\n\n    /** Returns a [Duration] equal to this [Long] number of hours. */\n    @kotlin.internal.InlineOnly\n    public
inline val Long.hours get() = toDuration(DurationUnit.HOURS)\n\n    /**\n     * Returns a [Duration] equal to
this [Double] number of hours.\n     * Depending on its magnitude, the value is rounded to an integer
number of nanoseconds or milliseconds.\n     * @throws IllegalArgumentException if this [Double]
value is `NaN`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Double.hours get() =
toDuration(DurationUnit.HOURS)\n\n\n    /** Returns a [Duration] equal to this [Int] number of days. */\n    @kotlin.internal.InlineOnly\n    public inline val Int.days get() = toDuration(DurationUnit.DAYS)\n\n    /**
Returns a [Duration] equal to this [Long] number of days. */\n    @kotlin.internal.InlineOnly\n    public inline
val Long.days get() = toDuration(DurationUnit.DAYS)\n\n    /**\n     * Returns a [Duration] equal to this
[Double] number of days.\n     * Depending on its magnitude, the value is rounded to an integer number
of nanoseconds or milliseconds.\n     * @throws IllegalArgumentException if this [Double] value is
`NaN`.\n     */\n    @kotlin.internal.InlineOnly\n    public inline val Double.days get() =
toDuration(DurationUnit.DAYS)\n\n\n    // deprecated static factory functions\n    /** Returns a [Duration]
representing the specified [value] number of nanoseconds. */\n    @SinceKotlin("1.5")\n    @ExperimentalTime\n    @Deprecated("Use 'Int.nanoseconds' extension property from Duration.Companion

```

```

instead.\", ReplaceWith(\"value.nanoseconds\", \"kotlin.time.Duration.Companion.nanoseconds\"))\n
@DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public fun nanoseconds(value: Int): Duration =
value.toDuration(DurationUnit.NANOSECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of nanoseconds. */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n@Deprecated(\"Use 'Long.nanoseconds' extension property from Duration.Companion instead.\",
ReplaceWith(\"value.nanoseconds\", \"kotlin.time.Duration.Companion.nanoseconds\"))\n
@DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public fun nanoseconds(value: Long): Duration =
value.toDuration(DurationUnit.NANOSECONDS)\n\n    /**\n    * Returns a [Duration] representing the
specified [value] number of nanoseconds.\n    * \n    * @throws IllegalArgumentException if the provided
`Double` [value] is `NaN`.\n    */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n@Deprecated(\"Use 'Double.nanoseconds' extension property from Duration.Companion instead.\",
ReplaceWith(\"value.nanoseconds\", \"kotlin.time.Duration.Companion.nanoseconds\"))\n
@DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public fun nanoseconds(value: Double): Duration =
value.toDuration(DurationUnit.NANOSECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of microseconds. */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n@Deprecated(\"Use 'Int.microseconds' extension property from Duration.Companion instead.\",
ReplaceWith(\"value.microseconds\", \"kotlin.time.Duration.Companion.microseconds\"))\n
@DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public fun microseconds(value: Int): Duration =
value.toDuration(DurationUnit.MICROSECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of microseconds. */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n@Deprecated(\"Use 'Long.microseconds' extension property from Duration.Companion instead.\",
ReplaceWith(\"value.microseconds\", \"kotlin.time.Duration.Companion.microseconds\"))\n
@DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public fun microseconds(value: Long): Duration =
value.toDuration(DurationUnit.MICROSECONDS)\n\n    /**\n    * Returns a [Duration] representing the
specified [value] number of microseconds.\n    * \n    * @throws IllegalArgumentException if the provided
`Double` [value] is `NaN`.\n    */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n@Deprecated(\"Use 'Double.microseconds' extension property from Duration.Companion instead.\",
ReplaceWith(\"value.microseconds\", \"kotlin.time.Duration.Companion.microseconds\"))\n
@DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public fun microseconds(value: Double): Duration =
value.toDuration(DurationUnit.MICROSECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of milliseconds. */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n@Deprecated(\"Use 'Int.milliseconds' extension property from Duration.Companion instead.\",
ReplaceWith(\"value.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n
@DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public fun milliseconds(value: Int): Duration =
value.toDuration(DurationUnit.MILLISECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of milliseconds. */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n@Deprecated(\"Use 'Long.milliseconds' extension property from Duration.Companion instead.\",
ReplaceWith(\"value.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n
@DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public fun milliseconds(value: Long): Duration =
value.toDuration(DurationUnit.MILLISECONDS)\n\n    /**\n    * Returns a [Duration] representing the
specified [value] number of milliseconds.\n    * \n    * @throws IllegalArgumentException if the provided
`Double` [value] is `NaN`.\n    */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n@Deprecated(\"Use 'Double.milliseconds' extension property from Duration.Companion instead.\",
ReplaceWith(\"value.milliseconds\", \"kotlin.time.Duration.Companion.milliseconds\"))\n
@DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public fun milliseconds(value: Double): Duration =
value.toDuration(DurationUnit.MILLISECONDS)\n\n    /** Returns a [Duration] representing the specified
[value] number of seconds. */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n@Deprecated(\"Use 'Int.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.seconds\",

```

```

\kotlin.time.Duration.Companion.seconds\))\n    @DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public
fun seconds(value: Int): Duration = value.toDuration(DurationUnit.SECONDS)\n\n    /** Returns a [Duration]
representing the specified [value] number of seconds. */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n    @Deprecated(\"Use 'Long.seconds' extension property from Duration.Companion instead.\",
ReplaceWith(\"value.seconds\", \"kotlin.time.Duration.Companion.seconds\"))\n
@DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public fun seconds(value: Long): Duration =
value.toDuration(DurationUnit.SECONDS)\n\n    /**\n    * Returns a [Duration] representing the specified
[value] number of seconds.\n    *\n    * @throws IllegalArgumentException if the provided `Double` [value] is
`NaN`.\n    */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n    @Deprecated(\"Use
'Double.seconds' extension property from Duration.Companion instead.\", ReplaceWith(\"value.seconds\",
\"kotlin.time.Duration.Companion.seconds\"))\n    @DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public
fun seconds(value: Double): Duration = value.toDuration(DurationUnit.SECONDS)\n\n    /** Returns a
[Duration] representing the specified [value] number of minutes. */\n    @SinceKotlin(\"1.5\")\n
@ExperimentalTime\n    @Deprecated(\"Use 'Int.minutes' extension property from Duration.Companion
instead.\", ReplaceWith(\"value.minutes\", \"kotlin.time.Duration.Companion.minutes\"))\n
@DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public fun minutes(value: Int): Duration =
value.toDuration(DurationUnit.MINUTES)\n\n    /** Returns a [Duration] representing the specified [value]
number of minutes. */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n    @Deprecated(\"Use
'Long.minutes' extension property from Duration.Companion instead.\", ReplaceWith(\"value.minutes\",
\"kotlin.time.Duration.Companion.minutes\"))\n    @DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public
fun minutes(value: Long): Duration = value.toDuration(DurationUnit.MINUTES)\n\n    /**\n    * Returns a
[Duration] representing the specified [value] number of minutes.\n    *\n    * @throws
IllegalArgumentException if the provided `Double` [value] is `NaN`.\n    */\n    @SinceKotlin(\"1.5\")\n
@ExperimentalTime\n    @Deprecated(\"Use 'Double.minutes' extension property from Duration.Companion
instead.\", ReplaceWith(\"value.minutes\", \"kotlin.time.Duration.Companion.minutes\"))\n
@DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public fun minutes(value: Double): Duration =
value.toDuration(DurationUnit.MINUTES)\n\n    /** Returns a [Duration] representing the specified [value]
number of hours. */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n    @Deprecated(\"Use 'Int.hours'
extension property from Duration.Companion instead.\", ReplaceWith(\"value.hours\",
\"kotlin.time.Duration.Companion.hours\"))\n    @DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public
fun hours(value: Int): Duration = value.toDuration(DurationUnit.HOURS)\n\n    /** Returns a [Duration]
representing the specified [value] number of hours. */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n
@Deprecated(\"Use 'Long.hours' extension property from Duration.Companion instead.\",
ReplaceWith(\"value.hours\", \"kotlin.time.Duration.Companion.hours\"))\n
@DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public fun hours(value: Long): Duration =
value.toDuration(DurationUnit.HOURS)\n\n    /**\n    * Returns a [Duration] representing the specified
[value] number of hours.\n    *\n    * @throws IllegalArgumentException if the provided `Double` [value] is
`NaN`.\n    */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n    @Deprecated(\"Use 'Double.hours'
extension property from Duration.Companion instead.\", ReplaceWith(\"value.hours\",
\"kotlin.time.Duration.Companion.hours\"))\n    @DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public
fun hours(value: Double): Duration = value.toDuration(DurationUnit.HOURS)\n\n    /** Returns a [Duration]
representing the specified [value] number of days. */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n
@Deprecated(\"Use 'Int.days' extension property from Duration.Companion instead.\", ReplaceWith(\"value.days\",
\"kotlin.time.Duration.Companion.days\"))\n    @DeprecatedSinceKotlin(warningSince = \"1.6\")\n    public
fun days(value: Int): Duration = value.toDuration(DurationUnit.DAYS)\n\n    /** Returns a [Duration]
representing the specified [value] number of days. */\n    @SinceKotlin(\"1.5\")\n    @ExperimentalTime\n
@Deprecated(\"Use 'Long.days' extension property from Duration.Companion instead.\",
ReplaceWith(\"value.days\", \"kotlin.time.Duration.Companion.days\"))\n

```

```

@DeprecatedSinceKotlin(warningSince = `1.6`)\n    public fun days(value: Long): Duration =
value.toDuration(DurationUnit.DAYS)\n    /**\n     * Returns a [Duration] representing the specified [value]
number of days.\n     *\n     * @throws IllegalArgumentException if the provided `Double` [value] is `NaN`.\n
     */\n    @SinceKotlin(`1.5`)\n    @ExperimentalTime\n    @Deprecated("Use 'Double.days' extension
property from Duration.Companion instead.", ReplaceWith("`value.days`",
`kotlin.time.Duration.Companion.days`))\n    @DeprecatedSinceKotlin(warningSince = `1.6`)\n    public
fun days(value: Double): Duration = value.toDuration(DurationUnit.DAYS)\n    /**\n     * Parses a string that
represents a duration and returns the parsed [Duration] value.\n     *\n     * The following formats are
accepted:\n     *\n     * - ISO-8601 Duration format, e.g. `P1DT2H3M4.058S`, see [toIsoString] and
[parseIsoString].\n     * - The format of string returned by the default [Duration.toString] and `toString` in a
specific unit,\n     * e.g. `10s`, `1h 30m` or `-(1h 30m)`.\n     *\n     * @throws IllegalArgumentException if
the string doesn't represent a duration in any of the supported formats.\n     * @sample
samples.time.Durations.parse\n     */\n    public fun parse(value: String): Duration = try {\n
parseDuration(value, strictIso = false)\n    } catch (e: IllegalArgumentException) {\n        throw
IllegalArgumentException("Invalid duration string format: '$value'.", e)\n    }\n    /**\n     * Parses a
string that represents a duration in ISO-8601 format and returns the parsed [Duration] value.\n     *\n     *
@throws IllegalArgumentException if the string doesn't represent a duration in ISO-8601 format.\n     * @sample
samples.time.Durations.parseIsoString\n     */\n    public fun parseIsoString(value: String): Duration = try {\n
parseDuration(value, strictIso = true)\n    } catch (e: IllegalArgumentException) {\n        throw
IllegalArgumentException("Invalid ISO duration string format: '$value'.", e)\n    }\n    /**\n     * Parses a
string that represents a duration and returns the parsed [Duration] value,\n     * or `null` if the string doesn't
represent a duration in any of the supported formats.\n     *\n     * The following formats are accepted:\n
     *\n     * - ISO-8601 Duration format, e.g. `P1DT2H3M4.058S`, see [toIsoString] and [parseIsoString].\n     * -
The format of string returned by the default [Duration.toString] and `toString` in a specific unit,\n     * e.g. `10s`,
`1h 30m` or `-(1h 30m)`.\n     * @sample samples.time.Durations.parse\n     */\n    public fun
parseOrNull(value: String): Duration? = try {\n        parseDuration(value, strictIso = false)\n    } catch (e:
IllegalArgumentException) {\n        null\n    }\n    /**\n     * Parses a string that represents a duration in
ISO-8601 format and returns the parsed [Duration] value,\n     * or `null` if the string doesn't represent a duration
in ISO-8601 format.\n     * @sample samples.time.Durations.parseIsoString\n     */\n    public fun
parseIsoStringOrNull(value: String): Duration? = try {\n        parseDuration(value, strictIso = true)\n    } catch
(e: IllegalArgumentException) {\n        null\n    }\n    /**\n     * Returns the
negative of this value. *\n     */\n    public operator fun unaryMinus(): Duration = durationOf(-value,
unitDiscriminator)\n    /**\n     * Returns a duration whose value is the sum of this and [other] duration values.\n
     *\n     * @throws IllegalArgumentException if the operation results in an undefined value for the given arguments,\n
     * e.g. when adding infinite durations of different sign.\n     */\n    public operator fun plus(other: Duration):
Duration {\n        when {\n            this.isInfinite() -> {\n                if (other.isFinite() || (this.rawValue xor
other.rawValue >= 0))\n                    return this\n                else\n                    throw
IllegalArgumentException("Summing infinite durations of different signs yields an undefined result.")\n            }\n
            other.isInfinite() -> return other\n        }\n        return when {\n            this.unitDiscriminator ==
other.unitDiscriminator -> {\n                val result = this.value + other.value // never overflows long, but can
overflow long63\n                when {\n                    isInNanos() ->\n
durationOfNanosNormalized(result)\n                else ->\n                    durationOfMillisNormalized(result)\n
                }\n            }\n            this.isInMillis() ->\n                addValuesMixedRanges(this.value, other.value)\n
            else ->\n                addValuesMixedRanges(other.value, this.value)\n        }\n    }\n    private fun
addValuesMixedRanges(thisMillis: Long, otherNanos: Long): Duration {\n        val otherMillis =
nanosToMillis(otherNanos)\n        val resultMillis = thisMillis + otherMillis\n        return if (resultMillis in -
MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n            val otherNanoRemainder = otherNanos -
millisToNanos(otherMillis)\n            durationOfNanos(millisToNanos(resultMillis) + otherNanoRemainder)\n        }

```

```

else {\n
    durationOfMillis(resultMillis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n
} \n\n /**\n
 * Returns a duration whose value is the difference between this and [other] duration values.\n
 * \n
 * @throws\n
IllegalArgumentException if the operation results in an undefined value for the given arguments,\n
 * e.g. when\n
subtracting infinite durations of the same sign.\n
 * \n
public operator fun minus(other: Duration): Duration =\n
this + (-other)\n\n /**\n
 * Returns a duration whose value is this duration value multiplied by the given [scale]\n
number.\n
 * \n
 * @throws IllegalArgumentException if the operation results in an undefined value for the given\n
arguments,\n
 * e.g. when multiplying an infinite duration by zero.\n
 * \n
public operator fun times(scale: Int):\n
Duration {\n
    if (isInfinite()) {\n
        return when {\n
            scale == 0 -> throw\n
IllegalArgumentException("Multiplying infinite duration by zero yields an undefined result.")\n
            scale > 0\n
-> this\n
            else -> -this\n
        }\n
    }\n
    if (scale == 0) return ZERO\n\n
    val value = value\n\n
    val result = value * scale\n\n
    return if (isInNanos()) {\n
        if (value in (MAX_NANOS /\n
Int.MIN_VALUE)..(-MAX_NANOS / Int.MIN_VALUE)) {\n
            // can't overflow nanos range for any\n
scale\n
            durationOfNanos(result)\n
        } else {\n
            if (result / scale == value) {\n
                durationOfNanosNormalized(result)\n
            } else {\n
                val millis = nanosToMillis(value)\n\n
                val remNanos = value - millisToNanos(millis)\n\n
                val resultMillis = millis * scale\n\n
                val\n
totalMillis = resultMillis + nanosToMillis(remNanos * scale)\n\n
                if (resultMillis / scale == millis &&\n
totalMillis xor resultMillis >= 0) {\n
                    durationOfMillis(totalMillis.coerceIn(-\n
MAX_MILLIS..MAX_MILLIS))\n
                } else {\n
                    if (value.sign * scale.sign > 0) INFINITE\n
else NEG_INFINITE\n
                }\n
            }\n
        } else {\n
            if (result / scale == value) {\n
                durationOfMillis(result.coerceIn(-MAX_MILLIS..MAX_MILLIS))\n
            } else {\n
                if (value.sign\n
* scale.sign > 0) INFINITE else NEG_INFINITE\n
            }\n
        }\n
    }\n\n
} \n\n /**\n
 * Returns a duration whose\n
value is this duration value multiplied by the given [scale] number.\n
 * \n
 * The operation may involve rounding\n
when the result cannot be represented exactly with a [Double] number.\n
 * \n
 * @throws\n
IllegalArgumentException if the operation results in an undefined value for the given arguments,\n
 * e.g. when\n
multiplying an infinite duration by zero.\n
 * \n
public operator fun times(scale: Double): Duration {\n
    val\n
intScale = scale.roundToInt()\n\n
    if (intScale.toDouble() == scale) {\n
        return times(intScale)\n
    }\n\n
    val unit = storageUnit\n\n
    val result = toDouble(unit) * scale\n\n
    return result.toDuration(unit)\n
} \n\n\n
/**\n
 * Returns a duration whose value is this duration value divided by the given [scale] number.\n
 * \n
 * @throws\n
IllegalArgumentException if the operation results in an undefined value for the given arguments,\n
 * e.g. when\n
dividing zero duration by zero.\n
 * \n
public operator fun div(scale: Int): Duration {\n
    if (scale ==\n
0) {\n
        return when {\n
            isPositive() -> INFINITE\n
            isNegative() -> NEG_INFINITE\n
            else -> throw\n
IllegalArgumentException("Dividing zero") duration by zero yields an undefined result.")\n
        }\n
    }\n\n
    if (isInNanos()) {\n
        return durationOfNanos(value / scale)\n
    } else {\n
        if\n
(isInfinite())\n
        return this * scale.sign\n\n
        val result = value / scale\n\n
        if (result in -\n
MAX_NANOS_IN_MILLIS..MAX_NANOS_IN_MILLIS) {\n
            val rem = millisToNanos(value - (result *\n
scale)) / scale\n\n
            return durationOfNanos(millisToNanos(result) + rem)\n
        }\n
        return\n
durationOfMillis(result)\n
    }\n
} \n\n\n
/**\n
 * Returns a duration whose value is this duration value divided\n
by the given [scale] number.\n
 * \n
 * @throws\n
IllegalArgumentException if the operation results in an\n
undefined value for the given arguments,\n
 * e.g. when dividing an infinite duration by infinity or zero duration\n
by zero.\n
 * \n
public operator fun div(scale: Double): Duration {\n
    val intScale = scale.roundToInt()\n\n
    if (intScale.toDouble() == scale && intScale != 0) {\n
        return div(intScale)\n
    }\n\n
    val unit =\n
storageUnit\n\n
    val result = toDouble(unit) / scale\n\n
    return result.toDuration(unit)\n
} \n\n\n
/** Returns a\n
number that is the ratio of this and [other] duration values. * \n
public operator fun div(other: Duration): Double\n
{\n
    val coarserUnit = maxOf(this.storageUnit, other.storageUnit)\n\n
    return this.toDouble(coarserUnit) /\n
other.toDouble(coarserUnit)\n
} \n\n\n
/** Returns true, if the duration value is less than zero. * \n
public fun\n
isNegative(): Boolean = rawValue < 0\n\n
/** Returns true, if the duration value is greater than zero. * \n
public fun\n
isPositive(): Boolean = rawValue > 0\n\n
/** Returns true, if the duration value is infinite. * \n
public fun\n
isInfinite(): Boolean = rawValue == INFINITE.rawValue || rawValue == NEG_INFINITE.rawValue\n\n
/**

```

```

Returns true, if the duration value is finite. */
public fun isFinite(): Boolean = !isInfinite()

/** Returns the absolute value of this value. The returned value is always non-negative. */
public val absoluteValue: Duration
get() = if (isNegative()) -this else this

override fun compareTo(other: Duration): Int {
    val compareBits = this.rawValue xor other.rawValue
    if (compareBits < 0 || compareBits.toInt() and 1 == 0) // different signs or same sign/same range
        return this.rawValue.compareTo(other.rawValue) // same sign/different ranges
    val r = this.unitDiscriminator - other.unitDiscriminator // compare ranges
    return if (isNegative()) -r else r
}

/** Splits this duration into days, hours, minutes, seconds, and nanoseconds and executes the given [action] with these components. The result of [action] is returned as the result of this function.
 * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;
 * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;
 * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less than 60;
 * - `hours` represents the whole number of hours in this duration, and its absolute value is less than 24;
 * - `days` represents the whole number of days in this duration.
 * Infinite durations are represented as either [Long.MAX_VALUE] days, or [Long.MIN_VALUE] days (depending on the sign of infinity), and zeroes in the lower components.
 */
public inline fun <T> toComponents(action: (days: Long, hours: Int, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T {
    contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }
    return action(inWholeDays, hoursComponent, minutesComponent, secondsComponent, nanosecondsComponent)
}

/** Splits this duration into hours, minutes, seconds, and nanoseconds and executes the given [action] with these components. The result of [action] is returned as the result of this function.
 * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;
 * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;
 * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less than 60;
 * - `hours` represents the whole number of hours in this duration.
 * Infinite durations are represented as either [Long.MAX_VALUE] hours, or [Long.MIN_VALUE] hours (depending on the sign of infinity), and zeroes in the lower components.
 */
public inline fun <T> toComponents(action: (hours: Long, minutes: Int, seconds: Int, nanoseconds: Int) -> T): T {
    contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }
    return action(inWholeHours, minutesComponent, secondsComponent, nanosecondsComponent)
}

/** Splits this duration into minutes, seconds, and nanoseconds and executes the given [action] with these components. The result of [action] is returned as the result of this function.
 * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;
 * - `seconds` represents the whole number of seconds in this duration, and its absolute value is less than 60;
 * - `minutes` represents the whole number of minutes in this duration.
 * Infinite durations are represented as either [Long.MAX_VALUE] minutes, or [Long.MIN_VALUE] minutes (depending on the sign of infinity), and zeroes in the lower components.
 */
public inline fun <T> toComponents(action: (minutes: Long, seconds: Int, nanoseconds: Int) -> T): T {
    contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }
    return action(inWholeMinutes, secondsComponent, nanosecondsComponent)
}

/** Splits this duration into seconds, and nanoseconds and executes the given [action] with these components. The result of [action] is returned as the result of this function.
 * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;
 * - `seconds` represents the whole number of seconds in this duration.
 * Infinite durations are represented as either [Long.MAX_VALUE] seconds, or [Long.MIN_VALUE] seconds (depending on the sign of infinity), and zero nanoseconds.
 */
public inline fun <T> toComponents(action: (seconds: Long, nanoseconds: Int) -> T): T {
    contract { callsInPlace(action, InvocationKind.EXACTLY_ONCE) }
    return action(inWholeSeconds, nanosecondsComponent)
}

@PublishedApi internal val hoursComponent: Int
get() = if (isInfinite()) 0 else (inWholeHours % 24).toInt()

@PublishedApi internal val minutesComponent: Int
get() = if (isInfinite()) 0 else (inWholeMinutes % 60).toInt()

@PublishedApi internal val secondsComponent: Int
get() = if (isInfinite()) 0 else (inWholeSeconds % 60).toInt()

```

```

@PublishedApi\n    internal val nanosecondsComponent: Int\n        get() = when {\n            isInfinite() -> 0\n            isInMillis() -> millisToNanos(value % 1_000).toInt()\n            else -> (value % 1_000_000_000).toInt()\n        }\n\n    // conversion to units\n    /**\n     * Returns the value of this duration expressed as a [Double] number of  

the specified [unit].\n     *\n     * The operation may involve rounding when the result cannot be represented exactly  

with a [Double] number.\n     *\n     * An infinite duration value is converted either to  

[Double.POSITIVE_INFINITY] or [Double.NEGATIVE_INFINITY] depending on its sign.\n     */\n    public fun  

toDouble(unit: DurationUnit): Double {\n        return when (rawValue) {\n            INFINITE.rawValue ->  

Double.POSITIVE_INFINITY\n            NEG_INFINITE.rawValue -> Double.NEGATIVE_INFINITY\n            else -> {\n                // TODO: whether it's ok to convert to Double before scaling\n            }\n        }\n    }\n\n    /**\n     * Returns the value  

of this duration expressed as a [Long] number of the specified [unit].\n     *\n     * If the result doesn't fit in the range  

of [Long] type, it is coerced into that range:\n     * - [Long.MIN_VALUE] is returned if it's less than  

`Long.MIN_VALUE`,\n     * - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.\n     *\n     * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on  

its sign.\n     */\n    public fun toLong(unit: DurationUnit): Long {\n        return when (rawValue) {\n            INFINITE.rawValue -> Long.MAX_VALUE\n            NEG_INFINITE.rawValue -> Long.MIN_VALUE\n            else -> convertDurationUnit(value, storageUnit, unit)\n        }\n    }\n\n    /**\n     * Returns the value of this  

duration expressed as an [Int] number of the specified [unit].\n     *\n     * If the result doesn't fit in the range of [Int]  

type, it is coerced into that range:\n     * - [Int.MIN_VALUE] is returned if it's less than `Int.MIN_VALUE`,\n     * -  

[Int.MAX_VALUE] is returned if it's greater than `Int.MAX_VALUE`.\n     *\n     * An infinite duration value is  

converted either to [Int.MAX_VALUE] or [Int.MIN_VALUE] depending on its sign.\n     */\n    public fun  

toInt(unit: DurationUnit): Int =\n        toLong(unit).coerceIn(Int.MIN_VALUE.toLong(),  

Int.MAX_VALUE.toLong()).toInt()\n\n    /** The value of this duration expressed as a [Double] number of days.  

*/\n    @ExperimentalTime\n    @Deprecated("Use inWholeDays property instead or convert toDouble(DAYS) if a  

double value is required.", ReplaceWith("toDouble(DurationUnit.DAYS)"))\n    public val inDays: Double get() =  

toDouble(DurationUnit.DAYS)\n\n    /** The value of this duration expressed as a [Double] number of hours. */\n    @ExperimentalTime\n    @Deprecated("Use inWholeHours property instead or convert toDouble(HOURS) if a  

double value is required.", ReplaceWith("toDouble(DurationUnit.HOURS)"))\n    public val inHours: Double  

get() = toDouble(DurationUnit.HOURS)\n\n    /** The value of this duration expressed as a [Double] number of  

minutes. */\n    @ExperimentalTime\n    @Deprecated("Use inWholeMinutes property instead or convert  

toDouble(MINUTES) if a double value is required.", ReplaceWith("toDouble(DurationUnit.MINUTES)"))\n    public val inMinutes: Double get() = toDouble(DurationUnit.MINUTES)\n\n    /** The value of this duration  

expressed as a [Double] number of seconds. */\n    @ExperimentalTime\n    @Deprecated("Use inWholeSeconds  

property instead or convert toDouble(SECONDS) if a double value is required.",  

ReplaceWith("toDouble(DurationUnit.SECONDS)"))\n    public val inSeconds: Double get() =  

toDouble(DurationUnit.SECONDS)\n\n    /** The value of this duration expressed as a [Double] number of  

milliseconds. */\n    @ExperimentalTime\n    @Deprecated("Use inWholeMilliseconds property instead or convert  

toDouble(MILLISECONDS) if a double value is required.",  

ReplaceWith("toDouble(DurationUnit.MILLISECONDS)"))\n    public val inMilliseconds: Double get() =  

toDouble(DurationUnit.MILLISECONDS)\n\n    /** The value of this duration expressed as a [Double] number of  

microseconds. */\n    @ExperimentalTime\n    @Deprecated("Use inWholeMicroseconds property instead or  

convert toDouble(MICROSECONDS) if a double value is required.",  

ReplaceWith("toDouble(DurationUnit.MICROSECONDS)"))\n    public val inMicroseconds: Double get() =  

toDouble(DurationUnit.MICROSECONDS)\n\n    /** The value of this duration expressed as a [Double] number of  

nanoseconds. */\n    @ExperimentalTime\n    @Deprecated("Use inWholeNanoseconds property instead or convert  

toDouble(NANOSECONDS) if a double value is required.",  

ReplaceWith("toDouble(DurationUnit.NANOSECONDS)"))\n    public val inNanoseconds: Double get() =  

toDouble(DurationUnit.NANOSECONDS)\n\n    /**\n     * The value of this duration expressed as a [Long]

```

```

number of days.\n * An infinite duration value is converted either to [Long.MAX_VALUE] or
[Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeDays: Long\n    get() =
toLong(DurationUnit.DAYS)\n\n /**\n * The value of this duration expressed as a [Long] number of hours.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending
on its sign.\n */\n public val inWholeHours: Long\n    get() = toLong(DurationUnit.HOURS)\n\n /**\n *
The value of this duration expressed as a [Long] number of minutes.\n *\n * An infinite duration value is
converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val
inWholeMinutes: Long\n    get() = toLong(DurationUnit.MINUTES)\n\n /**\n * The value of this duration
expressed as a [Long] number of seconds.\n *\n * An infinite duration value is converted either to
[Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeSeconds:
Long\n    get() = toLong(DurationUnit.SECONDS)\n\n /**\n * The value of this duration expressed as a
[Long] number of milliseconds.\n *\n * An infinite duration value is converted either to [Long.MAX_VALUE]
or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeMilliseconds: Long\n    get() {\n
        return if (isInMillis() && isFinite()) value else toLong(DurationUnit.MILLISECONDS)\n    }\n\n /**\n *
The value of this duration expressed as a [Long] number of microseconds.\n *\n * If the result doesn't fit in the
range of [Long] type, it is coerced into that range:\n * - [Long.MIN_VALUE] is returned if it's less than
`Long.MIN_VALUE`,\n * - [Long.MAX_VALUE] is returned if it's greater than `Long.MAX_VALUE`.\n *\n
* An infinite duration value is converted either to [Long.MAX_VALUE] or [Long.MIN_VALUE] depending on
its sign.\n */\n public val inWholeMicroseconds: Long\n    get() =
toLong(DurationUnit.MICROSECONDS)\n\n /**\n * The value of this duration expressed as a [Long] number
of nanoseconds.\n *\n * If the result doesn't fit in the range of [Long] type, it is coerced into that range:\n * -
[Long.MIN_VALUE] is returned if it's less than `Long.MIN_VALUE`,\n * - [Long.MAX_VALUE] is returned if
it's greater than `Long.MAX_VALUE`.\n *\n * An infinite duration value is converted either to
[Long.MAX_VALUE] or [Long.MIN_VALUE] depending on its sign.\n */\n public val inWholeNanoseconds:
Long\n    get() {\n        val value = value\n        return when {\n            isInNanos() -> value\n
            value > Long.MAX_VALUE / NANOS_IN_MILLIS -> Long.MAX_VALUE\n            value <
Long.MIN_VALUE / NANOS_IN_MILLIS -> Long.MIN_VALUE\n            else -> millisToNanos(value)\n
        }\n    }\n\n // shortcuts\n\n /**\n * Returns the value of this duration expressed as a [Long] number of
nanoseconds.\n *\n * If the value doesn't fit in the range of [Long] type, it is coerced into that range, see the
conversion [Double.toLong] for details.\n *\n * The range of durations that can be expressed as a `Long`
number of nanoseconds is approximately \u00b1292 years.\n */\n @ExperimentalTime\n @Deprecated("Use
inWholeNanoseconds property instead.", ReplaceWith("this.inWholeNanoseconds"))\n public fun
toLongNanoseconds(): Long = inWholeNanoseconds\n\n /**\n * Returns the value of this duration expressed as
a [Long] number of milliseconds.\n *\n * The value is coerced to the range of [Long] type, if it doesn't fit in
that range, see the conversion [Double.toLong] for details.\n *\n * The range of durations that can be expressed
as a `Long` number of milliseconds is approximately \u00b1292 million years.\n */\n @ExperimentalTime\n
@Deprecated("Use inWholeMilliseconds property instead.", ReplaceWith("this.inWholeMilliseconds"))\n
public fun toLongMilliseconds(): Long = inWholeMilliseconds\n\n /**\n * Returns a string representation of
this duration value\n * expressed as a combination of numeric components, each in its own unit.\n *\n * Each
component is a number followed by the unit abbreviated name: `d`, `h`, `m`, `s`:\n * `5h`, `1d 12h`, `1h 0m
30.340s`.\n * The last component, usually seconds, can be a number with a fractional part.\n *\n * If the
duration is less than a second, it is represented as a single number\n * with one of sub-second units: `ms`
(milliseconds), `us` (microseconds), or `ns` (nanoseconds):\n * `140.884ms`, `500us`, `24ns`.\n *\n * A
negative duration is prefixed with `-` sign and, if it consists of multiple components, surrounded with parentheses:\n
* `-12m` and `-(1h 30m)`.\n *\n * Special cases:\n * - an infinite duration is formatted as `"Infinity"` or
`"-Infinity"` without a unit.\n *\n * It's recommended to use [toIsoString] that uses more strict ISO-8601
format instead of this `toString`\n * when you want to convert a duration to a string in cases of serialization,
interchange, etc.\n *\n * @sample samples.time.Durations.toStringDefault\n */\n override fun toString():

```

```

String = when (rawValue) {\n    0L -> \"0s\"\n    INFINITE.rawValue -> \"Infinity\"\n
NEG_INFINITE.rawValue -> \"-Infinity\"\n    else -> {\n        val isNegative = isNegative()\n
buildString {\n        if (isNegative) append('-')\n        absoluteValue.toComponents { days, hours, minutes,\n
seconds, nanoseconds ->\n            val hasDays = days != 0L\n            val hasHours = hours != 0\n
            val hasMinutes = minutes != 0\n            val hasSeconds = seconds != 0 || nanoseconds != 0\n            var\n
components = 0\n            if (hasDays) {\n                append(days).append('d')\n
components++\n            }\n            if (hasHours || (hasDays && (hasMinutes || hasSeconds))) {\n
            if (components++ > 0) append(' ')\n            append(hours).append('h')\n            }\n            if\n
(hasMinutes || (hasSeconds && (hasHours || hasDays))) {\n                if (components++ > 0) append(' ')\n
                append(minutes).append('m')\n            }\n            if (hasSeconds) {\n                if\n
(components++ > 0) append(' ')\n                when {\n                    seconds != 0 || hasDays || hasHours ||\n
hasMinutes ->\n                    appendFractional(seconds, nanoseconds, 9, \"s\", isoZeroes = false)\n
                    nanoseconds >= 1_000_000 ->\n                    appendFractional(nanoseconds / 1_000_000, nanoseconds\n
% 1_000_000, 6, \"ms\", isoZeroes = false)\n                    nanoseconds >= 1_000 ->\n
appendFractional(nanoseconds / 1_000, nanoseconds % 1_000, 3, \"us\", isoZeroes = false)\n                } else -\n
>\n                append(nanoseconds).append(\"ns\")\n            }\n            }\n            if\n
(isNegative && components > 1) insert(1, (' ').append(' '))\n            }\n            }\n            }\n            }\n\n private fun\n
StringBuilder.appendFractional(whole: Int, fractional: Int, fractionalSize: Int, unit: String, isoZeroes: Boolean) {\n
    append(whole)\n    if (fractional != 0) {\n        append('.')\n        val fracString =\n
fractional.toString().padStart(fractionalSize, '0')\n        val nonZeroDigits = fracString.indexOfLast { it != '0' } +\n
1\n        when {\n            !isoZeroes && nonZeroDigits < 3 -> appendRange(fracString, 0, nonZeroDigits)\n
            else -> appendRange(fracString, 0, ((nonZeroDigits + 2) / 3) * 3)\n        }\n        }\n        append(unit)\n
}\n\n /**\n * Returns a string representation of this duration value expressed in the given [unit]\n * and\n
formatted with the specified [decimals] number of digits after decimal point.\n * \n * Special cases:\n * - an\n
infinite duration is formatted as `\"Infinity\"` or `\"-Infinity\"` without a unit.\n * \n * @param decimals the\n
number of digits after decimal point to show. The value must be non-negative.\n * \n * No more than 12 decimals will\n
be shown, even if a larger number is requested.\n * \n * @return the value of duration in the specified [unit]\n
followed by that unit abbreviated name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.\n * \n * @throws\n
IllegalArgumentException if [decimals] is less than zero.\n * \n * @sample\n
samples.time.Durations.toStringDecimals\n * \n public fun toString(unit: DurationUnit, decimals: Int = 0):\n
String {\n    require(decimals >= 0) { \"decimals must be not negative, but was $decimals\" }\n    val number =\n
toDouble(unit)\n    if (number.isInfinite()) return number.toString()\n    return formatToExactDecimals(number,\n
decimals.coerceAtMost(12)) + unit.shortName()\n }\n\n /**\n * Returns an ISO-8601 based string\n
representation of this duration.\n * \n * The returned value is presented in the format `PTm>s.fS`, where `h`,\n
`m`, `s` are the integer components of this duration (see [toComponents])\n * and `f` is a fractional part of second.\n
Depending on the roundness of the value the fractional part can be formatted with either\n * 0, 3, 6, or 9 decimal\n
digits.\n * \n * The infinite duration is represented as `\"PT9999999999999999H\"` which is larger than any\n
possible finite duration in Kotlin.\n * \n * Negative durations are indicated with the sign `-` in the beginning of\n
the returned string, for example, `\"-PT5M30S\"`.\n * \n * @sample samples.time.Durations.toIsoString\n
*\n public fun toIsoString(): String = buildString {\n    if (isNegative()) append('-')\n    append(\"PT\")\n
this@Duration.absoluteValue.toComponents { hours, minutes, seconds, nanoseconds ->\n
@Suppress(\"NAME_SHADOWING\")\n        var hours = hours\n        if (isInfinite()) {\n            // use large\n
enough value instead of Long.MAX_VALUE\n            hours = 9_999_999_999_999\n        }\n        val\n
hasHours = hours != 0L\n        val hasSeconds = seconds != 0 || nanoseconds != 0\n        val hasMinutes =\n
minutes != 0 || (hasSeconds && hasHours)\n        if (hasHours) {\n            append(hours).append('H')\n
}\n        if (hasMinutes) {\n            append(minutes).append('M')\n        }\n        if (hasSeconds ||\n
(!hasHours && !hasMinutes)) {\n            appendFractional(seconds, nanoseconds, 9, \"S\", isoZeroes = true)\n
}\n        }\n        }\n        }\n        }\n\n// constructing from number of units\n// extension functions\n/** Returns a [Duration]

```

equal to this [Int] number of the specified [unit].

```
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalTime::class)\npublic fun Int.toDuration(unit: DurationUnit): Duration {\n    return if (unit <= DurationUnit.SECONDS) {\n        durationOfNanos(convertDurationUnitOverflow(this.toLong(), unit, DurationUnit.NANOSECONDS))\n    } else {\n        toLong().toDuration(unit)\n    }\n}\n/** Returns a [Duration] equal to this [Long] number of the specified [unit].\n*\n*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalTime::class)\npublic fun Long.toDuration(unit: DurationUnit): Duration {\n    val maxNsInUnit = convertDurationUnitOverflow(MAX_NANOS, DurationUnit.NANOSECONDS, unit)\n    if (this in -maxNsInUnit..maxNsInUnit) {\n        return durationOfNanos(convertDurationUnitOverflow(this, unit, DurationUnit.NANOSECONDS))\n    } else {\n        val millis = convertDurationUnit(this, unit, DurationUnit.MILLISECONDS)\n        return durationOfMillis(millis.coerceIn(-MAX_MILLIS, MAX_MILLIS))\n    }\n}\n/** Returns a [Duration] equal to this [Double] number of the specified [unit].\n*\n*\n* Depending on its magnitude, the value is rounded to an integer number of nanoseconds or milliseconds.\n*\n*\n* @throws IllegalArgumentException if this `Double` value is `NaN`.\n*\n*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalTime::class)\npublic fun Double.toDuration(unit: DurationUnit): Duration {\n    val valueInNs = convertDurationUnit(this, unit, DurationUnit.NANOSECONDS)\n    require(!valueInNs.isNaN()) { "Duration value cannot be NaN." }\n    val nanos = valueInNs.roundToLong()\n    return if (nanos in -MAX_NANOS..MAX_NANOS) {\n        durationOfNanos(nanos)\n    } else {\n        val millis = convertDurationUnit(this, unit, DurationUnit.MILLISECONDS).roundToLong()\n        durationOfMillisNormalized(millis)\n    }\n}\n\n// constructing from number of units\n// deprecated extension properties\n/** Returns a [Duration] equal to this [Int] number of nanoseconds.\n*\n*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Int.nanoseconds' extension property from Duration.Companion instead.", ReplaceWith("this.nanoseconds", "kotlin.time.Duration.Companion.nanoseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val Int.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of nanoseconds.\n*\n*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Long.nanoseconds' extension property from Duration.Companion instead.", ReplaceWith("this.nanoseconds", "kotlin.time.Duration.Companion.nanoseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val Long.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/** Returns a [Duration] equal to this [Double] number of nanoseconds.\n*\n*\n* @throws IllegalArgumentException if this [Double] value is `NaN`.\n*\n*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Double.nanoseconds' extension property from Duration.Companion instead.", ReplaceWith("this.nanoseconds", "kotlin.time.Duration.Companion.nanoseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val Double.nanoseconds get() = toDuration(DurationUnit.NANOSECONDS)\n\n/** Returns a [Duration] equal to this [Int] number of microseconds.\n*\n*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Int.microseconds' extension property from Duration.Companion instead.", ReplaceWith("this.microseconds", "kotlin.time.Duration.Companion.microseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val Int.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of microseconds.\n*\n*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Long.microseconds' extension property from Duration.Companion instead.", ReplaceWith("this.microseconds", "kotlin.time.Duration.Companion.microseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val Long.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to this [Double] number of microseconds.\n*\n*\n* @throws IllegalArgumentException if this [Double] value is `NaN`.\n*\n*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Double.microseconds' extension property from Duration.Companion instead.", ReplaceWith("this.microseconds", "kotlin.time.Duration.Companion.microseconds"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic val Double.microseconds get() = toDuration(DurationUnit.MICROSECONDS)\n\n/** Returns a [Duration] equal to this [Int] number of milliseconds.\n*\n*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use 'Int.milliseconds' extension property from Duration.Companion instead.", ReplaceWith("this.milliseconds",
```

```

\"kotlin.time.Duration.Companion.milliseconds\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Int.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this
[Long] number of milliseconds. *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use
'Long.milliseconds' extension property from Duration.Companion instead.\", ReplaceWith(\"this.milliseconds\"),
\"kotlin.time.Duration.Companion.milliseconds\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/**\n * Returns a [Duration] equal to this
[Double] number of milliseconds.\n *n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.milliseconds' extension property
from Duration.Companion instead.\", ReplaceWith(\"this.milliseconds\"),
\"kotlin.time.Duration.Companion.milliseconds\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.milliseconds get() = toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this
[Int] number of seconds. *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.seconds'
extension property from Duration.Companion instead.\", ReplaceWith(\"this.seconds\"),
\"kotlin.time.Duration.Companion.seconds\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Int.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of
seconds. *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.seconds' extension property
from Duration.Companion instead.\", ReplaceWith(\"this.seconds\"),
\"kotlin.time.Duration.Companion.seconds\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/**\n * Returns a [Duration] equal to this [Double]
number of seconds.\n *n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.seconds' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.seconds\"),
\"kotlin.time.Duration.Companion.seconds\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.seconds get() = toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Int]
number of minutes. *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.minutes' extension
property from Duration.Companion instead.\", ReplaceWith(\"this.minutes\"),
\"kotlin.time.Duration.Companion.minutes\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Int.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Long] number of
minutes. *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.minutes' extension property
from Duration.Companion instead.\", ReplaceWith(\"this.minutes\"),
\"kotlin.time.Duration.Companion.minutes\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/**\n * Returns a [Duration] equal to this [Double]
number of minutes.\n *n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.minutes' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.minutes\"),
\"kotlin.time.Duration.Companion.minutes\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.minutes get() = toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Int]
number of hours. *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.hours' extension
property from Duration.Companion instead.\", ReplaceWith(\"this.hours\"),
\"kotlin.time.Duration.Companion.hours\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Int.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Long] number of
hours. *\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.hours' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.hours\"),
\"kotlin.time.Duration.Companion.hours\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.hours get() = toDuration(DurationUnit.HOURS)\n\n/**\n * Returns a [Duration] equal to this [Double]
number of hours.\n *n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.hours' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.hours\"),

```

```

\"kotlin.time.Duration.Companion.hours\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.hours get() = toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Int] number of
days. *\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Int.days' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.days\"),
\"kotlin.time.Duration.Companion.days\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val Int.days
get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Long] number of days.
*\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Long.days' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.days\"),
\"kotlin.time.Duration.Companion.days\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Long.days get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Double] number
of days.\n * \n * @throws IllegalArgumentException if this [Double] value is `NaN`.\n
*\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\n@Deprecated(\"Use 'Double.days' extension property from
Duration.Companion instead.\", ReplaceWith(\"this.days\"),
\"kotlin.time.Duration.Companion.days\")\n@DeprecatedSinceKotlin(warningSince = \"1.5\")\npublic val
Double.days get() = toDuration(DurationUnit.DAYS)\n\n/** Returns a duration whose value is the specified
[duration] value multiplied by this number.
*\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\n@kotlin.internal.InlineOnly\npublic
inline operator fun Int.times(duration: Duration): Duration = duration * this\n\n/** Returns a duration whose
value is the specified [duration] value multiplied by this number.\n * \n * The operation may involve rounding when
the result cannot be represented exactly with a [Double] number.\n * \n * @throws IllegalArgumentException if the
operation results in a `NaN` value.\n
*\n@SinceKotlin(\"1.6\")\n@WasExperimental(ExperimentalTime::class)\n@kotlin.internal.InlineOnly\npublic
inline operator fun Double.times(duration: Duration): Duration = duration * this\n\n\nprivate fun
parseDuration(value: String, strictIso: Boolean): Duration {\n    var length = value.length\n    if (length == 0) throw
IllegalArgumentException(\"The string is empty\")\n    var index = 0\n    var result = Duration.ZERO\n    val
infinityString = \"Infinity\"\n    when (value[index]) {\n        '+', '-' -> index++\n    }\n    val hasSign = index > 0\n    val
isNegative = hasSign && value.startsWith('-')\n    when {\n        length <= index ->\n            throw
IllegalArgumentException(\"No components\")\n        value[index] == 'P' -> {\n            if (++index == length) throw
IllegalArgumentException()\n            val nonDigitSymbols = \"+-.\">\n            var isTimeComponent = false\n            var
prevUnit: DurationUnit? = null\n            while (index < length) {\n                if (value[index] == 'T') {\n                    if (isTimeComponent || ++index == length) throw
IllegalArgumentException()\n                    isTimeComponent =
true\n                    continue\n                }\n                val component = value.substringWhile(index) { it in '0'..'9' || it in
nonDigitSymbols }\n                if (component.isEmpty()) throw IllegalArgumentException()\n                index +=
component.length\n                val unitChar = value.getOrElse(index) { throw
IllegalArgumentException(\"Missing unit for value $component\") }\n                index++\n                val unit = durationUnitByIsoChar(unitChar,
isTimeComponent)\n                if (prevUnit != null && prevUnit <= unit) throw
IllegalArgumentException(\"Unexpected order of duration components\")\n                prevUnit = unit\n                val
dotIndex = component.indexOf('.')\n                if (unit == DurationUnit.SECONDS && dotIndex > 0) {\n                    val
whole = component.substring(0, dotIndex)\n                    result +=
parseOverLongIsoComponent(whole).toDuration(unit)\n                    result +=
component.substring(dotIndex).toDouble().toDuration(unit)\n                } else {\n                    result +=
parseOverLongIsoComponent(component).toDuration(unit)\n                }\n            }\n            strictIso ->\n                throw
IllegalArgumentException()\n            value.regionMatches(index, infinityString, 0, length = maxOf(length -
index, infinityString.length), ignoreCase = true) -> {\n                result = Duration.INFINITE\n            }\n            else -> {\n                // parse default string format\n                var prevUnit: DurationUnit? = null\n                var afterFirst = false\n                var allowSpaces = !hasSign\n                if (hasSign && value[index] == '(' && value.last() == ')') {\n                    allowSpaces = true\n                    if (++index == --length) throw
IllegalArgumentException(\"No components\")\n                }\n                while (index < length) {\n                    if (afterFirst && allowSpaces) {\n                        index =

```



```

v1.toLong()\n    val divisor = v2.toLong()\n    if (divisor < 0) { // i.e., divisor >= 2^63:\n        return if (v1 < v2)\n        ULong(0) else ULong(1)\n    }\n    // Optimization - use signed division if both dividend and divisor < 2^63\n    if (dividend >= 0) {\n        return ULong(dividend / divisor)\n    }\n    // Otherwise, approximate the quotient, check,\n    and correct if necessary.\n    val quotient = ((dividend ushr 1) / divisor) shl 1\n    val rem = dividend - quotient *\n    divisor\n    return ULong(quotient + if (ULong(rem) >= ULong(divisor)) 1 else 0)\n}\n\n@PublishedApi\ninternal\nfun ulongRemainder(v1: ULong, v2: ULong): ULong {\n    val dividend = v1.toLong()\n    val divisor =\n    v2.toLong()\n    if (divisor < 0) { // i.e., divisor >= 2^63:\n        return if (v1 < v2) {\n            v1 // dividend <\n            divisor\n        } else {\n            v1 - v2 // dividend >= divisor\n        }\n    }\n    // Optimization - use signed\n    modulus if both dividend and divisor < 2^63\n    if (dividend >= 0) {\n        return ULong(dividend % divisor)\n    }\n    // Otherwise, approximate the quotient, check, and correct if necessary.\n    val quotient = ((dividend ushr 1)\n    / divisor) shl 1\n    val rem = dividend - quotient * divisor\n    return ULong(rem - if (ULong(rem) >=\n    ULong(divisor)) divisor else 0)\n}\n\n@PublishedApi\ninternal fun doubleToUInt(v: Double): UInt = when {\n    v.isNaN() -> 0u\n    v <= UInt.MIN_VALUE.toDouble() -> UInt.MIN_VALUE\n    v >=\n    UInt.MAX_VALUE.toDouble() -> UInt.MAX_VALUE\n    v <= Int.MAX_VALUE -> v.toInt().toUInt()\n    else -\n    > (v - Int.MAX_VALUE).toInt().toUInt() + Int.MAX_VALUE.toUInt()\n    // Int.MAX_VALUE < v <\n    UInt.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun doubleToULong(v: Double): ULong = when {\n    v.isNaN() -> 0u\n    v <= ULong.MIN_VALUE.toDouble() -> ULong.MIN_VALUE\n    v >=\n    ULong.MAX_VALUE.toDouble() -> ULong.MAX_VALUE\n    v < Long.MAX_VALUE ->\n    v.toLong().toULong()\n    // Real values from Long.MAX_VALUE to (Long.MAX_VALUE + 1) are not\n    representable in Double, so don't handle them.\n    else -> (v - 9223372036854775808.0).toLong().toULong() +\n    9223372036854775808uL\n    // Long.MAX_VALUE + 1 < v <\n    ULong.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun uintToDouble(v: Int): Double = (v and\n    Int.MAX_VALUE).toDouble() + (v ushr 31 shl 30).toDouble() * 2\n}\n\n@PublishedApi\ninternal fun\n    ulongToDouble(v: Long): Double = (v ushr 11).toDouble() * 2048 + (v and 2047)\n}\n\n@PublishedApi\ninternal fun\n    ulongToString(v: Long): String = ulongToString(v, 10)\n\n@PublishedApi\ninternal fun\n    ulongToString(v: Long, base: Int): String {\n    if (v >= 0) return v.toString(base)\n    var quotient = ((v ushr 1) / base) shl 1\n    var rem = v - quotient * base\n    if (rem >= base) {\n        rem -= base\n        quotient += 1\n    }\n    return quotient.toString(base) +\n    rem.toString(base)\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language\n    contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n    license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\CollectionsKt")\n\npackage\n    kotlin.collections\n\n/**\n * Given an [iterator] function constructs an [Iterable] instance that returns values through\n    the [Iterator]\n * provided by that function.\n * @sample samples.collections.Iterables.Building.iterable\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T>\n    = object : Iterable<T> {\n        override fun iterator(): Iterator<T> = iterator()\n    }\n\n/**\n * A wrapper over another\n    [Iterable] (or any other object that can produce an [Iterator]) that returns\n * an indexing iterator.\n */\n\ninternal class\n    IndexingIterable<out T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {\n        override\n        fun iterator(): Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\n    }\n\n/**\n * Returns the size of\n    this iterable if it is known, or `null` otherwise.\n */\n\n@PublishedApi\ninternal fun <T>\n    Iterable<T>.collectionSizeOrNull(): Int? = if (this is Collection<*>) this.size else null\n\n/**\n * Returns the size of\n    this iterable if it is known, or the specified [default] value otherwise.\n */\n\n@PublishedApi\ninternal fun <T>\n    Iterable<T>.collectionSizeOrDefault(default: Int): Int = if (this is Collection<*>) this.size else default\n\n/**\n * Returns a single list of all elements from all collections in the given collection.\n * @sample\n    samples.collections.Iterables.Operations.flattenIterable\n */\n\npublic fun <T> Iterable<Iterable<T>>.flatten():\n    List<T> {\n    val result = ArrayList<T>()\n    for (element in this) {\n        result.addAll(element)\n    }\n    return\n    result\n}\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this\n    collection,\n * *second* list is built from the second values of each pair from this collection.\n * @sample\n    samples.collections.Iterables.Operations.unzipIterable\n */\n\npublic fun <T, R> Iterable<Pair<T, R>>.unzip():

```

```

Pair<List<T>, List<R>> {
    val expectedSize = collectionSizeOrDefault(10)
    val listT = ArrayList<T>(expectedSize)
    val listR = ArrayList<R>(expectedSize)
    for (pair in this) {
        listT.add(pair.first)
        listR.add(pair.second)
    }
    return listT to listR
}

/**
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("SequencesKt")
package kotlin.sequences
import kotlin.random.Random

/**
 * Given an [iterator] function constructs a [Sequence] that returns values through the [Iterator] provided by that function.
 * The values are evaluated lazily, and the sequence is potentially infinite.
 */
@sample samples.collections.Sequences.Building.sequenceFromIterator
@kotlin.internal.InlineOnly
public inline fun <T> Sequence(crossinline iterator: () -> Iterator<T>): Sequence<T> = object : Sequence<T> {
    override fun iterator(): Iterator<T> = iterator()
}

/**
 * Creates a sequence that returns all elements from this iterator.
 * The sequence is constrained to be iterated only once.
 */
@sample samples.collections.Sequences.Building.sequenceFromIterator
public fun <T> Iterator<T>.asSequence(): Sequence<T> = Sequence { this }.constrainOnce()

/**
 * Creates a sequence that returns the specified values.
 */
@sample samples.collections.Sequences.Building.sequenceOfValues
public fun <T> sequenceOf(vararg elements: T): Sequence<T> = if (elements.isEmpty()) emptySequence() else elements.asSequence()

/**
 * Returns an empty sequence.
 */
public fun <T> emptySequence(): Sequence<T> = EmptySequence

private object EmptySequence : Sequence<Nothing>, DropTakeSequence<Nothing> {
    override fun iterator(): Iterator<Nothing> = EmptyIterator
    override fun drop(n: Int) = EmptySequence
    override fun take(n: Int) = EmptySequence
}

/**
 * Returns this sequence if it's not `null` and the empty sequence otherwise.
 */
@sample samples.collections.Sequences.Usage.sequenceOrEmpty
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>?.orEmpty(): Sequence<T> = this ?: emptySequence()

/**
 * Returns a sequence that iterates through the elements either of this sequence or, if this sequence turns out to be empty, of the sequence returned by [defaultValue] function.
 */
@sample samples.collections.Sequences.Usage.sequenceIfEmpty
@SinceKotlin("1.3")
public fun <T> Sequence<T>.ifEmpty(defaultValue: () -> Sequence<T>): Sequence<T> = sequence {
    val iterator = this@ifEmpty.iterator()
    if (iterator.hasNext()) {
        yieldAll(iterator)
    } else {
        yieldAll(defaultValue())
    }
}

/**
 * Returns a sequence of all elements from all sequences in this sequence.
 * The operation is _intermediate_ and _stateless_.
 */
@sample samples.collections.Sequences.Transformations.flattenSequenceOfSequences
public fun <T> Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }

/**
 * Returns a sequence of all elements from all iterables in this sequence.
 * The operation is _intermediate_ and _stateless_.
 */
@sample samples.collections.Sequences.Transformations.flattenSequenceOfLists
@kotlin.jvm.JvmName("flattenSequenceOfIterable")
public fun <T> Sequence<Iterable<T>>.flatten(): Sequence<T> = flatten { it.iterator() }

private fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>): Sequence<R> {
    if (this is TransformingSequence<*, *>) {
        return (this as TransformingSequence<*, T>).flatten(iterator)
    }
    return FlatteningSequence(this, { it }, iterator)
}

/**
 * Returns a pair of lists, where **first* list is built from the first values of each pair from this sequence, **second* list is built from the second values of each pair from this sequence.
 * The operation is _terminal_.
 */
@sample samples.collections.Sequences.Transformations.unzip
public fun <T, R> Sequence<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {
    val listT = ArrayList<T>()
    val listR = ArrayList<R>()
    for (pair in this) {
        listT.add(pair.first)
        listR.add(pair.second)
    }
    return listT to listR
}

/**
 * Returns a sequence that yields elements of this sequence randomly shuffled.
 * Note that every iteration of the sequence returns elements in a different order.
 * The operation is _intermediate_ and _stateful_.
 */
@SinceKotlin("1.4")
public fun <T> Sequence<T>.shuffled(): Sequence<T> = shuffled(Random)

/**
 * Returns a sequence that yields elements of this sequence randomly shuffled using the specified [random] instance as the source of randomness.
 * Note that every iteration of the sequence returns elements in a
 */

```

```

different order.\n * The operation is _intermediate_ and _stateful_.\n * Since Kotlin("1.4")\npublic fun <T>
Sequence<T>.shuffled(random: Random): Sequence<T> = sequence<T> {\n    val buffer = toMutableList()\n
while (buffer.isNotEmpty()) {\n    val j = random.nextInt(buffer.size)\n    val last = buffer.removeLast()\n
val value = if (j < buffer.size) buffer.set(j, last) else last\n    yield(value)\n    }\n}\n\n/**\n * A sequence that
returns the values from the underlying [sequence] that either match or do not match\n * the specified [predicate].\n
*\n * @param sendWhen If `true`, values for which the predicate returns `true` are returned. Otherwise,\n * values
for which the predicate returns `false` are returned\n *\ninternal class FilteringSequence<T>(\n    private val
sequence: Sequence<T>,\n    private val sendWhen: Boolean = true,\n    private val predicate: (T) -> Boolean\n) :
Sequence<T> {\n\n    override fun iterator(): Iterator<T> = object : Iterator<T> {\n        val iterator =
sequence.iterator()\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n        var nextItem: T?
= null\n\n        private fun calcNext() {\n            while (iterator.hasNext()) {\n                val item = iterator.next()\n
                if (predicate(item) == sendWhen) {\n                    nextItem = item\n                    nextState = 1\n
                }\n            }\n            nextState = 0\n        }\n\n        override fun next(): T {\n            if (nextState
== -1)\n                calcNext()\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val
result = nextItem\n            nextItem = null\n            nextState = -1\n            @Suppress("UNCHECKED_CAST")\n
            return result as T\n        }\n\n        override fun hasNext(): Boolean {\n            if (nextState == -1)\n
                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n/**\n * A sequence which returns the results of
applying the given [transformer] function to the values\n * in the underlying [sequence].\n *\ninternal class
TransformingSequence<T, R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (T) -> R) :
Sequence<R> {\n    override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator =
sequence.iterator()\n        override fun next(): R {\n            return transformer(iterator.next())\n        }\n\n
        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\ninternal fun <E>
flatten(iterator: (R) -> Iterator<E>): Sequence<E> {\n    return FlatteningSequence<T, R, E>(sequence,
transformer, iterator)\n}\n\n/**\n * A sequence which returns the results of applying the given [transformer]
function to the values\n * in the underlying [sequence], where the transformer function takes the index of the value
in the underlying\n * sequence along with the value itself.\n *\ninternal class TransformingIndexedSequence<T,
R>\nconstructor(private val sequence: Sequence<T>, private val transformer: (Int, T) -> R) : Sequence<R> {\n
    override fun iterator(): Iterator<R> = object : Iterator<R> {\n        val iterator = sequence.iterator()\n
        var index = 0\n        override fun next(): R {\n            return transformer(checkIndexOverflow(index++), iterator.next())\n
        }\n\n        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A
sequence which combines values from the underlying [sequence] with their indices and returns them as\n *
[IndexValue] objects.\n *\ninternal class IndexingSequence<T>\nconstructor(private val sequence:
Sequence<T>) : Sequence<IndexedValue<T>> {\n    override fun iterator(): Iterator<IndexedValue<T>> = object :
Iterator<IndexedValue<T>> {\n        val iterator = sequence.iterator()\n        var index = 0\n        override fun next():
IndexedValue<T> {\n            return IndexedValue(checkIndexOverflow(index++), iterator.next())\n        }\n\n
        override fun hasNext(): Boolean {\n            return iterator.hasNext()\n        }\n    }\n}\n\n/**\n * A sequence which
takes the values from two parallel underlying sequences, passes them to the given\n * [transform] function and
returns the values returned by that function. The sequence stops returning\n * values as soon as one of the
underlying sequences stops returning values.\n *\ninternal class MergingSequence<T1, T2, V>\nconstructor(\n
private val sequence1: Sequence<T1>,\n    private val sequence2: Sequence<T2>,\n    private val transform: (T1,
T2) -> V\n) : Sequence<V> {\n    override fun iterator(): Iterator<V> = object : Iterator<V> {\n        val iterator1 =
sequence1.iterator()\n        val iterator2 = sequence2.iterator()\n        override fun next(): V {\n            return
transform(iterator1.next(), iterator2.next())\n        }\n\n        override fun hasNext(): Boolean {\n            return
iterator1.hasNext() && iterator2.hasNext()\n        }\n    }\n}\n\ninternal class FlatteningSequence<T, R,
E>\nconstructor(\n    private val sequence: Sequence<T>,\n    private val transformer: (T) -> R,\n    private val
iterator: (R) -> Iterator<E>\n) : Sequence<E> {\n    override fun iterator(): Iterator<E> = object : Iterator<E> {\n
        val iterator = sequence.iterator()\n        var itemIterator: Iterator<E>? = null\n\n        override fun next(): E {\n
            if (!ensureItemIterator())\n                throw NoSuchElementException()\n            return itemIterator!!.next()\n
        }\n    }\n}\n

```



```

sequence: Sequence<T>,\n private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n init {\n
require(count >= 0) { \"count must be non-negative, but was $count.\" }\n }\n\n override fun drop(n: Int):
Sequence<T> = (count + n).let { n1 -> if (n1 < 0) DropSequence(this, n) else DropSequence(sequence, n1) }\n
override fun take(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) TakeSequence(this, n) else
SubSequence(sequence, count, n1) }\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val
iterator = sequence.iterator()\n var left = count\n\n // Shouldn't be called from constructor to avoid
premature iteration\n private fun drop() {\n while (left > 0 && iterator.hasNext()) {\n
iterator.next()\n left--\n }\n }\n\n override fun next(): T {\n drop()\n return
iterator.next()\n }\n\n override fun hasNext(): Boolean {\n drop()\n return iterator.hasNext()\n
}\n }\n}\n\n/**\n * A sequence that skips the values from the underlying [sequence] while the given
[predicate] returns `true` and returns\n * all values after that.\n */\ninternal class
DropWhileSequence<T>{\n constructor(\n private val sequence: Sequence<T>,\n private val predicate: (T) ->
Boolean\n) : Sequence<T> {\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val iterator =
sequence.iterator()\n var dropState: Int = -1 // -1 for not dropping, 1 for nextItem, 0 for normal iteration\n
var nextItem: T? = null\n\n private fun drop() {\n while (iterator.hasNext()) {\n val item =
iterator.next()\n if (!predicate(item)) {\n nextItem = item\n dropState = 1\n
return\n }\n }\n dropState = 0\n }\n\n override fun next(): T {\n if
(dropState == -1)\n drop()\n if (dropState == 1) {\n
@Suppress(\"UNCHECKED_CAST\")\n val result = nextItem as T\n nextItem = null\n
dropState = 0\n return result\n }\n return iterator.next()\n }\n\n override fun
hasNext(): Boolean {\n if (dropState == -1)\n drop()\n return dropState == 1 ||
iterator.hasNext()\n }\n }\n}\n\ninternal class DistinctSequence<T, K>(\n private val source: Sequence<T>,\n
private val keySelector: (T) -> K) : Sequence<T> {\n override fun iterator(): Iterator<T> =
DistinctIterator(source.iterator(), keySelector)\n}\n\nprivate class DistinctIterator<T, K>(\n private val source:
Iterator<T>,\n private val keySelector: (T) -> K) : AbstractIterator<T>() {\n private val observed =
HashSet<K>()\n\n override fun computeNext() {\n while (source.hasNext()) {\n val next =
source.next()\n val key = keySelector(next)\n\n if (observed.add(key)) {\n setNext(next)\n
return\n }\n }\n done()\n }\n}\n\nprivate class GeneratorSequence<T : Any>(\n private val
getInitialValue: () -> T?,\n private val getNextValue: (T) -> T?) : Sequence<T> {\n override fun iterator():
Iterator<T> = object : Iterator<T> {\n var nextItem: T? = null\n var nextState: Int = -2 // -2 for initial
unknown, -1 for next unknown, 0 for done, 1 for continue\n\n private fun calcNext() {\n nextItem = if
(nextState == -2) getInitialValue() else getNextValue(nextItem!!)\n nextState = if (nextItem == null) 0 else
1\n }\n\n override fun next(): T {\n if (nextState < 0)\n calcNext()\n\n if (nextState
== 0)\n throw NoSuchElementException()\n val result = nextItem as T\n // Do not clean
nextItem (to avoid keeping reference on yielded instance) -- need to keep state for getNextValue\n nextState
= -1\n return result\n }\n\n override fun hasNext(): Boolean {\n if (nextState < 0)\n
calcNext()\n return nextState == 1\n }\n }\n}\n\n/**\n * Returns a wrapper sequence that provides
values of this sequence, but ensures it can be iterated only one time.\n */\n * The operation is `intermediate` and
`stateless`.\n */\n * [IllegalStateException] is thrown on iterating the returned sequence for the second time and the
following times.\n */\n * \npublic fun <T> Sequence<T>.constrainOnce(): Sequence<T> {\n // as? does not work
in js\n //return this as? ConstrainedOnceSequence<T>?: ConstrainedOnceSequence(this)\n return if (this is
ConstrainedOnceSequence<T>) this else ConstrainedOnceSequence(this)\n}\n\n/**\n * Returns a sequence which
invokes the function to calculate the next value on each iteration until the function returns `null`.\n */\n * The
returned sequence is constrained to be iterated only once.\n */\n * @see constrainOnce\n */\n * @see
kotlin.sequences.sequence\n */\n * @sample samples.collections.Sequences.Building.generateSequence\n */\npublic
fun <T : Any> generateSequence(nextFunction: () -> T?): Sequence<T> {\n return
GeneratorSequence(nextFunction, { nextFunction() }).constrainOnce()\n}\n\n/**\n * Returns a sequence defined by
the starting value [seed] and the function [nextFunction],\n */\n * which is invoked to calculate the next value based on

```

the previous one on each iteration.\n \* The sequence produces values until it encounters first `null` value.\n \* If [seed] is `null`, an empty sequence is produced.\n \* The sequence can be iterated multiple times, each time starting with [seed].\n \* @see kotlin.sequences.sequence\n \* @sample samples.collections.Sequences.Building.generateSequenceWithSeed

```

* /n @kotlin.internal.LowPriorityInOverloadResolution\n public fun <T : Any> generateSequence(seed: T?,
nextFunction: (T) -> T?): Sequence<T> =\n     if (seed == null)\n         EmptySequence\n     else\n         GeneratorSequence({ seed }, nextFunction)\n /n /n **\n * Returns a sequence defined by the function [seedFunction],
which is invoked to produce the starting value,\n * and the [nextFunction], which is invoked to calculate the next
value based on the previous one on each iteration.\n * The sequence produces values until it encounters first
`null` value.\n * If [seedFunction] returns `null`, an empty sequence is produced.\n * The sequence can be
iterated multiple times.\n * @see kotlin.sequences.sequence\n * @sample
samples.collections.Sequences.Building.generateSequenceWithLazySeed
* /n public fun <T : Any>
generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =\n
GeneratorSequence(seedFunction, nextFunction)\n /n /n **\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n
* /n @file:kotlin.jvm.JvmMultifileClass\n @file:kotlin.jvm.JvmName("PreconditionsKt")\n /n package
kotlin\n /n import kotlin.contracts.contract\n /n /n **\n * Throws an [IllegalArgumentException] if the [value] is false.\n
* @sample samples.misc.Preconditions.failRequireWithLazyMessage
* /n @kotlin.internal.InlineOnly\n public
inline fun require(value: Boolean): Unit {\n     contract {\n         returns() implies value\n     }\n     require(value) {
"Failed requirement." }\n /n /n **\n * Throws an [IllegalArgumentException] with the result of calling
[lazyMessage] if the [value] is false.\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage
* /n @kotlin.internal.InlineOnly\n public inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {\n
contract {\n     returns() implies value\n }\n     if (!value) {\n         val message = lazyMessage()\n         throw
IllegalArgumentException(message.toString())\n     }\n /n /n **\n * Throws an [IllegalArgumentException] if the
[value] is null. Otherwise returns the not null value.\n * /n @kotlin.internal.InlineOnly\n public inline fun <T : Any>
requireNotNull(value: T?): T {\n     contract {\n         returns() implies (value != null)\n     }\n     return
requireNotNull(value) { "Required value was null." }\n /n /n **\n * Throws an [IllegalArgumentException] with
the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n * @sample
samples.misc.Preconditions.failRequireNotNullWithLazyMessage
* /n @kotlin.internal.InlineOnly\n public inline
fun <T : Any> requireNotNull(value: T?, lazyMessage: () -> Any): T {\n     contract {\n         returns() implies (value
!= null)\n     }\n     if (value == null) {\n         val message = lazyMessage()\n         throw
IllegalArgumentException(message.toString())\n     } else {\n         return value\n     }\n /n /n **\n * Throws an
[IllegalStateException] if the [value] is false.\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage
* /n @kotlin.internal.InlineOnly\n public inline fun
check(value: Boolean): Unit {\n     contract {\n         returns() implies value\n     }\n     check(value) { "Check failed."
}\n /n /n **\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is false.\n
* @sample samples.misc.Preconditions.failCheckWithLazyMessage
* /n @kotlin.internal.InlineOnly\n public
inline fun check(value: Boolean, lazyMessage: () -> Any): Unit {\n     contract {\n         returns() implies value\n     }\n
if (!value) {\n         val message = lazyMessage()\n         throw IllegalStateException(message.toString())\n     }\n
/n /n **\n * Throws an [IllegalStateException] if the [value] is null. Otherwise\n * returns the not null value.\n
* @sample samples.misc.Preconditions.failCheckWithLazyMessage
* /n @kotlin.internal.InlineOnly\n public
inline fun <T : Any> checkNotNull(value: T?): T {\n     contract {\n         returns() implies (value != null)\n     }\n
return checkNotNull(value) { "Required value was null." }\n /n /n **\n * Throws an [IllegalStateException] with
the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage
* /n @kotlin.internal.InlineOnly\n public inline fun <T :
Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {\n     contract {\n         returns() implies (value != null)\n
}\n     if (value == null) {\n         val message = lazyMessage()\n         throw

```

```

IllegalStateException(message.toString())\n } else {\n     return value\n }\n}\n\n/**\n * Throws an
[IllegalStateException] with the given [message].\n *\n * @sample samples.misc.Preconditions.failWithError\n
*\n*\n@kotlin.internal.InlineOnly\npublic inline fun error(message: Any): Nothing = throw
IllegalStateException(message.toString())\n","/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n*\npackage kotlin.collections\n\n//\n// NOTE: THIS FILE IS AUTO-GENERATED
by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport
kotlin.js.*\nimport primitiveArrayConcat\nimport withType\nimport kotlin.ranges.contains\nimport
kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n *\n * @sample
samples.collections.Collections.Elements.elementAt\n *\n*\npublic actual fun <T> Array<out T>.elementAt(index:
Int): T {\n     return elementAtOrElse(index) { throw IndexOutOfBoundsException("\index: $index, size: $size")}
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n *\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\n*\npublic
actual fun ByteArray.elementAt(index: Int): Byte {\n     return elementAtOrElse(index) { throw
IndexOutOfBoundsException("\index: $index, size: $size")} }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n *\n * @sample
samples.collections.Collections.Elements.elementAt\n *\n*\npublic actual fun ShortArray.elementAt(index: Int): Short
{\n     return elementAtOrElse(index) { throw IndexOutOfBoundsException("\index: $index, size: $size")}
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n *\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\n*\npublic
actual fun IntArray.elementAt(index: Int): Int {\n     return elementAtOrElse(index) { throw
IndexOutOfBoundsException("\index: $index, size: $size")} }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n *\n * @sample
samples.collections.Collections.Elements.elementAt\n *\n*\npublic actual fun LongArray.elementAt(index: Int): Long
{\n     return elementAtOrElse(index) { throw IndexOutOfBoundsException("\index: $index, size: $size")}
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n *\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\n*\npublic
actual fun FloatArray.elementAt(index: Int): Float {\n     return elementAtOrElse(index) { throw
IndexOutOfBoundsException("\index: $index, size: $size")} }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n *\n * @sample
samples.collections.Collections.Elements.elementAt\n *\n*\npublic actual fun DoubleArray.elementAt(index: Int):
Double {\n     return elementAtOrElse(index) { throw IndexOutOfBoundsException("\index: $index, size: $size")}
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n *\n *\n * @sample samples.collections.Collections.Elements.elementAt\n *\n*\npublic
actual fun BooleanArray.elementAt(index: Int): Boolean {\n     return elementAtOrElse(index) { throw
IndexOutOfBoundsException("\index: $index, size: $size")} }\n}\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n *\n * @sample
samples.collections.Collections.Elements.elementAt\n *\n*\npublic actual fun CharArray.elementAt(index: Int): Char
{\n     return elementAtOrElse(index) { throw IndexOutOfBoundsException("\index: $index, size: $size")}
}\n}\n\n/**\n * Returns a [List] that wraps the original array.\n *\n*\npublic actual fun <T> Array<out T>.asList():
List<T> {\n     return ArrayList<T>(this.unsafeCast<Array<Any?>>())\n}\n\n/**\n * Returns a [List] that wraps the
original array.\n *\n*\n@kotlin.internal.InlineOnly\npublic actual inline fun ByteArray.asList(): List<Byte> {\n
return this.unsafeCast<Array<Byte>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n*\n@kotlin.internal.InlineOnly\npublic actual inline fun ShortArray.asList(): List<Short> {\n     return
this.unsafeCast<Array<Short>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n*\n@kotlin.internal.InlineOnly\npublic actual inline fun IntArray.asList(): List<Int> {\n     return
this.unsafeCast<Array<Int>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n

```

```

*\n@kotlin.internal.InlineOnly\npublic actual inline fun LongArray.asList(): List<Long> {\n    return
this.unsafeCast<Array<Long>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@kotlin.internal.InlineOnly\npublic actual inline fun FloatArray.asList(): List<Float> {\n    return
this.unsafeCast<Array<Float>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@kotlin.internal.InlineOnly\npublic actual inline fun DoubleArray.asList(): List<Double> {\n    return
this.unsafeCast<Array<Double>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@kotlin.internal.InlineOnly\npublic actual inline fun BooleanArray.asList(): List<Boolean> {\n    return
this.unsafeCast<Array<Boolean>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\npublic actual fun CharArray.asList(): List<Char> {\n    return object : AbstractList<Char>(), RandomAccess {\n
        override val size: Int get() = this@asList.size\n        override fun isEmpty(): Boolean = this@asList.isEmpty()\n
        override fun contains(element: Char): Boolean = this@asList.contains(element)\n        override fun get(index: Int):
Char {\n            AbstractList.checkElementIndex(index, size)\n            return this@asList[index]\n        }\n
        override fun indexOf(element: Char): Int {\n            @Suppress("\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual infix fun <T>
Array<out T>.contentDeepEquals(other: Array<out T>): Boolean {\n    return
this.contentDeepEquals(other)\n}\n\n/**\n * Returns `true` if the two specified arrays are *deeply* equal to one
another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The specified arrays are
also considered deeply equal if both are `null`.\n * \n * If two corresponding elements are nested arrays, they are
also compared deeply.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n *
The elements of other types are compared for equality with the [equals][Any.equals] function.\n * For floating point
numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.4")\n@library("arrayDeepEquals")\npublic actual infix fun <T> Array<out
T>?.contentDeepEquals(other: Array<out T>?): Boolean {\n    definedExternally\n}\n\n/**\n * Returns a hash code
based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays
contains itself on any nesting level the behavior is undefined.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out
T>.contentDeepHashCode(): Int {\n    return this.contentDeepHashCode()\n}\n\n/**\n * Returns a hash code based
on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays
contains itself on any nesting level the behavior is undefined.\n
*\n@SinceKotlin("1.4")\n@library("arrayDeepHashCode")\npublic actual fun <T> Array<out
T>?.contentDeepHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the
contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains
itself on any nesting level that reference\n * is rendered as `"[...]"` to prevent recursion.\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentDeepToString\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.LowPriorityInOverloadResolution\npublic actual fun <T> Array<out
T>.contentDeepToString(): String {\n    return this.contentDeepToString()\n}\n\n/**\n * Returns a string
representation of the contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any
of arrays contains itself on any nesting level that reference\n * is rendered as `"[...]"` to prevent recursion.\n * \n *
@sample samples.collections.Arrays.ContentOperations.contentDeepToString\n
*\n@SinceKotlin("1.4")\n@library("arrayDeepToString")\npublic actual fun <T> Array<out

```

`T>?.contentDeepToString(): String` {\n definedExternally\n}\n\n/\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean {\n return this.contentEquals(other)\n}\n\n/\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun ByteArray.contentEquals(other: ByteArray): Boolean {\n return this.contentEquals(other)\n}\n\n/\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun ShortArray.contentEquals(other: ShortArray): Boolean {\n return this.contentEquals(other)\n}\n\n/\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun IntArray.contentEquals(other: IntArray): Boolean {\n return this.contentEquals(other)\n}\n\n/\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun LongArray.contentEquals(other: LongArray): Boolean {\n return this.contentEquals(other)\n}\n\n/\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun FloatArray.contentEquals(other: FloatArray): Boolean {\n return this.contentEquals(other)\n}\n\n/\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean {\n return this.contentEquals(other)\n}\n\n/\*\*\n \* Returns `true` if the two specified arrays are \*structurally\* equal to one another,\n \* i.e. contain the same number of the same elements in the same order.\n \* The elements are compared for equality with the [equals][Any.equals] function.\n \* For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n \*/\n@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic actual infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean {\n return this.contentEquals(other)\n}\n\n

Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation warning.")`

`@SinceKotlin("1.1")`

`@DeprecatedSinceKotlin(hiddenSince = "1.4")`

public actual infix fun CharArray.contentEquals(other: CharArray): Boolean {  
return this.contentEquals(other)  
}

Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

`@library("arrayEquals")`

public actual infix fun <T> Array<out T>?.contentEquals(other: Array<out T>?): Boolean {  
definedExternally  
}

Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

`@library("arrayEquals")`

public actual infix fun ByteArray?.contentEquals(other: ByteArray?): Boolean {  
definedExternally  
}

Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

`@library("arrayEquals")`

public actual infix fun ShortArray?.contentEquals(other: ShortArray?): Boolean {  
definedExternally  
}

Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

`@library("arrayEquals")`

public actual infix fun IntArray?.contentEquals(other: IntArray?): Boolean {  
definedExternally  
}

Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

`@library("arrayEquals")`

public actual infix fun LongArray?.contentEquals(other: LongArray?): Boolean {  
definedExternally  
}

Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

`@library("arrayEquals")`

public actual infix fun FloatArray?.contentEquals(other: FloatArray?): Boolean {  
definedExternally  
}

Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

`@library("arrayEquals")`

public actual infix fun DoubleArray?.contentEquals(other: DoubleArray?): Boolean {  
definedExternally  
}

Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

`@SinceKotlin("1.4")`

`@library("arrayEquals")`

public actual infix fun BooleanArray?.contentEquals(other: BooleanArray?): Boolean {  
definedExternally  
}

Returns `true` if the two specified arrays are *structurally* equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it



contents of the specified array as if it is [List].\n \* \n \* @sample

```

samples.collections.Arrays.ContentOperations.contentToString\n *^n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun <T> Array<out T>.contentToString(): String {\n  return this.contentToString()\n}\n\n/**\n * Returns a
string representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *^n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun ByteArray.contentToString(): String {\n  return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *^n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun ShortArray.contentToString(): String {\n  return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *^n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun IntArray.contentToString(): String {\n  return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *^n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun LongArray.contentToString(): String {\n  return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *^n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun FloatArray.contentToString(): String {\n  return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *^n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun DoubleArray.contentToString(): String {\n  return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *^n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun BooleanArray.contentToString(): String {\n  return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n *^n@Deprecated("Use Kotlin compiler 1.4 to
avoid deprecation warning.\")\n@SinceKotlin("1.1")\n@DeprecatedSinceKotlin(hiddenSince = "1.4")\npublic
actual fun CharArray.contentToString(): String {\n  return this.contentToString()\n}\n\n/**\n * Returns a string
representation of the contents of the specified array as if it is [List].\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun <T> Array<out T>?.contentToString():
String {\n  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun ByteArray?.contentToString(): String
{\n  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun ShortArray?.contentToString(): String
{\n  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun IntArray?.contentToString(): String {\n

```

```

definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun LongArray?.contentToString(): String
{\n  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun FloatArray?.contentToString(): String
{\n  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun DoubleArray?.contentToString(): String
{\n  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun BooleanArray?.contentToString():
String {\n  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.4")\n@library("arrayToString")\npublic actual fun CharArray?.contentToString(): String
{\n  definedExternally\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that
array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it
overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset
the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of
the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this
array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex]
or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws
IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified
[destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the
[destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS")\npublic actual inline fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset:
Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T> {\n  arrayCopy(this, destination, destinationOffset,
startIndex, endIndex)\n  return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination]
array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the
subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n *
@param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the
beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the
subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices
range.\n * \n * @return the [destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS")\npublic actual inline fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0,
startIndex: Int = 0, endIndex: Int = size): ByteArray {\n  arrayCopy(this.unsafeCast<Array<Byte>>(),
destination.unsafeCast<Array<Byte>>(), destinationOffset, startIndex, endIndex)\n  return destination\n}\n\n/**\n
* Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass
the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n
* \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array
to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n
* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this

```

array indices or when `startIndex > endIndex`. \n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n \* or when that index is out of the [destination] array indices range. \n \* \n \* @return the [destination] array. \n

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray {\n    arrayCopy(this.unsafeCast<Array<Short>>(), destination.unsafeCast<Array<Short>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n

```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray {\n    arrayCopy(this.unsafeCast<Array<Int>>(), destination.unsafeCast<Array<Int>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n

```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray {\n    arrayCopy(this.unsafeCast<Array<Long>>(), destination.unsafeCast<Array<Long>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n * @param destination the array to copy to. \n * @param destinationOffset the position in the [destination] array to copy to, 0 by default. \n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default. \n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default. \n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`. \n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset], \n * or when that index is out of the [destination] array indices range. \n * \n * @return the [destination] array. \n

```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray {\n    arrayCopy(this.unsafeCast<Array<Float>>(), destination.unsafeCast<Array<Float>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array. \n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range. \n * \n *

```

@param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray {\n    arrayCopy(this.unsafeCast<Array<Double>>(), destination.unsafeCast<Array<Double>>(), destinationOffset, startIndex, endIndex)\n    return
```

destination\n}\n\n/\*\*\n \* Copies this array or its subrange into the [destination] array and returns that array.\n \* \n \* It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray {\n
```

```
arrayCopy(this.unsafeCast<Array<Boolean>>(), destination.unsafeCast<Array<Boolean>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray {\n    arrayCopy(this.unsafeCast<Array<Char>>(),
```

```
destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
```

```
samples.collections.Arrays.CopyOfOperations.copyOf\n *\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline fun <T> Array<out T>.copyOf(): Array<T> {\n    return
```

```
this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun ByteArray.copyOfOf(): ByteArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
```

```
samples.collections.Arrays.CopyOfOperations.copyOf\n *\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun ShortArray.copyOfOf(): ShortArray {\n    return this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
```

```

samples.collections.Arrays.CopyOfOperations.copyOfOf\n *^\\n@Suppress("\\NOTHING_TO_INLINE\\")\\npublic
actual inline fun IntArray.copyOfOf(): IntArray {\\n    return this.asDynamic().slice()\\n}\\n\\n/**\\n * Returns new array
which is a copy of the original array.\\n * \\n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\\n
*/\\npublic actual fun LongArray.copyOfOf(): LongArray {\\n    return withType("\\LongArray\\",
this.asDynamic().slice())\\n}\\n\\n/**\\n * Returns new array which is a copy of the original array.\\n * \\n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *^\\n@Suppress("\\NOTHING_TO_INLINE\\")\\npublic
actual inline fun FloatArray.copyOfOf(): FloatArray {\\n    return this.asDynamic().slice()\\n}\\n\\n/**\\n * Returns new
array which is a copy of the original array.\\n * \\n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *^\\n@Suppress("\\NOTHING_TO_INLINE\\")\\npublic
actual inline fun DoubleArray.copyOfOf(): DoubleArray {\\n    return this.asDynamic().slice()\\n}\\n\\n/**\\n * Returns
new array which is a copy of the original array.\\n * \\n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *^\\npublic actual fun BooleanArray.copyOfOf():
BooleanArray {\\n    return withType("\\BooleanArray\\", this.asDynamic().slice())\\n}\\n\\n/**\\n * Returns new array
which is a copy of the original array.\\n * \\n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\\n
*/\\npublic actual fun CharArray.copyOfOf(): CharArray {\\n    return withType("\\CharArray\\",
this.asDynamic().slice())\\n}\\n\\n/**\\n * Returns new array which is a copy of the original array, resized to the given
[newSize].\\n * The copy is either truncated or padded at the end with zero values if necessary.\\n * \\n * - If [newSize]
is less than the size of the original array, the copy array is truncated to the [newSize].\\n * - If [newSize] is greater
than the size of the original array, the extra elements in the copy array are filled with zero values.\\n * \\n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *^\\npublic actual fun
ByteArray.copyOfOf(newSize: Int): ByteArray {\\n    require(newSize >= 0) { "\\Invalid new array size: $newSize.\\\"
}\\n    return fillFrom(this, ByteArray(newSize))\\n}\\n\\n/**\\n * Returns new array which is a copy of the original
array, resized to the given [newSize].\\n * The copy is either truncated or padded at the end with zero values if
necessary.\\n * \\n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with zero values.\\n * \\n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\\n
*/\\npublic actual fun ShortArray.copyOfOf(newSize: Int): ShortArray {\\n    require(newSize >= 0) { "\\Invalid new
array size: $newSize.\\\" }\\n    return fillFrom(this, ShortArray(newSize))\\n}\\n\\n/**\\n * Returns new array which is a
copy of the original array, resized to the given [newSize].\\n * The copy is either truncated or padded at the end with
zero values if necessary.\\n * \\n * - If [newSize] is less than the size of the original array, the copy array is truncated
to the [newSize].\\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array
are filled with zero values.\\n * \\n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *^\\npublic actual fun
IntArray.copyOfOf(newSize: Int): IntArray {\\n    require(newSize >= 0) { "\\Invalid new array size: $newSize.\\\" }\\n
return fillFrom(this, IntArray(newSize))\\n}\\n\\n/**\\n * Returns new array which is a copy of the original array,
resized to the given [newSize].\\n * The copy is either truncated or padded at the end with zero values if necessary.\\n
* \\n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\\n * - If
[newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero
values.\\n * \\n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *^\\npublic actual
fun LongArray.copyOfOf(newSize: Int): LongArray {\\n    require(newSize >= 0) { "\\Invalid new array size:
$newSize.\\\" }\\n    return withType("\\LongArray\\", arrayCopyResize(this, newSize, 0L))\\n}\\n\\n/**\\n * Returns new
array which is a copy of the original array, resized to the given [newSize].\\n * The copy is either truncated or padded
at the end with zero values if necessary.\\n * \\n * - If [newSize] is less than the size of the original array, the copy
array is truncated to the [newSize].\\n * - If [newSize] is greater than the size of the original array, the extra elements
in the copy array are filled with zero values.\\n * \\n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *^\\npublic actual fun
FloatArray.copyOfOf(newSize: Int): FloatArray {\\n    require(newSize >= 0) { "\\Invalid new array size: $newSize.\\\"
}\\n    return fillFrom(this, FloatArray(newSize))\\n}\\n\\n/**\\n * Returns new array which is a copy of the original

```

array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with zero values if necessary.\n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

```

public actual fun DoubleArray.copyOf(newSize: Int): DoubleArray {
    require(newSize >= 0) { "Invalid new array size: $newSize." }
    return fillFrom(this, DoubleArray(newSize))
}

```

\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with `false` values if necessary.\n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `false` values.\n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

```

public actual fun BooleanArray.copyOf(newSize: Int): BooleanArray {
    require(newSize >= 0) { "Invalid new array size: $newSize." }
    return withType("BooleanArray", arrayCopyResize(this, newSize, false))
}

```

\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with null char (`\u0000`) values if necessary.\n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with null char (`\u0000`) values.\n \* @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf

```

public actual fun CharArray.copyOf(newSize: Int): CharArray {
    require(newSize >= 0) { "Invalid new array size: $newSize." }
    return withType("CharArray", fillFrom(this, CharArray(newSize)))
}

```

\n \* Returns new array which is a copy of the original array, resized to the given [newSize].\n \* The copy is either truncated or padded at the end with `null` values if necessary.\n \* - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n \* - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with `null` values.\n \* @sample samples.collections.Arrays.CopyOfOperations.resizingCopyOf

```

@Suppress("ACTUAL_WITHOUT_EXPECT")
public actual fun <T> Array<out T>.copyOf(newSize: Int): Array<T?> {
    require(newSize >= 0) { "Invalid new array size: $newSize." }
    return arrayCopyResize(this, newSize, null)
}

```

\n \* Returns a new array which is a copy of the specified range of the original array.\n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* @Suppress("ACTUAL\_WITHOUT\_EXPECT")

```

public actual fun <T> Array<out T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    return this.asDynamic().slice(fromIndex, toIndex)
}

```

\n \* Returns a new array which is a copy of the specified range of the original array.\n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* @public actual fun

```

ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    return this.asDynamic().slice(fromIndex, toIndex)
}

```

\n \* Returns a new array which is a copy of the specified range of the original array.\n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to copy.\n \* @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n \* @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n \* @public actual fun

```

ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    return this.asDynamic().slice(fromIndex, toIndex)
}

```

\n \* Returns a new array which is a copy of the specified range of the original array.\n \* @param fromIndex the start of the range (inclusive) to copy.\n \* @param toIndex the end of the range (exclusive) to



```

actual fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    this.asDynamic().fill(element, fromIndex, toIndex);
}

/**
 * Fills this array or its subrange with the specified [element] value.
 *
 * @param fromIndex the start of the range (inclusive) to fill, 0 by default.
 * @param toIndex the end of the range (exclusive) to fill, size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 */
@SinceKotlin("1.3")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    this.asDynamic().fill(element, fromIndex, toIndex);
}

/**
 * Fills this array or its subrange with the specified [element] value.
 *
 * @param fromIndex the start of the range (inclusive) to fill, 0 by default.
 * @param toIndex the end of the range (exclusive) to fill, size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 */
@SinceKotlin("1.3")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    this.asDynamic().fill(element, fromIndex, toIndex);
}

/**
 * Fills this array or its subrange with the specified [element] value.
 *
 * @param fromIndex the start of the range (inclusive) to fill, 0 by default.
 * @param toIndex the end of the range (exclusive) to fill, size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 */
@SinceKotlin("1.3")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    this.asDynamic().fill(element, fromIndex, toIndex);
}

/**
 * Fills this array or its subrange with the specified [element] value.
 *
 * @param fromIndex the start of the range (inclusive) to fill, 0 by default.
 * @param toIndex the end of the range (exclusive) to fill, size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 */
@SinceKotlin("1.3")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    this.asDynamic().fill(element, fromIndex, toIndex);
}

/**
 * Fills this array or its subrange with the specified [element] value.
 *
 * @param fromIndex the start of the range (inclusive) to fill, 0 by default.
 * @param toIndex the end of the range (exclusive) to fill, size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 */
@SinceKotlin("1.3")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    this.asDynamic().fill(element, fromIndex, toIndex);
}

/**
 * Fills this array or its subrange with the specified [element] value.
 *
 * @param fromIndex the start of the range (inclusive) to fill, 0 by default.
 * @param toIndex the end of the range (exclusive) to fill, size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 */
@SinceKotlin("1.3")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public

```

```

actual fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    this.asDynamic().fill(element, fromIndex, toIndex);
}

/**
 * Fills this array or its subrange with the specified [element] value.
 * @param fromIndex the start of the range (inclusive) to fill, 0 by default.
 * @param toIndex the end of the range (exclusive) to fill, size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
 */
@SinceKotlin("1.3")
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    this.asDynamic().fill(element, fromIndex, toIndex);
}

/**
 * Returns an array containing all elements of the original array and then the given [element].
 */
@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")
public actual inline operator fun <T> Array<out T>.plus(element: T): Array<T> {
    return this.asDynamic().concat(arrayOf(element));
}

/**
 * Returns an array containing all elements of the original array and then the given [element].
 */
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun ByteArray.plus(element: Byte): ByteArray {
    return plus(byteArrayOf(element));
}

/**
 * Returns an array containing all elements of the original array and then the given [element].
 */
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun ShortArray.plus(element: Short): ShortArray {
    return plus(shortArrayOf(element));
}

/**
 * Returns an array containing all elements of the original array and then the given [element].
 */
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun IntArray.plus(element: Int): IntArray {
    return plus(intArrayOf(element));
}

/**
 * Returns an array containing all elements of the original array and then the given [element].
 */
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun LongArray.plus(element: Long): LongArray {
    return plus(longArrayOf(element));
}

/**
 * Returns an array containing all elements of the original array and then the given [element].
 */
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun FloatArray.plus(element: Float): FloatArray {
    return plus(floatArrayOf(element));
}

/**
 * Returns an array containing all elements of the original array and then the given [element].
 */
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun DoubleArray.plus(element: Double): DoubleArray {
    return plus(doubleArrayOf(element));
}

/**
 * Returns an array containing all elements of the original array and then the given [element].
 */
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {
    return plus(booleanArrayOf(element));
}

/**
 * Returns an array containing all elements of the original array and then the given [element].
 */
@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun CharArray.plus(element: Char): CharArray {
    return plus(charArrayOf(element));
}

/**
 * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
 */
@Suppress("ACTUAL_WITHOUT_EXPECT")
public actual operator fun <T> Array<out T>.plus(elements: Collection<T>): Array<T> {
    return arrayPlusCollection(this, elements);
}

/**
 * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
 */
public actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {
    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements);
}

/**
 * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
 */
public actual operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {
    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements);
}

/**
 * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
 */
public actual operator fun IntArray.plus(elements: Collection<Int>): IntArray {
    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements);
}

/**
 * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.
 */
public actual operator fun LongArray.plus(elements: Collection<Long>): LongArray {
    return arrayPlusCollection(this, elements);
}

```

containing all elements of the original array and then all elements of the given [elements] collection.

```

public actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {
    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.

```

public actual operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {
    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.

```

public actual operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {
    return arrayPlusCollection(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] collection.

```

public actual operator fun CharArray.plus(elements: Collection<Char>): CharArray {
    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")
public actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>): Array<T> {
    return this.asDynamic().concat(elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun ByteArray.plus(elements: ByteArray): ByteArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun ShortArray.plus(elements: ShortArray): ShortArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun IntArray.plus(elements: IntArray): IntArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun LongArray.plus(elements: LongArray): LongArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun FloatArray.plus(elements: FloatArray): FloatArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun DoubleArray.plus(elements: DoubleArray): DoubleArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun BooleanArray.plus(elements: BooleanArray): BooleanArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then all elements of the given [elements] array.

```

@Suppress("NOTHING_TO_INLINE")
public actual inline operator fun CharArray.plus(elements: CharArray): CharArray {
    return primitiveArrayConcat(this, elements)
}

```

\* Returns an array containing all elements of the original array and then the given [element].

```

@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")
public actual inline fun <T> Array<out T>.plusElement(element: T): Array<T> {
    return this.asDynamic().concat(arrayOf(element))
}

```

\* Sorts the array in-place.

```

@sample
samples.collections.Arrays.Sorting.sortArray

```

\* @library("primitiveArraySort")

```

public actual fun IntArray.sort(): Unit {
    definedExternally
}

```

\* Sorts the array in-place.

```

@sample
samples.collections.Arrays.Sorting.sortArray

```

\* public actual fun LongArray.sort(): Unit {

```

    @Suppress("DEPRECATION")
    if (size > 1) sort { a: Long, b: Long -> a.compareTo(b) }
}

```

\* Sorts the array in-place.

```

@sample
samples.collections.Arrays.Sorting.sortArray

```

```

*\n@library("\primitiveArraySort")\npublic actual fun ByteArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n*\n@library("\primitiveArraySort")\npublic actual fun ShortArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample samples.collections.Arrays.Sorting.sortArray\n */\n*\n@library("\primitiveArraySort")\npublic actual fun DoubleArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample\n samples.collections.Arrays.Sorting.sortArray\n */\n*\n@library("\primitiveArraySort")\npublic actual fun\n FloatArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample\n samples.collections.Arrays.Sorting.sortArray\n */\n*\n@library("\primitiveArraySort")\npublic actual fun\n CharArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place according to the natural order\n of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other\n after sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n */\n\npublic actual fun\n <T : Comparable<T>> Array<out T>.sort(): Unit {\n  if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-\n place according to the order specified by the given [comparison] function.\n * \n * The sort is _stable_. It means that\n equal elements preserve their order relative to each other after sorting.\n */\n\n@Deprecated("Use sortWith instead",\n ReplaceWith("this.sortWith(Comparator(comparison))"))\n@DeprecatedSinceKotlin(warningSince =\n "1.6")\npublic fun <T> Array<out T>.sort(comparison: (a: T, b: T) -> Int): Unit {\n  if (size > 1)\n sortArrayWith(this, comparison)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * The sort is _stable_. It\n means that equal elements preserve their order relative to each other after sorting.\n * \n * @param fromIndex the\n start of the range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size\n of this array by default.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex]\n is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than\n [toIndex].\n * @sample samples.collections.Arrays.Sorting.sortRangeOfArrayOfComparable\n */\n\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic\n actual fun <T : Comparable<T>> Array<out T>.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n sortArrayWith(this, fromIndex, toIndex,\n naturalOrder())\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range\n (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by\n default.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than\n the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic\n actual fun ByteArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val subarray =\n this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ByteArray>()\n subarray.sort()\n}\n\n/**\n * Sorts a\n range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * \n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws\n IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * \n * @throws\n IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample\n samples.collections.Arrays.Sorting.sortRangeOfArray\n */\n\n@SinceKotlin("1.4")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic\n actual fun ShortArray.sort(fromIndex: Int = 0, toIndex: Int = size): Unit {\n\n AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n val subarray =\n this.asDynamic().subarray(fromIndex, toIndex).unsafeCast<ShortArray>()\n subarray.sort()\n}\n\n/**\n * Sorts a\n range in the array in-place.\n * \n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n * \n * @param toIndex the end of the range (exclusive) to sort, size of this array by default.\n * \n * @throws\n IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * \n * @throws\n IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n * @sample\n */

```



```

[comparison] function.\n *\n@Deprecated(\n"Use other sorting functions from the Standard
Library")\n\n@DeprecatedSinceKotlin(warningSince = `1.6`)\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
IntArray.sort(noinline comparison: (a: Int, b: Int) -> Int): Unit {\n  asDynamic().sort(comparison)\n}\n\n/**\n *
Sorts the array in-place according to the order specified by the given [comparison] function.\n
*\n\n@Deprecated(\n"Use other sorting functions from the Standard
Library")\n\n@DeprecatedSinceKotlin(warningSince = `1.6`)\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
LongArray.sort(noinline comparison: (a: Long, b: Long) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *\n\n@Deprecated(\n"Use other sorting functions from the Standard
Library")\n\n@DeprecatedSinceKotlin(warningSince = `1.6`)\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
FloatArray.sort(noinline comparison: (a: Float, b: Float) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *\n\n@Deprecated(\n"Use other sorting functions from the Standard
Library")\n\n@DeprecatedSinceKotlin(warningSince = `1.6`)\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
DoubleArray.sort(noinline comparison: (a: Double, b: Double) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *\n\n@Deprecated(\n"Use other sorting functions from the Standard
Library")\n\n@DeprecatedSinceKotlin(warningSince = `1.6`)\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
CharArray.sort(noinline comparison: (a: Char, b: Char) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparator].\n *\n *\n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n *\n\n@public actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit {\n  if
(size > 1) sortArrayWith(this, comparator)\n}\n\n/**\n * Sorts a range in the array in-place with the given
[comparator].\n *\n *\n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n *\n *\n * @param fromIndex the start of the range (inclusive) to sort, 0 by default.\n *\n * @param toIndex
the end of the range (exclusive) to sort, size of this array by default.\n *\n *\n * @throws IndexOutOfBoundsException
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *\n * @throws
IllegalArgumentExcepion if [fromIndex] is greater than [toIndex].\n
*\n\n@SinceKotlin(`1.4`)\n\n@Suppress(\n"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n\npublic
actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size):
Unit {\n  AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  sortArrayWith(this, fromIndex, toIndex,
comparator)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n
*\n\n@public actual fun ByteArray.toTypedArray(): Array<Byte> {\n  return js("[]").slice.call(this)\n}\n\n/**\n *
Returns a *typed* object array containing all of the elements of this primitive array.\n *\n\n@public actual fun
ShortArray.toTypedArray(): Array<Short> {\n  return js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed*
object array containing all of the elements of this primitive array.\n *\n\n@public actual fun IntArray.toTypedArray():
Array<Int> {\n  return js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the
elements of this primitive array.\n *\n\n@public actual fun LongArray.toTypedArray(): Array<Long> {\n  return
js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n *\n\n@public actual fun FloatArray.toTypedArray(): Array<Float> {\n  return
js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n *\n\n@public actual fun DoubleArray.toTypedArray(): Array<Double> {\n  return
js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n *\n\n@public actual fun BooleanArray.toTypedArray(): Array<Boolean> {\n  return
js("[]").slice.call(this)\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive
array.\n *\n\n@public actual fun CharArray.toTypedArray(): Array<Char> {\n  return Array(size) { index ->
this[index] }\n}\n\n", "*/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the

```

license/LICENSE.txt file.\n

```
*\n@file:kotlin.jvm.JvmName("ComparisonsKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage\nkotlin.comparisons\n\n/**\n * Compares two values using the specified functions [selectors] to calculate the result\n * of the comparison.\n * The functions are called sequentially, receive the given values [a] and [b] and return\n * [Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for [a] and [b] values do\n * not\n * compare as equal, the result of that comparison is returned.\n * \n * @sample\n * samples.comparisons.Comparisons.compareValuesByWithSelectors\n *\npublic fun <T> compareValuesBy(a: T,\n * b: T, vararg selectors: (T) -> Comparable<*>?): Int {\n * require(selectors.size > 0)\n * return\n * compareValuesByImpl(a, b, selectors)\n * }\n * \nprivate fun <T> compareValuesByImpl(a: T, b: T, selectors:\n * Array<out (T) -> Comparable<*>?>): Int {\n * for (fn in selectors) {\n * val v1 = fn(a)\n * val v2 = fn(b)\n * val diff = compareValues(v1, v2)\n * if (diff != 0) return diff\n * }\n * return 0\n * }\n * \n/**\n * Compares two\n * values using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to\n * the given values [a] and [b] and return [Comparable] objects.\n * The result of comparison of these [Comparable]\n * instances is returned.\n * \n * @sample\n * samples.comparisons.Comparisons.compareValuesByWithSingleSelector\n *\n*\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareValuesBy(a: T, b: T, selector: (T) ->\n * Comparable<*>?): Int {\n * return compareValues(selector(a), selector(b))\n * }\n * \n/**\n * Compares two values\n * using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to the\n * given values [a] and [b] and return objects of type K which are then being\n * compared with the given\n * [comparator].\n * \n * @sample\n * samples.comparisons.Comparisons.compareValuesByWithComparator\n *\n*\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in\n * K>, selector: (T) -> K): Int {\n * return comparator.compare(selector(a), selector(b))\n * }\n * \n\n//// Not so useful without\n * type inference for receiver of expression\n * \n//// compareValuesWith(v1, v2, compareBy { it.prop1 }\n * thenByDescending { it.prop2 })\n * \n/**\n * Compares two values using the specified [comparator].\n * \n * \n*\n@Suppress("NOTHING_TO_INLINE")\npublic inline fun <T> compareValuesWith(a: T, b: T, comparator:\n * Comparator<T>): Int = comparator.compare(a, b)\n * \n/**\n * Compares two nullable [Comparable] values. Null\n * is considered less than any value.\n * \n * @sample\n * samples.comparisons.Comparisons.compareValues\n *\n\npublic\n * fun <T : Comparable<*>> compareValues(a: T?, b: T?): Int {\n * if (a === b) return 0\n * if (a == null) return -1\n * if (b == null) return 1\n * }\n * \n * @Suppress("UNCHECKED_CAST")\n * return (a as\n * Comparable<Any>).compareTo(b)\n * }\n * \n/**\n * Creates a comparator using the sequence of functions to calculate a\n * result of comparison.\n * The functions are called sequentially, receive the given values `a` and `b` and return\n * [Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for `a` and `b` values do\n * not\n * compare as equal, the result of that comparison is returned from the [Comparator].\n * \n * @sample\n * samples.comparisons.Comparisons.compareByWithSelectors\n *\n\npublic fun <T> compareBy(vararg selectors: (T)\n * -> Comparable<*>?): Comparator<T> {\n * require(selectors.size > 0)\n * return Comparator { a, b ->\n * compareValuesByImpl(a, b, selectors) }\n * }\n * \n/**\n * Creates a comparator using the function to transform value\n * to a [Comparable] instance for comparison.\n * \n * @sample\n * samples.comparisons.Comparisons.compareByWithSingleSelector\n *\n\n*\n@kotlin.internal.InlineOnly\npublic inline\n * fun <T> compareBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n * Comparator { a, b ->\n * compareValuesBy(a, b, selector) }\n * \n/**\n * Creates a comparator using the [selector] function to transform values\n * being compared and then applying\n * the specified [comparator] to compare transformed values.\n * \n * @sample\n * samples.comparisons.Comparisons.compareByWithComparator\n *\n\n*\n@kotlin.internal.InlineOnly\npublic inline\n * fun <T, K> compareBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n * Comparator { a, b -> compareValuesBy(a, b, comparator, selector) }\n * \n/**\n * Creates a descending comparator\n * using the function to transform value to a [Comparable] instance for comparison.\n * \n * @sample\n * samples.comparisons.Comparisons.compareByDescendingWithSingleSelector\n *\n\n*\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareByDescending(crossinline selector: (T) ->\n * Comparable<*>?): Comparator<T> =\n * Comparator { a, b -> compareValuesBy(b, a, selector) }\n * \n/**\n * Creates a descending comparator using the [selector] function to transform values being compared and then
```

applying the specified [comparator] to compare transformed values. Note that an order of [comparator] is reversed by this wrapper.

`samples.comparisons.Comparisons.compareByDescendingWithComparator`

```
*\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareByDescending(comparator: Comparator<in K>,  
crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b -> compareValuesBy(b, a, comparator,  
selector) }\n\n/**\n * Creates a comparator comparing values after the primary comparator defined them equal. It  
uses the function to transform value to a [Comparable] instance for comparison.\n * @sample
```

`samples.comparisons.Comparisons.thenBy`

```
*\n@kotlin.internal.InlineOnly\npublic inline fun <T>  
Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->  
>\n        val previousCompare = this@thenBy.compare(a, b)\n        if (previousCompare != 0) previousCompare else  
compareValuesBy(a, b, selector)\n    }\n\n/**\n * Creates a comparator comparing values after the primary  
comparator defined them equal. It uses the [selector] function to transform values and then compares them with  
the given [comparator].\n * @sample
```

`samples.comparisons.Comparisons.thenByWithComparator`

```
*\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> Comparator<T>.thenBy(comparator: Comparator<in K>,  
crossinline selector: (T) -> K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare =  
this@thenBy.compare(a, b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(a, b,  
comparator, selector)\n    }\n\n/**\n * Creates a descending comparator using the primary comparator and the  
function to transform value to a [Comparable] instance for comparison.\n * @sample
```

`samples.comparisons.Comparisons.thenByDescending`

```
*\n@kotlin.internal.InlineOnly\npublic inline fun <T>  
Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compare(a, b)\n        if  
(previousCompare != 0) previousCompare else compareValuesBy(b, a, selector)\n    }\n\n/**\n * Creates a  
descending comparator comparing values after the primary comparator defined them equal. It uses the [selector]  
function to transform values and then compares them with the given [comparator].\n * @sample
```

`samples.comparisons.Comparisons.thenByDescendingWithComparator`

```
*\n@kotlin.internal.InlineOnly\npublic  
inline fun <T, K> Comparator<T>.thenByDescending(comparator: Comparator<in K>, crossinline selector: (T) ->  
K): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenByDescending.compare(a,  
b)\n        if (previousCompare != 0) previousCompare else compareValuesBy(b, a, comparator, selector)\n    }\n\n/**\n * Creates a comparator using the primary comparator and function to calculate a result of comparison.\n * @sample
```

```
samples.comparisons.Comparisons.thenComparator\n*\n@kotlin.internal.InlineOnly\npublic inline  
fun <T> Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare = this@thenComparator.compare(a, b)\n        if (previousCompare  
!= 0) previousCompare else comparison(a, b)\n    }\n\n/**\n * Combines this comparator and the given [comparator]  
such that the latter is applied only when the former considered values equal.\n * @sample
```

`samples.comparisons.Comparisons.then`

```
*\npublic infix fun <T> Comparator<T>.then(comparator:  
Comparator<in T>): Comparator<T> =\n    Comparator { a, b ->\n        val previousCompare =  
this@then.compare(a, b)\n        if (previousCompare != 0) previousCompare else comparator.compare(a, b)\n    }\n\n/**\n * Combines this comparator and the given [comparator] such that the latter is applied only when the  
former considered values equal.\n * @sample
```

`samples.comparisons.Comparisons.thenDescending`

```
*\npublic  
infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =\n    Comparator<T> { a, b ->\n        val previousCompare = this@thenDescending.compare(a, b)\n        if  
(previousCompare != 0) previousCompare else comparator.compare(b, a)\n    }\n\n// Not so useful without type  
inference for receiver of expression\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator  
of nullable values considering `null` value less than any other value.\n * @sample
```

`samples.comparisons.Comparisons.nullsFirstLastWithComparator`

```
*\npublic fun <T : Any>  
nullsFirst(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a  
=== b -> 0\n            a == null -> -1\n            b == null -> 1\n            else -> comparator.compare(a, b)\n        }\n    }\n\n/**\n * Provides a comparator of nullable [Comparable] values considering `null` value less than any other
```

```

value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsFirst(): Comparator<T?> =
nullsFirst(naturalOrder())\n\n/**\n * Extends the given [comparator] of non-nullable values to a comparator of
nullable values\n * considering `null` value greater than any other value.\n *\n * @sample
samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T : Any>
nullsLast(comparator: Comparator<in T>): Comparator<T?> =\n    Comparator { a, b ->\n        when {\n            a
=== b -> 0\n            a == null -> 1\n            b == null -> -1\n            else -> comparator.compare(a, b)\n        }\n    }\n\n/**\n * Provides a comparator of nullable [Comparable] values\n * considering `null` value greater than any
other value.\n *\n * @sample samples.comparisons.Comparisons.nullsFirstLastComparator\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> =
nullsLast(naturalOrder())\n\n/**\n * Returns a comparator that compares [Comparable] objects in natural order.\n
*\n * @sample samples.comparisons.Comparisons.naturalOrderComparator\n *\npublic fun <T : Comparable<T>>
naturalOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as
Comparator<T>)\n\n/**\n * Returns a comparator that compares [Comparable] objects in reversed natural order.\n
*\n * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator\n *\npublic fun <T :
Comparable<T>> reverseOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST")
(ReverseOrderComparator as Comparator<T>)\n\n/**\n * Returns a comparator that imposes the reverse ordering
of this comparator.\n *\n * @sample samples.comparisons.Comparisons.reversed\n
*\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER")\npublic fun <T> Comparator<T>.reversed():
Comparator<T> = when (this) {\n    is ReversedComparator -> this.comparator\n    NaturalOrderComparator ->
@Suppress("UNCHECKED_CAST") (ReverseOrderComparator as Comparator<T>)\n
ReverseOrderComparator -> @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as
Comparator<T>)\n    else -> ReversedComparator(this)\n}\n\nprivate class ReversedComparator<T>(public val
comparator: Comparator<T>) : Comparator<T> {\n    override fun compare(a: T, b: T): Int = comparator.compare(b,
a)\n    @Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<T> =
comparator\n}\n\nprivate object NaturalOrderComparator : Comparator<Comparable<Any>> {\n    override fun
compare(a: Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)\n
@Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<Comparable<Any>> =
ReverseOrderComparator\n}\n\nprivate object ReverseOrderComparator : Comparator<Comparable<Any>> {\n
override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)\n
@Suppress("VIRTUAL_MEMBER_HIDDEN")\n    fun reversed(): Comparator<Comparable<Any>> =
NaturalOrderComparator\n}\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StandardKt")\npackage kotlin\n\nimport
kotlin.contracts.*\n\n/**\n * An exception is thrown to indicate that a method body remains to be implemented.\n
*\npublic class NotImplementedError(message: String = "An operation is not implemented.") :
Error(message)\n\n/**\n * Always throws [NotImplementedError] stating that operation is not implemented.\n
*\n*\n@kotlin.internal.InlineOnly\npublic inline fun TODO(): Nothing = throw NotImplementedError()\n\n/**\n *
Always throws [NotImplementedError] stating that operation is not implemented.\n *\n * @param reason a string
explaining why the implementation is missing.\n *\n@kotlin.internal.InlineOnly\npublic inline fun TODO(reason:
String): Nothing = throw NotImplementedError("An operation is not implemented: $reason")\n\n\n/**\n * Calls
the specified function [block] and returns its result.\n *\n * For detailed usage information see the documentation for
[scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <R> run(block: () -> R): R {\n    contract {\n
callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return block()\n}\n\n/**\n * Calls the specified
function [block] with `this` value as its receiver and returns its result.\n *\n * For detailed usage information see the
documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n

```

```

*@\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.run(block: T.() -> R): R {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  return block()\n}\n\n/**\n * Calls the specified function [block] with the given [receiver] as its receiver and returns its result.\n * \n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#with).\n */\n*@\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  return receiver.block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns `this` value.\n * \n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#apply).\n */\n*@\n@kotlin.internal.InlineOnly\npublic inline fun <T> T.apply(block: T.() -> Unit): T {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  block()\n  return this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns `this` value.\n * \n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#also).\n */\n*@\n@kotlin.internal.InlineOnly\n*@\n@SinceKotlin("1.1")\npublic inline fun <T> T.also(block: (T) -> Unit): T {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  block(this)\n  return this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns its result.\n * \n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#let).\n */\n*@\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.let(block: (T) -> R): R {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  return block(this)\n}\n\n/**\n * Returns `this` value if it satisfies the given [predicate] or `null`, if it doesn't.\n * \n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-takeunless).\n */\n*@\n@kotlin.internal.InlineOnly\n*@\n@SinceKotlin("1.1")\npublic inline fun <T> T.takeIf(predicate: (T) -> Boolean): T? {\n  contract {\n    callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n  }\n  return if (predicate(this)) this else null\n}\n\n/**\n * Returns `this` value if it _does not_ satisfy the given [predicate] or `null`, if it does.\n * \n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#takeif-and-takeunless).\n */\n*@\n@kotlin.internal.InlineOnly\n*@\n@SinceKotlin("1.1")\npublic inline fun <T> T.takeUnless(predicate: (T) -> Boolean): T? {\n  contract {\n    callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n  }\n  return if (!predicate(this)) this else null\n}\n\n/**\n * Executes the given function [action] specified number of [times].\n * \n * A zero-based index of current iteration is passed as a parameter to [action].\n * \n * @sample samples.misc.ControlFlow.repeat\n */\n*@\n@kotlin.internal.InlineOnly\npublic inline fun repeat(times: Int, action: (Int) -> Unit) {\n  contract { callsInPlace(action) }\n  for (index in 0 until times) {\n    action(index)\n  }\n}\n\n/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n*@\n\npackage kotlin.comparisons\n\n/\n\nNOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n\nSee: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.*\n\n/**\n * Returns the greater of two values.\n * \n * If values are equal, returns the first one.\n */\n*@\n@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {\n  return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n*@\n@SinceKotlin("1.1")\n*@\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Byte, b: Byte): Byte {\n  return maxOf(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of two values.\n */\n*@\n@SinceKotlin("1.1")\n*@\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Short, b: Short): Short {\n  return maxOf(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of two values.\n */\n*@\n@SinceKotlin("1.1")\n*@\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Int, b: Int): Int {\n  return JsMath.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n */\n*@\n@SinceKotlin("1.1")\n*@\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun maxOf(a: Long, b: Long): Long {\n  return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n * \n * If either value

```

is `NaN`, returns `NaN`.  
`@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual inline fun  
maxOf(a: Float, b: Float): Float {  
return JsMath.max(a, b)  
}`  
Returns the greater of two values.  
\* If either value is `NaN`, returns `NaN`.  
`@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual  
inline fun maxOf(a: Double, b: Double): Double {  
return JsMath.max(a, b)  
}`  
Returns the greater of  
three values.  
\* If there are multiple equal maximal values, returns the first of them.  
`@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {  
return  
maxOf(a, maxOf(b, c))  
}`  
Returns the greater of three values.  
`@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Byte, b: Byte, c: Byte):  
Byte {  
return JsMath.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()  
}`  
Returns the greater of  
three values.  
`@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Short, b:  
Short, c: Short): Short {  
return JsMath.max(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()  
}`  
Returns the greater of three values.  
`@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual inline  
fun maxOf(a: Int, b: Int, c: Int): Int {  
return JsMath.max(a, b, c)  
}`  
Returns the greater of three  
values.  
`@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Long, b: Long,  
c: Long): Long {  
return maxOf(a, maxOf(b, c))  
}`  
Returns the greater of three values.  
\* If any  
value is `NaN`, returns `NaN`.  
`@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual inline fun  
maxOf(a: Float, b: Float, c: Float): Float {  
return JsMath.max(a, b, c)  
}`  
Returns the greater of three  
values.  
\* If any value is `NaN`, returns `NaN`.  
`@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Double, b: Double, c:  
Double): Double {  
return JsMath.max(a, b, c)  
}`  
Returns the greater of the given values.  
\* If  
there are multiple equal maximal values, returns the first of them.  
`@SinceKotlin("1.4")\npublic actual fun <T  
: Comparable<T>> maxOf(a: T, vararg other: T): T {  
var max = a  
for (e in other) max = maxOf(max, e)  
return max  
}`  
Returns the greater of the given values.  
`@SinceKotlin("1.4")\npublic actual fun  
maxOf(a: Byte, vararg other: Byte): Byte {  
var max = a  
for (e in other) max = maxOf(max, e)  
return  
max  
}`  
Returns the greater of the given values.  
`@SinceKotlin("1.4")\npublic actual fun maxOf(a:  
Short, vararg other: Short): Short {  
var max = a  
for (e in other) max = maxOf(max, e)  
return  
max  
}`  
Returns the greater of the given values.  
`@SinceKotlin("1.4")\npublic actual fun maxOf(a:  
Int, vararg other: Int): Int {  
var max = a  
for (e in other) max = maxOf(max, e)  
return max  
}`  
Returns the greater of the given values.  
`@SinceKotlin("1.4")\npublic actual fun maxOf(a: Long, vararg  
other: Long): Long {  
var max = a  
for (e in other) max = maxOf(max, e)  
return max  
}`  
Returns the greater of the given values.  
\* If any value is `NaN`, returns `NaN`.  
`@SinceKotlin("1.4")\npublic actual fun maxOf(a: Float, vararg other: Float): Float {  
var max = a  
for (e  
in other) max = maxOf(max, e)  
return max  
}`  
Returns the greater of the given values.  
\* If any  
value is `NaN`, returns `NaN`.  
`@SinceKotlin("1.4")\npublic actual fun maxOf(a: Double, vararg other:  
Double): Double {  
var max = a  
for (e in other) max = maxOf(max, e)  
return max  
}`  
Returns  
the smaller of two values.  
\* If values are equal, returns the first one.  
`@SinceKotlin("1.1")\npublic  
actual fun <T : Comparable<T>> minOf(a: T, b: T): T {  
return if (a <= b) a else b  
}`  
Returns the  
smaller of two values.  
`@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a:  
Byte, b: Byte): Byte {  
return minOf(a.toInt(), b.toInt()).unsafeCast<Byte>()  
}`  
Returns the smaller of  
two values.  
`@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Short, b:  
Short): Short {  
return minOf(a.toInt(), b.toInt()).unsafeCast<Short>()  
}`  
Returns the smaller of two  
values.  
`@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Int, b: Int): Int  
{  
return JsMath.min(a, b)  
}`  
Returns the smaller of two values.  
`@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Long, b:  
Long): Long {  
return if (a <= b) a else b  
}`  
Returns the smaller of two values.  
\* If either value  
is `NaN`, returns `NaN`.  
`@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual inline fun  
minOf(a: Float, b: Float): Float {  
return JsMath.min(a, b)  
}`  
Returns the smaller of two values.  
\* If  
either value is `NaN`, returns `NaN`.  
`@SinceKotlin("1.1")@kotlin.internal.InlineOnly\npublic actual`

```

inline fun minOf(a: Double, b: Double): Double {
    return JsMath.min(a, b)
}

/** Returns the smaller of three values.
 * If there are multiple equal minimal values, returns the first of them.
 */
@SinceKotlin("1.1")
public actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T {
    return minOf(a, minOf(b, c))
}

/** Returns the smaller of three values.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {
    return JsMath.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Byte>()
}

/** Returns the smaller of three values.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Short, b: Short, c: Short): Short {
    return JsMath.min(a.toInt(), b.toInt(), c.toInt()).unsafeCast<Short>()
}

/** Returns the smaller of three values.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Int, b: Int, c: Int): Int {
    return JsMath.min(a, b, c)
}

/** Returns the smaller of three values.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Long, b: Long, c: Long): Long {
    return minOf(a, minOf(b, c))
}

/** Returns the smaller of three values.
 * If any value is `NaN`, returns `NaN`.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Float, b: Float, c: Float): Float {
    return JsMath.min(a, b, c)
}

/** Returns the smaller of three values.
 * If any value is `NaN`, returns `NaN`.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public actual inline fun minOf(a: Double, b: Double, c: Double): Double {
    return JsMath.min(a, b, c)
}

/** Returns the smaller of the given values.
 * If there are multiple equal minimal values, returns the first of them.
 */
@SinceKotlin("1.4")
public actual fun <T : Comparable<T>> minOf(a: T, vararg other: T): T {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

/** Returns the smaller of the given values.
 */
@SinceKotlin("1.4")
public actual fun minOf(a: Byte, vararg other: Byte): Byte {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

/** Returns the smaller of the given values.
 */
@SinceKotlin("1.4")
public actual fun minOf(a: Short, vararg other: Short): Short {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

/** Returns the smaller of the given values.
 */
@SinceKotlin("1.4")
public actual fun minOf(a: Int, vararg other: Int): Int {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

/** Returns the smaller of the given values.
 * If any value is `NaN`, returns `NaN`.
 */
@SinceKotlin("1.4")
public actual fun minOf(a: Long, vararg other: Long): Long {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

/** Returns the smaller of the given values.
 * If any value is `NaN`, returns `NaN`.
 */
@SinceKotlin("1.4")
public actual fun minOf(a: Float, vararg other: Float): Float {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

/** Returns the smaller of the given values.
 * If any value is `NaN`, returns `NaN`.
 */
@SinceKotlin("1.4")
public actual fun minOf(a: Double, vararg other: Double): Double {
    var min = a
    for (e in other) min = minOf(min, e)
    return min
}

/** Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
@n/Auto-generated file. DO NOT EDIT!
package kotlin
nimport kotlin.experimental.*
nimport kotlin.jvm.*
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
@JvmInline
npublic value class ULong @PublishedApi internal constructor(@PublishedApi internal val data: Long) : Comparable<ULong> {
    ncompanion object {
        /** A constant holding the minimum value an instance of ULong can have.
         */
        npublic const val MIN_VALUE: ULong = ULong(0)
        /** A constant holding the maximum value an instance of ULong can have.
         */
        npublic const val MAX_VALUE: ULong = ULong(-1)
        /** The number of bytes used to represent an instance of ULong in a binary form.
         */
        npublic const val SIZE_BYTES: Int = 8
        /** The number of bits used to represent an instance of ULong in a binary form.
         */
        npublic const val SIZE_BITS: Int = 64
    }
    /** Compares this value with the specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a positive number if it's greater than other.
     */
    @kotlin.internal.InlineOnly
    npublic inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toULong())
    /** Compares this value with the specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a

```

```

positive number if it's greater than other.\n    *\n    @kotlin.internal.InlineOnly\n    public inline operator fun
compareTo(other: UShort): Int = this.compareTo(other.toULong())\n    /**\n     * Compares this value with the
specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n     * or a positive number if it's greater than other.\n     *\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UInt): Int = this.compareTo(other.toULong())\n    /**\n     *
Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other
value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     *\n    @kotlin.internal.InlineOnly\n    @Suppress(\"OVERRIDE_BY_INLINE\")\n    public override inline operator fun
compareTo(other: ULong): Int = ulongCompare(this.data, other.data)\n    /** Adds the other value to this value.
*\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): ULong =
this.plus(other.toULong())\n    /** Adds the other value to this value. *\n    @kotlin.internal.InlineOnly\n    public
inline operator fun plus(other: UShort): ULong = this.plus(other.toULong())\n    /** Adds the other value to this
value. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): ULong =
this.plus(other.toULong())\n    /** Adds the other value to this value. *\n    @kotlin.internal.InlineOnly\n    public
inline operator fun plus(other: ULong): ULong = ULong(this.data.plus(other.data))\n    /** Subtracts the other
value from this value. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): ULong
= this.minus(other.toULong())\n    /** Subtracts the other value from this value. *\n    @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UShort): ULong = this.minus(other.toULong())\n    /** Subtracts the other
value from this value. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): ULong =
this.minus(other.toULong())\n    /** Subtracts the other value from this value. *\n    @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: ULong): ULong = ULong(this.data.minus(other.data))\n    /** Multiplies
this value by the other value. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UByte):
ULong = this.times(other.toULong())\n    /** Multiplies this value by the other value. *\n    @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UShort): ULong =
this.times(other.toULong())\n    /** Multiplies this value by the other value. *\n    @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UInt): ULong = this.times(other.toULong())\n    /** Multiplies this value by
the other value. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: ULong): ULong =
ULong(this.data.times(other.data))\n    /** Divides this value by the other value, truncating the result to an integer
that is closer to zero. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UByte): ULong =
this.div(other.toULong())\n    /** Divides this value by the other value, truncating the result to an integer that is
closer to zero. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UShort): ULong =
this.div(other.toULong())\n    /** Divides this value by the other value, truncating the result to an integer that is
closer to zero. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UInt): ULong =
this.div(other.toULong())\n    /** Divides this value by the other value, truncating the result to an integer that is
closer to zero. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: ULong): ULong =
ulongDivide(this, other)\n    /**\n     * Calculates the remainder of truncating division of this value by the other
value.\n     * \n     * The result is always less than the divisor.\n     *\n    @kotlin.internal.InlineOnly\n    public
inline operator fun rem(other: UByte): ULong = this.rem(other.toULong())\n    /**\n     * Calculates the remainder
of truncating division of this value by the other value.\n     * \n     * The result is always less than the divisor.\n     *\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UShort): ULong =
this.rem(other.toULong())\n    /**\n     * Calculates the remainder of truncating division of this value by the other
value.\n     * \n     * The result is always less than the divisor.\n     *\n    @kotlin.internal.InlineOnly\n    public
inline operator fun rem(other: UInt): ULong = this.rem(other.toULong())\n    /**\n     * Calculates the remainder of
truncating division of this value by the other value.\n     * \n     * The result is always less than the divisor.\n     *\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: ULong): ULong = ulongRemainder(this,
other)\n    /**\n     * Divides this value by the other value, flooring the result to an integer that is closer to negative
infinity.\n     * \n     * For unsigned types, the results of flooring division and truncating division are the same.\n     *\n    @kotlin.internal.InlineOnly\n    public inline fun floorDiv(other: UByte): ULong =

```

```

this.floorDiv(other.toULong())\n /**\n * Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating
division are the same.\n * \n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UShort): ULong =
this.floorDiv(other.toULong())\n /**\n * Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating
division are the same.\n * \n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: UInt): ULong =
this.floorDiv(other.toULong())\n /**\n * Divides this value by the other value, flooring the result to an integer
that is closer to negative infinity.\n * \n * For unsigned types, the results of flooring division and truncating
division are the same.\n * \n @kotlin.internal.InlineOnly\n public inline fun floorDiv(other: ULong): ULong =
div(other)\n\n /**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n *
The result is always less than the divisor.\n * \n * For unsigned types, the remainders of flooring division and
truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n public inline fun mod(other: UByte):
UByte = this.mod(other.toULong()).toUByte()\n /**\n * Calculates the remainder of flooring division of this
value by the other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the
remainders of flooring division and truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n
public inline fun mod(other: UShort): UShort = this.mod(other.toULong()).toUShort()\n /**\n * Calculates the
remainder of flooring division of this value by the other value.\n * \n * The result is always less than the
divisor.\n * \n * For unsigned types, the remainders of flooring division and truncating division are the same.\n
*\n @kotlin.internal.InlineOnly\n public inline fun mod(other: UInt): UInt =
this.mod(other.toULong()).toUInt()\n /**\n * Calculates the remainder of flooring division of this value by the
other value.\n * \n * The result is always less than the divisor.\n * \n * For unsigned types, the remainders
of flooring division and truncating division are the same.\n * \n @kotlin.internal.InlineOnly\n public inline
fun mod(other: ULong): ULong = rem(other)\n\n /**\n * Returns this value incremented by one.\n * \n *
@sample samples.misc.Builtins.inc\n * \n @kotlin.internal.InlineOnly\n public inline operator fun inc():
ULong = ULong(data.inc())\n\n /**\n * Returns this value decremented by one.\n * \n * @sample
samples.misc.Builtins.dec\n * \n @kotlin.internal.InlineOnly\n public inline operator fun dec(): ULong =
ULong(data.dec())\n\n /**\n * Creates a range from this value to the specified [other] value. *\n
@kotlin.internal.InlineOnly\n public inline operator fun rangeTo(other: ULong): ULongRange =
ULongRange(this, other)\n\n /**\n * Shifts this value left by the [bitCount] number of bits.\n * \n * Note
that only the six lowest-order bits of the [bitCount] are used as the shift distance.\n * \n * The shift distance
actually used is therefore always in the range `0..63`.\n * \n @kotlin.internal.InlineOnly\n public inline infix fun
shl(bitCount: Int): ULong = ULong(data shl bitCount)\n\n /**\n * Shifts this value right by the [bitCount]
number of bits, filling the leftmost bits with zeros.\n * \n * Note that only the six lowest-order bits of the
[bitCount] are used as the shift distance.\n * \n * The shift distance actually used is therefore always in the
range `0..63`.\n * \n @kotlin.internal.InlineOnly\n public inline infix fun shr(bitCount: Int): ULong = ULong(data
ushr bitCount)\n\n /**\n * Performs a bitwise AND operation between the two values. *\n
@kotlin.internal.InlineOnly\n public inline infix fun and(other: ULong): ULong = ULong(this.data and
other.data)\n\n /**\n * Performs a bitwise OR operation between the two values. *\n
@kotlin.internal.InlineOnly\n public inline infix fun or(other: ULong): ULong = ULong(this.data or other.data)\n
/**\n * Performs a bitwise XOR operation between the two values. *\n
@kotlin.internal.InlineOnly\n public inline infix fun xor(other: ULong):
ULong = ULong(this.data xor other.data)\n\n /**\n * Inverts the bits in this value. *\n
@kotlin.internal.InlineOnly\n public inline fun inv(): ULong = ULong(data.inv())\n\n /**\n * Converts this [ULong] value to [Byte].\n * \n
* If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same
numerical value as this `ULong`.\n * \n * The resulting `Byte` value is represented by the least significant 8 bits
of this `ULong` value.\n * \n * Note that the resulting `Byte` value may be negative.\n * \n
@kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data.toByte()\n\n /**\n * Converts this [ULong]
value to [Short].\n * \n * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value
represents\n * the same numerical value as this `ULong`.\n * \n * The resulting `Short` value is represented

```

```

by the least significant 16 bits of this `ULong` value.\n
 * Note that the resulting `Short` value may be negative.\n
 */\n
@kotlin.internal.InlineOnly\n
public inline fun toShort(): Short = data.toShort()\n
/**\n
 * Converts this [ULong] value to [Int].\n
 * \n
 * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int` value represents\n
 * the same numerical value as this `ULong`.\n
 * \n
 * The resulting `Int` value is represented by the least significant 32 bits of this `ULong` value.\n
 * Note that the resulting `Int` value may be negative.\n
 */\n
@kotlin.internal.InlineOnly\n
public inline fun toInt(): Int = data.toInt()\n
/**\n
 * Converts this [ULong] value to [Long].\n
 * \n
 * If this value is less than or equals to [Long.MAX_VALUE], the resulting `Long` value represents\n
 * the same numerical value as this `ULong`. Otherwise the result is negative.\n
 * \n
 * The resulting `Long` value has the same binary representation as this `ULong` value.\n
 */\n
@kotlin.internal.InlineOnly\n
public inline fun toLong(): Long = data\n
/**\n
 * Converts this [ULong] value to [UByte].\n
 * \n
 * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents\n
 * the same numerical value as this `ULong`.\n
 * \n
 * The resulting `UByte` value is represented by the least significant 8 bits of this `ULong` value.\n
 */\n
@kotlin.internal.InlineOnly\n
public inline fun toUByte(): UByte = data.toUByte()\n
/**\n
 * Converts this [ULong] value to [UShort].\n
 * \n
 * If this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents\n
 * the same numerical value as this `ULong`.\n
 * \n
 * The resulting `UShort` value is represented by the least significant 16 bits of this `ULong` value.\n
 */\n
@kotlin.internal.InlineOnly\n
public inline fun toUShort(): UShort = data.toUShort()\n
/**\n
 * Converts this [ULong] value to [UInt].\n
 * \n
 * If this value is less than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents\n
 * the same numerical value as this `ULong`.\n
 * \n
 * The resulting `UInt` value is represented by the least significant 32 bits of this `ULong` value.\n
 */\n
@kotlin.internal.InlineOnly\n
public inline fun toUInt(): UInt = data.toUInt()\n
/** Returns this value. */\n
@kotlin.internal.InlineOnly\n
public inline fun toULong(): ULong = this\n
/**\n
 * Converts this [ULong] value to [Float].\n
 * \n
 * The resulting value is the closest `Float` to this `ULong` value.\n
 * In case when this `ULong` value is exactly between two `Float`s,\n
 * the one with zero at least significant bit of mantissa is selected.\n
 */\n
@kotlin.internal.InlineOnly\n
public inline fun toFloat(): Float = this.toDouble().toFloat()\n
/**\n
 * Converts this [ULong] value to [Double].\n
 * \n
 * The resulting value is the closest `Double` to this `ULong` value.\n
 * In case when this `ULong` value is exactly between two `Double`s,\n
 * the one with zero at least significant bit of mantissa is selected.\n
 */\n
@kotlin.internal.InlineOnly\n
public inline fun toDouble(): Double = ulongToDouble(data)\n
\n
public override fun toString(): String = ulongToString(data)\n
\n
}/**\n
 * Converts this [Byte] value to [ULong].\n
 * \n
 * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Byte`.\n
 * \n
 * The least significant 8 bits of the resulting `ULong` value are the same as the bits of this `Byte` value,\n
 * whereas the most significant 56 bits are filled with the sign bit of this value.\n
 */\n
@SinceKotlin("1.5")\n
@WasExperimental(ExperimentalUnsignedTypes::class)\n
@kotlin.internal.InlineOnly\n
public inline fun Byte.toULong(): ULong = ULong(this.toLong())\n
/**\n
 * Converts this [Short] value to [ULong].\n
 * \n
 * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Short`.\n
 * \n
 * The least significant 16 bits of the resulting `ULong` value are the same as the bits of this `Short` value,\n
 * whereas the most significant 48 bits are filled with the sign bit of this value.\n
 */\n
@SinceKotlin("1.5")\n
@WasExperimental(ExperimentalUnsignedTypes::class)\n
@kotlin.internal.InlineOnly\n
public inline fun Short.toULong(): ULong = ULong(this.toLong())\n
/**\n
 * Converts this [Int] value to [ULong].\n
 * \n
 * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Int`.\n
 * \n
 * The least significant 32 bits of the resulting `ULong` value are the same as the bits of this `Int` value,\n
 * whereas the most significant 32 bits are filled with the sign bit of this value.\n
 */\n
@SinceKotlin("1.5")\n
@WasExperimental(ExperimentalUnsignedTypes::class)\n
@kotlin.internal.InlineOnly\n
public inline fun Int.toULong(): ULong = ULong(this.toLong())\n
/**\n
 * Converts this [Long] value to [ULong].\n
 * \n
 * If this value is positive, the resulting `ULong` value represents the same numerical value as this `Long`.\n
 * \n
 * The resulting `ULong` value has the same binary representation as this `Long` value.\n
 */\n
@SinceKotlin("1.5")\n
@WasExperimental(ExperimentalUnsignedTypes::class)\n
@kotlin.internal.InlineOnly\n
public inline fun Long.toULong(): ULong = ULong(this)\n
\n
/**\n
 * Converts this [Float] value to [ULong].\n
 * \n
 *

```

The fractional part, if any, is rounded down towards zero.  
 \* Returns zero if this `Float` value is negative or `NaN`, [ULong.MAX\_VALUE] if it's bigger than `ULong.MAX\_VALUE`.

```

*\/@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)@kotlin.internal.InlineOnly
npublic inline fun Float.toULong(): ULong = doubleToULong(this.toDouble())
n * Converts this [Double] value to [ULong].
n * The fractional part, if any, is rounded down towards zero.
n * Returns zero if this `Double` value is negative or `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.
n
*\/@SinceKotlin("1.5")@WasExperimental(ExperimentalUnsignedTypes::class)@kotlin.internal.InlineOnly
npublic inline fun Double.toULong(): ULong = doubleToULong(this)
n", "/"
n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
n
*\/@file:kotlin.jvm.JvmMultifileClass@file:kotlin.jvm.JvmName("CollectionsKt")@package
kotlin.collections
n\n\/ NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
n See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
n\nimport kotlin.random.*
import kotlin.ranges.contains
import kotlin.ranges.reversed
n\n * Returns 1st *element* from the list.
n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 1.
n
*\/@kotlin.internal.InlineOnly
npublic inline operator fun <T> List<T>.component1(): T {
n return get(0)
n}
n * Returns 2nd *element* from the list.
n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 2.
n
*\/@kotlin.internal.InlineOnly
npublic inline operator fun <T> List<T>.component2(): T {
n return get(1)
n}
n * Returns 3rd *element* from the list.
n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 3.
n
*\/@kotlin.internal.InlineOnly
npublic inline operator fun <T> List<T>.component3(): T {
n return get(2)
n}
n * Returns 4th *element* from the list.
n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 4.
n
*\/@kotlin.internal.InlineOnly
npublic inline operator fun <T> List<T>.component4(): T {
n return get(3)
n}
n * Returns 5th *element* from the list.
n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 5.
n
*\/@kotlin.internal.InlineOnly
npublic inline operator fun <T> List<T>.component5(): T {
n return get(4)
n}
n * Returns `true` if [element] is found in the collection.
n
*\/
npublic operator fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T): Boolean {
n if (this is Collection)
n return contains(element)
n return indexOf(element) >= 0
n}
n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this collection.
n * @sample samples.collections.Collections.Elements.elementAt
n
*\/
npublic fun <T> Iterable<T>.elementAt(index: Int): T {
n if (this is List)
n return elementAtOrElse(index) { throw IndexOutOfBoundsException("Collection doesn't contain element at index $index.") }
n}
n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this list.
n * @sample samples.collections.Collections.Elements.elementAt
n
*\/@kotlin.internal.InlineOnly
npublic inline fun <T> List<T>.elementAt(index: Int): T {
n return get(index)
n}
n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this collection.
n * @sample samples.collections.Collections.Elements.elementAtOrElse
n
*\/
npublic fun <T> Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {
n if (this is List)
n return this.getOrElse(index, defaultValue)
n if (index < 0)
n return defaultValue(index)
n val iterator = iterator()
n var count = 0
n while (iterator.hasNext()) {
n val element = iterator.next()
n if (index == count++)
n return element
n }
n return defaultValue(index)
n}
n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this list.
n * @sample samples.collections.Collections.Elements.elementAtOrElse
n
*\/@kotlin.internal.InlineOnly
npublic inline fun <T> List<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {
n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)
n}
n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this collection.
n * @sample samples.collections.Collections.Elements.elementAtOrNull
n
*\/
npublic fun <T>

```

```

Iterable<T>.elementAtOrNull(index: Int): T? {\n  if (this is List)\n    return this.getOrNull(index)\n  if (index < 0)\n    return null\n  val iterator = iterator()\n  var count = 0\n  while (iterator.hasNext()) {\n    val element = iterator.next()\n    if (index == count++)\n      return element\n  }\n  return null\n}\n\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n * \n @kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAtOrNull(index: Int): T? {\n  return this.getOrNull(index)\n}\n\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n * \n @kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.find(predicate: (T) -> Boolean): T? {\n  return firstOrNull(predicate)\n}\n\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n * \n @kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.findLast(predicate: (T) -> Boolean): T? {\n  return lastOrNull(predicate)\n}\n\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.find\n * \n @kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.findLast(predicate: (T) -> Boolean): T? {\n  return lastOrNull(predicate)\n}\n\n * Returns first element.\n * @throws [NoSuchElementException] if the collection is empty.\n * \n @public fun <T> Iterable<T>.first(): T {\n  when (this) {\n    is List -> return this.first()\n    else -> {\n      val iterator = iterator()\n      if (!iterator.hasNext())\n        throw NoSuchElementException("Collection is empty.")\n      return iterator.next()\n    }\n  }\n}\n\n * Returns first element.\n * @throws [NoSuchElementException] if the list is empty.\n * \n @public fun <T> List<T>.first(): T {\n  if (isEmpty())\n    throw NoSuchElementException("List is empty.")\n  return this[0]\n}\n\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n * \n @public inline fun <T> Iterable<T>.first(predicate: (T) -> Boolean): T {\n  for (element in this) if (predicate(element)) return element\n  throw NoSuchElementException("Collection contains no element matching the predicate.")\n}\n\n * Returns the first non-null value produced by [transform] function being applied to elements of this collection in iteration order,\n * or throws [NoSuchElementException] if no non-null value was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n * \n @SinceKotlin("1.5")\n @kotlin.internal.InlineOnly\npublic inline fun <T, R : Any> Iterable<T>.firstNotNullOf(transform: (T) -> R?): R {\n  return firstNotNullOfOrNull(transform) ?: throw NoSuchElementException("No element of the collection was transformed to a non-null value.")\n}\n\n * Returns the first non-null value produced by [transform] function being applied to elements of this collection in iteration order,\n * or `null` if no non-null value was produced.\n * \n * @sample samples.collections.Collections.Transformations.firstNotNullOf\n * \n @SinceKotlin("1.5")\n @kotlin.internal.InlineOnly\npublic inline fun <T, R : Any> Iterable<T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {\n  for (element in this) {\n    val result = transform(element)\n    if (result != null)\n      return result\n  }\n  return null\n}\n\n * Returns the first element, or `null` if the collection is empty.\n * \n @public fun <T> Iterable<T>.firstOrNull(): T? {\n  when (this) {\n    is List -> {\n      if (isEmpty())\n        return null\n      else\n        return this[0]\n    }\n    else -> {\n      val iterator = iterator()\n      if (!iterator.hasNext())\n        return null\n      return iterator.next()\n    }\n  }\n}\n\n * Returns the first element, or `null` if the list is empty.\n * \n @public fun <T> List<T>.firstOrNull(): T? {\n  return if (isEmpty()) null else this[0]\n}\n\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n * \n @public inline fun <T> Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n  for (element in this) if (predicate(element)) return element\n  return null\n}\n\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this list.\n * \n @kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.getOrNull(index: Int, defaultValue: (Int) -> T): T {\n  return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.getOrNull\n
```

```

*^/npublic fun <T> List<T>.getOrNull(index: Int): T? {^/n    return if (index >= 0 && index <= lastIndex) get(index)
else null^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/n^/
* Returns first index of [element], or -1 if the collection does not contain element.^/n^/n^/
*^/npublic
fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element: T): Int {^/n    if (this is List) return
this.indexOf(element)^/n    var index = 0^/n    for (item in this) {^/n        checkIndexOverflow(index)^/n        if (element
== item)^/n            return index^/n            index++^/n    }^/n    return -1^/n^/n^/n^/n^/n^/
* Returns first index of [element], or -1
if the list does not contain element.^/n^/n^/
*^/n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning, extension takes precedence in some cases^/npublic fun <@kotlin.internal.OnlyInputTypes T>
List<T>.indexOf(element: T): Int {^/n    return indexOf(element)^/n^/n^/n^/
* Returns index of the first element
matching the given [predicate], or -1 if the collection does not contain such element.^/n^/
*^/npublic inline fun <T>
Iterable<T>.indexOfFirst(predicate: (T) -> Boolean): Int {^/n    var index = 0^/n    for (item in this) {^/n
checkIndexOverflow(index)^/n    if (predicate(item))^/n        return index^/n        index++^/n    }^/n    return -
1^/n^/n^/n^/
* Returns index of the first element matching the given [predicate], or -1 if the list does not contain
such element.^/n^/
*^/npublic inline fun <T> List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {^/n    var index = 0^/n
for (item in this) {^/n    if (predicate(item))^/n        return index^/n        index++^/n    }^/n    return -1^/n^/n^/
* Returns index of the last element matching the given [predicate], or -1 if the collection does not contain such
element.^/n^/
*^/npublic inline fun <T> Iterable<T>.indexOfLast(predicate: (T) -> Boolean): Int {^/n    var lastIndex = -
1^/n    var index = 0^/n    for (item in this) {^/n        checkIndexOverflow(index)^/n        if (predicate(item))^/n
lastIndex = index^/n        index++^/n    }^/n    return lastIndex^/n^/n^/
* Returns index of the last element matching
the given [predicate], or -1 if the list does not contain such element.^/n^/
*^/npublic inline fun <T>
List<T>.indexOfLast(predicate: (T) -> Boolean): Int {^/n    val iterator = this.listIterator(size)^/n    while
(iterator.hasPrevious()) {^/n        if (predicate(iterator.previous())) {^/n            return iterator.nextIndex()^/n        }^/n
}^/n    return -1^/n^/n^/
* Returns the last element.^/n^/
* @throws NoSuchElementException if the collection
is empty.^/n^/
* @sample samples.collections.Collections.Elements.last^/n^/
*^/npublic fun <T> Iterable<T>.last(): T
{^/n    when (this) {^/n        is List -> return this.last()^/n        else -> {^/n            val iterator = iterator()^/n            if
(!iterator.hasNext())^/n                throw NoSuchElementException("Collection is empty.")^/n            var last =
iterator.next()^/n            while (iterator.hasNext())^/n                last = iterator.next()^/n            return last^/n        }^/n
}^/n^/n^/
* Returns the last element.^/n^/
* @throws NoSuchElementException if the list is empty.^/n^/
* @sample samples.collections.Collections.Elements.last^/n^/
*^/npublic fun <T> List<T>.last(): T {^/n    if (isEmpty())^/n
throw NoSuchElementException("List is empty.")^/n    return this[lastIndex]^/n^/n^/
* Returns the last
element matching the given [predicate].^/n^/
* @throws NoSuchElementException if no such element is found.^/n
^/
* @sample samples.collections.Collections.Elements.last^/n^/
*^/npublic inline fun <T>
Iterable<T>.last(predicate: (T) -> Boolean): T {^/n    var last: T? = null^/n    var found = false^/n    for (element in this)
{^/n        if (predicate(element)) {^/n            last = element^/n            found = true^/n        }^/n    }^/n    if (!found) throw
NoSuchElementException("Collection contains no element matching the predicate.")^/n
@Suppress("UNCHECKED_CAST")^/n    return last as T^/n^/n^/
* Returns the last element matching the
given [predicate].^/n^/
* @throws NoSuchElementException if no such element is found.^/n^/
* @sample
samples.collections.Collections.Elements.last^/n^/
*^/npublic inline fun <T> List<T>.last(predicate: (T) -> Boolean): T
{^/n    val iterator = this.listIterator(size)^/n    while (iterator.hasPrevious()) {^/n        val element = iterator.previous()^/n
if (predicate(element)) return element^/n    }^/n    throw NoSuchElementException("List contains no element
matching the predicate.")^/n^/n^/
* Returns last index of [element], or -1 if the collection does not contain
element.^/n^/
*^/npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {^/n    if
(this is List) return this.lastIndexOf(element)^/n    var lastIndex = -1^/n    var index = 0^/n    for (item in this) {^/n
checkIndexOverflow(index)^/n    if (element == item)^/n        lastIndex = index^/n        index++^/n    }^/n    return
lastIndex^/n^/n^/
* Returns last index of [element], or -1 if the list does not contain element.^/n
^/
*^/n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases^/npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {^/n    return
lastIndexOf(element)^/n^/n^/
* Returns the last element, or `null` if the collection is empty.^/n^/
* @sample
samples.collections.Collections.Elements.last^/n^/
*^/npublic fun <T> Iterable<T>.lastOrNull(): T? {^/n    when (this)

```

```

    is List -> return if (isEmpty()) null else this[size - 1] else -> {
        val iterator = iterator()
        if (!iterator.hasNext()) return null
        var last = iterator.next()
        while (iterator.hasNext())
            last = iterator.next()
        return last
    }
}

Returns the last element, or `null` if the list is empty.
@sample samples.collections.Collections.Elements.last
public fun <T> List<T>.lastOrNull(): T? {
    return if (isEmpty()) null else this[size - 1]
}

Returns the last element matching the given [predicate], or `null` if no such element was found.
@sample samples.collections.Collections.Elements.last
public inline fun <T> Iterable<T>.lastOrNull(predicate: (T) -> Boolean): T? {
    var last: T? = null
    for (element in this) {
        if (predicate(element)) {
            last = element
        }
    }
    return last
}

Returns the last element matching the given [predicate], or `null` if no such element was found.
@sample samples.collections.Collections.Elements.last
public inline fun <T> List<T>.lastOrNull(predicate: (T) -> Boolean): T? {
    val iterator = this.listIterator(size)
    while (iterator.hasPrevious()) {
        val element = iterator.previous()
        if (predicate(element)) return element
    }
    return null
}

Returns a random element from this collection.
@throws NoSuchElementException if this collection is empty.
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
public inline fun <T> Collection<T>.random(): T {
    return random(Random)
}

Returns a random element from this collection using the specified source of randomness.
@throws NoSuchElementException if this collection is empty.
@SinceKotlin("1.3")
public fun <T> Collection<T>.random(random: Random): T {
    if (isEmpty())
        throw NoSuchElementException("Collection is empty.")
    return elementAt(random.nextInt(size))
}

Returns a random element from this collection, or `null` if this collection is empty.
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@kotlin.internal.InlineOnly
public inline fun <T> Collection<T>.randomOrNull(): T? {
    return randomOrNull(Random)
}

Returns a random element from this collection using the specified source of randomness, or `null` if this collection is empty.
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public fun <T> Collection<T>.randomOrNull(random: Random): T? {
    if (isEmpty())
        return null
    return elementAt(random.nextInt(size))
}

Returns the single element, or throws an exception if the collection is empty or has more than one element.
public fun <T> Iterable<T>.single(): T {
    when (this) {
        is List -> return this.single()
        else -> {
            val iterator = iterator()
            if (!iterator.hasNext())
                throw NoSuchElementException("Collection is empty.")
            val single = iterator.next()
            if (iterator.hasNext())
                throw IllegalArgumentException("Collection has more than one element.")
            return single
        }
    }
}

Returns the single element, or throws an exception if the list is empty or has more than one element.
public fun <T> List<T>.single(): T {
    return when (size) {
        0 -> throw NoSuchElementException("List is empty.")
        1 -> this[0]
        else -> throw IllegalArgumentException("List has more than one element.")
    }
}

Returns the single element matching the given [predicate], or throws exception if there is no or more than one matching element.
public inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {
    var single: T? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found)
                throw IllegalArgumentException("Collection contains more than one matching element.")
            single = element
            found = true
        }
    }
    if (!found)
        throw NoSuchElementException("Collection contains no element matching the predicate.")
    @SuppressWarnings("UNCHECKED_CAST")
    return single as T
}

Returns single element, or `null` if the collection is empty or has more than one element.
public fun <T> Iterable<T>.singleOrNull(): T? {
    when (this) {
        is List -> return if (size == 1) this[0] else null
        else -> {
            val iterator = iterator()
            if (!iterator.hasNext())
                return null
            val single = iterator.next()
            if (iterator.hasNext())
                return null
            return single
        }
    }
}

Returns single element, or `null` if the list is empty or has more than one element.
public fun <T> List<T>.singleOrNull(): T? {
    return if (size == 1) this[0] else null
}

Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.
public inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {
    var single: T? = null
    var found =

```

```

false\n for (element in this) {\n     if (predicate(element)) {\n         if (found) return null\n         single = element\n         found = true\n     }\n } \n if (!found) return null\n return single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> Iterable<T>.drop(n: Int): List<T> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return toList()\n    val list: ArrayList<T>\n    if (this is Collection<*>) {\n        val resultSize = size - n\n        if (resultSize <= 0)\n            return emptyList()\n        if (resultSize == 1)\n            return listOf(last())\n        list = ArrayList<T>(resultSize)\n        if (this is List<T>) {\n            if (this is RandomAccess) {\n                for (index in n until size)\n                    list.add(this[index])\n            } else {\n                for (item in listIterator(n))\n                    list.add(item)\n            }\n            return list\n        }\n    } \n else {\n        for (item in listIterator(n))\n            list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic fun <T> List<T>.dropLast(n: Int): List<T> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return take((size - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {\n    if (!isEmpty()) {\n        val iterator = listIterator(size)\n        while (iterator.hasPrevious()) {\n            if (!predicate(iterator.previous()))\n                return take(iterator.nextIndex() + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n */\npublic inline fun <T> Iterable<T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n    var yielding = false\n    val list = ArrayList<T>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Iterable<T>.filter(predicate: (T) -> Boolean): List<T> {\n    return filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun <T> Iterable<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {\n    return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n * \n * @sample samples.collections.Collections.Filtering.filterIsInstance\n */\npublic inline fun <reified R> Iterable<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n    return filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type parameter R to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterIsInstanceTo\n */\npublic inline fun <reified R, C : MutableCollection<in R>> Iterable<*>.filterIsInstanceTo(destination: C): C {\n    for (element in this) if (element is R) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n */\npublic inline fun <T> Iterable<T>.filterNot(predicate: (T) -> Boolean): List<T> {\n    return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements that are not `null`.\n * \n * @sample samples.collections.Collections.Filtering.filterNotNull\n */\npublic fun <T : Any> Iterable<T?>.filterNotNull():

```

```

List<T> {\n  return filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the
given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterNotNullTo\n * \npublic fun <C
: MutableCollection<in T>, T : Any> Iterable<T?>.filterNotNullTo(destination: C): C {\n  for (element in this) if
(element != null) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not matching
the given [predicate] to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
* \npublic inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) ->
Boolean): C {\n  for (element in this) if (!predicate(element)) destination.add(element)\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n *
@sample samples.collections.Collections.Filtering.filterTo\n * \npublic inline fun <T, C : MutableCollection<in
T>> Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n  for (element in this) if
(predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Returns a list containing elements
at indices in the specified [indices] range.\n * \npublic fun <T> List<T>.slice(indices: IntRange): List<T> {\n  if
(indices.isEmpty()) return listOf()\n  return this.subList(indices.start, indices.endInclusive + 1).toList()\n}\n\n/**\n
* Returns a list containing elements at specified [indices].\n * \npublic fun <T> List<T>.slice(indices:
Iterable<Int>): List<T> {\n  val size = indices.collectionSizeOrDefault(10)\n  if (size == 0) return emptyList()\n
val list = ArrayList<T>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n
* Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n * \npublic fun <T> Iterable<T>.take(n: Int):
List<T> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return
emptyList()\n  if (this is Collection<T>) {\n    if (n >= size) return toList()\n    if (n == 1) return
listOf(first())\n  }\n  var count = 0\n  val list = ArrayList<T>(n)\n  for (item in this) {\n    list.add(item)\n
if (++count == n)\n    break\n  }\n  return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list containing
last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  if (n == 0) return emptyList()\n  val size =
size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(last())\n  val list = ArrayList<T>(n)\n  if (this is
RandomAccess) {\n    for (index in size - n until size)\n      list.add(this[index])\n  } else {\n    for (item in
listIterator(size - n))\n      list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n * \npublic
inline fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n  if (isEmpty())\n    return
emptyList()\n  val iterator = listIterator(size)\n  while (iterator.hasPrevious()) {\n    if
(!predicate(iterator.previous())) {\n      iterator.next()\n      val expectedSize = size - iterator.nextIndex()\n
if (expectedSize == 0) return emptyList()\n      return ArrayList<T>(expectedSize).apply {\n        while
(iterator.hasNext())\n          add(iterator.next())\n        }\n    }\n  }\n  return toList()\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n * \npublic inline fun <T> Iterable<T>.takeWhile(predicate:
(T) -> Boolean): List<T> {\n  val list = ArrayList<T>()\n  for (item in this) {\n    if (!predicate(item))\n
break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Reverses elements in the list in-place.\n * \npublic
expect fun <T> MutableList<T>.reverse(): Unit\n\n/**\n * Returns a list with elements in reversed order.\n * \npublic
fun <T> Iterable<T>.reversed(): List<T> {\n  if (this is Collection && size <= 1) return toList()\n  val
list = toMutableList()\n  list.reverse()\n  return list\n}\n\n/**\n * Randomly shuffles elements in this list in-place
using the specified [random] instance as the source of randomness.\n * \n * See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
* \n * @Since Kotlin("1.3")\n * \npublic fun <T> MutableList<T>.shuffle(random: Random): Unit {\n  for (i in lastIndex
downTo 1) {\n    val j = random.nextInt(i + 1)\n    this[j] = this.set(i, this[j])\n  }\n}\n\n/**\n * Sorts elements
in the list in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The
sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \npublic
inline fun <T, R : Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n  if (size > 1)

```

```

sortWith(compareBy(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to natural sort
order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>>
MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n    if (size > 1)
sortWith(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the list in-place descending according to
their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n */\npublic fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {\n
sortWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to their natural sort order.\n *
\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n
*/\npublic fun <T : Comparable<T>> Iterable<T>.sorted(): List<T> {\n    if (this is Collection) {\n        if (size <= 1)
return this.toList()\n        @Suppress("UNCHECKED_CAST")\n        return (toArray<Comparable<T>>())
as Array<T>).apply { sort() }.asList()\n    }\n    return toMutableList().apply { sort() }\n}\n\n/**\n * Returns a list of
all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The
sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n *
\n * @sample samples.collections.Collections.Sorting.sortedBy\n */\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural
sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n    return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending
according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Iterable<T>.sortedDescending(): List<T>
{\n    return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted according to the specified
[comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n */\npublic fun <T> Iterable<T>.sortedWith(comparator: Comparator<in T>): List<T> {\n    if (this is
Collection) {\n        if (size <= 1) return this.toList()\n        @Suppress("UNCHECKED_CAST")\n        return
(toTypedArray<Any?>() as Array<T>).apply { sortWith(comparator) }.asList()\n    }\n    return
toMutableList().apply { sortWith(comparator) }\n}\n\n/**\n * Returns an array of Boolean containing all of the
elements of this collection.\n */\npublic fun Collection<Boolean>.toBooleanArray(): BooleanArray {\n    val result
= BooleanArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return
result\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this collection.\n */\npublic fun
Collection<Byte>.toByteArray(): ByteArray {\n    val result = ByteArray(size)\n    var index = 0\n    for (element in
this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Char containing all of the
elements of this collection.\n */\npublic fun Collection<Char>.toCharArray(): CharArray {\n    val result =
CharArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return
result\n}\n\n/**\n * Returns an array of Double containing all of the elements of this collection.\n */\npublic fun
Collection<Double>.toDoubleArray(): DoubleArray {\n    val result = DoubleArray(size)\n    var index = 0\n    for
(element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Float containing
all of the elements of this collection.\n */\npublic fun Collection<Float>.toFloatArray(): FloatArray {\n    val result
= FloatArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return
result\n}\n\n/**\n * Returns an array of Int containing all of the elements of this collection.\n */\npublic fun
Collection<Int>.toIntArray(): IntArray {\n    val result = IntArray(size)\n    var index = 0\n    for (element in this)\n
        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Long containing all of the elements
of this collection.\n */\npublic fun Collection<Long>.toLongArray(): LongArray {\n    val result =
LongArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return
result\n}\n\n/**\n * Returns an array of Short containing all of the elements of this collection.\n */\npublic fun
Collection<Short>.toShortArray(): ShortArray {\n    val result = ShortArray(size)\n    var index = 0\n    for (element

```

```

in this)
    result[index++] = element
    return result
}

/** Returns a [Map] containing key-value pairs
provided by [transform] function
* applied to elements of the given collection.
* If any of two pairs would
have the same key the last one gets added to the map.
* The returned map preserves the entry iteration order
of the original collection.
* @sample samples.collections.Collections.Transformations.associate
*/
public inline fun <T, K, V> Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {
    val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K,
V>(capacity), transform)
}

/** Returns a [Map] containing the elements from the given collection indexed
by the key
* returned from [keySelector] function applied to each element.
* If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.
* The returned map preserves
the entry iteration order of the original collection.
* @sample
samples.collections.Collections.Transformations.associateBy
*/
public inline fun <T, K>
Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T> {
    val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K,
T>(capacity), keySelector)
}

/** Returns a [Map] containing the values provided by [valueTransform] and
indexed by [keySelector] functions applied to elements of the given collection.
* If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.
* The returned map preserves
the entry iteration order of the original collection.
* @sample
samples.collections.Collections.Transformations.associateByWithValueTransform
*/
public inline fun <T, K, V>
Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {
    val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)
    return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)
}

/** Populates and returns the [destination] mutable map with
key-value pairs,
* where key is provided by the [keySelector] function applied to each element of the given
collection
* and value is the element itself.
* If any two elements would have the same key returned by
[keySelector] the last one gets added to the map.
* @sample
samples.collections.Collections.Transformations.associateByTo
*/
public inline fun <T, K, M : MutableMap<in
K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {
    for (element in this) {
        destination.put(keySelector(element), element)
    }
    return destination
}

/** Populates and returns the
[destination] mutable map with key-value pairs,
* where key is provided by the [keySelector] function and
* value is provided by the [valueTransform] function applied to elements of the given collection.
* If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.
* @sample
samples.collections.Collections.Transformations.associateByToWithValueTransform
*/
public inline fun <T, K,
V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {
    for (element in this) {
        destination.put(keySelector(element),
valueTransform(element))
    }
    return destination
}

/** Populates and returns the [destination] mutable
map with key-value pairs
* provided by [transform] function applied to each element of the given collection.
*
* If any of two pairs would have the same key the last one gets added to the map.
* @sample
samples.collections.Collections.Transformations.associateTo
*/
public inline fun <T, K, V, M : MutableMap<in
K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {
    for (element in this) {
        destination += transform(element)
    }
    return destination
}

/** Returns a [Map] where keys are
elements from the given collection and values are
* produced by the [valueSelector] function applied to each
element.
* If any two elements are equal, the last one gets added to the map.
* The returned map
preserves the entry iteration order of the original collection.
* @sample
samples.collections.Collections.Transformations.associateWith
*/
@SinceKotlin("1.3")
public inline fun <K,
V> Iterable<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {
    val result = LinkedHashMap<K,
V>(mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16))
    return associateWithTo(result,
valueSelector)
}

/** Populates and returns the [destination] mutable map with key-value pairs for each
element of the given collection,
* where key is the element itself and value is provided by the [valueSelector]
function applied to that key.
* If any two elements are equal, the last one overwrites the former value in the

```

```

map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*\n@SinceKotlin("1.3")\npublic inline fun <K, V, M : MutableMap<in K, in V>>
Iterable<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n  for (element in this) {\n
destination.put(element, valueSelector(element))\n  }\n  return destination\n}\n\n/**\n * Appends all elements to
the given [destination] collection.\n */\npublic fun <T, C : MutableCollection<in T>>
Iterable<T>.toCollection(destination: C): C {\n  for (item in this) {\n    destination.add(item)\n  }\n  return
destination\n}\n\n/**\n * Returns a new [HashSet] of all elements.\n */\npublic fun <T> Iterable<T>.toHashSet():
HashSet<T> {\n  return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))\n}\n\n/**\n *
Returns a [List] containing all elements.\n */\npublic fun <T> Iterable<T>.toList(): List<T> {\n  if (this is
Collection) {\n    return when (size) {\n      0 -> emptyList()\n      1 -> listOf(if (this is List) get(0) else
iterator().next())\n    } else -> this.toMutableList()\n  }\n  return
this.toMutableList().optimizeReadOnlyList()\n}\n\n/**\n * Returns a new [MutableList] filled with all elements of
this collection.\n */\npublic fun <T> Iterable<T>.toMutableList(): MutableList<T> {\n  if (this is Collection<T>)\n
return this.toMutableList()\n  return toCollection(ArrayList<T>())\n}\n\n/**\n * Returns a new [MutableList]
filled with all elements of this collection.\n */\npublic fun <T> Collection<T>.toMutableList(): MutableList<T> {\n
return ArrayList(this)\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element
iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toSet(): Set<T> {\n  if (this is
Collection) {\n    return when (size) {\n      0 -> emptySet()\n      1 -> setOf(if (this is List) this[0] else
iterator().next())\n    } else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n  }\n  return
toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n/**\n * Returns a single list of all elements
yielded from results of [transform] function being invoked on each element of original collection.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <T, R>
Iterable<T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original collection.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequence")\npublic inline fun <T, R>
Iterable<T>.flatMap(transform: (T) -> Sequence<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\n@kotlin.internal.InlineOnly\npublic
inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original collection.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequence")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R> Iterable<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original collection, to the given
[destination].\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform: (index:
Int, T) -> Iterable<R>): C {\n  var index = 0\n  for (element in this) {\n    val list =

```

```

transform(checkIndexOverflow(index++), element)\n    destination.addAll(list)\n } \n return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element\n * and its index in the original collection, to the given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\npu
blic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Sequence<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(checkIndexOverflow(index++), element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original collection, to the given [destination].\n *\npublic inline fun <T, R, C : MutableCollection<in
R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n    for (element in this) {\n        val
list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original collection, to the
given [destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequenceTo")\npublic inline fun <T, R, C :
MutableCollection<in R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *\npublic inline
fun <T, K> Iterable<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original collection\n * by the key returned by the given
[keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of
corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original collection.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\npublic inline fun <T, K, V> Iterable<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K,
List<V>> {\n    return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector,
valueTransform)\n}\n\n/**\n * Groups elements of the original collection by the key returned by the given
[keySelector] function\n * applied to each element and puts to the [destination] map each group key associated with
a list of corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <T, K, M : MutableMap<in K,
MutableList<T>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n    for (element in this) {\n
        val key = keySelector(element)\n        val list = destination.getOrPut(key) { ArrayList<T>() }\n
list.add(element)\n    }\n    return destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function
applied to each element of the original collection\n * by the key returned by the given [keySelector] function applied
to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n
*\n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n *\npublic inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n    return
destination\n}\n\n/**\n * Creates a [Grouping] source from a collection to be used later with one of group-and-fold
operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample
samples.collections.Grouping.groupingByEachCount\n *\n@SinceKotlin("1.1")\npublic inline fun <T, K>
Iterable<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n    return object : Grouping<T, K>

```

```

{\n    override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n    override fun keyOf(element:
T): K = keySelector(element)\n    }\n}\n\n/**\n * Returns a list containing the results of applying the given
[transform] function\n * to each element in the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.map\n */\npublic inline fun <T, R> Iterable<T>.map(transform:
(T) -> R): List<R> {\n    return mapTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each element and its index in
the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R>
Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing only
the non-null results of applying the given [transform] function\n * to each element and its index in the original
collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns
the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any>
Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n    return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n
* @param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>>
Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n    forEachIndexed {
index, element -> transform(index, element)?.let { destination.add(it) } }\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original collection\n * and appends the
results to the given [destination].\n * @param [transform] function that takes the index of an element and the
element itself\n * and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C :
MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n    var
index = 0\n    for (item in this)\n        destination.add(transform(checkIndexOverflow(index++), item))\n    return
destination\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform]
function\n * to each element in the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.mapNotNull\n */\npublic inline fun <T, R : Any>
Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {\n    return mapNotNullTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Applies the given [transform] function to each element in the original collection\n * and
appends only the non-null results to the given [destination].\n */\npublic inline fun <T, R : Any, C :
MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n    forEach {
element -> transform(element)?.let { destination.add(it) } }\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each element of the original collection\n * and appends the results to the given
[destination].\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C,
transform: (T) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return
destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original collection\n * into an
[IndexValue] containing the index of that element and the element itself.\n */\npublic fun <T>
Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {\n    return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a list containing only distinct elements from the given collection.\n * \n * Among equal elements of the
given collection, only the first one will be present in the resulting list.\n * The elements in the resulting list are in the
same order as they were in the source collection.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T> Iterable<T>.distinct():
List<T> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing only elements from the
given collection\n * having distinct keys returned by the given [selector] function.\n * \n * Among elements of the
given collection with equal keys, only the first one will be present in the resulting list.\n * The elements in the
resulting list are in the same order as they were in the source collection.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <T, K>

```

```

Iterable<T>.distinctBy(selector: (T) -> K): List<T> {\n    val set = HashSet<K>()\n    val list = ArrayList<T>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list}\n\n/**\n * Returns a set containing all elements that are contained by both this collection and the specified collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n * \n * To get a set containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun <T>\nIterable<T>.intersect(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set}\n\n/**\n * Returns a set containing all elements that are contained by this collection and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic infix fun <T> Iterable<T>.subtract(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.removeAll(other)\n    return set}\n\n/**\n * Returns a new [MutableSet] containing all distinct elements from the given collection.\n * \n * The returned set preserves the element iteration order of the original collection.\n */\npublic fun <T> Iterable<T>.toMutableSet(): MutableSet<T> {\n    return when (this) {\n        is Collection<T> -> LinkedHashSet(this)\n        else -> toCollection(LinkedHashSet<T>())\n    }\n}\n\n/**\n * Returns a set containing all distinct elements from both collections.\n * \n * The returned set preserves the element iteration order of the original collection.\n * Those elements of the [other] collection that are unique are iterated in the end\n * in the order of the [other] collection.\n * \n * To get a set containing all elements that are contained in both collections use [intersect].\n */\npublic infix fun <T> Iterable<T>.union(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.addAll(other)\n    return set}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Iterable<T>.all(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return true\n    for (element in this) if (!predicate(element)) return false\n    return true}\n\n/**\n * Returns `true` if collection has at least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Iterable<T>.any(): Boolean {\n    if (this is Collection) return !isEmpty()\n    return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Iterable<T>.any(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return false\n    for (element in this) if (predicate(element)) return true\n    return false}\n\n/**\n * Returns the number of elements in this collection.\n * \n * @kotlin.internal.InlineOnly\n */\npublic inline fun <T> Collection<T>.count(): Int {\n    return size}\n\n/**\n * Returns the number of elements matching the given [predicate].\n * \n * @public inline fun <T> Iterable<T>.count(predicate: (T) -> Boolean): Int {\n    if (this is Collection && isEmpty()) return 0\n    var count = 0\n    for (element in this) if (predicate(element)) checkCountOverflow(++count)\n    return count}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element.\n * \n * Returns the specified [initial] value if the collection is empty.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n    var accumulator = initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return accumulator}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its index in the original collection.\n * \n * Returns the specified [initial] value if the collection is empty.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <T, R> Iterable<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)\n    return accumulator}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the list is empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the next accumulator value.\n */

```

```

*public inline fun <T, R> List<T>.foldRight(initial: R, operation: (T, acc: R) -> R): R {
    var accumulator = initial
    if (!isEmpty()) {
        val iterator = listIterator(size)
        while (iterator.hasPrevious()) {
            accumulator = operation(iterator.previous(), accumulator)
        }
    }
    return accumulator
}

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original list and current accumulator value. Returns the specified [initial] value if the list is empty.
@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

*public inline fun <T, R> List<T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {
    var accumulator = initial
    if (!isEmpty()) {
        val iterator = listIterator(size)
        while (iterator.hasPrevious()) {
            val index = iterator.previousIndex()
            accumulator = operation(index, iterator.previous(), accumulator)
        }
    }
    return accumulator
}

Performs the given [action] on each element.

*internal.HidesMembers
*public inline fun <T> Iterable<T>.forEach(action: (T) -> Unit): Unit {
    for (element in this) action(element)
}

Performs the given [action] on each element, providing sequential index with the element.
@param [action] function that takes the index of an element and the element itself and performs the action on the element.

*public inline fun <T> Iterable<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {
    var index = 0
    for (item in this) action(checkIndexOverflow(index++), item)
}

@Deprecated("Use maxOrNull instead.", ReplaceWith("this.maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
@SinceKotlin("1.1")
public fun Iterable<Double>.max(): Double? {
    return maxOrNull()
}

@Deprecated("Use maxOrNull instead.", ReplaceWith("this.maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
@SinceKotlin("1.1")
public fun Iterable<Float>.max(): Float? {
    return maxOrNull()
}

@Deprecated("Use maxOrNull instead.", ReplaceWith("this.maxOrNull()"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public fun <T : Comparable<T>> Iterable<T>.max(): T? {
    return maxOrNull()
}

@Deprecated("Use maxByOrNull instead.", ReplaceWith("this.maxByOrNull(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
public inline fun <T, R : Comparable<R>> Iterable<T>.maxBy(selector: (T) -> R): T? {
    return maxByOrNull(selector)
}

Returns the first element yielding the largest value of the given function or `null` if there are no elements.
@sample
samples.collections.Collections.Aggregates.maxByOrNull
*@SinceKotlin("1.4")
public inline fun <T, R : Comparable<R>> Iterable<T>.maxByOrNull(selector: (T) -> R): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var maxElem = iterator.next()
    if (!iterator.hasNext()) return maxElem
    var maxV = selector(maxElem)
    do {
        val e = iterator.next()
        val v = selector(e)
        if (maxV < v) {
            maxElem = e
            maxV = v
        }
    } while (iterator.hasNext())
    return maxElem
}

Returns the largest value among all values produced by [selector] function applied to each element in the collection. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
@throws NoSuchElementException if the collection is empty.

*@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Iterable<T>.maxOf(selector: (T) -> Double): Double {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var maxV = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        maxV = maxOf(maxV, v)
    }
    return maxV
}

Returns the largest value among all values produced by [selector] function applied to each element in the collection. If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
@throws NoSuchElementException if the collection is empty.

*@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Iterable<T>.maxOf(selector: (T) ->

```

```

Float): Float {
    val iterator = iterator()
    if (!iterator.hasNext()) throw NoSuchElementException()
    var
    maxValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}

/** Returns the largest value among all
values produced by [selector] function
* applied to each element in the collection.
* @throws
NoSuchElementException if the collection is empty.
*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R : Comparable<R>>
Iterable<T>.maxOf(selector: (T) -> R): R {
    val iterator = iterator()
    if (!iterator.hasNext()) throw
    NoSuchElementException()
    var maxValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v
        = selector(iterator.next())
        if (maxValue < v)
            maxValue = v
    }
    return
    maxValue
}

/** Returns the largest value among all values produced by [selector] function
* applied to each element in the collection or `null` if there are no elements.
* If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.
*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R : Comparable<R>>
Iterable<T>.maxOfOrNull(selector: (T)
-> Double): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var maxValue =
    selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        maxValue =
        maxOf(maxValue, v)
    }
    return maxValue
}

/** Returns the largest value among all values produced
by [selector] function
* applied to each element in the collection or `null` if there are no elements.
* If any
of values produced by [selector] function is `NaN`, the returned result is `NaN`.
*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T> Iterable<T>.maxOfOrNull(selector: (T)
-> Float): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var maxValue =
    selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        maxValue =
        maxOf(maxValue, v)
    }
    return maxValue
}

/** Returns the largest value among all values produced
by [selector] function
* applied to each element in the collection or `null` if there are no elements.
*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R : Comparable<R>>
Iterable<T>.maxOfOrNull(selector: (T) -> R): R? {
    val iterator = iterator()
    if (!iterator.hasNext()) return
    null
    var maxValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v =
        selector(iterator.next())
        if (maxValue < v)
            maxValue = v
    }
    return
    maxValue
}

/** Returns the largest value according to the provided [comparator]
* among all values
produced by [selector] function applied to each element in the collection.
* @throws
NoSuchElementException if the collection is empty.
*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R>
Iterable<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {
    val iterator = iterator()
    if
    (!iterator.hasNext()) throw NoSuchElementException()
    var maxValue = selector(iterator.next())
    while
    (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(maxValue, v) < 0)
            maxValue = v
    }
    return maxValue
}

/** Returns the largest value according to the provided
[comparator]
* among all values produced by [selector] function applied to each element in the collection or `null`
if there are no elements.
*/
@SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution
ByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <T, R>
Iterable<T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {
    val iterator =
    iterator()
    if (!iterator.hasNext()) return null
    var maxValue = selector(iterator.next())
    while
    (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(maxValue, v) < 0)
            maxValue = v
    }
    return maxValue
}

/** Returns the largest element or `null` if there are no

```

```

elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n * \n\n@SinceKotlin("1.4")\npublic fun
Iterable<Double>.maxOrNull(): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var
max = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        max = maxOf(max, e)\n    }\n    return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of
elements is `NaN` returns `NaN`.\n * \n\n@SinceKotlin("1.4")\npublic fun Iterable<Float>.maxOrNull(): Float? {\n
val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    while
(iterator.hasNext()) {\n        val e = iterator.next()\n        max = maxOf(max, e)\n    }\n    return max\n}\n\n/**\n *
Returns the largest element or `null` if there are no elements.\n * \n\n@SinceKotlin("1.4")\npublic fun <T :
Comparable<T>> Iterable<T>.maxOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n
var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (max < e) max = e\n
    }\n    return max\n}\n\n@Deprecated("Use maxWithOrNull instead."),
ReplaceWith("this.maxWithOrNull(comparator)")\n\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {\n
return maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n * \n\n@SinceKotlin("1.4")\npublic fun <T>
Iterable<T>.maxWithOrNull(comparator: Comparator<in T>): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var max = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        if (comparator.compare(max, e) < 0) max = e\n    }\n    return max\n}\n\n@Deprecated("Use
minOrNull instead.", ReplaceWith("this.minOrNull()")\n\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Iterable<Double>.min(): Double?
{\n    return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",
ReplaceWith("this.minOrNull()")\n\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Iterable<Float>.min(): Float? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.",
ReplaceWith("this.minOrNull()")\n\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun <T : Comparable<T>> Iterable<T>.min(): T? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minByOrNull instead.",
ReplaceWith("this.minByOrNull(selector)")\n\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <T, R : Comparable<R>> Iterable<T>.minBy(selector: (T) -> R):
T? {\n    return minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.\n * \n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n * \n\n@SinceKotlin("1.4")\npublic inline fun <T, R :
Comparable<R>> Iterable<T>.minByOrNull(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var minElem = iterator.next()\n    if (!iterator.hasNext()) return minElem\n    var
minValue = selector(minElem)\n    do {\n        val e = iterator.next()\n        val v = selector(e)\n        if (minValue >
v) {\n            minElem = e\n            minValue = v\n        }\n    } while (iterator.hasNext())\n    return
minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the collection.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result
is `NaN`.\n * \n * @throws NoSuchElementException if the collection is empty.\n * \n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOf(selector: (T) ->
Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the collection.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the collection is empty.\n * \n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.minOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw
NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n       
val v = selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the collection or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOfOrNull(selector: (T)
-> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n       
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n * \n * If any
of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.minOfOrNull(selector: (T)
-> Float): Float? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var minValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n       
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the collection or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.minOfOrNull(selector: (T) -> R): R? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return
null\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v =
selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the collection.\n * \n * @throws
NoSuchElementException if the collection is empty.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> Iterable<T>.minOfWith(comparator:
Comparator<in R>, selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw
NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n       
val v = selector(iterator.next())\n        if (comparator.compare(minValue, v) > 0) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all
values produced by [selector] function applied to each element in the collection or `null` if there are no elements.\n
*/\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R>
Iterable<T>.minOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {\n    val iterator =
iterator()\n    if (!iterator.hasNext()) return null\n    var minValue = selector(iterator.next())\n    while
(iterator.hasNext()) {\n        val v = selector(iterator.next())\n        if (comparator.compare(minValue, v) > 0) {\n           
minValue = v\n        }\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest element or `null` if there are

```

```

no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic fun
Iterable<Double>.minOrNull(): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var
min = iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements
is `NaN` returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic fun Iterable<Float>.minOrNull(): Float? {\n    val
iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext())
{\n        val e = iterator.next()\n        min = minOf(min, e)\n    }\n    return min\n}\n\n/**\n * Returns the smallest
element or `null` if there are no elements.\n *\n@SinceKotlin("1.4")\npublic fun <T : Comparable<T>>
Iterable<T>.minOrNull(): T? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var min =
iterator.next()\n    while (iterator.hasNext()) {\n        val e = iterator.next()\n        if (min > e) min = e\n    }\n    return
min\n}\n\n@Deprecated("Use minWithOrNull instead.")
ReplaceWith("this.minWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\npublic fun <T> Iterable<T>.minWith(comparator: Comparator<in T>): T? {\n
return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the smallest value according to
the provided [comparator] or `null` if there are no elements.\n *\n@SinceKotlin("1.4")\npublic fun <T>
Iterable<T>.minWithOrNull(comparator: Comparator<in T>): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var min = iterator.next()\n    while (iterator.hasNext()) {\n        val e =
iterator.next()\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns `true` if
the collection has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n *\npublic fun
<T> Iterable<T>.none(): Boolean {\n    if (this is Collection) return isEmpty()\n    return
!iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *\npublic inline fun <T>
Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n    if (this is Collection && isEmpty()) return true\n    for
(element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each
element and returns the collection itself afterwards.\n *\n@SinceKotlin("1.1")\npublic inline fun <T, C :
Iterable<T>> C.onEach(action: (T) -> Unit): C {\n    return apply { for (element in this) action(element)
}\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element,\n * and
returns the collection itself afterwards.\n * \n * @param [action] function that takes the index of an element and the
element itself\n * and performs the action on the element.\n *\n@SinceKotlin("1.4")\npublic inline fun <T, C :
Iterable<T>> C.onEachIndexed(action: (index: Int, T) -> Unit): C {\n    return apply { forEachIndexed(action)
}\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right\n * to
current accumulator value and each element.\n * \n * Throws an exception if this collection is empty. If the
collection can be empty in an expected way,\n * please use [reduceOrNull] instead. It returns `null` when its receiver
is empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun <S, T : S> Iterable<T>.reduce(operation: (acc: S, T) -> S): S {\n    val iterator = this.iterator()\n
if (!iterator.hasNext()) throw UnsupportedOperationException("Empty collection can't be reduced.")\n    var
accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n        accumulator = operation(accumulator,
iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and
applying [operation] from left to right\n * to current accumulator value and each element with its index in the
original collection.\n * \n * Throws an exception if this collection is empty. If the collection can be empty in an
expected way,\n * please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value and the element itself,\n *
and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n *\npublic inline fun <S, T : S> Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n    val
iterator = this.iterator()\n    if (!iterator.hasNext()) throw UnsupportedOperationException("Empty collection can't
be reduced.")\n    var index = 1\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n
accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n    }\n    return

```

```

accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original collection.\n * \n * Returns
`null` if the collection is empty.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value and the element itself,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n *\n@SinceKotlin("1.4")\npublic inline fun <S, T : S>
Iterable<T>.reduceIndexedOrNull(operation: (index: Int, acc: S, T) -> S): S? {\n    val iterator = this.iterator()\n    if
(!iterator.hasNext()) return null\n    var index = 1\n    var accumulator: S = iterator.next()\n    while
(iterator.hasNext()) {\n        accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n
    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the collection is
empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>
Iterable<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n    val iterator = this.iterator()\n    if
(!iterator.hasNext()) return null\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n
        accumulator = operation(accumulator, iterator.next())\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with the last element and applying [operation] from right to left\n * to each element and current accumulator
value.\n * \n * Throws an exception if this list is empty. If the list can be empty in an expected way,\n * please use
[reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation] function that
takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n *\npublic inline fun <S, T : S>
List<T>.reduceRight(operation: (T, acc: S) -> S): S {\n    val iterator = listIterator(size)\n    if
(!iterator.hasPrevious())\n        throw UnsupportedOperationException("Empty list can't be reduced.")\n    var
accumulator: S = iterator.previous()\n    while (iterator.hasPrevious()) {\n        accumulator =
operation(iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with the last element and applying [operation] from right to left\n * to each element with its index in the original list
and current accumulator value.\n * \n * Throws an exception if this list is empty. If the list can be empty in an
expected way,\n * please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n
* @param [operation] function that takes the index of an element, the element itself and current accumulator
value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n *\npublic inline fun <S, T : S>
List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n    val iterator = listIterator(size)\n    if
(!iterator.hasPrevious())\n        throw UnsupportedOperationException("Empty list can't be reduced.")\n    var
accumulator: S = iterator.previous()\n    while (iterator.hasPrevious()) {\n        val index = iterator.previousIndex()\n
        accumulator = operation(index, iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original list and current accumulator value.\n * \n * Returns `null` if the list is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n
* and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n *\n@SinceKotlin("1.4")\npublic inline fun <S,
T : S> List<T>.reduceRightIndexedOrNull(operation: (index: Int, T, acc: S) -> S): S? {\n    val iterator =
listIterator(size)\n    if (!iterator.hasPrevious())\n        return null\n    var accumulator: S = iterator.previous()\n
while (iterator.hasPrevious()) {\n        val index = iterator.previousIndex()\n        accumulator = operation(index,
iterator.previous(), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last
element and applying [operation] from right to left\n * to each element and current accumulator value.\n * \n *
Returns `null` if the list is empty.\n * \n * @param [operation] function that takes an element and current
accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n

```

```

*^@SinceKotlin("1.4")^@WasExperimental(ExperimentalStdlibApi::class)^npublic inline fun <S, T : S>
List<T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {^n    val iterator = listIterator(size)^n    if
(!iterator.hasPrevious())^n        return null^n    var accumulator: S = iterator.previous()^n    while
(iterator.hasPrevious()) {^n        accumulator = operation(iterator.previous(), accumulator)^n    }^n    return
accumulator^n}^n/n/**^n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right^n * to each element and current accumulator value that starts with [initial] value.^n * ^n
* Note that `acc` value passed to [operation] function should not be mutated;^n * otherwise it would affect the
previous value in resulting list.^n * ^n * @param [operation] function that takes current accumulator value and an
element, and calculates the next accumulator value.^n * ^n * @sample
samples.collections.Collections.Aggregates.runningFold^n *^@SinceKotlin("1.4")^npublic inline fun <T, R>
Iterable<T>.runningFold(initial: R, operation: (acc: R, T) -> R): List<R> {^n    val estimatedSize =
collectionSizeOrDefault(9)^n    if (estimatedSize == 0) return listOf(initial)^n    val result =
ArrayList<R>(estimatedSize + 1).apply { add(initial) }^n    var accumulator = initial^n    for (element in this) {^n
        accumulator = operation(accumulator, element)^n        result.add(accumulator)^n    }^n    return result^n}^n/n/**^n *
Returns a list containing successive accumulation values generated by applying [operation] from left to right^n * to
each element, its index in the original collection and current accumulator value that starts with [initial] value.^n * ^n
* Note that `acc` value passed to [operation] function should not be mutated;^n * otherwise it would affect the
previous value in resulting list.^n * ^n * @param [operation] function that takes the index of an element, current
accumulator value^n * and the element itself, and calculates the next accumulator value.^n * ^n * @sample
samples.collections.Collections.Aggregates.runningFold^n *^@SinceKotlin("1.4")^npublic inline fun <T, R>
Iterable<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {^n    val estimatedSize
= collectionSizeOrDefault(9)^n    if (estimatedSize == 0) return listOf(initial)^n    val result =
ArrayList<R>(estimatedSize + 1).apply { add(initial) }^n    var index = 0^n    var accumulator = initial^n    for
(element in this) {^n        accumulator = operation(index++, accumulator, element)^n        result.add(accumulator)^n
    }^n    return result^n}^n/n/**^n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right^n * to each element and current accumulator value that starts with the first element of
this collection.^n * ^n * Note that `acc` value passed to [operation] function should not be mutated;^n * otherwise it
would affect the previous value in resulting list.^n * ^n * @param [operation] function that takes current accumulator
value and the element, and calculates the next accumulator value.^n * ^n * @sample
samples.collections.Collections.Aggregates.runningReduce^n
*^@SinceKotlin("1.4")^@WasExperimental(ExperimentalStdlibApi::class)^npublic inline fun <S, T : S>
Iterable<T>.runningReduce(operation: (acc: S, T) -> S): List<S> {^n    val iterator = this.iterator()^n    if
(!iterator.hasNext()) return emptyList()^n    var accumulator: S = iterator.next()^n    val result =
ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }^n    while (iterator.hasNext()) {^n
        accumulator = operation(accumulator, iterator.next())^n        result.add(accumulator)^n    }^n    return
result^n}^n/n/**^n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right^n * to each element, its index in the original collection and current accumulator value that starts with the
first element of this collection.^n * ^n * Note that `acc` value passed to [operation] function should not be mutated;^n
* otherwise it would affect the previous value in resulting list.^n * ^n * @param [operation] function that takes the
index of an element, current accumulator value^n * and the element itself, and calculates the next accumulator
value.^n * ^n * @sample samples.collections.Collections.Aggregates.runningReduce^n
*^@SinceKotlin("1.4")^npublic inline fun <S, T : S> Iterable<T>.runningReduceIndexed(operation: (index: Int,
acc: S, T) -> S): List<S> {^n    val iterator = this.iterator()^n    if (!iterator.hasNext()) return emptyList()^n
    var accumulator: S = iterator.next()^n    val result = ArrayList<S>(collectionSizeOrDefault(10)).apply {
        add(accumulator) }^n    var index = 1^n    while (iterator.hasNext()) {^n        accumulator = operation(index++,
accumulator, iterator.next())^n        result.add(accumulator)^n    }^n    return result^n}^n/n/**^n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right^n * to each element
and current accumulator value that starts with [initial] value.^n * ^n * Note that `acc` value passed to [operation]

```

function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>
Iterable<T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n    return runningFold(initial,
operation)\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element, its index in the original collection and current accumulator value that starts
with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <T, R>
Iterable<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {\n    return
runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the collection.\n * \n * @Deprecated("Use sumOf instead.")\n ReplaceWith("this.sumOf(selector)")\n @DeprecatedSinceKotlin(warningSince = "1.5")\n public inline fun <T>
Iterable<T>.sumBy(selector: (T) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the collection.\n * \n * @Deprecated("Use sumOf instead.")\n ReplaceWith("this.sumOf(selector)")\n @DeprecatedSinceKotlin(warningSince = "1.5")\n public inline fun <T>
Iterable<T>.sumByDouble(selector: (T) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the collection.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfDouble")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Iterable<T>.sumOf(selector: (T) -> Double): Double {\n    var sum: Double = 0.toDouble()\n    for (element in
this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the collection.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfInt")\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.sumOf(selector: (T) -> Int): Int {\n    var sum: Int = 0.toInt()\n    for (element in this) {\n       
sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the collection.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfLong")\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Iterable<T>.sumOf(selector: (T) -> Long): Long {\n    var sum: Long = 0.toLong()\n    for (element in this) {\n
        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the collection.\n
```

```
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfUInt")\n@WasExperimental(ExperimentalUnsignedType
s::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> UInt): UInt {\n
    var sum: UInt = 0.toUInt()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
collection.\n
```

```
*\n@SinceKotlin("1.5")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("sumOfULong")\n@WasExperimental(ExperimentalUnsignedType
pes::class)\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.sumOf(selector: (T) -> ULong): ULong
{\n    var sum: ULong = 0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
```

```

sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an
[IllegalArgumentException] if there are any `null` elements.\n */\npublic fun <T : Any>
Iterable<T>.requireNoNulls(): Iterable<T> {\n    for (element in this) {\n        if (element == null) {\n            throw
IllegalArgumentException("null element found in $this.")\n        }\n    }\n}
@Suppress("UNCHECKED_CAST")\n return this as Iterable<T>}\n\n/**\n * Returns an original collection
containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.\n
*/\npublic fun <T : Any> List<T>.requireNoNulls(): List<T> {\n    for (element in this) {\n        if (element ==
null) {\n            throw IllegalArgumentException("null element found in $this.")\n        }\n    }\n}
@Suppress("UNCHECKED_CAST")\n return this as List<T>}\n\n/**\n * Splits this collection into a list of
lists each not exceeding the given [size].\n * \n * The last list in the resulting list may have fewer elements than the
given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be greater
than the number of elements in this collection.\n * \n * @sample
samples.collections.Collections.Transformations.chunked\n */\n@SinceKotlin("1.2")\npublic fun <T>
Iterable<T>.chunked(size: Int): List<List<T>> {\n    return windowed(size, size, partialWindows = true)\n}\n\n/**\n
* Splits this collection into several lists each not exceeding the given [size]\n * and applies the given [transform]
function to an each.\n * \n * @return list of results of the [transform] applied to an each list.\n * \n * Note that the
list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it
or allow it to escape in some way, unless you made a snapshot of it.\n * The last list may have fewer elements than
the given [size].\n * \n * @param size the number of elements to take in each list, must be positive and can be
greater than the number of elements in this collection.\n * \n * @sample samples.text.Strings.chunkedTransform\n
*/\n@SinceKotlin("1.2")\npublic fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R>
{\n    return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Returns a list
containing all elements of the original collection without the first occurrence of the given [element].\n */\npublic
operator fun <T> Iterable<T>.minus(element: T): List<T> {\n    val result =
ArrayList<T>(collectionSizeOrDefault(10))\n    var removed = false\n    return this.filterTo(result) { if (!removed
&& it == element) { removed = true; false } else true }\n}\n\n/**\n * Returns a list containing all elements of the
original collection except the elements contained in the given [elements] array.\n * \n * Before Kotlin 1.6, the
[elements] array may have been converted to a [HashSet] to speed up the operation, thus the elements were required
to have\n * a correct and stable implementation of `hashCode()` that didn't change between successive
invocations.\n * On JVM, you can enable this behavior back with the system property
`kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T>
Iterable<T>.minus(elements: Array<out T>): List<T> {\n    if (elements.isEmpty()) return this.toList()\n    val other
= elements.convertToSetForSetOperation()\n    return this.filterNot { it in other }\n}\n\n/**\n * Returns a list
containing all elements of the original collection except the elements contained in the given [elements] collection.\n
*\n * \n * Before Kotlin 1.6, the [elements] collection may have been converted to a [HashSet] to speed up the
operation, thus the elements were required to have\n * a correct and stable implementation of `hashCode()` that
didn't change between successive invocations.\n * On JVM, you can enable this behavior back with the system
property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.\n */\npublic operator fun <T>
Iterable<T>.minus(elements: Iterable<T>): List<T> {\n    val other =
elements.convertToSetForSetOperationWith(this)\n    if (other.isEmpty())\n        return this.toList()\n    return
this.filterNot { it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection except the
elements contained in the given [elements] sequence.\n * \n * Before Kotlin 1.6, the [elements] sequence may have
been converted to a [HashSet] to speed up the operation, thus the elements were required to have\n * a correct and
stable implementation of `hashCode()` that didn't change between successive invocations.\n * On JVM, you can
enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to
`true`.\n */\npublic operator fun <T> Iterable<T>.minus(elements: Sequence<T>): List<T> {\n    val other =
elements.convertToSetForSetOperation()\n    if (other.isEmpty())\n        return this.toList()\n    return this.filterNot {
it in other }\n}\n\n/**\n * Returns a list containing all elements of the original collection without the first occurrence

```

```

of the given [element].\n *@\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.minusElement(element: T): List<T> {\n    return minus(element)\n}\n\n/**\n * Splits the original
collection into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while
*second* list contains elements for which [predicate] yielded `false`.\n * \n * @sample
samples.collections.Iterables.Operations.partition\n *@\npublic inline fun <T> Iterable<T>.partition(predicate: (T) ->
Boolean): Pair<List<T>, List<T>> {\n    val first = ArrayList<T>()\n    val second = ArrayList<T>()\n    for
(element in this) {\n        if (predicate(element)) {\n            first.add(element)\n        } else {\n
second.add(element)\n        }\n    }\n    return Pair(first, second)\n}\n\n/**\n * Returns a list containing all elements
of the original collection and then the given [element].\n *@\npublic operator fun <T> Iterable<T>.plus(element: T):
List<T> {\n    if (this is Collection) return this.plus(element)\n    val result = ArrayList<T>()\n
result.addAll(this)\n    result.add(element)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the
original collection and then the given [element].\n *@\npublic operator fun <T> Collection<T>.plus(element: T):
List<T> {\n    val result = ArrayList<T>(size + 1)\n    result.addAll(this)\n    result.add(element)\n    return
result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given
[elements] array.\n *@\npublic operator fun <T> Iterable<T>.plus(elements: Array<out T>): List<T> {\n    if (this is
Collection) return this.plus(elements)\n    val result = ArrayList<T>()\n    result.addAll(this)\n
result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original
collection and then all elements of the given [elements] collection.\n *@\npublic operator fun <T>
Collection<T>.plus(elements: Iterable<T>): List<T> {\n    if (this is Collection) return this.plus(elements)\n    val
result = ArrayList<T>(this.size + elements.size)\n    result.addAll(this)\n    result.addAll(elements)\n    return
result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given
[elements] collection.\n *@\npublic operator fun <T>
Iterable<T>.plus(elements: Collection<T>): List<T> {\n    if (this is Collection) return this.plus(elements)\n    val
result = ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a
list containing all elements of the original collection and then all elements of the given [elements] collection.\n *@\npublic operator fun <T>
Collection<T>.plus(elements: Iterable<T>): List<T> {\n    if (elements is Collection)\n    {\n        val result = ArrayList<T>(this.size + elements.size)\n        result.addAll(this)\n
result.addAll(elements)\n        return result\n    } else {\n        val result = ArrayList<T>(this)\n
result.addAll(elements)\n        return result\n    }\n}\n\n/**\n * Returns a list containing all elements of the original
collection and then all elements of the given [elements] sequence.\n *@\npublic operator fun <T>
Iterable<T>.plus(elements: Sequence<T>): List<T> {\n    val result = ArrayList<T>()\n    result.addAll(this)\n
result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original
collection and then all elements of the given [elements] sequence.\n *@\npublic operator fun <T>
Collection<T>.plus(elements: Sequence<T>): List<T> {\n    val result = ArrayList<T>(this.size + 10)\n
result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements
of the original collection and then the given [element].\n *@\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list containing all
elements of the original collection and then the given [element].\n *@\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Collection<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list of
snapshots of the window of the given [size]\n * sliding along this collection with the given [step], where each\n *
snapshot is a list.\n * \n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and
[step] must be positive and can be greater than the number of elements in this collection.\n * @param size the
number of elements to take in each window\n * @param step the number of elements to move the window forward
by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the
end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.takeWindows\n *@\n@SinceKotlin("1.2")\npublic fun <T>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<List<T>> {\n
checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize = this.size\n
val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n        val result =

```

```

ArrayList<List<T>>(resultCapacity)\n    var index = 0\n    while (index in 0 until thisSize) {\n        val\n        windowSize = size.coerceAtMost(thisSize - index)\n        if (windowSize < size && !partialWindows) break\n        result.add(List(windowSize) { this[it + index] })\n        index += step\n    }\n    return result\n}\n\nval\nresult = ArrayList<List<T>>()\nwindowedIterator(iterator(), size, step, partialWindows, reuseBuffer =\nfalse).forEach {\n    result.add(it)\n}\nreturn result\n}\n\n/* Returns a list of results of applying the\n   given [transform] function to\n   * an each list representing a view over the window of the given [size]\n   * sliding\n   along this collection with the given [step].\n   * Note that the list passed to the [transform] function is ephemeral\n   and is valid only inside that function.\n   * You should not store it or allow it to escape in some way, unless you made\n   a snapshot of it.\n   * Several last lists may have fewer elements than the given [size].\n   * Both [size] and [step]\n   must be positive and can be greater than the number of elements in this collection.\n   * @param size the number of\n   elements to take in each window\n   * @param step the number of elements to move the window forward by on an\n   each step, by default 1\n   * @param partialWindows controls whether or not to keep partial windows in the end if\n   any,\n   * by default `false` which means partial windows won't be preserved\n   * @sample\n   samples.collections.Sequences.Transformations.averageWindows\n   *\n   @SinceKotlin("1.2")\n   public fun <T, R>\n   Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R):\n   List<R> {\n       checkWindowSizeStep(size, step)\n       if (this is RandomAccess && this is List) {\n           val thisSize =\n           this.size\n           val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n           val result =\n           ArrayList<R>(resultCapacity)\n           val window = MovingSubList(this)\n           var index = 0\n           while (index in 0\n           until thisSize) {\n               val windowSize = size.coerceAtMost(thisSize - index)\n               if (!partialWindows &&\n               windowSize < size) break\n               window.move(index, index + windowSize)\n               result.add(transform(window))\n               index += step\n           }\n           return result\n       }\n       val result =\n       ArrayList<R>()\n       windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = true).forEach {\n           result.add(transform(it))\n       }\n       return result\n   }\n}\n\n/* Returns a list of pairs built from the elements of `this`\n   collection and the [other] array with the same index.\n   * The returned list has length of the shortest collection.\n   * @sample\n   samples.collections.Iterables.Operations.zipIterable\n   *\n   public infix fun <T, R> Iterable<T>.zip(other:\n   Array<out R>): List<Pair<T, R>> {\n       return zip(other) { t1, t2 -> t1 to t2 }\n   }\n}\n\n/* Returns a list of values\n   built from the elements of `this` collection and the [other] array with the same index\n   * using the provided\n   [transform] function applied to each pair of elements.\n   * The returned list has length of the shortest collection.\n   * @sample\n   samples.collections.Iterables.Operations.zipIterableWithTransform\n   *\n   public inline fun <T, R, V>\n   Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n       val arraySize = other.size\n       val\n       list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n       var i = 0\n       for (element in this) {\n           if\n           (i >= arraySize) break\n           list.add(transform(element, other[i++]))\n       }\n       return list\n   }\n}\n\n/* Returns a list\n   of pairs built from the elements of `this` collection and [other] collection with the same index.\n   * The returned list\n   has length of the shortest collection.\n   * @sample\n   samples.collections.Iterables.Operations.zipIterable\n   *\n   public infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n       return zip(other) { t1, t2 ->\n       t1 to t2 }\n   }\n}\n\n/* Returns a list of values built from the elements of `this` collection and the [other] collection\n   with the same index\n   * using the provided [transform] function applied to each pair of elements.\n   * The returned\n   list has length of the shortest collection.\n   * @sample\n   samples.collections.Iterables.Operations.zipIterableWithTransform\n   *\n   public inline fun <T, R, V>\n   Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n       val first = iterator()\n       val second\n       = other.iterator()\n       val list = ArrayList<V>(minOf(collectionSizeOrDefault(10),\n       other.collectionSizeOrDefault(10)))\n       while (first.hasNext() && second.hasNext()) {\n           list.add(transform(first.next(), second.next()))\n       }\n       return list\n   }\n}\n\n/* Returns a list of pairs of each two\n   adjacent elements in this collection.\n   * The returned list is empty if this collection contains less than two\n   elements.\n   * @sample\n   samples.collections.Collections.Transformations.zipWithNext\n   *\n   @SinceKotlin("1.2")\n   public fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n       return zipWithNext\n       { a, b -> a to b }\n   }\n}\n\n/* Returns a list containing the results of applying the given [transform] function\n   * to\n   an each pair of two adjacent elements in this collection.\n   * The returned list is empty if this collection contains

```

```

less than two elements.\n * \n * @sample
samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n * \n @SinceKotlin("1.2")\npublic
inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R): List<R> {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return emptyList()\n    val result = mutableListOf<R>()\n    var current = iterator.next()\n
while (iterator.hasNext()) {\n        val next = iterator.next()\n        result.add(transform(current, next))\n        current
= next\n    }\n    return result\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and
using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-
negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the
[truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n * \n @public fun <T, A : Appendable>
Iterable<T>.joinTo(buffer: A, separator: CharSequence = '\n', prefix: CharSequence = "\n", postfix: CharSequence
= "\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): A {\n
buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n
        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n
if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n *
Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if
supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only
the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n *
@sample samples.collections.Collections.Transformations.joinToString\n * \n @public fun <T>
Iterable<T>.joinToString(separator: CharSequence = '\n', prefix: CharSequence = "\n", postfix: CharSequence =
"\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {\n    return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Returns this
collection as an [Iterable].\n * \n @kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.asIterable():
Iterable<T> {\n    return this\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original collection returning
its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromCollection\n * \n @public fun <T> Iterable<T>.asSequence():
Sequence<T> {\n    return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the
collection.\n * \n @kotlin.jvm.JvmName("averageOfByte")\npublic fun Iterable<Byte>.average(): Double {\n    var
sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the collection.\n * \n @kotlin.jvm.JvmName("averageOfShort")\npublic fun
Iterable<Short>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the collection.\n * \n @kotlin.jvm.JvmName("averageOfInt")\npublic fun Iterable<Int>.average(): Double {\n    var sum: Double =
0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n
}\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the
collection.\n * \n @kotlin.jvm.JvmName("averageOfLong")\npublic fun Iterable<Long>.average(): Double {\n    var
sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the collection.\n * \n @kotlin.jvm.JvmName("averageOfFloat")\npublic fun
Iterable<Float>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the collection.\n * \n @kotlin.jvm.JvmName("averageOfDouble")\npublic fun Iterable<Double>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the collection.\n * \n @kotlin.jvm.JvmName("sumOfByte")\npublic fun

```

```

Iterable<Byte>.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

/** Returns the sum of all elements in the collection. */
@kotlin.jvm.JvmName("sumOfShort")
public fun Iterable<Short>.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

/** Returns the sum of all elements in the collection. */
@kotlin.jvm.JvmName("sumOfInt")
public fun Iterable<Int>.sum(): Int {
    var sum: Int = 0
    for (element in this) {
        sum += element
    }
    return sum
}

/** Returns the sum of all elements in the collection. */
@kotlin.jvm.JvmName("sumOfLong")
public fun Iterable<Long>.sum(): Long {
    var sum: Long = 0L
    for (element in this) {
        sum += element
    }
    return sum
}

/** Returns the sum of all elements in the collection. */
@kotlin.jvm.JvmName("sumOfFloat")
public fun Iterable<Float>.sum(): Float {
    var sum: Float = 0.0f
    for (element in this) {
        sum += element
    }
    return sum
}

/** Returns the sum of all elements in the collection. */
@kotlin.jvm.JvmName("sumOfDouble")
public fun Iterable<Double>.sum(): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += element
    }
    return sum
}

/** Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. */
package kotlin.collections
import kotlin.comparisons.naturalOrder
import kotlin.random.Random

/** Returns the array if it's not `null`, or an empty array otherwise. */
@sample samples.collections.Arrays.Usage.arrayOrElse

@kotlin.internal.InlineOnly
public actual inline fun <T> Array<out T>?.orEmpty(): Array<out T> = this ?: emptyArray<T>()

/** Returns a *typed* array containing all of the elements of this collection.
 * Allocates an array of runtime type `T` having its size equal to the size of this collection
 * and populates the array with the elements of this collection.
 * @sample samples.collections.Collections.Collections.collectionToTypedArray */
@kotlin.internal.InlineOnly
public actual inline fun <T> Collection<T>.toTypedArray(): Array<T> = copyToArray(this)

@JsName("copyToArray")
@PublishedApi
internal fun <T> copyToArray(collection: Collection<T>): Array<T> {
    return if (collection.asDynamic().toArray != undefined)
        collection.asDynamic().toArray().unsafeCast<Array<T>>()
    else
        copyToArrayImpl(collection).unsafeCast<Array<T>>()
}

@JsName("copyToArrayImpl")
internal actual fun copyToArrayImpl(collection: Collection<*>): Array<Any?> {
    val array = emptyArray<Any?>()
    val iterator = collection.iterator()
    while (iterator.hasNext())
        array.asDynamic().push(iterator.next())
    return array
}

@JsName("copyToExistingArrayImpl")
internal actual fun <T> copyToArrayImpl(collection: Collection<*>, array: Array<T>): Array<T> {
    if (array.size < collection.size)
        return copyToArrayImpl(collection).unsafeCast<Array<T>>()
    val iterator = collection.iterator()
    var index = 0
    while (iterator.hasNext()) {
        array[index++] = iterator.next().unsafeCast<T>()
    }
    if (index < array.size)
        array[index] = null.unsafeCast<T>()
    return array
}

/** Returns an immutable list containing only the specified object [element]. */
@kotlin.jvm.JvmName("listOf")
public fun <T> listOf(element: T): List<T> = arrayListOf(element)

@PublishedApi
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
internal actual inline fun <E> buildListInternal(builderAction: MutableList<E>.() -> Unit): List<E> {
    return ArrayList<E>().apply(builderAction).build()
}

@PublishedApi
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
internal actual inline fun <E> buildListInternal(capacity: Int, builderAction: MutableList<E>.() -> Unit): List<E> {
    checkBuilderCapacity(capacity)
    return ArrayList<E>(capacity).apply(builderAction).build()
}

/** Returns an immutable set containing only the specified object [element]. */
@kotlin.jvm.JvmName("setOf")
public fun <T> setOf(element: T): Set<T> = hashSetOf(element)

@PublishedApi
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
internal actual inline fun <E> buildSetInternal(builderAction: MutableSet<E>.() -> Unit): Set<E> {
    return LinkedHashSet<E>().apply(builderAction).build()
}

@PublishedApi
@SinceKotlin("1.3")
@kotlin.internal.InlineOnly
internal actual inline fun <E> buildSetInternal(capacity: Int, builderAction: MutableSet<E>.() -> Unit): Set<E> {
    return LinkedHashSet<E>(capacity).apply(builderAction).build()
}

/** Returns an immutable map, mapping only the specified key to the specified value. */
@kotlin.jvm.JvmName("mapOf")
public fun <K, V> mapOf(pair:

```

```

Pair<K, V>: Map<K, V> =
hashMapOf(pair)\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninternal actual inline
fun <K, V> buildMapInternal(builderAction: MutableMap<K, V>().-> Unit): Map<K, V> {\n return
LinkedHashMap<K,
V>().apply(builderAction).build()\n}\n\n@PublishedApi\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\ninte
rnal actual inline fun <K, V> buildMapInternal(capacity: Int, builderAction: MutableMap<K, V>().-> Unit):
Map<K, V> {\n return LinkedHashMap<K, V>(capacity).apply(builderAction).build()\n}\n\n/**\n * Fills the
list with the provided [value].\n * Each element in the list gets replaced with the [value].\n
*\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.fill(value: T): Unit {\n for (index in
0..lastIndex) {\n this[index] = value\n }\n}\n\n/**\n * Randomly shuffles elements in this list.\n *\n@See:
https://en.wikipedia.org/wiki/Fisher%20%80%93Yates\_shuffle#The\_modern\_algorithm\n
*\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.shuffle(): Unit = shuffle(Random)\n\n/**\n *
Returns a new list with the elements of this list randomly shuffled.\n *\n@SinceKotlin("1.2")\npublic actual fun
<T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n\n/**\n * Sorts elements in the list in-
place according to their natural sort order.\n *\n * The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting.\n *\n@sample samples.collections.Collections.Sorting.sortMutableList\n
*\npublic actual fun <T : Comparable<T>> MutableList<T>.sort(): Unit {\n collectionsSort(this,
naturalOrder())\n}\n\n/**\n * Sorts elements in the list in-place according to the order specified with [comparator].\n
*\n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n
*\n@sample samples.collections.Collections.Sorting.sortMutableListWith\n *\npublic actual fun <T>
MutableList<T>.sortWith(comparator: Comparator<in T>): Unit {\n collectionsSort(this,
comparator)\n}\n\nprivate fun <T> collectionsSort(list: MutableList<T>, comparator: Comparator<in T>) {\n if
(list.size <= 1) return\n\n val array = copyToArray(list)\n sortArrayWith(array, comparator)\n\n for (i in 0 until
array.size) {\n list[i] = array[i]\n }\n}\n\ninternal actual fun <T> arrayOfNulls(reference: Array<T>, size: Int):
Array<T> {\n return
arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n}\n\n@SinceKotlin("1.3")\n@PublishedApi\n@JsName("arr
ayCopy")\ninternal fun <T> arrayCopy(source: Array<out T>, destination: Array<in T>, destinationOffset: Int,
startIndex: Int, endIndex: Int) {\n AbstractList.checkRangeIndexes(startIndex, endIndex, source.size)\n val
rangeSize = endIndex - startIndex\n AbstractList.checkRangeIndexes(destinationOffset, destinationOffset +
rangeSize, destination.size)\n if (js("ArrayBuffer").isView(destination) &&
js("ArrayBuffer").isView(source)) {\n val subrange = source.asDynamic().subarray(startIndex, endIndex)\n
destination.asDynamic().set(subrange, destinationOffset)\n } else {\n if (source !== destination ||
destinationOffset <= startIndex) {\n for (index in 0 until rangeSize) {\n
destination[destinationOffset + index] = source[startIndex + index]\n }\n } else {\n for (index in
rangeSize - 1 downTo 0) {\n destination[destinationOffset + index] = source[startIndex + index]\n
}\n }\n }\n}\n\n// no singleton map implementation in js, return map as
is\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline fun <K, V> Map<K,
V>.toSingletonMapOrSelf(): Map<K, V> = this\n\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline
fun <K, V> Map<out K, V>.toSingletonMap(): Map<K, V> =
this.toMutableMap()\n\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline fun <T> Array<out
T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n if (isVarargs)\n // no need to copy vararg
array in JS\n this\n else\n this.copyOf()\n\n@PublishedApi\ninternal actual fun
checkIndexOverflow(index: Int): Int {\n if (index < 0) {\n throwIndexOverflow()\n }\n return
index\n}\n\n@PublishedApi\ninternal actual fun checkCountOverflow(count: Int): Int {\n if (count < 0) {\n
throwCountOverflow()\n }\n return count\n}\n\n/**\n * JS map and set implementations do not make use of
capacities or load factors.\n *\n@PublishedApi\ninternal actual fun mapCapacity(expectedSize: Int) =
expectedSize\n\n/**\n * Checks a collection builder function capacity argument.\n * In JS no validation is made in
Map/Set constructor yet.\n *\n@SinceKotlin("1.3")\n@PublishedApi\ninternal fun

```

```

checkBuilderCapacity(capacity: Int) { \n  require(capacity >= 0) { \"capacity must be non-negative.\"
} \n} \n \n internal actual fun brittleContainsOptimizationEnabled(): Boolean = false\", \"/* \n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file. \n
*\n \n @file:kotlin.jvm.JvmMultifileClass \n @file:kotlin.jvm.JvmName(\"CollectionsKt\") \n \n package
kotlin.collections \n \n \n /** \n * Returns the given iterator itself. This allows to use an instance of iterator in a `for`
loop. \n * @sample samples.collections.Iterators.iterator \n * \n @kotlin.internal.InlineOnly \n public inline operator
fun <T> Iterator<T>.iterator(): Iterator<T> = this \n \n /** \n * Returns an [Iterator] that wraps each element produced
by the original iterator \n * into an [IndexedValue] containing the index of that element and the element itself. \n * \n
* @sample samples.collections.Iterators.withIndexIterator \n * \n public fun <T> Iterator<T>.withIndex():
Iterator<IndexedValue<T>> = IndexingIterator(this) \n \n /** \n * Performs the given [operation] on each element of
this [Iterator]. \n * @sample samples.collections.Iterators.forEachIterator \n * \n public inline fun <T>
Iterator<T>.forEach(operation: (T) -> Unit): Unit { \n  for (element in this) operation(element) \n } \n \n /** \n *
Iterator transforming original `iterator` into iterator of [IndexedValue], counting index from zero. \n * \n internal class
IndexingIterator<out T>(private val iterator: Iterator<T>) : Iterator<IndexedValue<T>> { \n  private var index =
0 \n  final override fun hasNext(): Boolean = iterator.hasNext() \n  final override fun next(): IndexedValue<T> =
IndexedValue(checkIndexOverflow(index++), iterator.next()) \n } \n \n \"/* \n * Copyright 2010-2021 JetBrains s.r.o.
and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file. \n
*\n \n @file:kotlin.jvm.JvmMultifileClass \n @file:kotlin.jvm.JvmName(\"ComparisonsKt\") \n \n package
kotlin.comparisons \n \n \n // NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt \n // See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib \n \n \n import kotlin.random.* \n \n /** \n * Returns the
greater of two values. \n * \n * If values are equal, returns the first one. \n * \n @SinceKotlin(\"1.1\") \n public expect
fun <T : Comparable<T>> maxOf(a: T, b: T): T \n \n /** \n * Returns the greater of two values. \n
*\n \n @SinceKotlin(\"1.1\") \n @kotlin.internal.InlineOnly \n public expect inline fun maxOf(a: Byte, b: Byte):
Byte \n \n /** \n * Returns the greater of two values. \n * \n @SinceKotlin(\"1.1\") \n @kotlin.internal.InlineOnly \n public
expect inline fun maxOf(a: Short, b: Short): Short \n \n /** \n * Returns the greater of two values. \n
*\n \n @SinceKotlin(\"1.1\") \n @kotlin.internal.InlineOnly \n public expect inline fun maxOf(a: Int, b: Int): Int \n \n
*\n \n @SinceKotlin(\"1.1\") \n @kotlin.internal.InlineOnly \n public expect inline fun maxOf(a: Long, b: Long): Long \n \n
*\n \n @SinceKotlin(\"1.1\") \n @kotlin.internal.InlineOnly \n public expect inline fun maxOf(a: Float, b: Float): Float \n \n
*\n \n @SinceKotlin(\"1.1\") \n @kotlin.internal.InlineOnly \n public expect inline fun maxOf(a: Double, b: Double):
Double \n \n /** \n * Returns the greater of three values. \n * \n * If there are multiple equal maximal values, returns the
first of them. \n * \n @SinceKotlin(\"1.1\") \n public expect fun <T : Comparable<T>> maxOf(a: T, b: T, c: T):
T \n \n /** \n * Returns the greater of three values. \n * \n @SinceKotlin(\"1.1\") \n @kotlin.internal.InlineOnly \n public
expect inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte \n \n /** \n * Returns the greater of three values. \n
*\n \n @SinceKotlin(\"1.1\") \n @kotlin.internal.InlineOnly \n public expect inline fun maxOf(a: Short, b: Short, c:
Short): Short \n \n /** \n * Returns the greater of three values. \n * \n @SinceKotlin(\"1.1\") \n @kotlin.internal.InlineOnly \n public
expect inline fun maxOf(a: Int, b: Int, c: Int): Int \n \n /** \n * Returns the greater of three values. \n * \n @SinceKotlin(\"1.1\") \n @kotlin.internal.InlineOnly \n public
expect inline fun maxOf(a: Long, b: Long, c: Long): Long \n \n /** \n * Returns the greater of three values. \n * \n * If
any value is `NaN`, returns `NaN`. \n * \n @SinceKotlin(\"1.1\") \n @kotlin.internal.InlineOnly \n public expect inline
fun maxOf(a: Float, b: Float, c: Float): Float \n \n /** \n * Returns the greater of three values. \n * \n * If any value is
`NaN`, returns `NaN`. \n * \n @SinceKotlin(\"1.1\") \n @kotlin.internal.InlineOnly \n public expect inline fun maxOf(a:
Double, b: Double, c: Double): Double \n \n /** \n * Returns the greater of three values according to the order
specified by the given [comparator]. \n * \n * If there are multiple equal maximal values, returns the first of them. \n
*\n \n @SinceKotlin(\"1.1\") \n public fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>): T { \n  return

```

`maxOf(a, maxOf(b, c, comparator), comparator)` Returns the greater of two values according to the order specified by the given [comparator]. If values are equal, returns the first one.

```

*\/@SinceKotlin("1.1")\npublic fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {
  return if (comparator.compare(a, b) >= 0) a else b
}
*\/@SinceKotlin("1.4")\npublic expect fun <T : Comparable<T>> maxOf(a: T, vararg other: T): T {
  return if (other.any { it > a }) {
    other.maxOfOrNull { it } ?: a
  } else a
}
*\/@SinceKotlin("1.4")\npublic expect fun maxOf(a: Byte, vararg other: Byte): Byte
*\/@SinceKotlin("1.4")\npublic expect fun maxOf(a: Short, vararg other: Short): Short
*\/@SinceKotlin("1.4")\npublic expect fun maxOf(a: Int, vararg other: Int): Int
*\/@SinceKotlin("1.4")\npublic expect fun maxOf(a: Long, vararg other: Long): Long
*\/@SinceKotlin("1.4")\npublic expect fun maxOf(a: Float, vararg other: Float): Float
*\/@SinceKotlin("1.4")\npublic expect fun maxOf(a: Double, vararg other: Double): Double
*\/@SinceKotlin("1.4")\npublic fun <T> maxOf(a: T, vararg other: T, comparator: Comparator<in T>): T {
  var max = a
  for (e in other) if (comparator.compare(max, e) < 0) max = e
  return max
}
*\/@SinceKotlin("1.1")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T): T
*\/@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b: Byte): Byte
*\/@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short): Short
*\/@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int): Int
*\/@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long): Long
*\/@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float): Float
*\/@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double): Double
*\/@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: T, b: T, c: T): T
*\/@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b: Byte, c: Byte): Byte
*\/@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short, c: Short): Short
*\/@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int, c: Int): Int
*\/@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Long, b: Long, c: Long): Long
*\/@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float, c: Float): Float
*\/@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double, c: Double): Double
*\/@SinceKotlin("1.1")\npublic fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>): T {
  return minOf(a, minOf(b, c, comparator), comparator)
}
*\/@SinceKotlin("1.1")\npublic fun <T> minOf(a: T, b: T, comparator: Comparator<in T>): T {
  return if

```

```

(comparator.compare(a, b) <= 0) a else b\n}\n\n**\n * Returns the smaller of the given values.\n * \n * If there are
multiple equal minimal values, returns the first of them.\n *\n@SinceKotlin("1.4")\npublic expect fun <T :
Comparable<T>> minOf(a: T, vararg other: T): T\n\n**\n * Returns the smaller of the given values.\n
*\n@SinceKotlin("1.4")\npublic expect fun minOf(a: Byte, vararg other: Byte): Byte\n\n**\n * Returns the
smaller of the given values.\n *\n@SinceKotlin("1.4")\npublic expect fun minOf(a: Short, vararg other: Short):
Short\n\n**\n * Returns the smaller of the given values.\n *\n@SinceKotlin("1.4")\npublic expect fun minOf(a:
Int, vararg other: Int): Int\n\n**\n * Returns the smaller of the given values.\n *\n@SinceKotlin("1.4")\npublic
expect fun minOf(a: Long, vararg other: Long): Long\n\n**\n * Returns the smaller of the given values.\n * \n *
If any value is `NaN`, returns `NaN`.\n *\n@SinceKotlin("1.4")\npublic expect fun minOf(a: Float, vararg other:
Float): Float\n\n**\n * Returns the smaller of the given values.\n * \n * If any value is `NaN`, returns `NaN`.\n
*\n@SinceKotlin("1.4")\npublic expect fun minOf(a: Double, vararg other: Double): Double\n\n**\n * Returns
the smaller of the given values according to the order specified by the given [comparator].\n * \n * If there are
multiple equal minimal values, returns the first of them.\n *\n@SinceKotlin("1.4")\npublic fun <T> minOf(a: T,
vararg other: T, comparator: Comparator<in T>): T {\n    var min = a\n    for (e in other) if
(comparator.compare(min, e) > 0) min = e\n    return min\n}\n\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n/\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n**\n * Returns the first non-null value produced by
[transform] function being applied to entries of this map in iteration order,\n * or throws
[NoSuchElementException] if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Any> Map<out K,
V>.firstNotNullOf(transform: (Map.Entry<K, V>) -> R?): R {\n    return firstNotNullOfOrNull(transform) ?: throw
NoSuchElementException("No element of the map was transformed to a non-null value.")\n}\n\n**\n * Returns
the first non-null value produced by [transform] function being applied to entries of this map in iteration order,\n *
or `null` if no non-null value was produced.\n * \n * @sample
samples.collections.Collections.Transformations.firstNotNullOf\n
*\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Any> Map<out K,
V>.firstNotNullOfOrNull(transform: (Map.Entry<K, V>) -> R?): R? {\n    for (element in this) {\n        val result =
transform(element)\n        if (result != null) {\n            return result\n        }\n    }\n    return null\n}\n\n**\n *
Returns a [List] containing all key-value pairs.\n *\npublic fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>>
{\n    if (size == 0)\n        return emptyList()\n    val iterator = entries.iterator()\n    if (!iterator.hasNext())\n        return emptyList()\n    val first = iterator.next()\n    if (!iterator.hasNext())\n        return listOf(first.toPair())\n    val
result = ArrayList<Pair<K, V>>(size)\n    result.add(first.toPair())\n    do {\n        result.add(iterator.next().toPair())\n    } while (iterator.hasNext())\n    return result\n}\n\n**\n * Returns a single list
of all elements yielded from results of [transform] function being invoked on each entry of original map.\n * \n *
@sample samples.collections.Maps.Transformations.flatMap\n *\npublic inline fun <K, V, R> Map<out K,
V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each entry of original map.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapSequence")\npublic inline fun <K, V, R> Map<out K,
V>.flatMap(transform: (Map.Entry<K, V>) -> Sequence<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n**\n * Appends all elements yielded from results of [transform] function being invoked on each
entry of original map, to the given [destination].\n *\npublic inline fun <K, V, R, C : MutableCollection<in R>>

```

```

Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Iterable<R>): C {
    for (element in this) {
        val list = transform(element)
        destination.addAll(list)
    }
    return destination
}

Appends all elements yielded from results of [transform] function being invoked on each entry of original map, to the given [destination].

*^@SinceKotlin("1.4")^@OptIn(kotlin.experimental.ExperimentalTypeInference::class)^@OverloadResolutionByLambdaReturnType^@kotlin.jvm.JvmName("flatMapSequenceTo")^public inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>) -> Sequence<R>): C {
    for (element in this) {
        val list = transform(element)
        destination.addAll(list)
    }
    return destination
}

Returns a list containing the results of applying the given [transform] function to each entry in the original map.

* @sample
samples.collections.Maps.Transformations.mapToList

*^public inline fun <K, V, R> Map<out K, V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}

Returns a list containing only the non-null results of applying the given [transform] function to each entry in the original map.

* @sample
samples.collections.Maps.Transformations.mapNotNull

*^public inline fun <K, V, R : Any> Map<out K, V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {
    return mapNotNullTo(ArrayList<R>(), transform)
}

Applies the given [transform] function to each entry in the original map and appends only the non-null results to the given [destination].

*^public inline fun <K, V, R : Any, C : MutableCollection<in R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>) -> R?): C {
    forEach { element -> transform(element)?.let { destination.add(it) } }
    return destination
}

Applies the given [transform] function to each entry of the original map and appends the results to the given [destination].

*^public inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.mapTo(destination: C, transform: (Map.Entry<K, V>) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}

Returns `true` if all entries match the given [predicate].

* @sample
samples.collections.Collections.Aggregates.all

*^public inline fun <K, V> Map<out K, V>.all(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {
    if (isEmpty()) return true
    for (element in this) if (!predicate(element)) return false
    return true
}

Returns `true` if map has at least one entry.

* @sample
samples.collections.Collections.Aggregates.any

*^public fun <K, V> Map<out K, V>.any(): Boolean {
    return !isEmpty()
}

Returns `true` if at least one entry matches the given [predicate].

* @sample
samples.collections.Collections.Aggregates.anyWithPredicate

*^public inline fun <K, V> Map<out K, V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {
    if (isEmpty()) return false
    for (element in this) if (predicate(element)) return true
    return false
}

Returns the number of entries in this map.

*^@kotlin.internal.InlineOnly^public inline fun <K, V> Map<out K, V>.count(): Int {
    return size
}

Returns the number of entries matching the given [predicate].

*^public inline fun <K, V> Map<out K, V>.count(predicate: (Map.Entry<K, V>) -> Boolean): Int {
    if (isEmpty()) return 0
    var count = 0
    for (element in this) if (predicate(element)) ++count
    return count
}

Performs the given [action] on each entry.

*^@kotlin.internal.HidesMembers^public inline fun <K, V> Map<out K, V>.forEach(action: (Map.Entry<K, V>) -> Unit): Unit {
    for (element in this) action(element)
}

@Deprecated("Use maxByOrNull instead.", ReplaceWith("this.maxByOrNull(selector)"))
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")
^@kotlin.internal.InlineOnly^public inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {
    return maxByOrNull(selector)
}

Returns the first entry yielding the largest value of the given function or `null` if there are no entries.

* @sample
samples.collections.Collections.Aggregates.maxByOrNull

*^@SinceKotlin("1.4")^@kotlin.internal.InlineOnly^public inline fun <K, V, R : Comparable<R>> Map<out K, V>.maxByOrNull(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {
    return entries.maxByOrNull(selector)
}

Returns the largest value among all values produced by [selector] function applied to each entry in the map.

* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

* @throws NoSuchElementException if the map is empty.

```

\*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxOf(selector:  
(Map.Entry<K, V>) -> Double): Double {\n return entries.maxOf(selector)\n}\n\n/\*\*\n \* Returns the largest value  
among all values produced by [selector] function\n \* applied to each entry in the map.\n \* \n \* If any of values  
produced by [selector] function is `NaN`, the returned result is `NaN`.\n \* \n \* @throws NoSuchElementException  
if the map is empty.\n

\*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.maxOf(selector:  
(Map.Entry<K, V>) -> Float): Float {\n return entries.maxOf(selector)\n}\n\n/\*\*\n \* Returns the largest value  
among all values produced by [selector] function\n \* applied to each entry in the map.\n \* \n \* @throws  
NoSuchElementException if the map is empty.\n

\*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,  
V>.maxOf(selector: (Map.Entry<K, V>) -> R): R {\n return entries.maxOf(selector)\n}\n\n/\*\*\n \* Returns the  
largest value among all values produced by [selector] function\n \* applied to each entry in the map or `null` if there  
are no entries.\n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

\*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,  
V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Double): Double? {\n return  
entries.maxOfOrNull(selector)\n}\n\n/\*\*\n \* Returns the largest value among all values produced by [selector]  
function\n \* applied to each entry in the map or `null` if there are no entries.\n \* \n \* If any of values produced by  
[selector] function is `NaN`, the returned result is `NaN`.\n

\*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,  
V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> Float): Float? {\n return  
entries.maxOfOrNull(selector)\n}\n\n/\*\*\n \* Returns the largest value among all values produced by [selector]  
function\n \* applied to each entry in the map or `null` if there are no entries.\n

\*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R : Comparable<R>> Map<out K,  
V>.maxOfOrNull(selector: (Map.Entry<K, V>) -> R): R? {\n return entries.maxOfOrNull(selector)\n}\n\n/\*\*\n \* Returns the largest value according to the provided [comparator]\n \* among all values produced by [selector]  
function applied to each entry in the map.\n \* \n \* @throws NoSuchElementException if the map is empty.\n

\*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,  
V>.maxOfWith(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R {\n return  
entries.maxOfWith(comparator, selector)\n}\n\n/\*\*\n \* Returns the largest value according to the provided  
[comparator]\n \* among all values produced by [selector] function applied to each entry in the map or `null` if there  
are no entries.\n

\*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K,  
V>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n return  
entries.maxOfWithOrNull(comparator, selector)\n}\n\n@Deprecated("Use maxWithOrNull instead.")  
ReplaceWith("this.maxWithOrNull(comparator)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince  
= "1.5", hiddenSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,  
V>.maxWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n return  
maxWithOrNull(comparator)\n}\n\n/\*\*\n \* Returns the first entry having the largest value according to the provided  
[comparator] or `null` if there are no entries.\n

\*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic  
inline fun <K, V> Map<out K, V>.maxWithOrNull(comparator: Comparator<in Map.Entry<K, V>>):



are no entries.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <K, V, R> Map<out K, V>.minOfWithOrNull(comparator: Comparator<in R>, selector: (Map.Entry<K, V>) -> R): R? {\n    return\n    entries.minOfWithOrNull(comparator, selector)\n}\n\n@Deprecated("Use minWithOrNull instead.",\n    ReplaceWith("this.minWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",\n    hiddenSince = "1.6")\npublic fun <K, V> Map<out K, V>.minWith(comparator: Comparator<in\n    Map.Entry<K, V>>): Map.Entry<K, V>? {\n    return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first entry having the smallest value according to the provided [comparator] or `null` if there are no entries.\n */\n*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.minWithOrNull(comparator: Comparator<in\n    Map.Entry<K, V>>): Map.Entry<K, V>? {\n    return\n    entries.minWithOrNull(comparator)\n}\n\n/**\n * Returns `true` if the map has no entries.\n */\n * @sample\n    samples.collections.Collections.Aggregates.none\n */\npublic fun <K, V> Map<out K, V>.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if no entries match the given [predicate].\n */\n * @sample\n    samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun <K, V> Map<out K, V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n    if (isEmpty()) return true\n    for (element in this) if (predicate(element)) return false\n    return true\n}\n\n/**\n * Performs the given [action] on each entry and returns the map itself afterwards.\n */\n*\n@SinceKotlin("1.1")\npublic inline fun <K, V, M : Map<out K, V>> M.onEach(action: (Map.Entry<K, V>) -> Unit): M {\n    return apply { for (element in this) action(element)\n    }\n}\n\n/**\n * Performs the given [action] on each entry, providing sequential index with the entry,\n * and returns the map itself afterwards.\n */\n * @param [action] function that takes the index of an entry and the entry itself\n * and performs the action on the entry.\n */\n*\n@SinceKotlin("1.4")\npublic inline fun <K, V, M : Map<out K, V>> M.onEachIndexed(action: (index: Int, Map.Entry<K, V>) -> Unit): M {\n    return apply {\n        entries.forEachIndexed(action)\n    }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original map returning its entries when being iterated.\n */\n*\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.asIterable(): Iterable<Map.Entry<K, V>> {\n    return entries\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original map returning its entries when being iterated.\n */\npublic fun <K, V> Map<out K, V>.asSequence(): Sequence<Map.Entry<K, V>> {\n    return entries.asSequence()\n}\n\n"/\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n    license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n// 10 mappings totally\n\ninternal fun\n    Char.titlecaseImpl(): String {\n        val uppercase = uppercase()\n        if (uppercase.length > 1) {\n            return if (this == '\u0149') uppercase else uppercase[0] + uppercase.substring(1).lowercase()\n        }\n        return\n        titlecaseChar().toString()\n    }\n\n"/\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language\n    contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n    license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n */\n*\n@Deprecated("Use lowercaseChar() instead.",\n    ReplaceWith("lowercaseChar()"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toLowerCase(): Char =\n    lowercaseChar()\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant\n    locale.\n */\n * This function performs one-to-one character mapping.\n * To support one-to-many character\n    mapping use the [lowercase] function.\n * If this character has no mapping equivalent, the character itself is\n    returned.\n */\n * @sample samples.text.Chars.lowercase\n */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic\n    c actual inline fun Char.lowercaseChar(): Char = lowercase()[0]\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the invariant locale.\n */\n * This function supports one-to-many character mapping, thus the length of the returned\n    string can be greater than one.\n * For example, ``\u0130'.lowercase()`` returns
```

```

`"\u0069\u0307",\n * where `"\u0130` is the LATIN CAPITAL LETTER I WITH DOT ABOVE character
(`\u0130`).\n * If this character has no lower case mapping, the result of `toString()` of this char is returned.\n *\n *
@sample samples.text.Chars.lowercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
c actual inline fun Char.lowercase(): String = toString().asDynamic().toLowerCase().unsafeCast<String>()\n\n**\n
* Converts this character to upper case using Unicode mapping rules of the invariant locale.\n
*\n@Deprecated("Use uppercaseChar() instead.",
ReplaceWith("uppercaseChar()"))\n@DeprecatedSinceKotlin(warningSince =
"1.5")\n@kotlin.internal.InlineOnly\npublic actual inline fun Char.toUpperCase(): Char =
uppercaseChar()\n\n**\n * Converts this character to upper case using Unicode mapping rules of the invariant
locale.\n *\n * This function performs one-to-one character mapping.\n * To support one-to-many character
mapping use the [uppercase] function.\n * If this character has no mapping equivalent, the character itself is
returned.\n *\n * @sample samples.text.Chars.uppercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Char.uppercaseChar(): Char {\n    val uppercase = uppercase()\n    return if (uppercase.length > 1) this else
uppercase[0]\n}\n\n**\n * Converts this character to upper case using Unicode mapping rules of the invariant
locale.\n *\n * This function supports one-to-many character mapping, thus the length of the returned string can be
greater than one.\n * For example, `"\uFB00'.uppercase()` returns `"\u0046\u0046"`,\n * where `"\uFB00` is the
LATIN SMALL LIGATURE FF character (`\ufb00`).\n * If this character has no upper case mapping, the result of
`toString()` of this char is returned.\n *\n * @sample samples.text.Chars.uppercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
c actual inline fun Char.uppercase(): String = toString().asDynamic().toUpperCase().unsafeCast<String>()\n\n**\n
* Converts this character to title case using Unicode mapping rules of the invariant locale.\n *\n * This function
performs one-to-one character mapping.\n * To support one-to-many character mapping use the [titlecase]
function.\n * If this character has no mapping equivalent, the result of calling [uppercaseChar] is returned.\n *\n *
@sample samples.text.Chars.titlecase\n
*\n@SinceKotlin("1.5")\npublic actual fun Char.titlecaseChar(): Char =
titlecaseCharImpl()\n\n**\n * Returns `true` if this character is a Unicode high-surrogate code unit (also known as
leading-surrogate code unit).\n *\npublic actual fun Char.isHighSurrogate(): Boolean = this in
Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n**\n * Returns `true` if this character is a
Unicode low-surrogate code unit (also known as trailing-surrogate code unit).\n *\npublic actual fun
Char.isLowSurrogate(): Boolean = this in
Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n\n**\n * Returns the Unicode general
category of this character.\n *\n@SinceKotlin("1.5")\npublic actual val Char.category: CharCategory\n    get() =
CharCategory.valueOf(getCategoryValue())\n\n**\n * Returns `true` if this character (Unicode code point) is
defined in Unicode.\n *\n * A character is considered to be defined in Unicode if its [category] is not
[CharCategory.UNASSIGNED].\n *\n@SinceKotlin("1.5")\npublic actual fun Char.isDefined(): Boolean {\n    if
(this < "\u0080") {\n        return true\n    }\n    return getCategoryValue() !=
CharCategory.UNASSIGNED.value\n}\n\n**\n * Returns `true` if this character is a letter.\n *\n * A character is
considered to be a letter if its [category] is [CharCategory.UPPERCASE_LETTER],\n *\n *
[CharCategory.LOWERCASE_LETTER], [CharCategory.TITLECASE_LETTER],
[CharCategory.MODIFIER_LETTER], or [CharCategory.OTHER_LETTER].\n *\n * @sample
samples.text.Chars.isLetter\n
*\n@SinceKotlin("1.5")\npublic actual fun Char.isLetter(): Boolean {\n    if (this in
'a..'z' || this in 'A..'Z') {\n        return true\n    }\n    if (this < "\u0080") {\n        return false\n    }\n    return
isLetterImpl()\n}\n\n**\n * Returns `true` if this character is a letter or digit.\n *\n * @see isLetter\n * @see
isDigit\n *\n * @sample samples.text.Chars.isLetterOrDigit\n
*\n@SinceKotlin("1.5")\npublic actual fun
Char.isLetterOrDigit(): Boolean {\n    if (this in 'a..'z' || this in 'A..'Z' || this in '0..'9') {\n        return true\n    }\n    if
(this < "\u0080") {\n        return false\n    }\n    return isDigitImpl() || isLetterImpl()\n}\n\n**\n * Returns `true` if
this character is a digit.\n *\n * A character is considered to be a digit if its [category] is

```

```

[CharCategory.DECIMAL_DIGIT_NUMBER].\n *\n * @sample samples.text.Chars.isDigit\n
*\n@SinceKotlin("1.5")\npublic actual fun Char.isDigit(): Boolean {\n if (this in '0'..'9') {\n return true\n
}\n if (this < "\u0080") {\n return false\n }\n return isDigitImpl()\n}\n\n/**\n * Returns `true` if this
character is upper case.\n *\n * A character is considered to be an upper case character if its [category] is
[CharCategory.UPPERCASE_LETTER],\n * or it has contributory property Other_Uppercase as defined by the
Unicode Standard.\n *\n * @sample samples.text.Chars.isUpperCase\n *\n@SinceKotlin("1.5")\npublic actual fun
Char.isUpperCase(): Boolean {\n if (this in 'A'..'Z') {\n return true\n }\n if (this < "\u0080") {\n return
false\n }\n return isUpperCaseImpl()\n}\n\n/**\n * Returns `true` if this character is lower case.\n *\n * A
character is considered to be a lower case character if its [category] is [CharCategory.LOWERCASE_LETTER],\n *
or it has contributory property Other_Lowercase as defined by the Unicode Standard.\n *\n * @sample
samples.text.Chars.isLowerCase\n *\n@SinceKotlin("1.5")\npublic actual fun Char.isLowerCase(): Boolean {\n
if (this in 'a'..'z') {\n return true\n }\n if (this < "\u0080") {\n return false\n }\n return
isLowerCaseImpl()\n}\n\n/**\n * Returns `true` if this character is a title case letter.\n *\n * A character is
considered to be a title case letter if its [category] is [CharCategory.TITLECASE_LETTER].\n *\n * @sample
samples.text.Chars.isTitleCase\n *\n@SinceKotlin("1.5")\npublic actual fun Char.isTitleCase(): Boolean {\n if
(this < "\u0080") {\n return false\n }\n return getCategoryValue() ==
CharCategory.TITLECASE_LETTER.value\n}\n\n/**\n * Returns `true` if this character is an ISO control
character.\n *\n * A character is considered to be an ISO control character if its [category] is
[CharCategory.CONTROL],\n * meaning the Char is in the range "\u0000'..\u001F" or in the range
"\u007F'..\u009F".\n *\n * @sample samples.text.Chars.isISOControl\n *\n@SinceKotlin("1.5")\npublic actual
fun Char.isISOControl(): Boolean {\n return this <= "\u001F" || this in "\u007F'..\u009F"\n}\n\n/**\n *
Determines whether a character is whitespace according to the Unicode standard.\n * Returns `true` if the character
is whitespace.\n *\n * @sample samples.text.Chars.isWhitespace\n *\npublic actual fun Char.isWhitespace():
Boolean = isWhitespaceImpl(),"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n@package kotlin.text\nimport kotlin.js.RegExp\n\n/**\n * Converts the characters
in the specified array to a string.\n *\n@SinceKotlin("1.2")\n@Deprecated("Use CharArray.concatToString()
instead", ReplaceWith("chars.concatToString()"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5")\npublic actual fun String(chars: CharArray): String {\n var result = ""\n for (char in chars) {\n
result += char\n }\n return result\n}\n\n/**\n * Converts the characters from a portion of the specified array to a
string.\n *\n * @throws IndexOutOfBoundsException if either [offset] or [length] are less than zero\n * or `offset +
length` is out of [chars] array bounds.\n *\n@SinceKotlin("1.2")\n@Deprecated("Use
CharArray.concatToString(startIndex, endIndex) instead", ReplaceWith("chars.concatToString(offset, offset +
length)"))\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5")\npublic actual fun String(chars:
CharArray, offset: Int, length: Int): String {\n if (offset < 0 || length < 0 || chars.size - offset < length)\n
throw IndexOutOfBoundsException("size: ${chars.size}; offset: $offset; length: $length")\n var result = ""\n
for (index in offset until offset + length) {\n result += chars[index]\n }\n return result\n}\n\n/**\n *
Concatenates characters in this [CharArray] into a String.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
CharArray.concatToString(): String {\n var result = ""\n for (char in this) {\n result += char\n }\n
return result\n}\n\n/**\n * Concatenates characters in this [CharArray] or its subrange into a String.\n *\n * @param
startIndex the beginning (inclusive) of the subrange of characters, 0 by default.\n * @param endIndex the end
(exclusive) of the subrange of characters, size of this array by default.\n *\n * @throws
IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun CharArray.concatToString(startIndex: Int = 0,
endIndex: Int = this.size): String {\n AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n var

```

```

result = ""
for (index in startIndex until endIndex) {
    result += this[index]
}
return result
}

/**
 * Returns a [CharArray] containing characters of this string.
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public actual fun String.toCharArray(): CharArray {
    return CharArray(length) { get(it) }
}

/**
 * Returns a [CharArray] containing characters of this string or its substring.
 * @param startIndex the beginning (inclusive) of the substring, 0 by default.
 * @param endIndex the end (exclusive) of the substring, length of this string by default.
 * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of this string.
 * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun String.toCharArray(startIndex: Int = 0, endIndex: Int = this.length): CharArray {
    AbstractList.checkBoundsIndexes(startIndex, endIndex, length)
    return CharArray(endIndex - startIndex) { get(startIndex + it) }
}

/**
 * Decodes a string from the bytes in UTF-8 encoding in this array.
 * Malformed byte sequences are replaced by the replacement char '\uFFFD'.
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public actual fun ByteArray.decodeToString(): String {
    return decodeUtf8(this, 0, size, false)
}

/**
 * Decodes a string from the bytes in UTF-8 encoding in this array or its subrange.
 * @param startIndex the beginning (inclusive) of the subrange to decode, 0 by default.
 * @param endIndex the end (exclusive) of the subrange to decode, size of this array by default.
 * @param throwOnInvalidSequence specifies whether to throw an exception on malformed byte sequence or replace it by the replacement char '\uFFFD'.
 * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].
 * @throws CharacterCodingException if the byte array contains malformed UTF-8 byte sequence and [throwOnInvalidSequence] is true.
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun ByteArray.decodeToString(startIndex: Int = 0, endIndex: Int = this.size, throwOnInvalidSequence: Boolean = false): String {
    AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)
    return decodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)
}

/**
 * Encodes this string to an array of bytes in UTF-8 encoding.
 * Any malformed char sequence is replaced by the replacement byte sequence.
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
public actual fun String.encodeToByteArray(): ByteArray {
    return encodeUtf8(this, 0, length, false)
}

/**
 * Encodes this string or its substring to an array of bytes in UTF-8 encoding.
 * @param startIndex the beginning (inclusive) of the substring to encode, 0 by default.
 * @param endIndex the end (exclusive) of the substring to encode, length of this string by default.
 * @param throwOnInvalidSequence specifies whether to throw an exception on malformed char sequence or replace.
 * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length of this string.
 * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].
 * @throws CharacterCodingException if this string contains malformed char sequence and [throwOnInvalidSequence] is true.
 */
@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
public actual fun String.encodeToByteArray(startIndex: Int = 0, endIndex: Int = this.length, throwOnInvalidSequence: Boolean = false): ByteArray {
    AbstractList.checkBoundsIndexes(startIndex, endIndex, length)
    return encodeUtf8(this, startIndex, endIndex, throwOnInvalidSequence)
}

/**
 * Returns a copy of this string converted to upper case using the rules of the default locale.
 * @Deprecated("Use uppercase() instead.")
 */
@Deprecated("uppercase()")
@DeprecatedSinceKotlin(warningSince = "1.5")
@kotlin.internal.InlineOnly
public actual inline fun String.toUpperCase(): String =
    asDynamic().toUpperCase()

/**
 * Returns a copy of this string converted to upper case using Unicode mapping rules of the invariant locale.
 * This function supports one-to-many and many-to-one character mapping, thus the length of the returned string can be different from the length of the original string.
 * @sample
 */

```

```

samples.text.Strings.uppercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
actual inline fun String.uppercase(): String = asDynamic().toUpperCase()\n\n**\n * Returns a copy of this string
converted to lower case using the rules of the default locale.\n *\n@Deprecated("Use lowercase() instead.",
ReplaceWith("lowercase()"))\n@DeprecatedSinceKotlin(warningSince =
"1.5")\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toLowerCase(): String =
asDynamic().toLowerCase()\n\n**\n * Returns a copy of this string converted to lower case using Unicode
mapping rules of the invariant locale.\n *\n * This function supports one-to-many and many-to-one character
mapping,\n * thus the length of the returned string can be different from the length of the original string.\n *\n *
@sample samples.text.Strings.lowercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
actual inline fun String.lowercase(): String = asDynamic().toLowerCase()\n\n@kotlin.internal.InlineOnly\ninternal
actual inline fun String.nativeIndexOf(str: String, fromIndex: Int): Int = asDynamic().indexOf(str,
fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeLastIndexOf(str: String,
fromIndex: Int): Int = asDynamic().lastIndexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal inline fun
String.nativeStartsWith(s: String, position: Int): Boolean = asDynamic().startsWith(s,
position)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeEndsWith(s: String): Boolean =
asDynamic().endsWith(s)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun String.substring(startIndex: Int):
String = asDynamic().substring(startIndex)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun
String.substring(startIndex: Int, endIndex: Int): String = asDynamic().substring(startIndex,
endIndex)\n\n@Deprecated("Use String.plus() instead", ReplaceWith("this +
str"))\n@DeprecatedSinceKotlin(warningSince = "1.6")\n@kotlin.internal.InlineOnly\npublic inline fun
String.concat(str: String): String = asDynamic().concat(str)\n\n@Deprecated("Use Regex.findAll() instead or
invoke matches() on String dynamically:
this.asDynamic().match(regex)")\n@DeprecatedSinceKotlin(warningSince =
"1.6")\n@kotlin.internal.InlineOnly\npublic inline fun String.match(regex: String): Array<String>? =
asDynamic().match(regex)\n\n//native public fun String.trim(): String\n//TODO: String.replace to implement
effective trimLeading and trimTrailing\n\n@kotlin.internal.InlineOnly\ninternal inline fun
String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern,
replacement)\n\n**\n * Compares two strings lexicographically, optionally ignoring case differences.\n *\n * If
[ignoreCase] is true, the result of `Char.uppercaseChar().lowercaseChar()` on each character is compared.\n
*\n@SinceKotlin("1.2")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic
actual fun String.compareTo(other: String, ignoreCase: Boolean = false): Int {\n    if (ignoreCase) {\n        val n1 =
this.length\n        val n2 = other.length\n        val min = minOf(n1, n2)\n        if (min == 0) return n1 - n2\n        for
(index in 0 until min) {\n            var thisChar = this[index]\n            var otherChar = other[index]\n\n            if
(thisChar != otherChar) {\n                thisChar = thisChar.uppercaseChar()\n                otherChar =
otherChar.uppercaseChar()\n\n                if (thisChar != otherChar) {\n                    thisChar =
thisChar.lowercaseChar()\n                    otherChar = otherChar.lowercaseChar()\n\n                    if (thisChar !=
otherChar) {\n                        return thisChar.compareTo(otherChar)\n                    }\n                }\n            }\n        }\n        return n1 - n2\n    } else {\n        return compareTo(other)\n    }\n}\n\n**\n * Returns `true` if the contents
of this char sequence are equal to the contents of the specified [other],\n * i.e. both char sequences contain the same
number of the same characters in the same order.\n *\n * @sample samples.text.Strings.contentEquals\n
*\n@SinceKotlin("1.5")\npublic actual infix fun CharSequence?.contentEquals(other: CharSequence?): Boolean =
contentEqualsImpl(other)\n\n**\n * Returns `true` if the contents of this char sequence are equal to the contents of
the specified [other], optionally ignoring case difference.\n *\n * @param ignoreCase `true` to ignore character case
when comparing contents.\n *\n * @sample samples.text.Strings.contentEquals\n\n@SinceKotlin("1.5")\npublic
actual fun CharSequence?.contentEquals(other: CharSequence?, ignoreCase: Boolean): Boolean {\n    return if
(ignoreCase)\n        this.contentEqualsIgnoreCaseImpl(other)\n    else\n

```

```

this.contentEqualsImpl(other)\n}\n\nprivate val STRING_CASE_INSENSITIVE_ORDER = Comparator<String>
{ a, b -> a.compareTo(b, ignoreCase = true) }\n\n@SinceKotlin("1.2")\npublic actual val
String.Companion.CASE_INSENSITIVE_ORDER: Comparator<String>\n  get() =
STRING_CASE_INSENSITIVE_ORDER\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CharsKt")\n\npackage kotlin.text\n\n/**\n * Returns the numeric value of the decimal digit that this Char represents.\n * Throws an exception if this Char is
not a valid decimal digit.\n * A Char is considered to represent a decimal digit if [isDigit] is true for the Char.\n
* In this case, the Unicode decimal digit value of the character is returned.\n * @sample
samples.text.Chars.digitToInt\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Char.digitToInt(): Int
{\n  return digitOf(this, 10).also {\n    if (it < 0) throw IllegalArgumentException("Char $this is not a decimal
digit")\n  }\n}\n\n/**\n * Returns the numeric value of the digit that this Char represents in the specified [radix].\n
* Throws an exception if the [radix] is not in the range `2..36` or if this Char is not a valid digit in the specified
[radix].\n * A Char is considered to represent a digit in the specified [radix] if at least one of the following is
true:\n * - [isDigit] is `true` for the Char and the Unicode decimal digit value of the character is less than the
specified [radix]. In this case the decimal digit value is returned.\n * - The Char is one of the uppercase Latin letters
'A' through 'Z' and its [code] is less than `radix + 'A'.code - 10`. In this case, `this.code - 'A'.code + 10` is
returned.\n * - The Char is one of the lowercase Latin letters 'a' through 'z' and its [code] is less than `radix +
'a'.code - 10`. In this case, `this.code - 'a'.code + 10` is returned.\n * - The Char is one of the fullwidth Latin
capital letters '\uFF21' through '\uFF3A' and its [code] is less than `radix + 0xFF21 - 10`. In this case, `this.code
- 0xFF21 + 10` is returned.\n * - The Char is one of the fullwidth Latin small letters '\uFF41' through '\uFF5A' and
its [code] is less than `radix + 0xFF41 - 10`. In this case, `this.code - 0xFF41 + 10` is returned.\n * @sample
samples.text.Chars.digitToInt\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Char.digitToInt(radix:
Int): Int {\n  return digitToIntOrNull(radix) ?: throw IllegalArgumentException("Char $this is not a digit in the
given radix=$radix")\n}\n\n/**\n * Returns the numeric value of the decimal digit that this Char represents, or
`null` if this Char is not a valid decimal digit.\n * A Char is considered to represent a decimal digit if [isDigit]
is true for the Char.\n * In this case, the Unicode decimal digit value of the character is returned.\n * @sample
samples.text.Chars.digitToIntOrNull\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
Char.digitToIntOrNull(): Int? {\n  return digitOf(this, 10).takeIf { it >= 0 }\n}\n\n/**\n * Returns the numeric
value of the digit that this Char represents in the specified [radix], or `null` if this Char is not a valid digit in the
specified [radix].\n * Throws an exception if the [radix] is not in the range `2..36`.\n * A Char is considered to
represent a digit in the specified [radix] if at least one of the following is true:\n * - [isDigit] is `true` for the
Char and the Unicode decimal digit value of the character is less than the specified [radix]. In this case the decimal
digit value is returned.\n * - The Char is one of the uppercase Latin letters 'A' through 'Z' and its [code] is less
than `radix + 'A'.code - 10`. In this case, `this.code - 'A'.code + 10` is returned.\n * - The Char is one of the
lowercase Latin letters 'a' through 'z' and its [code] is less than `radix + 'a'.code - 10`. In this case, `this.code
- 'a'.code + 10` is returned.\n * - The Char is one of the fullwidth Latin capital letters '\uFF21' through '\uFF3A'
and its [code] is less than `radix + 0xFF21 - 10`. In this case, `this.code - 0xFF21 + 10` is returned.\n * - The
Char is one of the fullwidth Latin small letters '\uFF41' through '\uFF5A' and its [code] is less than `radix +
0xFF41 - 10`. In this case, `this.code - 0xFF41 + 10` is returned.\n * @sample samples.text.Chars.digitToIntOrNull\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun
Char.digitToIntOrNull(radix: Int): Int? {\n  checkRadix(radix)\n  return digitOf(this, radix).takeIf { it >= 0
}\n}\n\n/**\n * Returns the Char that represents this decimal digit.\n * Throws an exception if this value is not in the
range `0..9`.\n * If this value is in `0..9`, the decimal digit Char with code `0'.code + this` is returned.\n *

```

```

@sample samples.text.Chars.digitToChar\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Int.digitToChar(): Char
{\n    if (this in 0..9) {\n        return '0' + this\n    }\n    throw IllegalArgumentException("\n    Int $this is not a decimal
digit")\n}\n\n/**\n * Returns the Char that represents this numeric digit value in the specified [radix].\n * Throws
an exception if the [radix] is not in the range `2..36` or if this value is not in the range `0` until radix`.\n * If this
value is less than `10`, the decimal digit Char with code `0.code + this` is returned.\n * Otherwise, the uppercase
Latin letter with code `A.code + this - 10` is returned.\n */\n * @sample samples.text.Chars.digitToChar\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun Int.digitToChar(radix:
Int): Char {\n    if (radix !in 2..36) {\n        throw IllegalArgumentException("Invalid radix: $radix. Valid radix
values are in range 2..36")\n    }\n    if (this < 0 || this >= radix) {\n        throw IllegalArgumentException("Digit
$this does not represent a valid digit in radix $radix")\n    }\n    return if (this < 10) {\n        '0' + this\n    } else {\n
'A' + this - 10\n    }\n}\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the
invariant locale.\n */\n@Deprecated("Use lowercaseChar() instead.")\nReplaceWith("lowercaseChar()")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic expect fun
Char.toLowerCase(): Char\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the
invariant locale.\n * This function performs one-to-one character mapping.\n * To support one-to-many
character mapping use the [lowercase] function.\n * If this character has no mapping equivalent, the character itself
is returned.\n */\n * @sample samples.text.Chars.lowercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Char.lowercaseChar(): Char\n\n/**\n * Converts this character to lower case using Unicode mapping rules of the
invariant locale.\n * This function supports one-to-many character mapping, thus the length of the returned
string can be greater than one.\n * For example, `'\u0130'.lowercase()` returns `'\u0069\u0307'`,\n * where
`'\u0130` is the LATIN CAPITAL LETTER I WITH DOT ABOVE character (`\ufffd\u0130`).\n * If this character
has no lower case mapping, the result of `toString()` of this char is returned.\n */\n * @sample
samples.text.Chars.lowercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Char.lowercase(): String\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the
invariant locale.\n */\n@Deprecated("Use uppercaseChar() instead.")\nReplaceWith("uppercaseChar()")\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic expect fun
Char.toUpperCase(): Char\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the
invariant locale.\n * This function performs one-to-one character mapping.\n * To support one-to-many
character mapping use the [uppercase] function.\n * If this character has no mapping equivalent, the character itself
is returned.\n */\n * @sample samples.text.Chars.uppercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Char.uppercaseChar(): Char\n\n/**\n * Converts this character to upper case using Unicode mapping rules of the
invariant locale.\n * This function supports one-to-many character mapping, thus the length of the returned
string can be greater than one.\n * For example, `'\uFB00'.uppercase()` returns `'\u0046\u0046'`,\n * where
`'\uFB00` is the LATIN SMALL LIGATURE FF character (`\ufffd\u0046\u0046`).\n * If this character has no upper
case mapping, the result of `toString()` of this char is returned.\n */\n * @sample samples.text.Chars.uppercase\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Char.uppercase(): String\n\n/**\n * Converts this character to title case using Unicode mapping rules of the
invariant locale.\n * This function performs one-to-one character mapping.\n * To support one-to-many
character mapping use the [titlecase] function.\n * If this character has no mapping equivalent, the result of calling
[uppercaseChar] is returned.\n */\n * @sample samples.text.Chars.titlecase\n
*\n@SinceKotlin("1.5")\npublic expect fun Char.titlecaseChar(): Char\n\n/**\n * Converts this character to title case using Unicode mapping rules of
the invariant locale.\n * This function supports one-to-many character mapping, thus the length of the returned
string can be greater than one.\n * For example, `'\uFB00'.titlecase()` returns `'\u0046\u0066'`,\n * where
`'\uFB00` is the LATIN SMALL LIGATURE FF character (`\ufffd\u0046\u0066`).\n * If this character has no title

```

case mapping, the result of [uppercase] is returned instead.

```

@sample samples.text.Chars.titlecase
public fun Char.titlecase(): String = titlecaseImpl()

```

Concatenates this Char and a String.

```

@sample samples.text.Chars.plus
@kotlin.internal.InlineOnly
public inline operator fun Char.plus(other: String): String = this.toString() + other

```

Returns `true` if this character is equal to the [other] character, optionally ignoring character case. Two characters are considered equal ignoring case if `Char.toUpperCaseChar().toLowerCaseChar()` on each character produces the same result.

```

@param ignoreCase `true` to ignore character case when comparing characters. By default `false`.
@sample samples.text.Chars.equals
public fun Char.equals(other: Char, ignoreCase: Boolean = false): Boolean {
    if (this == other) return true
    if (!ignoreCase) return false
    val thisUpper = this.toUpperCaseChar()
    val otherUpper = other.toUpperCaseChar()
    return thisUpper == otherUpper || thisUpper.toLowerCaseChar() == otherUpper.toLowerCaseChar()
}

```

Returns `true` if this character is a Unicode surrogate code unit.

```

public fun Char.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE

```

Returns the Unicode general category of this character.

```

@SinceKotlin("1.5")
public expect val Char.category: CharCategory

```

Returns `true` if this character (Unicode code point) is defined in Unicode.

A character is considered to be defined in Unicode if its [category] is not [CharCategory.UNASSIGNED].

```

@SinceKotlin("1.5")
public expect fun Char.isDefined(): Boolean

```

Returns `true` if this character is a letter.

A character is considered to be a letter if its [category] is [CharCategory.UPPERCASE\_LETTER], [CharCategory.LOWERCASE\_LETTER], [CharCategory.TITLECASE\_LETTER], [CharCategory.MODIFIER\_LETTER], or [CharCategory.OTHER\_LETTER].

```

@sample samples.text.Chars.isLetter
@SinceKotlin("1.5")
public expect fun Char.isLetter(): Boolean

```

Returns `true` if this character is a letter or digit.

```

@see isLetter
@see isDigit
@sample samples.text.Chars.isLetterOrDigit
@SinceKotlin("1.5")
public expect fun Char.isLetterOrDigit(): Boolean

```

Returns `true` if this character is a digit.

A character is considered to be a digit if its [category] is [CharCategory.DECIMAL\_DIGIT\_NUMBER].

```

@sample samples.text.Chars.isDigit
@SinceKotlin("1.5")
public expect fun Char.isDigit(): Boolean

```

Returns `true` if this character is upper case.

A character is considered to be an upper case character if its [category] is [CharCategory.UPPERCASE\_LETTER], or it has contributory property `Other_Uppercase` as defined by the Unicode Standard.

```

@sample samples.text.Chars.isUpperCase
@SinceKotlin("1.5")
public expect fun Char.isUpperCase(): Boolean

```

Returns `true` if this character is lower case.

A character is considered to be a lower case character if its [category] is [CharCategory.LOWERCASE\_LETTER], or it has contributory property `Other_Lowercase` as defined by the Unicode Standard.

```

@sample samples.text.Chars.isLowerCase
@SinceKotlin("1.5")
public expect fun Char.isLowerCase(): Boolean

```

Returns `true` if this character is a title case letter.

A character is considered to be a title case letter if its [category] is [CharCategory.TITLECASE\_LETTER].

```

@sample samples.text.Chars.isTitleCase
@SinceKotlin("1.5")
public expect fun Char.isTitleCase(): Boolean

```

Returns `true` if this character is an ISO control character.

A character is considered to be an ISO control character if its [category] is [CharCategory.CONTROL], meaning the Char is in the range `'\u0000'..' \u001F'` or in the range `'\u007F'..' \u009F'`.

```

@sample samples.text.Chars.isISOControl
@SinceKotlin("1.5")
public expect fun Char.isISOControl(): Boolean

```

Determines whether a character is whitespace according to the Unicode standard.

```

Returns `true` if the character is whitespace.
@sample samples.text.Chars.isWhitespace
public expect fun Char.isWhitespace(): Boolean

```

Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package kotlin
Creates a Char with the specified [code], or throws an exception if the [code] is out of `Char.MIN_VALUE.code`..`Char.MAX_VALUE.code`.
If the program that calls this function is written in a way that only valid [code] is passed as the argument, using the overload that takes a [UShort] argument is preferable (`Char(intValue.toUShort())`).
That overload doesn't check validity of the argument, and may

```

```

improve program performance when the function is called routinely inside a loop.\n *\n * @sample
samples.text.Chars.charFromCode\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
inline fun Char(code: Int): Char {\n    if (code < Char.MIN_VALUE.code || code > Char.MAX_VALUE.code) {\n
        throw IllegalArgumentException("Invalid Char code: $code")\n    }\n    return code.toChar()\n}\n\n**\n *
Creates a Char with the specified [code].\n *\n * @sample samples.text.Chars.charFromCode\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("NO_ACTUAL_FOR
_EXPECT")\npublic expect fun Char(code: UShort): Char\n\n**\n * Returns the code of this Char.\n *\n * Code of
a Char is the value it was constructed with, and the UTF-16 code unit corresponding to this Char.\n *\n * @sample
samples.text.Chars.code\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\n@Su
ppress("DEPRECATION")\npublic inline val Char.code: Int get() = this.toInt()\n", /*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n\npackage
kotlin.sequences\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n**\n * Returns
`true` if [element] is found in the sequence.\n *\n * The operation is _terminal_.\n *\n@npublic operator fun
<@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {\n    return indexOf(element)
>= 0\n}\n\n**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the
[index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Elements.elementAt\n *\n@npublic fun <T> Sequence<T>.elementAt(index: Int): T
{\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("Sequence doesn't contain element at
index $index.") }\n}\n\n**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this sequence.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n *\n@npublic fun <T>
Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    if (index < 0)\n        return
defaultValue(index)\n    val iterator = iterator()\n    var count = 0\n    while (iterator.hasNext()) {\n        val element
= iterator.next()\n        if (index == count++)\n            return element\n    }\n    return
defaultValue(index)\n}\n\n**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this sequence.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n *\n@npublic fun <T>
Sequence<T>.elementAtOrNull(index: Int): T? {\n    if (index < 0)\n        return null\n    val iterator = iterator()\n
var count = 0\n    while (iterator.hasNext()) {\n        val element = iterator.next()\n        if (index == count++)\n
return element\n    }\n    return null\n}\n\n**\n * Returns the first element matching the given [predicate], or `null`
if no such element was found.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Elements.find\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Sequence<T>.find(predicate: (T) -> Boolean): T? {\n    return firstOrNull(predicate)\n}\n\n**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n *\n * The operation is
_terminal_.\n *\n * @sample samples.collections.Collections.Elements.find\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.findLast(predicate: (T) -> Boolean): T? {\n
return lastOrNull(predicate)\n}\n\n**\n * Returns first element.\n * @throws [NoSuchElementException] if the
sequence is empty.\n *\n * The operation is _terminal_.\n *\n@npublic fun <T> Sequence<T>.first(): T {\n    val
iterator = iterator()\n    if (!iterator.hasNext())\n        throw NoSuchElementException("Sequence is empty.")\n
return iterator.next()\n}\n\n**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n *\n * The operation is _terminal_.\n *\n@npublic inline fun
<T> Sequence<T>.first(predicate: (T) -> Boolean): T {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Sequence contains no element matching the predicate.")\n}\n\n**\n

```

\* Returns the first non-null value produced by [transform] function being applied to elements of this sequence in iteration order, or throws [NoSuchElementException] if no non-null value was produced. The operation is `_terminal_`.  
 @sample samples.collections.Collections.Transformations.firstNotNullOf  
 @SinceKotlin("1.5")@kotlin.internal.InlineOnly  
 public inline fun <T, R : Any>  
 Sequence<T>.firstNotNullOf(transform: (T) -> R?): R {  
 return firstNotNullOfOrNull(transform) ?: throw  
 NoSuchElementException("No element of the sequence was transformed to a non-null value.")  
 }  
 Returns the first non-null value produced by [transform] function being applied to elements of this sequence in iteration order, or `null` if no non-null value was produced. The operation is `_terminal_`.  
 @sample samples.collections.Collections.Transformations.firstNotNullOf  
 @SinceKotlin("1.5")@kotlin.internal.InlineOnly  
 public inline fun <T, R : Any>  
 Sequence<T>.firstNotNullOfOrNull(transform: (T) -> R?): R? {  
 for (element in this) {  
 val result =  
 transform(element)  
 if (result != null) {  
 return result  
 }  
 }  
 return null  
 }  
 Returns the first element, or `null` if the sequence is empty. The operation is `_terminal_`.  
 @public fun  
 <T> Sequence<T>.firstOrNull(): T? {  
 val iterator = iterator()  
 if (!iterator.hasNext())  
 return null  
 return iterator.next()  
 }  
 Returns the first element matching the given [predicate], or `null` if element was not found. The operation is `_terminal_`.  
 @public inline fun <T> Sequence<T>.firstOrNull(predicate: (T)  
 -> Boolean): T? {  
 for (element in this) if (predicate(element)) return element  
 return null  
 }  
 Returns first index of [element], or -1 if the sequence does not contain element. The operation is `_terminal_`.  
 @kotlin.internal.OnlyInputTypes T> Sequence<T>.indexOf(element: T): Int {  
 var  
 index = 0  
 for (item in this) {  
 checkIndexOverflow(index)  
 if (element == item)  
 return  
 index  
 index++  
 }  
 return -1  
 }  
 Returns index of the first element matching the given [predicate], or -1 if the sequence does not contain such element. The operation is `_terminal_`.  
 @public  
 inline fun <T> Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {  
 var index = 0  
 for (item in this)  
 {  
 checkIndexOverflow(index)  
 if (predicate(item))  
 return index  
 index++  
 }  
 return -1  
 }  
 Returns index of the last element matching the given [predicate], or -1 if the sequence does not contain such element. The operation is `_terminal_`.  
 @public inline fun <T>  
 Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {  
 var lastIndex = -1  
 var index = 0  
 for (item in  
 this) {  
 checkIndexOverflow(index)  
 if (predicate(item))  
 lastIndex = index  
 index++  
 }  
 return lastIndex  
 }  
 Returns the last element. The operation is `_terminal_`.  
 @throws  
 NoSuchElementException if the sequence is empty.  
 @sample  
 samples.collections.Collections.Elements.last  
 @public fun <T> Sequence<T>.last(): T {  
 val iterator =  
 iterator()  
 if (!iterator.hasNext())  
 throw NoSuchElementException("Sequence is empty.")  
 var last =  
 iterator.next()  
 while (iterator.hasNext())  
 last = iterator.next()  
 return last  
 }  
 Returns the last  
 element matching the given [predicate]. The operation is `_terminal_`.  
 @throws  
 NoSuchElementException if no such element is found.  
 @sample  
 samples.collections.Collections.Elements.last  
 @public inline fun <T> Sequence<T>.last(predicate: (T) ->  
 Boolean): T {  
 var last: T? = null  
 var found = false  
 for (element in this) {  
 if (predicate(element))  
 {  
 last = element  
 found = true  
 }  
 }  
 if (!found) throw  
 NoSuchElementException("Sequence contains no element matching the predicate.")  
 @Suppress("UNCHECKED\_CAST")  
 return last as T  
 }  
 Returns last index of [element], or -1 if the  
 sequence does not contain element. The operation is `_terminal_`.  
 @public fun  
 <@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {  
 var lastIndex = -1  
 var  
 index = 0  
 for (item in this) {  
 checkIndexOverflow(index)  
 if (element == item)  
 lastIndex =  
 index  
 index++  
 }  
 return lastIndex  
 }  
 Returns the last element, or `null` if the sequence is  
 empty. The operation is `_terminal_`.  
 @sample samples.collections.Collections.Elements.last  
 @public fun <T> Sequence<T>.lastOrNull(): T? {  
 val iterator = iterator()  
 if (!iterator.hasNext())  
 return null  
 var last = iterator.next()  
 while (iterator.hasNext())  
 last = iterator.next()  
 return  
 last  
 }  
 Returns the last element matching the given [predicate], or `null` if no such element was found.

```

*\n * The operation is _terminal_.\n *\n * @sample samples.collections.Collections.Elements.last\n *\npublic
inline fun <T> Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n  var last: T? = null\n  for (element in
this) {\n    if (predicate(element)) {\n      last = element\n    }\n  }\n  return last\n}\n\n/>\n * Returns the
single element, or throws an exception if the sequence is empty or has more than one element.\n *\n * The operation
is _terminal_.\n *\npublic fun <T> Sequence<T>.single(): T {\n  val iterator = iterator()\n  if
(!iterator.hasNext())\n    throw NoSuchElementException("Sequence is empty.")\n  val single =
iterator.next()\n  if (iterator.hasNext())\n    throw IllegalArgumentException("Sequence has more than one
element.")\n  return single\n}\n\n/>\n * Returns the single element matching the given [predicate], or throws
exception if there is no or more than one matching element.\n *\n * The operation is _terminal_.\n *\npublic inline
fun <T> Sequence<T>.single(predicate: (T) -> Boolean): T {\n  var single: T? = null\n  var found = false\n
for (element in this) {\n    if (predicate(element)) {\n      if (found) throw IllegalArgumentException("Sequence
contains more than one matching element.")\n      single = element\n      found = true\n    }\n  }\n  if
(!found) throw NoSuchElementException("Sequence contains no element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as T\n}\n\n/>\n * Returns single element, or `null` if the
sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n *\npublic fun <T>
Sequence<T>.singleOrNull(): T? {\n  val iterator = iterator()\n  if (!iterator.hasNext())\n    return null\n  val
single = iterator.next()\n  if (iterator.hasNext())\n    return null\n  return single\n}\n\n/>\n * Returns the single
element matching the given [predicate], or `null` if element was not found or more than one element was found.\n
*\n * The operation is _terminal_.\n *\npublic inline fun <T> Sequence<T>.singleOrNull(predicate: (T) ->
Boolean): T? {\n  var single: T? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element))
{\n      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return
null\n  return single\n}\n\n/>\n * Returns a sequence containing all elements except first [n] elements.\n *\n * The
operation is _intermediate_ and _stateless_.\n *\n * @throws IllegalArgumentException if [n] is negative.\n *\n *
@sample samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Sequence<T>.drop(n: Int):
Sequence<T> {\n  require(n >= 0) { "Requested element count $n is less than zero." }\n  return when {\n    n
== 0 -> this\n    this is DropTakeSequence -> this.drop(n)\n    else -> DropSequence(this, n)\n  }\n}\n\n/>\n * Returns a sequence containing all elements except first elements that satisfy the given [predicate].\n *\n * The
operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Sequence<T>.dropWhile(predicate: (T)
-> Boolean): Sequence<T> {\n  return DropWhileSequence(this, predicate)\n}\n\n/>\n * Returns a sequence
containing only elements matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n
*\n * @sample samples.collections.Collections.Filtering.filter\n *\npublic fun <T> Sequence<T>.filter(predicate:
(T) -> Boolean): Sequence<T> {\n  return FilteringSequence(this, true, predicate)\n}\n\n/>\n * Returns a sequence
containing only elements matching the given [predicate].\n *\n * @param [predicate] function that takes the index of an
element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\n * The
operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Filtering.filterIndexed\n *\npublic fun <T> Sequence<T>.filterIndexed(predicate:
(index: Int, T) -> Boolean): Sequence<T> {\n  // TODO: Rewrite with generalized MapFilterIndexingSequence\n
return TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) }), {
it.value })\n}\n\n/>\n * Appends all elements matching the given [predicate] to the given [destination].\n *\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n *\npublic inline fun <T, C : MutableCollection<in T>>
Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n  forEachIndexed {
index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/>\n * Returns a sequence containing all elements that are instances of specified type parameter
R.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n * @sample
samples.collections.Collections.Filtering.filterIsInstance\n *\npublic inline fun <reified R>

```

```

Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> {\n
  @Suppress("UNCHECKED_CAST")\n  return filter { it is R } as Sequence<R>\n}\n\n/**\n * Appends all
elements that are instances of specified type parameter R to the given [destination].\n *\n * The operation is
_terminal_.\n *\n * @sample samples.collections.Collections.Filtering.filterIsInstanceTo\n *\npublic inline fun
<reified R, C : MutableCollection<in R>> Sequence<*>.filterIsInstanceTo(destination: C): C {\n  for (element in
this) if (element is R) destination.add(element)\n  return destination\n}\n\n/**\n * Returns a sequence containing
all elements not matching the given [predicate].\n *\n * The operation is _intermediate_ and _stateless_.\n *\n *
@sample samples.collections.Collections.Filtering.filter\n *\npublic fun <T> Sequence<T>.filterNot(predicate: (T)
-> Boolean): Sequence<T> {\n  return FilteringSequence(this, false, predicate)\n}\n\n/**\n * Returns a sequence
containing all elements that are not `null`.\n *\n * The operation is _intermediate_ and _stateless_.\n *\n *
@sample samples.collections.Collections.Filtering.filterNotNull\n *\npublic fun <T : Any> Sequence<T?>.filterNotNull():
Sequence<T> {\n  @Suppress("UNCHECKED_CAST")\n  return filterNot { it == null } as
Sequence<T>\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n *\n * The operation
is _terminal_.\n *\n * @sample samples.collections.Collections.Filtering.filterNotNullTo\n *\npublic fun <C :
MutableCollection<in T>, T : Any> Sequence<T?>.filterNotNullTo(destination: C): C {\n  for (element in this) if
(element != null) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not matching
the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <T, C : MutableCollection<in T>>
Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements matching
the given [predicate] to the given [destination].\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Filtering.filterTo\n *\npublic inline fun <T, C : MutableCollection<in T>>
Sequence<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {\n  for (element in this) if (predicate(element))
destination.add(element)\n  return destination\n}\n\n/**\n * Returns a sequence containing first [n] elements.\n *\n *
The operation is _intermediate_ and _stateless_.\n *\n * @throws IllegalArgumentException if [n] is negative.\n *\n *
@sample samples.collections.Collections.Transformations.take\n *\npublic fun <T> Sequence<T>.take(n: Int):
Sequence<T> {\n  require(n >= 0) { "Requested element count $n is less than zero." }\n  return when {\n    n
== 0 -> emptySequence()\n    this is DropTakeSequence -> this.take(n)\n    else -> TakeSequence(this, n)\n  }\n}\n\n/**\n * Returns a sequence containing first elements satisfying the given [predicate].\n *\n * The operation
is _intermediate_ and _stateless_.\n *\n * @sample samples.collections.Collections.Transformations.take\n *\npublic fun <T> Sequence<T>.takeWhile(predicate: (T) -> Boolean): Sequence<T> {\n  return
TakeWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted
according to their natural sort order.\n *\n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n *\n * The operation is _intermediate_ and _stateful_.\n *\npublic fun <T :
Comparable<T>> Sequence<T>.sorted(): Sequence<T> {\n  return object : Sequence<T> {\n    override fun
iterator(): Iterator<T> {\n      val sortedList = this@sorted.toMutableList()\n      sortedList.sort()\n      return sortedList.iterator()\n    }\n  }\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted according to natural sort order of the value returned by specified [selector] function.\n *\n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The operation
is _intermediate_ and _stateful_.\n *\n * @sample samples.collections.Collections.Sorting.sortedBy\n *\npublic inline fun <T, R : Comparable<R>> Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T> {\n
return sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted descending according to natural sort order of the value returned by specified [selector] function.\n *\n * The
sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n * The
operation is _intermediate_ and _stateful_.\n *\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {\n  return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted descending according to their natural sort order.\n *\n * The sort is _stable_. It means that equal elements

```

```

preserve their order relative to each other after sorting.\n * The operation is _intermediate_ and _stateful_.\n
*\npublic fun <T : Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {\n    return
sortedWith(reverseOrder())\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according
to the specified [comparator].\n * The sort is _stable_. It means that equal elements preserve their order relative
to each other after sorting.\n * The operation is _intermediate_ and _stateful_.\n *\npublic fun <T>
Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {\n    return object : Sequence<T> {\n
override fun iterator(): Iterator<T> {\n        val sortedList = this@sortedWith.toMutableList()\n
sortedList.sortWith(comparator)\n        return sortedList.iterator()\n    }\n}\n\n/**\n * Returns a [Map]
containing key-value pairs provided by [transform] function\n * applied to elements of the given sequence.\n * If any of two pairs would have the same key the last one gets added to the map.\n * The returned map preserves
the entry iteration order of the original sequence.\n * The operation is _terminal_.\n * @sample
samples.collections.Collections.Transformations.associate\n *\npublic inline fun <T, K, V>
Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n    return associateTo(LinkedHashMap<K,
V>(), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given sequence indexed by the
key\n * returned from [keySelector] function applied to each element.\n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * The returned map preserves the entry
iteration order of the original sequence.\n * The operation is _terminal_.\n * @sample
samples.collections.Collections.Transformations.associateBy\n *\npublic inline fun <T, K>
Sequence<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n    return associateByTo(LinkedHashMap<K,
T>(), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed
by [keySelector] functions applied to elements of the given sequence.\n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * The returned map preserves the entry
iteration order of the original sequence.\n * The operation is _terminal_.\n * @sample
samples.collections.Collections.Transformations.associateByWithValueTransform\n *\npublic inline fun <T, K, V>
Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n    return
associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to
each element of the given sequence\n * and value is the element itself.\n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * The operation is _terminal_.\n * @sample
samples.collections.Collections.Transformations.associateByTo\n *\npublic inline fun <T, K, M :
MutableMap<in K, in T>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n    for
(element in this) {\n        destination.put(keySelector(element), element)\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the
[keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the
given sequence.\n * If any two elements would have the same key returned by [keySelector] the last one gets
added to the map.\n * The operation is _terminal_.\n * @sample
samples.collections.Collections.Transformations.associateByToWithValueTransform\n *\npublic inline fun <T, K,
V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n    for (element in this) {\n        destination.put(keySelector(element),
valueTransform(element))\n    }\n    return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs\n * provided by [transform] function applied to each element of the given sequence.\n * If any of two pairs would have the same key the last one gets added to the map.\n * The operation is
_terminal_.\n * @sample samples.collections.Collections.Transformations.associateTo\n *\npublic inline fun
<T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>):
M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\n/**\n * Returns a [Map] where keys are elements from the given sequence and values are\n * produced by the
[valueSelector] function applied to each element.\n * If any two elements are equal, the last one gets added to
the map.\n * The returned map preserves the entry iteration order of the original sequence.\n * The

```

operation is `_terminal_`.  
`@sample samples.collections.Collections.Transformations.associateWith`  
`*\n@SinceKotlin("1.3")\npublic inline fun <K, V> Sequence<K>.associateWith(valueSelector: (K) -> V):`  
`Map<K, V> { \n val result = LinkedHashMap<K, V>()\n return associateWithTo(result,`  
`valueSelector)\n}\n\n**\n * Populates and returns the [destination] mutable map with key-value pairs for each`  
`element of the given sequence,\n * where key is the element itself and value is provided by the [valueSelector]`  
`function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the`  
`map.\n * \n * The operation is _terminal_.  
@sample  
samples.collections.Collections.Transformations.associateWithTo  
*\n@SinceKotlin("1.3")\npublic inline fun  
<K, V, M : MutableMap<in K, in V>> Sequence<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M  
{\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return  
destination\n}\n\n**\n * Appends all elements to the given [destination] collection.\n * \n * The operation is  
_terminal_.  
public fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {\n  
for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n**\n * Returns a new [HashSet] of  
all elements.\n * \n * The operation is _terminal_.  
public fun <T> Sequence<T>.toHashSet(): HashSet<T> {\n  
return toCollection(HashSet<T>())\n}\n\n**\n * Returns a [List] containing all elements.\n * \n * The operation is  
_terminal_.  
public fun <T> Sequence<T>.toList(): List<T> {\n return  
this.toMutableList().optimizeReadOnlyList()\n}\n\n**\n * Returns a new [MutableList] filled with all elements of  
this sequence.\n * \n * The operation is _terminal_.  
public fun <T> Sequence<T>.toMutableList():  
MutableList<T> {\n return toCollection(ArrayList<T>())\n}\n\n**\n * Returns a [Set] of all elements.\n * \n *   
The returned set preserves the element iteration order of the original sequence.\n * \n * The operation is  
_terminal_.  
public fun <T> Sequence<T>.toSet(): Set<T> {\n return  
toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n**\n * Returns a single sequence of all elements  
from results of [transform] function being invoked on each element of original sequence.\n * \n * The operation is  
_intermediate_ and _stateless_.  
@sample samples.collections.Collections.Transformations.flatMap  
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIterable")\npublic fun <T, R>  
Sequence<T>.flatMap(transform: (T) -> Iterable<R>): Sequence<R> {\n return FlatteningSequence(this,  
transform, Iterable<R>::iterator)\n}\n\n**\n * Returns a single sequence of all elements from results of [transform]  
function being invoked on each element of original sequence.\n * \n * The operation is _intermediate_ and  
_stateless_.  
@sample samples.collections.Collections.Transformations.flatMap  
public fun <T, R>  
Sequence<T>.flatMap(transform: (T) -> Sequence<R>): Sequence<R> {\n return FlatteningSequence(this,  
transform, Sequence<R>::iterator)\n}\n\n**\n * Returns a single sequence of all elements yielded from results of  
[transform] function being invoked on each element\n * and its index in the original sequence.\n * \n * The operation  
is _intermediate_ and _stateless_.  
@sample  
samples.collections.Collections.Transformations.flatMapIndexed  
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedIterable")\npublic fun <T, R>  
Sequence<T>.flatMapIndexed(transform: (index: Int, T) -> Iterable<R>): Sequence<R> {\n return  
flatMapIndexed(this, transform, Iterable<R>::iterator)\n}\n\n**\n * Returns a single sequence of all elements  
yielded from results of [transform] function being invoked on each element\n * and its index in the original  
sequence.\n * \n * The operation is _intermediate_ and _stateless_.  
@sample  
samples.collections.Collections.Transformations.flatMapIndexed  
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution  
ByLambdaReturnType\n@kotlin.jvm.JvmName("flatMapIndexedSequence")\npublic fun <T, R>  
Sequence<T>.flatMapIndexed(transform: (index: Int, T) -> Sequence<R>): Sequence<R> {\n return  
flatMapIndexed(this, transform, Sequence<R>::iterator)\n}\n\n**\n * Appends all elements yielded from results of  
[transform] function being invoked on each element\n * and its index in the original sequence, to the given  
[destination].\n * \n * The operation is _terminal_.`

```

*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(checkIndexOverflow(index++), element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n**\n * Appends all elements yielded from results of [transform] function being invoked on each
element\n * and its index in the original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\flatMapIndexedSequenceTo")\n@kotlin.internal.InlineOnly\npu
blic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.flatMapIndexedTo(destination: C, transform:
(index: Int, T) -> Sequence<R>): C {\n    var index = 0\n    for (element in this) {\n        val list =
transform(checkIndexOverflow(index++), element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\flatMapIterableTo")\npublic inline fun <T, R, C :
MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original sequence, to the given [destination].\n *\n * The operation is _terminal_.\n
*\npublic inline fun
<T, R, C : MutableCollection<in R>> Sequence<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C
{\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n**\n * Groups elements of the original sequence by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n *\n * The returned map preserves the entry iteration order of the keys produced from the
original sequence.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <T, K>
Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n    return groupByTo(LinkedHashMap<K,
MutableList<T>>(), keySelector)\n}\n\n**\n * Groups values returned by the [valueTransform] function applied to
each element of the original sequence\n * by the key returned by the given [keySelector] function applied to the
element\n * and returns a map where each group key is associated with a list of corresponding values.\n *\n * The
returned map preserves the entry iteration order of the keys produced from the original sequence.\n *\n * The
operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n *\npublic inline fun <T, K, V>
Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n**\n * Groups elements
of the original sequence by the key returned by the given [keySelector] function\n * applied to each element and
puts to the [destination] map each group key associated with a list of corresponding elements.\n *\n * @return The
[destination] map.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.groupBy\n *\npublic inline fun <T, K, M : MutableMap<in K,
MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n    for (element in this)
{\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) { ArrayList<T>() }\n
list.add(element)\n    }\n    return destination\n}\n\n**\n * Groups values returned by the [valueTransform] function
applied to each element of the original sequence\n * by the key returned by the given [keySelector] function applied
to the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n
*\n * @return The [destination] map.\n *\n * The operation is _terminal_.\n *\n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n *\npublic inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K,

```



only distinct elements from the given sequence.  
Among equal elements of the given sequence, only the first one will be present in the resulting sequence.  
The elements in the resulting sequence are in the same order as they were in the source sequence.

`Sequence<T>.distinct(): Sequence<T>` {  
return this.distinctBy { it }  
} Returns a sequence containing only elements from the given sequence having distinct keys returned by the given [selector] function.  
Among elements of the given sequence with equal keys, only the first one will be present in the resulting sequence.  
The elements in the resulting sequence are in the same order as they were in the source sequence.

`Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T>` {  
return DistinctSequence(this, selector)  
} Returns a new [MutableSet] containing all distinct elements from the given sequence.  
The returned set preserves the element iteration order of the original sequence.

`Sequence<T>.toMutableSet(): MutableSet<T>` {  
val set = LinkedHashSet<T>()  
for (item in this) set.add(item)  
return set  
} Returns `true` if all elements match the given [predicate].

`Sequence<T>.all(predicate: (T) -> Boolean): Boolean` {  
for (element in this) if (!predicate(element)) return false  
return true  
} Returns `true` if sequence has at least one element.

`Sequence<T>.any(): Boolean` {  
return iterator().hasNext()  
} Returns `true` if at least one element matches the given [predicate].

`Sequence<T>.any(predicate: (T) -> Boolean): Boolean` {  
for (element in this) if (predicate(element)) return true  
return false  
} Returns the number of elements in this sequence.

`Sequence<T>.count(): Int` {  
var count = 0  
for (element in this) checkCountOverflow(++count)  
return count  
} Returns the number of elements matching the given [predicate].

`Sequence<T>.count(predicate: (T) -> Boolean): Int` {  
var count = 0  
for (element in this) if (predicate(element)) checkCountOverflow(++count)  
return count  
} Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element.  
Returns the specified [initial] value if the sequence is empty.

`Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R` {  
var accumulator = initial  
for (element in this) accumulator = operation(accumulator, element)  
return accumulator  
} Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original sequence.  
Returns the specified [initial] value if the sequence is empty.

`Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R` {  
var index = 0  
var accumulator = initial  
for (element in this) accumulator = operation(checkIndexOverflow(index++), accumulator, element)  
return accumulator  
} Performs the given [action] on each element.

`Sequence<T>.forEach(action: (T) -> Unit): Unit` {  
for (element in this) action(element)  
} Performs the given [action] on each element, providing sequential index with the element.

`Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit` {  
var index = 0  
for (item in this) action(checkIndexOverflow(index++), item)  
} `@Deprecated("Use maxOrNull instead.")`  
`ReplaceWith("this.maxOrNull()")` `@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5")`

```

hiddenSince = `1.6`)@SinceKotlin("1.1")\npublic fun Sequence<Double>.max(): Double? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.")
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`)@SinceKotlin("1.1")\npublic fun Sequence<Float>.max(): Float? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.")
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`,
hiddenSince = `1.6`)@SinceKotlin("1.1")\npublic fun <T : Comparable<T>> Sequence<T>.max(): T? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxByOrNull instead.")
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince =
`1.5`, hiddenSince = `1.6`)@SinceKotlin("1.1")\npublic inline fun <T, R : Comparable<R>> Sequence<T>.maxBy(selector: (T) ->
R): T? {\n    return maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the
given function or `null` if there are no elements.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n * \n * @SinceKotlin("1.4")\n * \n * @OverloadResolution
ByLambdaReturnType\n * \n * @kotlin.internal.InlineOnly\n * \n * @public inline fun <T, R :
Comparable<R>> Sequence<T>.maxByOrNull(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var maxElem = iterator.next()\n    if (!iterator.hasNext()) return maxElem\n    var
maxValue = selector(maxElem)\n    do {\n        val e = iterator.next()\n        val v = selector(e)\n        if (maxValue <
v) {\n            maxElem = e\n            maxValue = v\n        }\n    } while (iterator.hasNext())\n    return
maxElem\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result
is `NaN`.\n * \n * @throws NoSuchElementException if the sequence is empty.\n * \n * The operation is
_terminal_.\n * \n * @SinceKotlin("1.4")\n * \n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * \n * @OverloadResolution
ByLambdaReturnType\n * \n * @kotlin.internal.InlineOnly\n * \n * @public inline fun <T> Sequence<T>.maxOf(selector: (T) ->
Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the sequence is empty.\n * \n * The operation is _terminal_.\n * \n * @SinceKotlin("1.4")\n * \n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * \n * @OverloadResolution
ByLambdaReturnType\n * \n * @kotlin.internal.InlineOnly\n * \n * @public inline fun <T> Sequence<T>.maxOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all
values produced by [selector] function\n * applied to each element in the sequence.\n * \n * @throws
NoSuchElementException if the sequence is empty.\n * \n * The operation is _terminal_.\n * \n * @SinceKotlin("1.4")\n * \n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * \n * @OverloadResolution
ByLambdaReturnType\n * \n * @kotlin.internal.InlineOnly\n * \n * @public inline fun <T, R : Comparable<R>>
Sequence<T>.maxOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw
NoSuchElementException()\n    var maxValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v
= selector(iterator.next())\n        if (maxValue < v) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each element in the sequence or `null` if there are no elements.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * The operation is _terminal_.\n * \n * @SinceKotlin("1.4")\n * \n * @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n * \n * @OverloadResolution
ByLambdaReturnType\n * \n * @kotlin.internal.InlineOnly\n * \n * @public inline fun <T> Sequence<T>.maxOfOrNull(selector:
(T) -> Double): Double? {\n    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var maxValue =
selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n        maxValue =

```

```

maxOf(maxValue, v) } return maxValue }

 * Returns the largest value among all values produced
by [selector] function * applied to each element in the sequence or `null` if there are no elements.
 * If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.
 * The operation is _terminal_.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.maxOrNull(selector:
(T) -> Float): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var maxValue =
selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        maxValue =
maxOf(maxValue, v)
    }
    return maxValue
}

 * Returns the largest value among all values produced
by [selector] function * applied to each element in the sequence or `null` if there are no elements.
 * The
operation is _terminal_.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly
public inline fun <T, R : Comparable<R>>
Sequence<T>.maxOrNull(selector: (T) -> R): R? {
    val iterator = iterator()
    if (!iterator.hasNext()) return
null
    var maxValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v =
selector(iterator.next())
        if (maxValue < v) {
            maxValue = v
        }
    }
    return
maxValue
}

 * Returns the largest value according to the provided [comparator]
 * among all values
produced by [selector] function applied to each element in the sequence.
 * @throws
NoSuchElementException if the sequence is empty.
 * The operation is _terminal_.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly
public inline fun <T, R>
Sequence<T>.maxOfWith(comparator: Comparator<in R>, selector: (T) -> R): R {
    val iterator = iterator()
    if
(!iterator.hasNext()) throw NoSuchElementException()
    var maxValue = selector(iterator.next())
    while
(iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(maxValue, v) < 0) {
           
maxValue = v
        }
    }
    return maxValue
}

 * Returns the largest value according to the provided
[comparator]
 * among all values produced by [selector] function applied to each element in the sequence or `null`
if there are no elements.
 * The operation is _terminal_.

@SinceKotlin("1.4")@OptIn(kotlin.experimental.ExperimentalTypeInference::class)@OverloadResolution
ByLambdaReturnType@kotlin.internal.InlineOnly
public inline fun <T, R>
Sequence<T>.maxOfWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {
    val iterator =
iterator()
    if (!iterator.hasNext()) return null
    var maxValue = selector(iterator.next())
    while
(iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(maxValue, v) < 0) {
           
maxValue = v
        }
    }
    return maxValue
}

 * Returns the largest element or `null` if there are no
elements.
 * If any of elements is `NaN` returns `NaN`.
 * The operation is _terminal_.

@SinceKotlin("1.4")
public fun Sequence<Double>.maxOrNull(): Double? {
    val iterator = iterator()
    if
(!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e =
iterator.next()
        max = maxOf(max, e)
    }
    return max
}

 * Returns the largest element or `null` if
there are no elements.
 * If any of elements is `NaN` returns `NaN`.
 * The operation is _terminal_.

@SinceKotlin("1.4")
public fun Sequence<Float>.maxOrNull(): Float? {
    val iterator = iterator()
    if
(!iterator.hasNext()) return null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e =
iterator.next()
        max = maxOf(max, e)
    }
    return max
}

 * Returns the largest element or `null` if
there are no elements.
 * The operation is _terminal_.

@SinceKotlin("1.4")
public fun <T :
Comparable<T>> Sequence<T>.maxOrNull(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return
null
    var max = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (max < e) max
= e
    }
    return max
}

@Deprecated("Use maxWithOrNull instead.")
ReplaceWith("this.maxWithOrNull(comparator)")
@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")
public fun <T> Sequence<T>.maxWith(comparator: Comparator<in T>): T? {
    return
maxWithOrNull(comparator)
}

 * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.
 * The operation is _terminal_.

```

```

*\/n@SinceKotlin("1.4")\npublic fun <T> Sequence<T>.maxWithOrNull(comparator: Comparator<in T>): T? {\n
    val iterator = iterator()\n    if (!iterator.hasNext()) return null\n    var max = iterator.next()\n    while
(iterator.hasNext()) {\n        val e = iterator.next()\n        if (comparator.compare(max, e) < 0) max = e\n    }\n
return max\n}\n\n@Deprecated("Use minOrNull instead.")\n
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Sequence<Double>.min(): Double? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.")\n
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.1")\npublic fun Sequence<Float>.min(): Float? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minOrNull instead.")\n
ReplaceWith("this.minOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\npublic fun <T : Comparable<T>> Sequence<T>.min(): T? {\n    return
minOrNull()\n}\n\n@Deprecated("Use minByOrNull instead.")\n
ReplaceWith("this.minByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <T, R : Comparable<R>> Sequence<T>.minBy(selector: (T) ->
R): T? {\n    return minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the
given function or `null` if there are no elements.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <T, R :
Comparable<R>> Sequence<T>.minByOrNull(selector: (T) -> R): T? {\n    val iterator = iterator()\n    if
(!iterator.hasNext()) return null\n    var minElem = iterator.next()\n    if (!iterator.hasNext()) return minElem\n    var
minValue = selector(minElem)\n    do {\n        val e = iterator.next()\n        val v = selector(e)\n        if (minValue >
v) {\n            minElem = e\n            minValue = v\n        }\n    } while (iterator.hasNext())\n    return
minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result
is `NaN`.\n * \n * @throws NoSuchElementException if the sequence is empty.\n * \n * The operation is
_terminal_.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOf(selector: (T) ->
Double): Double {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the sequence.\n * \n * If any of values
produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException
if the sequence is empty.\n * \n * The operation is _terminal_.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.minOf(selector: (T) ->
Float): Float {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw NoSuchElementException()\n    var
minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v = selector(iterator.next())\n
minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all
values produced by [selector] function\n * applied to each element in the sequence.\n * \n * @throws
NoSuchElementException if the sequence is empty.\n * \n * The operation is _terminal_.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.minOf(selector: (T) -> R): R {\n    val iterator = iterator()\n    if (!iterator.hasNext()) throw
NoSuchElementException()\n    var minValue = selector(iterator.next())\n    while (iterator.hasNext()) {\n        val v
= selector(iterator.next())\n        if (minValue > v) {\n            minValue = v\n        }\n    }\n    return
minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to
each element in the sequence or `null` if there are no elements.\n * \n * If any of values produced by [selector]

```

```

function is `NaN`, the returned result is `NaN`.
}

*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@kotlin.internal.InlineOnly\/npublic inline fun <T> Sequence<T>.minOrNull(selector:
(T) -> Double): Double? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minValue =
    selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        minValue =
        minOf(minValue, v)
    }
    return minValue
}

* Returns the smallest value among all values produced
by [selector] function
* applied to each element in the sequence or `null` if there are no elements.
* If any of
values produced by [selector] function is `NaN`, the returned result is `NaN`.
* The operation is _terminal_.

*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@kotlin.internal.InlineOnly\/npublic inline fun <T> Sequence<T>.minOrNull(selector:
(T) -> Float): Float? {
    val iterator = iterator()
    if (!iterator.hasNext()) return null
    var minValue =
    selector(iterator.next())
    while (iterator.hasNext()) {
        val v = selector(iterator.next())
        minValue =
        minOf(minValue, v)
    }
    return minValue
}

* Returns the smallest value among all values produced
by [selector] function
* applied to each element in the sequence or `null` if there are no elements.
* The
operation is _terminal_.

*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@kotlin.internal.InlineOnly\/npublic inline fun <T, R : Comparable<R>>
Sequence<T>.minOrNull(selector: (T) -> R): R? {
    val iterator = iterator()
    if (!iterator.hasNext()) return
    null
    var minValue = selector(iterator.next())
    while (iterator.hasNext()) {
        val v =
        selector(iterator.next())
        if (minValue > v) {
            minValue = v
        }
    }
    return
    minValue
}

* Returns the smallest value according to the provided [comparator]
* among all values
produced by [selector] function applied to each element in the sequence.
* @throws
NoSuchElementException if the sequence is empty.
* The operation is _terminal_.

*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@kotlin.internal.InlineOnly\/npublic inline fun <T, R>
Sequence<T>.minWith(comparator: Comparator<in R>, selector: (T) -> R): R {
    val iterator = iterator()
    if
    (!iterator.hasNext()) throw NoSuchElementException()
    var minValue = selector(iterator.next())
    while
    (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(minValue, v) > 0) {
           
            minValue = v
        }
    }
    return minValue
}

* Returns the smallest value according to the
provided [comparator]
* among all values produced by [selector] function applied to each element in the sequence
or `null` if there are no elements.
* The operation is _terminal_.

*\/n@SinceKotlin("1.4")\/n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\/n@OverloadResolution
ByLambdaReturnType\/n@kotlin.internal.InlineOnly\/npublic inline fun <T, R>
Sequence<T>.minWithOrNull(comparator: Comparator<in R>, selector: (T) -> R): R? {
    val iterator =
    iterator()
    if (!iterator.hasNext()) return null
    var minValue = selector(iterator.next())
    while
    (iterator.hasNext()) {
        val v = selector(iterator.next())
        if (comparator.compare(minValue, v) > 0) {
           
            minValue = v
        }
    }
    return minValue
}

* Returns the smallest element or `null` if there are
no elements.
* If any of elements is `NaN` returns `NaN`.
* The operation is _terminal_.

*\/n@SinceKotlin("1.4")\/npublic fun Sequence<Double>.minOrNull(): Double? {
    val iterator = iterator()
    if
    (!iterator.hasNext()) return null
    var min = iterator.next()
    while (iterator.hasNext()) {
        val e =
        iterator.next()
        min = minOf(min, e)
    }
    return min
}

* Returns the smallest element or `null` if
there are no elements.
* If any of elements is `NaN` returns `NaN`.
* The operation is _terminal_.

*\/n@SinceKotlin("1.4")\/npublic fun Sequence<Float>.minOrNull(): Float? {
    val iterator = iterator()
    if
    (!iterator.hasNext()) return null
    var min = iterator.next()
    while (iterator.hasNext()) {
        val e =
        iterator.next()
        min = minOf(min, e)
    }
    return min
}

* Returns the smallest element or `null` if
there are no elements.
* The operation is _terminal_.

*\/n@SinceKotlin("1.4")\/npublic fun <T :
Comparable<T>> Sequence<T>.minOrNull(): T? {
    val iterator = iterator()
    if (!iterator.hasNext()) return
    null
    var min = iterator.next()
    while (iterator.hasNext()) {
        val e = iterator.next()
        if (min > e) min

```



```

(iterator.hasNext()) {\n    accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n
}\n    return accumulator}\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]\n from left to right\n * to current accumulator value and each element.\n * \n * Returns `null` if the sequence is\n empty.\n * \n * @param [operation] function that takes current accumulator value and an element,\n * and calculates\n the next accumulator value.\n * \n * The operation is _terminal_.\n * \n * @sample\n samples.collections.Collections.Aggregates.reduceOrNull\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun <S, T : S>\nSequence<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {\n    val iterator = this.iterator()\n    if\n (iterator.hasNext()) return null\n    var accumulator: S = iterator.next()\n    while (iterator.hasNext()) {\n    accumulator = operation(accumulator, iterator.next())\n    }\n    return accumulator}\n}\n\n/**\n * Returns a sequence\n containing successive accumulation values generated by applying [operation] from left to right\n * to each element\n and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation]\n function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The\n [initial] value should also be immutable (or should not be mutated)\n * as it may be passed to [operation] function\n later because of sequence's lazy nature.\n * \n * @param [operation] function that takes current accumulator value\n and an element,\n and calculates the next accumulator value.\n * \n * The operation is _intermediate_ and\n _stateless_.\n * \n * @sample\n samples.collections.Collections.Aggregates.runningFold\n
*/\n@SinceKotlin("1.4")\npublic fun <T, R> Sequence<T>.runningFold(initial: R, operation: (acc: R, T) -> R):\nSequence<R> {\n    return sequence {\n        yield(initial)\n        var accumulator = initial\n        for (element in\n this@runningFold) {\n            accumulator = operation(accumulator, element)\n            yield(accumulator)\n        }\n    }\n}\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying [operation]\n from left to right\n * to each element, its index in the original sequence and current accumulator value that starts\n with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable\n (or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the\n element itself, and calculates the next accumulator value.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample\n samples.collections.Collections.Aggregates.runningFold\n
*/\n@SinceKotlin("1.4")\npublic fun\n<T, R> Sequence<T>.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {\n    return sequence {\n        yield(initial)\n        var index = 0\n        var accumulator = initial\n        for (element in\n this@runningFoldIndexed) {\n            accumulator = operation(checkIndexOverflow(index++), accumulator,\n element)\n            yield(accumulator)\n        }\n    }\n}\n\n/**\n * Returns a sequence containing successive\n accumulation values generated by applying [operation] from left to right\n * to each element and current\n accumulator value that starts with the first element of this sequence.\n * \n * Note that `acc` value passed to\n [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * \n * @param [operation] function that takes current accumulator value and the element, and calculates the next\n accumulator value.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample\n samples.collections.Collections.Aggregates.runningReduce\n
*/\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <S, T : S>\nSequence<T>.runningReduce(operation: (acc: S, T) -> S): Sequence<S> {\n    return sequence {\n        val iterator =\n iterator()\n        if (iterator.hasNext()) {\n            var accumulator: S = iterator.next()\n            yield(accumulator)\n            while (iterator.hasNext()) {\n                accumulator = operation(accumulator, iterator.next())\n            }\n            yield(accumulator)\n        }\n    }\n}\n\n/**\n * Returns a sequence containing successive accumulation\n values generated by applying [operation] from left to right\n * to each element, its index in the original sequence and\n current accumulator value that starts with the first element of this sequence.\n * \n * Note that `acc` value passed to\n [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting sequence.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the\n element itself, and calculates the next accumulator value.\n * \n * The operation is _intermediate_ and _stateless_.\n

```

```

* \n * @sample samples.collections.Collections.Aggregates.runningReduce\n * \n @SinceKotlin("1.4")\n public fun
<S, T : S> Sequence<T>.runningReduceIndexed(operation: (index: Int, acc: S, T) -> S): Sequence<S> {\n return
sequence {\n val iterator = iterator()\n if (iterator.hasNext()) {\n var accumulator: S =
iterator.next()\n yield(accumulator)\n var index = 1\n while (iterator.hasNext()) {\n
accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())\n
yield(accumulator)\n }\n }\n }\n }\n\n/**\n * Returns a sequence containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable
(or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n
\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
\n * \n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun <T, R>
Sequence<T>.scan(initial: R, operation: (acc: R, T) -> R): Sequence<R> {\n return runningFold(initial,
operation)\n }\n\n/**\n * Returns a sequence containing successive accumulation values generated by applying
[operation] from left to right\n * to each element, its index in the original sequence and current accumulator value
that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n
\n * otherwise it would affect the previous value in resulting sequence.\n * The [initial] value should also be immutable
(or should not be mutated)\n * as it may be passed to [operation] function later because of sequence's lazy nature.\n
\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the
element itself, and calculates the next accumulator value.\n * \n * The operation is _intermediate_ and _stateless_.\n
\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
\n * \n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun <T, R>
Sequence<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {\n return
runningFoldIndexed(initial, operation)\n }\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the sequence.\n * \n * The operation is _terminal_.\n * \n @Deprecated("Use sumOf
instead.", ReplaceWith("this.sumOf(selector)"))\n @DeprecatedSinceKotlin(warningSince = "1.5")\n public inline
fun <T> Sequence<T>.sumBy(selector: (T) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum
+= selector(element)\n }\n return sum\n }\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the sequence.\n * \n * The operation is _terminal_.\n * \n @Deprecated("Use
sumOf instead.", ReplaceWith("this.sumOf(selector)"))\n @DeprecatedSinceKotlin(warningSince =
"1.5")\n public inline fun <T> Sequence<T>.sumByDouble(selector: (T) -> Double): Double {\n var sum: Double
= 0.0\n for (element in this) {\n sum += selector(element)\n }\n return sum\n }\n\n/**\n * Returns the sum
of all values produced by [selector] function applied to each element in the sequence.\n * \n * The operation is
_terminal_.\n
\n * \n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.jvm.JvmName("sumOfDouble")\n @kotlin.internal.InlineOnly\n public inline fun
<T> Sequence<T>.sumOf(selector: (T) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element
in this) {\n sum += selector(element)\n }\n return sum\n }\n\n/**\n * Returns the sum of all values produced
by [selector] function applied to each element in the sequence.\n * \n * The operation is _terminal_.\n
\n * \n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.jvm.JvmName("sumOfInt")\n @kotlin.internal.InlineOnly\n public inline fun <T>
Sequence<T>.sumOf(selector: (T) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum +=
selector(element)\n }\n return sum\n }\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the sequence.\n * \n * The operation is _terminal_.\n
\n * \n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.jvm.JvmName("sumOfLong")\n @kotlin.internal.InlineOnly\n public inline fun

```

```

<T> Sequence<T>.sumOf(selector: (T) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the sequence.  
 \* The operation is `_terminal_`.

```

@SinceKotlin("1.5")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.jvm.JvmName("sumOfUInt")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.sumOf(selector: (T) -> UInt): UInt {
    var sum: UInt = 0.toUInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the sequence.  
 \* The operation is `_terminal_`.

```

@SinceKotlin("1.5")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.jvm.JvmName("sumOfULong")
@WasExperimental(ExperimentalUnsignedTypes::class)
@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.sumOf(selector: (T) -> ULong): ULong {
    var sum: ULong = 0.toULong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns an original collection containing all the non-`null` elements, throwing an `IllegalArgumentException` if there are any `null` elements.  
 \* The operation is `_intermediate_` and `_stateless_`.

```

public fun <T : Any> Sequence<T>.requireNonNulls(): Sequence<T> {
    return map { it?.throw IllegalArgumentException("null element found in $this.") }
}

```

\* Splits this sequence into a sequence of lists each not exceeding the given [size].  
 \* The last list in the resulting sequence may have fewer elements than the given [size].  
 \* @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.  
 \* The operation is `_intermediate_` and `_stateful_`.

```

@sample samples.collections.Collections.Transformations.chunked

```

```

@SinceKotlin("1.2")
public fun <T> Sequence<T>.chunked(size: Int): Sequence<List<T>> {
    return windowed(size, size, partialWindows = true)
}

```

\* Splits this sequence into several lists each not exceeding the given [size] and applies the given [transform] function to an each.  
 \* @return sequence of results of the [transform] applied to an each list.  
 \* Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.  
 \* You should not store it or allow it to escape in some way, unless you made a snapshot of it.  
 \* The last list may have fewer elements than the given [size].  
 \* @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this sequence.

```

@sample samples.text.Strings.chunkedTransform

```

```

@SinceKotlin("1.2")
public fun <T, R> Sequence<T>.chunked(size: Int, transform: (List<T>) -> R): Sequence<R> {
    return windowed(size, size, partialWindows = true, transform = transform)
}

```

\* Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].  
 \* The operation is `_intermediate_` and `_stateless_`.

```

public operator fun <T> Sequence<T>.minus(element: T): Sequence<T> {
    return object: Sequence<T> {
        override fun iterator(): Iterator<T> {
            var removed = false
            return this@minus.filter { if (!removed && it == element) { removed = true; false } else true }.iterator()
        }
    }
}

```

\* Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] array.  
 \* Note that the source sequence and the array being subtracted are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.  
 \* Before Kotlin 1.6, the [elements] array may have been converted to a `HashSet` to speed up the operation, thus the elements were required to have a correct and stable implementation of `hashCode()` that didn't change between successive invocations.  
 \* On JVM, you can enable this behavior back with the system property `kotlin.collections.convert_arg_to_set_in_removeAll` set to `true`.

```

public operator fun <T> Sequence<T>.minus(elements: Array<out T>): Sequence<T> {
    if (elements.isEmpty()) return this
    return object: Sequence<T> {
        override fun iterator(): Iterator<T> {
            val other = elements.convertToSetForSetOperation()
            return this@minus.filterNot { it in other }.iterator()
        }
    }
}

```

\* Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] collection.  
 \* Note that the source sequence and the collection being

subtracted are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

Before Kotlin 1.6, the [elements] collection may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of `hashCode()` that didn't change between successive invocations.

On JVM, you can enable this behavior back with the system property `kotlin.collections.convert\_arg\_to\_set\_in\_removeAll` set to `true`.

The operation is `_intermediate_ and _stateful_`.

```

public operator fun <T>
Sequence<T>.minus(elements: Iterable<T>): Sequence<T> {
    return object: Sequence<T> {
        override fun
        iterator(): Iterator<T> {
            val other = elements.convertToSetForSetOperation()
            if (other.isEmpty())
                return this@minus.iterator()
            else
                return this@minus.filterNot { it in other }.iterator()
        }
    }
}

```

Returns a sequence containing all elements of original sequence except the elements contained in the given [elements] sequence.

Note that the source sequence and the sequence being subtracted are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is `_intermediate_ for this sequence and _terminal_ and _stateful_ for the [elements] sequence`.

Before Kotlin 1.6, the [elements] sequence may have been converted to a [HashSet] to speed up the operation, thus the elements were required to have a correct and stable implementation of `hashCode()` that didn't change between successive invocations.

On JVM, you can enable this behavior back with the system property `kotlin.collections.convert\_arg\_to\_set\_in\_removeAll` set to `true`.

```

public operator fun <T> Sequence<T>.minus(elements: Sequence<T>): Sequence<T> {
    return object: Sequence<T> {
        override fun iterator(): Iterator<T> {
            val other =
            elements.convertToSetForSetOperation()
            if (other.isEmpty())
                return this@minus.iterator()
            else
                return this@minus.filterNot { it in other }.iterator()
        }
    }
}

```

Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].

The operation is `_intermediate_ and _stateless_`.

```

@kotlin.internal.InlineOnly
public inline fun <T>
Sequence<T>.minusElement(element: T): Sequence<T> {
    return minus(element)
}

```

Splits the original sequence into pair of lists, where `first` list contains elements for which [predicate] yielded `true`, while `second` list contains elements for which [predicate] yielded `false`.

The operation is `_terminal_`.

```

@sample samples.collections.Sequences.Transformations.partition
public inline fun <T>
Sequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {
    val first = ArrayList<T>()
    val second = ArrayList<T>()
    for (element in this) {
        if (predicate(element))
            first.add(element)
        else
            second.add(element)
    }
    return Pair(first, second)
}

```

Returns a sequence containing all elements of the original sequence and then the given [element].

The operation is `_intermediate_ and _stateless_`.

```

public operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {
    return sequenceOf(this, sequenceOf(element)).flatten()
}

```

Returns a sequence containing all elements of original sequence and then all elements of the given [elements] array.

Note that the source sequence and the array being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is `_intermediate_ and _stateless_`.

```

public operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T> {
    return this.plus(elements.asList())
}

```

Returns a sequence containing all elements of original sequence and then all elements of the given [elements] collection.

Note that the source sequence and the collection being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is `_intermediate_ and _stateless_`.

```

public operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {
    return sequenceOf(this, elements.asSequence()).flatten()
}

```

Returns a sequence containing all elements of original sequence and then all elements of the given [elements] sequence.

Note that the source sequence and the sequence being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is `_intermediate_ and _stateless_`.

```

public operator fun <T> Sequence<T>.plus(elements: Sequence<T>): Sequence<T> {
    return sequenceOf(this, elements).flatten()
}

```

Returns a sequence containing all elements of the original

sequence and then the given [element].\n \* \n \* The operation is `_intermediate_` and `_stateless_`.\n

```
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.plusElement(element: T): Sequence<T> {\n    return plus(element)\n}\n\n/**\n * Returns a sequence of snapshots of the window of the given [size]\n * sliding along this sequence with the given [step], where each\n * snapshot is a list.\n * \n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin("1.2")\npublic fun <T> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {\n    return windowedSequence(size, step, partialWindows, reuseBuffer = false)\n}\n\n/**\n * Returns a sequence of results of applying the given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding along this sequence with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have fewer elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin("1.2")\npublic fun <T, R> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): Sequence<R> {\n    return windowedSequence(size, step, partialWindows, reuseBuffer = true).map(transform)\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n * \n * The operation is _intermediate_ and _stateless_. \n * \n * @sample samples.collections.Sequences.Transformations.zip\n */\npublic infix fun <T, R> Sequence<T>.zip(other: Sequence<R>): Sequence<Pair<T, R>> {\n    return MergingSequence(this, other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n * \n * The operation is _intermediate_ and _stateless_. \n * \n * @sample samples.collections.Sequences.Transformations.zipWithTransform\n */\npublic fun <T, R, V> Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {\n    return MergingSequence(this, other, transform)\n}\n\n/**\n * Returns a sequence of pairs of each two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n * \n * The operation is _intermediate_ and _stateless_. \n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin("1.2")\npublic fun <T> Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {\n    return zipWithNext { a, b -> a to b }\n}\n\n/**\n * Returns a sequence containing the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n * \n * The operation is _intermediate_ and _stateless_. \n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin("1.2")\npublic fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {\n    return sequenceResult@\n    {\n        val iterator = iterator()\n        if (!iterator.hasNext()) return@result\n        var current = iterator.next()\n        while (iterator.hasNext()) {\n            val next = iterator.next()\n            yield(transform(current, next))\n            current = next\n        }\n    }\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the

```

```

[truncated] string (which defaults to "...").\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.joinTo\n * \n public fun <T, A : Appendable>
Sequence<T>.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"\", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...\", transform: ((T) -> CharSequence)? = null): A
{\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1)
buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n
        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n
return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n * \n public fun <T>
Sequence<T>.joinToString(separator: CharSequence = "\", \"", prefix: CharSequence = "\"\", postfix: CharSequence =
\"\", limit: Int = -1, truncated: CharSequence = "...\", transform: ((T) -> CharSequence)? = null): String {\n    return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an
[Iterable] instance that wraps the original sequence returning its elements when being iterated.\n * \n public fun <T>
Sequence<T>.asIterable(): Iterable<T> {\n    return Iterable { this.iterator() }\n}\n\n/**\n * Returns this sequence as
a [Sequence].\n * \n @kotlin.internal.InlineOnly\n public inline fun <T> Sequence<T>.asSequence(): Sequence<T>
{\n    return this\n}\n\n/**\n * Returns an average value of elements in the sequence.\n * \n * The operation is
_terminal_.\n * \n @kotlin.jvm.JvmName("averageOfByte")\n public fun Sequence<Byte>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n * \n * The operation is _terminal_.\n
* \n @kotlin.jvm.JvmName("averageOfShort")\n public fun Sequence<Short>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n * \n * The operation is _terminal_.\n
* \n @kotlin.jvm.JvmName("averageOfInt")\n public fun Sequence<Int>.average(): Double {\n    var sum: Double
= 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n * \n * The operation is _terminal_.\n
* \n @kotlin.jvm.JvmName("averageOfLong")\n public fun
Sequence<Long>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n    checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n * \n * The operation is _terminal_.\n
* \n @kotlin.jvm.JvmName("averageOfFloat")\n public fun Sequence<Float>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n * \n * The operation is _terminal_.\n
* \n @kotlin.jvm.JvmName("averageOfDouble")\n public fun Sequence<Double>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
* \n @kotlin.jvm.JvmName("sumOfByte")\n public fun Sequence<Byte>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the
sequence.\n * \n * The operation is _terminal_.\n * \n @kotlin.jvm.JvmName("sumOfShort")\n public fun
Sequence<Short>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
* \n @kotlin.jvm.JvmName("sumOfInt")\n public fun Sequence<Int>.sum(): Int {\n    var sum: Int = 0\n    for

```





NoSuchElementException("No element of the char sequence was transformed to a non-null value.")\n\n/\*\*\n \* Returns the first non-null value produced by [transform] function being applied to characters of this char sequence in iteration order,\n \* or `null` if no non-null value was produced.\n \* \n \* @sample samples.collections.Collections.Transformations.firstNotNullOf\n \*/\n\n@SinceKotlin("1.5")\n@kotlin.internal.InlineOnly\npublic inline fun <R : Any>\nCharSequence.firstNotNullOfOrNull(transform: (Char) -> R?): R? {\n for (element in this) {\n val result = transform(element)\n if (result != null) {\n return result\n }\n }\n return null\n}\n\n/\*\*\n \* Returns the first character, or `null` if the char sequence is empty.\n \*/\n\npublic fun CharSequence.firstOrNull():\nChar? {\n return if (isEmpty()) null else this[0]\n}\n\n/\*\*\n \* Returns the first character matching the given [predicate], or `null` if character was not found.\n \*/\n\npublic inline fun CharSequence.firstOrNull(predicate: (Char) -> Boolean): Char? {\n for (element in this) if (predicate(element)) return element\n return null\n}\n\n/\*\*\n \* Returns a character at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this char sequence.\n \*/\n\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.getOrNull(index: Int, defaultValue: (Int) -> Char): Char? {\n return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/\*\*\n \* Returns a character at the given [index] or `null` if the [index] is out of bounds of this char sequence.\n \* \n \* @sample samples.collections.Collections.Elements.getOrNull\n \*/\n\npublic fun CharSequence.getOrNull(index: Int): Char? {\n return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/\*\*\n \* Returns index of the first character matching the given [predicate], or -1 if the char sequence does not contain such character.\n \*/\n\npublic inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/\*\*\n \* Returns index of the last character matching the given [predicate], or -1 if the char sequence does not contain such character.\n \*/\n\npublic inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {\n for (index in indices.reversed()) {\n if (predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/\*\*\n \* Returns the last character.\n \* \n \* @throws NoSuchElementException if the char sequence is empty.\n \* \n \* @sample samples.text.Strings.last\n \*/\n\npublic fun CharSequence.last(): Char {\n if (isEmpty())\n throw NoSuchElementException("Char sequence is empty.")\n return this[lastIndex]\n}\n\n/\*\*\n \* Returns the last character matching the given [predicate].\n \* \n \* @throws NoSuchElementException if no such character is found.\n \* \n \* @sample samples.text.Strings.last\n \*/\n\npublic inline fun CharSequence.last(predicate: (Char) -> Boolean): Char {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n throw NoSuchElementException("Char sequence contains no character matching the predicate.")\n}\n\n/\*\*\n \* Returns the last character, or `null` if the char sequence is empty.\n \* \n \* @sample samples.text.Strings.last\n \*/\n\npublic fun CharSequence.lastOrNull(): Char? {\n return if (isEmpty()) null else this[length - 1]\n}\n\n/\*\*\n \* Returns the last character matching the given [predicate], or `null` if no such character was found.\n \* \n \* @sample samples.text.Strings.last\n \*/\n\npublic inline fun CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n for (index in this.indices.reversed()) {\n val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/\*\*\n \* Returns a random character from this char sequence.\n \* \n \* @throws NoSuchElementException if this char sequence is empty.\n \*/\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.random(): Char {\n return random(Random)\n}\n\n/\*\*\n \* Returns a random character from this char sequence using the specified source of randomness.\n \* \n \* @throws NoSuchElementException if this char sequence is empty.\n \*/\n\n@SinceKotlin("1.3")\npublic fun CharSequence.random(random: Random): Char {\n if (isEmpty())\n throw NoSuchElementException("Char sequence is empty.")\n return get(random.nextInt(length))\n}\n\n/\*\*\n \* Returns a random character from this char sequence, or `null` if this char sequence is empty.\n \*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.randomOrNull(): Char? {\n return randomOrNull(Random)\n}\n\n/\*\*\n \* Returns a random character from this char sequence using the specified source of randomness, or `null` if this char sequence is empty.\n \*/\n\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun CharSequence.randomOrNull(random: Random): Char? {\n if (isEmpty())\n return null\n return

```

get(random.nextInt(length))\n\n/**\n * Returns the single character, or throws an exception if the char sequence
is empty or has more than one character.\n */\npublic fun CharSequence.single(): Char {\n    return when (length)
{\n        0 -> throw NoSuchElementException("Char sequence is empty.")\n        1 -> this[0]\n        else -> throw
IllegalArgumentException("Char sequence has more than one element.")\n    }\n}\n\n/**\n * Returns the single
character matching the given [predicate], or throws exception if there is no or more than one matching character.\n
*/\npublic inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {\n    var single: Char? = null\n    var
found = false\n    for (element in this) {\n        if (predicate(element)) {\n            if (found) throw
IllegalArgumentException("Char sequence contains more than one matching element.")\n            single =
element\n            found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Char sequence
contains no character matching the predicate.")\n    @SuppressWarnings("UNCHECKED_CAST")\n    return single as
Char\n}\n}\n\n/**\n * Returns single character, or `null` if the char sequence is empty or has more than one character.\n
*/\npublic fun CharSequence.singleOrNull(): Char? {\n    return if (length == 1) this[0] else null\n}\n}\n\n/**\n *
Returns the single character matching the given [predicate], or `null` if character was not found or more than one
character was found.\n */\npublic inline fun CharSequence.singleOrNull(predicate: (Char) -> Boolean): Char? {\n
    var single: Char? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n
            if
(found) return null\n            single = element\n            found = true\n        }\n    }\n    if (!found) return null\n
return single\n}\n}\n\n/**\n * Returns a subsequence of this char sequence with the first [n] characters removed.\n *
\n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun
CharSequence.drop(n: Int): CharSequence {\n    require(n >= 0) { "Requested character count $n is less than zero."
}\n    return subSequence(n.coerceAtMost(length), length)\n}\n}\n\n/**\n * Returns a string with the first [n]
characters removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.text.Strings.drop\n */\npublic fun String.drop(n: Int): String {\n    require(n >= 0) { "Requested character
count $n is less than zero." }\n    return substring(n.coerceAtMost(length))\n}\n}\n\n/**\n * Returns a subsequence of
this char sequence with the last [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is
negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun CharSequence.dropLast(n: Int):
CharSequence {\n    require(n >= 0) { "Requested character count $n is less than zero." }\n    return take((length -
n).coerceAtLeast(0))\n}\n}\n\n/**\n * Returns a string with the last [n] characters removed.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n */\npublic fun
String.dropLast(n: Int): String {\n    require(n >= 0) { "Requested character count $n is less than zero." }\n    return
take((length - n).coerceAtLeast(0))\n}\n}\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n
*/\npublic inline fun CharSequence.dropLastWhile(predicate: (Char) -> Boolean): CharSequence {\n    for (index in
lastIndex downTo 0)\n        if (!predicate(this[index]))\n            return subSequence(0, index + 1)\n    return
""\n}\n}\n\n/**\n * Returns a string containing all characters except last characters that satisfy the given [predicate].\n
*\n * @sample samples.text.Strings.drop\n */\npublic inline fun String.dropLastWhile(predicate: (Char) ->
Boolean): String {\n    for (index in lastIndex downTo 0)\n        if (!predicate(this[index]))\n            return
substring(0, index + 1)\n    return ""\n}\n}\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n
*/\npublic inline fun CharSequence.dropWhile(predicate: (Char) -> Boolean): CharSequence {\n    for (index in
this.indices)\n        if (!predicate(this[index]))\n            return subSequence(index, length)\n    return ""\n}\n}\n\n
/**\n * Returns a string containing all characters except first characters that satisfy the given [predicate].\n * \n *
@sample samples.text.Strings.drop\n */\npublic inline fun String.dropWhile(predicate: (Char) -> Boolean): String
{\n    for (index in this.indices)\n        if (!predicate(this[index]))\n            return substring(index)\n    return
""\n}\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that
match the given [predicate].\n * \n * @sample samples.text.Strings.filter\n */\npublic inline fun
CharSequence.filter(predicate: (Char) -> Boolean): CharSequence {\n    return filterTo(StringBuilder(),
predicate)\n}\n}\n\n/**\n * Returns a string containing only those characters from the original string that match the
given [predicate].\n * \n * @sample samples.text.Strings.filter\n */\npublic inline fun String.filter(predicate: (Char) -

```

```

> Boolean): String {\n    return filterTo(StringBuilder(), predicate).toString()\n}\n\n/**\n * Returns a char sequence
containing only those characters from the original char sequence that match the given [predicate].\n * @param
[predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate
evaluation on the character.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n */\npublic
inline fun CharSequence.filterIndexed(predicate: (index: Int, Char) -> Boolean): CharSequence {\n    return
filterIndexedTo(StringBuilder(), predicate)\n}\n\n/**\n * Returns a string containing only those characters from the
original string that match the given [predicate].\n * @param [predicate] function that takes the index of a character
and the character itself\n * and returns the result of predicate evaluation on the character.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n */\npublic inline fun String.filterIndexed(predicate: (index:
Int, Char) -> Boolean): String {\n    return filterIndexedTo(StringBuilder(), predicate).toString()\n}\n\n/**\n *
Appends all characters matching the given [predicate] to the given [destination].\n * @param [predicate] function
that takes the index of a character and the character itself\n * and returns the result of predicate evaluation on the
character.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n */\npublic inline fun <C :
Appendable> CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n
forEachIndexed { index, element ->\n    if (predicate(index, element)) destination.append(element)\n    }\n
return destination\n}\n\n/**\n * Returns a char sequence containing only those characters from the original char
sequence that do not match the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n */\npublic inline
fun CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n    return filterNotTo(StringBuilder(),
predicate)\n}\n\n/**\n * Returns a string containing only those characters from the original string that do not match
the given [predicate].\n * \n * @sample samples.text.Strings.filterNot\n */\npublic inline fun
String.filterNot(predicate: (Char) -> Boolean): String {\n    return filterNotTo(StringBuilder(),
predicate).toString()\n}\n\n/**\n * Appends all characters not matching the given [predicate] to the given
[destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C :
Appendable> CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n    for (element in this)
if (!predicate(element)) destination.append(element)\n    return destination\n}\n\n/**\n * Appends all characters
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n */\npublic inline fun <C : Appendable>
CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n    for (index in 0 until length) {\n        val
element = get(index)\n        if (predicate(element)) destination.append(element)\n    }\n    return
destination\n}\n\n/**\n * Returns a char sequence containing characters of the original char sequence at the
specified range of [indices].\n */\npublic fun CharSequence.slice(indices: IntRange): CharSequence {\n    if
(indices.isEmpty()) return ""\n    return subSequence(indices)\n}\n\n/**\n * Returns a string containing characters
of the original string at the specified range of [indices].\n */\npublic fun String.slice(indices: IntRange): String {\n
if (indices.isEmpty()) return ""\n    return substring(indices)\n}\n\n/**\n * Returns a char sequence containing
characters of the original char sequence at specified [indices].\n */\npublic fun CharSequence.slice(indices:
Iterable<Int>): CharSequence {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return ""\n
val result = StringBuilder(size)\n    for (i in indices) {\n        result.append(get(i))\n    }\n    return result\n}\n\n/**\n * Returns a string containing characters of the original string at specified [indices].\n
*/\npublic fun String.slice(indices: Iterable<Int>): String {\n    return (this as
CharSequence).slice(indices).toString()\n}\n\n/**\n * Returns a subsequence of this char sequence containing the
first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun
CharSequence.take(n: Int): CharSequence {\n    require(n >= 0) { "Requested character count $n is less than zero." }\n
return subSequence(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a string containing the first [n]
characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if
[n] is negative.\n * \n * @sample samples.text.Strings.take\n */\npublic fun String.take(n: Int): String {\n
require(n >= 0) { "Requested character count $n is less than zero." }\n    return substring(0,
n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing the last [n]

```

characters from this char sequence, or the entire char sequence if this char sequence is shorter.

```

    @throws IllegalArgumentException if [n] is negative.
    @sample samples.text.Strings.take
    CharSequence.takeLast(n: Int): CharSequence {
        require(n >= 0) { "Requested character count $n is less than zero." }
        val length = length
        return subSequence(length - n.coerceAtMost(length), length)
    }

```

Returns a string containing the last [n] characters from this string, or the entire string if this string is shorter.

```

    @throws IllegalArgumentException if [n] is negative.
    @sample samples.text.Strings.take
    String.takeLast(n: Int): String {
        require(n >= 0) { "Requested character count $n is less than zero." }
        val length = length
        return substring(length - n.coerceAtMost(length))
    }

```

Returns a subsequence of this char sequence containing last characters that satisfy the given [predicate].

```

    @sample
    samples.text.Strings.take
    public inline fun CharSequence.takeLastWhile(predicate: (Char) -> Boolean):
    CharSequence {
        for (index in lastIndex downTo 0) {
            if (!predicate(this[index])) {
                return subSequence(index + 1, length)
            }
        }
        return subSequence(0, length)
    }

```

Returns a string containing last characters that satisfy the given [predicate].

```

    @sample samples.text.Strings.take
    public inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String {
        for (index in lastIndex downTo 0) {
            if (!predicate(this[index])) {
                return substring(index + 1)
            }
        }
        return this
    }

```

Returns a subsequence of this char sequence containing the first characters that satisfy the given [predicate].

```

    @sample samples.text.Strings.take
    public inline fun CharSequence.takeWhile(predicate: (Char) -> Boolean):
    CharSequence {
        for (index in 0 until length) {
            if (!predicate(get(index))) {
                return subSequence(0, index)
            }
        }
        return subSequence(0, length)
    }

```

Returns a string containing the first characters that satisfy the given [predicate].

```

    @sample samples.text.Strings.take
    public inline fun String.takeWhile(predicate: (Char) -> Boolean): String {
        for (index in 0 until length) {
            if (!predicate(get(index))) {
                return substring(0, index)
            }
        }
        return this
    }

```

Returns a char sequence with characters in reversed order.

```

    public fun CharSequence.reversed(): CharSequence {
        return StringBuilder(this).reverse()
    }

```

Returns a string with characters in reversed order.

```

    @kotlin.internal.InlineOnly
    public inline fun String.reversed(): String {
        return (this as CharSequence).reversed().toString()
    }

```

Returns a [Map] containing key-value pairs provided by [transform] function applied to characters of the given char sequence.

If any of two pairs would have the same key the last one gets added to the map.

The returned map preserves the entry iteration order of the original char sequence.

```

    @sample samples.text.Strings.associate
    public inline fun <K, V> CharSequence.associate(
        transform: (Char) -> Pair<K, V>
    ): Map<K, V> {
        val capacity = mapCapacity(length).coerceAtLeast(16)
        return associateTo(LinkedHashMap<K, V>(capacity), transform)
    }

```

Returns a [Map] containing the characters from the given char sequence indexed by the key returned from [keySelector] function applied to each character.

If any two characters would have the same key returned by [keySelector] the last one gets added to the map.

The returned map preserves the entry iteration order of the original char sequence.

```

    @sample samples.text.Strings.associateBy
    public inline fun <K> CharSequence.associateBy(
        keySelector: (Char) -> K
    ): Map<K, Char> {
        val capacity = mapCapacity(length).coerceAtLeast(16)
        return associateByTo(LinkedHashMap<K, Char>(capacity), keySelector)
    }

```

Returns a [Map] containing the values provided by [valueTransform] and indexed by [keySelector] functions applied to characters of the given char sequence.

If any two characters would have the same key returned by [keySelector] the last one gets added to the map.

The returned map preserves the entry iteration order of the original char sequence.

```

    @sample
    samples.text.Strings.associateByWithValueTransform
    public inline fun <K, V> CharSequence.associateBy(
        keySelector: (Char) -> K, valueTransform: (Char) -> V
    ): Map<K, V> {
        val capacity = mapCapacity(length).coerceAtLeast(16)
        return associateByTo(LinkedHashMap<K, V>(capacity), keySelector, valueTransform)
    }

```

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each character of the given char sequence and value is the character itself.

If any two characters would have the same key returned by [keySelector] the last one gets added to the map.

```

    @sample samples.text.Strings.associateByTo
    public inline fun <K,

```



```

flatMapIndexedTo(ArrayList<R>(), transform)\n\n/**\n * Appends all elements yielded from results of
 [transform] function being invoked on each character\n * and its index in the original char sequence, to the given
 [destination].\n
 */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.jvm.JvmName("\flatMapIndexedIterableTo")\n@kotlin.internal.InlineOnly\npubli
c inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapIndexedTo(destination: C, transform: (index:
 Int, Char) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++,
 element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from
 results of [transform] function being invoked on each character of original char sequence, to the given
 [destination].\n */\npublic inline fun <R, C : MutableCollection<in R>> CharSequence.flatMapTo(destination: C,
 transform: (Char) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n
 destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Groups characters of the original char sequence by
 the key returned by the given [keySelector] function\n * applied to each character and returns a map where each
 group key is associated with a list of corresponding characters.\n * \n * The returned map preserves the entry
 iteration order of the keys produced from the original char sequence.\n * \n * @sample
 samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K>
 CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n    return
 groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the
 [valueTransform] function applied to each character of the original char sequence\n * by the key returned by the
 given [keySelector] function applied to the character\n * and returns a map where each group key is associated with
 a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced
 from the original char sequence.\n * \n * @sample
 samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V>
 CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n    return
 groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
 characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each
 character and puts to the [destination] map each group key associated with a list of corresponding characters.\n * \n
 * @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
 */\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M,
 keySelector: (Char) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
 destination.getOrPut(key) { ArrayList<Char>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n *
 Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n *
 by the key returned by the given [keySelector] function applied to the character\n * and puts to the [destination] map
 each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n *
 @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <K, V,
 M : MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K,
 valueTransform: (Char) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
 destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n    return
 destination\n}\n\n/**\n * Creates a [Grouping] source from a char sequence to be used later with one of group-and-
 fold operations\n * using the specified [keySelector] function to extract a key from each character.\n * \n * @sample
 samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin("1.1")\npublic inline fun <K>
 CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {\n    return object :
 Grouping<Char, K> {\n        override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()\n
        override fun keyOf(element: Char): K = keySelector(element)\n    }\n}\n\n/**\n * Returns a list containing the
 results of applying the given [transform] function\n * to each character in the original char sequence.\n * \n *
 @sample samples.text.Strings.map\n */\npublic inline fun <R> CharSequence.map(transform: (Char) -> R):
 List<R> {\n    return mapTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing the results of
 applying the given [transform] function\n * to each character and its index in the original char sequence.\n *

```

@param [transform] function that takes the index of a character and the character itself\n \* and returns the result of the transform applied to the character.\n \*  
 public inline fun <R> CharSequence.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n return mapIndexedTo(ArrayList<R>(length), transform)\n}\n\n\n \* Returns a list containing only the non-null results of applying the given [transform] function\n \* to each character and its index in the original char sequence.\n \*  
 @param [transform] function that takes the index of a character and the character itself\n \* and returns the result of the transform applied to the character.\n \*  
 public inline fun <R : Any> CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {\n return mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n\n \* Applies the given [transform] function to each character and its index in the original char sequence\n \* and appends only the non-null results to the given [destination].\n \*  
 @param [transform] function that takes the index of a character and the character itself\n \* and returns the result of the transform applied to the character.\n \*  
 public inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n\n \* Applies the given [transform] function to each character and its index in the original char sequence\n \* and appends the results to the given [destination].\n \*  
 @param [transform] function that takes the index of a character and the character itself\n \* and returns the result of the transform applied to the character.\n \*  
 public inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(index++, item))\n return destination\n}\n\n\n \* Returns a list containing only the non-null results of applying the given [transform] function\n \* to each character in the original char sequence.\n \*  
 @sample samples.collections.Collections.Transformations.mapNotNull\n \*  
 public inline fun <R : Any> CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {\n return mapNotNullTo(ArrayList<R>(), transform)\n}\n\n\n \* Applies the given [transform] function to each character in the original char sequence\n \* and appends only the non-null results to the given [destination].\n \*  
 public inline fun <R : Any, C : MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform: (Char) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n\n \* Applies the given [transform] function to each character of the original char sequence\n \* and appends the results to the given [destination].\n \*  
 public inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination: C, transform: (Char) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n\n \* Returns a lazy [Iterable] that wraps each character of the original char sequence\n \* into an [IndexedValue] containing the index of that character and the character itself.\n \*  
 public fun CharSequence.withIndex(): Iterable<IndexedValue<Char>> {\n return IndexingIterable { iterator() }\n}\n\n\n \* Returns `true` if all characters match the given [predicate].\n \*  
 @sample samples.collections.Collections.Aggregates.all\n \*  
 public inline fun CharSequence.all(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n\n \* Returns `true` if char sequence has at least one character.\n \*  
 @sample samples.collections.Collections.Aggregates.any\n \*  
 public fun CharSequence.any(): Boolean {\n return !isEmpty()\n}\n\n\n \* Returns `true` if at least one character matches the given [predicate].\n \*  
 @sample samples.collections.Collections.Aggregates.anyWithPredicate\n \*  
 public inline fun CharSequence.any(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n\n \* Returns the length of this char sequence.\n \*  
 @kotlin.internal.InlineOnly\n \*  
 public inline fun CharSequence.count(): Int {\n return length\n}\n\n\n \* Returns the number of characters matching the given [predicate].\n \*  
 public inline fun CharSequence.count(predicate: (Char) -> Boolean): Int {\n var count = 0\n for (element in this) if (predicate(element)) ++count\n return count\n}\n\n\n \* Accumulates value starting with [initial] value and applying [operation] from left to right\n \* to current accumulator value and each character.\n \*  
 @sample samples.collections.Collections.Aggregates.fold\n \*  
 Returns the specified [initial] value if the char sequence is empty.\n \*  
 @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value.\n \*  
 public inline fun <R> CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {\n var accumulator = initial\n for (element in

```

this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
character with its index in the original char sequence.\n * \n * Returns the specified [initial] value if the char
sequence is empty.\n * \n * @param [operation] function that takes the index of a character, current accumulator
value\n * and the character itself, and calculates the next accumulator value.\n */\npublic inline fun <R>
CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each character and current accumulator value.\n * \n * Returns the specified [initial] value if the char
sequence is empty.\n * \n * @param [operation] function that takes a character and current accumulator value, and
calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.foldRight(initial: R, operation:
(Char, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n
accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from right to left\n * to each character with its index in the
original char sequence and current accumulator value.\n * \n * Returns the specified [initial] value if the char
sequence is empty.\n * \n * @param [operation] function that takes the index of a character, the character itself\n *
and current accumulator value, and calculates the next accumulator value.\n */\npublic inline fun <R>
CharSequence.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {\n    var index =
lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index),
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Performs the given [action] on each
character.\n */\npublic inline fun CharSequence.forEach(action: (Char) -> Unit): Unit {\n    for (element in this)
action(element)\n}\n\n/**\n * Performs the given [action] on each character, providing sequential index with the
character.\n * \n * @param [action] function that takes the index of a character and the character itself\n * and performs
the action on the character.\n */\npublic inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit):
Unit {\n    var index = 0\n    for (item in this) action(index++, item)\n}\n\n@Deprecated("Use maxOrNull
instead.")\n@ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic fun CharSequence.max(): Char? {\n    return
maxOrNull()\n}\n\n@Deprecated("Use maxByOrNull instead.")\n@ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince = "1.6")\npublic inline fun <R : Comparable<R>> CharSequence.maxBy(selector: (Char) ->
R): Char? {\n    return maxByOrNull(selector)\n}\n\n/**\n * Returns the first character yielding the largest value of
the given function or `null` if there are no characters.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n */\n@SinceKotlin("1.4")\npublic inline fun <R :
Comparable<R>> CharSequence.maxByOrNull(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var
maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue =
selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v)
{\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the largest
value among all values produced by [selector] function\n * applied to each character in the char sequence.\n * \n * If
any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * \n * @throws
NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOf(selector: (Char) ->
Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var maxValue = selector(this[0])\n    for
(i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each character in the char sequence.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n */\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOf(selector: (Char) ->
Float): Float {\n  if (isEmpty()) throw NoSuchElementException()\n  var maxValue = selector(this[0])\n  for (i
in 1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each character in the char sequence.\n * \n * @throws NoSuchElementException if the char sequence is empty.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharSequence.maxOf(selector: (Char) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (maxValue < v) {\n
    maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value among all values
produced by [selector] function\n * applied to each character in the char sequence or `null` if there are no
characters.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
*\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOfOrNull(selector:
(Char) -> Double): Double? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each character in the char sequence or `null` if there are no characters.\n * \n * If any of values produced by
[selector] function is `NaN`, the returned result is `NaN`.\n *\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.maxOfOrNull(selector:
(Char) -> Float): Float? {\n  if (isEmpty()) return null\n  var maxValue = selector(this[0])\n  for (i in
1..lastIndex) {\n    val v = selector(this[i])\n    maxValue = maxOf(maxValue, v)\n  }\n  return
maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to
each character in the char sequence or `null` if there are no characters.\n *\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharSequence.maxOfOrNull(selector: (Char) -> R): R? {\n  if (isEmpty()) return null\n  var maxValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (maxValue < v) {\n
    maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each character in the char sequence.\n
*\n * \n * @throws NoSuchElementException if the char sequence is empty.\n *\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.maxOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n    maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each character in the char sequence or `null` if there are no characters.\n *\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
CharSequence.maxOfWithOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n  if (isEmpty())
return null\n  var maxValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(maxValue, v) < 0) {\n    maxValue = v\n    }\n  }\n  return maxValue\n}\n\n/**\n * Returns the largest character or `null` if there are no characters.\n *\n*\n@SinceKotlin("1.4")\npublic fun
CharSequence.maxOrNull(): Char? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex)
{\n    val e = this[i]\n    if (max < e) max = e\n  }\n  return max\n}\n\n@Deprecated("Use maxWithOrNull
instead.", ReplaceWith("this.maxWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4",

```

```

errorSince = `1.5`, hiddenSince = `1.6`)
public fun CharSequence.maxWith(comparator: Comparator<in Char>): Char? {
    return maxOrNull(comparator)
}
Returns the first character having the largest value according to the provided [comparator] or `null` if there are no characters.

*Since Kotlin("1.4")
public fun CharSequence.maxOrNull(comparator: Comparator<in Char>): Char?
{
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}
@Deprecated("Use minOrNull instead.", ReplaceWith("this.minOrNull()"))
@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`, hiddenSince = `1.6`)
public fun CharSequence.min(): Char? {
    return minOrNull()
}
@Deprecated("Use minByOrNull instead.", ReplaceWith("this.minByOrNull(selector)"))
@DeprecatedSinceKotlin(warningSince = `1.4`, errorSince = `1.5`, hiddenSince = `1.6`)
public inline fun <R : Comparable<R>> CharSequence.minBy(selector: (Char) -> R): Char? {
    return minByOrNull(selector)
}
Returns the first character yielding the smallest value of the given function or `null` if there are no characters.

*sample
samples.collections.Collections.Aggregates.minByOrNull
*Since Kotlin("1.4")
public inline fun <R : Comparable<R>> CharSequence.minByOrNull(selector: (Char) -> R): Char? {
    if (isEmpty()) return null
    var minElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return minElem
    var minValue = selector(minElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (minValue > v) {
            minElem = e
            minValue = v
        }
    }
    return minElem
}
Returns the smallest value among all values produced by [selector] function applied to each character in the char sequence.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
@throws NoSuchElementException if the char sequence is empty.

*Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun CharSequence.minOf(selector: (Char) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}
Returns the smallest value among all values produced by [selector] function applied to each character in the char sequence.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.
@throws NoSuchElementException if the char sequence is empty.

*Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun CharSequence.minOf(selector: (Char) -> Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}
Returns the smallest value among all values produced by [selector] function applied to each character in the char sequence.
@throws NoSuchElementException if the char sequence is empty.

*Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun <R : Comparable<R>> CharSequence.minOf(selector: (Char) -> R): R {
    if (isEmpty()) throw NoSuchElementException()
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        if (minValue > v) {
            minValue = v
        }
    }
    return minValue
}
Returns the smallest value among all values produced by [selector] function applied to each character in the char sequence or `null` if there are no characters.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

*Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@kotlin.internal.InlineOnly
public inline fun CharSequence.minOfOrNull(selector: (Char) -> Double): Double? {
    if (isEmpty()) return null
    var minValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        minValue = minOf(minValue, v)
    }
    return minValue
}
Returns the smallest value among all values produced by [selector] function applied to each character in the char sequence or `null` if there are no characters.
If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

*Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolution

```

```

ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.minOrNull(selector:
(Char) -> Float): Float? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex)
{\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value among all values produced by [selector] function\n * applied to each character in the char
sequence or `null` if there are no characters.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>>
CharSequence.minOrNull(selector: (Char) -> R): R? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value according to the provided
[comparator]\n * among all values produced by [selector] function applied to each character in the char sequence.\n
*\n * @throws NoSuchElementException if the char sequence is empty.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharSequence.minOfWith(comparator:
Comparator<in R>, selector: (Char) -> R): R {\n  if (isEmpty()) throw NoSuchElementException()\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each character in the char sequence or `null` if there are no characters.\n
*/\n\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@kotlin.internal.InlineOnly\npublic inline fun <R>
CharSequence.minOfOrNull(comparator: Comparator<in R>, selector: (Char) -> R): R? {\n  if (isEmpty())
return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n
if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest character or `null` if there are no characters.\n
*/\n\n@SinceKotlin("1.4")\n\npublic fun
CharSequence.minOrNull(): Char? {\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n
val e = this[i]\n  if (min > e) min = e\n  }\n  return min\n}\n\n@Deprecated("Use minWithOrNull
instead.", ReplaceWith("this.minWithOrNull(comparator)"))\n@DeprecatedSinceKotlin(warningSince = "1.4",
errorSince = "1.5", hiddenSince = "1.6")\n\npublic fun CharSequence.minWith(comparator: Comparator<in
Char>): Char? {\n  return minWithOrNull(comparator)\n}\n\n/**\n * Returns the first character having the smallest
value according to the provided [comparator] or `null` if there are no characters.\n
*/\n\n@SinceKotlin("1.4")\n\npublic fun CharSequence.minWithOrNull(comparator: Comparator<in Char>): Char?
{\n  if (isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n
if (comparator.compare(min, e) > 0) min = e\n  }\n  return min\n}\n\n/**\n * Returns `true` if the char sequence has
no characters.\n
*\n * @sample samples.collections.Collections.Aggregates.none\n
*/\n\npublic fun
CharSequence.none(): Boolean {\n  return isEmpty()\n}\n\n/**\n * Returns `true` if no characters match the given
[predicate].\n
*\n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*/\n\npublic inline fun
CharSequence.none(predicate: (Char) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n/**\n * Performs the given [action] on each character and returns the char sequence itself
afterwards.\n
*/\n\n@SinceKotlin("1.1")\n\npublic inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S
{\n  return apply { for (element in this) action(element) }\n}\n\n/**\n * Performs the given [action] on each
character, providing sequential index with the character,\n * and returns the char sequence itself afterwards.\n
*\n * @param [action] function that takes the index of a character and the character itself\n * and performs the action on
the character.\n
*/\n\n@SinceKotlin("1.4")\n\npublic inline fun <S : CharSequence> S.onEachIndexed(action: (index:
Int, Char) -> Unit): S {\n  return apply { forEachIndexed(action) }\n}\n\n/**\n * Accumulates value starting with
the first character and applying [operation] from left to right\n * to current accumulator value and each character.\n
*\n * Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,\n
*\n * please use [reduceOrNull] instead. It returns `null` when its receiver is empty.\n
*\n * @param [operation] function

```

that takes current accumulator value and a character,`\n * \n *`  
`@sample samples.collections.Collections.Aggregates.reduce``\n * \n *`  
`CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {``\n if (isEmpty())``\n throw`  
`UnsupportedOperationException("Empty char sequence can't be reduced.")``\n var accumulator = this[0]``\n for`  
`(index in 1..lastIndex) {``\n accumulator = operation(accumulator, this[index])``\n }``\n return`  
`accumulator``\n}``\n/n/**``\n * Accumulates value starting with the first character and applying [operation] from left to`  
`right``\n * to current accumulator value and each character with its index in the original char sequence.``\n * \n *`  
`Throws an exception if this char sequence is empty. If the char sequence can be empty in an expected way,``\n *`  
`please use [reduceIndexedOrNull] instead. It returns `null` when its receiver is empty.``\n * \n *``@param [operation]`  
`function that takes the index of a character, current accumulator value and the character itself,``\n *`  
`and calculates the next accumulator value.``\n * \n *``@sample samples.collections.Collections.Aggregates.reduce``\n * \n *`  
`public inline fun`  
`CharSequence.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {``\n if (isEmpty())``\n`  
`throw UnsupportedOperationException("Empty char sequence can't be reduced.")``\n var accumulator = this[0]``\n`  
`for (index in 1..lastIndex) {``\n accumulator = operation(index, accumulator, this[index])``\n }``\n return`  
`accumulator``\n}``\n/n/**``\n * Accumulates value starting with the first character and applying [operation] from left to`  
`right``\n * to current accumulator value and each character with its index in the original char sequence.``\n * \n *`  
`Returns `null` if the char sequence is empty.``\n * \n *``@param [operation]`  
`function that takes the index of a`  
`character, current accumulator value and the character itself,``\n *`  
`and calculates the next accumulator value.``\n * \n *`  
`@sample samples.collections.Collections.Aggregates.reduceOrNull``\n * \n *``@SinceKotlin("1.4")``\n public inline fun`  
`CharSequence.reduceIndexedOrNull(operation: (index: Int, acc: Char, Char) -> Char): Char? {``\n if (isEmpty())``\n`  
`return null``\n var accumulator = this[0]``\n for (index in 1..lastIndex) {``\n accumulator = operation(index,`  
`accumulator, this[index])``\n }``\n return accumulator``\n}``\n/n/**``\n * Accumulates value starting with the first`  
`character and applying [operation] from left to right``\n * to current accumulator value and each character.``\n * \n *`  
`Returns `null` if the char sequence is empty.``\n * \n *``@param [operation]`  
`function that takes current accumulator`  
`value and a character,``\n *`  
`and calculates the next accumulator value.``\n * \n *``@sample`  
`samples.collections.Collections.Aggregates.reduceOrNull``\n`  
`* \n @SinceKotlin("1.4")``\n @WasExperimental(ExperimentalStdlibApi::class)``\n public inline fun`  
`CharSequence.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {``\n if (isEmpty())``\n return null``\n`  
`var accumulator = this[0]``\n for (index in 1..lastIndex) {``\n accumulator = operation(accumulator, this[index])``\n`  
`}``\n return accumulator``\n}``\n/n/**``\n * Accumulates value starting with the last character and applying [operation]`  
`from right to left``\n * to each character and current accumulator value.``\n * \n *`  
`Throws an exception if this char`  
`sequence is empty. If the char sequence can be empty in an expected way,``\n * please use [reduceRightOrNull]`  
`instead. It returns `null` when its receiver is empty.``\n * \n *``@param [operation]`  
`function that takes a character and`  
`current accumulator value,``\n *`  
`and calculates the next accumulator value.``\n * \n *``@sample`  
`samples.collections.Collections.Aggregates.reduceRight``\n * \n *``public inline fun`  
`CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {``\n var index = lastIndex``\n if (index < 0)`  
`throw UnsupportedOperationException("Empty char sequence can't be reduced.")``\n var accumulator = get(index-`  
`-)``\n while (index >= 0) {``\n accumulator = operation(get(index--), accumulator)``\n }``\n return`  
`accumulator``\n}``\n/n/**``\n * Accumulates value starting with the last character and applying [operation] from right to`  
`left``\n * to each character with its index in the original char sequence and current accumulator value.``\n * \n *`  
`Throws`  
`an exception if this char sequence is empty. If the char sequence can be empty in an expected way,``\n * please use`  
`[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.``\n * \n *``@param [operation]`  
`function that takes the index of a character, the character itself and current accumulator value,``\n *`  
`and calculates the`  
`next accumulator value.``\n * \n *``@sample samples.collections.Collections.Aggregates.reduceRight``\n * \n *`  
`public`  
`inline fun CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {``\n var index`  
`= lastIndex``\n if (index < 0) throw UnsupportedOperationException("Empty char sequence can't be reduced.")``\n`  
`var accumulator = get(index--)``\n while (index >= 0) {``\n accumulator = operation(index, get(index),`  
`accumulator)``\n --index``\n }``\n return accumulator``\n}``\n/n/**``\n * Accumulates value starting with the last`

character and applying [operation] from right to left to each character with its index in the original char sequence and current accumulator value. Returns `null` if the char sequence is empty. @param [operation] function that takes the index of a character, the character itself and current accumulator value and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.reduceRightOrNull

```

*\/n@SinceKotlin("1.4")\npublic inline fun CharSequence.reduceRightIndexedOrNull(operation: (index: Int, Char, acc: Char) -> Char): Char? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the last character and applying [operation] from right to left to each character and current accumulator value. Returns `null` if the char sequence is empty. @param [operation] function that takes a character and current accumulator value, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic inline fun CharSequence.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin("1.4")\npublic inline fun <R> CharSequence.runningFold(initial: R, operation: (acc: R, Char) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(length + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character, its index in the original char sequence and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of a character, current accumulator value and the character itself, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.runningFold\n */\n@SinceKotlin("1.4")\npublic inline fun <R> CharSequence.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(length + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character and current accumulator value that starts with the first character of this char sequence. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes current accumulator value and a character, and calculates the next accumulator value. @sample samples.collections.Collections.Aggregates.runningReduce\n */\n@SinceKotlin("1.4")\npublic inline fun CharSequence.runningReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Char>(length).apply { add(accumulator) }\n    for (index in 1 until length) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right to each character, its index in the original char sequence and current accumulator value that starts with the first character of this char sequence. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list. @param [operation] function that takes the index of a character, current accumulator value and the character itself, and calculates the next accumulator value. @sample

```

```

samples.collections.Collections.Aggregates.runningReduce\n * \n @SinceKotlin("1.4")\n public inline fun
CharSequence.runningReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n if
(isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Char>(length).apply {
add(accumulator) }\n for (index in 1 until length) {\n accumulator = operation(index, accumulator,
this[index])\n result.add(accumulator)\n }\n return result\n }\n\n /**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each character and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes current accumulator value and a character, and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.scan\n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public inline fun <R>
CharSequence.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {\n return runningFold(initial,
operation)\n }\n\n /**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each character, its index in the original char sequence and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the
index of a character, current accumulator value\n * and the character itself, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public inline fun <R>
CharSequence.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n return
runningFoldIndexed(initial, operation)\n }\n\n /**\n * Returns the sum of all values produced by [selector] function
applied to each character in the char sequence.\n * \n @Deprecated("Use sumOf instead.")\n
ReplaceWith("this.sumOf(selector)")\n @DeprecatedSinceKotlin(warningSince = "1.5")\n public inline fun
CharSequence.sumBy(selector: (Char) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum +=
selector(element)\n }\n return sum\n }\n\n /**\n * Returns the sum of all values produced by [selector] function
applied to each character in the char sequence.\n * \n @Deprecated("Use sumOf instead.")\n
ReplaceWith("this.sumOf(selector)")\n @DeprecatedSinceKotlin(warningSince = "1.5")\n public inline fun
CharSequence.sumByDouble(selector: (Char) -> Double): Double {\n var sum: Double = 0.0\n for (element in
this) {\n sum += selector(element)\n }\n return sum\n }\n\n /**\n * Returns the sum of all values produced by
[selector] function applied to each character in the char sequence.\n
*\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.jvm.JvmName("sumOfDouble")\n @kotlin.internal.InlineOnly\n public inline fun
CharSequence.sumOf(selector: (Char) -> Double): Double {\n var sum: Double = 0.toDouble()\n for (element in
this) {\n sum += selector(element)\n }\n return sum\n }\n\n /**\n * Returns the sum of all values produced by
[selector] function applied to each character in the char sequence.\n
*\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.jvm.JvmName("sumOfInt")\n @kotlin.internal.InlineOnly\n public inline fun
CharSequence.sumOf(selector: (Char) -> Int): Int {\n var sum: Int = 0.toInt()\n for (element in this) {\n sum
+= selector(element)\n }\n return sum\n }\n\n /**\n * Returns the sum of all values produced by [selector]
function applied to each character in the char sequence.\n
*\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.jvm.JvmName("sumOfLong")\n @kotlin.internal.InlineOnly\n public inline fun
CharSequence.sumOf(selector: (Char) -> Long): Long {\n var sum: Long = 0.toLong()\n for (element in this) {\n
sum += selector(element)\n }\n return sum\n }\n\n /**\n * Returns the sum of all values produced by
[selector] function applied to each character in the char sequence.\n
*\n @SinceKotlin("1.5")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @kotlin.jvm.JvmName("sumOfUInt")\n @WasExperimental(ExperimentalUnsignedType
s::class)\n @kotlin.internal.InlineOnly\n public inline fun CharSequence.sumOf(selector: (Char) -> UInt): UInt {\n

```

```

var sum: UInt = 0.toUInt()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each character in the char
sequence.\n
*\n@\n@SinceKotlin("1.5")\n@\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@\n@OverloadResolution
ByLambdaReturnType\n@\n@kotlin.jvm.JvmName("\nsumOfULong")\n@\n@WasExperimental(ExperimentalUnsignedTy
pes::class)\n@\n@kotlin.internal.InlineOnly\n\npublic inline fun CharSequence.sumOf(selector: (Char) -> ULong):
ULong {\n  var sum: ULong = 0.toULong()\n  for (element in this) {\n    sum += selector(element)\n  }\n  return sum\n}\n\n/**\n * Splits this char sequence into a list of strings each not exceeding the given [size].\n * \n *
The last string in the resulting list may have fewer characters than the given [size].\n * \n * @param size the number
of elements to take in each string, must be positive and can be greater than the number of elements in this char
sequence.\n * \n * @sample samples.text.Strings.chunked\n
*\n@\n@SinceKotlin("1.2")\n\npublic fun
CharSequence.chunked(size: Int): List<String> {\n  return windowed(size, size, partialWindows =
true)\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and
applies the given [transform] function to an each.\n * \n * @return list of results of the [transform] applied to an
each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is valid
only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot
of it.\n * The last char sequence may have fewer characters than the given [size].\n * \n * @param size the number
of elements to take in each char sequence, must be positive and can be greater than the number of elements in this
char sequence.\n * \n * @sample samples.text.Strings.chunkedTransform\n
*\n@\n@SinceKotlin("1.2")\n\npublic fun
<R> CharSequence.chunked(size: Int, transform: (CharSequence) -> R): List<R> {\n  return windowed(size, size,
partialWindows = true, transform = transform)\n}\n\n/**\n * Splits this char sequence into a sequence of strings
each not exceeding the given [size].\n * \n * The last string in the resulting sequence may have fewer characters than
the given [size].\n * \n * @param size the number of elements to take in each string, must be positive and can be
greater than the number of elements in this char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.chunked\n
*\n@\n@SinceKotlin("1.2")\n\npublic fun
CharSequence.chunkedSequence(size: Int): Sequence<String> {\n  return chunkedSequence(size) { it.toString()
}\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding the given [size]\n * and
applies the given [transform] function to an each.\n * \n * @return - sequence of results of the [transform] applied to
an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function is ephemeral and is
valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a
snapshot of it.\n * The last char sequence may have fewer characters than the given [size].\n * \n * @param size the
number of elements to take in each char sequence, must be positive and can be greater than the number of elements
in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransformToSequence\n
*\n@\n@SinceKotlin("1.2")\n\npublic fun <R> CharSequence.chunkedSequence(size: Int, transform: (CharSequence) -
> R): Sequence<R> {\n  return windowedSequence(size, size, partialWindows = true, transform =
transform)\n}\n\n/**\n * Splits the original char sequence into pair of char sequences,\n * where *first* char
sequence contains characters for which [predicate] yielded `true`,\n * while *second* char sequence contains
characters for which [predicate] yielded `false`.\n * \n * @sample samples.text.Strings.partition\n
*\n@\n\npublic inline
fun CharSequence.partition(predicate: (Char) -> Boolean): Pair<CharSequence, CharSequence> {\n  val first =
StringBuilder()\n  val second = StringBuilder()\n  for (element in this) {\n    if (predicate(element)) {\n
first.append(element)\n    } else {\n      second.append(element)\n    }\n  }\n  return Pair(first,
second)\n}\n\n/**\n * Splits the original string into pair of strings,\n * where *first* string contains characters for
which [predicate] yielded `true`,\n * while *second* string contains characters for which [predicate] yielded
`false`.\n * \n * @sample samples.text.Strings.partition\n
*\n@\n\npublic inline fun String.partition(predicate: (Char) ->
Boolean): Pair<String, String> {\n  val first = StringBuilder()\n  val second = StringBuilder()\n  for (element in
this) {\n    if (predicate(element)) {\n      first.append(element)\n    } else {\n
second.append(element)\n    }\n  }\n  return Pair(first.toString(), second.toString())\n}\n\n/**\n * Returns a list
of snapshots of the window of the given [size]\n * sliding along this char sequence with the given [step], where

```

each snapshot is a string. Several last strings may have fewer characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.

@param size the number of elements to take in each window  
 @param step the number of elements to move the window forward by on an each step, by default 1  
 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

@sample samples.collections.Sequences.Transformations.takeWindows

```

@SinceKotlin("1.2")
public fun CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<String> {
    return windowed(size, step, partialWindows) { it.toString() }
}


```

Returns a list of results of applying the given [transform] function to an each char sequence representing a view over the window of the given [size] sliding along this char sequence with the given [step]. Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function. You should not store it or allow it to escape in some way, unless you made a snapshot of it. Several last char sequences may have fewer characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.

@param size the number of elements to take in each window  
 @param step the number of elements to move the window forward by on an each step, by default 1  
 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

@sample samples.collections.Sequences.Transformations.averageWindows

```

@SinceKotlin("1.2")
public fun <R> CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): List<R> {
    checkWindowSizeStep(size, step)
    val thisSize = this.length
    val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1
    val result = ArrayList<R>(resultCapacity)
    var index = 0
    while (index in 0 until thisSize) {
        val end = index + size
        val coercedEnd = if (end < 0 || end > thisSize) { if (partialWindows) thisSize else break } else end
        result.add(transform(subSequence(index, coercedEnd)))
        index += step
    }
    return result
}


```

Returns a sequence of snapshots of the window of the given [size] sliding along this char sequence with the given [step], where each snapshot is a string. Several last strings may have fewer characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.

@param size the number of elements to take in each window  
 @param step the number of elements to move the window forward by on an each step, by default 1  
 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

@sample samples.collections.Sequences.Transformations.takeWindows

```

@SinceKotlin("1.2")
public fun CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<String> {
    return windowedSequence(size, step, partialWindows) { it.toString() }
}


```

Returns a sequence of results of applying the given [transform] function to an each char sequence representing a view over the window of the given [size] sliding along this char sequence with the given [step]. Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function. You should not store it or allow it to escape in some way, unless you made a snapshot of it. Several last char sequences may have fewer characters than the given [size]. Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.

@param size the number of elements to take in each window  
 @param step the number of elements to move the window forward by on an each step, by default 1  
 @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

@sample samples.collections.Sequences.Transformations.averageWindows

```

@SinceKotlin("1.2")
public fun <R> CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): Sequence<R> {
    checkWindowSizeStep(size, step)
    val windows = if (partialWindows) indices else 0 until length - size + 1 step step
    return windows.asSequence().map { index ->
        val end = index + size
        val coercedEnd = if (end < 0 || end > length) length else end
        transform(subSequence(index, coercedEnd))
    }
}


```

Returns a list of pairs built from the characters of `this` and the [other] char sequences with the same index. The returned list has length of the shortest char





```

CharSequence {
    if (length < 0)
        throw IllegalArgumentException("Desired length $length is less than zero.")
    if (length <= this.length)
        return this.subSequence(0, this.length)
    val sb =
    StringBuilder(length)
    for (i in 1..(length - this.length))
        sb.append(padChar)
    sb.append(this)
    return sb
}

/**
 * Pads the string to the specified [length] at the beginning with the specified character or space.
 *
 * @param length the desired string length.
 * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.
 * @return Returns a string of length at least [length] consisting of `this` string prepended with [padChar] as many times as are necessary to reach that length.
 *
 * @sample samples.text.Strings.padStart
 */
public fun String.padStart(length: Int, padChar: Char = ' '): String =
    (this as CharSequence).padStart(length, padChar).toString()

/**
 * Returns a char sequence with content of this char sequence padded at the end to the specified [length] with the specified character or space.
 *
 * @param length the desired string length.
 * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.
 * @return Returns a char sequence of length at least [length] consisting of `this` char sequence appended with [padChar] as many times as are necessary to reach that length.
 *
 * @sample samples.text.Strings.padEnd
 */
public fun CharSequence.padEnd(length: Int, padChar: Char = ' '): CharSequence {
    if (length < 0)
        throw IllegalArgumentException("Desired length $length is less than zero.")
    if (length <= this.length)
        return this.subSequence(0, this.length)
    val sb =
    StringBuilder(length)
    sb.append(this)
    for (i in 1..(length - this.length))
        sb.append(padChar)
    return sb
}

/**
 * Pads the string to the specified [length] at the end with the specified character or space.
 *
 * @param length the desired string length.
 * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.
 * @return Returns a string of length at least [length] consisting of `this` string appended with [padChar] as many times as are necessary to reach that length.
 *
 * @sample samples.text.Strings.padEnd
 */
public fun String.padEnd(length: Int, padChar: Char = ' '): String =
    (this as CharSequence).padEnd(length, padChar).toString()

/**
 * Returns `true` if this nullable char sequence is either `null` or empty.
 *
 * @sample samples.text.Strings.stringOrNullEmpty
 */
@kotlin.internal.InlineOnly
public inline fun CharSequence?.isNullOrEmpty(): Boolean {
    contract {
        returns(false) implies (this@isNullOrEmpty != null)
    }
    return this == null || this.length == 0
}

/**
 * Returns `true` if this char sequence is empty (contains no characters).
 *
 * @sample samples.text.Strings.stringIsEmpty
 */
@kotlin.internal.InlineOnly
public inline fun CharSequence.isEmpty(): Boolean = length == 0

/**
 * Returns `true` if this char sequence is not empty.
 *
 * @sample samples.text.Strings.stringIsNotEmpty
 */
@kotlin.internal.InlineOnly
public inline fun CharSequence.isNotEmpty(): Boolean = length > 0

// implemented differently in JVM and JS
public fun String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }

/**
 * Returns `true` if this char sequence is not empty and contains some characters except of whitespace characters.
 *
 * @sample samples.text.Strings.stringIsNotBlank
 */
@kotlin.internal.InlineOnly
public inline fun CharSequence.isNotBlank(): Boolean = !isBlank()

/**
 * Returns `true` if this nullable char sequence is either `null` or empty or consists solely of whitespace characters.
 *
 * @sample samples.text.Strings.stringOrNullBlank
 */
@kotlin.internal.InlineOnly
public inline fun CharSequence?.isNullOrBlank(): Boolean {
    contract {
        returns(false) implies (this@isNullOrBlank != null)
    }
    return this == null || this.isBlank()
}

/**
 * Iterator for characters of the given char sequence.
 *
 * @public operator fun CharSequence.iterator(): CharIterator = object : CharIterator() {
 *     private var index = 0
 *     public override fun nextChar(): Char = get(index++)
 *     public override fun hasNext(): Boolean = index < length
 * }
 *
 * Returns the string if it is not `null`, or the empty string otherwise.
 *
 * @sample samples.text.Strings.stringOrNullEmpty
 */
@kotlin.internal.InlineOnly
public inline fun String?.orEmpty(): String = this ?: ""

/**
 * Returns this char sequence if it's not empty or the result of calling [defaultValue] function if the char sequence is empty.
 *
 * @sample samples.text.Strings.stringIfEmpty
 */
@kotlin.internal.InlineOnly
public inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : CharSequence, C : R =
    if (isEmpty()) defaultValue() else this

/**
 * Returns this char sequence if it is not empty and doesn't consist solely of whitespace characters, or the result of calling
 */

```

```

[defaultValue] function otherwise.\n * \n * @sample samples.text.Strings.stringIfBlank\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifBlank(defaultValue: () -> R):
R where C : CharSequence, C : R =\n    if (isBlank()) defaultValue() else this\n\n/**\n * Returns the range of valid
character indices for this char sequence.\n */\npublic val CharSequence.indices: IntRange\n    get() = 0..length -
1\n\n/**\n * Returns the index of the last character in the char sequence or -1 if it is empty.\n */\npublic val
CharSequence.lastIndex: Int\n    get() = this.length - 1\n\n/**\n * Returns `true` if this CharSequence has Unicode
surrogate pair at the specified [index].\n */\npublic fun CharSequence.hasSurrogatePairAt(index: Int): Boolean {\n
return index in 0..length - 2\n        && this[index].isHighSurrogate()\n            && this[index +
1].isLowSurrogate()\n}\n\n/**\n * Returns a substring specified by the given [range] of indices.\n */\npublic fun
String.substring(range: IntRange): String = substring(range.start, range.endInclusive + 1)\n\n/**\n * Returns a
subsequence of this char sequence specified by the given [range] of indices.\n */\npublic fun
CharSequence.subSequence(range: IntRange): CharSequence = subSequence(range.start, range.endInclusive +
1)\n\n/**\n * Returns a subsequence of this char sequence.\n */\n * This extension is chosen only for invocation with
old-named parameters.\n * Replace parameter names with the same as those of [CharSequence.subSequence].\n
*\n@kotlin.internal.InlineOnly\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning\n@Deprecated("Use parameters named startIndex and endIndex.", ReplaceWith("subSequence(startIndex
= start, endIndex = end)"))\npublic inline fun String.subSequence(start: Int, end: Int): CharSequence =
subSequence(start, end)\n\n/**\n * Returns a substring of chars from a range of this char sequence starting at the
[startIndex] and ending right before the [endIndex].\n */\n * @param startIndex the start index (inclusive).\n *
@param endIndex the end index (exclusive). If not specified, the length of the char sequence is used.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.substring(startIndex: Int, endIndex: Int = length):
String = subSequence(startIndex, endIndex).toString()\n\n/**\n * Returns a substring of chars at indices from the
specified [range] of this char sequence.\n */\npublic fun CharSequence.substring(range: IntRange): String =
subSequence(range.start, range.endInclusive + 1).toString()\n\n/**\n * Returns a substring before the first
occurrence of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which
defaults to the original string.\n */\npublic fun String.substringBefore(delimiter: Char, missingDelimiterValue:
String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else
substring(0, index)\n}\n\n/**\n * Returns a substring before the first occurrence of [delimiter].\n * If the string does
not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun
String.substringBefore(delimiter: String, missingDelimiterValue: String = this): String {\n    val index =
indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns
a substring after the first occurrence of [delimiter].\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringAfter(delimiter:
Char, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1)
missingDelimiterValue else substring(index + 1, length)\n}\n\n/**\n * Returns a substring after the first occurrence
of [delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the
original string.\n */\npublic fun String.substringAfter(delimiter: String, missingDelimiterValue: String = this):
String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(index +
delimiter.length, length)\n}\n\n/**\n * Returns a substring before the last occurrence of [delimiter].\n * If the string
does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic
fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {\n    val index =
lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n *
Returns a substring before the last occurrence of [delimiter].\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.substringBeforeLast(delimiter:
String, missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index ==
-1) missingDelimiterValue else substring(0, index)\n}\n\n/**\n * Returns a substring after the last occurrence of
[delimiter].\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the
original string.\n */\npublic fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this):

```

```

String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else
        substring(index + 1, length)
}

/** Returns a substring after the last occurrence of [delimiter].
 * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.
 */
public fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(index +
        delimiter.length, length)
}

/** Returns a char sequence with content of this char sequence where its part at
 * the given range is replaced with the [replacement] char sequence.
 * @param startIndex the index of the first character to be replaced.
 * @param endIndex the index of the first character after the replacement to keep in the
 * string.
 */
public fun CharSequence.replaceRange(startIndex: Int, endIndex: Int, replacement: CharSequence):
    CharSequence {
    if (endIndex < startIndex)
        throw IndexOutOfBoundsException("End index ($endIndex)
        is less than start index ($startIndex).")
    val sb = StringBuilder()
    sb.appendRange(this, 0, startIndex)
    sb.append(replacement)
    sb.appendRange(this, endIndex, length)
    return sb
}

/** Replaces the part of
 * the string at the given range with the [replacement] char sequence.
 * @param startIndex the index of the first
 * character to be replaced.
 * @param endIndex the index of the first character after the replacement to keep in the
 * string.
 */
@kotlin.internal.InlineOnly
public inline fun String.replaceRange(startIndex: Int, endIndex: Int,
    replacement: CharSequence): String =
    (this as CharSequence).replaceRange(startIndex, endIndex,
    replacement).toString()

/** Returns a char sequence with content of this char sequence where its part at the
 * given [range] is replaced with the [replacement] char sequence.
 * The end index of the [range] is included
 * in the part to be replaced.
 */
public fun CharSequence.replaceRange(range: IntRange, replacement:
    CharSequence): CharSequence =
    replaceRange(range.start, range.endInclusive + 1, replacement)

/** Replace the part of string at the given [range] with the [replacement] string.
 * The end index of the [range] is
 * included in the part to be replaced.
 */
@kotlin.internal.InlineOnly
public inline fun String.replaceRange(range:
    IntRange, replacement: CharSequence): String =
    (this as CharSequence).replaceRange(range,
    replacement).toString()

/** Returns a char sequence with content of this char sequence where its part at the
 * given range is removed.
 * @param startIndex the index of the first character to be removed.
 * @param
 * endIndex the index of the first character after the removed part to keep in the string.
 * [endIndex] is not
 * included in the removed part.
 */
public fun CharSequence.removeRange(startIndex: Int, endIndex: Int):
    CharSequence {
    if (endIndex < startIndex)
        throw IndexOutOfBoundsException("End index ($endIndex)
        is less than start index ($startIndex).")
    if (endIndex == startIndex)
        return this.subSequence(0,
        length)
    val sb = StringBuilder(length - (endIndex - startIndex))
    sb.appendRange(this, 0, startIndex)
    sb.appendRange(this, endIndex, length)
    return sb
}

/** Removes the part of a string at a given range.
 * @param startIndex the index of the first character to be removed.
 * @param
 * endIndex the index of the first character after the removed part to keep in the string.
 * [endIndex] is not included in the removed part.
 */
@kotlin.internal.InlineOnly
public inline fun String.removeRange(startIndex: Int, endIndex: Int): String =
    (this as CharSequence).removeRange(startIndex, endIndex).toString()

/** Returns a char sequence with
 * content of this char sequence where its part at the given [range] is removed.
 * The end index of the [range] is
 * included in the removed part.
 */
public fun CharSequence.removeRange(range: IntRange): CharSequence =
    removeRange(range.start, range.endInclusive + 1)

/** Removes the part of a string at the given [range].
 * The end index of the [range] is included in the removed part.
 */
@kotlin.internal.InlineOnly
public inline fun
    String.removeRange(range: IntRange): String =
    (this as CharSequence).removeRange(range).toString()

/** If this char sequence starts with the given [prefix], returns a new char sequence
 * with the prefix removed.
 * Otherwise, returns a new char sequence with the same characters.
 */
public fun
    CharSequence.removePrefix(prefix: CharSequence): CharSequence {
    if (startsWith(prefix)) {
        return
        subSequence(prefix.length, length)
    }
    return subSequence(0, length)
}

/** If this string starts with the
 * given [prefix], returns a copy of this string with the prefix removed. Otherwise, returns this string.
 */
public fun String.removePrefix(prefix: CharSequence): String {
    if (startsWith(prefix)) {
        return
        substring(prefix.length)
    }
    return this
}

/** If this char sequence ends with the given [suffix], returns
 * a new char sequence with the suffix removed. Otherwise, returns a new char sequence with the same
 */

```

```

characters.\n */\npublic fun CharSequence.removeSuffix(suffix: CharSequence): CharSequence {\n    if
(endsWith(suffix)) {\n        return subSequence(0, length - suffix.length)\n    }\n    return subSequence(0,
length)\n}\n\n/**\n * If this string ends with the given [suffix], returns a copy of this string\n * with the suffix
removed. Otherwise, returns this string.\n */\npublic fun String.removeSuffix(suffix: CharSequence): String {\n    if
(endsWith(suffix)) {\n        return substring(0, length - suffix.length)\n    }\n    return this\n}\n\n/**\n * When this
char sequence starts with the given [prefix] and ends with the given [suffix],\n * returns a new char sequence having
both the given [prefix] and [suffix] removed.\n * Otherwise returns a new char sequence with the same characters.\n
*/\npublic fun CharSequence.removeSurrounding(prefix: CharSequence, suffix: CharSequence): CharSequence {\n    if
((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n        return
subSequence(prefix.length, length - suffix.length)\n    }\n    return subSequence(0, length)\n}\n\n/**\n * Removes
from a string both the given [prefix] and [suffix] if and only if\n * it starts with the [prefix] and ends with the
[suffix].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(prefix:
CharSequence, suffix: CharSequence): String {\n    if ((length >= prefix.length + suffix.length) &&
startsWith(prefix) && endsWith(suffix)) {\n        return substring(prefix.length, length - suffix.length)\n    }\n
return this\n}\n\n/**\n * When this char sequence starts with and ends with the given [delimiter],\n * returns a new
char sequence having this [delimiter] removed both from the start and end.\n * Otherwise returns a new char
sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(delimiter: CharSequence):
CharSequence = removeSurrounding(delimiter, delimiter)\n\n/**\n * Removes the given [delimiter] string from both
the start and the end of this string\n * if and only if it starts with and ends with the [delimiter].\n * Otherwise
returns this string unchanged.\n */\npublic fun String.removeSurrounding(delimiter: CharSequence): String =
removeSurrounding(delimiter, delimiter)\n\n/**\n * Replace part of string before the first occurrence of given
delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: Char,
replacement: String, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return if
(index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n/**\n * Replace part of string
before the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the
delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun
String.replaceBefore(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n    val
index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(0, index,
replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of given delimiter with the [replacement]
string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the
original string.\n */\npublic fun String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue:
String = this): String {\n    val index = indexOf(delimiter)\n    return if (index == -1) missingDelimiterValue
else replaceRange(index + 1, length, replacement)\n}\n\n/**\n * Replace part of string after the first occurrence of
given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: String,
replacement: String, missingDelimiterValue: String = this): String {\n    val index = indexOf(delimiter)\n    return
if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n/**\n *
Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string
does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic
fun String.replaceAfterLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n
    val index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(index +
delimiter.length, length, replacement)\n}\n\n/**\n * Replace part of string after the last occurrence of given
delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns
[missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfterLast(delimiter:
Char, replacement: String, missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n
return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n/**\n *
Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n * If the string

```

does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.replaceBeforeLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)
}

```

\* Replace part of string before the last occurrence of given delimiter with the [replacement] string.

\* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

public fun String.replaceBeforeLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)
}

```

// public fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific

```

public fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean): String // JVM- and JS-specific

```

\* Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression with the given [replacement].

\* The [replacement] can consist of any combination of literal text and \$-substitutions. To treat the replacement string literally escape it with the [kotlin.text.Regex.Companion.escapeReplacement] method.

```

@kotlin.internal.InlineOnly
public inline fun CharSequence.replace(regex: Regex, replacement: String): String = regex.replace(this, replacement)

```

\* Returns a new string obtained by replacing each substring of this char sequence that matches the given regular expression with the result of the given function [transform] that takes [MatchResult] and returns a string to be used as a replacement for that match.

```

@kotlin.internal.InlineOnly
public inline fun CharSequence.replace(regex: Regex, noinline transform: (MatchResult) -> CharSequence): String = regex.replace(this, transform)

```

\* Replaces the first occurrence of the given regular expression [regex] in this char sequence with specified [replacement] expression.

\* @param replacement A replacement expression that can include substitutions. See [Regex.replaceFirst] for details.

```

@kotlin.internal.InlineOnly
public inline fun CharSequence.replaceFirst(regex: Regex, replacement: String): String = regex.replaceFirst(this, replacement)

```

\* Returns a copy of this string having its first character replaced with the result of the specified [transform], or the original string if it's empty.

\* @param transform function that takes the first character and returns the result of the transform applied to the character.

\* @sample samples.text.Strings.replaceFirstChar

```

@SinceKotlin("1.5")
@WasExperimental(ExperimentalStdlibApi::class)
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@JvmName("replaceFirstCharWithChar")
@kotlin.internal.InlineOnly
public inline fun String.replaceFirstChar(transform: (Char) -> Char): String {
    return if (isEmpty()) transform(this[0]) + substring(1) else this
}

```

\* Returns a copy of this string having its first character replaced with the result of the specified [transform], or the original string if it's empty.

\* @param transform function that takes the first character and returns the result of the transform applied to the character.

\* @sample samples.text.Strings.replaceFirstChar

```

@SinceKotlin("1.5")
@WasExperimental(ExperimentalStdlibApi::class)
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@JvmName("replaceFirstCharWithCharSequence")
@kotlin.internal.InlineOnly
public inline fun String.replaceFirstChar(transform: (Char) -> CharSequence): String {
    return if (isEmpty()) transform(this[0]).toString() + substring(1) else this
}

```

\* Returns `true` if this char sequence matches the given regular expression.

```

@kotlin.internal.InlineOnly
public inline infix fun CharSequence.matches(regex: Regex): Boolean = regex.matches(this)

```

\* Implementation of [regionMatches] for CharSequences.

\* Invoked when it's already known that arguments are not Strings, so that no additional type checks are performed.

```

internal fun CharSequence.regionMatchesImpl(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase: Boolean): Boolean {
    if ((otherOffset < 0) || (thisOffset < 0) || (thisOffset > this.length - length) || (otherOffset > other.length - length))
        return false
    for (index in 0 until length)
        if (!this[thisOffset + index].equals(other[otherOffset + index], ignoreCase))
            return false
    return true
}

```

\* Returns `true` if this char sequence starts with the specified character.

```

public fun CharSequence.startsWith(char: Char, ignoreCase: Boolean = false): Boolean = this.length > 0 && this[0].equals(char, ignoreCase)

```

\* Returns `true` if this char sequence ends with the specified character.

```

*^public fun CharSequence.endsWith(char: Char, ignoreCase: Boolean = false): Boolean {
    this.length > 0 &&
    this[lastIndex].equals(char, ignoreCase)
}
* Returns `true` if this char sequence starts with the specified
prefix.
*^public fun CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {
    if (!ignoreCase && this is String && prefix is String)
        return this.startsWith(prefix)
    else
        return
        regionMatchesImpl(0, prefix, 0, prefix.length, ignoreCase)
}
* Returns `true` if a substring of this char
sequence starting at the specified offset [startIndex] starts with the specified prefix.
*^public fun
CharSequence.startsWith(prefix: CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {
    if
    (!ignoreCase && this is String && prefix is String)
        return this.startsWith(prefix, startIndex)
    else
        return
        regionMatchesImpl(startIndex, prefix, 0, prefix.length, ignoreCase)
}
* Returns `true` if this char
sequence ends with the specified suffix.
*^public fun CharSequence.endsWith(suffix: CharSequence,
ignoreCase: Boolean = false): Boolean {
    if (!ignoreCase && this is String && suffix is String)
        return
        this.endsWith(suffix)
    else
        return
        regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length,
        ignoreCase)
}
// common prefix and suffix
* Returns the longest string `prefix` such that this char
sequence and [other] char sequence both start with this prefix,
* taking care not to split surrogate pairs.
* If this
and [other] have no common prefix, returns the empty string.
* @param ignoreCase `true` to ignore character
case when matching a character. By default `false`.
* @sample samples.text.Strings.commonPrefixWith
*^public fun CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {
    val shortestLength = minOf(this.length, other.length)
    var i = 0
    while (i < shortestLength &&
    this[i].equals(other[i], ignoreCase = ignoreCase)) {
        i++
    }
    if (this.hasSurrogatePairAt(i - 1) ||
    other.hasSurrogatePairAt(i - 1)) {
        i--
    }
    return subSequence(0, i).toString()
}
* Returns the
longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,
* taking
care not to split surrogate pairs.
* If this and [other] have no common suffix, returns the empty string.
*
* @param ignoreCase `true` to ignore character case when matching a character. By default `false`.
* @sample
samples.text.Strings.commonSuffixWith
*^public fun CharSequence.commonSuffixWith(other: CharSequence,
ignoreCase: Boolean = false): String {
    val thisLength = this.length
    val otherLength = other.length
    val
    shortestLength = minOf(thisLength, otherLength)
    var i = 0
    while (i < shortestLength && this[thisLength -
    i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {
        i++
    }
    if
    (this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {
        i--
    }
    return subSequence(thisLength - i, thisLength).toString()
}
// indexOfAny()
* Finds the index of the
first occurrence of any of the specified [chars] in this char sequence,
* starting from the specified [startIndex] and
optionally ignoring the case.
* @param ignoreCase `true` to ignore character case when matching a character.
By default `false`.
* @return An index of the first occurrence of matched character from [chars] or -1 if none of
[chars] are found.
*^public fun CharSequence.indexOfAny(chars: CharArray, startIndex: Int = 0, ignoreCase:
Boolean = false): Int {
    if (!ignoreCase && chars.size == 1 && this is String) {
        val char = chars.single()
        return
        nativeIndexOf(char, startIndex)
    }
    for (index in startIndex.coerceAtLeast(0)..lastIndex) {
        val
        charAtIndex = get(index)
        if (chars.any { it.equals(charAtIndex, ignoreCase) })
            return index
    }
    return -1
}
* Finds the index of the last occurrence of any of the specified [chars] in this char sequence,
*
starting from the specified [startIndex] and optionally ignoring the case.
* @param startIndex The index of
character to start searching at. The search proceeds backward toward the beginning of the string.
* @param
ignoreCase `true` to ignore character case when matching a character. By default `false`.
* @return An index of
the last occurrence of matched character from [chars] or -1 if none of [chars] are found.
*^public fun
CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {
    if
    (!ignoreCase && chars.size == 1 && this is String) {
        val char = chars.single()
        return
        nativeLastIndexOf(char, startIndex)
    }
    for (index in startIndex.coerceAtMost(lastIndex) downTo 0) {
        val
        charAtIndex = get(index)
        if (chars.any { it.equals(charAtIndex, ignoreCase) })
            return index
    }
    return -1
}
private fun CharSequence.indexOf(other: CharSequence, startIndex: Int, endIndex: Int,
ignoreCase: Boolean, last: Boolean = false): Int {
    val indices = if (!last)
        startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)
    else
        startIndex.coerceAtMost(lastIndex)
}

```

```

downTo endIndex.coerceAtLeast(0))\n    if (this is String && other is String) { // smart cast\n        for (index in
indices) {\n            if (other.regionMatches(0, this, index, other.length, ignoreCase))\n                return index\n        }\n    } else {\n        for (index in indices) {\n            if (other.regionMatchesImpl(0, this, index, other.length,
ignoreCase))\n                return index\n        }\n    }\n    return -1\n}\n\nprivate fun CharSequence.findAnyOf(strings:
Collection<String>, startIndex: Int, ignoreCase: Boolean, last: Boolean): Pair<Int, String>? {\n    if (!ignoreCase
&& strings.size == 1) {\n        val string = strings.single()\n        val index = if (!last) indexOf(string, startIndex) else
lastIndexOf(string, startIndex)\n        return if (index < 0) null else index to string\n    }\n\n    val indices = if (!last)
startIndex.coerceAtLeast(0)..length else startIndex.coerceAtMost(lastIndex) downTo 0\n\n    if (this is String) {\n        for (index in indices) {\n            val matchingString = strings.firstOrNull { it.regionMatches(0, this, index, it.length,
ignoreCase) }\n            if (matchingString != null)\n                return index to matchingString\n        }\n    } else {\n        for (index in indices) {\n            val matchingString = strings.firstOrNull { it.regionMatchesImpl(0, this, index,
it.length, ignoreCase) }\n            if (matchingString != null)\n                return index to matchingString\n        }\n    }\n\n    return null\n}\n\n/**\n * Finds the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the first occurrence of matched string from [strings] and the string matched\n * or `null` if none of [strings] are found.\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int = 0,
ignoreCase: Boolean = false): Pair<Int, String>? =\n    findAnyOf(strings, startIndex, ignoreCase, last =
false)\n\n/**\n * Finds the last occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the last occurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found.\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun CharSequence.findLastAnyOf(strings: Collection<String>, startIndex: Int =
lastIndex, ignoreCase: Boolean = false): Pair<Int, String>? =\n    findAnyOf(strings, startIndex, ignoreCase, last =
true)\n\n/**\n * Finds the index of the first occurrence of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found.\n * To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the beginning to the end of this string, and finds at each position the first element in [strings]\n * that matches this string at that position.\n */\npublic fun
CharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int =\n    findAnyOf(strings, startIndex, ignoreCase, last = false)?.first ?: -1\n\n/**\n * Finds the index of the last occurrence
of any of the specified [strings] in this char sequence,\n * starting from the specified [startIndex] and optionally
ignoring the case.\n * @param startIndex The index of character to start searching at. The search proceeds
backward toward the beginning of the string.\n * @param ignoreCase `true` to ignore character case when matching
a string. By default `false`.\n * @return An index of the last occurrence of matched string from [strings] or -1 if
none of [strings] are found.\n * To avoid ambiguous results when strings in [strings] have characters in common,
this method proceeds from\n * the end toward the beginning of this string, and finds at each position the first
element in [strings]\n * that matches this string at that position.\n */\npublic fun
CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndex, ignoreCase: Boolean =
false): Int =\n    findAnyOf(strings, startIndex, ignoreCase, last = true)?.first ?: -1\n\n// indexOf\n\n/**\n * Returns
the index within this string of the first occurrence of the specified character, starting from the specified
[startIndex].\n * @param ignoreCase `true` to ignore character case when matching a character. By default

```

```

`false`.n * @return An index of the first occurrence of [char] or -1 if none is found.n */npublic fun
CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int {n    return if (ignoreCase
|| this !is String)n        indexOfAny(charArrayOf(char), startIndex, ignoreCase)n    else\n        nativeIndexOf(char,
startIndex)n}\n/n/**n * Returns the index within this char sequence of the first occurrence of the specified
[string],n * starting from the specified [startIndex].n */n * @param ignoreCase `true` to ignore character case when
matching a string. By default `false`.n * @return An index of the first occurrence of [string] or -1 if none is
found.n * @sample samples.text.Strings.indexOf.n */npublic fun CharSequence.indexOf(string: String, startIndex:
Int = 0, ignoreCase: Boolean = false): Int {n    return if (ignoreCase || this !is String)n        indexOf(string,
startIndex, length, ignoreCase)n    else\n        nativeIndexOf(string, startIndex)n}\n/n/**n * Returns the index
within this char sequence of the last occurrence of the specified character,n * starting from the specified
[startIndex].n */n * @param startIndex The index of character to start searching at. The search proceeds backward
toward the beginning of the string.n * @param ignoreCase `true` to ignore character case when matching a
character. By default `false`.n * @return An index of the last occurrence of [char] or -1 if none is found.n
*/npublic fun CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int
{n    return if (ignoreCase || this !is String)n        lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase)n
    else\n        nativeLastIndexOf(char, startIndex)n}\n/n/**n * Returns the index within this char sequence of the last
occurrence of the specified [string],n * starting from the specified [startIndex].n */n * @param startIndex The
index of character to start searching at. The search proceeds backward toward the beginning of the string.n *
@param ignoreCase `true` to ignore character case when matching a string. By default `false`.n * @return An index
of the last occurrence of [string] or -1 if none is found.n */npublic fun CharSequence.lastIndexOf(string: String,
startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {n    return if (ignoreCase || this !is String)n
    indexOf(string, startIndex, 0, ignoreCase, last = true)n    else\n        nativeLastIndexOf(string,
startIndex)n}\n/n/**n * Returns `true` if this char sequence contains the specified [other] sequence of characters as
a substring.n */n * @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.n
*/n@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")npublic operator fun
CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =n    if (other is String)n
    indexOf(other, ignoreCase = ignoreCase) >= 0\n    else\n        indexOf(other, 0, length, ignoreCase) >=
0\n}\n/n/**n * Returns `true` if this char sequence contains the specified character [char].n */n * @param
ignoreCase `true` to ignore character case when comparing characters. By default `false`.n
*/n@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")npublic operator fun CharSequence.contains(char:
Char, ignoreCase: Boolean = false): Boolean =n    indexOf(char, ignoreCase = ignoreCase) >= 0\n/n/**n * Returns
`true` if this char sequence contains at least one match of the specified regular expression [regex].n
*/n@kotlin.internal.InlineOnlynpublic inline operator fun CharSequence.contains(regex: Regex): Boolean =
regex.containsMatchIn(this)\n/n/n// rangesDelimitedBy\n/n\nprivate class DelimitedRangesSequence(\n    private
val input: CharSequence,\n    private val startIndex: Int,\n    private val limit: Int,\n    private val getNextMatch:
CharSequence.(currentIndex: Int) -> Pair<Int, Int>?) : Sequence<IntRange> {\n    override fun iterator():
Iterator<IntRange> = object : Iterator<IntRange> {\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for
continue\n        var currentStartIndex: Int = startIndex.coerceIn(0, input.length)\n        var nextSearchIndex: Int =
currentStartIndex\n        var nextItem: IntRange? = null\n        var counter: Int = 0\n        private fun calcNext() {\n
            if (nextSearchIndex < 0) {\n                nextState = 0\n                nextItem = null\n            } else {\n
                if
(limit > 0 && ++counter >= limit || nextSearchIndex > input.length) {\n                    nextItem =
currentStartIndex..input.lastIndex\n                    nextSearchIndex = -1\n                } else {\n                    val match =
input.getNextMatch(nextSearchIndex)\n                    if (match == null) {\n                        nextItem =
currentStartIndex..input.lastIndex\n                        nextSearchIndex = -1\n                    } else {\n                        val
(index, length) = match\n                        nextItem = currentStartIndex until index\n                        currentStartIndex
= index + length\n                        nextSearchIndex = currentStartIndex + if (length == 0) 1 else 0\n                    }\n
                }\n                nextState = 1\n            }\n        }\n        override fun next(): IntRange {\n            if (nextState ==
-1)\n                calcNext()\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val

```

```

result = nextItem as IntRange\n      // Clean next to avoid keeping reference on yielded instance\n
nextItem = null\n      nextState = -1\n      return result\n    }\n    override fun hasNext(): Boolean {\n
    if (nextState == -1)\n      calcNext()\n      return nextState == 1\n    }\n  }\n}\n\n*\n * Returns a
sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n * \n *
@param delimiters One or more characters to be used as delimiters.\n * @param startIndex The index to start
searching delimiters from.\n * No range having its start value less than [startIndex] is returned.\n * [startIndex] is
coerced to be non-negative and not greater than length of this string.\n * @param ignoreCase `true` to ignore
character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings
to return. Zero by default means no limit is set.\n *\nprivate fun CharSequence.rangesDelimitedBy(delimiters:
CharArray, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\n
requireNonNegativeLimit(limit)\n\n return DelimitedRangesSequence(this, startIndex, limit, { currentIndex ->\n
indexOfAny(delimiters, currentIndex, ignoreCase = ignoreCase).let { if (it < 0) null else it to 1 }\n
})\n}\n\n*\n * Returns a sequence of index ranges of substrings in this char sequence around occurrences of the
specified [delimiters].\n * \n * @param delimiters One or more strings to be used as delimiters.\n * @param
startIndex The index to start searching delimiters from.\n * No range having its start value less than [startIndex] is
returned.\n * [startIndex] is coerced to be non-negative and not greater than length of this string.\n * @param
ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The
maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results
when strings in [delimiters] have characters in common, this method proceeds from\n * the beginning to the end of
this string, and finds at each position the first element in [delimiters]\n * that matches this string at that position.\n
*\nprivate fun CharSequence.rangesDelimitedBy(delimiters: Array<out String>, startIndex: Int = 0, ignoreCase:
Boolean = false, limit: Int = 0): Sequence<IntRange> {\n requireNonNegativeLimit(limit)\n val delimitersList =
delimiters.asList()\n\n return DelimitedRangesSequence(this, startIndex, limit, { currentIndex ->
findAnyOf(delimitersList, currentIndex, ignoreCase = ignoreCase, last = false)?.let { it.first to it.second.length }
})\n}\n\ninternal fun requireNonNegativeLimit(limit: Int) =\n require(limit >= 0) { \"Limit must be non-
negative, but was $limit\" }\n\n// split\n\n*\n * Splits this char sequence to a sequence of strings around
occurrences of the specified [delimiters].\n * \n * @param delimiters One or more strings to be used as delimiters.\n
* @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param
limit The maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid
ambiguous results when strings in [delimiters] have characters in common, this method proceeds from\n * the
beginning to the end of this string, and finds at each position the first element in [delimiters]\n * that matches this
string at that position.\n *\npublic fun CharSequence.splitToSequence(vararg delimiters: String, ignoreCase:
Boolean = false, limit: Int = 0): Sequence<String> =\n rangesDelimitedBy(delimiters, ignoreCase = ignoreCase,
limit = limit).map { substring(it) }\n\n*\n * Splits this char sequence to a list of strings around occurrences of the
specified [delimiters].\n * \n * @param delimiters One or more strings to be used as delimiters.\n * @param
ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The
maximum number of substrings to return. Zero by default means no limit is set.\n *\n * To avoid ambiguous results
when strings in [delimiters] have characters in common, this method proceeds from\n * the beginning to the end of
this string, and matches at each position the first element in [delimiters]\n * that is equal to a delimiter in this
instance at that position.\n *\npublic fun CharSequence.split(vararg delimiters: String, ignoreCase: Boolean = false,
limit: Int = 0): List<String> {\n if (delimiters.size == 1) {\n val delimiter = delimiters[0]\n if
(!delimiter.isEmpty()) {\n return split(delimiter, ignoreCase, limit)\n }\n }\n\n return
rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }\n}\n\n*\n * Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].\n * \n * @param
delimiters One or more characters to be used as delimiters.\n * @param ignoreCase `true` to ignore character case
when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n
*\n *\npublic fun CharSequence.splitToSequence(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0):
Sequence<String> =\n rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it)

```

```

}\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiters].\n *\n * @param delimiters One or more characters to be used as delimiters.\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n *\n\npublic fun CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): List<String> {\n    if (delimiters.size == 1) {\n        return split(delimiters[0].toString(), ignoreCase, limit)\n    }\n\n    return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }\n}\n\n/**\n * Splits this char sequence to a list of strings around occurrences of the specified [delimiter].\n * This is specialized version of split which receives single non-empty delimiter and offers better performance\n *\n * @param delimiter String used as delimiter\n * @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings to return.\n *\n\nprivate fun CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {\n    requireNonNegativeLimit(limit)\n\n    var currentOffset = 0\n    var nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n    if (nextIndex == -1 || limit == 1) {\n        return listOf(this.toString())\n    }\n\n    val isLimited = limit > 0\n    val result = ArrayList<String>(if (isLimited) limit.coerceAtMost(10) else 10)\n    do {\n        result.add(substring(currentOffset, nextIndex))\n        currentOffset = nextIndex + delimiter.length\n        // Do not search for next occurrence if we're reaching limit\n        if (isLimited && result.size == limit - 1) break\n\n        nextIndex = indexOf(delimiter, currentOffset, ignoreCase)\n    } while (nextIndex != -1)\n\n    result.add(substring(currentOffset, length))\n    return result\n}\n\n/**\n * Splits this char sequence to a list of strings around matches of the given regular expression.\n *\n * @param limit Non-negative value specifying the maximum number of substrings to return.\n * Zero by default means no limit is set.\n *\n\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> =\n    regex.split(this, limit)\n\n/**\n * Splits this char sequence to a sequence of strings around matches of the given regular expression.\n *\n * @param limit Non-negative value specifying the maximum number of substrings to return.\n * Zero by default means no limit is set.\n *\n * @sample samples.text.Strings.splitToSequence\n *\n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.splitToSequence(regex: Regex, limit: Int = 0): Sequence<String> =\n    regex.splitToSequence(this, limit)\n\n/**\n * Splits this char sequence to a sequence of lines delimited by any of the following character sequences: CRLF, LF or CR.\n *\n * The lines returned do not include terminating line separators.\n *\n\npublic fun CharSequence.lineSequence(): Sequence<String> = splitToSequence("\\r\\n", "\\n", "\\r")\n\n/**\n * Splits this char sequence to a list of lines delimited by any of the following character sequences: CRLF, LF or CR.\n *\n * The lines returned do not include terminating line separators.\n *\n\npublic fun CharSequence.lines(): List<String> = lineSequence().toList()\n\n/**\n * Returns `true` if the contents of this char sequence are equal to the contents of the specified [other],\n * i.e. both char sequences contain the same number of the same characters in the same order.\n *\n * @sample samples.text.Strings.contentEquals\n *\n\n@SinceKotlin("1.5")\npublic expect infix fun CharSequence?.contentEquals(other: CharSequence?): Boolean\n\n/**\n * Returns `true` if the contents of this char sequence are equal to the contents of the specified [other],\n * optionally ignoring case difference.\n *\n * @param ignoreCase `true` to ignore character case when comparing contents.\n *\n * @sample samples.text.Strings.contentEquals\n *\n\n@SinceKotlin("1.5")\npublic expect fun CharSequence?.contentEquals(other: CharSequence?, ignoreCase: Boolean): Boolean\n\n\ninternal fun CharSequence?.contentEqualsIgnoreCaseImpl(other: CharSequence?): Boolean {\n    if (this is String && other is String) {\n        return this.equals(other, ignoreCase = true)\n    }\n\n    if (this === other) return true\n    if (this == null || other == null || this.length != other.length) return false\n\n    for (i in 0 until length) {\n        if (!this[i].equals(other[i], ignoreCase = true)) {\n            return false\n        }\n    }\n\n    return true\n}\n\n\ninternal fun CharSequence?.contentEqualsImpl(other: CharSequence?): Boolean {\n    if (this is String && other is String) {\n        return this == other\n    }\n\n    if (this === other) return true\n    if (this == null || other == null || this.length != other.length) return false\n\n    for (i in 0 until length) {\n        if (this[i] != other[i]) {\n            return false\n        }\n    }\n\n    return true\n}\n\n/**\n * Returns `true` if the content of this string is equal to the word `true`, `false` if it is equal to `false`,\n * and throws an exception otherwise.\n *\n * There is also a lenient version of the function

```

```

available on nullable String, [String?.toBoolean].\n * Note that this function is case-sensitive.\n *\n * @sample
samples.text.Strings.toBooleanStrict\n *\n@SinceKotlin("1.5")\npublic fun String.toBooleanStrict(): Boolean =
when (this) {\n    "true" -> true\n    "false" -> false\n    else -> throw IllegalArgumentException("The string
doesn't represent a boolean value: $this")\n}\n\n/**\n * Returns `true` if the content of this string is equal to the
word `true`, `false` if it is equal to `false`,\n * and `null` otherwise.\n *\n * There is also a lenient version of the
function available on nullable String, [String?.toBoolean].\n * Note that this function is case-sensitive.\n *\n *
@sample samples.text.Strings.toBooleanStrictOrNull\n *\n@SinceKotlin("1.5")\npublic fun
String.toBooleanStrictOrNull(): Boolean? = when (this) {\n    "true" -> true\n    "false" -> false\n    else ->
null\n},"/>\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\n//
Auto-generated file. DO NOT EDIT!\n\npackage kotlin\n\nimport
kotlin.jvm.*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic value class
UByteArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: ByteArray) :
Collection<UByte> {\n\n    /** Creates a new array of the specified [size], with all elements initialized to zero. *\n
public constructor(size: Int) : this(ByteArray(size))\n\n    /**\n     * Returns the array element at the given [index].
This method can be called using the index operator.\n     *\n     * If the [index] is out of bounds of this array, throws
an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is unspecified.\n     *\n     public
operator fun get(index: Int): UByte = storage[index].toUByte()\n\n     /**\n     * Sets the element at the given [index]
to the given [value]. This method can be called using the index operator.\n     *\n     * If the [index] is out of bounds
of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is
unspecified.\n     *\n     public operator fun set(index: Int, value: UByte) {\n         storage[index] = value.toByte()\n
}\n\n     /** Returns the number of elements in the array. *\n     public override val size: Int get() = storage.size\n\n
/** Creates an iterator over the elements of the array. *\n     public override operator fun iterator():
kotlin.collections.Iterator<UByte> = Iterator(storage)\n\n     @Suppress("DEPRECATION_ERROR")\n     private
class Iterator(private val array: ByteArray) : UByteIterator() {\n         private var index = 0\n         override fun
hasNext() = index < array.size\n         override fun nextUByte() = if (index < array.size) array[index++].toUByte()\n
else throw NoSuchElementException(index.toString())\n     }\n\n     override fun contains(element: UByte): Boolean
{\n         // TODO: Eliminate this check after KT-30016 gets fixed.\n         // Currently JS BE does not generate
special bridge method for this method.\n         @Suppress("USELESS_CAST")\n         if ((element as Any?) !is
UByte) return false\n         return storage.contains(element.toByte())\n     }\n\n     override fun containsAll(elements:
Collection<UByte>): Boolean {\n         return (elements as Collection<*>).all { it is UByte &&
storage.contains(it.toByte()) }\n     }\n\n     override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n *
Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init]
function.\n *\n * The function [init] is called for each array element sequentially starting from the first one.\n *\n * It
should return the value for an array element given its index.\n\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray(size: Int, init: (Int) -> UByte): UByteArray {\n    return UByteArray(ByteArray(size) { index ->
init(index).toByte()
})\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ubyteArrayOf(vararg elements: UByte): UByteArray = elements\n","/>\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin\n\nimport kotlin.jvm.*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic
value class UIntArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: IntArray) :
Collection<UInt> {\n\n    /** Creates a new array of the specified [size], with all elements initialized to zero. *\n
public constructor(size: Int) : this(IntArray(size))\n\n    /**\n     * Returns the array element at the given [index].
This method can be called using the index operator.\n     *\n     * If the [index] is out of bounds of this array, throws
an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is unspecified.\n     *\n     public
operator fun get(index: Int): UInt = storage[index]\n\n     /**\n     * Sets the element at the given [index] to the
given [value]. This method can be called using the index operator.\n     *\n     * If the [index] is out of bounds
of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is
unspecified.\n     *\n     public operator fun set(index: Int, value: UInt) {\n         storage[index] = value\n
}\n\n     /** Returns the number of elements in the array. *\n     public override val size: Int get() = storage.size\n\n
/** Creates an iterator over the elements of the array. *\n     public override operator fun iterator():

```

```

operator fun get(index: Int): UInt = storage[index].toUInt()\n\n /**\n * Sets the element at the given [index] to
the given [value]. This method can be called using the index operator.\n * \n * If the [index] is out of bounds of
this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
*\n public operator fun set(index: Int, value: UInt) {\n storage[index] = value.toInt()\n }\n\n /** Returns
the number of elements in the array. *\n public override val size: Int get() = storage.size\n\n /** Creates an
iterator over the elements of the array. *\n public override operator fun iterator(): kotlin.collections.Iterator<UInt>
= Iterator(storage)\n\n @Suppress("DEPRECATION_ERROR")\n private class Iterator(private val array:
IntArray) : UIntIterator() {\n private var index = 0\n override fun hasNext() = index < array.size\n
override fun nextUInt() = if (index < array.size) array[index++].toUInt() else throw
NoSuchElementException(index.toString())\n }\n\n override fun contains(element: UInt): Boolean {\n //
TODO: Eliminate this check after KT-30016 gets fixed.\n // Currently JS BE does not generate special bridge
method for this method.\n @Suppress("USELESS_CAST")\n if ((element as Any?) !is UInt) return
false\n\n return storage.contains(element.toInt())\n }\n\n override fun containsAll(elements:
Collection<UInt>): Boolean {\n return (elements as Collection<*>).all { it is UInt &&
storage.contains(it.toInt()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n *
Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init]
function.\n * \n * The function [init] is called for each array element sequentially starting from the first one.\n * It
should return the value for an array element given its index.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
UIntArray(size: Int, init: (Int) -> UInt): UIntArray {\n return UIntArray(IntArray(size) { index ->
init(index).toInt()
})\n}\n\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
uintArrayOf(vararg elements: UInt): UIntArray = elements\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n // Auto-generated file. DO NOT EDIT!\n\n package
kotlin\n\n import kotlin.jvm.*\n\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @JvmInline\n public
value class ULongArray\n @PublishedApi\n internal constructor(@PublishedApi internal val storage: LongArray) :
Collection<ULong> {\n\n /** Creates a new array of the specified [size], with all elements initialized to zero. *\n
public constructor(size: Int) : this(LongArray(size))\n\n /**\n * Returns the array element at the given [index].
This method can be called using the index operator.\n * \n * If the [index] is out of bounds of this array, throws
an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n * \n public
operator fun get(index: Int): ULong = storage[index].toULong()\n\n /**\n * Sets the element at the given
[index] to the given [value]. This method can be called using the index operator.\n * \n * If the [index] is out of
bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is
unspecified.\n * \n public operator fun set(index: Int, value: ULong) {\n storage[index] = value.toLong()\n
}\n\n /** Returns the number of elements in the array. *\n public override val size: Int get() = storage.size\n\n
/** Creates an iterator over the elements of the array. *\n public override operator fun iterator():
kotlin.collections.Iterator<ULong> = Iterator(storage)\n\n @Suppress("DEPRECATION_ERROR")\n private
class Iterator(private val array: LongArray) : ULongIterator() {\n private var index = 0\n override fun
hasNext() = index < array.size\n override fun nextULong() = if (index < array.size) array[index++].toULong()
else throw NoSuchElementException(index.toString())\n }\n\n override fun contains(element: ULong): Boolean
{\n // TODO: Eliminate this check after KT-30016 gets fixed.\n // Currently JS BE does not generate
special bridge method for this method.\n @Suppress("USELESS_CAST")\n if ((element as Any?) !is
ULong) return false\n\n return storage.contains(element.toLong())\n }\n\n override fun
containsAll(elements: Collection<ULong>): Boolean {\n return (elements as Collection<*>).all { it is ULong
&& storage.contains(it.toLong()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n *
Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init]
function.\n * \n * The function [init] is called for each array element sequentially starting from the first one.\n * It

```

should return the value for an array element given its index.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray(size: Int, init: (Int) -> ULong): ULongArray {\n    return ULongArray(LongArray(size) { index ->  
        init(index).toLong()  
    })\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ulongArrayOf(vararg elements: ULong): ULongArray = elements\n"/*\n * Copyright 2010-2021 JetBrains s.r.o.  
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license  
that can be found in the license/LICENSE.txt file.\n */\n\npackage  
kotlin\n\nimport kotlin.jvm.*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@JvmInline\npublic  
value class UShortArray\n@PublishedApi\ninternal constructor(@PublishedApi internal val storage: ShortArray) :  
Collection<UShort> {\n    /** Creates a new array of the specified [size], with all elements initialized to zero. */\n    public constructor(size: Int) : this(ShortArray(size))\n    /**\n     * Returns the array element at the given [index].  
This method can be called using the index operator.\n     *\n     * If the [index] is out of bounds of this array, throws  
an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is unspecified.\n     */\n    public  
operator fun get(index: Int): UShort = storage[index].toUShort()\n    /**\n     * Sets the element at the given  
[index] to the given [value]. This method can be called using the index operator.\n     *\n     * If the [index] is out of  
bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is  
unspecified.\n     */\n    public operator fun set(index: Int, value: UShort) {\n        storage[index] = value.toShort()\n    }\n    /** Returns the number of elements in the array. */\n    public override val size: Int get() = storage.size\n    /** Creates an iterator over the elements of the array. */\n    public override operator fun iterator():  
kotlin.collections.Iterator<UShort> = Iterator(storage)\n    @Suppress("DEPRECATION_ERROR")\n    private  
class Iterator(private val array: ShortArray) : UShortIterator() {\n        private var index = 0\n        override fun  
hasNext() = index < array.size\n        override fun nextUShort() = if (index < array.size) array[index++].toUShort()  
else throw NoSuchElementException(index.toString())\n    }\n    override fun contains(element: UShort): Boolean  
{\n        // TODO: Eliminate this check after KT-30016 gets fixed.\n        // Currently JS BE does not generate  
special bridge method for this method.\n        @Suppress("USELESS_CAST")\n        if ((element as Any?) !is  
UShort) return false\n        return storage.contains(element.toShort())\n    }\n    override fun  
containsAll(elements: Collection<UShort>): Boolean {\n        return (elements as Collection<*>).all { it is UShort  
&& storage.contains(it.toShort()) }\n    }\n    override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n * Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init]  
function.\n * The function [init] is called for each array element sequentially starting from the first one.\n * It  
should return the value for an array element given its index.\n */\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray(size: Int, init: (Int) -> UShort): UShortArray {\n    return UShortArray(ShortArray(size) { index ->  
        init(index).toShort()\n    })\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ushortArrayOf(vararg elements: UShort): UShortArray = elements\n"/*\n * Copyright 2010-2021 JetBrains s.r.o.  
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license  
that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UArraysKt")\n@file:kotlin.jvm.JvmPacka  
geName("kotlin.collections.unsigned")\npackage kotlin.collections\n\n// NOTE: THIS FILE IS AUTO-  
GENERATED by the GenerateStandardLib.kt\n// See:
```

```
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport  
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the array.\n * If the  
size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior  
is unspecified.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic  
inline operator fun UIntArray.component1(): UInt {\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from the  
array.\n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n */\n
```

\* where the behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
ULongArray.component1(): ULong {\n return get(0)\n}\n\n/\*\*\n \* Returns 1st \*element\* from the array.\n \* \n \*  
If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UByteArray.component1(): UByte {\n return get(0)\n}\n\n/\*\*\n \* Returns 1st \*element\* from the array.\n \* \n \*  
If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UShortArray.component1(): UShort {\n return get(0)\n}\n\n/\*\*\n \* Returns 2nd \*element\* from the array.\n \* \n \*  
If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UIntArray.component2(): UInt {\n return get(1)\n}\n\n/\*\*\n \* Returns 2nd \*element\* from the array.\n \* \n \*  
If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
ULongArray.component2(): ULong {\n return get(1)\n}\n\n/\*\*\n \* Returns 2nd \*element\* from the array.\n \* \n \*  
If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UByteArray.component2(): UByte {\n return get(1)\n}\n\n/\*\*\n \* Returns 2nd \*element\* from the array.\n \* \n \*  
If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UShortArray.component2(): UShort {\n return get(1)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \*  
If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UIntArray.component3(): UInt {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \*  
If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
ULongArray.component3(): ULong {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \*  
If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UByteArray.component3(): UByte {\n return get(2)\n}\n\n/\*\*\n \* Returns 3rd \*element\* from the array.\n \* \n \*  
If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UShortArray.component3(): UShort {\n return get(2)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \*  
If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the  
behavior is unspecified.\n

\*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UIntArray.component4(): UInt {\n return get(3)\n}\n\n/\*\*\n \* Returns 4th \*element\* from the array.\n \* \n \*  
If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n \* where the behavior

is unspecified.

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline operator fun ULongArray.component4(): ULong {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from
the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in
Kotlin/JS\n * where the behavior is unspecified.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.component4(): UByte {\n    return get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n *
If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.component4(): UShort {\n    return get(3)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n *
If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.component5(): UInt {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If
the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline operator fun ULongArray.component5(): ULong {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from
the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in
Kotlin/JS\n * where the behavior is unspecified.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.component5(): UByte {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n *
If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UShortArray.component5(): UShort {\n    return get(4)\n}\n\n/**\n * Returns an element at the given [index] or
throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.elementAt(index: Int):
UInt\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.elementAt(index: Int):
ULong\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]
is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.elementAt(index: Int):
UByte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]
is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.elementAt(index: Int):
UShort\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the
[index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n    return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the

```

result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n \* \n \* @sample  
samples.collections.Collections.Elements.elementAtOrElse\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n    return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result
of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n    return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or
`null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.elementAtOrNull(index: Int): UInt? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.elementAtOrNull(index: Int): ULong? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.elementAtOrNull(index: Int): UByte? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.elementAtOrNull(index: Int): UShort? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.find(predicate: (UInt) -> Boolean): UInt? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the
first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.find(predicate: (ULong) -> Boolean): ULong? {\n    return firstOrNull(predicate)\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.find(predicate: (UByte) -> Boolean): UByte? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns
the first element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.find(predicate: (UShort) -> Boolean): UShort? {\n    return firstOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.findLast(predicate: (UInt) -> Boolean): UInt? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.findLast(predicate: (ULong) -> Boolean): ULong? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.findLast(predicate: (UByte) -> Boolean): UByte? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns the last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.find\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.findLast(predicate: (UShort) -> Boolean): UShort? {\n    return lastOrNull(predicate)\n}\n\n/**\n *
Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.first(): UInt {\n    return storage.first().toUInt()\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.first(): ULong {\n    return storage.first().toULong()\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.first(): UByte {\n    return storage.first().toUByte()\n}\n\n/**\n * Returns first element.\n * @throws
[NoSuchElementException] if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.first(): UShort {\n    return storage.first().toUShort()\n}\n\n/**\n * Returns the first element matching
the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.first(predicate: (UInt) -> Boolean): UInt {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n *
Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.first(predicate: (ULong) -> Boolean): ULong {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n *
Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.first(predicate: (UByte) -> Boolean): UByte {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n *
Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.first(predicate: (UShort) -> Boolean): UShort {\n    for (element in this) if (predicate(element)) return
element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n *
Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.firstOrNull(): UInt? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.firstOrNull(): ULong? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.firstOrNull(): UByte? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.firstOrNull(): UShort? {\n
return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.firstOrNull(predicate: (UInt) -> Boolean): UInt? {\n  for (element in this) if (predicate(element)) return
element\n  return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element
was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.firstOrNull(predicate: (ULong) -> Boolean): ULong? {\n  for (element in this) if
(predicate(element)) return element\n  return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.firstOrNull(predicate: (UByte) -> Boolean): UByte? {\n  for (element in this) if (predicate(element))
return element\n  return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.firstOrNull(predicate: (UShort) -> Boolean): UShort? {\n  for (element in this) if (predicate(element))
return element\n  return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.getOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.getOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.getOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.getOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n
*\n * @sample samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.getOrNull(index: Int): UInt? {\n
return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the given
[index] or `null` if the [index] is out of bounds of this array.\n
*\n * @sample
samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.getOrNull(index: Int):
ULong? {\n  return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n
*\n * @sample
samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.getOrNull(index: Int): UByte?
{\n  return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n
*\n * @sample
samples.collections.Collections.Elements.getOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.getOrNull(index: Int):
UShort? {\n  return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of

```

[element], or -1 if the array does not contain element.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOf(element: UInt): Int {\n    return storage.indexOf(element.toInt())\n}\n\n/**\n * Returns first
index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.indexOf(element: ULong): Int {\n    return storage.indexOf(element.toLong())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOf(element: UByte): Int {\n    return storage.indexOf(element.toByte())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOf(element: UShort): Int {\n    return storage.indexOf(element.toShort())\n}\n\n/**\n * Returns
index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfFirst(predicate: (UInt) -> Boolean): Int {\n    return storage.indexOfFirst { predicate(it.toInt())
}\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain
such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.indexOfFirst(predicate: (ULong) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfFirst(predicate: (UByte) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfFirst(predicate: (UShort) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toUShort()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfLast(predicate: (UInt) -> Boolean): Int {\n    return storage.indexOfLast { predicate(it.toInt())
}\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the array does not contain
such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.indexOfLast(predicate: (ULong) -> Boolean): Int {\n    return storage.indexOfLast {
predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfLast(predicate: (UByte) -> Boolean): Int {\n    return storage.indexOfLast {
predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfLast(predicate: (UShort) -> Boolean): Int {\n    return storage.indexOfLast {
predicate(it.toUShort()) }\n}\n\n/**\n * Returns the last element.\n * \n * @throws NoSuchElementException if the
array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(): UInt {\n    return storage.last().toInt()\n}\n\n/**\n * Returns the last element.\n * \n * @throws
NoSuchElementException if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.last(): ULong {\n    return storage.last().toULong()\n}\n\n/**\n * Returns the last element.\n * \n *

```

```

@throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.last(): UByte {\n    return storage.last().toUByte()\n}\n\n/**\n * Returns the last element.\n * \n *
@throws NoSuchElementException if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(): UShort {\n    return storage.last().toUShort()\n}\n\n/**\n * Returns the last element matching
the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(predicate: (UInt) -> Boolean): UInt {\n    for (index in this.indices.reversed()) {\n        val element =
this[index]\n        if (predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains
no element matching the predicate.")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * \n *
@throws NoSuchElementException if no such element is found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.last(predicate: (ULong) -> Boolean): ULong {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n
* \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.last(predicate: (UByte) -> Boolean): UByte {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the last
element matching the given [predicate].\n * \n * @throws NoSuchElementException if no such element is found.\n
* \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.last(predicate: (UShort) -> Boolean): UShort {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    throw
NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns last index
of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastIndexOf(element: UInt): Int {\n    return storage.lastIndexOf(element.toInt())\n}\n\n/**\n * Returns
last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastIndexOf(element: ULong): Int {\n    return storage.lastIndexOf(element.toLong())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastIndexOf(element: UByte): Int {\n    return storage.lastIndexOf(element.toByte())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastIndexOf(element: UShort): Int {\n    return storage.lastIndexOf(element.toShort())\n}\n\n/**\n *
Returns the last element, or `null` if the array is empty.\n * \n * @sample
samples.collections.Collections.Elements.last\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UIntArray.lastOrNull(): UInt? {\n    return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last
element, or `null` if the array is empty.\n * \n * @sample samples.collections.Collections.Elements.last\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.lastOrNull(): ULong? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *
\n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.lastOrNull(): UByte? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n *
\n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.lastOrNull(): UShort? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or
`null` if no such element was found.\n * \n * @sample samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastOrNull(predicate: (UInt) -> Boolean): UInt? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.lastOrNull(predicate: (ULong) -> Boolean): ULong? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastOrNull(predicate: (UByte) -> Boolean): UByte? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n * \n * @sample
samples.collections.Collections.Elements.last\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastOrNull(predicate: (UShort) -> Boolean): UShort? {\n    for (index in this.indices.reversed()) {\n
val element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns a
random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.random(): UInt {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n
*\n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.random(): ULong {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.random(): UByte {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.random(): UShort {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.random(random: Random): UInt
{\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.random(random: Random):
ULong {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.random(random: Random):
UByte {\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.random(random: Random):
UShort {\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UIntArray.randomOrNull(): UInt? {\n return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun ULongArray.randomOrNull(): ULong? {\n return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UByteArray.randomOrNull(): UByte? {\n return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UShortArray.randomOrNull(): UShort? {\n return
randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\np
ublic fun UIntArray.randomOrNull(random: Random): UInt? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\np
ublic fun ULongArray.randomOrNull(random: Random): ULong? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\np
ublic fun UByteArray.randomOrNull(random: Random): UByte? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\np
ublic fun UShortArray.randomOrNull(random: Random): UShort? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or
has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.single(): UInt {\n return storage.single().toInt()\n}\n\n/**\n * Returns the single element, or throws an
exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.single(): ULong {\n return storage.single().toULong()\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.single(): UByte {\n return storage.single().toUByte()\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.single(): UShort {\n return storage.single().toUShort()\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.single(predicate: (UInt) -> Boolean): UInt {\n  var single: UInt? = null\n  var found = false\n  for
(element in this) {\n    if (predicate(element)) {\n      if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n      single = element\n      found = true\n    }\n  }\n  if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as UInt\n}\n\n/**\n * Returns the single element matching
the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.single(predicate: (ULong) -> Boolean): ULong {\n  var single: ULong? = null\n  var found = false\n
for (element in this) {\n    if (predicate(element)) {\n      if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n      single = element\n      found = true\n    }\n  }\n  if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as ULong\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.single(predicate: (UByte) -> Boolean): UByte {\n  var single: UByte? = null\n  var found = false\n
for (element in this) {\n    if (predicate(element)) {\n      if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n      single = element\n      found = true\n    }\n  }\n  if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as UByte\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.single(predicate: (UShort) -> Boolean): UShort {\n  var single: UShort? = null\n  var found = false\n
for (element in this) {\n    if (predicate(element)) {\n      if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n      single = element\n      found = true\n    }\n  }\n  if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as UShort\n}\n\n/**\n * Returns single element, or `null` if
the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.singleOrNull(): UInt? {\n  return
if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.singleOrNull(): ULong? {\n  return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.singleOrNull(): UByte? {\n  return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.singleOrNull(): UShort? {\n  return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single
element matching the given [predicate], or `null` if element was not found or more than one element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.singleOrNull(predicate: (UInt) -> Boolean): UInt? {\n  var single: UInt? = null\n  var found = false\n
for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single = element\n
      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.singleOrNull(predicate: (ULong) -> Boolean): ULong? {\n  var single: ULong? = null\n  var found
= false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single =
element\n      found = true\n    }\n  }\n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was

```

```

found.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UByteArray.singleOrNull(predicate: (UByte) -> Boolean): UByte? {\n  var single: UByte? = null\n  var found
= false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single =
element\n      found = true\n    } \n  } \n  if (!found) return null\n  return single\n}\n\n/**\n * Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UShortArray.singleOrNull(predicate: (UShort) -> Boolean): UShort? {\n  var single: UShort? = null\n  var
found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) return null\n      single
= element\n      found = true\n    } \n  } \n  if (!found) return null\n  return single\n}\n\n/**\n * Returns a list
containing all elements except first [n] elements.\n *\n * @throws IllegalArgumentException if [n] is negative.\n *\n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.drop(n: Int): List<UInt> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n *\n * @throws
IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.drop(n: Int): List<ULong> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n *\n * @throws
IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.drop(n: Int): List<UByte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n *\n * @throws
IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.drop(n: Int): List<UShort> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n *\n * @throws
IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.dropLast(n: Int): List<UInt> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n *\n * @throws
IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.dropLast(n: Int):
List<ULong> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n *\n * @throws
IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.dropLast(n: Int): List<UByte>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n *\n * @throws
IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.dropLast(n: Int):
List<UShort> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -

```

```

n).coerceAtLeast(0))\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n *
Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  for (index in lastIndex downTo 0)
{\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n
* Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  for (index in lastIndex downTo 0)
{\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return emptyList()\n}\n\n/**\n
* Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  for (index in lastIndex downTo
0) {\n    if (!predicate(this[index])) {\n      return take(index + 1)\n    }\n  }\n  return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  var yielding = false\n  val list =
ArrayList<UInt>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item)) {\n
      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  var yielding = false\n  val list =
ArrayList<ULong>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  var yielding = false\n  val list =
ArrayList<UByte>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  var yielding = false\n  val list =
ArrayList<UShort>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))
{\n      list.add(item)\n      yielding = true\n    }\n  return list\n}\n\n/**\n * Returns a list containing only
elements matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filter(predicate: (UInt) -> Boolean): List<UInt> {\n  return filterTo(ArrayList<UInt>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample

```

```

samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filter(predicate: (ULong) -> Boolean): List<ULong> {\n    return filterTo(ArrayList<ULong>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filter(predicate: (UByte) -> Boolean): List<UByte> {\n    return filterTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filter(predicate: (UShort) -> Boolean): List<UShort> {\n    return filterTo(ArrayList<UShort>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexed\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filterIndexed(predicate: (index: Int, UInt) -> Boolean): List<UInt> {\n    return
filterIndexedTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterIndexed(predicate: (index: Int, ULong) -> Boolean): List<ULong> {\n    return
filterIndexedTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterIndexed(predicate: (index: Int, UByte) -> Boolean): List<UByte> {\n    return
filterIndexedTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexed\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filterIndexed(predicate: (index: Int, UShort) -> Boolean): List<UShort> {\n    return
filterIndexedTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate]
to the given [destination].\n * @param [predicate] function that takes the index of an element and the element
itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterIndexedTo(destination: C, predicate: (index: Int, UInt) -> Boolean): C {\n
    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n * \n * @param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n * \n * @sample samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterIndexedTo(destination: C, predicate: (index: Int, ULong) ->
Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given

```

```

[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterIndexedTo(destination: C, predicate: (index: Int, UByte) ->
Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n * \n * @sample
samples.collections.Collections.Filtering.filterIndexedTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterIndexedTo(destination: C, predicate: (index: Int, UShort) ->
Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    }\n    return destination\n}\n\n/**\n * Returns a list containing all elements not
matching the given [predicate].\n * \n * @sample samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filterNot(predicate: (UInt) -> Boolean): List<UInt> {\n    return filterNotTo(ArrayList<UInt>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterNot(predicate: (ULong) -> Boolean): List<ULong> {\n    return filterNotTo(ArrayList<ULong>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterNot(predicate: (UByte) -> Boolean): List<UByte> {\n    return filterNotTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n * \n * @sample
samples.collections.Collections.Filtering.filter\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filterNot(predicate: (UShort) -> Boolean): List<UShort> {\n    return
filterNotTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements not matching the given [predicate]
to the given [destination].\n * \n * @sample samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterNotTo(destination: C, predicate: (UInt) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterNotTo(destination: C, predicate: (ULong) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends
all elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterNotTo(destination: C, predicate: (UByte) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterNotTo(destination: C, predicate: (UShort) -> Boolean): C {\n

```

```

for (element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends
all elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterTo(destination: C, predicate: (UInt) -> Boolean): C {\n    for (element
in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements
matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterTo(destination: C, predicate: (ULong) -> Boolean): C {\n    for
(element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterTo(destination: C, predicate: (UByte) -> Boolean): C {\n    for
(element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n * \n * @sample
samples.collections.Collections.Filtering.filterTo\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterTo(destination: C, predicate: (UShort) -> Boolean): C {\n    for
(element in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Returns a list
containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: IntRange):
List<UInt> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: IntRange):
List<ULong> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: IntRange):
List<UByte> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: IntRange):
List<UShort> {\n    if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: Iterable<Int>):
List<UInt> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<UInt>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: Iterable<Int>):
List<ULong> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<ULong>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: Iterable<Int>):
List<UByte> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<UByte>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: Iterable<Int>):
List<UShort> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =

```

```

ArrayList<UShort>(size)\n  for (index in indices) {\n    list.add(get(index))\n  }\n  return list\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: Collection<Int>): UIntArray {\n  return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices: Collection<Int>): ULongArray {\n  return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices: Collection<Int>): UByteArray {\n  return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sliceArray(indices: Collection<Int>): UShortArray {\n  return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n *\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: IntRange): UIntArray {\n  return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n *\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices: IntRange): ULongArray {\n  return ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n *\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices: IntRange): UByteArray {\n  return UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n *\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sliceArray(indices: IntRange): UShortArray {\n  return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n *\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.take(n: Int): List<UInt> {\n  require(n >= 0) { "Requested element count $n is less than zero." }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<UInt>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n *\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.take(n: Int): List<ULong> {\n  require(n >= 0) { "Requested element count $n is less than zero." }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<ULong>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n *\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.take(n: Int): List<UByte> {\n  require(n >= 0) { "Requested element count $n is less than zero." }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<UByte>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n *\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.take(n: Int): List<UShort> {\n  require(n >= 0) { "Requested element count $n is less than zero." }\n  if (n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<UShort>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n
```

```

(item in this) {\n    list.add(item)\n    if (++count == n)\n        break\n    }\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.takeLast(n: Int): List<UInt> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UInt>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.takeLast(n: Int): List<ULong>\n{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<ULong>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.takeLast(n: Int): List<UByte>\n{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UByte>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.takeLast(n: Int): List<UShort>\n{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UShort>(n)\n    for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.takeLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index]))\n            return drop(index + 1)\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.takeLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index]))\n            return drop(index + 1)\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index]))\n            return drop(index + 1)\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.takeLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index]))\n            return drop(index + 1)\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

UIntArray.takeWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  val list = ArrayList<UInt>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.take\n\n*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.takeWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  val list = ArrayList<ULong>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.take\n\n*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.takeWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  val list = ArrayList<UByte>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n *\n * @sample\n samples.collections.Collections.Transformations.take\n\n*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.takeWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  val list = ArrayList<UShort>()\n  for (item in this) {\n    if (!predicate(item))\n      break\n    list.add(item)\n  }\n  return list\n}\n\n/**\n * Reverses elements in the array in-place.\n\n*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n\n*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n\n*/\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.reverse(): Unit {\n  storage.reverse()\n}\n\n/**\n * Reverses elements in the array in-place.\n *\n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n\n*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n  storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n *\n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n\n*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n  storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n *\n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n\n*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.reverse(fromIndex: Int, toIndex: Int): Unit {\n  storage.reverse(fromIndex, toIndex)\n}\n\n/**\n * Reverses elements of the array in the specified range in-place.\n *\n * @param fromIndex the start of the range (inclusive) to reverse.\n * @param toIndex the end of the range (exclusive) to reverse.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n\n*/\n\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

UShortArray.reverse(fromIndex: Int, toIndex: Int): Unit {
    storage.reverse(fromIndex, toIndex)
}

Returns a list with elements in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UIntArray.reversed(): List<UInt> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

Returns a list with elements in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun ULongArray.reversed(): List<ULong> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

Returns a list with elements in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UByteArray.reversed(): List<UByte> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

Returns a list with elements in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UShortArray.reversed(): List<UShort> {
    if (isEmpty()) return emptyList()
    val list = toMutableList()
    list.reverse()
    return list
}

Returns an array with elements of this array in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UIntArray.reversedArray(): UIntArray {
    return UIntArray(storage.reversedArray())
}

Returns an array with elements of this array in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
ULongArray.reversedArray(): ULongArray {
    return ULongArray(storage.reversedArray())
}

Returns an array with elements of this array in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.reversedArray(): UByteArray {
    return UByteArray(storage.reversedArray())
}

Returns an array with elements of this array in reversed order.

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.reversedArray(): UShortArray {
    return UShortArray(storage.reversedArray())
}

Randomly shuffles elements in this array in-place.

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun UIntArray.shuffle(): Unit {
    shuffle(Random)
}

Randomly shuffles elements in this array in-place.

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun ULongArray.shuffle(): Unit {
    shuffle(Random)
}

Randomly shuffles elements in this array in-place.

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun UByteArray.shuffle(): Unit {
    shuffle(Random)
}

Randomly shuffles elements in this array in-place.

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun UShortArray.shuffle(): Unit {
    shuffle(Random)
}

Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.

* See:
https://en.wikipedia.org/wiki/Fisher%20%93Yates\_shuffle#The\_modern\_algorithm

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun UIntArray.shuffle(random: Random): Unit {
    for (i in lastIndex downTo 1) {
        val j = random.nextInt(i + 1)
        val copy = this[i]
        this[i] = this[j]
        this[j] = copy
    }
}

Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.

* See:
https://en.wikipedia.org/wiki/Fisher%20%93Yates\_shuffle#The\_modern\_algorithm

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun ULongArray.shuffle(random: Random):
Unit {
    for (i in lastIndex downTo 1) {
        val j = random.nextInt(i + 1)
        val copy = this[i]
        this[i] = this[j]
        this[j] = copy
    }
}

Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.

* See:
https://en.wikipedia.org/wiki/Fisher%20%93Yates\_shuffle#The\_modern\_algorithm

@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public fun UByteArray.shuffle(random: Random):
Unit {
    for (i in lastIndex downTo 1) {
        val j = random.nextInt(i + 1)
        val copy = this[i]
        this[i] = this[j]
        this[j] = copy
    }
}

Randomly shuffles elements in this array in-place using the specified [random] instance as the source of randomness.

* See:

```

[https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates\\_shuffle#The\\_modern\\_algorithm](https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm)

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.shuffle(random: Random):  
Unit {\n    for (i in lastIndex downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] =  
this[j]\n        this[j] = copy\n    }\n}\n/**\n * Sorts elements in the array in-place descending according to their  
natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun  
UIntArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n/**\n * Sorts elements  
in the array in-place descending according to their natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortDescending(): Unit {\n    if  
(size > 1) {\n        sort()\n        reverse()\n    }\n}\n/**\n * Sorts elements in the array in-place descending  
according to their natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun  
UByteArray.sortDescending(): Unit {\n    if (size > 1) {\n        sort()\n        reverse()\n    }\n}\n/**\n * Sorts  
elements in the array in-place descending according to their natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortDescending(): Unit {\n    if  
(size > 1) {\n        sort()\n        reverse()\n    }\n}\n/**\n * Returns a list of all elements sorted according to their  
natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sorted():  
List<UInt> {\n    return copyOf().apply { sort() }.asList()\n}\n/**\n * Returns a list of all elements sorted  
according to their natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun  
ULongArray.sorted(): List<ULong> {\n    return copyOf().apply { sort() }.asList()\n}\n/**\n * Returns a list of all  
elements sorted according to their natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sorted(): List<UByte> {\n    return  
copyOf().apply { sort() }.asList()\n}\n/**\n * Returns a list of all elements sorted according to their natural  
sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sorted():  
List<UShort> {\n    return copyOf().apply { sort() }.asList()\n}\n/**\n * Returns an array with all elements of this  
array sorted according to their natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArray(): UIntArray {\n    if  
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n/**\n * Returns an array with all elements of  
this array sorted according to their natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArray(): ULongArray  
{\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n/**\n * Returns an array with all  
elements of this array sorted according to their natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArray(): UByteArray {\n    if  
(isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n/**\n * Returns an array with all elements  
of this array sorted according to their natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArray(): UShortArray  
{\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n/**\n * Returns an array with all  
elements of this array sorted descending according to their natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArrayDescending():  
UIntArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n/**\n * Returns  
an array with all elements of this array sorted descending according to their natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArrayDescending():  
ULongArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArrayDescending():  
UByteArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n/**\n * Returns an array with all elements of this array sorted descending according to their natural sort order.\n*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArrayDescending():  
UShortArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n*/\n * \n * The sort is _stable_. It
```

means that equal elements preserve their order relative to each other after sorting.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedDescending(): List<UInt>\n {\n  return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending\n according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order\n relative to each other after sorting.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun\n ULongArray.sortedDescending(): List<ULong> {\n  return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It\n means that equal elements preserve their order relative to each other after sorting.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedDescending():\n List<UByte> {\n  return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted\n descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve\n their order relative to each other after sorting.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun\n UShortArray.sortedDescending(): List<UShort> {\n  return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns an array of type [ByteArray], which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UByteArray.asByteArray(): ByteArray {\n  return storage\n}\n\n/**\n * Returns an array of type [IntArray], which\n is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this\n array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UIntArray.asIntArray(): IntArray {\n  return storage\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.asList():\n List<UInt>\n\n/**\n * Returns a [List] that wraps the original array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.asList():\n List<ULong>\n\n/**\n * Returns a [List] that wraps the original array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.asList():\n List<UByte>\n\n/**\n * Returns a [List] that wraps the original array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.asList():\n List<UShort>\n\n/**\n * Returns an array of type [LongArray], which is a view of this array where each element is\n a signed reinterpretation\n * of the corresponding element of this array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n ULongArray.asLongArray(): LongArray {\n  return storage\n}\n\n/**\n * Returns an array of type [ShortArray],\n which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this\n array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n UShortArray.asShortArray(): ShortArray {\n  return storage\n}\n\n/**\n * Returns an array of type [UByteArray],\n which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of\n this array.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline\n fun ByteArray.asUByteArray(): UByteArray {\n  return UByteArray(this)\n}\n\n/**\n * Returns an array of type\n [UIntArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the\n corresponding element of this array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n IntArray.asUIntArray(): UIntArray {\n  return UIntArray(this)\n}\n\n/**\n * Returns an array of type\n [ULongArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the\n corresponding element of this array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\n LongArray.asULongArray(): ULongArray {\n  return ULongArray(this)\n}\n\n/**\n * Returns an array of type\n [UShortArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the\n corresponding element of this array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```

ShortArray.asUShortArray(): UShortArray {
    return UShortArray(this)
}

/**
 * Returns `true` if the two
 specified arrays are *structurally* equal to one another,
 * i.e. contain the same number of the same elements in the
 same order.
 */
@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
@SinceKotlin("1.3")
@DeprecatedSinceKotlin(hiddenSince =
"1.4")
@ExperimentalUnsignedTypes
public infix fun UIntArray.contentEquals(other: UIntArray): Boolean {
    return this.contentEquals(other)
}

/**
 * Returns `true` if the two specified arrays are *structurally* equal to
 one another,
 * i.e. contain the same number of the same elements in the same order.
 */
@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.")
@SinceKotlin("1.3")
@DeprecatedSinceKotlin(hiddenSince =
"1.4")
@ExperimentalUnsignedTypes
public infix fun ULongArray.contentEquals(other: ULongArray):
Boolean {
    return this.contentEquals(other)
}

/**
 * Returns `true` if the two specified arrays are
 *structurally* equal to one another,
 * i.e. contain the same number of the same elements in the same order.
 */
@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
@SinceKotlin("1.3")
@DeprecatedSinceKotlin(hiddenSince =
"1.4")
@ExperimentalUnsignedTypes
public infix fun UByteArray.contentEquals(other: UByteArray): Boolean
{
    return this.contentEquals(other)
}

/**
 * Returns `true` if the two specified arrays are *structurally* equal
 to one another,
 * i.e. contain the same number of the same elements in the same order.
 */
@Deprecated("Use
Kotlin compiler 1.4 to avoid deprecation
warning.")
@SinceKotlin("1.3")
@DeprecatedSinceKotlin(hiddenSince =
"1.4")
@ExperimentalUnsignedTypes
public infix fun UShortArray.contentEquals(other: UShortArray):
Boolean {
    return this.contentEquals(other)
}

/**
 * Returns `true` if the two specified arrays are
 *structurally* equal to one another,
 * i.e. contain the same number of the same elements in the same order.
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public infix fun UIntArray?.contentEquals(other:
UIntArray?): Boolean {
    return this?.storage.contentEquals(other?.storage)
}

/**
 * Returns `true` if the two
 specified arrays are *structurally* equal to one another,
 * i.e. contain the same number of the same elements in the
 same order.
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public infix fun
ULongArray?.contentEquals(other: ULongArray?): Boolean {
    return
this?.storage.contentEquals(other?.storage)
}

/**
 * Returns `true` if the two specified arrays are *structurally*
 equal to one another,
 * i.e. contain the same number of the same elements in the same order.
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public infix fun UByteArray?.contentEquals(other:
UByteArray?): Boolean {
    return this?.storage.contentEquals(other?.storage)
}

/**
 * Returns `true` if the
 two specified arrays are *structurally* equal to one another,
 * i.e. contain the same number of the same elements
 in the same order.
 */
@SinceKotlin("1.4")
@ExperimentalUnsignedTypes
public infix fun
UShortArray?.contentEquals(other: UShortArray?): Boolean {
    return
this?.storage.contentEquals(other?.storage)
}

/**
 * Returns a hash code based on the contents of this array as
 if it is [List].
 */
@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
@SinceKotlin("1.3")
@DeprecatedSinceKotlin(hiddenSince =
"1.4")
@ExperimentalUnsignedTypes
public fun UIntArray.contentHashCode(): Int {
    return
this.contentHashCode()
}

/**
 * Returns a hash code based on the contents of this array as if it is [List].
 */
@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
@SinceKotlin("1.3")
@DeprecatedSinceKotlin(hiddenSince =
"1.4")
@ExperimentalUnsignedTypes
public fun ULongArray.contentHashCode(): Int {
    return
this.contentHashCode()
}

/**
 * Returns a hash code based on the contents of this array as if it is [List].
 */
@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
@SinceKotlin("1.3")
@DeprecatedSinceKotlin(hiddenSince =
"1.4")
@ExperimentalUnsignedTypes
public fun UByteArray.contentHashCode(): Int {
    return
this.contentHashCode()
}

/**
 * Returns a hash code based on the contents of this array as if it is [List].
 */
@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
@SinceKotlin("1.3")
@DeprecatedSinceKotlin(hiddenSince =
"1.4")
@ExperimentalUnsignedTypes
public fun UShortArray.contentHashCode(): Int {
    return
this.contentHashCode()
}

/**
 * Returns a hash code based on the contents of this array as if it is [List].
 */
@Deprecated("Use Kotlin compiler 1.4 to avoid deprecation
warning.")
@SinceKotlin("1.3")
@DeprecatedSinceKotlin(hiddenSince =
"1.4")
@ExperimentalUnsignedTypes
public fun UShortArray.contentHashCode(): Int {
    return
this.contentHashCode()
}

```



specify the subrange so that it overlaps with the destination range.\n \* \n \* @param destination the array to copy to.\n \* @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n \* @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n \* @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n \* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n \* or when that index is out of the [destination] array indices range.\n \* \n \* @return the [destination] array.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.copyInto(destination: UIntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):  
UIntArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return  
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the  
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the  
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,  
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of  
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the  
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is  
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.copyInto(destination: ULongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):  
ULongArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return  
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the  
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the  
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,  
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of  
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the  
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is  
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.copyInto(destination: UByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):  
UByteArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return  
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the  
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the  
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,  
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of  
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the  
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is  
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyInto(destination: UShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =  
size): UShortArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return  
destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
```

```

samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOfOf(): UIntArray {\n    return UIntArray(storage.copyOfOf())\n}\n\n/**\n * Returns new array which is
a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOfOf(): ULongArray {\n    return ULongArray(storage.copyOfOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyOfOf(): UByteArray {\n    return UByteArray(storage.copyOfOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyOfOf(): UShortArray {\n    return UShortArray(storage.copyOfOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at
the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array
is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the
copy array are filled with zero values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOfOf(newSize: Int): UIntArray {\n    return UIntArray(storage.copyOfOf(newSize))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOfOf(newSize: Int): ULongArray {\n    return ULongArray(storage.copyOfOf(newSize))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyOfOf(newSize: Int): UByteArray {\n    return UByteArray(storage.copyOfOf(newSize))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyOfOf(newSize: Int): UShortArray {\n    return UShortArray(storage.copyOfOf(newSize))\n}\n\n/**\n *
Returns a new array which is a copy of the specified range of the original array.\n * \n * @param fromIndex the start
of the range (inclusive) to copy.\n * @param toIndex the end of the range (exclusive) to copy.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOfOfRange(fromIndex: Int, toIndex: Int): UIntArray {\n    return
UIntArray(storage.copyOfOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n *
@param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

ULongArray.copyOfRange(fromIndex: Int, toIndex: Int): ULongArray {\n  return
ULongArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n *
@param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyOfRange(fromIndex: Int, toIndex: Int): UByteArray {\n  return
UByteArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the
specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive) to copy.\n *
@param toIndex the end of the range (exclusive) to copy.\n * \n * @throws IndexOutOfBoundsException if
[fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyOfRange(fromIndex: Int, toIndex: Int): UShortArray {\n  return
UShortArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the
specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to fill, 0 by default.\n *
@param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n * @throws
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n *
@throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.fill(element: UInt, fromIndex:
Int = 0, toIndex: Int = size): Unit {\n  storage.fill(element.toInt(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array
or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive) to
fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this
array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.fill(element: ULong,
fromIndex: Int = 0, toIndex: Int = size): Unit {\n  storage.fill(element.toLong(), fromIndex, toIndex)\n}\n\n/**\n *
Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range
(inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.fill(element: UByte,
fromIndex: Int = 0, toIndex: Int = size): Unit {\n  storage.fill(element.toByte(), fromIndex, toIndex)\n}\n\n/**\n *
Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range
(inclusive) to fill, 0 by default.\n * @param toIndex the end of the range (exclusive) to fill, size of this array by
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than
the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.fill(element: UShort,
fromIndex: Int = 0, toIndex: Int = size): Unit {\n  storage.fill(element.toShort(), fromIndex, toIndex)\n}\n\n/**\n *
Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.indices: IntRange\n  get()
= storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.indices: IntRange\n
get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.indices: IntRange\n
get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.indices: IntRange\n

```

```

get() = storage.indices\n\n**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.lastIndex: Int\n get() =
storage.lastIndex\n\n**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.lastIndex: Int\n get() =
storage.lastIndex\n\n**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.lastIndex: Int\n get() =
storage.lastIndex\n\n**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.lastIndex: Int\n get() =
storage.lastIndex\n\n**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UIntArray.plus(element: UInt): UIntArray {\n return UIntArray(storage +
element.toInt())\n}\n\n**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun ULongArray.plus(element: ULong): ULongArray {\n return ULongArray(storage +
element.toLong())\n}\n\n**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UByteArray.plus(element: UByte): UByteArray {\n return UByteArray(storage +
element.toByte())\n}\n\n**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UShortArray.plus(element: UShort): UShortArray {\n return UShortArray(storage +
element.toShort())\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun UIntArray.plus(elements: Collection<UInt>): UIntArray {\n var index = size\n val result =
storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toInt()\n return
UIntArray(result)\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun ULongArray.plus(elements: Collection<ULong>): ULongArray {\n var index = size\n val result =
storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toLong()\n return
ULongArray(result)\n}\n\n**\n * Returns an array containing all elements of the original array and then all
elements of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
operator fun UByteArray.plus(elements: Collection<UByte>): UByteArray {\n var index = size\n val result =
storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toByte()\n return
UByteArray(result)\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun UShortArray.plus(elements: Collection<UShort>): UShortArray {\n var index = size\n val result =
storage.copyOf(size + elements.size)\n for (element in elements) result[index++] = element.toShort()\n return
UShortArray(result)\n}\n\n**\n * Returns an array containing all elements of the original array and then all
elements of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UIntArray.plus(elements: UIntArray): UIntArray {\n return UIntArray(storage + elements.storage)\n}\n\n**\n *
Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
ULongArray.plus(elements: ULongArray): ULongArray {\n return ULongArray(storage +
elements.storage)\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
UByteArray.plus(elements: UByteArray): UByteArray {\n return UByteArray(storage +
elements.storage)\n}\n\n**\n * Returns an array containing all elements of the original array and then all elements

```

of the given [elements] array.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun  
UShortArray.plus(elements: UShortArray): UShortArray {\n    return UShortArray(storage +  
elements.storage)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
```

```
samples.collections.Arrays.Sorting.sortArray\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic  
fun UIntArray.sort(): Unit {\n    if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n *  
@sample samples.collections.Arrays.Sorting.sortArray\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(): Unit {\n    if (size > 1)  
sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
```

```
samples.collections.Arrays.Sorting.sortArray\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic  
fun UByteArray.sort(): Unit {\n    if (size > 1) sortArray(this, 0, size)\n}\n\n/**\n * Sorts the array in-place.\n * \n *  
@sample samples.collections.Arrays.Sorting.sortArray\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(): Unit {\n    if (size > 1)  
sortArray(this, 0, size)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the  
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array  
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater  
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *  
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sort(fromIndex: Int = 0, toIndex:  
Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArray(this, fromIndex,  
toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the range  
(inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array by  
default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than  
the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *  
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sort(fromIndex: Int = 0,  
toIndex: Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArray(this,  
fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the  
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array  
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater  
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *  
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sort(fromIndex: Int = 0,  
toIndex: Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArray(this,  
fromIndex, toIndex)\n}\n\n/**\n * Sorts a range in the array in-place.\n * \n * @param fromIndex the start of the  
range (inclusive) to sort, 0 by default.\n * @param toIndex the end of the range (exclusive) to sort, size of this array  
by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater  
than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n * \n *  
@sample samples.collections.Arrays.Sorting.sortRangeOfArray\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sort(fromIndex: Int = 0,  
toIndex: Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    sortArray(this,  
fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of the array in the specified range in-place.\n * The elements are  
sorted descending according to their natural sort order.\n * \n * @param fromIndex the start of the range (inclusive)  
to sort.\n * @param toIndex the end of the range (exclusive) to sort.\n * \n * @throws IndexOutOfBoundsException  
if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws  
IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortDescending(fromIndex: Int,  
toIndex: Int): Unit {\n    sort(fromIndex, toIndex)\n    reverse(fromIndex, toIndex)\n}\n\n/**\n * Sorts elements of
```

the array in the specified range in-place. The elements are sorted descending according to their natural sort order.

`@param fromIndex` the start of the range (inclusive) to sort.

`@param toIndex` the end of the range (exclusive) to sort.

`@throws IndexOutOfBoundsException` if `[fromIndex]` is less than zero or `[toIndex]` is greater than the size of this array.

`@throws IllegalArgumentException` if `[fromIndex]` is greater than `[toIndex]`.

```

*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesnpublic fun ULongArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {n    sort(fromIndex, toIndex)n    reverse(fromIndex, toIndex)n}n/n/**n * Sorts elements of the array in the specified range in-place. The elements are sorted descending according to their natural sort order.n * n * @param fromIndex the start of the range (inclusive) to sort.n * @param toIndex the end of the range (exclusive) to sort.n * n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].n
*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesnpublic fun UByteArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {n    sort(fromIndex, toIndex)n    reverse(fromIndex, toIndex)n}n/n/**n * Sorts elements of the array in the specified range in-place. The elements are sorted descending according to their natural sort order.n * n * @param fromIndex the start of the range (inclusive) to sort.n * @param toIndex the end of the range (exclusive) to sort.n * n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].n
*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesnpublic fun UShortArray.sortDescending(fromIndex: Int, toIndex: Int): Unit {n    sort(fromIndex, toIndex)n    reverse(fromIndex, toIndex)n}n/n/**n * Returns an array of type [ByteArray], which is a copy of this array where each element is a signed reinterpretationn * of the corresponding element of this array.n
*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun UByteArray.toByteArray(): ByteArray {n    return storage.copyOf()n}n/n/**n * Returns an array of type [IntArray], which is a copy of this array where each element is a signed reinterpretationn * of the corresponding element of this array.n
*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun UIntArray.toIntArray(): IntArray {n    return storage.copyOf()n}n/n/**n * Returns an array of type [LongArray], which is a copy of this array where each element is a signed reinterpretationn * of the corresponding element of this array.n
*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun ULongArray.toLongArray(): LongArray {n    return storage.copyOf()n}n/n/**n * Returns an array of type [ShortArray], which is a copy of this array where each element is a signed reinterpretationn * of the corresponding element of this array.n
*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun UShortArray.toShortArray(): ShortArray {n    return storage.copyOf()n}n/n/**n * Returns a *typed* object array containing all of the elements of this primitive array.n
*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesnpublic fun UIntArray.toTypedArray(): Array<UInt> {n    return Array(size) { index -> this[index] }n}n/n/**n * Returns a *typed* object array containing all of the elements of this primitive array.n
*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesnpublic fun ULongArray.toTypedArray(): Array<ULong> {n    return Array(size) { index -> this[index] }n}n/n/**n * Returns a *typed* object array containing all of the elements of this primitive array.n
*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesnpublic fun UByteArray.toTypedArray(): Array<UByte> {n    return Array(size) { index -> this[index] }n}n/n/**n * Returns a *typed* object array containing all of the elements of this primitive array.n
*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesnpublic fun UShortArray.toTypedArray(): Array<UShort> {n    return Array(size) { index -> this[index] }n}n/n/**n * Returns an array of UByte containing all of the elements of this generic array.n
*\/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesnpublic fun Array<out UByte>.toByteArray(): UByteArray {n    return UByteArray(size) { index -> this[index] }n}n/n/**n * Returns an array of type [UByteArray], which is a copy of this array where each element is an unsigned reinterpretationn * of the corresponding element of this array.n

```

```

*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.toUByteArray(): UByteArray {\n  return UByteArray(this.copyOf())\n}\n\n/**\n * Returns an array of
UInt containing all of the elements of this generic array.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun Array<out UInt>.toUIntArray(): UIntArray
{\n  return UIntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UIntArray], which is a
copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this
array.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
IntArray.toUIntArray(): UIntArray {\n  return UIntArray(this.copyOf())\n}\n\n/**\n * Returns an array of ULong
containing all of the elements of this generic array.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun Array<out ULong>.toULongArray():
ULongArray {\n  return ULongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type
[ULongArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the
corresponding element of this array.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
LongArray.toULongArray(): ULongArray {\n  return ULongArray(this.copyOf())\n}\n\n/**\n * Returns an array
of UShort containing all of the elements of this generic array.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun Array<out UShort>.toUShortArray():
UShortArray {\n  return UShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type
[UShortArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the
corresponding element of this array.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.toUShortArray(): UShortArray {\n  return UShortArray(this.copyOf())\n}\n\n/**\n * Returns a [Map]
where keys are elements from the given array and values are\n * produced by the [valueSelector] function applied to
each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map
preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*^@SinceKotlin("1.4")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <V>
UIntArray.associateWith(valueSelector: (UInt) -> V): Map<UInt, V> {\n  val result = LinkedHashMap<UInt,
V>(mapCapacity(size).coerceAtLeast(16))\n  return associateWithTo(result, valueSelector)\n}\n\n/**\n * Returns a
[Map] where keys are elements from the given array and values are\n * produced by the [valueSelector] function
applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n
*^@SinceKotlin("1.4")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <V>
ULongArray.associateWith(valueSelector: (ULong) -> V): Map<ULong, V> {\n  val result =
LinkedHashMap<ULong, V>(mapCapacity(size).coerceAtLeast(16))\n  return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last
one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n *
\n * @sample samples.collections.Collections.Transformations.associateWith\n
*^@SinceKotlin("1.4")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <V>
UByteArray.associateWith(valueSelector: (UByte) -> V): Map<UByte, V> {\n  val result =
LinkedHashMap<UByte, V>(mapCapacity(size).coerceAtLeast(16))\n  return associateWithTo(result,
valueSelector)\n}\n\n/**\n * Returns a [Map] where keys are elements from the given array and values are\n *
produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last
one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original array.\n *
\n * @sample samples.collections.Collections.Transformations.associateWith\n
*^@SinceKotlin("1.4")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <V>

```

```

UShortArray.associateWith(valueSelector: (UShort) -> V): Map<UShort, V> {
    val result =
    LinkedHashMap<UShort, V>(mapCapacity(size).coerceAtLeast(16))
    return associateWithTo(result,
    valueSelector)
}

Populates and returns the [destination] mutable map with key-value pairs for each
element of the given array, where key is the element itself and value is provided by the [valueSelector] function
applied to that key. If any two elements are equal, the last one overwrites the former value in the map.
@sample samples.collections.Collections.Transformations.associateWithTo

@SinceKotlin("1.4")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <V, M :
MutableMap<in UInt, in V>> UIntArray.associateWithTo(destination: M, valueSelector: (UInt) -> V): M {
    for
    (element in this) {
        destination.put(element, valueSelector(element))
    }
    return destination
}

Populates and returns the [destination] mutable map with key-value pairs for each element of the given array,
where key is the element itself and value is provided by the [valueSelector] function applied to that key.
If any two elements are equal, the last one overwrites the former value in the map.
@sample
samples.collections.Collections.Transformations.associateWithTo

@SinceKotlin("1.4")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <V, M :
MutableMap<in ULong, in V>> ULongArray.associateWithTo(destination: M, valueSelector: (ULong) -> V): M {
    for
    (element in this) {
        destination.put(element, valueSelector(element))
    }
    return
    destination
}

Populates and returns the [destination] mutable map with key-value pairs for each element
of the given array, where key is the element itself and value is provided by the [valueSelector] function applied
to that key. If any two elements are equal, the last one overwrites the former value in the map.
@sample samples.collections.Collections.Transformations.associateWithTo

@SinceKotlin("1.4")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <V, M :
MutableMap<in UByte, in V>> UByteArray.associateWithTo(destination: M, valueSelector: (UByte) -> V): M {
    for
    (element in this) {
        destination.put(element, valueSelector(element))
    }
    return
    destination
}

Populates and returns the [destination] mutable map with key-value pairs for each element
of the given array, where key is the element itself and value is provided by the [valueSelector] function applied
to that key. If any two elements are equal, the last one overwrites the former value in the map.
@sample samples.collections.Collections.Transformations.associateWithTo

@SinceKotlin("1.4")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <V, M :
MutableMap<in UShort, in V>> UShortArray.associateWithTo(destination: M, valueSelector: (UShort) -> V): M {
    for
    (element in this) {
        destination.put(element, valueSelector(element))
    }
    return
    destination
}

Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.
@sample
samples.collections.Collections.Transformations.flatMap

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R>
UIntArray.flatMap(transform: (UInt) -> Iterable<R>): List<R> {
    return flatMapTo(ArrayList<R>(),
    transform)
}

Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.
@sample
samples.collections.Collections.Transformations.flatMap

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R>
ULongArray.flatMap(transform: (ULong) -> Iterable<R>): List<R> {
    return flatMapTo(ArrayList<R>(),
    transform)
}

Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.
@sample
samples.collections.Collections.Transformations.flatMap

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R>
UByteArray.flatMap(transform: (UByte) -> Iterable<R>): List<R> {
    return flatMapTo(ArrayList<R>(),
    transform)
}

Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.
@sample
samples.collections.Collections.Transformations.flatMap

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.flatMap(transform: (UShort) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element\n * and its index in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.flatMapIndexed(transform: (index: Int, UInt) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.flatMapIndexed(transform: (index: Int, ULong) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.flatMapIndexed(transform: (index: Int, UByte) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from
results of [transform] function being invoked on each element\n * and its index in the original array.\n * \n *
@sample samples.collections.Collections.Transformations.flatMapIndexed\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.flatMapIndexed(transform: (index: Int, UShort) -> Iterable<R>): List<R> {\n  return
flatMapIndexedTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.flatMapIndexedTo(destination: C, transform: (index: Int, UInt) ->
Iterable<R>): C {\n  var index = 0\n  for (element in this) {\n    val list = transform(index++, element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.flatMapIndexedTo(destination: C, transform: (index: Int, ULong) ->
Iterable<R>): C {\n  var index = 0\n  for (element in this) {\n    val list = transform(index++, element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of
[transform] function being invoked on each element\n * and its index in the original array, to the given
[destination].\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.flatMapIndexedTo(destination: C, transform: (index: Int, UByte) ->
Iterable<R>): C {\n  var index = 0\n  for (element in this) {\n    val list = transform(index++, element)\n
destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Appends all elements yielded from results of

```

[transform] function being invoked on each element\n \* and its index in the original array, to the given [destination].\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.flatMapIndexedTo(destination: C, transform: (index: Int, UShort) -> Iterable<R>): C {\n    var index = 0\n    for (element in this) {\n        val list = transform(index++, element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UIntArray.flatMapTo(destination: C, transform: (UInt) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> ULongArray.flatMapTo(destination: C, transform: (ULong) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UByteArray.flatMapTo(destination: C, transform: (UByte) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each element of original array, to the given [destination].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C : MutableCollection<in R>> UShortArray.flatMapTo(destination: C, transform: (UShort) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> UIntArray.groupBy(keySelector: (UInt) -> K): Map<K, List<UInt>> {\n    return groupByTo(LinkedHashMap<K, MutableList<UInt>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> ULongArray.groupBy(keySelector: (ULong) -> K): Map<K, List<ULong>> {\n    return groupByTo(LinkedHashMap<K, MutableList<ULong>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K> UByteArray.groupBy(keySelector: (UByte) -> K): Map<K, List<UByte>> {\n    return groupByTo(LinkedHashMap<K, MutableList<UByte>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
```

```

entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UShortArray.groupBy(keySelector: (UShort) -> K): Map<K, List<UShort>> {\n return
groupByTo(LinkedHashMap<K, MutableList<UShort>>(), keySelector)\n}\n\n/**\n * Groups values returned by
the [valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of
corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UIntArray.groupBy(keySelector: (UInt) -> K, valueTransform: (UInt) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
ULongArray.groupBy(keySelector: (ULong) -> K, valueTransform: (ULong) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UByteArray.groupBy(keySelector: (UByte) -> K, valueTransform: (UByte) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UShortArray.groupBy(keySelector: (UShort) -> K, valueTransform: (UShort) -> V): Map<K, List<V>> {\n return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<UInt>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K): M {\n
for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) {
ArrayList<UInt>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<ULong>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K):

```

```

M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) {
ArrayList<ULong>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<UByte>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K):
M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) {
ArrayList<UByte>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<UShort>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K):
M {\n for (element in this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) {
ArrayList<UShort>() }\n list.add(element)\n }\n return destination\n}\n\n/**\n * Groups values returned by
the [valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K,
valueTransform: (UInt) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =
destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K,
valueTransform: (ULong) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list
= destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K,
valueTransform: (UByte) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list
= destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K,
valueTransform: (UShort) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list
= destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return

```

destination\n}\n\n/\*\*\n \* Returns a list containing the results of applying the given [transform] function\n \* to each element in the original array.\n \* \n \* @sample samples.collections.Collections.Transformations.map\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.map(transform: (UInt) -> R): List<R> {\n    return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to each element in the original
array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.map(transform: (ULong) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.map(transform: (UByte) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.map(transform: (UShort) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element and its index in the original array.\n * @param [transform] function that takes the index of an element and
the element itself\n * and returns the result of the transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.mapIndexed(transform: (index: Int, UInt) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> ULongArray.mapIndexed(transform: (index: Int, ULong) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UByteArray.mapIndexed(transform: (index: Int, UByte) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UShortArray.mapIndexed(transform: (index: Int, UShort) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original array\n * and appends the results to the given [destination].\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the
transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.mapIndexedTo(destination: C, transform: (index: Int, UInt) -> R): C {\n    var
index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n *
Applies the given [transform] function to each element and its index in the original array\n * and appends the results
to the given [destination].\n * @param [transform] function that takes the index of an element and the element
itself\n * and returns the result of the transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.mapIndexedTo(destination: C, transform: (index: Int, ULong) -> R): C {\n

```

```

var index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return
destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an
element and the element itself\n * and returns the result of the transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.mapIndexedTo(destination: C, transform: (index: Int, UByte) -> R): C {\n
var index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return
destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an
element and the element itself\n * and returns the result of the transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.mapIndexedTo(destination: C, transform: (index: Int, UShort) -> R): C {\n
var index = 0\n  for (item in this)\n    destination.add(transform(index++, item))\n  return
destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and
appends the results to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.mapTo(destination: C, transform: (UInt) -> R): C {\n  for (item in this)\n
destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.mapTo(destination: C, transform: (ULong) -> R): C {\n  for (item in
this)\n  destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform]
function to each element of the original array\n * and appends the results to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.mapTo(destination: C, transform: (UByte) -> R): C {\n  for (item in this)\n
destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.mapTo(destination: C, transform: (UShort) -> R): C {\n  for (item in
this)\n  destination.add(transform(item))\n  return destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps
each element of the original array\n * into an [IndexedValue] containing the index of that element and the element
itself.\n * @SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.withIndex():
Iterable<IndexedValue<UInt>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the
element itself.\n * @SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.withIndex():
Iterable<IndexedValue<ULong>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the
element itself.\n * @SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.withIndex():
Iterable<IndexedValue<UByte>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a lazy [Iterable]
that wraps each element of the original array\n * into an [IndexedValue] containing the index of that element and the
element itself.\n * @SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.withIndex():
Iterable<IndexedValue<UShort>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns `true` if all
elements match the given [predicate].\n * @sample samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.all(predicate: (UInt) -> Boolean): Boolean {\n  for (element in this) if (!predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * @sample
samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

ULongArray.all(predicate: (ULong) -> Boolean): Boolean {
    for (element in this) if (!predicate(element)) return false
    return true
}
Returns `true` if all elements match the given [predicate].
@sample samples.collections.Collections.Aggregates.all

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UByteArray.all(predicate: (UByte) -> Boolean): Boolean {
    for (element in this) if (!predicate(element)) return false
    return true
}
Returns `true` if all elements match the given [predicate].
@sample samples.collections.Collections.Aggregates.all

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UShortArray.all(predicate: (UShort) -> Boolean): Boolean {
    for (element in this) if (!predicate(element)) return false
    return true
}
Returns `true` if array has at least one element.
@sample samples.collections.Collections.Aggregates.any

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UIntArray.any(): Boolean {
    return storage.any()
}
Returns `true` if array has at least one element.
@sample samples.collections.Collections.Aggregates.any

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
ULongArray.any(): Boolean {
    return storage.any()
}
Returns `true` if array has at least one element.
@sample samples.collections.Collections.Aggregates.any

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UByteArray.any(): Boolean {
    return storage.any()
}
Returns `true` if array has at least one element.
@sample samples.collections.Collections.Aggregates.any

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UShortArray.any(): Boolean {
    return storage.any()
}
Returns `true` if at least one element matches the given [predicate].
@sample samples.collections.Collections.Aggregates.anyWithPredicate

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UIntArray.any(predicate: (UInt) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}
Returns `true` if at least one element matches the given [predicate].
@sample samples.collections.Collections.Aggregates.anyWithPredicate

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
ULongArray.any(predicate: (ULong) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}
Returns `true` if at least one element matches the given [predicate].
@sample samples.collections.Collections.Aggregates.anyWithPredicate

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UByteArray.any(predicate: (UByte) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}
Returns `true` if at least one element matches the given [predicate].
@sample samples.collections.Collections.Aggregates.anyWithPredicate

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UShortArray.any(predicate: (UShort) -> Boolean): Boolean {
    for (element in this) if (predicate(element)) return true
    return false
}
Returns the number of elements matching the given [predicate].

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UIntArray.count(predicate: (UInt) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) ++count
    return count
}
Returns the number of elements matching the given [predicate].

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
ULongArray.count(predicate: (ULong) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) ++count
    return count
}
Returns the number of elements matching the given [predicate].

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UByteArray.count(predicate: (UByte) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) ++count
    return count
}
Returns the number of elements matching the given [predicate].

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public

```

```

inline fun UShortArray.count(predicate: (UShort) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) ++count
    return count
}

/** Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element. Returns the specified [initial] value if the array is empty.
 * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R> UIntArray.fold(initial: R, operation: (acc: R, UInt) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

/** Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element. Returns the specified [initial] value if the array is empty.
 * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R> ULongArray.fold(initial: R, operation: (acc: R, ULong) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

/** Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element. Returns the specified [initial] value if the array is empty.
 * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R> UByteArray.fold(initial: R, operation: (acc: R, UByte) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

/** Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Returns the specified [initial] value if the array is empty.
 * @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.
 */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R> UShortArray.foldIndexed(initial: R, operation: (acc: R, UShort) -> R): R {
    var accumulator = initial
    for (element in this) accumulator = operation(accumulator, element)
    return accumulator
}

/** Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Returns the specified [initial] value if the array is empty.
 * @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.
 */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R> UIntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}

/** Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator value and each element with its index in the original array. Returns the specified [initial] value if the array is empty.
 * @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.
 */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun <R> ULongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++, accumulator, element)
    return accumulator
}

/** Accumulates value starting with [initial] value and applying [operation] from left to

```

```

right\n * to current accumulator value and each element with its index in the original array.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <R>
UShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): R {\n   var index = 0\n   var
accumulator = initial\n   for (element in this) accumulator = operation(index++, accumulator, element)\n   return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the
next accumulator value.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <R>
UIntArray.foldRight(initial: R, operation: (UInt, acc: R) -> R): R {\n   var index = lastIndex\n   var accumulator =
initial\n   while (index >= 0) {\n     accumulator = operation(get(index--), accumulator)\n   }\n   return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the
next accumulator value.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <R>
ULongArray.foldRight(initial: R, operation: (ULong, acc: R) -> R): R {\n   var index = lastIndex\n   var
accumulator = initial\n   while (index >= 0) {\n     accumulator = operation(get(index--), accumulator)\n   }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the
next accumulator value.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <R>
UByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R {\n   var index = lastIndex\n   var
accumulator = initial\n   while (index >= 0) {\n     accumulator = operation(get(index--), accumulator)\n   }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left\n * to each element and current accumulator value.\n * \n * Returns the specified [initial] value if the array is
empty.\n * \n * @param [operation] function that takes an element and current accumulator value, and calculates the
next accumulator value.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <R>
UShortArray.foldRight(initial: R, operation: (UShort, acc: R) -> R): R {\n   var index = lastIndex\n   var
accumulator = initial\n   while (index >= 0) {\n     accumulator = operation(get(index--), accumulator)\n   }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the
specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an
element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <R>
UIntArray.foldRightIndexed(initial: R, operation: (index: Int, UInt, acc: R) -> R): R {\n   var index = lastIndex\n
var accumulator = initial\n   while (index >= 0) {\n     accumulator = operation(index, get(index), accumulator)\n
--index\n   }\n   return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n
*\n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the
index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator
value.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
<R> ULongArray.foldRightIndexed(initial: R, operation: (index: Int, ULong, acc: R) -> R): R {\n   var index =
lastIndex\n   var accumulator = initial\n   while (index >= 0) {\n     accumulator = operation(index, get(index),

```

accumulator)\n --index\n }\n return accumulator\n}\n\n/\*\*\n \* Accumulates value starting with [initial] value and applying [operation] from right to left\n \* to each element with its index in the original array and current accumulator value.\n \* \n \* Returns the specified [initial] value if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, the element itself\n \* and current accumulator value, and calculates the next accumulator value.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUByteArray.foldRightIndexed(initial: R, operation: (index: Int, UByte, acc: R) -> R): R {\n    var index =\n    lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index),\n        accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n * Returns the specified [initial] value if the array is empty.\n * \n * @param [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nUShortArray.foldRightIndexed(initial: R, operation: (index: Int, UShort, acc: R) -> R): R {\n    var index =\n    lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(index, get(index),\n        accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Performs the given [action] on each element.\n * \n * @param [action] function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.forEach(action: (UInt) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.forEach(action: (UByte) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.forEach(action: (UShort) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * \n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): Unit {\n    var index = 0\n    for (item in this)\n    action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * \n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): Unit {\n    var index = 0\n    for (item in this)\n    action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * \n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): Unit {\n    var index = 0\n    for (item in this)\n    action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * \n * @param [action] function that takes the index of an element and the element itself\n * and performs the action on the element.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): Unit {\n    var index = 0\n    for (item in this)\n    action(index++, item)\n}\n\n@Deprecated("Use maxOrNull instead.")\n
```

```

ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.max():
UInt? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.max():
ULong? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.max():
UByte? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxOrNull instead.\",
ReplaceWith("this.maxOrNull()")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.max():
UShort? {\n    return maxOrNull()\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UIntArray.maxBy(selector: (UInt) -> R): UInt? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> ULongArray.maxBy(selector: (ULong) -> R): ULong? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UByteArray.maxBy(selector: (UByte) -> R): UByte? {\n    return
maxByOrNull(selector)\n}\n\n@Deprecated("Use maxByOrNull instead.\",
ReplaceWith("this.maxByOrNull(selector)")\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince =
"1.5", hiddenSince =
"1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UShortArray.maxBy(selector: (UShort) -> R): UShort? {\n    return
maxByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxByOrNull\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxByOrNull(selector: (UInt) -> R): UInt? {\n    if (isEmpty()) return null\n    var
maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue =
selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v)
{\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxByOrNull(selector: (ULong) -> R): ULong? {\n    if (isEmpty()) return null\n
var maxElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return maxElem\n    var maxValue =
selector(maxElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (maxValue < v)
{\n            maxElem = e\n            maxValue = v\n        }\n    }\n    return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxByOrNull\n
*/\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :

```

```
Comparable<R>> UByteArray.maxByOrNull(selector: (UByte) -> R): UByte? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
```

\* Returns the first element yielding the largest value of the given function or `null` if there are no elements.

@sample  
samples.collections.Collections.Aggregates.maxByOrNull

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxByOrNull(selector: (UShort) -> R): UShort? {
    if (isEmpty()) return null
    var maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue = selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v) {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
```

\* Returns the largest value among all values produced by [selector] function applied to each element in the array.

\* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@throws  
NoSuchElementException if the array is empty.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.maxOf(selector: (UInt) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
```

\* Returns the largest value among all values produced by [selector] function applied to each element in the array.

\* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@throws  
NoSuchElementException if the array is empty.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.maxOf(selector: (ULong) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
```

\* Returns the largest value among all values produced by [selector] function applied to each element in the array.

\* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@throws  
NoSuchElementException if the array is empty.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.maxOf(selector: (UByte) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
```

\* Returns the largest value among all values produced by [selector] function applied to each element in the array.

\* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@throws  
NoSuchElementException if the array is empty.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.maxOf(selector: (UShort) -> Double): Double {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
```

\* Returns the largest value among all values produced by [selector] function applied to each element in the array.

\* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.

@throws  
NoSuchElementException if the array is empty.

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.maxOf(selector: (UInt) -> Float): Float {
    if (isEmpty()) throw NoSuchElementException()
    var maxValue = selector(this[0])
    for (i in 1..lastIndex) {
        val v = selector(this[i])
        maxValue = maxOf(maxValue, v)
    }
    return maxValue
}
```

\* Returns the largest value among all values produced

```

by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.maxOf(selector: (ULong) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n
var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue =
maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.maxOf(selector: (UByte) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var
maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue =
maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.maxOf(selector: (UShort) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n
var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue =
maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxOf(selector: (UInt) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxOf(selector: (ULong) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.maxOf(selector: (UByte) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.maxOf(selector: (UShort) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =

```

`selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n } return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n`

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.maxOrNull(selector: (UInt) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.maxOrNull(selector: (ULong) -> Double): Double? {\n    if (isEmpty()) return null\n    var\n    maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue =\n        maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced\n * by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of\n * values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUByteArray.maxOrNull(selector: (UByte) -> Double): Double? {\n    if (isEmpty()) return null\n    var maxValue\n    = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue,\n        v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector]\n * function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced\n * by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.maxOrNull(selector: (UShort) -> Double): Double? {\n    if (isEmpty()) return null\n    var\n    maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue =\n        maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced\n * by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of\n * values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUIntArray.maxOrNull(selector: (UInt) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]\n * function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nULongArray.maxOrNull(selector: (ULong) -> Float): Float? {\n    if (isEmpty()) return null\n    var maxValue =\n    selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        maxValue = maxOf(maxValue, v)\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector]\n * function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

UByteArray.maxOrNull(selector: (UByte) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/\*\*\n \* Returns the largest value among all values produced by [selector] function\n \* applied to each element in the array or `null` if there are no elements.\n \* \n \* If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun\nUShortArray.maxOrNull(selector: (UShort) -> Float): Float? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n maxValue = maxOf(maxValue, v)\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UIntArray.maxOrNull(selector: (UInt) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> ULongArray.maxOrNull(selector: (ULong) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UByteArray.maxOrNull(selector: (UByte) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.maxOrNull(selector: (UShort) -> R): R? {\n if (isEmpty()) return null\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (maxValue < v) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.maxOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n if (comparator.compare(maxValue, v) < 0) {\n maxValue = v\n }\n }\n return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.maxOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n if (isEmpty()) throw NoSuchElementException()\n var maxValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
```

```

selector(this[i])\n    if (comparator.compare(maxValue, v) < 0) {\n        maxValue = v\n    }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.maxOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.maxOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n    if (isEmpty()) throw
NoSuchElementException()\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v =
selector(this[i])\n        if (comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return
maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UInt) -> R): R? {\n    if (isEmpty()) return
null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\n    if (isEmpty())
return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {\n    if (isEmpty())
return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.maxOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {\n    if (isEmpty())
return null\n    var maxValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        if
(comparator.compare(maxValue, v) < 0) {\n            maxValue = v\n        }\n    }\n    return maxValue\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxOrNull(): UInt? {\n    if
(isEmpty()) return null\n    var max = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (max < e) max

```

```

= e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxOrNull(): ULong? {\n if
(isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max
= e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxOrNull(): UByte? {\n if
(isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max
= e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxOrNull(): UShort? {\n if
(isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max
= e\n }\n return max\n}\n\n@Deprecated("Use maxWithOrNull instead."),
ReplaceWith("this.maxWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.maxWith(comparator: Comparator<in UInt>): UInt? {\n return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead."),
ReplaceWith("this.maxWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.maxWith(comparator: Comparator<in ULong>): ULong? {\n return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead."),
ReplaceWith("this.maxWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.maxWith(comparator: Comparator<in UByte>): UByte? {\n return
maxWithOrNull(comparator)\n}\n\n@Deprecated("Use maxWithOrNull instead."),
ReplaceWith("this.maxWithOrNull(comparator)")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince
= "1.5", hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.maxWith(comparator: Comparator<in UShort>): UShort? {\n return
maxWithOrNull(comparator)\n}\n\n/**\n * Returns the first element having the largest value according to the
provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.maxWithOrNull(comparator:
Comparator<in UInt>): UInt? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.maxWithOrNull(comparator:
Comparator<in ULong>): ULong? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.maxWithOrNull(comparator:
Comparator<in UByte>): UByte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return max\n}\n\n/**\n * Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.maxWithOrNull(comparator:
Comparator<in UShort>): UShort? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n return
max\n}\n\n@Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.min(): UInt?
{\n return minOrNull()\n}\n\n@Deprecated("Use minOrNull instead."),
ReplaceWith("this.minOrNull()")\n)\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5",
hiddenSince = "1.6")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.min():

```

```

ULong? {\n  return minOrNull()\n}\n\n@Deprecated(\\"Use minOrNull instead.\",
ReplaceWith(\\"this.minOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince = \\"1.5\",
hiddenSince = \\"1.6\")\n@SinceKotlin(\\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.min():
UByte? {\n  return minOrNull()\n}\n\n@Deprecated(\\"Use minOrNull instead.\",
ReplaceWith(\\"this.minOrNull()\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince = \\"1.5\",
hiddenSince = \\"1.6\")\n@SinceKotlin(\\"1.3\")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.min():
UShort? {\n  return minOrNull()\n}\n\n@Deprecated(\\"Use minByOrNull instead.\",
ReplaceWith(\\"this.minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince =
\\"1.5\", hiddenSince =
\\"1.6\")\n@SinceKotlin(\\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UIntArray.minBy(selector: (UInt) -> R): UInt? {\n  return
minByOrNull(selector)\n}\n\n@Deprecated(\\"Use minByOrNull instead.\",
ReplaceWith(\\"this.minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince =
\\"1.5\", hiddenSince =
\\"1.6\")\n@SinceKotlin(\\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> ULongArray.minBy(selector: (ULong) -> R): ULong? {\n  return
minByOrNull(selector)\n}\n\n@Deprecated(\\"Use minByOrNull instead.\",
ReplaceWith(\\"this.minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince =
\\"1.5\", hiddenSince =
\\"1.6\")\n@SinceKotlin(\\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UByteArray.minBy(selector: (UByte) -> R): UByte? {\n  return
minByOrNull(selector)\n}\n\n@Deprecated(\\"Use minByOrNull instead.\",
ReplaceWith(\\"this.minByOrNull(selector)\")\n)\n@DeprecatedSinceKotlin(warningSince = \\"1.4\", errorSince =
\\"1.5\", hiddenSince =
\\"1.6\")\n@SinceKotlin(\\"1.3\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
<R : Comparable<R>> UShortArray.minBy(selector: (UShort) -> R): UShort? {\n  return
minByOrNull(selector)\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin(\\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.minByOrNull(selector: (UInt) -> R): UInt? {\n  if (isEmpty()) return null\n  var
minElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return minElem\n  var minValue =
selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v)
{\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin(\\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.minByOrNull(selector: (ULong) -> R): ULong? {\n  if (isEmpty()) return null\n
var minElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return minElem\n  var minValue =
selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v)
{\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n
*\n@SinceKotlin(\\"1.4\")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.minByOrNull(selector: (UByte) -> R): UByte? {\n  if (isEmpty()) return null\n
var minElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return minElem\n  var minValue =
selector(minElem)\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (minValue > v)
{\n      minElem = e\n      minValue = v\n    }\n  }\n  return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minByOrNull\n

```

samples.collections.Collections.Aggregates.minByOrNull

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R : Comparable<R>> UShortArray.minByOrNull(selector: (UShort) -> R): UShort? {\n    if (isEmpty()) return null\n    var minElem = this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue = selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.minOf(selector: (UInt) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.minOf(selector: (ULong) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.minOf(selector: (UByte) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.minOf(selector: (UShort) -> Double): Double {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.minOf(selector: (UInt) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue = minOf(minValue, v)\n    }\n    return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array.\n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n * @throws NoSuchElementException if the array is empty.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolutionByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.minOf(selector: (ULong) -> Float): Float {\n    if (isEmpty()) throw NoSuchElementException()\n    var minValue = selector(this[0])\n    for (i in 1..lastIndex) {\n        val v = selector(this[i])\n        minValue =
```

```

minOf(minValue, v)\n } return minValue\n}\n\n**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
UByteArray.minOf(selector: (UByte) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n var
minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue =
minOf(minValue, v)\n }\n return minValue\n}\n\n**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * If any of values produced by [selector]
function is `NaN`, the returned result is `NaN`.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
UShortArray.minOf(selector: (UShort) -> Float): Float {\n if (isEmpty()) throw NoSuchElementException()\n
var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v = selector(this[i])\n minValue =
minOf(minValue, v)\n }\n return minValue\n}\n\n**\n * Returns the smallest value among all values produced
by [selector] function\n * applied to each element in the array.\n * \n * @throws NoSuchElementException if the
array is empty.\n
*\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <R :
Comparable<R>> UIntArray.minOf(selector: (UInt) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n**\n *
Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <R :
Comparable<R>> ULongArray.minOf(selector: (ULong) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n**\n *
Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <R :
Comparable<R>> UByteArray.minOf(selector: (UByte) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n**\n *
Returns the smallest value among all values produced by [selector] function\n * applied to each element in the
array.\n * \n * @throws NoSuchElementException if the array is empty.\n
*\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun <R :
Comparable<R>> UShortArray.minOf(selector: (UShort) -> R): R {\n if (isEmpty()) throw
NoSuchElementException()\n var minValue = selector(this[0])\n for (i in 1..lastIndex) {\n val v =
selector(this[i])\n if (minValue > v) {\n minValue = v\n }\n }\n return minValue\n}\n\n**\n *
Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array
or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned
result is `NaN`.\n
*\n @SinceKotlin("1.4")\n @OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n @OverloadResolution
ByLambdaReturnType\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun

```

```
UIntArray.minOrNull(selector: (UInt) -> Double): Double? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
ULongArray.minOrNull(selector: (ULong) -> Double): Double? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
UByteArray.minOrNull(selector: (UByte) -> Double): Double? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
UShortArray.minOrNull(selector: (UShort) -> Double): Double? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
UIntArray.minOrNull(selector: (UInt) -> Float): Float? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
ULongArray.minOrNull(selector: (ULong) -> Float): Float? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution\nByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
```

```
UByteArray.minOrNull(selector: (UByte) -> Float): Float? {\n  if (isEmpty()) return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n * \n * If any of values produced by [selector] function is `NaN`, the returned result is `NaN`.\n
```

```
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
```

```

ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.minOfOrNull(selector: (UShort) -> Float): Float? {\n  if (isEmpty()) return null\n  var minValue =
selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    minValue = minOf(minValue, v)\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.minOfOrNull(selector: (UInt) -> R): R? {\n  if (isEmpty()) return null\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.minOfOrNull(selector: (ULong) -> R): R? {\n  if (isEmpty()) return null\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.minOfOrNull(selector: (UByte) -> R): R? {\n  if (isEmpty()) return null\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value among all values
produced by [selector] function\n * applied to each element in the array or `null` if there are no elements.\n */\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.minOfOrNull(selector: (UShort) -> R): R? {\n  if (isEmpty()) return null\n  var
minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if (minValue > v) {\n
minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n * Returns the smallest value according to the
provided [comparator]\n * among all values produced by [selector] function applied to each element in the array.\n */\n\n*\n * @throws NoSuchElementException if the array is empty.\n */\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.minOfWith(comparator: Comparator<in R>, selector: (UInt) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n */\n\n*\n * @throws NoSuchElementException if
the array is empty.\n */\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.minOfWith(comparator: Comparator<in R>, selector: (ULong) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n */\n\n*\n * @throws NoSuchElementException if
the array is empty.\n */\n\n*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>

```

```

ByteArray.minOfWith(comparator: Comparator<in R>, selector: (UByte) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array.\n * \n * @throws NoSuchElementException if
the array is empty.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.minOfWith(comparator: Comparator<in R>, selector: (UShort) -> R): R {\n  if (isEmpty()) throw
NoSuchElementException()\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v =
selector(this[i])\n    if (comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return
minValue\n}\n\n/**\n * Returns the smallest value according to the provided [comparator]\n * among all values
produced by [selector] function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UInt) -> R): R? {\n  if (isEmpty()) return
null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (ULong) -> R): R? {\n  if (isEmpty())
return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UByte) -> R): R? {\n  if (isEmpty())
return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest value according to the provided [comparator]\n * among all values produced by [selector]
function applied to each element in the array or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@OverloadResolution
ByLambdaReturnType\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.minOfWithOrNull(comparator: Comparator<in R>, selector: (UShort) -> R): R? {\n  if (isEmpty())
return null\n  var minValue = selector(this[0])\n  for (i in 1..lastIndex) {\n    val v = selector(this[i])\n    if
(comparator.compare(minValue, v) > 0) {\n      minValue = v\n    }\n  }\n  return minValue\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minOrNull(): UInt? {\n  if
(isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min =
e\n  }\n  return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minOrNull(): ULong? {\n  if
(isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min =
e\n  }\n  return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minOrNull(): UByte? {\n  if
(isEmpty()) return null\n  var min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min =

```

```

e\n } \n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n
*\n@\n@SinceKotlin("1.4")\n@\n@ExperimentalUnsignedTypes\n\npublic fun UShortArray.minOrNull(): UShort? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n@\n@Deprecated("Use minWithOrNull instead."),\nReplaceWith("this.minWithOrNull(comparator)")\n@\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\npublic fun UIntArray.minWith(comparator: Comparator<in UInt>): UInt? {\n return minWithOrNull(comparator)\n}\n\n@\n@Deprecated("Use minWithOrNull instead."),\nReplaceWith("this.minWithOrNull(comparator)")\n@\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\npublic fun ULongArray.minWith(comparator: Comparator<in ULong>): ULong? {\n return minWithOrNull(comparator)\n}\n\n@\n@Deprecated("Use minWithOrNull instead."),\nReplaceWith("this.minWithOrNull(comparator)")\n@\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\npublic fun UByteArray.minWith(comparator: Comparator<in UByte>): UByte? {\n return minWithOrNull(comparator)\n}\n\n@\n@Deprecated("Use minWithOrNull instead."),\nReplaceWith("this.minWithOrNull(comparator)")\n@\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.5", hiddenSince = "1.6")\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\npublic fun UShortArray.minWith(comparator: Comparator<in UShort>): UShort? {\n return minWithOrNull(comparator)\n}\n\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@\n@SinceKotlin("1.4")\n@\n@ExperimentalUnsignedTypes\n\npublic fun UIntArray.minWithOrNull(comparator: Comparator<in UInt>): UInt? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@\n@SinceKotlin("1.4")\n@\n@ExperimentalUnsignedTypes\n\npublic fun ULongArray.minWithOrNull(comparator: Comparator<in ULong>): ULong? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@\n@SinceKotlin("1.4")\n@\n@ExperimentalUnsignedTypes\n\npublic fun UByteArray.minWithOrNull(comparator: Comparator<in UByte>): UByte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n
*\n@\n@SinceKotlin("1.4")\n@\n@ExperimentalUnsignedTypes\n\npublic fun UShortArray.minWithOrNull(comparator: Comparator<in UShort>): UShort? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n\n\n\n`true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\n@kotlin.internal.InlineOnly\n\npublic inline fun UIntArray.none(): Boolean {\n return isEmpty()\n}\n\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\n@kotlin.internal.InlineOnly\n\npublic inline fun ULongArray.none(): Boolean {\n return isEmpty()\n}\n\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\n@kotlin.internal.InlineOnly\n\npublic inline fun UByteArray.none(): Boolean {\n return isEmpty()\n}\n\n\n/**\n * Returns `true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n\n@kotlin.internal.InlineOnly\n\npublic inline fun UShortArray.none(): Boolean {\n return isEmpty()\n}\n\n\n\n\n/**\n * Returns `true` if no elements match the given

```

```

[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(predicate: (UInt) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.none(predicate: (ULong) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.none(predicate: (UByte) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
false\n  return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.none(predicate: (UShort) -> Boolean): Boolean {\n  for (element in this) if (predicate(element))
return false\n  return true\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself
afterwards.\n * \n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UIntArray.onEach(action: (UInt) -> Unit): UIntArray {\n  return apply { for (element in this)
action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself
afterwards.\n * \n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.onEach(action: (ULong) -> Unit): ULongArray {\n  return apply { for (element in this)
action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself
afterwards.\n * \n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.onEach(action: (UByte) -> Unit): UByteArray {\n  return apply { for (element in this)
action(element) }\n}\n\n/**\n * Performs the given [action] on each element and returns the array itself
afterwards.\n * \n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.onEach(action: (UShort) -> Unit): UShortArray {\n  return apply { for (element in this)
action(element) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the
element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an element
and the element itself\n * and performs the action on the element.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.onEachIndexed(action: (index: Int, UInt) -> Unit): UIntArray {\n  return apply {
forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index
with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.onEachIndexed(action: (index: Int, ULong) -> Unit): ULongArray {\n  return apply {
forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index
with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.onEachIndexed(action: (index: Int, UByte) -> Unit): UByteArray {\n  return apply {
forEachIndexed(action) }\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index
with the element,\n * and returns the array itself afterwards.\n * @param [action] function that takes the index of an
element and the element itself\n * and performs the action on the element.\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.onEachIndexed(action: (index: Int, UShort) -> Unit): UShortArray {\n  return apply {
forEachIndexed(action) }\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]

```

from left to right  
 \* to current accumulator value and each element.  
 \* Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.  
 \* @param [operation] function that takes current accumulator value and an element,  
 \* and calculates the next accumulator value.  
 \* @sample samples.collections.Collections.Aggregates.reduce

```

* \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
UIntArray.reduce(operation: (acc: UInt, UInt) -> UInt): UInt { \n if (isEmpty()) \n throw
UnsupportedOperationException("Empty array can't be reduced.") \n var accumulator = this[0] \n for (index in
1..lastIndex) { \n accumulator = operation(accumulator, this[index]) \n } \n return accumulator \n } \n /** \n
  Accumulates value starting with the first element and applying [operation] from left to right
  * to current accumulator value and each element.
  * Throws an exception if this array is empty. If the array can be empty
  in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.
  * @param [operation] function that takes current accumulator value and an element,
  * and calculates the next accumulator value.
  * @sample samples.collections.Collections.Aggregates.reduce
  * \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
  ULongArray.reduce(operation: (acc: ULong, ULong) -> ULong): ULong { \n if (isEmpty()) \n throw
  UnsupportedOperationException("Empty array can't be reduced.") \n var accumulator = this[0] \n for (index in
  1..lastIndex) { \n accumulator = operation(accumulator, this[index]) \n } \n return accumulator \n } \n /** \n
    Accumulates value starting with the first element and applying [operation] from left to right
    * to current accumulator value and each element.
    * Throws an exception if this array is empty. If the array can be empty
    in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.
    * @param [operation] function that takes current accumulator value and an element,
    * and calculates the next accumulator value.
    * @sample samples.collections.Collections.Aggregates.reduce
    * \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
    UByteArray.reduce(operation: (acc: UByte, UByte) -> UByte): UByte { \n if (isEmpty()) \n throw
    UnsupportedOperationException("Empty array can't be reduced.") \n var accumulator = this[0] \n for (index in
    1..lastIndex) { \n accumulator = operation(accumulator, this[index]) \n } \n return accumulator \n } \n /** \n
      Accumulates value starting with the first element and applying [operation] from left to right
      * to current accumulator value and each element.
      * Throws an exception if this array is empty. If the array can be empty
      in an expected way, please use [reduceOrNull] instead. It returns `null` when its receiver is empty.
      * @param [operation] function that takes current accumulator value and an element,
      * and calculates the next accumulator value.
      * @sample samples.collections.Collections.Aggregates.reduce
      * \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
      UShortArray.reduce(operation: (acc: UShort, UShort) -> UShort): UShort { \n if (isEmpty()) \n throw
      UnsupportedOperationException("Empty array can't be reduced.") \n var accumulator = this[0] \n for (index in
      1..lastIndex) { \n accumulator = operation(accumulator, this[index]) \n } \n return accumulator \n } \n /** \n
        Accumulates value starting with the first element and applying [operation] from left to right
        * to current accumulator value and each element with its index in the original array.
        * Throws an exception if this array is empty. If the array can be empty
        in an expected way, please use [reduceIndexedOrNull] instead. It returns `null`
        when its receiver is empty.
        * @param [operation] function that takes the index of an element, current
        accumulator value and the element itself,
        * and calculates the next accumulator value.
        * @sample
        samples.collections.Collections.Aggregates.reduce
        * \n @SinceKotlin("1.3") \n @ExperimentalUnsignedTypes \n @kotlin.internal.InlineOnly \n public inline fun
        UIntArray.reduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt { \n if (isEmpty()) \n throw
        UnsupportedOperationException("Empty array can't be reduced.") \n var accumulator = this[0] \n for (index in
        1..lastIndex) { \n accumulator = operation(index, accumulator, this[index]) \n } \n return
        accumulator \n } \n /** \n
          Accumulates value starting with the first element and applying [operation] from left to
          right
          * to current accumulator value and each element with its index in the original array.
          * Throws an exception if this array is empty. If the array can be empty
          in an expected way, please use [reduceIndexedOrNull]
  
```

instead. It returns `null` when its receiver is empty.

```

@sample samples.collections.Collections.Aggregates.reduce
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
ULongArray.reduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong {n  if (isEmpty())n
  throw UnsupportedOperationException("Empty array can't be reduced.")n  var accumulator = this[0]n  for
(index in 1..lastIndex) {n    accumulator = operation(index, accumulator, this[index])n  }n  return
accumulatorn}n/n/**n * Accumulates value starting with the first element and applying [operation] from left to
rightn * to current accumulator value and each element with its index in the original array.n * n * Throws an
exception if this array is empty. If the array can be empty in an expected way,n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.n * n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,n * and calculates the next accumulator value.n * n *
@sample samples.collections.Collections.Aggregates.reduce
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UByteArray.reduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte {n  if (isEmpty())n
  throw UnsupportedOperationException("Empty array can't be reduced.")n  var accumulator = this[0]n  for
(index in 1..lastIndex) {n    accumulator = operation(index, accumulator, this[index])n  }n  return
accumulatorn}n/n/**n * Accumulates value starting with the first element and applying [operation] from left to
rightn * to current accumulator value and each element with its index in the original array.n * n * Throws an
exception if this array is empty. If the array can be empty in an expected way,n * please use [reduceIndexedOrNull]
instead. It returns `null` when its receiver is empty.n * n * @param [operation] function that takes the index of an
element, current accumulator value and the element itself,n * and calculates the next accumulator value.n * n *
@sample samples.collections.Collections.Aggregates.reduce
*/n@SinceKotlin("1.3")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UShortArray.reduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort {n  if (isEmpty())n
  throw UnsupportedOperationException("Empty array can't be reduced.")n  var accumulator = this[0]n  for
(index in 1..lastIndex) {n    accumulator = operation(index, accumulator, this[index])n  }n  return
accumulatorn}n/n/**n * Accumulates value starting with the first element and applying [operation] from left to
rightn * to current accumulator value and each element with its index in the original array.n * n * Returns `null` if
the array is empty.n * n * @param [operation] function that takes the index of an element, current accumulator
value and the element itself,n * and calculates the next accumulator value.n * n * @sample
samples.collections.Collections.Aggregates.reduceOrNull
*/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UIntArray.reduceIndexedOrNull(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt? {n  if (isEmpty())n
  return nulln  var accumulator = this[0]n  for (index in 1..lastIndex) {n    accumulator = operation(index,
accumulator, this[index])n  }n  return accumulatorn}n/n/**n * Accumulates value starting with the first
element and applying [operation] from left to rightn * to current accumulator value and each element with its index
in the original array.n * n * Returns `null` if the array is empty.n * n * @param [operation] function that takes the
index of an element, current accumulator value and the element itself,n * and calculates the next accumulator
value.n * n * @sample samples.collections.Collections.Aggregates.reduceOrNull
*/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
ULongArray.reduceIndexedOrNull(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong? {n  if
(isEmpty())n    return nulln  var accumulator = this[0]n  for (index in 1..lastIndex) {n    accumulator =
operation(index, accumulator, this[index])n  }n  return accumulatorn}n/n/**n * Accumulates value starting
with the first element and applying [operation] from left to rightn * to current accumulator value and each element
with its index in the original array.n * n * Returns `null` if the array is empty.n * n * @param [operation]
function that takes the index of an element, current accumulator value and the element itself,n * and calculates the
next accumulator value.n * n * @sample samples.collections.Collections.Aggregates.reduceOrNull

```

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceIndexedOrNull(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte? {\n if
(isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator =
operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting
with the first element and applying [operation] from left to right\n * to current accumulator value and each element
with its index in the original array.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value and the element itself,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceIndexedOrNull(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort? {\n if
(isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator =
operation(index, accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting
with the first element and applying [operation] from left to right\n * to current accumulator value and each
element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current
accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceOrNull(operation: (acc: UInt, UInt) -> UInt): UInt?
{\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n
accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value
starting with the first element and applying [operation] from left to right\n * to current accumulator value and each
element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current
accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceOrNull(operation: (acc: ULong, ULong) ->
ULong): ULong? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex)
{\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates
value starting with the first element and applying [operation] from left to right\n * to current accumulator value and
each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current
accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceOrNull(operation: (acc: UByte, UByte) ->
UByte): UByte? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex)
{\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates
value starting with the first element and applying [operation] from left to right\n * to current accumulator value and
each element.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that takes current
accumulator value and an element,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceOrNull(operation: (acc: UShort, UShort) ->
UShort): UShort? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex)
{\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates
value starting with the last element and applying [operation] from right to left\n * to each element and current
accumulator value.\n * \n * Throws an exception if this array is empty. If the array can be empty in an expected
way,\n * please use [reduceRightOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param
[operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator

```

```

value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceRight(operation: (UInt, acc: UInt) -> UInt): UInt {\n  var index = lastIndex\n  if (index < 0)
throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduceRight(operation: (ULong, acc: ULong) -> ULong): ULong {\n  var index = lastIndex\n  if
(index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRight(operation: (UByte, acc: UByte) -> UByte): UByte {\n  var index = lastIndex\n  if (index
< 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Throws an exception if this array is empty. If the
array can be empty in an expected way,\n * please use [reduceRightOrNull] instead. It returns `null` when its
receiver is empty.\n * \n * @param [operation] function that takes an element and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRight(operation: (UShort, acc: UShort) -> UShort): UShort {\n  var index = lastIndex\n  if
(index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n  return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element with its index in the original array and current accumulator value.\n * \n * Throws an
exception if this array is empty. If the array can be empty in an expected way,\n * please use
[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.\n * \n * @param [operation]
function that takes the index of an element, the element itself and current accumulator value,\n * and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduceRightIndexed(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt {\n  var index = lastIndex\n
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n
}\n  return accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation]
from right to left\n * to each element with its index in the original array and current accumulator value.\n * \n *
Throws an exception if this array is empty. If the array can be empty in an expected way,\n * please use

```

[reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.

```

    * @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
    * @sample samples.collections.Collections.Aggregates.reduceRight
    */
    @SinceKotlin("1.3")
    @ExperimentalUnsignedTypes
    @kotlin.internal.InlineOnly
    public inline fun
    ULongArray.reduceRightIndexed(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong {
        var index = lastIndex
        if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
        var accumulator = get(index--)
        while (index >= 0) {
            accumulator = operation(index, get(index), accumulator)
            --index
        }
        return accumulator
    }
    /** Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.
    * @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
    * @sample samples.collections.Collections.Aggregates.reduceRight
    */
    @SinceKotlin("1.3")
    @ExperimentalUnsignedTypes
    @kotlin.internal.InlineOnly
    public inline fun
    UByteArray.reduceRightIndexed(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte {
        var index = lastIndex
        if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
        var accumulator = get(index--)
        while (index >= 0) {
            accumulator = operation(index, get(index), accumulator)
            --index
        }
        return accumulator
    }
    /** Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Throws an exception if this array is empty. If the array can be empty in an expected way, please use [reduceRightIndexedOrNull] instead. It returns `null` when its receiver is empty.
    * @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
    * @sample samples.collections.Collections.Aggregates.reduceRight
    */
    @SinceKotlin("1.3")
    @ExperimentalUnsignedTypes
    @kotlin.internal.InlineOnly
    public inline fun
    UShortArray.reduceRightIndexed(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort {
        var index = lastIndex
        if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
        var accumulator = get(index--)
        while (index >= 0) {
            accumulator = operation(index, get(index), accumulator)
            --index
        }
        return accumulator
    }
    /** Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty.
    * @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
    * @sample samples.collections.Collections.Aggregates.reduceRightOrNull
    */
    @SinceKotlin("1.4")
    @ExperimentalUnsignedTypes
    @kotlin.internal.InlineOnly
    public inline fun
    UIntArray.reduceRightIndexedOrNull(operation: (index: Int, UInt, acc: UInt) -> UInt?): UInt? {
        var index = lastIndex
        if (index < 0) return null
        var accumulator = get(index--)
        while (index >= 0) {
            accumulator = operation(index, get(index), accumulator)
            --index
        }
        return accumulator
    }
    /** Accumulates value starting with the last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value. Returns `null` if the array is empty.
    * @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.
    * @sample samples.collections.Collections.Aggregates.reduceRightOrNull
    */
    @SinceKotlin("1.4")
    @ExperimentalUnsignedTypes
    @kotlin.internal.InlineOnly
    public inline fun
    ULongArray.reduceRightIndexedOrNull(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong? {
        var index = lastIndex
        if (index < 0) return null
        var accumulator = get(index--)
        while (index >= 0) {
            accumulator = operation(index, get(index), accumulator)
            --index
        }
        return accumulator
    }
    /** Accumulates value starting with the last element and applying [operation] from right to left to each element with

```

its index in the original array and current accumulator value.\n \* \n \* Returns `null` if the array is empty.\n \* \n \* @param [operation] function that takes the index of an element, the element itself and current accumulator value,\n \* and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n

```

*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduceRightIndexedOrNull(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte? {\n var
index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element with
its index in the original array and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n *
@param [operation] function that takes the index of an element, the element itself and current accumulator value,\n *
and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduceRightIndexedOrNull(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort? {\n var
index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index >= 0) {\n
accumulator = operation(index, get(index), accumulator)\n --index\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UIntArray.reduceRightOrNull(operation: (UInt, acc: UInt) -> UInt):
UInt? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n while (index
>= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the last element and applying [operation] from right to left\n * to each element and
current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param [operation] function that
takes an element and current accumulator value,\n * and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun ULongArray.reduceRightOrNull(operation: (ULong, acc: ULong) ->
ULong): ULong? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n
while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param
[operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UByteArray.reduceRightOrNull(operation: (UByte, acc: UByte) ->
UByte): UByte? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n
while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with the last element and applying [operation] from right to
left\n * to each element and current accumulator value.\n * \n * Returns `null` if the array is empty.\n * \n * @param
[operation] function that takes an element and current accumulator value,\n * and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun UShortArray.reduceRightOrNull(operation: (UShort, acc: UShort) ->
UShort): UShort? {\n var index = lastIndex\n if (index < 0) return null\n var accumulator = get(index--)\n

```

```

while (index >= 0) {
    accumulator = operation(get(index--), accumulator)
}
return accumulator
}

```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

\* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

\* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample

```

samples.collections.Collections.Aggregates.runningFold

```

```

*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R>
UIntArray.runningFold(initial: R, operation: (acc: R, UInt) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

\* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

\* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample

```

samples.collections.Collections.Aggregates.runningFold

```

```

*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R>
ULongArray.runningFold(initial: R, operation: (acc: R, ULong) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

\* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

\* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample

```

samples.collections.Collections.Aggregates.runningFold

```

```

*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R>
UByteArray.runningFold(initial: R, operation: (acc: R, UByte) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

\* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

\* @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

@sample

```

samples.collections.Collections.Aggregates.runningFold

```

```

*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R>
UShortArray.runningFold(initial: R, operation: (acc: R, UShort) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

```

\* Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value.

\* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

\* @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

@sample

```

samples.collections.Collections.Aggregates.runningFold

```

```

*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R>

```

```

UIntArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {
    if (isEmpty())
    return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
    }
    result.add(accumulator)
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value.
 Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
 @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.
 @sample samples.collections.Collections.Aggregates.runningFold

```

*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R>
ULongArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): List<R> {
    if (isEmpty())
    return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
    }
    result.add(accumulator)
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value.
 Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
 @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.
 @sample samples.collections.Collections.Aggregates.runningFold

```

*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R>
UByteArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): List<R> {
    if (isEmpty())
    return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
    }
    result.add(accumulator)
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value.
 Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
 @param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.
 @sample samples.collections.Collections.Aggregates.runningFold

```

*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun <R>
UShortArray.runningFoldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): List<R> {
    if (isEmpty())
    return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
    }
    result.add(accumulator)
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this array.
 Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
 @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 @sample samples.collections.Collections.Aggregates.runningReduce

```

*\/n@SinceKotlin("1.4")n@ExperimentalUnsignedTypesn@kotlin.internal.InlineOnlynpublic inline fun
UIntArray.runningReduce(operation: (acc: UInt, UInt) -> UInt): List<UInt> {
    if (isEmpty())
    return emptyList()
    var accumulator = this[0]
    val result = ArrayList<UInt>(size).apply { add(accumulator) }
    for (index in 1 until size) {
        accumulator = operation(accumulator, this[index])
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this array.
 Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.
 @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
 @sample

```

samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.runningReduce(operation: (acc: ULong, ULong) -> ULong): List<ULong> {\n  if (isEmpty()) return
emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<ULong>(size).apply { add(accumulator) }\n
for (index in 1 until size) {\n    accumulator = operation(accumulator, this[index])\n    result.add(accumulator)\n
  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with the first element of
this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.runningReduce(operation: (acc: UByte, UByte) -> UByte): List<UByte> {\n  if (isEmpty()) return
emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<UByte>(size).apply { add(accumulator) }\n
for (index in 1 until size) {\n    accumulator = operation(accumulator, this[index])\n    result.add(accumulator)\n
  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with the first element of
this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.runningReduce(operation: (acc: UShort, UShort) -> UShort): List<UShort> {\n  if (isEmpty()) return
emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<UShort>(size).apply { add(accumulator) }\n
for (index in 1 until size) {\n    accumulator = operation(accumulator, this[index])\n    result.add(accumulator)\n
  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element, its index in the original array and current accumulator value that
starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be
mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.runningReduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): List<UInt> {\n  if (isEmpty())
return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<UInt>(size).apply { add(accumulator)
}\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n
  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample

```

```

samples.collections.Collections.Aggregates.runningReduce\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.runningReduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): List<ULong> {\n  if
(isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<ULong>(size).apply {
add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n
  result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and

```

current accumulator value that starts with the first element of this array.\n \* \n \* Note that `acc` value passed to [operation] function should not be mutated;\n \* otherwise it would affect the previous value in resulting list.\n \* \n \* @param [operation] function that takes the index of an element, current accumulator value\n \* and the element itself, and calculates the next accumulator value.\n \* \n \* @sample samples.collections.Collections.Aggregates.runningReduce\n

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.runningReduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): List<UByte> {\n  if
(isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<UByte>(size).apply {
add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to
[operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n *
@param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.runningReduce\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.runningReduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): List<UShort> {\n  if
(isEmpty()) return emptyList()\n  var accumulator = this[0]\n  val result = ArrayList<UShort>(size).apply {
add(accumulator) }\n  for (index in 1 until size) {\n    accumulator = operation(index, accumulator, this[index])\n    result.add(accumulator)\n  }\n  return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scan(initial: R, operation: (acc: R, UInt) -> R):
List<R> {\n  return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scan(initial: R, operation: (acc: R, ULong) -> R):
List<R> {\n  return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.scan(initial: R, operation: (acc: R, UByte) -> R):
List<R> {\n  return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
```

```

accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scan(initial: R, operation: (acc: R, UShort) -> R):
List<R> {\n    return runningFold(initial, operation)\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function
should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scanIndexed(initial: R, operation: (index: Int, acc: R,
UInt) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing
successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in
the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed
to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n *
\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scanIndexed(initial: R, operation: (index: Int, acc:
R, ULong) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each element,
its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc`
value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in
resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n *
and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.scanIndexed(initial: R, operation: (index: Int, acc:
R, UByte) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns a list containing
successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in
the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed
to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n *
\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element
itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\n@WasExperimental(ExperimentalStdlibApi::class)\n
@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scanIndexed(initial: R, operation: (index: Int, acc:
R, UShort) -> R): List<R> {\n    return runningFoldIndexed(initial, operation)\n}\n\n/**\n * Returns the sum of all
values produced by [selector] function applied to each element in the array.\n * \n *\n * @Deprecated("Use sumOf
instead.", ReplaceWith("this.sumOf(selector)"))\n * @DeprecatedSinceKotlin(warningSince =
"1.5")\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.sumBy(selector: (UInt) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n * \n *\n * @Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))\n * @DeprecatedSinceKotlin(warningSince =
"1.5")\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

ULongArray.sumBy(selector: (ULong) -> UInt): UInt {
    var sum: UInt = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.
* @Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince =
"1.5")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.sumBy(selector: (UByte) -> UInt): UInt {
    var sum: UInt = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.
* @Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince =
"1.5")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.sumBy(selector: (UShort) -> UInt): UInt {
    var sum: UInt = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.
* @Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince =
"1.5")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UIntArray.sumByDouble(selector: (UInt) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.
* @Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince =
"1.5")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
ULongArray.sumByDouble(selector: (ULong) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.
* @Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince =
"1.5")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.sumByDouble(selector: (UByte) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.
* @Deprecated("Use sumOf instead.",
ReplaceWith("this.sumOf(selector)"))
@DeprecatedSinceKotlin(warningSince =
"1.5")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.sumByDouble(selector: (UShort) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.
* @SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
@kotlin.jvm.JvmName("sumOfDouble")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun UIntArray.sumOf(selector: (UInt) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.
* @SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
@kotlin.jvm.JvmName("sumOfDouble")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun ULongArray.sumOf(selector: (ULong) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}
* Returns the sum of all values produced by [selector] function applied to each element in the array.
* @SinceKotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
@kotlin.jvm.JvmName("sumOfDouble")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun UByteArray.sumOf(selector:

```

```

(UByte) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.4")
  OptIn(kotlin.experimental.ExperimentalTypeInference::class)
  OverloadResolutionByLambdaReturnType
  Suppress("INAPPLICABLE_JVM_NAME")
  kotlin.jvm.JvmName("sumOfDouble")
  ExperimentalUnsignedTypes
  kotlin.internal.InlineOnly
  public inline fun UShortArray.sumOf(selector: (UShort) -> Double): Double {
    var sum: Double = 0.toDouble()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.4")
  OptIn(kotlin.experimental.ExperimentalTypeInference::class)
  OverloadResolutionByLambdaReturnType
  Suppress("INAPPLICABLE_JVM_NAME")
  kotlin.jvm.JvmName("sumOfInt")
  ExperimentalUnsignedTypes
  kotlin.internal.InlineOnly
  public inline fun UIntArray.sumOf(selector: (UInt) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.4")
  OptIn(kotlin.experimental.ExperimentalTypeInference::class)
  OverloadResolutionByLambdaReturnType
  Suppress("INAPPLICABLE_JVM_NAME")
  kotlin.jvm.JvmName("sumOfInt")
  ExperimentalUnsignedTypes
  kotlin.internal.InlineOnly
  public inline fun ULongArray.sumOf(selector: (ULong) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.4")
  OptIn(kotlin.experimental.ExperimentalTypeInference::class)
  OverloadResolutionByLambdaReturnType
  Suppress("INAPPLICABLE_JVM_NAME")
  kotlin.jvm.JvmName("sumOfInt")
  ExperimentalUnsignedTypes
  kotlin.internal.InlineOnly
  public inline fun UByteArray.sumOf(selector: (UByte) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.4")
  OptIn(kotlin.experimental.ExperimentalTypeInference::class)
  OverloadResolutionByLambdaReturnType
  Suppress("INAPPLICABLE_JVM_NAME")
  kotlin.jvm.JvmName("sumOfInt")
  ExperimentalUnsignedTypes
  kotlin.internal.InlineOnly
  public inline fun UShortArray.sumOf(selector: (UShort) -> Int): Int {
    var sum: Int = 0.toInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.4")
  OptIn(kotlin.experimental.ExperimentalTypeInference::class)
  OverloadResolutionByLambdaReturnType
  Suppress("INAPPLICABLE_JVM_NAME")
  kotlin.jvm.JvmName("sumOfLong")
  ExperimentalUnsignedTypes
  kotlin.internal.InlineOnly
  public inline fun UIntArray.sumOf(selector: (UInt) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.4")
  OptIn(kotlin.experimental.ExperimentalTypeInference::class)
  OverloadResolutionByLambdaReturnType
  Suppress("INAPPLICABLE_JVM_NAME")
  kotlin.jvm.JvmName("sumOfLong")
  ExperimentalUnsignedTypes
  kotlin.internal.InlineOnly
  public inline fun ULongArray.sumOf(selector: (ULong) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

\* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

* Since Kotlin("1.4")
  OptIn(kotlin.experimental.ExperimentalTypeInference::class)
  OverloadResolutionByLambdaReturnType
  Suppress("INAPPLICABLE_JVM_NAME")
  kotlin.jvm.JvmName("sumOfLong")
  ExperimentalUnsignedTypes
  kotlin.internal.InlineOnly
  public inline fun UByteArray.sumOf(selector:

```

```

(Byte) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.4")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfLong")
@ExperimentalUnsignedTypes
kotlin.internal.InlineOnly
public inline fun UShortArray.sumOf(selector: (UShort) -> Long): Long {
    var sum: Long = 0.toLong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.5")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfUInt")
@ExperimentalUnsignedTypes
@WasExperimental(ExperimentalUnsignedTypes::class)
kotlin.internal.InlineOnly
public inline fun UIntArray.sumOf(selector: (UInt) -> UInt): UInt {
    var sum: UInt = 0.toUInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.5")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfUInt")
@ExperimentalUnsignedTypes
@WasExperimental(ExperimentalUnsignedTypes::class)
kotlin.internal.InlineOnly
public inline fun ULongArray.sumOf(selector: (ULong) -> UInt): UInt {
    var sum: UInt = 0.toUInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.5")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfUInt")
@ExperimentalUnsignedTypes
@WasExperimental(ExperimentalUnsignedTypes::class)
kotlin.internal.InlineOnly
public inline fun UByteArray.sumOf(selector: (Byte) -> UInt): UInt {
    var sum: UInt = 0.toUInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.5")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfUInt")
@ExperimentalUnsignedTypes
@WasExperimental(ExperimentalUnsignedTypes::class)
kotlin.internal.InlineOnly
public inline fun UShortArray.sumOf(selector: (UShort) -> UInt): UInt {
    var sum: UInt = 0.toUInt()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.5")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfULong")
@ExperimentalUnsignedTypes
@WasExperimental(ExperimentalUnsignedTypes::class)
kotlin.internal.InlineOnly
public inline fun UIntArray.sumOf(selector: (UInt) -> ULong): ULong {
    var sum: ULong = 0.toULong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.5")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfULong")
@ExperimentalUnsignedTypes
@WasExperimental(ExperimentalUnsignedTypes::class)
kotlin.internal.InlineOnly
public inline fun ULongArray.sumOf(selector: (ULong) -> ULong): ULong {
    var sum: ULong = 0.toULong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

* Returns the sum of all values produced by [selector] function applied to each element in the array.

* Since Kotlin("1.5")
@OptIn(kotlin.experimental.ExperimentalTypeInference::class)
@OverloadResolutionByLambdaReturnType
@Suppress("INAPPLICABLE_JVM_NAME")
kotlin.jvm.JvmName("sumOfULong")
@ExperimentalUnsignedTypes
@WasExperimental(ExperimentalUnsignedTypes::class)
kotlin.internal.InlineOnly
public inline fun ULongArray.sumOf(selector: (ULong) -> ULong): ULong {
    var sum: ULong = 0.toULong()
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

* Returns the sum of all values produced by [selector] function applied to each element in the array.

```

```

neOnly\npublic inline fun UByteArray.sumOf(selector: (UByte) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n
*\n@\n@SinceKotlin("1.5")\n@\n@OptIn(kotlin.experimental.ExperimentalTypeInference::class)\n@\n@OverloadResolution
ByLambdaReturnType\n@\n@Suppress("INAPPLICABLE_JVM_NAME")\n@\n@kotlin.jvm.JvmName("sumOfULong\
")\n@\n@ExperimentalUnsignedTypes\n@\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@\n@kotlin.internal.Inli
neOnly\npublic inline fun UShortArray.sumOf(selector: (UShort) -> ULong): ULong {\n    var sum: ULong =
0.toULong()\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns a
list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other: Array<out
R>): List<Pair<UInt, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other:
Array<out R>): List<Pair<ULong, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
pairs built from the elements of `this` array and the [other] array with the same index.\n * The returned list has
length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other: Array<out
R>): List<Pair<UByte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other:
Array<out R>): List<Pair<UShort, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
values built from the elements of `this` array and the [other] array with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n *
\n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n@\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UIntArray.zip(other: Array<out R>, transform: (a: UInt, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n@\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
ULongArray.zip(other: Array<out R>, transform: (a: ULong, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@\n@SinceKotlin("1.3")\n@\n@ExperimentalUnsignedTypes\n@\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UByteArray.zip(other: Array<out R>, transform: (a: UByte, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
}\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UShortArray.zip(other: Array<out R>, transform: (a: UShort, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with
the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UIntArray.zip(other:
Iterable<R>): List<Pair<UInt, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other:
Iterable<R>): List<Pair<ULong, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other:
Iterable<R>): List<Pair<UByte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other:
Iterable<R>): List<Pair<UShort, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
values built from the elements of `this` array and the [other] collection with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n *
\n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UIntArray.zip(other: Iterable<R>, transform: (a: UInt, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
ULongArray.zip(other: Iterable<R>, transform: (a: ULong, b: R) -> V): List<V> {\n    val arraySize = size\n    val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)
{\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n *
Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UByteArray.zip(other: Iterable<R>, transform: (a: UByte, b: R) -> V): List<V> {\n    val arraySize = size\n    val list
= ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UShortArray.zip(other: Iterable<R>, transform: (a: UShort, b: R) -> V): List<V> {\n    val arraySize = size\n    val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)
{\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n *
Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n

```

Returns a list of pairs built from the elements of `this` array and the [other] array with the same index. The returned list has length of the shortest collection.

`samples.collections.Iterables.Operations.zipIterable`

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.zip(other: UIntArray): List<Pair<UInt, UInt>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index. The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.zip(other: ULongArray): List<Pair<ULong, ULong>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index. The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.zip(other: UByteArray): List<Pair<UByte, UByte>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same index. The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.zip(other: UShortArray): List<Pair<UShort, UShort>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UIntArray.zip(other: UIntArray, transform: (a: UInt, b: UInt) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> ULongArray.zip(other: ULongArray, transform: (a: ULong, b: ULong) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UByteArray.zip(other: UByteArray, transform: (a: UByte, b: UByte) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same index using the provided [transform] function applied to each pair of elements. The returned list has length of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V> UShortArray.zip(other: UShortArray, transform: (a: UShort, b: UShort) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun Array<out UInt>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */
```

```

*^@kotlin.jvm.JvmName("sumOfULong")^@SinceKotlin("1.5")^@WasExperimental(ExperimentalUnsigned
Types::class)^@npublic fun Array<out ULong>.sum(): ULong {^@n var sum: ULong = 0uL^@n for (element in this)
{^@n sum += element^@n }^@n return sum^@n}^@n/^@n * Returns the sum of all elements in the array.^@n
*^@kotlin.jvm.JvmName("sumOfUByte")^@SinceKotlin("1.5")^@WasExperimental(ExperimentalUnsigned
Types::class)^@npublic fun Array<out UByte>.sum(): UInt {^@n var sum: UInt = 0u^@n for (element in this) {^@n
sum += element^@n }^@n return sum^@n}^@n/^@n * Returns the sum of all elements in the array.^@n
*^@kotlin.jvm.JvmName("sumOfUShort")^@SinceKotlin("1.5")^@WasExperimental(ExperimentalUnsigned
Types::class)^@npublic fun Array<out UShort>.sum(): UInt {^@n var sum: UInt = 0u^@n for (element in this) {^@n
sum += element^@n }^@n return sum^@n}^@n/^@n * Returns the sum of all elements in the array.^@n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^@npublic inline fun
UIntArray.sum(): UInt {^@n return storage.sum().toUInt()^@n}^@n/^@n * Returns the sum of all elements in the
array.^@n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^@npublic inline fun
ULongArray.sum(): ULong {^@n return storage.sum().toULong()^@n}^@n/^@n * Returns the sum of all elements in
the array.^@n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^@npublic inline
fun UByteArray.sum(): UInt {^@n return sumOf { it.toUInt() }^@n}^@n/^@n * Returns the sum of all elements in the
array.^@n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@kotlin.internal.InlineOnly^@npublic inline fun
UShortArray.sum(): UInt {^@n return sumOf { it.toUInt() }^@n}^@n"/^@n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.^@n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.^@n
*^@n^@file:kotlin.jvm.JvmMultifileClass^@file:kotlin.jvm.JvmName("UCollectionsKt")^@n^@npackage
kotlin.collections^@n/^@n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt^@n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib^@n/^@n^@nimport kotlin.random.*^@nimport
kotlin.ranges.contains^@nimport kotlin.ranges.reversed^@n/^@n/^@n * Returns an array of UByte containing all of the
elements of this collection.^@n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@npublic fun
Collection<UByte>.toUByteArray(): UByteArray {^@n val result = UByteArray(size)^@n var index = 0^@n for
(element in this)^@n result[index++] = element^@n return result^@n}^@n/^@n * Returns an array of UInt containing
all of the elements of this collection.^@n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@npublic fun
Collection<UInt>.toUIntArray(): UIntArray {^@n val result = UIntArray(size)^@n var index = 0^@n for (element in
this)^@n result[index++] = element^@n return result^@n}^@n/^@n * Returns an array of ULong containing all of the
elements of this collection.^@n *^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@npublic fun
Collection<ULong>.toULongArray(): ULongArray {^@n val result = ULongArray(size)^@n var index = 0^@n for
(element in this)^@n result[index++] = element^@n return result^@n}^@n/^@n * Returns an array of UShort
containing all of the elements of this collection.^@n
*^@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^@npublic fun Collection<UShort>.toUShortArray():
UShortArray {^@n val result = UShortArray(size)^@n var index = 0^@n for (element in this)^@n result[index++] =
element^@n return result^@n}^@n/^@n * Returns the sum of all elements in the collection.^@n
*^@kotlin.jvm.JvmName("sumOfUInt")^@SinceKotlin("1.5")^@WasExperimental(ExperimentalUnsignedT
ypes::class)^@npublic fun Iterable<UInt>.sum(): UInt {^@n var sum: UInt = 0u^@n for (element in this) {^@n sum
+= element^@n }^@n return sum^@n}^@n/^@n * Returns the sum of all elements in the collection.^@n
*^@kotlin.jvm.JvmName("sumOfULong")^@SinceKotlin("1.5")^@WasExperimental(ExperimentalUnsigned
Types::class)^@npublic fun Iterable<ULong>.sum(): ULong {^@n var sum: ULong = 0uL^@n for (element in this) {^@n
sum += element^@n }^@n return sum^@n}^@n/^@n * Returns the sum of all elements in the collection.^@n
*^@kotlin.jvm.JvmName("sumOfUByte")^@SinceKotlin("1.5")^@WasExperimental(ExperimentalUnsigned
Types::class)^@npublic fun Iterable<UByte>.sum(): UInt {^@n var sum: UInt = 0u^@n for (element in this) {^@n
sum += element^@n }^@n return sum^@n}^@n/^@n * Returns the sum of all elements in the collection.^@n
*^@kotlin.jvm.JvmName("sumOfUShort")^@SinceKotlin("1.5")^@WasExperimental(ExperimentalUnsigned
Types::class)^@npublic fun Iterable<UShort>.sum(): UInt {^@n var sum: UInt = 0u^@n for (element in this) {^@n
sum += element^@n }^@n return sum^@n}^@n"/^@n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming

```

Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("UComparisonsKt")\n\npackage\nkotlin.comparisons\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:\nhttps://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n * Returns the\ngreater of two values.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UInt, b:\nUInt): UInt {\n    return if (a >= b) a else b\n}\n\n * Returns the greater of two values.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: ULong,\nb: ULong): ULong {\n    return if (a >= b) a else b\n}\n\n * Returns the greater of two values.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UByte,\nb: UByte): UByte {\n    return if (a >= b) a else b\n}\n\n * Returns the greater of two values.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun maxOf(a: UShort,\nb: UShort): UShort {\n    return if (a >= b) a else b\n}\n\n * Returns the greater of three values.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UInt, b: UInt, c: UInt): UInt {\n    return maxOf(a, maxOf(b, c))\n}\n\n * Returns\nthe greater of three values.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: ULong, b: ULong, c: ULong): ULong {\n    return maxOf(a, maxOf(b, c))\n}\n\n * Returns\nthe greater of three values.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UByte, b: UByte, c: UByte): UByte {\n    return maxOf(a, maxOf(b, c))\n}\n\n * Returns\nthe greater of three values.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun maxOf(a: UShort, b: UShort, c: UShort): UShort {\n    return maxOf(a, maxOf(b, c))\n}\n\n * Returns\nthe greater of the given values.\n\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun\nmaxOf(a: UInt, vararg other: UInt): UInt {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return\nmax\n}\n\n * Returns the greater of the given values.\n
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: ULong, vararg other: ULong):\nULong {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n * Returns the greater\nof the given values.\n\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UByte,\nvararg other: UByte): UByte {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n * Returns the greater of the given values.\n\n *\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun\nmaxOf(a: UShort, vararg other: UShort): UShort {\n    var max = a\n    for (e in other) max = maxOf(max, e)\n    return max\n}\n\n * Returns the smaller of two values.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: UInt, b:\nUInt): UInt {\n    return if (a <= b) a else b\n}\n\n * Returns the smaller of two values.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: ULong,\nb: ULong): ULong {\n    return if (a <= b) a else b\n}\n\n * Returns the smaller of two values.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: UByte,\nb: UByte): UByte {\n    return if (a <= b) a else b\n}\n\n * Returns the smaller of two values.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun minOf(a: UShort,\nb: UShort): UShort {\n    return if (a <= b) a else b\n}\n\n * Returns the smaller of three values.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UInt, b: UInt, c: UInt): UInt {\n    return minOf(a, minOf(b, c))\n}\n\n * Returns\nthe smaller of three values.\n
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: ULong, b: ULong, c: ULong): ULong {\n    return minOf(a, minOf(b, c))\n}\n\n * Returns\nthe smaller of three values.\n
```

Returns the smaller of three values.\n

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UByte, b: UByte, c: UByte): UByte {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun minOf(a: UShort, b: UShort, c: UShort): UShort {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of the given values.\n */
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UInt, vararg other: UInt): UInt {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller of the given values.\n */
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: ULong, vararg other: ULong): ULong {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller of the given values.\n */
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UByte, vararg other: UByte): UByte {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n/**\n * Returns the smaller of the given values.\n */
```

```
*\n@SinceKotlin("1.4")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UShort, vararg other: UShort): UShort {\n    var min = a\n    for (e in other) min = minOf(min, e)\n    return min\n}\n\n"/>\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */
```

```
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("URangesKt")\n\npackage kotlin.ranges\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntRange.random(): UInt {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange.random(): ULong {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun UIntRange.random(random: Random): UInt {\n    try {\n        return random.nextUInt(this)\n    } catch (e: IllegalArgumentException) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n * \n * @throws
```

```
IllegalArgumentException if this range is empty.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun ULongRange.random(random: Random): ULong {\n    try {\n        return random.nextULong(this)\n    } catch (e: IllegalArgumentException) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class,\nExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UIntRange.randomOrNull(): UInt? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class,\nExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange.randomOrNull(): ULong? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class,\nExperimentalUnsignedTypes::class)\npublic fun UIntRange.randomOrNull(random: Random): UInt? {\n    if (isEmpty())\n        return null\n    return random.nextUInt(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class,\nExperimentalUnsignedTypes::class)\npublic fun ULongRange.randomOrNull(random: Random): ULong? {\n    if (isEmpty())\n        return null\n    return random.nextULong(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class,
```

```
ExperimentalUnsignedTypes::class)\npublic fun ULongRange.randomOrNull(random: Random): ULong? {\n    if (isEmpty())\n        return null\n    return random.nextULong(this)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness, or `null` if this range is empty.\n */
```

```
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class,
```

```

ExperimentalUnsignedTypes::class)\npublic fun ULongRange.randomOrNull(random: Random): ULong? {\n  if
(isEmpty())\n    return null\n    return random.nextULong(this)\n}\n\n/**\n * Returns `true` if this range contains
the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
*\n@\n@SinceKotlin("1.5")\n@\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@\n@kotlin.internal.InlineOnly\n
\npublic inline operator fun UIntRange.contains(element: UInt?): Boolean {\n  return element != null &&
contains(element)\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns
`false` if the [element] is `null`.\n
*\n@\n@SinceKotlin("1.5")\n@\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@\n@kotlin.internal.InlineOnly\n
\npublic inline operator fun ULongRange.contains(element: ULong?): Boolean {\n  return element != null &&
contains(element)\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*\n@\n@SinceKotlin("1.5")\n@\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\npublic operator fun
UIntRange.contains(value: UByte): Boolean {\n  return contains(value.toInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*\n@\n@SinceKotlin("1.5")\n@\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\npublic operator fun
ULongRange.contains(value: UByte): Boolean {\n  return contains(value.toULong())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*\n@\n@SinceKotlin("1.5")\n@\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\npublic operator fun
ULongRange.contains(value: UInt): Boolean {\n  return contains(value.toULong())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*\n@\n@SinceKotlin("1.5")\n@\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\npublic operator fun
UIntRange.contains(value: ULong): Boolean {\n  return (value shr UInt.SIZE_BITS) == 0uL &&
contains(value.toInt())\n}\n\n/**\n * Checks if the specified [value] belongs to this range.\n
*\n@\n@SinceKotlin("1.5")\n@\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\npublic operator fun
UIntRange.contains(value: UShort): Boolean {\n  return contains(value.toInt())\n}\n\n/**\n * Checks if the
specified [value] belongs to this range.\n
*\n@\n@SinceKotlin("1.5")\n@\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\npublic operator fun
ULongRange.contains(value: UShort): Boolean {\n  return contains(value.toULong())\n}\n\n/**\n * Returns a
progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should be less
than or equal to `this` value.\n * \n * If the [to] value is greater than `this` value the returned progression is empty.\n
*\n@\n@SinceKotlin("1.5")\n@\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\npublic infix fun
UByte.downTo(to: UByte): UIntProgression {\n  return UIntProgression.fromClosedRange(this.toInt(),
to.toInt(), -1)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -
1.\n * \n * The [to] value should be less than or equal to `this` value.\n * \n * If the [to] value is greater than `this`
value the returned progression is empty.\n
*\n@\n@SinceKotlin("1.5")\n@\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\npublic infix fun
UInt.downTo(to: UInt): UIntProgression {\n  return UIntProgression.fromClosedRange(this, to, -1)\n}\n\n/**\n *
Returns a progression from this value down to the specified [to] value with the step -1.\n * \n * The [to] value should
be less than or equal to `this` value.\n * \n * If the [to] value is greater than `this` value the returned progression is
empty.\n
*\n@\n@SinceKotlin("1.5")\n@\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\npublic infix fun
ULong.downTo(to: ULong): ULongProgression {\n  return ULongProgression.fromClosedRange(this, to, -
1L)\n}\n\n/**\n * Returns a progression from this value down to the specified [to] value with the step -1.\n * \n *
The [to] value should be less than or equal to `this` value.\n * \n * If the [to] value is greater than `this` value the
returned progression is empty.\n
*\n@\n@SinceKotlin("1.5")\n@\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\npublic infix fun
UShort.downTo(to: UShort): UIntProgression {\n  return UIntProgression.fromClosedRange(this.toInt(),
to.toInt(), -1)\n}\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the
same step.\n
*\n@\n@SinceKotlin("1.5")\n@\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\npublic fun
UIntProgression.reversed(): UIntProgression {\n  return UIntProgression.fromClosedRange(last, first, -

```

```

step)\n\n/**\n * Returns a progression that goes over the same range in the opposite direction with the same
step.\n */\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULongProgression.reversed(): ULongProgression {\n    return ULongProgression.fromClosedRange(last, first, -
step)\n}\n\n/**\n * Returns a progression that goes over the same range with the given step.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UIntProgression.step(step: Int): UIntProgression {\n    checkStepIsPositive(step > 0, step)\n    return
UIntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a progression
that goes over the same range with the given step.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
ULongProgression.step(step: Long): ULongProgression {\n    checkStepIsPositive(step > 0, step)\n    return
ULongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)\n}\n\n/**\n * Returns a range from
this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value,
then the returned range is empty.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UByte.until(to: UByte): UIntRange {\n    if (to <= UByte.MIN_VALUE) return UIntRange.EMPTY\n    return
this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to]
value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun UInt.until(to:
UInt): UIntRange {\n    if (to <= UInt.MIN_VALUE) return UIntRange.EMPTY\n    return this .. (to -
1u).toUInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the
[to] value is less than or equal to `this` value, then the returned range is empty.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
ULong.until(to: ULong): ULongRange {\n    if (to <= ULong.MIN_VALUE) return ULongRange.EMPTY\n
return this .. (to - 1u).toULong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to]
value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic infix fun
UShort.until(to: UShort): UIntRange {\n    if (to <= UShort.MIN_VALUE) return UIntRange.EMPTY\n    return
this.toUInt() .. (to - 1u).toUInt()\n}\n\n/**\n * Ensures that this value is not less than the specified
[minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the
[minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UInt.coerceAtLeast(minimumValue: UInt): UInt {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULong.coerceAtLeast(minimumValue: ULong): ULong {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UByte.coerceAtLeast(minimumValue: UByte): UByte {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value
if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*/\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UShort.coerceAtLeast(minimumValue: UShort): UShort {\n    return if (this < minimumValue) minimumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this

```

```

value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UInt.coerceAtMost(maximumValue: UInt): UInt {\n    return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULong.coerceAtMost(maximumValue: ULong): ULong {\n    return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UByte.coerceAtMost(maximumValue: UByte): UByte {\n    return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UShort.coerceAtMost(maximumValue: UShort): UShort {\n    return if (this > maximumValue) maximumValue
else this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n
* @return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UInt.coerceIn(minimumValue: UInt, maximumValue: UInt): UInt {\n    if (minimumValue > maximumValue)
throw IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this
value is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n *
@sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULong.coerceIn(minimumValue: ULong, maximumValue: ULong): ULong {\n    if (minimumValue >
maximumValue) throw IllegalArgumentException("Cannot coerce value to an empty range: maximum
$maximumValue is less than minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n
if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the
specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or
[minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
UByte.coerceIn(minimumValue: UByte, maximumValue: UByte): UByte {\n    if (minimumValue >
maximumValue) throw IllegalArgumentException("Cannot coerce value to an empty range: maximum
$maximumValue is less than minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n
if (this > maximumValue) return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the
specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or
[minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun

```

```

UShort.coerceIn(minimumValue: UShort, maximumValue: UShort): UShort {
    if (minimumValue >
        maximumValue) throw IllegalArgumentException("Cannot coerce value to an empty range: maximum
        $maximumValue is less than minimum $minimumValue.")
    if (this < minimumValue) return minimumValue
    if (this > maximumValue) return maximumValue
    return this
}

/** Ensures that this value lies in the
    specified [range].
    * @return this value if it's in the [range], or `range.start` if this value is less than
    `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.
    * @sample
    samples.comparisons.ComparableOps.coerceInUnsigned

*/
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
UInt.coerceIn(range: ClosedRange<UInt>): UInt {
    if (range is ClosedFloatingPointRange) {
        return
        this.coerceIn<UInt>(range)
    }
    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to
    an empty range: $range.")
    return when {
        this < range.start -> range.start
        this > range.endInclusive -
        > range.endInclusive
        else -> this
    }
}

/** Ensures that this value lies in the specified [range].
    * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or
    `range.endInclusive` if this value is greater than `range.endInclusive`.
    * @sample
    samples.comparisons.ComparableOps.coerceInUnsigned

*/
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedTypes::class)
public fun
ULong.coerceIn(range: ClosedRange<ULong>): ULong {
    if (range is ClosedFloatingPointRange) {
        return
        this.coerceIn<ULong>(range)
    }
    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value
    to an empty range: $range.")
    return when {
        this < range.start -> range.start
        this >
        range.endInclusive -> range.endInclusive
        else -> this
    }
}

/* Copyright 2010-2021 JetBrains
    s.r.o. and Kotlin Programming Language contributors.
    * Use of this source code is governed by the Apache 2.0
    license that can be found in the license/LICENSE.txt file.

*/
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("USequencesKt")
package
kotlin.sequences

// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
// See:
// https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
import kotlin.random.*

/** Returns the
    sum of all elements in the sequence.
    * @n * The operation is _terminal_.

*/
@kotlin.jvm.JvmName("sumOfUInt")
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsignedT
ypes::class)
public fun Sequence<UInt>.sum(): UInt {
    var sum: UInt = 0u
    for (element in this) {
        sum
        += element
    }
    return sum
}

/** Returns the sum of all elements in the sequence.
    * @n * The
    operation is _terminal_.

*/
@kotlin.jvm.JvmName("sumOfULong")
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsigned
Types::class)
public fun Sequence<ULong>.sum(): ULong {
    var sum: ULong = 0uL
    for (element in this)
        sum += element
    }
    return sum
}

/** Returns the sum of all elements in the sequence.
    * @n *
    The operation is _terminal_.

*/
@kotlin.jvm.JvmName("sumOfUByte")
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsigned
Types::class)
public fun Sequence<UByte>.sum(): UInt {
    var sum: UInt = 0u
    for (element in this) {
        sum
        += element
    }
    return sum
}

/** Returns the sum of all elements in the sequence.
    * @n * The
    operation is _terminal_.

*/
@kotlin.jvm.JvmName("sumOfUShort")
@SinceKotlin("1.5")
@WasExperimental(ExperimentalUnsigned
Types::class)
public fun Sequence<UShort>.sum(): UInt {
    var sum: UInt = 0u
    for (element in this) {
        sum
        += element
    }
    return sum
}

/* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
    Language contributors.
    * Use of this source code is governed by the Apache 2.0 license that can be found in the
    license/LICENSE.txt file.

*/
package kotlin
public expect open class Error : Throwable {
    constructor()
    constructor(message: String?)
    constructor(message: String?, cause: Throwable?)
    constructor(cause: Throwable?)
}
public expect open class Exception : Throwable {
    constructor()
    constructor(message: String?)
    constructor(message: String?, cause: Throwable?)
    constructor(cause:
    Throwable?)
}
public expect open class RuntimeException : Exception {
    constructor()
    constructor(message: String?)
    constructor(message: String?, cause: Throwable?)
    constructor(cause:
    Throwable?)
}

```

```

Throwable?)\n}\n\npublic expect open class IllegalArgumentException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n  constructor(message: String?, cause: Throwable?)\n  constructor(cause: Throwable?)\n}\n\npublic expect open class IllegalStateException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n  constructor(message: String?, cause: Throwable?)\n  constructor(cause: Throwable?)\n}\n\npublic expect open class IndexOutOfBoundsException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n}\n\npublic expect open class ConcurrentModificationException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n  @Deprecated("The constructor is not supported on all platforms and will be removed from kotlin-stdlib-common soon.", level = DeprecationLevel.ERROR)\n  constructor(message: String?, cause: Throwable?)\n  @Deprecated("The constructor is not supported on all platforms and will be removed from kotlin-stdlib-common soon.", level = DeprecationLevel.ERROR)\n  constructor(cause: Throwable?)\n}\n\npublic expect open class UnsupportedOperationException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n  constructor(message: String?, cause: Throwable?)\n  constructor(cause: Throwable?)\n}\n\npublic expect open class NumberFormatException : IllegalArgumentException {\n  constructor()\n  constructor(message: String?)\n}\n\npublic expect open class NullPointerException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n}\n\npublic expect open class ClassCastException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n}\n\npublic expect open class AssertionError : Error {\n  constructor()\n  constructor(message: Any?)\n}\n\npublic expect open class NoSuchElementException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n}\n\n@SinceKotlin("1.3")\npublic expect open class ArithmeticException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n}\n\n@Deprecated("This exception type is not supposed to be thrown or caught in common code and will be removed from kotlin-stdlib-common soon.", level = DeprecationLevel.ERROR)\npublic expect open class NoWhenBranchMatchedException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n  constructor(message: String?, cause: Throwable?)\n  constructor(cause: Throwable?)\n}\n\n@Deprecated("This exception type is not supposed to be thrown or caught in common code and will be removed from kotlin-stdlib-common soon.", level = DeprecationLevel.ERROR)\npublic expect class UninitializedPropertyAccessException : RuntimeException {\n  constructor()\n  constructor(message: String?)\n  constructor(message: String?, cause: Throwable?)\n  constructor(cause: Throwable?)\n}\n\n/**\n * Thrown after invocation of a function or property that was expected to return `Nothing`, but returned something instead.\n *\n * @SinceKotlin("1.4")\n * @PublishedApi\n * internal class KotlinNothingValueException : RuntimeException {\n *   constructor() : super()\n *   constructor(message: String?) : super(message)\n *   constructor(message: String?, cause: Throwable?) : super(message, cause)\n *   constructor(cause: Throwable?) : super(cause)\n * }\n *\n * Returns the detailed description of this throwable with its stack trace.\n * * The detailed description includes:\n * * - the short description (see [Throwable.toString]) of this throwable;\n * * - the complete stack trace;\n * * - detailed descriptions of the exceptions that were [suppressed][suppressedExceptions] in order to deliver this exception;\n * * - the detailed description of each throwable in the [Throwable.cause] chain.\n *\n * @SinceKotlin("1.4")\n * public expect fun Throwable.stackTraceToString(): String\n *\n * Prints the [detailed description][Throwable.stackTraceToString] of this throwable to the standard output or standard error output.\n *\n * @SinceKotlin("1.4")\n * @Suppress("EXTENSION_SHADOWED_BY_MEMBER")\n * public expect fun Throwable.printStackTrace(): Unit\n *\n * When supported by the platform, adds the specified exception to the list of exceptions that were\n * suppressed in order to deliver this exception.\n *\n * @SinceKotlin("1.4")\n * @Suppress("EXTENSION_SHADOWED_BY_MEMBER")\n * public expect fun Throwable.addSuppressed(exception: Throwable)\n *\n * Returns a list of all exceptions that were suppressed in order to deliver this exception.\n * * The list can be empty:\n * * - if no exceptions were suppressed;\n * * - if the platform doesn't support suppressed exceptions;\n * * - if this [Throwable] instance has disabled the suppression.\n *\n * @SinceKotlin("1.4")\n * public expect val Throwable.suppressedExceptions: List<Throwable>\n */\n\nCopyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage

```

`kotlin.js`\n\nimport kotlin.annotation.AnnotationTarget.\*\n\n/\*\*\n \* Gives a declaration (a function, a property or a class) specific name in JavaScript.\n \* ^\n\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY\_GETTER, PROPERTY\_SETTER)\n\n@OptionalExpectation\n\npublic expect annotation class JsName(val name: String)\n\n/\*\*\n \* Marks experimental JS export annotations.\n \* ^\n\n \* Note that behavior of these annotations will likely be changed in the future.\n \* ^\n\n \* Usages of such annotations will be reported as warnings unless an explicit opt-in with\n \* the [OptIn] annotation, e.g. `@OptIn(ExperimentalJsExport::class)`,\n \* or with the `Xopt-in=kotlin.js.ExperimentalJsExport` compiler option is given.\n \* ^\n\n@Suppress("DEPRECATION")\n\n@Experimental(level = Experimental.Level.WARNING)\n\n@RequiresOptIn(level = RequiresOptIn.Level.WARNING)\n\n@MustBeDocumented\n\n@Retention(AnnotationRetention.BINARY)\n\n@SinceKotlin("1.4")\n\npublic annotation class ExperimentalJsExport\n\n/\*\*\n \* Exports top-level declaration on JS platform.\n \* ^\n\n \* Compiled module exposes declarations that are marked with this annotation without name mangling.\n \* ^\n\n \* This annotation can be applied to either files or top-level declarations.\n \* ^\n\n \* It is currently prohibited to export the following kinds of declarations:\n \* ^\n\n \* \* `expect` declarations\n \* \* inline functions with reified type parameters\n \* \* suspend functions\n \* \* secondary constructors without `@JsName`\n \* \* extension properties\n \* \* enum classes\n \* \* annotation classes\n \* ^\n\n \* Signatures of exported declarations must only contain "exportable" types:\n \* ^\n\n \* \* `dynamic`, `Any`, `String`, `Boolean`, `Byte`, `Short`, `Int`, `Float`, `Double`\n \* \* `BooleanArray`, `ByteArray`, `ShortArray`, `IntArray`, `FloatArray`, `DoubleArray`\n \* \* `Array<exportable-type>`\n \* \* Function types with exportable parameters and return types\n \* \* `external` or `@JsExport` classes and interfaces\n \* \* Nullable counterparts of types above\n \* \* Unit return type. Must not be nullable\n \* ^\n\n \* This annotation is experimental, meaning that restrictions mentioned above are subject to change.\n \* ^\n\n@ExperimentalJsExport\n\n@Retention(AnnotationRetention.BINARY)\n\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\n\n@SinceKotlin("1.4")\n\n@OptionalExpectation\n\npublic expect annotation class JsExport(),"/\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \* ^\n\npackage kotlin.io\n\n/\*\*\n \* Prints the line separator to the standard output stream. ^\n\npublic expect fun println()\n\n/\*\*\n \* Prints the given [message] and the line separator to the standard output stream. ^\n\npublic expect fun println(message: Any?)\n\n/\*\*\n \* Prints the given [message] to the standard output stream. ^\n\npublic expect fun print(message: Any?)\n\n/\*\*\n \* Reads a line of input from the standard input stream and returns it,\n \* or throws a [RuntimeException] if EOF has already been reached when [readln] is called.\n \* ^\n\n \* LF or CRLF is treated as the line terminator. Line terminator is not included in the returned string.\n \* ^\n\n \* Currently this function is not supported in Kotlin/JS and throws [UnsupportedOperationException].\n \* ^\n\n@SinceKotlin("1.6")\n\npublic expect fun readln(): String\n\n/\*\*\n \* Reads a line of input from the standard input stream and returns it,\n \* or return `null` if EOF has already been reached when [readlnOrNull] is called.\n \* ^\n\n \* LF or CRLF is treated as the line terminator. Line terminator is not included in the returned string.\n \* ^\n\n \* Currently this function is not supported in Kotlin/JS and throws [UnsupportedOperationException].\n \* ^\n\n@SinceKotlin("1.6")\n\npublic expect fun readlnOrNull(): String?\n\ninternal class ReadAfterEOFException(message: String?) : RuntimeException(message)\n\ninternal expect interface Serializable\n\n"/\*\n \* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \* ^\n\npackage kotlin.collections\n\nimport kotlin.internal.PlatformDependent\n\n/\*\*\n \* Classes that inherit from this interface can be represented as a sequence of elements that can\n \* be iterated over.\n \* ^\n\n \* @param T the type of element being iterated over. The iterator is covariant in its element type.\n \* ^\n\npublic interface Iterable<out T> {\n \* ^\n\n \* Returns an iterator over the elements of this object.\n \* ^\n\n \* public operator fun iterator(): Iterator<T>}\n\n/\*\*\n \* Classes that inherit from this interface\n \* can be represented as a sequence of elements that can\n \* be iterated over and that supports removing elements during iteration.\n \* ^\n\n \* @param T the type of element being iterated over. The mutable iterator is invariant in its element type.\n \* ^\n\npublic interface MutableIterable<out T> : Iterable<T> {\n \* ^\n\n \* Returns an iterator over the elements of this sequence that supports removing elements during iteration.\n \* ^\n\n \* override fun iterator(): MutableIterator<T>}\n\n/\*\*\n \* A

```

generic collection of elements. Methods in this interface support only read-only access to the collection;\n *
read/write access is supported through the [MutableCollection] interface.\n * @param E the type of elements
contained in the collection. The collection is covariant in its element type.\n *\npublic interface Collection<out E> :
Iterable<E> {\n // Query Operations\n /**\n * Returns the size of the collection.\n */\n public val size:
Int\n\n /**\n * Returns `true` if the collection is empty (contains no elements), `false` otherwise.\n */\n
public fun isEmpty(): Boolean\n\n /**\n * Checks if the specified element is contained in this collection.\n
*/\n\n public operator fun contains(element: @UnsafeVariance E): Boolean\n\n override fun iterator():
Iterator<E>\n\n // Bulk Operations\n /**\n * Checks if all elements in the specified collection are contained in
this collection.\n */\n\n public fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n}\n\n/**\n
* A generic collection of elements that supports adding and removing elements.\n */\n\n * @param E the type of
elements contained in the collection. The mutable collection is invariant in its element type.\n *\npublic interface
MutableCollection<E> : Collection<E>, MutableIterable<E> {\n // Query Operations\n override fun iterator():
MutableIterator<E>\n\n // Modification Operations\n /**\n * Adds the specified element to the collection.\n
*/\n\n * @return `true` if the element has been added, `false` if the collection does not support duplicates\n * and
the element is already contained in the collection.\n */\n\n public fun add(element: E): Boolean\n\n /**\n *
Removes a single instance of the specified element from this\n * collection, if it is present.\n */\n\n * @return
`true` if the element has been successfully removed; `false` if it was not present in the collection.\n */\n\n public
fun remove(element: E): Boolean\n\n // Bulk Modification Operations\n /**\n * Adds all of the elements of
the specified collection to this collection.\n */\n\n * @return `true` if any of the specified elements was added to
the collection, `false` if the collection was not modified.\n */\n\n public fun addAll(elements: Collection<E>):
Boolean\n\n /**\n * Removes all of this collection's elements that are also contained in the specified
collection.\n */\n\n * @return `true` if any of the specified elements was removed from the collection, `false` if
the collection was not modified.\n */\n\n public fun removeAll(elements: Collection<E>): Boolean\n\n /**\n
* Retains only the elements in this collection that are contained in the specified collection.\n */\n\n * @return
`true` if any element was removed from the collection, `false` if the collection was not modified.\n */\n\n public
fun retainAll(elements: Collection<E>): Boolean\n\n /**\n * Removes all elements from this collection.\n
*/\n\n\n public fun clear(): Unit\n}\n\n/**\n
* A generic ordered collection of elements. Methods in this interface
support only read-only access to the list;\n * read/write access is supported through the [MutableList] interface.\n
*/\n\n * @param E the type of elements contained in the list. The list is covariant in its element type.\n *\npublic interface
List<out E> : Collection<E> {\n // Query Operations\n\n override val size: Int\n\n override fun isEmpty():
Boolean\n\n override fun contains(element: @UnsafeVariance E): Boolean\n\n override fun iterator():
Iterator<E>\n\n // Bulk Operations\n\n override fun containsAll(elements: Collection<@UnsafeVariance E>):
Boolean\n\n\n // Positional Access Operations\n /**\n * Returns the element at the specified index in the list.\n
*/\n\n\n public operator fun get(index: Int): E\n\n // Search Operations\n /**\n * Returns the index of the first
occurrence of the specified element in the list, or -1 if the specified\n * element is not contained in the list.\n
*/\n\n\n public fun indexOf(element: @UnsafeVariance E): Int\n\n /**\n * Returns the index of the last
occurrence of the specified element in the list, or -1 if the specified\n * element is not contained in the list.\n
*/\n\n\n public fun lastIndexOf(element: @UnsafeVariance E): Int\n\n // List Iterators\n /**\n * Returns a list
iterator over the elements in this list (in proper sequence).\n */\n\n\n public fun listIterator(): ListIterator<E>\n\n
/**\n * Returns a list iterator over the elements in this list (in proper sequence), starting at the specified [index].\n
*/\n\n\n public fun listIterator(index: Int): ListIterator<E>\n\n // View\n /**\n * Returns a view of the portion
of this list between the specified [fromIndex] (inclusive) and [toIndex] (exclusive).\n * The returned list is backed
by this list, so non-structural changes in the returned list are reflected in this list, and vice-versa.\n */\n\n
\n * Structural changes in the base list make the behavior of the view undefined.\n */\n\n\n public fun
subList(fromIndex: Int, toIndex: Int): List<E>\n}\n\n/**\n
* A generic ordered collection of elements that supports
adding and removing elements.\n * @param E the type of elements contained in the list. The mutable list is invariant
in its element type.\n *\npublic interface MutableList<E> : List<E>, MutableCollection<E> {\n // Modification
Operations\n /**\n * Adds the specified element to the end of this list.\n */\n\n\n * @return `true` because the

```

```

list is always modified as the result of this operation.\n
override fun add(element: E): Boolean\n
override fun remove(element: E): Boolean\n
// Bulk Modification Operations\n
/**\n
 * Adds all of the elements of the specified collection to the end of this list.\n
 * The elements are appended in the order they appear in the [elements] collection.\n
 * @return `true` if the list was changed as the result of the operation.\n
 */\n
override fun addAll(elements: Collection<E>): Boolean\n
/**\n
 * Inserts all of the elements of the specified collection [elements] into this list at the specified [index].\n
 * @return `true` if the list was changed as the result of the operation.\n
 */\n
public fun addAll(index: Int, elements: Collection<E>): Boolean\n
override fun removeAll(elements: Collection<E>): Boolean\n
override fun retainAll(elements: Collection<E>): Boolean\n
override fun clear(): Unit\n
// Positional Access Operations\n
/**\n
 * Replaces the element at the specified position in this list with the specified element.\n
 * @return the element previously at the specified position.\n
 */\n
public operator fun set(index: Int, element: E): E\n
/**\n
 * Inserts an element into the list at the specified [index].\n
 */\n
public fun add(index: Int, element: E): Unit\n
/**\n
 * Removes an element at the specified [index] from the list.\n
 * @return the element that has been removed.\n
 */\n
public fun removeAt(index: Int): E\n
// List Iterators\n
override fun listIterator(): MutableListIterator<E>\n
override fun listIterator(index: Int): MutableListIterator<E>\n
// View\n
override fun subList(fromIndex: Int, toIndex: Int): MutableList<E>\n
}n\n
/**\n
 * A generic unordered collection of elements that does not support duplicate elements.\n
 * Methods in this interface support only read-only access to the set;\n
 * read/write access is supported through the [MutableSet] interface.\n
 * @param E the type of elements contained in the set. The set is covariant in its element type.\n
 */\n
public interface Set<out E> : Collection<E> {\n
// Query Operations\n
override val size: Int\n
override fun isEmpty(): Boolean\n
override fun contains(element: @UnsafeVariance E): Boolean\n
override fun iterator(): Iterator<E>\n
// Bulk Operations\n
override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean\n
}n\n
/**\n
 * A generic unordered collection of elements that does not support duplicate elements, and supports\n
 * adding and removing elements.\n
 * @param E the type of elements contained in the set. The mutable set is invariant in its element type.\n
 */\n
public interface MutableSet<E> : Set<E>, MutableCollection<E> {\n
// Query Operations\n
override fun iterator(): MutableIterator<E>\n
// Modification Operations\n
/**\n
 * Adds the specified element to the set.\n
 * @return `true` if the element has been added, `false` if the element is already contained in the set.\n
 */\n
override fun add(element: E): Boolean\n
// Bulk Modification Operations\n
override fun addAll(elements: Collection<E>): Boolean\n
override fun removeAll(elements: Collection<E>): Boolean\n
override fun clear(): Unit\n
}n\n
/**\n
 * A collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n
 * the value corresponding to each key. Map keys are unique; the map holds only one value for each key.\n
 * Methods in this interface support only read-only access to the map; read-write access is supported through\n
 * the [MutableMap] interface.\n
 * @param K the type of map keys. The map is invariant in its key type, as it\n
 * can accept key as a parameter (of [containsKey] for example) and return it in [keys] set.\n
 * @param V the type of map values. The map is covariant in its value type.\n
 */\n
public interface Map<K, out V> {\n
// Query Operations\n
/**\n
 * Returns the number of key/value pairs in the map.\n
 */\n
public val size: Int\n
/**\n
 * Returns `true` if the map is empty (contains no elements), `false` otherwise.\n
 */\n
public fun isEmpty(): Boolean\n
/**\n
 * Returns `true` if the map contains the specified [key].\n
 */\n
public fun containsKey(key: K): Boolean\n
/**\n
 * Returns `true` if the map maps one or more keys to the specified [value].\n
 */\n
public fun containsValue(value: @UnsafeVariance V): Boolean\n
/**\n
 * Returns the value corresponding to the given [key], or `null` if such a key is not present in the map.\n
 */\n
public operator fun get(key: K): V?\n
/**\n
 * Returns the value corresponding to the given [key], or [defaultValue] if such a key is not present in the map.\n
 * @since JDK 1.8\n
 */\n
@SinceKotlin("1.1")\n
@PlatformDependent\n
public fun getOrDefault(key: K, defaultValue: @UnsafeVariance V): V {\n
// See default implementation in JDK sources\n
throw NotImplementedError()\n
}\n
// Views\n
/**\n
 * Returns a read-only [Set] of all keys in this map.\n
 */\n
public val keys: Set<K>\n
/**\n
 * Returns a read-only [Collection] of all values in this map. Note that this collection may contain duplicate values.\n
 */\n
public val values: Collection<V>\n
}n\n

```

```

* Returns a read-only [Set] of all key/value pairs in this map.\n    */\n    public val entries: Set<Map.Entry<K,
V>>\n\n    /**\n    * Represents a key/value pair held by a [Map].\n    */\n    public interface Entry<out K, out V>
{\n        /**\n        * Returns the key of this key/value pair.\n        */\n        public val key: K\n\n        /**\n        * Returns the value of this key/value pair.\n        */\n        public val value: V\n    }\n\n    /**\n    * A modifiable collection that holds pairs of objects (keys and values) and supports efficiently retrieving\n    * the value corresponding to each key. Map keys are unique; the map holds only one value for each key.\n    * @param K the type of map keys. The map is invariant in its key type.\n    * @param V the type of map values. The mutable map is invariant in its value type.\n    */\n    public interface MutableMap<K, V> : Map<K, V> {\n        // Modification Operations\n        /**\n        * Associates the specified [value] with the specified [key] in the map.\n        */\n        * @return the previous value associated with the key, or `null` if the key was not present in the map.\n        */\n        public fun put(key: K, value: V): V?\n\n        /**\n        * Removes the specified key and its corresponding value from this map.\n        */\n        * @return the previous value associated with the key, or `null` if the key was not present in the map.\n        */\n        public fun remove(key: K): V?\n\n        /**\n        * Removes the entry for the specified key only if it is mapped to the specified value.\n        */\n        * @return true if entry was removed\n        */\n        @SinceKotlin("1.1")\n        @PlatformDependent\n        public fun remove(key: K, value: V): Boolean {\n            // See default implementation in JDK sources\n            return true\n        }\n\n        // Bulk Modification Operations\n        /**\n        * Updates this map with key/value pairs from the specified map [from].\n        */\n        public fun putAll(from: Map<out K, V>): Unit\n\n        /**\n        * Removes all elements from this map.\n        */\n        public fun clear(): Unit\n\n        // Views\n        /**\n        * Returns a [MutableSet] of all keys in this map.\n        */\n        override val keys: MutableSet<K>\n\n        /**\n        * Returns a [MutableCollection] of all values in this map. Note that this collection may contain duplicate values.\n        */\n        override val values: MutableCollection<V>\n\n        /**\n        * Returns a [MutableSet] of all key/value pairs in this map.\n        */\n        override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n\n        /**\n        * Represents a key/value pair held by a [MutableMap].\n        */\n        public interface MutableEntry<K, V> : Map.Entry<K, V> {\n            /**\n            * Changes the value associated with the key of this entry.\n            */\n            * @return the previous value corresponding to the key.\n            */\n            public fun setValue(newValue: V): V\n        }\n    }\n\n    /* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file. */\n\n    // Auto-generated file. DO NOT EDIT!\n\n    package kotlin.collections\n\n    /** An iterator over a sequence of values of type `Byte`. */\n    public abstract class ByteIterator : Iterator<Byte> {\n        override final fun next() = nextByte()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextByte(): Byte\n    }\n\n    /** An iterator over a sequence of values of type `Char`. */\n    public abstract class CharIterator : Iterator<Char> {\n        override final fun next() = nextChar()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextChar(): Char\n    }\n\n    /** An iterator over a sequence of values of type `Short`. */\n    public abstract class ShortIterator : Iterator<Short> {\n        override final fun next() = nextShort()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextShort(): Short\n    }\n\n    /** An iterator over a sequence of values of type `Int`. */\n    public abstract class IntIterator : Iterator<Int> {\n        override final fun next() = nextInt()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextInt(): Int\n    }\n\n    /** An iterator over a sequence of values of type `Long`. */\n    public abstract class LongIterator : Iterator<Long> {\n        override final fun next() = nextLong()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextLong(): Long\n    }\n\n    /** An iterator over a sequence of values of type `Float`. */\n    public abstract class FloatIterator : Iterator<Float> {\n        override final fun next() = nextFloat()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextFloat(): Float\n    }\n\n    /** An iterator over a sequence of values of type `Double`. */\n    public abstract class DoubleIterator : Iterator<Double> {\n        override final fun next() = nextDouble()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextDouble(): Double\n    }\n\n    /** An iterator over a sequence of values of type `Boolean`. */\n    public abstract class BooleanIterator : Iterator<Boolean> {\n        override final fun next() = nextBoolean()\n\n        /** Returns the next value in the sequence without boxing. */\n        public abstract fun nextBoolean(): Boolean\n    }\n\n    /* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the

```

```

Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\n// Auto-generated file. DO NOT
EDIT!\n\npackage kotlin.ranges\n\n/**\n * An iterator over a progression of values of type `Char`.\n * @property
step the number by which the value is incremented on each step.\n */\n\ninternal class CharProgressionIterator(first:
Char, last: Char, val step: Int) : CharIterator() {\n    private val finalElement: Int = last.code\n    private var hasNext:
Boolean = if (step > 0) first <= last else first >= last\n    private var next: Int = if (hasNext) first.code else
finalElement\n\n    override fun hasNext(): Boolean = hasNext\n\n    override fun nextChar(): Char {\n        val value
= next\n        if (value == finalElement) {\n            if (!hasNext) throw kotlin.NoSuchElementException()\n
hasNext = false\n        }\n        else {\n            next += step\n        }\n        return value.toChar()\n    }\n}\n\n/**\n *
An iterator over a progression of values of type `Int`.\n * @property step the number by which the value is
incremented on each step.\n */\n\ninternal class IntProgressionIterator(first: Int, last: Int, val step: Int) : IntIterator()
{\n    private val finalElement: Int = last\n    private var hasNext: Boolean = if (step > 0) first <= last else first >=
last\n    private var next: Int = if (hasNext) first else finalElement\n\n    override fun hasNext(): Boolean =
hasNext\n\n    override fun nextInt(): Int {\n        val value = next\n        if (value == finalElement) {\n            if
(!hasNext) throw kotlin.NoSuchElementException()\n            hasNext = false\n        }\n        else {\n            next +=
step\n        }\n        return value\n    }\n}\n\n/**\n * An iterator over a progression of values of type `Long`.\n *
@property step the number by which the value is incremented on each step.\n */\n\ninternal class
LongProgressionIterator(first: Long, last: Long, val step: Long) : LongIterator() {\n    private val finalElement: Long
= last\n    private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n    private var next: Long = if
(hasNext) first else finalElement\n\n    override fun hasNext(): Boolean = hasNext\n\n    override fun nextLong():
Long {\n        val value = next\n        if (value == finalElement) {\n            if (!hasNext) throw
kotlin.NoSuchElementException()\n            hasNext = false\n        }\n        else {\n            next += step\n        }\n
return value\n    }\n}\n\n"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport
kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type `Char`.\n */\n\npublic open class
CharProgression\n    internal constructor\n        (\n            start: Char,\n            endInclusive: Char,\n            step: Int\n        ) : Iterable<Char> {\n    init {\n        if (step == 0) throw kotlin.IllegalArgumentException("\Step must be non-
zero.")\n        if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("\Step must be greater than
Int.MIN_VALUE to avoid overflow on negation.")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first: Char = start\n\n    /**\n     * The last element in the progression.\n     */\n    public val last:
Char = getProgressionLastElement(start.code, endInclusive.code, step).toChar()\n\n    /**\n     * The step of the
progression.\n     */\n    public val step: Int = step\n\n    override fun iterator(): CharIterator =
CharProgressionIterator(first, last, step)\n\n    /**\n     * Checks if the progression is empty.\n     */\n    * Progression
with a positive step is empty if its first element is greater than the last element.\n     * Progression with a negative
step is empty if its first element is less than the last element.\n     */\n    public open fun isEmpty(): Boolean = if
(step > 0) first > last else first < last\n\n    override fun equals(other: Any?): Boolean =\n        other is
CharProgression && (isEmpty() && other.isEmpty() ||\n            first == other.first && last == other.last && step ==
other.step)\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * (31 * first.code + last.code) +
step)\n\n    override fun toString(): String = if (step > 0) "$first..$last step $step" else "$first downTo $last step ${-
step}"\n\n    companion object {\n        /**\n         * Creates CharProgression within the specified bounds of a
closed range.\n         */\n        * The progression starts with the [rangeStart] value and goes toward the [rangeEnd]
value not excluding it, with the specified [step].\n         * In order to go backwards the [step] must be negative.\n
*/\n        * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n         */\n        public fun
fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression = CharProgression(rangeStart,
rangeEnd, step)\n    }\n}\n\n/**\n * A progression of values of type `Int`.\n */\n\npublic open class IntProgression\n    internal constructor\n        (\n            start: Int,\n            endInclusive: Int,\n            step: Int\n        ) : Iterable<Int> {\n    init {\n        if (step == 0) throw kotlin.IllegalArgumentException("\Step must be non-zero.")\n        if (step ==
Int.MIN_VALUE) throw kotlin.IllegalArgumentException("\Step must be greater than Int.MIN_VALUE to avoid

```



applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```

package
kotlin
/**
 * The type with only one value: the `Unit` object. This type corresponds to the `void` type in Java.
 */
public object Unit {
    override fun toString() = "kotlin.Unit"
}
/* Copyright 2010-2015 JetBrains
s.r.o. Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except
in compliance with the License.
You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language
governing permissions and
limitations under the License.
*/
package kotlin.annotation
import
kotlin.annotation.AnnotationTarget
/**
 * Contains the list of code elements which are the possible annotation
targets
 */
public enum class AnnotationTarget {
    /** Class, interface or object, annotation class is also
included
 */
    CLASS,
    /** Annotation class only
 */
    ANNOTATION_CLASS,
    /** Generic type
parameter
 */
    TYPE_PARAMETER,
    /** Property
 */
    PROPERTY,
    /** Field, including property's
backing field
 */
    FIELD,
    /** Local variable
 */
    LOCAL_VARIABLE,
    /** Value parameter of a
function or a constructor
 */
    VALUE_PARAMETER,
    /** Constructor only (primary or secondary)
 */
    CONSTRUCTOR,
    /** Function (constructors are not included)
 */
    FUNCTION,
    /** Property getter only
 */
    PROPERTY_GETTER,
    /** Property setter only
 */
    PROPERTY_SETTER,
    /** Type usage
 */
    TYPE,
    /** Any expression
 */
    EXPRESSION,
    /** File
 */
    FILE,
    /** Type alias
 */
    TYPEALIAS
}
/**
 * Contains the list of possible annotation's retentions.
 */
Determines how an annotation is stored in binary output.
public enum class AnnotationRetention {
    /** Annotation isn't stored in binary output
 */
    SOURCE,
    /** Annotation is stored in binary output, but invisible
for reflection
 */
    BINARY,
    /** Annotation is stored in binary output and visible for reflection (default
retention)
 */
    RUNTIME
}
/**
 * This meta-annotation indicates the kinds of code elements which are
possible targets of an annotation.
 */
If the target meta-annotation is not present on an annotation declaration,
the annotation is applicable to the following elements: [CLASS], [PROPERTY], [FIELD],
[LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR], [FUNCTION], [PROPERTY_GETTER],
[PROPERTY_SETTER].
 */
@property allowedTargets list of allowed annotation targets
 */
@Target(AnnotationTarget.ANNOTATION_CLASS)
@MustBeDocumented
public annotation class
Target(vararg val allowedTargets: AnnotationTarget)
/**
 * This meta-annotation determines whether an
annotation is stored in binary output and visible for reflection. By default, both are true.
 */
@property value
necessary annotation retention (RUNTIME, BINARY or SOURCE)
 */
@Target(AnnotationTarget.ANNOTATION_CLASS)
public annotation class Retention(val value:
AnnotationRetention = AnnotationRetention.RUNTIME)
/**
 * This meta-annotation determines that an
annotation is applicable twice or more on a single code element
 */
@Target(AnnotationTarget.ANNOTATION_CLASS)
public annotation class Repeatable
/**
 * This
meta-annotation determines that an annotation is a part of public API and therefore should be included in the
generated documentation for the element to which the annotation is applied.
 */
@Target(AnnotationTarget.ANNOTATION_CLASS)
public annotation class MustBeDocumented
}
/* Copyright 2010-2016 JetBrains s.r.o. Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language
governing permissions and
limitations under the License.
*/
package kotlin.internal
/**
 * Specifies
that the corresponding type parameter is not used for unsafe operations such as casts or 'is' checks
 */
That means
it's completely safe to use generic types as argument for such parameter.

```

```

*\/n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal
annotation class PureReifiable\n\n/**\n * Specifies that the corresponding built-in method exists depending on
platform.\n * Current implementation for JVM looks whether method with same JVM descriptor exists in the
module JDK.\n * For example MutableMap.remove(K, V) available only if corresponding\n * method
'java/util/Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z' is defined in JDK (i.e. for major versions >= 8)\n
*\/n@Target(AnnotationTarget.FUNCTION)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation
class PlatformDependent\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\/n\npackage kotlin.internal\n\n// a mod b (in arithmetical sense)\nprivate fun mod(a:
Int, b: Int): Int {\n    val mod = a % b\n    return if (mod >= 0) mod else mod + b\n}\n\nprivate fun mod(a: Long, b:
Long): Long {\n    val mod = a % b\n    return if (mod >= 0) mod else mod + b\n}\n\n// (a - b) mod c\nprivate fun
differenceModulo(a: Int, b: Int, c: Int): Int {\n    return mod(mod(a, c) - mod(b, c), c)\n}\n\nprivate fun
differenceModulo(a: Long, b: Long, c: Long): Long {\n    return mod(mod(a, c) - mod(b, c), c)\n}\n\n/**\n *
Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in
the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n *
[step].\n * No validation on passed parameters is performed. The given parameters should satisfy the
condition:\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n * @param start
first element of the progression\n * @param end ending bound for the progression\n * @param step increment, or
difference of successive elements in the progression\n * @return the final element of the progression\n *
@suppress\n *\/n@PublishedApi\ninternal fun getProgressionLastElement(start: Int, end: Int, step: Int): Int = when
{\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n    step < 0 -> if (start <= end)
end else end + differenceModulo(start, end, -step)\n    else -> throw kotlin.IllegalArgumentException("Step is
zero.")\n}\n\n/**\n * Calculates the final element of a bounded arithmetic progression, i.e. the last element of the
progression which is in the range\n * from [start] to [end] in case of a positive [step], or from [end] to [start] in case
of a negative\n * [step].\n * No validation on passed parameters is performed. The given parameters should
satisfy the condition:\n * - either `step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n * @param
start first element of the progression\n * @param end ending bound for the progression\n * @param step
increment, or difference of successive elements in the progression\n * @return the final element of the progression\n
* @suppress\n *\/n@PublishedApi\ninternal fun getProgressionLastElement(start: Long, end: Long, step: Long):
Long = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)\n    step < 0 -> if
(start <= end) end else end + differenceModulo(start, end, -step)\n    else -> throw
kotlin.IllegalArgumentException("Step is zero.")\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license: that can be
found in the license/LICENSE.txt file.\n *\/n\n@JsName("arrayIterator")\ninternal fun arrayIterator(array:
dynamic, type: String?) = when (type) {\n    null -> {\n        val arr: Array<dynamic> = array\n        object :
Iterator<dynamic> {\n            var index = 0\n            override fun hasNext() = index < arr.size\n            override fun
next() = if (index < arr.size) arr[index++] else throw NoSuchElementException("$index")\n        }\n    }\n    "BooleanArray" -> booleanArrayIterator(array)\n    "ByteArray" -> byteArrayIterator(array)\n    "ShortArray" -
-> shortArrayIterator(array)\n    "CharArray" -> charArrayIterator(array)\n    "IntArray" ->
intArrayIterator(array)\n    "LongArray" -> longArrayIterator(array)\n    "FloatArray" ->
floatArrayIterator(array)\n    "DoubleArray" -> doubleArrayIterator(array)\n    else -> throw
IllegalStateException("Unsupported type argument for arrayIterator:
$type")\n}\n\n@JsName("booleanArrayIterator")\ninternal fun booleanArrayIterator(array: BooleanArray) =
object : BooleanIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override fun
nextBoolean() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("byteArrayIterator")\ninternal fun byteArrayIterator(array:
ByteArray) = object : ByteIterator() {\n    var index = 0\n    override fun hasNext() = index < array.size\n    override
fun nextByte() = if (index < array.size) array[index++] else throw

```

```

NoSuchElementException("$index")\n}\n\n@JsName("shortArrayIterator")\ninternal fun
shortArrayIterator(array: ShortArray) = object : ShortIterator() {\n  var index = 0\n  override fun hasNext() =
index < array.size\n  override fun nextShort() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("charArrayIterator")\ninternal fun charArrayIterator(array:
CharArray) = object : CharIterator() {\n  var index = 0\n  override fun hasNext() = index < array.size\n  override
fun nextChar() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("intArrayIterator")\ninternal fun intArrayIterator(array:
IntArray) = object : IntIterator() {\n  var index = 0\n  override fun hasNext() = index < array.size\n  override fun
nextInt() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("floatArrayIterator")\ninternal fun
floatArrayIterator(array: FloatArray) = object : FloatIterator() {\n  var index = 0\n  override fun hasNext() = index
< array.size\n  override fun nextFloat() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("doubleArrayIterator")\ninternal fun
doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {\n  var index = 0\n  override fun hasNext()
= index < array.size\n  override fun nextDouble() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("longArrayIterator")\ninternal fun longArrayIterator(array:
LongArray) = object : LongIterator() {\n  var index = 0\n  override fun hasNext() = index < array.size\n
override fun nextLong() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("PropertyMetadata")\ninternal class
PropertyMetadata(@JsName("callableName") val name:
String)\n\n@JsName("noWhenBranchMatched")\ninternal fun noWhenBranchMatched(): Nothing = throw
NoWhenBranchMatchedException()\n\n@JsName("subSequence")\ninternal fun subSequence(c: CharSequence,
startIndex: Int, endIndex: Int): CharSequence {\n  if (c is String) {\n    return c.substring(startIndex, endIndex)\n
} else {\n    return c.asDynamic().`subSequence_vux9f0$`(startIndex, endIndex)\n
}\n}\n\n@JsName("captureStack")\ninternal fun captureStack(@Suppress("UNUSED_PARAMETER")
baseClass: JsClass<in Throwable>, instance: Throwable) {\n  if (js("Error").captureStackTrace) {\n    // Using
uncropped stack traces due to KT-37563.\n    // Precise stack traces are implemented in JS IR compiler and
stdlib\n    js("Error").captureStackTrace(instance);\n  } else {\n    instance.asDynamic().stack = js("new
Error()").stack;\n  }\n}\n\n@JsName("newThrowable")\ninternal fun newThrowable(message: String?, cause:
Throwable?): Throwable {\n  val throwable = js("new Error()")\n  throwable.message = if (jsTypeOf(message)
== "undefined") {\n    if (cause != null) cause.toString() else null\n  } else {\n    message\n  }\n
throwable.cause = cause\n  throwable.name = "Throwable"\n  return
throwable\n}\n\n@JsName("BoxedChar")\ninternal class BoxedChar(val c: Int) : Comparable<Int> {\n  override
fun equals(other: Any?): Boolean {\n    return other is BoxedChar && c == other.c\n  }\n\n  override fun
hashCode(): Int {\n    return c\n  }\n\n  override fun toString(): String {\n    return
js("this.c").unsafeCast<Char>().toString()\n  }\n\n  override fun compareTo(other: Int): Int {\n    return
js("this.c - other").unsafeCast<Int>()\n  }\n\n  @JsName("valueOf")\n  public fun valueOf(): Int {\n
return c\n  }\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun <T> concat(args: Array<T>): T {\n  val typed
= js("Array")(args.size)\n  for (i in args.indices) {\n    val arr = args[i]\n    if (arr !is Array<*>) {\n
typed[i] = js("[]").slice.call(arr)\n    } else {\n    typed[i] = arr\n    }\n  }\n  return
js("[]").concat.apply(js("[]"), typed);\n}\n\n/** Concat regular Array's and TypedArray's into an Array.\n
*/\n\n@PublishedApi\n@JsName("arrayConcat")\n@Suppress("UNUSED_PARAMETER")\ninternal fun <T>
arrayConcat(a: T, b: T): T {\n  return concat(js("arguments"))\n}\n\n/** Concat primitive arrays. Main use:
prepare vararg arguments.\n
* For compatibility with 1.1.0 the arguments may be a mixture of Array's and
TypedArray's.\n
* If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray)
returns a TypedArray, otherwise an Array.\n
* If the first argument has the $type$ property (Boolean-, Char-, and
LongArray) copy its value to result.$type$.\n
* If the first argument is a regular Array without the $type$ property
default to arrayConcat.\n

```

```

*\n@PublishedApi\n@jsName("primitiveArrayConcat")\n@Suppress("UNUSED_PARAMETER")\ninternal
fun <T> primitiveArrayConcat(a: T, b: T): T { \n    val args: Array<T> = js("arguments")\n    if (a is Array<*> &&
a.asDynamic().`$type$` === undefined) { \n        return concat(args)\n    } else { \n        var size = 0\n        for (i in
args.indices) { \n            size += args[i].asDynamic().length as Int\n        } \n        val result = js("new
a.constructor(size)")\n        kotlin.copyArrayType(a, result)\n        size = 0\n        for (i in args.indices) { \n            val
arr = args[i].asDynamic()\n            for (j in 0 until arr.length) { \n                result[size++] = arr[j]\n            } \n        } \n
return result\n    } } \n\n@jsName("booleanArrayOf")\ninternal fun booleanArrayOf() =
withType("BooleanArray", js("[].slice.call(arguments)")\n)\n@jsName("charArrayOf") // The arguments have
to be slice'd here because of Rhino (see KT-16974)\ninternal fun charArrayOf() = withType("CharArray", js("new
Uint16Array([].slice.call(arguments)))\n)\n\n@jsName("longArrayOf")\ninternal fun longArrayOf() =
withType("LongArray",
js("[].slice.call(arguments)")\n)\n\n@jsName("withType")\n@kotlin.internal.InlineOnly\ninternal inline fun
withType(type: String, array: dynamic): dynamic { \n    array.`$type$` = type\n    return array\n } , /*\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n *
Function corresponding to JavaScript's `typeof` operator\n
*\n@kotlin.internal.InlineOnly\n@Suppress("UNUSED_PARAMETER")\npublic inline fun jsTypeOf(a: Any?):
String = js("typeof a")\n , /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n@file:Suppress("UNUSED_PARAMETER",
"NOTHING_TO_INLINE")\n\npackage kotlin\n\n/**\n * Returns an empty array of the specified type [T].\n
*\npublic inline fun <T> emptyArray(): Array<T> = js("[ ]")\n\n@library\npublic fun <T> arrayOf(vararg
elements: T): Array<T> = definedExternally\n\n@library\npublic fun doubleArrayOf(vararg elements: Double):
DoubleArray = definedExternally\n\n@library\npublic fun floatArrayOf(vararg elements: Float): FloatArray =
definedExternally\n\n@library\npublic fun longArrayOf(vararg elements: Long): LongArray =
definedExternally\n\n@library\npublic fun intArrayOf(vararg elements: Int): IntArray =
definedExternally\n\n@library\npublic fun charArrayOf(vararg elements: Char): CharArray =
definedExternally\n\n@library\npublic fun shortArrayOf(vararg elements: Short): ShortArray =
definedExternally\n\n@library\npublic fun byteArrayOf(vararg elements: Byte): ByteArray =
definedExternally\n\n@library\npublic fun booleanArrayOf(vararg elements: Boolean): BooleanArray =
definedExternally\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function
[initializer].\n *\npublic actual fun <T> lazy(initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n *
Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n *\n * The [mode]
parameter is ignored.\n *\npublic actual fun <T> lazy(mode: LazyThreadSafetyMode, initializer: () -> T): Lazy<T> =
UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization
function [initializer].\n *\n * The [lock] parameter is ignored.\n *\npublic actual fun <T> lazy(lock: Any?,
initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n\ninternal fun fillFrom(src: dynamic, dst: dynamic):
dynamic { \n    val srcLen: Int = src.length\n    val dstLen: Int = dst.length\n    var index: Int = 0\n    while (index <
srcLen && index < dstLen) dst[index] = src[index++]\n    return dst\n }\n\n\ninternal fun arrayCopyResize(source:
dynamic, newSize: Int, defaultValue: Any?): dynamic { \n    val result = source.slice(0, newSize)\n    copyArrayType(source, result)\n    var index: Int = source.length\n    if (newSize > index) { \n        result.length =
newSize\n        while (index < newSize) result[index++] = defaultValue\n    } \n    return result\n }\n\n\ninternal fun
<T> arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic { \n    val result = array.slice()\n    result.length += collection.size\n    copyArrayType(array, result)\n    var index: Int = array.length\n    for (element in
collection) result[index++] = element\n    return result\n }\n\n\ninternal fun <T> fillFromCollection(dst: dynamic,
startIndex: Int, collection: Collection<T>): dynamic { \n    var index = startIndex\n    for (element in collection)
dst[index++] = element\n    return dst\n }\n\n\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) { \n    if
(from.`$type$` !== undefined) { \n        to.`$type$` = from.`$type$`\n    } \n }\n\n\ninternal inline fun jsIsType(obj:

```

```

dynamic, jsClass: dynamic) = js("Kotlin").isType(obj, jsClass)", /*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Creates a Char with the specified
[code].\n */\n * @sample samples.text.Chars.charFromCode\n
*\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
actual inline fun Char(code: UShort): Char {\n    return code.toInt().toChar()\n}\n", /*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@SinceKotlin("1.3")\n@JsName("CoroutineImpl")\n\ninternal abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?>
{\n    protected var state = 0\n    protected var exceptionState = 0\n    protected var result: Any? = null\n    protected
var exception: Throwable? = null\n    protected var finallyPath: Array<Int>? = null\n\n    public override val context:
CoroutineContext = resultContinuation.context\n\n    private var intercepted_: Continuation<Any?>? = null\n\n    public fun intercepted(): Continuation<Any?> =\n        intercepted_ \n        ?:\n    (context[ContinuationInterceptor]?.interceptContinuation(this) ?: this)\n        .also { intercepted_ = it }\n\n    override fun resumeWith(result: Result<Any?>) {\n        var current = this\n        var currentResult: Any? =
result.getOrNull()\n        var currentException: Throwable? = result.exceptionOrNull()\n        // This loop unrolls
recursion in current.resumeWith(param) to make saner and shorter stack traces on resume\n        while (true) {\n
            with(current) {\n                val completion = resultContinuation\n                // Set result and exception fields in
the current continuation\n                if (currentException == null) {\n                    this.result = currentResult\n
                } else {\n                    state = exceptionState\n                    exception = currentException\n                }\n
            }\n            try {\n                val outcome = doResume()\n                if (outcome === COROUTINE_SUSPENDED)\n            }\n            return\n                currentResult = outcome\n                currentException = null\n            } catch (exception:
dynamic) {\n                // Catch all exceptions\n                currentResult = null\n                currentException =
exception.unsafeCast<Throwable>()\n            }\n            releaseIntercepted() // this state machine instance is
terminating\n            if (completion is CoroutineImpl) {\n                // unrolling recursion via loop\n                current = completion\n            } else {\n                // top-level completion reached -- invoke and return\n                currentException?.let {\n                    completion.resumeWithException(it)\n                } ?:\n                completion.resume(currentResult)\n                return\n            }\n        }\n        }\n        }\n        }\n        }\n        private fun
releaseIntercepted() {\n            val intercepted = intercepted_ \n            if (intercepted != null && intercepted !== this) {\n
                context[ContinuationInterceptor]!!.releaseInterceptedContinuation(intercepted)\n            }\n            this.intercepted_
= CompletedContinuation // just in case\n        }\n        protected abstract fun doResume(): Any?\n    }\n\n    internal object
CompletedContinuation : Continuation<Any?> {\n        override val context: CoroutineContext\n            get() =
error("This continuation is already complete")\n        override fun resumeWith(result: Result<Any?>) {\n
            error("This continuation is already complete")\n        }\n        override fun toString(): String = "This continuation is
already complete"\n    }\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n@file:Suppress("UNCHECKED_CAST",
"RedundantVisibilityModifier")\n\npackage kotlin\n\nimport kotlin.contracts.*\nimport
kotlin.internal.InlineOnly\nimport kotlin.jvm.JvmField\nimport kotlin.jvm.JvmInline\nimport
kotlin.jvm.JvmName\n\n/**\n * A discriminated union that encapsulates a successful outcome with a value of type
[T]\n * or a failure with an arbitrary [Throwable] exception.\n */\n\n@SinceKotlin("1.3")\n@JvmInline\npublic
value class Result<out T> @PublishedApi internal constructor(\n    @PublishedApi\n    internal val value: Any?>) :
Serializable {\n    // discovery\n    /**\n     * Returns `true` if this instance represents a successful outcome.\n     *
In this case [isFailure] returns `false`.\n     */\n    public val isSuccess: Boolean\n        get() = value !is Failure\n    /**\n     * Returns `true` if this instance represents a failed outcome.\n     *
In this case [isSuccess] returns `false`.\n     */\n    public val isFailure: Boolean\n        get() = value is Failure\n    // value & exception retrieval\n    /**\n     * Returns the
encapsulated value if this instance represents [success][Result.isSuccess] or `null` if it is

```

```

[failure][Result.isFailure].\n * This function is a shorthand for `getOrElse { null }` (see [getOrElse]) or\n
* `fold(onSuccess = { it }, onFailure = { null })` (see [fold]).\n */\n @InlineOnly\n public inline fun
getOrNull(): T? =\n when {\n isFailure -> null\n else -> value as T\n }\n /**\n *
Returns the encapsulated [Throwable] exception if this instance represents [failure][isFailure] or `null` if it is
[success][isSuccess].\n * This function is a shorthand for `fold(onSuccess = { null }, onFailure = { it })`
(see [fold]).\n */\n public fun exceptionOrNull(): Throwable? =\n when (value) {\n is Failure ->
value.exception\n else -> null\n }\n /**\n * Returns a string `Success(v)` if this instance represents
[success][Result.isSuccess] where `v` is a string representation of the value or a string `Failure(x)` if it
is [failure][isFailure] where `x` is a string representation of the exception.\n */\n public override fun toString():
String =\n when (value) {\n is Failure -> value.toString() // "Failure($exception)" \n else ->
"Success($value)" \n }\n // companion with constructors\n /**\n * Companion object for [Result]
class that contains its constructor functions\n * [success] and [failure].\n */\n public companion object {\n
/**\n * Returns an instance that encapsulates the given [value] as successful value.\n */\n
@Suppress("INAPPLICABLE_JVM_NAME")\n @InlineOnly\n @JvmName("success")\n public
inline fun <T> success(value: T): Result<T> =\n Result(value)\n /**\n * Returns an instance that
encapsulates the given [Throwable] [exception] as failure.\n */\n
@Suppress("INAPPLICABLE_JVM_NAME")\n @InlineOnly\n @JvmName("failure")\n public
inline fun <T> failure(exception: Throwable): Result<T> =\n Result(createFailure(exception))\n }\n\n
internal class Failure(\n @JvmField\n val exception: Throwable\n ): Serializable {\n override fun
equals(other: Any?): Boolean = other is Failure && exception == other.exception\n override fun hashCode():
Int = exception.hashCode()\n override fun toString(): String = "Failure($exception)" \n }\n /**\n *
Creates an instance of internal marker [Result.Failure] class to\n * make sure that this class is not exposed in ABI.\n
*\n * @PublishedApi\n * @SinceKotlin("1.3")\n * internal fun createFailure(exception: Throwable): Any =\n
Result.Failure(exception)\n /**\n * Throws exception if the result is failure. This internal function minimizes\n
* inlined bytecode for [getOrThrow] and makes sure that in the future we can\n * add some exception-augmenting
logic here (if needed).\n * @PublishedApi\n * @SinceKotlin("1.3")\n * internal fun Result<*>.throwOnFailure() {\n
if (value is Result.Failure) throw value.exception\n }\n /**\n * Calls the specified function [block] and returns its
encapsulated result if invocation was successful,\n * catching any [Throwable] exception that was thrown from the
[block] function execution and encapsulating it as a failure.\n * @InlineOnly\n * @SinceKotlin("1.3")\n * public
inline fun <R> runCatching(block: () -> R): Result<R> {\n return try {\n Result.success(block())\n } catch
(e: Throwable) {\n Result.failure(e)\n }\n }\n /**\n * Calls the specified function [block] with `this` value as
its receiver and returns its encapsulated result if invocation was successful,\n * catching any [Throwable] exception
that was thrown from the [block] function execution and encapsulating it as a failure.\n
*\n * @InlineOnly\n * @SinceKotlin("1.3")\n * public inline fun <T, R> T.runCatching(block: T.() -> R): Result<R> {\n
return try {\n Result.success(block())\n } catch (e: Throwable) {\n Result.failure(e)\n }\n }\n // --
extensions ---\n /**\n * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or
throws the encapsulated [Throwable] exception\n * if it is [failure][Result.isFailure].\n * This function is a
shorthand for `getOrElse { throw it }` (see [getOrElse]).\n * @InlineOnly\n * @SinceKotlin("1.3")\n * public inline
fun <T> Result<T>.getOrThrow(): T {\n throwOnFailure()\n return value as T\n }\n /**\n * Returns the
encapsulated value if this instance represents [success][Result.isSuccess] or the\n * result of [onFailure] function for
the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n * Note, that this function rethrows
any [Throwable] exception thrown by [onFailure] function.\n * This function is a shorthand for `fold(onSuccess
= { it }, onFailure = onFailure)` (see [fold]).\n * @InlineOnly\n * @SinceKotlin("1.3")\n * public inline fun <R, T :
R> Result<T>.getOrElse(onFailure: (exception: Throwable) -> R): R {\n contract {\n callsInPlace(onFailure,
InvocationKind.AT_MOST_ONCE)\n }\n return when (val exception = exceptionOrNull()) {\n null ->
value as T\n else -> onFailure(exception)\n }\n }\n /**\n * Returns the encapsulated value if this instance
represents [success][Result.isSuccess] or the\n * [defaultValue] if it is [failure][Result.isFailure].\n * This
function is a shorthand for `getOrElse { defaultValue }` (see [getOrElse]).\n

```

```

*\/n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.getOrDefault(defaultValue: R):
R {\n  if (isFailure) return defaultValue\n  return value as T\n}\n\n/**\n * Returns the result of [onSuccess] for the
encapsulated value if this instance represents [success][Result.isSuccess]\n * or the result of [onFailure] function for
the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * Note, that this function rethrows
any [Throwable] exception thrown by [onSuccess] or by [onFailure] function.\n
\n
*\/n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T> Result<T>.fold(\n  onSuccess: (value: T) ->
R,\n  onFailure: (exception: Throwable) -> R)\n: R {\n  contract {\n    callsInPlace(onSuccess,
InvocationKind.AT_MOST_ONCE)\n    callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)\n  }\n  return when (val exception = exceptionOrNull()) {\n    null -> onSuccess(value as T)\n    else ->
onFailure(exception)\n  }\n}\n\n// transformation\n\n/**\n * Returns the encapsulated result of the given
[transform] function applied to the encapsulated value\n * if this instance represents [success][Result.isSuccess] or
the\n * original encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * Note, that this function
rethrows any [Throwable] exception thrown by [transform] function.\n * See [mapCatching] for an alternative that
encapsulates exceptions.\n
\n
*\/n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T>
Result<T>.map(transform: (value: T) -> R): Result<R> {\n  contract {\n    callsInPlace(transform,
InvocationKind.AT_MOST_ONCE)\n  }\n  return when {\n    isSuccess -> Result.success(transform(value as
T))\n    else -> Result(value)\n  }\n}\n\n/**\n * Returns the encapsulated result of the given [transform] function
applied to the encapsulated value\n * if this instance represents [success][Result.isSuccess] or the\n * original
encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n *\n * This function catches any [Throwable]
exception thrown by [transform] function and encapsulates it as a failure.\n * See [map] for an alternative that
rethrows exceptions from `transform` function.\n
\n
*\/n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R,
T> Result<T>.mapCatching(transform: (value: T) -> R): Result<R> {\n  return when {\n    isSuccess ->
runCatching { transform(value as T) }\n    else -> Result(value)\n  }\n}\n\n/**\n * Returns the encapsulated
result of the given [transform] function applied to the encapsulated [Throwable] exception\n * if this instance
represents [failure][Result.isFailure] or the\n * original encapsulated value if it is [success][Result.isSuccess].\n *\n * Note, that this function rethrows any [Throwable] exception thrown by [transform] function.\n * See
[recoverCatching] for an alternative that encapsulates exceptions.\n
\n
*\/n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R> Result<T>.recover(transform: (exception:
Throwable) -> R): Result<R> {\n  contract {\n    callsInPlace(transform, InvocationKind.AT_MOST_ONCE)\n  }\n  return when (val exception = exceptionOrNull()) {\n    null -> this\n    else ->
Result.success(transform(exception))\n  }\n}\n\n/**\n * Returns the encapsulated result of the given [transform]
function applied to the encapsulated [Throwable] exception\n * if this instance represents [failure][Result.isFailure]
or the\n * original encapsulated value if it is [success][Result.isSuccess].\n *\n * This function catches any
[Throwable] exception thrown by [transform] function and encapsulates it as a failure.\n * See [recover] for an
alternative that rethrows exceptions.\n
\n
*\/n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <R, T : R>
Result<T>.recoverCatching(transform: (exception: Throwable) -> R): Result<R> {\n  return when (val exception =
exceptionOrNull()) {\n    null -> this\n    else -> runCatching { transform(exception) }\n  }\n}\n\n// "peek"
onto value/exception and pipe\n\n/**\n * Performs the given [action] on the encapsulated [Throwable] exception if
this instance represents [failure][Result.isFailure].\n * Returns the original `Result` unchanged.\n
\n
*\/n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T> Result<T>.onFailure(action: (exception:
Throwable) -> Unit): Result<T> {\n  contract {\n    callsInPlace(action, InvocationKind.AT_MOST_ONCE)\n  }\n  exceptionOrNull()?.let { action(it) }\n  return this\n}\n\n/**\n * Performs the given [action] on the
encapsulated value if this instance represents [success][Result.isSuccess].\n * Returns the original `Result`
unchanged.\n
\n
*\/n@InlineOnly\n@SinceKotlin("1.3")\npublic inline fun <T> Result<T>.onSuccess(action: (value:
T) -> Unit): Result<T> {\n  contract {\n    callsInPlace(action, InvocationKind.AT_MOST_ONCE)\n  }\n  if
(isSuccess) action(value as T)\n  return this\n}\n\n// -----\n\n"/*\n * Copyright 2010-2020 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport

```

```

kotlin.contracts.*\nimport kotlin.coroutines.intrinsics.*\nimport kotlin.internal.InlineOnly\n/**\n * Interface
representing a continuation after a suspension point that returns a value of type `T`.\n
*\n@SinceKotlin("1.3")\npublic interface Continuation<in T> {\n    /**\n     * The context of the coroutine that
corresponds to this continuation.\n     *\n     * public val context: CoroutineContext\n     */\n    /**\n     * Resumes the
execution of the corresponding coroutine passing a successful or failed [result] as the\n     * return value of the last
suspension point.\n     *\n     * public fun resumeWith(result: Result<T>)\n     */\n}\n\n/**\n * Classes and interfaces marked
with this annotation are restricted when used as receivers for extension\n * `suspend` functions. These `suspend`
extensions can only invoke other member or extension `suspend` functions on this particular\n * receiver and are
restricted from calling arbitrary suspension functions.\n
*\n@SinceKotlin("1.3")\n@Target(AnnotationTarget.CLASS)\n@Retention(AnnotationRetention.BINARY)\npu
blic annotation class RestrictsSuspension\n\n/**\n * Resumes the execution of the corresponding coroutine passing
[value] as the return value of the last suspension point.\n *\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline
fun <T> Continuation<T>.resume(value: T): Unit =\n    resumeWith(Result.success(value))\n\n/**\n * Resumes the
execution of the corresponding coroutine so that the [exception] is re-thrown right after the\n * last suspension
point.\n *\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun <T>
Continuation<T>.resumeWithException(exception: Throwable): Unit =\n
    resumeWith(Result.failure(exception))\n\n\n/**\n * Creates a [Continuation] instance with the given [context] and
implementation of [resumeWith] method.\n *\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun <T>
Continuation(\n    context: CoroutineContext,\n    crossinline resumeWith: (Result<T>) -> Unit\n): Continuation<T>
=\n    object : Continuation<T> {\n        override val context: CoroutineContext\n            get() = context\n\n
        override fun resumeWith(result: Result<T>) =\n            resumeWith(result)\n    }\n\n\n/**\n * Creates a coroutine
without a receiver and with result type [T].\n * This function creates a new, fresh instance of suspendable
computation every time it is invoked.\n * To start executing the created coroutine, invoke `resume(Unit)` on the
returned [Continuation] instance.\n * The [completion] continuation is invoked when the coroutine completes with a
result or an exception.\n * Subsequent invocation of any resume function on the resulting continuation will produce
an [IllegalStateException].\n *\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <T>
(suspend () -> T).createCoroutine(\n    completion: Continuation<T>)\n): Continuation<Unit> =\n
    SafeContinuation(createCoroutineUnintercepted(completion).intercepted(), COROUTINE_SUSPENDED)\n\n\n/**\n * Creates a coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh instance of
suspendable computation every time it is invoked.\n * To start executing the created coroutine, invoke
`resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when the
coroutine completes with a result or an exception.\n * Subsequent invocation of any resume function on the resulting
continuation will produce an [IllegalStateException].\n
*\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <R, T> (suspend R.() ->
T).createCoroutine(\n    receiver: R,\n    completion: Continuation<T>)\n): Continuation<Unit> =\n
    SafeContinuation(createCoroutineUnintercepted(receiver, completion).intercepted(),
COROUTINE_SUSPENDED)\n\n\n/**\n * Starts a coroutine without a receiver and with result type [T].\n * This
function creates and starts a new, fresh instance of suspendable computation every time it is invoked.\n * The
[completion] continuation is invoked when the coroutine completes with a result or an exception.\n
*\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <T> (suspend () ->
T).startCoroutine(\n    completion: Continuation<T>)\n) {\n
    createCoroutineUnintercepted(completion).intercepted().resume(Unit)\n}\n\n\n/**\n * Starts a coroutine with receiver
type [R] and result type [T].\n * This function creates and starts a new, fresh instance of suspendable computation
every time it is invoked.\n * The [completion] continuation is invoked when the coroutine completes with a result or
an exception.\n *\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <R, T> (suspend
R.() -> T).startCoroutine(\n    receiver: R,\n    completion: Continuation<T>)\n) {\n
    createCoroutineUnintercepted(receiver, completion).intercepted().resume(Unit)\n}\n\n\n/**\n * Obtains the current
continuation instance inside suspend functions and suspends\n * the currently running coroutine.\n *\n * In this

```

function both [Continuation.resume] and [Continuation.resumeWithException] can be used either synchronously in the same stack-frame where the suspension function is run or asynchronously later in the same thread or from a different thread of execution. Subsequent invocation of any resume function will produce an [IllegalStateException].

```

@SinceKotlin("1.3")@InlineOnly
public suspend inline fun <T>
suspendCoroutine(crossinline block: (Continuation<T>) -> Unit): T {
    contract { callsInPlace(block,
    InvocationKind.EXACTLY_ONCE) }
    return suspendCoroutineUninterceptedOrReturn { c: Continuation<T> -
    >
        val safe = SafeContinuation(c.intercepted())
        block(safe)
        safe.getOrThrow()
    }
}

```

Returns the context of the current coroutine.

```

@SinceKotlin("1.3")@Suppress("WRONG_MODIFIER_TARGET")@InlineOnly
public suspend inline
val coroutineContext: CoroutineContext
    get() {
        throw NotImplementedError("Implemented as
        intrinsic")
    }
}

```

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.  
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package kotlin.coroutines.intrinsics
import kotlin.coroutines.*
import kotlin.internal.InlineOnly

```

Starts an unintercepted coroutine without a receiver and with result type [T] and executes it until its first suspension. Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE\_SUSPENDED] if it suspends. In the latter case, the [completion] continuation is invoked when the coroutine completes with a result or an exception. The coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established. This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended coroutine using a reference to the suspending function.

```

@SinceKotlin("1.3")@InlineOnly
public actual inline fun <T> (suspend () ->
T).startCoroutineUninterceptedOrReturn(
    completion: Continuation<T>): Any? =
    this.asDynamic()(completion, false)

```

Starts an unintercepted coroutine with receiver type [R] and result type [T] and executes it until its first suspension. Returns the result of the coroutine or throws its exception if it does not suspend or [COROUTINE\_SUSPENDED] if it suspends. In the latter case, the [completion] continuation is invoked when the coroutine completes with a result or an exception. The coroutine is started directly in the invoker's thread without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established. This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the execution of the suspended coroutine using a reference to the suspending function.

```

@SinceKotlin("1.3")@InlineOnly
public actual inline fun <R, T> (suspend R.() ->
T).startCoroutineUninterceptedOrReturn(
    receiver: R,
    completion: Continuation<T>): Any? =
    this.asDynamic()(receiver, completion, false)
@InlineOnly
internal actual inline fun <R, P, T> (suspend R.(P) -
> T).startCoroutineUninterceptedOrReturn(
    receiver: R,
    param: P,
    completion: Continuation<T>):
Any? = this.asDynamic()(receiver, param, completion, false)

```

Creates unintercepted coroutine without receiver and with result type [T]. This function creates a new, fresh instance of suspendable computation every time it is invoked. To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance. The [completion] continuation is invoked when coroutine completes with result or exception. This function returns unintercepted continuation. Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the [ContinuationInterceptor] that might be present in the completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation context is established. Note that [completion] of this function may get invoked in an arbitrary context. [Continuation.intercepted] can be used to acquire the intercepted continuation. Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of both the coroutine and [completion] happens in the invocation context established by [ContinuationInterceptor]. Repeated invocation of any resume function on the resulting continuation corrupts the state machine of the coroutine and may result in arbitrary behaviour or exception.

```

@SinceKotlin("1.3")
public actual fun <T> (suspend () -> T).createCoroutineUnintercepted(

```

```

completion: Continuation<T>\n): Continuation<Unit> =\n // Kotlin/JS suspend lambdas have an extra parameter
`suspended`\n if (this.asDynamic().length == 2) {\n // When `suspended` is true the continuation is created,
but not executed\n this.asDynamic()(completion, true)\n } else {\n
createCoroutineFromSuspendFunction(completion) {\n this.asDynamic()(completion)\n }\n }\n\n/**\n
* Creates unintercepted coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh
instance of suspendable computation every time it is invoked.\n *\n * To start executing the created coroutine,
invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when
coroutine completes with result or exception.\n *\n * This function returns unintercepted continuation.\n *
Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the\n *
[ContinuationInterceptor] that might be present in the completion's [CoroutineContext].\n * It is the invoker's
responsibility to ensure that a proper invocation context is established.\n * Note that [completion] of this function
may get invoked in an arbitrary context.\n *\n * [Continuation.intercepted] can be used to acquire the intercepted
continuation.\n * Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of\n * both the
coroutine and [completion] happens in the invocation context established by\n * [ContinuationInterceptor].\n *\n *
Repeated invocation of any resume function on the resulting continuation corrupts the\n * state machine of the
coroutine and may result in arbitrary behaviour or exception.\n */\n\n@SinceKotlin("1.3")\npublic actual fun <R, T>
(suspend R.() -> T).createCoroutineUnintercepted(\n receiver: R,\n completion: Continuation<T>\n):
Continuation<Unit> =\n // Kotlin/JS suspend lambdas have an extra parameter `suspended`\n if
(this.asDynamic().length == 3) {\n // When `suspended` is true the continuation is created, but not executed\n
this.asDynamic()(receiver, completion, true)\n } else {\n createCoroutineFromSuspendFunction(completion)
{\n this.asDynamic()(receiver, completion)\n }\n }\n\n/**\n
* Intercepts this continuation with [ContinuationInterceptor].\n *\n * This function shall be used on the immediate result of
[createCoroutineUnintercepted] or [suspendCoroutineUninterceptedOrReturn],\n * in which case it checks for
[ContinuationInterceptor] in the continuation's [context][Continuation.context],\n * invokes
[ContinuationInterceptor.interceptContinuation], caches and returns the result.\n *\n * If this function is invoked on
other [Continuation] instances it returns `this` continuation unchanged.\n */\n\n@SinceKotlin("1.3")\npublic actual
fun <T> Continuation<T>.intercepted(): Continuation<T> =\n (this as? CoroutineImpl)?.intercepted() ?:
this\n\n\nprivate inline fun <T> createCoroutineFromSuspendFunction(\n completion: Continuation<T>,\n
crossinline block: () -> Any?\n): Continuation<Unit> {\n @Suppress("UNCHECKED_CAST")\n return object
: CoroutineImpl(completion as Continuation<Any?>) {\n override fun doResume(): Any? {\n
exception?.let { throw it }\n return block()\n }\n }\n }\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n// Mirrors signature from JS IR
BE\n// Used for
js.translator/testData/box/number/mulInt32.kt\n\n@library\n\n@JsName("imulEmulated")\n\n@Suppress("UNUSED_P
ARAMETER")\n\ninternal fun imul(x: Int, y: Int): Int =
definedExternally\n\n\n@Suppress("NOTHING_TO_INLINE")\n\ninternal inline fun isArrayish(o: dynamic) =
js("Kotlin").isArrayish(o)\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\n// NOTE: Do not author your exceptions as they are written in
this file, instead use this template:\n\n\npublic open class MyException : Exception {\n constructor() : super()\n
constructor(message: String?) : super(message)\n constructor(message: String?, cause: Throwable?) :
super(message, cause)\n constructor(cause: Throwable?) : super(cause)\n }\n\n\n\n// TODO: remove primary
constructors, make all secondary\n\n\n@Suppress("USELESS_ELVIS_RIGHT_IS_NULL")\n\npublic actual open class Error actual
constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null)
{\n actual constructor() : this(null, null)\n actual constructor(message: String?) : this(message, null)\n
actual constructor(cause: Throwable?) : this(undefine
cause)\n }\n\n\n@Suppress("USELESS_ELVIS_RIGHT_IS_NULL")\n\npublic actual open class Exception actual

```

```

constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefined, cause)\n}\n\npublic actual open class RuntimeException actual constructor(message:
String?, cause: Throwable?) : Exception(message, cause) {\n  actual constructor() : this(null, null)\n  actual
constructor(message: String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefined,
cause)\n}\n\npublic actual open class IllegalArgumentException actual constructor(message: String?, cause:
Throwable?) : RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual
constructor(message: String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefined,
cause)\n}\n\npublic actual open class IllegalStateException actual constructor(message: String?, cause: Throwable?)
: RuntimeException(message, cause) {\n  actual constructor() : this(null, null)\n  actual constructor(message:
String?) : this(message, null)\n  actual constructor(cause: Throwable?) : this(undefined, cause)\n}\n\npublic actual
open class IndexOutOfBoundsException actual constructor(message: String?) : RuntimeException(message) {\n
actual constructor() : this(null)\n}\n\npublic actual open class ConcurrentModificationException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefined, cause)\n}\n\npublic actual open class UnsupportedOperationException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefined, cause)\n}\n\npublic actual open class NumberFormatException actual
constructor(message: String?) : IllegalArgumentException(message) {\n  actual constructor() :
this(null)\n}\n\npublic actual open class NullPointerException actual constructor(message: String?) :
RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\npublic actual open class
ClassCastException actual constructor(message: String?) : RuntimeException(message) {\n  actual constructor() :
this(null)\n}\n\npublic actual open class AssertionError\n@SinceKotlin("1.4")\nconstructor(message: String?,
cause: Throwable?) : Error(message, cause) {\n  actual constructor() : this(null)\n  constructor(message: String?) :
this(message, null)\n  actual constructor(message: Any?) : this(message.toString(), message as?
Throwable)\n}\n\npublic actual open class NoSuchElementException actual constructor(message: String?) :
RuntimeException(message) {\n  actual constructor() : this(null)\n}\n\n@SinceKotlin("1.3")\npublic actual open
class ArithmeticException actual constructor(message: String?) : RuntimeException(message) {\n  actual
constructor() : this(null)\n}\n\npublic actual open class NoWhenBranchMatchedException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefined, cause)\n}\n\npublic actual open class UninitializedPropertyAccessException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n  actual constructor() :
this(null, null)\n  actual constructor(message: String?) : this(message, null)\n  actual constructor(cause:
Throwable?) : this(undefined, cause)\n}\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. Use of this source code is
governed by the Apache 2.0 license\n * that can be found in the license/LICENSE.txt file.\n
*\n\n@file:Suppress("UNUSED_PARAMETER")\n\npackage kotlin.js\n\n@kotlin.internal.InlineOnly\ninternal
inline fun jsDeleteProperty(obj: Any, property: Any) {\n  js("delete
obj[property]")\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun jsBitwiseOr(lhs: Any?, rhs: Any?): Int =\n
js("lhs | rhs").unsafeCast<Int>()", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\npackage kotlin.math\n\n/**\n * Returns this value with the sign bit same as of the
[sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n *\n@SinceKotlin("1.2")\npublic actual
fun Double.withSign(sign: Double): Double {\n  val thisSignBit =
js("Kotlin").doubleSignBit(this).unsafeCast<Int>()\n  val newSignBit =
js("Kotlin").doubleSignBit(sign).unsafeCast<Int>()\n  return if (thisSignBit == newSignBit) this else -
this}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of

```

```

this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point \"double format\" bit layout.\n
*\n@SinceKotlin(\"1.2\")\n@library(\"doubleToBits\")\npublic actual fun Double.toBits(): Long =
definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Long]\n * according to the IEEE 754 floating-point \"double format\" bit layout,\n * preserving `NaN` values exact layout.\n
*\n@SinceKotlin(\"1.2\")\n@library(\"doubleToRawBits\")\npublic actual fun Double.toRawBits(): Long =
definedExternally\n\n/**\n * Returns the [Double] value corresponding to a given bit representation.\n
*\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Double.Companion.fromBits(bits:
Long): Double = js(\"Kotlin\").doubleFromBits(bits).unsafeCast<Double>()\n\n/**\n * Returns a bit representation
of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point \"single format\" bit
layout.\n * Note that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\n * so
some [Float] values may overflow, underflow or lose their accuracy after conversion to bits and back.\n
*\n@SinceKotlin(\"1.2\")\n@library(\"floatToBits\")\npublic actual fun Float.toBits(): Int =
definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Int]\n * according
to the IEEE 754 floating-point \"single format\" bit layout,\n * preserving `NaN` values exact layout.\n * Note
that in Kotlin/JS [Float] range is wider than \"single format\" bit layout can represent,\n * so some [Float] values
may overflow, underflow or lose their accuracy after conversion to bits and back.\n
*\n@SinceKotlin(\"1.2\")\n@library(\"floatToRawBits\")\npublic actual fun Float.toRawBits(): Int =
definedExternally\n\n/**\n * Returns the [Float] value corresponding to a given bit representation.\n
*\n@SinceKotlin(\"1.2\")\n@kotlin.internal.InlineOnly\npublic actual inline fun Float.Companion.fromBits(bits:
Int): Float =
js(\"Kotlin\").floatFromBits(bits).unsafeCast<Float>()\n\n@Suppress(\"NOTHING_TO_INLINE\")\ninternal
inline fun Long(low: Int, high: Int) = js(\"Kotlin\").Long.fromBits(low, high).unsafeCast<Long>()\ninternal inline
val Long.low: Int get() = this.asDynamic().getLowBits().unsafeCast<Int>()\ninternal inline val Long.high: Int get()
= this.asDynamic().getHighBits().unsafeCast<Int>()\n\n/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\nimport kotlin.reflect.KClass\n\n@PublishedApi\ninternal fun <T :
Annotation> KClass<*>.findAssociatedObject(@Suppress(\"UNUSED_PARAMETER\") annotationClass:
KClass<T>): Any? {\n // This API is not supported in js-v1. Return `null` to be source-compatible with js-ir.\n
return null\n}\n\n/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.text\n\n/**\n * Returns a string representation of this [Long] value in the specified [radix].\n
*\n * @throws IllegalArgumentException when [radix] is not a valid radix for number to string conversion.\n
*\n@SinceKotlin(\"1.2\")\npublic actual fun Long.toString(radix: Int): String =
asDynamic().toString(checkRadix(radix))\n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the
GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n// 1343 ranges
totally\nprivate object Category {\n val decodedRangeStart: IntArray\n val decodedRangeCategory: IntArray\n
\n init {\n val toBase64 =
\"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+\" \n val fromBase64 =
IntArray(128)\n for (i in toBase64.indices) {\n fromBase64[toBase64[i].code] = i\n }\n \n //
rangeStartDiff.length = 1482\n val rangeStartDiff =
\"gBCFEDCKCDCaDDaDBhBCEEDDDDEDXBHYBH5BRwBGDCHDCIDFHDCHFDCDEIRTEE7BGHDDJI
CBbSEMOfGERwDEDDDDDECEFCRBjHBFDCYFFCCzBvBjBBFC3BohDBmBDGpBDDcTBBJIbEECLGDFC
LDCgBBKVKEDiDDHCFECECKCEODBebC5CLBOKhBJDDDDWEBHFCFCPBZDEL1BVBSLPBgBB2BDB
DICFBHKCKCPDBHEDWBHEDDDDEDEDIBDGDCCKCGDDDCGEGCCWBFMDDCEDDDCHDDHKDDBK

```



```

* Returns the Unicode general category of this character as an Int.\n *
internal fun Char.getCategoryValue(): Int
{
    val ch = this.code
    val index = binarySearchRange(Category.decodedRangeStart, ch)
    val start = Category.decodedRangeStart[index]
    val code = Category.decodedRangeCategory[index]
    val value = categoryValueFrom(code, ch - start)
    return if (value == 17) CharCategory.UNASSIGNED.value else value
}

internal fun decodeVarLenBase64(base64: String, fromBase64: IntArray, resultLength: Int): IntArray
{
    val result = IntArray(resultLength)
    var index = 0
    var int = 0
    var shift = 0
    for (char in base64)
    {
        val sixBit = fromBase64[char.code]
        int = int or ((sixBit and 0x1f) shl shift)
        if (sixBit < 0x20)
        {
            result[index++] = int
            int = 0
            shift = 0
        } else {
            shift += 5
        }
    }
}

return result
}

"/**
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */

package kotlin.collections

// NOTE: THIS FILE IS AUTO-GENERATED by the
GenerateStandardLib.kt

See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib

import
kotlin.js.*
import kotlin.ranges.contains
import kotlin.ranges.reversed

/**
 * Reverses elements in the list in-place.
 */
public actual fun <T> MutableList<T>.reverse(): Unit {
    val midPoint = (size / 2) - 1
    if (midPoint < 0) return
    var reverseIndex = lastIndex
    for (index in 0..midPoint) {
        val tmp = this[index]
        this[index] = this[reverseIndex]
        this[reverseIndex] = tmp
        reverseIndex--
    }
}

"/**
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */

package
kotlin.text

// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt

See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib

// 37 ranges totally
private object Digit {
    internal val rangeStart = intArrayOf(
        0x0030, 0x0660, 0x06f0, 0x07c0, 0x0966, 0x09e6, 0x0a66, 0x0ae6,
        0x0b66, 0x0be6, 0x0c66, 0x0ce6, 0x0d66, 0x0de6, 0x0e50, 0x0ed0, 0x0f20, 0x1040, 0x1090, 0x17e0,
        0x1810, 0x1946, 0x19d0, 0x1a80, 0x1a90, 0x1b50, 0x1bb0, 0x1c40, 0x1c50, 0xa620, 0xa8d0, 0xa900, 0xa9d0,
        0xa9f0, 0xaa50, 0xabf0, 0xff10,
    )
}

/**
 * Returns the index of the largest element in [array] smaller or equal to the specified [needle],
 * or -1 if [needle] is smaller than the smallest element in [array].
 */
internal fun binarySearchRange(array: IntArray, needle: Int): Int {
    var bottom = 0
    var top = array.size - 1
    var middle = -1
    var value = 0
    while (bottom <= top) {
        middle = (bottom + top) / 2
        value = array[middle]
        if (needle > value)
            bottom = middle + 1
        else if (needle == value)
            return middle
        else
            top = middle - 1
    }
    return middle - (if (needle < value) 1 else 0)
}

/**
 * Returns an integer from 0..9 indicating the digit this character represents,
 * or -1 if this character is not a digit.
 */
internal fun Char.digitToIntImpl(): Int {
    val ch = this.code
    val index = binarySearchRange(Digit.rangeStart, ch)
    val diff = ch - Digit.rangeStart[index]
    return if (diff < 10) diff else -1
}

/**
 * Returns `true` if this character is a digit.
 */
internal fun Char.isDigitImpl(): Boolean {
    return digitToIntImpl() >= 0
}

"/**
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */

package kotlin.text

// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt

See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib

// 222 ranges totally
private object Letter {
    val decodedRangeStart: IntArray
    val decodedRangeLength: IntArray
    val decodedRangeCategory: IntArray

    init {
        val toBase64 =
        "ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/"
        val fromBase64 =
        IntArray(128)
        for (i in toBase64.indices) {
            fromBase64[toBase64[i].code] = i
        }

        //
        rangeStartDiff.length = 356
        val rangeStartDiff =
        "hCgBpCQGYHZH5BRpBPPPPPRMP5BPPICPP6BkEPPPPcXPzBvBrB3BOiDoBHwD+E3DauCnFmBmB2D
6E1BIBTiBmBIBP5BhBiBrBvBjBqBnBPRtBiCmCtBIB0BmB5BiB7BmBgEmChBZgCoEoGVpBSfRhBPqKQ2B
wBYoFgB4CJuTiEvBuCuDrF5DgEgFIJ1DgFmBQtBsBRGsB+BPiBID1EijDPRPPPPPPPPPGQSQS/DxENVNU+
B9zCwBwBPPCkDPNnBPqDYY1R8B7FkFgTgwGgwUwmBgKwBuBScmEP/BPPPPPrBP8B7F1B/ErBqC6B7B
iBmBfQsBUwCw/KwqIwLwETPcPjQgJxFgBIBsD"
        val diff = decodeVarLenBase64(rangeStartDiff,
        fromBase64, 222)
        val start = IntArray(diff.size)
        for (i in diff.indices) {
            if (i == 0) start[i] =

```

```

diff[i]\n        else start[i] = start[i - 1] + diff[i]\n        }\n        decodedRangeStart = start\n        \n        //
rangeLength.length = 328\n        val rangeLength =
\'aaMBXHYH5BRpBPPPPPRMP5BPPICPPzBDOOPPcXPzBvBjB3BOhDmBBpB7DoDYxB+EiBP1DoExBkB
QhBekBpMbgBhBctBiBMWOOXhCsBpBkBUV3Ba4BkB0DICgBXgBtD4FSdBfPhBpKP0BvBXjEQ2CGsT8Dh
BtCqDpFvD1D3E0IrD2EkBjRBDObS+BpIB1EIjDPPPPPPPPPPGPPMNLsBNPNPKcVbVBPpCkDPBmBPh
DXXgD4B6FzEgDguG9vUtkB9JcuBSckEP/BPPPPPPBPf4FrBjEhBpC3B5BKaWPrBOWck/KsCuLqDHPbPxPsFt
EaaqDL\' \n        decodedRangeLength = decodeVarLenBase64(rangeLength, fromBase64, 222)\n        \n        //
rangeCategory.length = 959\n        val rangeCategory =
\'GFjgggUHGFFZZZmzpz5qB6s6020B60ptltB6smt2sB60mz22B1+vv+8BZZ5s2850BW5q1ymtB506smzBF3q1
q1qB1q1q1+Bgi4wDTm74g3KigxqM60q1q1Bq1o1q1BF1qlrqrBZ2q5wprBGFZWWZGHFsjiioLowgmOowjkw
CkgoiIk7ligGogiioBkwkiYkzj2oNoi+sbkwj04DghhkQ8wgiYkgoioDsgnkwC4gikQ//v+85BkwvoIsgoyI4yguI0whiw
Eowri4CoghsJowgqYowgm4DkwgsY/nwnzPowhmYkg6wI8yggZswikwHgxgmIoxgqYkwgk4DkxgmIkgoioBsgsso
BgzgyI8g9gL8g9kI0wgwJoxgkoC0wgioFkw/wI0w53iF4gioYowjmgBHGq1qkgwBF1q1q8qBHwghuIwghyKk0go
QkwgoQk3goQHGFHkyg0pBgxj6IoinkxDswno7Ikwhz9Bo0gioB8z48Rwli0xN0mpjoX8w78pDwltoqKHFGGwwg
sIHFH3q1q16BFHWFZ1q10q1B2q1wq1B1q10q1B2q1yq1B6q1gq1Biq1qhxBir1qp1Bqt1q1qB1g1q1+B//3q16B///q
1qBH/qlq9Bholq9B1i00a1q10qD1op1HkwmigEigiy6Cptogq1Bixo1kDq7/j00B2qgoBWGFm1lz50B6s5q1+BG
WhggzhwBFFhgk4//Bo2jigE8wguI8wguI8wguUog1qoB4qjmIwwi2KgkYHHH4IBgiFWkgIWoghssMmz5smrBZ
3q1y50B5sm7gzBtz1smzB5smz50BqzqtmzB5sgzqzBF2/9//5BowgoIwmnkzPkwgk4C8ys65BkgoqI0wgy6FghquZ0
2giY0ghiIsgH24B4ghsQ8QF/v1q1OFs008iCHHF1qggz/B8wg6Iznv+//B08QgohsjK0QGfK7hsQ4gB\' \n
decodedRangeCategory = decodeVarLenBase64(rangeCategory, fromBase64, 222)\n        }\n}\n\n/*\n * Returns
`true` if this character is a letter.\n */\ninternal fun Char.isLetterImpl(): Boolean {\n    return getLetterType() !=
0\n}\n}\n\n/*\n * Returns `true` if this character is a lower case letter, or it has contributory property
Other_Lowercase.\n */\ninternal fun Char.isLowerCaseImpl(): Boolean {\n    return getLetterType() == 1 ||
code.isOtherLowercase()\n}\n}\n\n/*\n * Returns `true` if this character is an upper case letter, or it has contributory
property Other_Uppercase.\n */\ninternal fun Char.isUpperCaseImpl(): Boolean {\n    return getLetterType() == 2 ||
code.isOtherUppercase()\n}\n}\n\n/*\n * Returns\n * - `1` if the character is a lower case letter,\n * - `2` if the
character is an upper case letter,\n * - `3` if the character is a letter but not a lower or upper case letter,\n * - `0`
otherwise.\n */\nprivate fun Char.getLetterType(): Int {\n    val ch = this.code\n    val index =
binarySearchRange(Letter.decodedRangeStart, ch)\n    val rangeStart = Letter.decodedRangeStart[index]\n    val
rangeEnd = rangeStart + Letter.decodedRangeLength[index] - 1\n    val code =
Letter.decodedRangeCategory[index]\n    if (ch > rangeEnd) {\n        return 0\n    }\n    val lastTwoBits = code
and 0x3\n    if (lastTwoBits == 0) { // gap pattern\n        var shift = 2\n        var threshold = rangeStart\n        for (i
in 0..1) {\n            threshold += (code shr shift) and 0x7f\n            if (threshold > ch) {\n                return 3\n
            }\n            shift += 7\n            threshold += (code shr shift) and 0x7f\n            if (threshold > ch) {\n                return
0\n            }\n            shift += 7\n        }\n        return 3\n    }\n    if (code <= 0x7) {\n        return lastTwoBits\n
    }\n    val distance = (ch - rangeStart)\n    val shift = if (code <= 0x1F) distance % 2 else distance\n    return (code
shr (2 * shift)) and 0x3\n}\n}\n\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the
GenerateUnicodeData.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\nprivate object
OtherLowercase {\n    internal val otherLowerStart = intArrayOf(\n        0x00aa, 0x00ba, 0x02b0, 0x02c0, 0x02e0,
0x0345, 0x037a, 0x1d2c, 0x1d78, 0x1d9b, 0x2071, 0x207f, 0x2090, 0x2170, 0x24d0, 0x2c7c, 0xa69c, 0xa770,
0xa7f8, 0xab5c, \n    )\n    internal val otherLowerLength = intArrayOf(\n        1, 1, 9, 2, 5, 1, 1, 63, 1, 37, 1, 1, 13,
16, 26, 2, 2, 1, 2, 4, \n    )\n}\n\ninternal fun Int.isOtherLowercase(): Boolean {\n    val index =
binarySearchRange(OtherLowercase.otherLowerStart, this)\n    return index >= 0 && this <
OtherLowercase.otherLowerStart[index] + OtherLowercase.otherLowerLength[index]\n}\n}\n\n", /*\n * Copyright
2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/\n//

```

NOTE: THIS FILE IS AUTO-GENERATED by the GenerateUnicodeData.kt See:

```
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\ninternal fun Int.isOtherUppercase(): Boolean
{\n    return this in 0x2160..0x216f\n        || this in 0x24b6..0x24cf\n}\n", "/*\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n// NOTE: THIS FILE IS
AUTO-GENERATED by the GenerateStandardLib.kt See:
```

```
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.*\n\n/**\n * Returns a
character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char
sequence.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic actual fun
CharSequence.elementAt(index: Int): Char {\n    return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, length: $length") }\n}\n\n", "/*\n * Copyright 2010-2021 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n// NOTE: THIS FILE IS
AUTO-GENERATED by the GenerateUnicodeData.kt See:
```

```
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n// 4 ranges totally\ninternal fun
Char.titlecaseCharImpl(): Char {\n    val code = this.code\n    // Letters repeating <Lu, Lt, Ll> sequence and code of
the Lt is a multiple of 3, e.g. <u01c4, u01c5, u01c6>\n    if (code in 0x01c4..0x01cc || code in 0x01f1..0x01f3) {\n
return (3 * ((code + 1) / 3)).toChar()\n    }\n    // Lower case letters whose title case mapping equivalent is equal
to the original letter\n    if (code in 0x10d0..0x10fa || code in 0x10fd..0x10ff) {\n        return this\n    }\n    return
uppercaseChar()\n}", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n// NOTE: THIS FILE IS AUTO-GENERATED
by the GenerateStandardLib.kt See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport
kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.elementAt(index: Int):
UInt {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.elementAt(index: Int):
ULong {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.elementAt(index: Int):
UByte {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.elementAt(index: Int):
UShort {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size") }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n */\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.asList(): List<UInt> {\n
return object : AbstractList<UInt>(), RandomAccess {\n    override val size: Int get() = this@asList.size\n
override fun isEmpty(): Boolean = this@asList.isEmpty()\n    override fun contains(element: UInt): Boolean =
this@asList.contains(element)\n    override fun get(index: Int): UInt {\n
AbstractList.checkElementIndex(index, size)\n        return this@asList[index]\n    }\n    override fun
indexOf(element: UInt): Int {\n        @Suppress("USELESS_CAST")\n        if ((element as Any?) !is UInt)
return -1\n        return this@asList.indexOf(element)\n    }\n    override fun lastIndexOf(element: UInt): Int
```

```

{\n      @Suppress("USELESS_CAST")\n      if ((element as Any?) !is UInt) return -1\n      return
this@asList.lastIndexOf(element)\n    }\n }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.asList(): List<ULong>
{\n  return object : AbstractList<ULong>(), RandomAccess {\n    override val size: Int get() = this@asList.size\n
    override fun isEmpty(): Boolean = this@asList.isEmpty()\n    override fun contains(element: ULong):
Boolean = this@asList.contains(element)\n    override fun get(index: Int): ULong {\n
AbstractList.checkElementIndex(index, size)\n      return this@asList[index]\n    }\n    override fun
indexOf(element: ULong): Int {\n      @Suppress("USELESS_CAST")\n      if ((element as Any?) !is
ULong) return -1\n      return this@asList.indexOf(element)\n    }\n    override fun lastIndexOf(element:
ULong): Int {\n      @Suppress("USELESS_CAST")\n      if ((element as Any?) !is ULong) return -1\n
return this@asList.lastIndexOf(element)\n    }\n }\n }\n}\n\n/**\n * Returns a [List] that wraps the original
array.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.asList():
List<UByte> {\n  return object : AbstractList<UByte>(), RandomAccess {\n    override val size: Int get() =
this@asList.size\n    override fun isEmpty(): Boolean = this@asList.isEmpty()\n    override fun
contains(element: UByte): Boolean = this@asList.contains(element)\n    override fun get(index: Int): UByte {\n
AbstractList.checkElementIndex(index, size)\n      return this@asList[index]\n    }\n    override fun
indexOf(element: UByte): Int {\n      @Suppress("USELESS_CAST")\n      if ((element as Any?) !is
UByte) return -1\n      return this@asList.indexOf(element)\n    }\n    override fun lastIndexOf(element:
UByte): Int {\n      @Suppress("USELESS_CAST")\n      if ((element as Any?) !is UByte) return -1\n
return this@asList.lastIndexOf(element)\n    }\n }\n }\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.asList(): List<UShort>
{\n  return object : AbstractList<UShort>(), RandomAccess {\n    override val size: Int get() = this@asList.size\n
    override fun isEmpty(): Boolean = this@asList.isEmpty()\n    override fun contains(element: UShort):
Boolean = this@asList.contains(element)\n    override fun get(index: Int): UShort {\n
AbstractList.checkElementIndex(index, size)\n      return this@asList[index]\n    }\n    override fun
indexOf(element: UShort): Int {\n      @Suppress("USELESS_CAST")\n      if ((element as Any?) !is
UShort) return -1\n      return this@asList.indexOf(element)\n    }\n    override fun lastIndexOf(element:
UShort): Int {\n      @Suppress("USELESS_CAST")\n      if ((element as Any?) !is UShort) return -1\n
return this@asList.lastIndexOf(element)\n    }\n }\n }\n}\n\n"/\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-
GENERATED by the GenerateUnicodeData.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n/\n\n// 9 ranges totally\n\n/**\n * Returns `true` if this
character is a whitespace.\n
*\n*\ninternal fun Char.isWhitespaceImpl(): Boolean {\n  val ch = this.code\n  return ch
in 0x0009..0x000d\n    || ch in 0x001c..0x0020\n    || ch == 0x00a0\n    || ch > 0x1000 && (\n
ch == 0x1680\n    || ch in 0x2000..0x200a\n    || ch == 0x2028\n    || ch == 0x2029\n
|| ch == 0x202f\n    || ch == 0x205f\n    || ch == 0x3000\n    )\n }\n\n"/\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n\npublic actual fun
interface Comparator<T> {\n  @JsName("compare")\n  public actual fun compare(a: T, b: T): Int\n }\n\n"/\n *
Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.js\n\nimport kotlin.annotation.AnnotationTarget.*\n\n@Target(FUNCTION)\n@Deprecated("Use inline
extension function with body using dynamic")\npublic annotation class
nativeGetter\n\n@Target(FUNCTION)\n@Deprecated("Use inline extension function with body using
dynamic")\npublic annotation class nativeSetter\n\n@Target(FUNCTION)\n@Deprecated("Use inline extension
function with body using dynamic")\npublic annotation class nativeInvoke\n\n@Target(CLASS, FUNCTION,
PROPERTY)\ninternal annotation class library(public val name: String = "")\n\n@Target(CLASS)\ninternal

```

annotation class marker

\* Gives a declaration (a function, a property or a class) specific name in JavaScript.

\* This may be useful in the following cases:

- \* There are two functions for which the compiler gives same name in JavaScript, you can mark one with `@JsName(...)` to prevent the compiler from reporting error.
- \* You are writing a JavaScript library in Kotlin. The compiler produces mangled names for functions with parameters, which is unnatural for usual JavaScript developer. You can put `@JsName(...)` on functions you want to be available from JavaScript.
- \* For some reason you want to rename declaration, e.g. there's common term in JavaScript for a concept provided by the declaration, which is uncommon in Kotlin.

\* Example:

```
kotlin
class Person(val name: String) {
    fun hello() {
        println("Hello $name!")
    }
}
@JsName("helloWithGreeting") fun hello(greeting: String) {
    println("$greeting $name!")
}
```

\* @property name the name which compiler uses both for declaration itself and for all references to the declaration. It's required to denote a valid JavaScript identifier.

\* `@Retention(AnnotationRetention.BINARY)` `@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)`

public actual annotation class JsName(actual val name: String)

\* Denotes an `external` declaration that must be imported from native JavaScript library.

\* The compiler produces the code relevant for the target module system, for example, in case of CommonJS, it will import the declaration via the `require(...)` function.

\* The annotation can be used on top-level external declarations (classes, properties, functions) and files.

\* In case of file (which can't be `external`) the following rule applies: all the declarations in the file must be `external`. By applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript object that contain all the declarations from the file.

\* Example:

```
kotlin
@JsModule("jquery") external abstract class JQuery() {
    // some declarations here
}
@JsModule("jquery") external fun JQuery(element: Element): JQuery
@property import name of a module to import declaration from. It is not interpreted by the Kotlin compiler, it's passed as is directly to the target module system.
@see JsNonModule
@Retention(AnnotationRetention.BINARY) @Target(CLASS, PROPERTY, FUNCTION, FILE) public annotation class JsModule(val import: String)
```

\* Denotes an `external` declaration that can be used without module system.

\* By default, an `external` declaration is available regardless your target module system.

\* However, by applying [JsModule] annotation you can make a declaration unavailable to `plain` module system.

\* Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available as an npm package.

\* To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.

\* For example:

```
kotlin
@JsModule("jquery")
@JsNonModule
@JsName("$") external abstract class JQuery() {
    // some declarations here
}
@JsModule("jquery")
@JsNonModule
@JsName("$") external fun JQuery(element: Element): JQuery
@see JsModule
@Retention(AnnotationRetention.BINARY) @Target(CLASS, PROPERTY, FUNCTION, FILE) public annotation class JsNonModule
```

\* Adds prefix to `external` declarations in a source file.

\* JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects.

\* The compiler turns references to `external` declarations either to plain unprefixed names (in case of `plain` modules) or to plain imports.

\* However, if a JavaScript library provides its declarations in packages, you won't be satisfied with this.

\* You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQualifier(...)` annotation.

\* Note that a file marked with the `@JsQualifier(...)` annotation can't contain non-`external` declarations.

\* Example:

```

@file:JsQualifier("my.jsPackageName") package some.kotlinPackage
external fun foo(x: Int)
external fun bar(): String
@property value the qualifier to add to the declarations in the generated code. It must be a sequence of valid JavaScript identifiers separated by the `.` character.
Examples of valid qualifiers are: `foo`, `bar.Baz`, `_.$.f`
@see JsModule
@Retention(AnnotationRetention.BINARY) @Target(AnnotationTarget.FILE) public annotation class JsQualifier(val value: String)
```

\* Exports top-level declaration on JS platform.

\* Compiled module exposes declarations that are marked with this annotation without name mangling.

\* This annotation can be applied to either files or top-level declarations.

\* It is currently prohibited to export the following kinds of

declarations:\n \* \n \* `expect` declarations\n \* \n \* inline functions with reified type parameters\n \* \n \* suspend functions\n \* \n \* secondary constructors without `@JsName`\n \* \n \* extension properties\n \* \n \* enum classes\n \* \n \* annotation classes\n \* \n \* Signatures of exported declarations must only contain `"exportable"` types:\n \* \n \* `dynamic`, `Any`, `String`, `Boolean`, `Byte`, `Short`, `Int`, `Float`, `Double`\n \* \n \* `BooleanArray`, `ByteArray`, `ShortArray`, `IntArray`, `FloatArray`, `DoubleArray`\n \* \n \* `Array<exportable-type>`\n \* \n \* Function types with exportable parameters and return types\n \* \n \* `external` or `@JsExport` classes and interfaces\n \* \n \* Nullable counterparts of types above\n \* \n \* Unit return type. Must not be nullable\n \* \n \* This annotation is experimental, meaning that restrictions mentioned above are subject to change.\n

```
*\n@ExperimentalJsExport\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS, PROPERTY, FUNCTION, FILE)\n@SinceKotlin("1.3")\npublic actual annotation class JsExport\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.jvm\n\n// these are used in common generated code in stdlib\n\n// TODO: find how to deprecate these
```

```
ones\n\n@Target(AnnotationTarget.FIELD)\n@Retention(AnnotationRetention.SOURCE)\npublic actual annotation class Volatile\n\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.SOURCE)\npublic actual annotation class Synchronized\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableCollection] interface.\n * \n * @param E the type of elements contained in the collection. The collection is invariant in its element type.\n */\npublic actual abstract class AbstractMutableCollection<E> protected actual constructor() : AbstractCollection<E>(), MutableCollection<E> {\n\n    actual abstract override fun add(element: E): Boolean\n\n    actual override fun remove(element: E): Boolean {\n        checkIsMutable()\n        val iterator = iterator()\n        while (iterator.hasNext()) {\n            if (iterator.next() == element) {\n                iterator.remove()\n                return true\n            }\n        }\n        return false\n    }\n\n    actual override fun addAll(elements: Collection<E>): Boolean {\n        checkIsMutable()\n        var modified = false\n        for (element in elements) {\n            if (add(element)) modified = true\n        }\n        return modified\n    }\n\n    actual override fun removeAll(elements: Collection<E>): Boolean {\n        checkIsMutable()\n        return (this as MutableIterable<E>).removeAll { it in elements }\n    }\n\n    actual override fun retainAll(elements: Collection<E>): Boolean {\n        checkIsMutable()\n        return (this as MutableIterable<E>).removeAll { it !in elements }\n    }\n\n    actual override fun clear(): Unit {\n        checkIsMutable()\n        val iterator = this.iterator()\n        while (iterator.hasNext()) {\n            iterator.next()\n            iterator.remove()\n        }\n    }\n\n    @Deprecated("Provided so that subclasses inherit this function", level = DeprecationLevel.HIDDEN)\n    @JsName("toJSON")\n    protected fun toJSON(): Any = this.toArray()\n\n    /**\n     * This method is called every time when a mutating method is called on this mutable collection.\n     * \n     * Mutable collections that are built (frozen) must throw `UnsupportedOperationException`.\n     */\n    internal open fun checkIsMutable(): Unit {\n    }\n\n    /**\n     * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * \n     * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n\n    /**\n     * Based on GWT AbstractList\n     * \n     * Copyright 2007 Google Inc.\n     */\n\n    /**\n     * Provides a skeletal implementation of the [MutableList] interface.\n     * \n     * @param E the type of elements contained in the list. The list is invariant in its element type.\n     */\n    public actual abstract class AbstractMutableList<E> protected actual constructor() : AbstractMutableCollection<E>(), MutableList<E> {\n\n        protected var modCount: Int = 0\n\n        abstract override fun add(index: Int, element: E): Unit\n\n        abstract override fun removeAt(index: Int): E\n\n        abstract override fun set(index: Int, element: E): E\n\n        /**\n         * Adds the specified element to the end of this list.\n         * \n         * @return `true` because the list is always modified as the result of this operation.\n         */\n        actual override fun add(element: E): Boolean {\n            checkIsMutable()\n            add(size, element)\n            return true\n        }\n\n        actual override fun addAll(index: Int, elements: Collection<E>): Boolean {\n            AbstractList.checkPositionIndex(index, size)\n            checkIsMutable()\n            var _index = index\n            var
```

```

changed = false\n    for (e in elements) {\n        add(_index++, e)\n        changed = true\n    }\n    return
changed\n }\n\n actual override fun clear() {\n    checkIsMutable()\n    removeRange(0, size)\n }\n\n actual override fun removeAll(elements: Collection<E>): Boolean {\n    checkIsMutable()\n    return
removeAll { it in elements }\n }\n\n actual override fun retainAll(elements: Collection<E>): Boolean {\n
checkIsMutable()\n    return removeAll { it !in elements }\n }\n\n\n actual override fun iterator():
MutableIterator<E> = IteratorImpl()\n\n actual override fun contains(element: E): Boolean = indexOf(element) >=
0\n\n actual override fun indexOf(element: E): Int {\n    for (index in 0..lastIndex) {\n        if (get(index) ==
element) {\n            return index\n        }\n    }\n    return -1\n }\n\n actual override fun
lastIndexOf(element: E): Int {\n    for (index in lastIndex downTo 0) {\n        if (get(index) == element) {\n
return index\n        }\n    }\n    return -1\n }\n\n\n actual override fun listIterator():
MutableListIterator<E> = listIterator(0)\n\n actual override fun listIterator(index: Int): MutableListIterator<E> =
ListIteratorImpl(index)\n\n\n actual override fun subList(fromIndex: Int, toIndex: Int): MutableList<E> =
SubList(this, fromIndex, toIndex)\n\n /**\n * Removes the range of elements from this list starting from
[fromIndex] and ending with but not including [toIndex].\n */\n\n protected open fun removeRange(fromIndex:
Int, toIndex: Int) {\n    val iterator = listIterator(fromIndex)\n    repeat(toIndex - fromIndex) {\n
iterator.next()\n        iterator.remove()\n    }\n }\n\n /**\n * Compares this list with another list instance
with the ordered structural equality.\n */\n\n * @return true, if [other] instance is a [List] of the same size, which
contains the same elements in the same order.\n */\n\n override fun equals(other: Any?): Boolean {\n    if (other
=== this) return true\n    if (other !is List<*>) return false\n    return AbstractList.orderedEquals(this, other)\n
}\n\n /**\n * Returns the hash code value for this list.\n */\n\n override fun hashCode(): Int =
AbstractList.orderedHashCode(this)\n\n\n private open inner class IteratorImpl : MutableIterator<E> {\n    /**
the index of the item that will be returned on the next call to [next]() */\n    protected var index = 0\n    /**
the index of the item that was returned on the previous call to [next]() */\n    * or [ListIterator.previous]() (for
`ListIterator`),\n    * -1 if no such item exists\n    */\n    protected var last = -1\n\n    override fun
hasNext(): Boolean = index < size\n\n    override fun next(): E {\n        if (!hasNext()) throw
NoSuchElementException()\n        last = index++\n        return get(last)\n    }\n\n    override fun remove()
{\n        check(last != -1) { \"Call next() or previous() before removing element from the iterator.\" }\n\n
removeAt(last)\n        index = last\n        last = -1\n    }\n }\n\n /**\n * Implementation of
`MutableListIterator` for abstract lists.\n */\n\n private inner class ListIteratorImpl(index: Int) : IteratorImpl(),
MutableListIterator<E> {\n    init {\n        AbstractList.checkPositionIndex(index,
this@AbstractMutableList.size)\n        this.index = index\n    }\n\n    override fun hasPrevious(): Boolean =
index > 0\n\n    override fun nextIndex(): Int = index\n\n    override fun previous(): E {\n        if
(!hasPrevious()) throw NoSuchElementException()\n        last = --index\n        return get(last)\n    }\n\n
override fun previousIndex(): Int = index - 1\n\n    override fun add(element: E) {\n        add(index, element)\n
index++\n        last = -1\n    }\n\n    override fun set(element: E) {\n        check(last != -1) { \"Call
next() or previous() before updating element value with the iterator.\" }\n        set(last, element)\n    }\n
}\n\n\n private class SubList<E>(private val list: AbstractMutableList<E>, private val fromIndex: Int, toIndex: Int) :
AbstractMutableList<E>(), RandomAccess {\n    private var _size: Int = 0\n    init {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, list.size)\n        this._size = toIndex - fromIndex\n    }\n\n
override fun add(index: Int, element: E) {\n        AbstractList.checkPositionIndex(index, _size)\n\n
list.add(fromIndex + index, element)\n        _size++\n    }\n\n    override fun get(index: Int): E {\n
AbstractList.checkElementIndex(index, _size)\n        return list[fromIndex + index]\n    }\n\n    override
fun removeAt(index: Int): E {\n        AbstractList.checkElementIndex(index, _size)\n        val result =
list.removeAt(fromIndex + index)\n        _size--\n        return result\n    }\n\n    override fun set(index: Int,
element: E): E {\n        AbstractList.checkElementIndex(index, _size)\n        return list.set(fromIndex + index,
element)\n    }\n\n    override val size: Int get() = _size\n\n    internal override fun checkIsMutable(): Unit =
list.checkIsMutable()\n }\n\n}\n\n\"\", \"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the

```

```

license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT AbstractMap\n * Copyright 2007 Google Inc.\n
*\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal implementation of the [MutableMap] interface.\n *\n
* The implementor is required to implement [entries] property, which should return mutable set of map entries, and
[put] function.\n *\n * @param K the type of map keys. The map is invariant in its key type.\n * @param V the type
of map values. The map is invariant in its value type.\n *\n\npublic actual abstract class AbstractMutableMap<K, V>
protected actual constructor() : AbstractMap<K, V>(), MutableMap<K, V> {\n\n /**\n * A mutable
[Map.Entry] shared by several [Map] implementations.\n * \n\n internal open class SimpleEntry<K, V>(override
val key: K, value: V) : MutableMap.MutableEntry<K, V> {\n\n constructor(entry: Map.Entry<K, V>) :
this(entry.key, entry.value)\n\n private var _value = value\n\n override val value: V get() = _value\n\n
override fun setValue(newValue: V): V {\n\n // Should check if the map containing this entry is mutable.\n
// However, to not increase entry memory footprint it might be worthwhile not to check it here and\n //
force subclasses that implement `build()` (freezing) operation to implement their own `MutableEntry`.\n//
this@AbstractMutableMap.checkIsMutable()\n\n val oldValue = this._value\n\n this._value = newValue\n\n
return oldValue\n\n }\n\n override fun hashCode(): Int = entryHashCode(this)\n\n override fun
toString(): String = entryToString(this)\n\n override fun equals(other: Any?): Boolean = entryEquals(this,
other)\n\n }\n\n // intermediate abstract class to workaround KT-43321\n\n internal abstract class
AbstractEntrySet<E : Map.Entry<K, V>, K, V> : AbstractMutableSet<E>() {\n\n final override fun
contains(element: E): Boolean = containsEntry(element)\n\n abstract fun containsEntry(element: Map.Entry<K,
V>): Boolean\n\n final override fun remove(element: E): Boolean = removeEntry(element)\n\n abstract fun
removeEntry(element: Map.Entry<K, V>): Boolean\n\n }\n\n actual override fun clear() {\n\n entries.clear()\n
}\n\n private var _keys: MutableSet<K>? = null\n\n actual override val keys: MutableSet<K>\n\n get() {\n
if (_keys == null) {\n\n _keys = object : AbstractMutableSet<K>() {\n\n override fun
add(element: K): Boolean = throw UnsupportedOperationException("Add is not supported on keys")\n\n
override fun clear() {\n\n this@AbstractMutableMap.clear()\n\n }\n\n override
operator fun contains(element: K): Boolean = containsKey(element)\n\n\n override operator fun iterator():
MutableIterator<K> {\n\n val entryIterator = entries.iterator()\n\n return object :
MutableIterator<K> {\n\n override fun hasNext(): Boolean = entryIterator.hasNext()\n\n
override fun next(): K = entryIterator.next().key\n\n\n override fun remove() =
entryIterator.remove()\n\n }\n\n }\n\n\n override fun remove(element: K): Boolean
{\n\n checkIsMutable()\n\n if (containsKey(element)) {\n\n
this@AbstractMutableMap.remove(element)\n\n return true\n\n }\n\n return
false\n\n }\n\n\n override val size: Int get() = this@AbstractMutableMap.size\n\n\n
override fun checkIsMutable(): Unit = this@AbstractMutableMap.checkIsMutable()\n\n }\n\n }\n\n
return _keys!!\n\n }\n\n\n actual abstract override fun put(key: K, value: V): V?\n\n actual override fun
putAll(from: Map<out K, V>) {\n\n checkIsMutable()\n\n for ((key, value) in from) {\n\n put(key,
value)\n\n }\n\n }\n\n\n private var _values: MutableCollection<V>? = null\n\n actual override val values:
MutableCollection<V>\n\n get() {\n\n if (_values == null) {\n\n _values = object :
AbstractMutableCollection<V>() {\n\n override fun add(element: V): Boolean = throw
UnsupportedOperationException("Add is not supported on values")\n\n\n override fun clear() =
this@AbstractMutableMap.clear()\n\n\n override operator fun contains(element: V): Boolean =
containsValue(element)\n\n\n override operator fun iterator(): MutableIterator<V> {\n\n val
entryIterator = entries.iterator()\n\n return object : MutableIterator<V> {\n\n override fun
hasNext(): Boolean = entryIterator.hasNext()\n\n\n override fun next(): V = entryIterator.next().value\n\n
\n\n override fun remove() = entryIterator.remove()\n\n }\n\n }\n\n\n
override val size: Int get() = this@AbstractMutableMap.size\n\n\n\n override fun checkIsMutable(): Unit =
this@AbstractMutableMap.checkIsMutable()\n\n }\n\n }\n\n\n return _values!!\n\n }\n\n\n actual
override fun remove(key: K): V? {\n\n checkIsMutable()\n\n val iter = entries.iterator()\n\n while
(iter.hasNext()) {\n\n val entry = iter.next()\n\n val k = entry.key\n\n if (key == k) {\n\n val

```



```

modCount++\n    array.asDynamic().splice(fromIndex, toIndex - fromIndex)\n } \n\n actual override fun
clear() {\n    checkIsMutable()\n    array = emptyArray()\n    modCount++\n } \n\n\n actual override fun
indexOf(element: E): Int = array.indexOf(element)\n\n actual override fun lastIndexOf(element: E): Int =
array.lastIndexOf(element)\n\n override fun toString() = arrayToString(array)\n\n
@Suppress("UNCHECKED_CAST")\n override fun <T> toArray(array: Array<T>): Array<T> {\n    if
(array.size < size) {\n        return toArray() as Array<T>\n    } \n\n    (this.array as
Array<T>).copyInto(array)\n\n    if (array.size > size) {\n        array[size] = null as T // null-terminate\n
}\n\n    return array\n } \n\n override fun toArray(): Array<Any?> {\n    return js("[ ]").slice.call(array)\n
}\n\n\n internal override fun checkIsMutable() {\n    if (isReadOnly) throw UnsupportedOperationException()\n
}\n\n private fun rangeCheck(index: Int) = index.apply {\n    AbstractList.checkElementIndex(index, size)\n
}\n\n private fun insertionRangeCheck(index: Int) = index.apply {\n    AbstractList.checkPositionIndex(index,
size)\n } \n\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.collections\n\ninternal fun <T> sortArrayWith(array: Array<out T>, comparison: (T, T) -> Int)
{\n    if (getStableSortingIsSupported()) {\n        array.asDynamic().sort(comparison)\n    } else {\n
mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, Comparator(comparison))\n    } \n\n}\n\ninternal fun
<T> sortArrayWith(array: Array<out T>, comparator: Comparator<in T>)\n {\n    if (getStableSortingIsSupported())
{\n        val comparison = { a: T, b: T -> comparator.compare(a, b) }\n        array.asDynamic().sort(comparison)\n
    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, comparator)\n    } \n\n}\n\ninternal fun
<T> sortArrayWith(array: Array<out T>, fromIndex: Int, toIndex: Int, comparator: Comparator<in T>)\n {\n    if
(fromIndex < toIndex - 1) {\n        mergeSort(array.unsafeCast<Array<T>>(), fromIndex, toIndex - 1, comparator)\n
    } \n\n}\n\ninternal fun <T : Comparable<T>> sortArray(array: Array<out T>)\n {\n    if
(getStableSortingIsSupported()) {\n        val comparison = { a: T, b: T -> a.compareTo(b) }\n
array.asDynamic().sort(comparison)\n    } else {\n        mergeSort(array.unsafeCast<Array<T>>(), 0,
array.lastIndex, naturalOrder())\n    } \n\n}\n\nprivate var _stableSortingIsSupported: Boolean? = null\nprivate fun
getStableSortingIsSupported(): Boolean {\n    _stableSortingIsSupported?.let { return it }\n
_stableSortingIsSupported = false\n    val array = js("[ ]").unsafeCast<Array<Int>>()\n    // known
implementations may use stable sort for arrays of up to 512 elements\n    // so we create slightly more elements to
test stability\n    for (index in 0 until 600) array.asDynamic().push(index)\n    val comparison = { a: Int, b: Int -> (a
and 3) - (b and 3) }\n    array.asDynamic().sort(comparison)\n    for (index in 1 until array.size) {\n        val a =
array[index - 1]\n        val b = array[index]\n        if ((a and 3) == (b and 3) && a >= b) return false\n    }\n
_stableSortingIsSupported = true\n    return true\n}\n\nprivate fun <T> mergeSort(array: Array<T>, start: Int,
endInclusive: Int, comparator: Comparator<in T>)\n {\n    val buffer =
arrayOfNulls<Any?>(array.size).unsafeCast<Array<T>>()\n    val result = mergeSort(array, buffer, start,
endInclusive, comparator)\n    if (result !== array) {\n        for (i in start..endInclusive) array[i] = result[i]\n
    } \n\n}\n\n// Both start and end are inclusive indices.\nprivate fun <T> mergeSort(array: Array<T>, buffer: Array<T>,
start: Int, end: Int, comparator: Comparator<in T>): Array<T>\n {\n    if (start == end) {\n        return array\n    }\n
val median = (start + end) / 2\n    val left = mergeSort(array, buffer, start, median, comparator)\n    val right =
mergeSort(array, buffer, median + 1, end, comparator)\n    val target = if (left === buffer) array else buffer\n\n    //
Merge.\n    var leftIndex = start\n    var rightIndex = median + 1\n    for (i in start..end) {\n        when {\n
leftIndex <= median && rightIndex <= end -> {\n            val leftValue = left[leftIndex]\n            val rightValue
= right[rightIndex]\n            if (comparator.compare(leftValue, rightValue) <= 0) {\n                target[i] =
leftValue\n                leftIndex++\n            } else {\n                target[i] = rightValue\n
rightIndex++\n            } \n\n        }\n        leftIndex <= median -> {\n            target[i] = left[leftIndex]\n
leftIndex++\n        }\n        else /* rightIndex <= end */ -> {\n            target[i] = right[rightIndex]\n
rightIndex++\n        }\n    }\n    Unit // TODO: Fix KT-31506\n } \n\n } \n\n } \n\n return target\n } \n\n", "/*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage

```

```

kotlin.collections\n\n@OptIn(ExperimentalUnsignedTypes::class)\n@SinceKotlin("1.3")\n@kotlin.js.JsName("\ncontentDeepHashCodeImpl")\ninternal fun <T> Array<out T>?.contentDeepHashCodeImpl(): Int {\n    if (this ==\nnull) return 0\n    var result = 1\n    for (element in this) {\n        val elementHash = when {\n            element == null\n-> 0\n            isArrayish(element) -> (element.unsafeCast<Array<*>>()).contentDeepHashCodeImpl()\n\n            element is UByteArray -> element.contentHashCode()\n            element is UShortArray ->\n            element.contentHashCode()\n            element is UIntArray -> element.contentHashCode()\n            element is\n            ULongArray -> element.contentHashCode()\n\n            else -> element.hashCode()\n        }\n\n        result = 31 * result + elementHash\n    }\n    return result\n}"/\n\n * Copyright 2010-2018 JetBrains s.r.o. and\nKotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that\ncan be found in the license/LICENSE.txt file.\n\n\npackage kotlin.collections\n\n\ninterface\nEqualityComparator {\n    /**\n     * Subclasses must override to return a value indicating\n     * whether or not two\n     keys or values are equal.\n     */\n    abstract fun equals(value1: Any?, value2: Any?): Boolean\n\n    /**\n     * Subclasses must override to return the hash code of a given key.\n     */\n    abstract fun getHashCode(value: Any?):\nInt\n\n\n    object HashCode : EqualityComparator {\n        override fun equals(value1: Any?, value2: Any?):\nBoolean = value1 == value2\n        override fun getHashCode(value: Any?): Int = value?.hashCode() ?: 0\n    }\n}"/\n\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this\nsource code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\n\n\n\n * Based on GWT AbstractHashMap\n * Copyright 2008 Google Inc.\n\n\n\npackage kotlin.collections\n\n\nimport\nkotlin.collections.MutableMap.MutableEntry\n\n\n/**\n * Hash table based implementation of the [MutableMap]\ninterface.\n * This implementation makes no guarantees regarding the order of enumeration of [keys], [values]\nand [entries] collections.\n */\n\n// Classes that extend HashMap and implement `build()` (freezing) operation\n// have\nto make sure mutating methods check `checkIsMutable`.\n\npublic actual open class HashMap<K, V> :\nAbstractMutableMap<K, V>, MutableMap<K, V> {\n\n    private inner class EntrySet :\nAbstractEntrySet<MutableEntry<K, V>, K, V> {\n\n        override fun add(element: MutableEntry<K, V>):\nBoolean = throw UnsupportedOperationException("Add is not supported on entries")\n        override fun clear()\n{\n            this@HashMap.clear()\n        }\n\n        override fun containsEntry(element: Map.Entry<K, V>): Boolean\n= this@HashMap.containsEntry(element)\n\n        override operator fun iterator():\nMutableIterator<MutableEntry<K, V>> = internalMap.iterator()\n\n        override fun removeEntry(element:\nMap.Entry<K, V>): Boolean {\n            if (contains(element)) {\n                this@HashMap.remove(element.key)\n            }\n            return true\n        }\n\n        return false\n    }\n\n    override val size: Int get() =\nthis@HashMap.size\n}\n\n\n/**\n * Internal implementation of the map: either string-based or hashcode-\nbased.\n */\n\nprivate val internalMap: InternalMap<K, V>\nprivate val equality: EqualityComparator\n\n\ninternal constructor(internalMap: InternalMap<K, V>) : super() {\n    this.internalMap = internalMap\n    this.equality = internalMap.equality\n}\n\n\n/**\n * Constructs an empty [HashMap] instance.\n */\n\nactual constructor() : this(InternalHashCodeMap(EqualityComparator.HashCode))\n\n\n/**\n * Constructs an\nempty [HashMap] instance.\n * @param initialCapacity the initial capacity (ignored)\n * @param\nloadFactor the load factor (ignored)\n * @throws IllegalArgumentException if the initial capacity or\nload factor are negative\n */\n\nactual constructor(initialCapacity: Int, loadFactor: Float) : this() {\n    // This\nimplementation of HashMap has no need of load factors or capacities.\n    require(initialCapacity >= 0) {\n        "Negative initial capacity: $initialCapacity"\n    }\n    require(loadFactor >= 0) {\n        "Non-positive load factor:\n$loadFactor"\n    }\n}\n\n\nactual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n\n/**\n * Constructs an instance of [HashMap] filled with the contents of the specified [original] map.\n */\n\nactual\nconstructor(original: Map<out K, V>) : this() {\n    this.putAll(original)\n}\n\n\nactual override fun clear() {\n    internalMap.clear()\n\n// structureChanged(this)\n}\n\n\nactual override fun containsKey(key: K): Boolean\n= internalMap.contains(key)\n\n\nactual override fun containsValue(value: V): Boolean = internalMap.any {\nequality.equals(it.value, value)\n}\n\n\nprivate var _entries: MutableSet<MutableMap.MutableEntry<K, V>>?\n= null\n\nactual override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\nget() {\n    if\n(_entries == null) {\n        _entries = createEntrySet()\n    }\n    return _entries!!\n}\n\n\ninternal

```

```

open fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n actual override
operator fun get(key: K): V? = internalMap.get(key)\n\n actual override fun put(key: K, value: V): V? =
internalMap.put(key, value)\n\n actual override fun remove(key: K): V? = internalMap.remove(key)\n\n actual
override val size: Int get() = internalMap.size\n\n}\n\n/**\n * Constructs the specialized implementation of
[HashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n
*\npublic fun <V> stringMapOf(vararg pairs: Pair<String, V>): HashMap<String, V> {\n return
HashMap<String, V>(InternalStringMap(EqualityComparator.HashCode)).apply { putAll(pairs) }\n}\n","/*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n*/\n * Based on GWT
HashSet\n * Copyright 2008 Google Inc.\n *\npackage kotlin.collections\n\n/**\n * The implementation of the
[MutableSet] interface, backed by a [HashMap] instance.\n *\n// Classes that extend HashSet and implement
`build()` (freezing) operation\n// have to make sure mutating methods check `checkIsMutable`.\npublic actual open
class HashSet<E> : AbstractMutableSet<E>, MutableSet<E> {\n\n internal val map: HashMap<E, Any>\n\n
/**\n * Constructs a new empty [HashSet].\n *\n actual constructor() {\n map = HashMap<E, Any>()\n
}\n\n /**\n * Constructs a new [HashSet] filled with the elements of the specified collection.\n *\n actual
constructor(elements: Collection<E>) {\n map = HashMap<E, Any>(elements.size)\n addAll(elements)\n
}\n\n /**\n * Constructs a new empty [HashSet].\n *\n * @param initialCapacity the initial capacity
(ignored)\n * @param loadFactor the load factor (ignored)\n *\n * @throws IllegalArgumentException if
the initial capacity or load factor are negative\n *\n actual constructor(initialCapacity: Int, loadFactor: Float)
{\n map = HashMap<E, Any>(initialCapacity, loadFactor)\n }\n\n actual constructor(initialCapacity: Int) :
this(initialCapacity, 0.0f)\n\n /**\n * Protected constructor to specify the underlying map. This is used by\n *
LinkedHashSet.\n\n * @param map underlying map to use.\n *\n internal constructor(map: HashMap<E,
Any>) {\n this.map = map\n }\n\n actual override fun add(element: E): Boolean {\n val old =
map.put(element, this)\n return old == null\n }\n\n actual override fun clear() {\n map.clear()\n
}\n\n// public override fun clone(): Any {\n// return HashSet<E>(this)\n// }\n\n actual override operator fun
contains(element: E): Boolean = map.containsKey(element)\n\n actual override fun isEmpty(): Boolean =
map.isEmpty()\n\n actual override fun iterator(): MutableIterator<E> = map.keys.iterator()\n\n actual override
fun remove(element: E): Boolean = map.remove(element) != null\n\n actual override val size: Int get() =
map.size\n\n}\n\n/**\n * Creates a new instance of the specialized implementation of [HashSet] with the specified
[String] elements,\n * which elements the keys as properties of JS object without hashing them.\n *\npublic fun
stringSetOf(vararg elements: String): HashSet<String> {\n return HashSet(stringMapOf<Any>()).apply {
addAll(elements) }\n}\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n*/\n * Based on GWT InternalHashCodeMap\n * Copyright 2008 Google Inc.\n
*\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\nimport
kotlin.collections.AbstractMutableMap.SimpleEntry\n\n/**\n * A simple wrapper around JavaScriptObject to
provide [java.util.Map]-like semantics for any\n * key type.\n *\n *\n * Implementation notes:\n *\n *\n * A key's
hashCode is the index in backingMap which should contain that key. Since several keys may\n * have the same
hash, each value in hashCodeMap is actually an array containing all entries whose\n * keys share the same hash.\n
*\ninternal class InternalHashCodeMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V>
{\n\n private var backingMap: dynamic = createJsMap()\n override var size: Int = 0\n private set\n\n
override fun put(key: K, value: V): V? {\n val hashCode = equality.getHashCode(key)\n val chainOrEntry
= getChainOrEntryOrNull(hashCode)\n if (chainOrEntry == null) {\n // This is a new chain, put it to the
map.\n backingMap[hashCode] = SimpleEntry(key, value)\n } else {\n if (chainOrEntry !is
Array<*>) {\n // It is an entry\n val entry: SimpleEntry<K, V> = chainOrEntry\n if
(equality.equals(entry.key, key)) {\n return entry.setValue(value)\n } else {\n
backingMap[hashCode] = arrayOf(entry, SimpleEntry(key, value))\n size++\n return null\n
}\n } else {\n // Chain already exists, perhaps key also exists.\n val chain:

```

```

Array<MutableEntry<K, V>> = chainOrEntry\n        val entry = chain.findEntryInChain(key)\n        if
(entry != null) {\n            return entry.setValue(value)\n        }\n
chain.asDynamic().push(SimpleEntry(key, value))\n        }\n        }\n        size++\n        structureChanged(host)\n
return null\n    }\n    override fun remove(key: K): V? {\n        val hashCode = equality.getHashCode(key)\n
val chainOrEntry = getChainOrEntryOrNull(hashCode) ?: return null\n        if (chainOrEntry !is Array<*>) {\n
val entry: MutableEntry<K, V> = chainOrEntry\n            if (equality.equals(entry.key, key)) {\n
jsDeleteProperty(backingMap, hashCode)\n                size--\n                return entry.value\n            } else {\n
return null\n        }\n    } else {\n        val chain: Array<MutableEntry<K, V>> = chainOrEntry\n        for
(index in chain.indices) {\n            val entry = chain[index]\n            if (equality.equals(key, entry.key)) {\n
if (chain.size == 1) {\n                chain.asDynamic().length = 0\n                // remove the whole
array\n                jsDeleteProperty(backingMap, hashCode)\n            } else {\n                // splice out
the entry we're removing\n                chain.asDynamic().splice(index, 1)\n            }\n            size--\n
structureChanged(host)\n            return entry.value\n        }\n        }\n        return null\n
}\n\n    override fun clear() {\n        backingMap = createJsMap()\n        size = 0\n    }\n\n    override fun
contains(key: K): Boolean = getEntry(key) != null\n\n    override fun get(key: K): V? = getEntry(key)?.value\n
private fun getEntry(key: K): MutableEntry<K, V>? {\n        val chainOrEntry =
getChainOrEntryOrNull(equality.getHashCode(key)) ?: return null\n        if (chainOrEntry !is Array<*>) {\n
val entry: MutableEntry<K, V> = chainOrEntry\n            if (equality.equals(entry.key, key)) {\n                return
entry\n            } else {\n                return null\n            }\n        } else {\n            val chain: Array<MutableEntry<K,
V>> = chainOrEntry\n            return chain.findEntryInChain(key)\n        }\n    }\n\n    private fun
Array<MutableEntry<K, V>>.findEntryInChain(key: K): MutableEntry<K, V>? =\n        firstOrNull { entry ->
equality.equals(entry.key, key) }\n\n    override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n
return object : MutableIterator<MutableEntry<K, V>> {\n        var state = -1 // -1 not ready, 0 - ready, 1 -
done\n        val keys: Array<String> = js("Object").keys(backingMap)\n        var keyIndex = -1\n
var chainOrEntry: dynamic = null\n        var isChain = false\n        var itemIndex = -1\n        var lastEntry:
MutableEntry<K, V>? = null\n        private fun computeNext(): Int {\n            if (chainOrEntry != null &&
isChain) {\n                val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>().size\n
if (++itemIndex < chainSize)\n                    return 0\n            }\n            if (++keyIndex < keys.size)\n
{\n                chainOrEntry = backingMap[keys[keyIndex]]\n                isChain = chainOrEntry is Array<*>\n
itemIndex = 0\n                return 0\n            } else {\n                chainOrEntry = null\n
return 1\n            }\n        }\n        override fun hasNext(): Boolean {\n            if (state == -1)\n                state = computeNext()\n            return state == 0\n        }\n        override fun next(): MutableEntry<K, V>
{\n            if (!hasNext()) throw NoSuchElementException()\n            val lastEntry = if (isChain) {\n
chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>()[itemIndex]\n            } else {\n
chainOrEntry.unsafeCast<MutableEntry<K, V>>()\n            }\n            this.lastEntry = lastEntry\n
state = -1\n            return lastEntry\n        }\n        override fun remove() {\n            checkNotNull(lastEntry)\n            this@InternalHashMap.remove(lastEntry!!.key)\n            lastEntry =
null\n            // the chain being iterated just got modified by InternalHashMap.remove\n            itemIndex--\n
}\n        }\n        private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\n            val
chainOrEntry = backingMap[hashCode]\n            return if (chainOrEntry === undefined) null else chainOrEntry\n
}\n\n}\n\n"/>\n\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.collections\n\n/**\n * The common interface of [InternalStringMap] and
[InternalHashMap].\n * ^\n\ninternal interface InternalMap<K, V> :
MutableIterable<MutableMap.MutableEntry<K, V>> {\n    val equality: EqualityComparator\n    val size: Int\n
operator fun contains(key: K): Boolean\n    operator fun get(key: K): V?\n\n    fun put(key: K, value: V): V?\n    fun
remove(key: K): V?\n    fun clear(): Unit\n\n    fun createJsMap(): dynamic {\n        val result =
js("Object.create(null)")\n        // force to switch object representation to dictionary mode\n        result["foo"] =

```

```

1\n    jsDeleteProperty(result, \"foo\")\n    return result\n    }\n}\n\", \"/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n * Based on GWT InternalStringMap\n * Copyright
2008 Google Inc.\n */\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * A simple wrapper around JavaScript Map for key type is string.\n * Though this map is instantiated only with
K=String, the K type is not fixed to String statically,\n * because we want to have it erased to Any? in order not to
generate type-safe override bridges for\n * [get], [contains], [remove] etc, if they ever are generated.\n */\ninternal
class InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n\n    private var
backingMap: dynamic = createJsMap()\n    override var size: Int = 0\n    private set\n\n    /**\n     * A mod
count to track 'value' replacements in map to ensure that the 'value' that we have in the\n     * iterator entry is
guaranteed to be still correct.\n     * This is to optimize for the common scenario where the values are not modified
during\n     * iterations where the entries are never stale.\n     */\n    private var valueMod: Int = 0\n\n    override
operator fun contains(key: K): Boolean {\n        if (key !is String) return false\n        return backingMap[key] !==
undefined\n    }\n\n    override operator fun get(key: K): V? {\n        if (key !is String) return null\n        val value =
backingMap[key]\n        return if (value !== undefined) value.unsafeCast<V>() else null\n    }\n\n    override fun
put(key: K, value: V): V? {\n        require(key is String)\n        val oldValue = backingMap[key]\n        backingMap[key] = value\n\n        if (oldValue === undefined) {\n            size++\n\n            structureChanged(host)\n            return null\n        } else {\n            valueMod++\n            return
oldValue.unsafeCast<V>()\n        }\n    }\n\n    override fun remove(key: K): V? {\n        if (key !is String) return
null\n        val value = backingMap[key]\n        if (value !== undefined) {\n            jsDeleteProperty(backingMap,
key)\n            size--\n\n            structureChanged(host)\n            return value.unsafeCast<V>()\n        } else {\n            valueMod++\n            return null\n        }\n    }\n\n    override fun clear() {\n        backingMap = createJsMap()\n        size = 0\n    }\n\n    override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n        return object :
MutableIterator<MutableEntry<K, V>> {\n            private val keys: Array<String> =
js(\"Object\").keys(backingMap)\n            private val iterator = keys.iterator()\n            private var lastKey: String? =
null\n\n            override fun hasNext(): Boolean = iterator.hasNext()\n\n            override fun next():
MutableEntry<K, V> {\n                val key = iterator.next()\n                lastKey = key\n\n                @Suppress(\"UNCHECKED_CAST\")\n                return newMapEntry(key as K)\n            }\n\n            override
fun remove() {\n                @Suppress(\"UNCHECKED_CAST\")\n                this@InternalStringMap.remove(checkNotNull(lastKey) as K)\n            }\n        }\n\n        private fun
newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\n            override val key: K get() =
key\n            override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\n\n            override fun
setValue(newValue: V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\n\n            override fun
hashCode(): Int = AbstractMap.entryHashCode(this)\n            override fun toString(): String =
AbstractMap.entryToString(this)\n            override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this,
other)\n        }\n    }\n}\n\", \"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n *
Based on GWT LinkedHashMap\n * Copyright 2008 Google Inc.\n */\npackage
kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based
implementation of the [MutableMap] interface, which additionally preserves the insertion order\n * of entries during
the iteration.\n * The insertion order is preserved by maintaining a doubly-linked list of all of its entries.\n */\n\n *
public actual open class LinkedHashMap<K, V> : HashMap<K, V>, MutableMap<K, V> {\n\n    /**\n     * The
entry we use includes next/prev pointers for a doubly-linked circular\n     * list with a head node. This reduces the
special cases we have to deal with\n     * in the list operations.\n     * Note that we duplicate the key from the
underlying hash map so we can find\n     * the eldest entry. The alternative would have been to modify HashMap so
more\n     * of the code was directly usable here, but this would have added some\n     * overhead to HashMap, or to
reimplement most of the HashMap code here with\n     * small modifications. Paying a small storage cost only if
you use\n     * LinkedHashMap and minimizing code size seemed like a better tradeoff\n     */\n    private inner class

```

```

ChainEntry<K, V>(key: K, value: V) : AbstractMutableMap.SimpleEntry<K, V>(key, value) {\n    internal var
next: ChainEntry<K, V>? = null\n    internal var prev: ChainEntry<K, V>? = null\n    override fun
setValue(newValue: V): V {\n        this@LinkedHashMap.checkIsMutable()\n        return
super.setValue(newValue)\n    }\n    private inner class EntrySet : AbstractEntrySet<MutableEntry<K,
V>, K, V>() {\n        private inner class EntryIterator : MutableIterator<MutableEntry<K, V>> {\n            // The
last entry that was returned from this iterator.\n            private var last: ChainEntry<K, V>? = null\n            // The
next entry to return from this iterator.\n            private var next: ChainEntry<K, V>? = null\n            init {\n
                next = head\n                recordLastKnownStructure(map, this)\n            }\n            override fun hasNext():
Boolean {\n                return next != null\n            }\n            override fun next(): MutableEntry<K, V> {\n                //
checkStructuralChange(map, this)\n                if (!hasNext()) throw NoSuchElementException()\n                val
current = next!!\n                last = current\n                next = current.next.takeIf { it != head }\n                return
current\n            }\n            override fun remove() {\n                check(last != null)\n                this@EntrySet.checkIsMutable()\n                checkStructuralChange(map, this)\n                last!!.remove()\n                map.remove(last!!.key)\n                recordLastKnownStructure(map, this)\n                last = null\n            }\n        }\n        override fun add(element: MutableEntry<K, V>): Boolean = throw
UnsupportedOperationException("Add is not supported on entries")\n    }\n    override fun clear() {\n
        this@LinkedHashMap.clear()\n    }\n    override fun containsEntry(element: Map.Entry<K, V>): Boolean =
this@LinkedHashMap.containsEntry(element)\n    override operator fun iterator():
MutableIterator<MutableEntry<K, V>> = EntryIterator()\n    override fun removeEntry(element: Map.Entry<K,
V>): Boolean {\n        checkIsMutable()\n        if (contains(element)) {\n
            this@LinkedHashMap.remove(element.key)\n            return true\n        }\n        return false\n    }\n    override val size: Int get() = this@LinkedHashMap.size\n    override fun checkIsMutable(): Unit =
this@LinkedHashMap.checkIsMutable()\n    /**\n     * The head of the insert order chain, which is a doubly-
linked circular\n     * list.\n     * The most recently inserted node is at the end of the chain, ie.\n     * chain.prev.\n     */\n    private var head: ChainEntry<K, V>? = null\n    /**\n     * Add this node to the end of the chain.\n     */\n    private fun ChainEntry<K, V>.addToEnd() {\n        // This entry is not in the list.\n        check(next == null && prev
== null)\n        val _head = head\n        if (_head == null) {\n            head = this\n            next = this\n            prev =
this\n        } else {\n            // Chain is valid.\n            val _tail = checkNotNull(_head.prev)\n            // Update me.\n            prev = _tail\n            next = _head\n            // Update my new siblings: current head and old tail\n            _head.prev = this\n            _tail.next = this\n        }\n    }\n    /**\n     * Remove this node from the chain it is a part
of.\n     */\n    private fun ChainEntry<K, V>.remove() {\n        if (this.next === this) {\n            // if this is single
element, remove head\n            head = null\n        } else {\n            if (head === this) {\n                // if this is first
element, move head to next\n                head = next\n            }\n            next!!.prev = prev\n            prev!!.next =
next\n        }\n        next = null\n        prev = null\n    }\n    /**\n     * The hashmap that keeps track of our entries and
the chain. Note that we\n     * duplicate the key here to eliminate changes to HashMap and minimize the\n     * code
here, at the expense of additional space.\n     */\n    private val map: HashMap<K, ChainEntry<K, V>>\n    private
var isReadOnly: Boolean = false\n    /**\n     * Constructs an empty [LinkedHashMap] instance.\n     */\n    actual
constructor() : super() {\n        map = HashMap<K, ChainEntry<K, V>>()\n    }\n    internal
constructor(backingMap: HashMap<K, Any>) : super() {\n        @Suppress("UNCHECKED_CAST") // expected
to work due to erasure\n        map = backingMap as HashMap<K, ChainEntry<K, V>>\n    }\n    /**\n     *
Constructs an empty [LinkedHashMap] instance.\n     * @param initialCapacity the initial capacity
(ignored)\n     * @param loadFactor the load factor (ignored)\n     * @throws IllegalArgumentException if
the initial capacity or load factor are negative\n     */\n    actual constructor(initialCapacity: Int, loadFactor: Float) :
super(initialCapacity, loadFactor) {\n        map = HashMap<K, ChainEntry<K, V>>()\n    }\n    actual
constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n    /**\n     * Constructs an instance of
[LinkedHashMap] filled with the contents of the specified [original] map.\n     */\n    actual constructor(original:
Map<out K, V>) {\n        map = HashMap<K, ChainEntry<K, V>>()\n        this.putAll(original)\n    }\n    @PublishedApi\n    internal fun build(): Map<K, V> {\n        checkIsMutable()\n        isReadOnly = true\n    }
}

```



```

declaration available outside of module to test it */\n@jsName("\NodeJsOutput")\ninternal class NodeJsOutput(val
outputStream: dynamic) : BaseOutput() {\n    override fun print(message: Any?) {\n        // TODO: Using local
variable because of bug in block decomposition lowering in IR backend\n        val messageString =
String(message)\n        outputStream.write(messageString)\n    }\n}\n\n/** JsName used to make the declaration
available outside of module to test it */\n@jsName("\OutputToConsoleLog")\ninternal class OutputToConsoleLog
: BaseOutput() {\n    override fun print(message: Any?) {\n        console.log(message)\n    }\n\n    override fun
println(message: Any?) {\n        console.log(message)\n    }\n\n    override fun println() {\n        console.log("\")\n
}\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in
*/\n@jsName("\BufferedOutput")\ninternal open class BufferedOutput : BaseOutput() {\n    var buffer = "\n"\n
override fun print(message: Any?) {\n        buffer += String(message)\n    }\n\n    override fun flush() {\n        buffer
= "\n"\n    }\n}\n\n/** JsName used to make the declaration available outside of module to test it
*/\n@jsName("\BufferedOutputToConsoleLog")\ninternal class BufferedOutputToConsoleLog : BufferedOutput()\n
{\n    override fun print(message: Any?) {\n        var s = String(message)\n        val i = s.nativeLastIndexOf("\n",
0)\n        if (i >= 0) {\n            buffer += s.substring(0, i)\n            flush()\n            s = s.substring(i + 1)\n        }\n
buffer += s\n    }\n\n    override fun flush() {\n        console.log(buffer)\n        buffer = "\n"\n    }\n}\n\n/** JsName
used to make the declaration available outside of module to test it and use at try.kotl.in
*/\n@jsName("\output")\ninternal var output = run {\n    val isNode: Boolean = js("typeof process !== 'undefined'
&& process.versions && !!process.versions.node")\n    if (isNode) NodeJsOutput(js("process.stdout")) else
BufferedOutputToConsoleLog()\n}\n\n@kotlin.internal.InlineOnly\nprivate inline fun String(value: Any?): String =
js("String")(value)\n\n/** Prints the line separator to the standard output stream. */\npublic actual fun println() {\n
output.println()\n}\n\n/** Prints the given [message] and the line separator to the standard output stream. */\npublic
actual fun println(message: Any?) {\n    output.println(message)\n}\n\n/** Prints the given [message] to the standard
output stream. */\npublic actual fun print(message: Any?) {\n
output.print(message)\n}\n\n@SinceKotlin("1.6")\npublic actual fun readln(): String = throw
UnsupportedOperationException("readln is not supported in Kotlin/JS")\n\n@SinceKotlin("1.6")\npublic actual
fun readlnOrNull(): String? = throw UnsupportedOperationException("readlnOrNull is not supported in
Kotlin/JS"), /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.coroutines\n\nimport kotlin.coroutines.intrinsics.CoroutineSingletons.*\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal
actual class SafeContinuation<in T>\ninternal actual constructor(\n    private val delegate: Continuation<T>,\n
initialResult: Any?\n) : Continuation<T> {\n    @PublishedApi\n    internal actual constructor(delegate:
Continuation<T>) : this(delegate, UNDECIDED)\n\n    public actual override val context: CoroutineContext\n
get() = delegate.context\n\n    private var result: Any? = initialResult\n\n    public actual override fun
resumeWith(result: Result<T>) {\n        val cur = this.result\n        when {\n            cur === UNDECIDED -> {\n
                this.result = result.value\n            }\n            cur === COROUTINE_SUSPENDED -> {\n                this.result =
RESUMED\n                delegate.resumeWith(result)\n            }\n            else -> throw
IllegalStateException("Already resumed")\n        }\n    }\n\n    @PublishedApi\n    internal actual fun
getOrThrow(): Any? {\n        if (result === UNDECIDED) {\n            result = COROUTINE_SUSPENDED\n
return COROUTINE_SUSPENDED\n        }\n        val result = this.result\n        return when {\n            result ===
RESUMED -> COROUTINE_SUSPENDED // already called continuation, indicate COROUTINE_SUSPENDED
upstream\n            result is Result.Failure -> throw result.exception\n            else -> result // either
COROUTINE_SUSPENDED or data\n        }\n    }\n}\n\n/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.coroutines.cancellation\n\n@SinceKotlin("1.4")\npublic actual open class CancellationException :
IllegalStateException {\n    actual constructor(): super()\n    actual constructor(message: String?): super(message)\n
constructor(message: String?, cause: Throwable?): super(message, cause)\n    constructor(cause: Throwable?):

```

```

super(cause)\n}"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin.coroutines.js.internal\n\nimport kotlin.coroutines.Continuation\nimport
kotlin.coroutines.EmptyCoroutineContext\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal val
EmptyContinuation = Continuation<Any?>(EmptyCoroutineContext) { result ->\n    result.getOrThrow()\n}"/*\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.js\n\n/**\n * Exposes the [Date API](https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\n
*/\n\n@Suppress("NOT_DOCUMENTED")\npublic external class Date() {\n    public constructor(milliseconds:
Number)\n\n    public constructor(dateString: String)\n\n    public constructor(year: Int, month: Int)\n\n    public
constructor(year: Int, month: Int, day: Int)\n\n    public constructor(year: Int, month: Int, day: Int, hour: Int)\n\n
public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n\n    public constructor(year: Int, month:
Int, day: Int, hour: Int, minute: Int, second: Int)\n\n    public constructor(year: Int, month: Int, day: Int, hour: Int,
minute: Int, second: Int, millisecond: Number)\n\n    public fun getDate(): Int\n\n    public fun getDay(): Int\n\n
public fun getFullYear(): Int\n\n    public fun getHours(): Int\n\n    public fun getMilliseconds(): Int\n\n    public fun
getMinutes(): Int\n\n    public fun getMonth(): Int\n\n    public fun getSeconds(): Int\n\n    public fun getTime():
Double\n\n    public fun getTimezoneOffset(): Int\n\n    public fun getUTCDate(): Int\n\n    public fun
getUTCDay(): Int\n\n    public fun getUTCFullYear(): Int\n\n    public fun getUTCHours(): Int\n\n    public fun
getUTCMilliseconds(): Int\n\n    public fun getUTCMinutes(): Int\n\n    public fun getUTCMonth(): Int\n\n    public
fun getUTCSeconds(): Int\n\n    public fun toString(): String\n\n    public fun toISOString(): String\n\n    public
fun toJSON(): Json\n\n    public fun toLocaleDateString(locales: Array<String> = definedExternally, options:
LocaleOptions = definedExternally): String\n\n    public fun toLocaleDateString(locales: String, options:
LocaleOptions = definedExternally): String\n\n    public fun toLocaleString(locales: Array<String> =
definedExternally, options: LocaleOptions = definedExternally): String\n\n    public fun toLocaleString(locales:
String, options: LocaleOptions = definedExternally): String\n\n    public fun toLocaleTimeString(locales:
Array<String> = definedExternally, options: LocaleOptions = definedExternally): String\n\n    public fun
toLocaleTimeString(locales: String, options: LocaleOptions = definedExternally): String\n\n    public fun
toLocaleTimeString(): String\n\n    public fun toUTCString(): String\n\n    public companion object {\n        public fun
now(): Double\n\n        public fun parse(dateString: String): Double\n\n        public fun UTC(year: Int, month: Int):
Double\n\n        public fun UTC(year: Int, month: Int, day: Int): Double\n\n        public fun UTC(year: Int, month:
Int, day: Int, hour: Int): Double\n\n        public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int):
Double\n\n        public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int): Double\n\n
public fun UTC(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number): Double\n
}\n\n    public interface LocaleOptions {\n        public var localeMatcher: String?\n\n        public var timeZone:
String?\n\n        public var hour12: Boolean?\n\n        public var formatMatcher: String?\n\n        public var weekday:
String?\n\n        public var era: String?\n\n        public var year: String?\n\n        public var month: String?\n\n
public var day: String?\n\n        public var hour: String?\n\n        public var minute: String?\n\n        public var
second: String?\n\n        public var timeZoneName: String?\n    }\n\n    public inline fun dateLocaleOptions(init:
Date.LocaleOptions.() -> Unit): Date.LocaleOptions {\n        val result = js("new
Object()\").unsafeCast<Date.LocaleOptions>\n        init(result)\n        return result\n}"/*\n * Copyright 2010-2020
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport
org.w3c.dom.Document\nimport org.w3c.dom.Element\nimport
kotlin.internal.LowPriorityInOverloadResolution\nimport kotlinx.dom.appendElement as
newAppendElement\nimport kotlinx.dom.createElement as newCreateElement\n\n/**\n * Creates a new element
with the specified [name].\n */\n * The element is initialized with the specified [init] function.\n
*/\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n    message = "This API is moved to another package,

```

```

use 'kotlinx.dom.createElement' instead.\",\n    replaceWith = ReplaceWith(\"this.createElement(name, init)\",
\"kotlinx.dom.createElement()\")\n)\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic
inline fun Document.createElement(name: String, noinline init: Element.() -> Unit): Element =
this.newCreateElement(name, init)\n\n/**\n * Appends a newly created element with the specified [name] to this
element.\n * \n * The element is initialized with the specified [init] function.\n
*\n * @LowPriorityInOverloadResolution\n * @Deprecated(\n    message = \"This API is moved to another package,
use 'kotlinx.dom.appendChild' instead.\",\n    replaceWith = ReplaceWith(\"this.appendChild(name, init)\",
\"kotlinx.dom.appendChild()\")\n)\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic
inline fun Element.appendChild(name: String, noinline init: Element.() -> Unit): Element =
this.newAppendElement(name, init)\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n * \n * @package kotlin.dom\n * @import org.w3c.dom.Element\n * @import
kotlin.internal.LowPriorityInOverloadResolution\n * @import kotlinx.dom.addClass as newAddClass\n * @import
kotlinx.dom.hasClass as newHasClass\n * @import kotlinx.dom.removeClass as newRemoveClass\n\n/** Returns true if
the element has the given CSS class style in its 'class' attribute
*\n * @LowPriorityInOverloadResolution\n * @Deprecated(\n    message = \"This API is moved to another package,
use 'kotlinx.dom.hasClass' instead.\",\n    replaceWith = ReplaceWith(\"this.hasClass(cssClass)\",
\"kotlinx.dom.hasClass()\")\n)\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline fun
Element.hasClass(cssClass: String): Boolean = this.newHasClass(cssClass)\n\n/**\n * Adds CSS class to element.
Has no effect if all specified classes are already in class attribute of the element\n * \n * @return true if at least one
class has been added\n * \n * @LowPriorityInOverloadResolution\n * @Deprecated(\n    message = \"This API is moved
to another package, use 'kotlinx.dom.addClass' instead.\",\n    replaceWith =
ReplaceWith(\"this.addClass(cssClasses)\", \"kotlinx.dom.addClass()\")\n)\n\n@DeprecatedSinceKotlin(warningSince
= \"1.4\", errorSince = \"1.6\")\ninline fun Element.addClass(vararg cssClasses: String): Boolean =
this.newAddClass(*cssClasses)\n\n/**\n * Removes all [cssClasses] from element. Has no effect if all specified
classes are missing in class attribute of the element\n * \n * @return true if at least one class has been removed\n
*\n * @LowPriorityInOverloadResolution\n * @Deprecated(\n    message = \"This API is moved to another package,
use 'kotlinx.dom.removeClass' instead.\",\n    replaceWith = ReplaceWith(\"this.removeClass(cssClasses)\",
\"kotlinx.dom.removeClass()\")\n)\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\ninline
fun Element.removeClass(vararg cssClasses: String): Boolean = this.newRemoveClass(*cssClasses)\n\n"/*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * \n * @package
kotlin.dom\n * @import org.w3c.dom.Element\n * @import org.w3c.dom.Node\n * @import
kotlin.internal.LowPriorityInOverloadResolution\n * @import kotlinx.dom.isElement as newIsElement\n * @import
kotlinx.dom.isText as newIsText\n\n/**\n * Gets a value indicating whether this node is a TEXT_NODE or a
CDATA_SECTION_NODE.\n * \n * @LowPriorityInOverloadResolution\n * @Deprecated(\n    message = \"This API
is moved to another package, use 'kotlinx.dom.isText' instead.\",\n    replaceWith = ReplaceWith(\"this.isText\",
\"kotlinx.dom.isText()\")\n)\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic val
Node.isText: Boolean\n    inline get() = this.newIsText\n\n/**\n * Gets a value indicating whether this node is an
[Element].\n * \n * @LowPriorityInOverloadResolution\n * @Deprecated(\n    message = \"This API is moved to
another package, use 'kotlinx.dom.isElement' instead.\",\n    replaceWith = ReplaceWith(\"this.isElement\",
\"kotlinx.dom.isElement()\")\n)\n\n@DeprecatedSinceKotlin(warningSince = \"1.4\", errorSince = \"1.6\")\npublic val
Node.isElement: Boolean\n    inline get() = this.newIsElement\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n * \n * @package org.w3c.dom.events\n * @public fun
EventListener(handler: (Event) -> Unit): EventListener = EventListenerHandler(handler)\n\nprivate class
EventListenerHandler(private val handler: (Event) -> Unit) : EventListener {\n    public override fun
handleEvent(event: Event) {\n        handler(event)\n    }\n\n    public override fun toString(): String =

```

```

\EventListenerHandler($handler)\n\n",/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage org.w3c.dom\n\npublic external interface ItemArrayLike<out T> {\n
val length: Int\n fun item(index: Int): T?\n}\n\n/**\n * Returns the view of this `ItemArrayLike<T>` collection as
`List<T>`\n */\n\npublic fun <T> ItemArrayLike<T>.asList(): List<T> = object : AbstractList<T>() {\n override val
size: Int get() = this@asList.length\n\n override fun get(index: Int): T = when (index) {\n in 0..lastIndex ->
this@asList.item(index).unsafeCast<T>()\n else -> throw IndexOutOfBoundsException("index $index is not in
range [0..$lastIndex]")\n }\n}\n",/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport org.w3c.dom.Element\nimport
org.w3c.dom.Node\nimport kotlin.internal.LowPriorityInOverloadResolution\nimport kotlin.dom.appendText as
newAppendText\nimport kotlin.dom.clear as newClear\n\n/** Removes all the children from this node.
*\n */\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = "This API is moved to another package,
use 'kotlinx.dom.clear' instead.",\n replaceWith = ReplaceWith("this.clear()"),
\n "kotlinx.dom.clear")\n)\n\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\n\npublic inline fun
Node.clear() = this.newClear()\n\n/**\n * Creates text node and append it to the element.\n */\n\n * @return this
element\n */\n\n@LowPriorityInOverloadResolution\n@Deprecated(\n message = "This API is moved to another
package, use 'kotlinx.dom.appendText' instead.",\n replaceWith = ReplaceWith("this.appendText(text)"),
\n "kotlinx.dom.appendText")\n)\n\n@DeprecatedSinceKotlin(warningSince = "1.4", errorSince = "1.6")\n\ninline fun
Element.appendText(text: String): Element = this.newAppendText(text)\n",/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Reinterprets this value
as a value of the [dynamic type](/docs/reference/dynamic-type.html).\n */\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun Any?.asDynamic(): dynamic = this\n\n/**\n * Reinterprets this value as a value of the specified type [T]
without any actual type checking.\n */\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Any?.unsafeCast():
@kotlin.internal.NoInfer T = this.asDynamic()\n\n/**\n * Reinterprets this `dynamic` value as a value of the
specified type [T] without any actual type checking.\n */\n\n@kotlin.internal.DynamicExtension\n\n@JsName("unsafeCastDynamic")\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n/**\n * Allows to iterate this `dynamic`
object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an
instance of [kotlin.collections.Iterable]\n */\n\n@kotlin.internal.DynamicExtension\n\npublic operator fun
dynamic.iterator(): Iterator<dynamic> {\n val r: Any? = this\n\n return when {\n this["iterator"] != null ->
\n this["iterator"]()\n isArrayish(r) -> r.unsafeCast<Array<*>>().iterator()\n\n else -> \n
(r as Iterable<*>).iterator()\n }\n}\n",/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the
module\n\n@JsName("throwNPE")\n\ninternal fun throwNPE(message: String) {\n throw
NullPointerException(message)\n}\n\n@JsName("throwCCE")\n\ninternal fun throwCCE() {\n throw
ClassCastException("Illegal cast")\n}\n\n@JsName("throwISE")\n\ninternal fun throwISE(message: String) {\n
throw IllegalStateException(message)\n}\n\n@JsName("throwUPAE")\n\ninternal fun throwUPAE(propertyName:
String) {\n throw UninitializedPropertyAccessException("lateinit property ${propertyName} has not been
initialized")\n}\n",/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
*\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n */\n\npackage kotlin.collections\n\n/**\n * Groups elements from the [Grouping] source by key and counts elements
in each group.\n */\n\n * @return a [Map] associating the key of each group with the count of elements in the group.\n
*\n */\n\n * @sample samples.collections.Grouping.groupingByEachCount\n */\n\n@SinceKotlin("1.1")\n\npublic actual fun
<T, K> Grouping<T, K>.eachCount(): Map<K, Int> = \n fold(0) { acc, _ -> acc + 1 }\n\n/**\n * Groups
elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements

```

```

in each group.\n * \n * @return a [Map] associating the key of each group with the count of element in the group.\n
*\n@SinceKotlin("1.1")\npublic inline fun <T, K> Grouping<T, K>.eachSumOf(valueSelector: (T) -> Int):
Map<K, Int> =\n    fold(0) { acc, e -> acc + valueSelector(e) }\n*/\n */\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmName("\nGroupingKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
kotlin.collections\n\n**\n * Represents a source of elements with a [keyOf] function, which can be applied to each
element to get its key.\n * \n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\n
* they group elements by their keys and then fold each group with some aggregating operation.\n * \n * It is created
by attaching `keySelector: (T) -> K` function to a source of elements.\n * To get an instance of [Grouping] use one
of `groupingBy` extension functions:\n * - [Iterable.groupingBy]\n * - [Sequence.groupingBy]\n * -
[Array.groupingBy]\n * - [CharSequence.groupingBy]\n * \n * For the list of group-and-fold operations available,
see the [extension functions](#extension-functions) for `Grouping`.\n * \n@SinceKotlin("1.1")\npublic interface
Grouping<T, out K> {\n    /** Returns an [Iterator] over the elements of the source of this grouping. *\n    fun
sourceIterator(): Iterator<T>\n    /** Extracts the key of an [element]. *\n    fun keyOf(element: T): K\n}\n\n**\n *
Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group
sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the
results in a new map.\n * \n * The key for each element is provided by the [Grouping.keyOf] function.\n * \n *
@param operation function is invoked on each element with the following parameters:\n * - `key`: the key of the
group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null`
if it's the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n
* - `first`: indicates whether it's the first `element` encountered in the group.\n * \n * @return a [Map] associating
the key of each group with the result of aggregation of the group elements.\n * @sample
samples.collections.Grouping.aggregateByRadix\n * \n@SinceKotlin("1.1")\npublic inline fun <T, K, R>
Grouping<T, K>.aggregate(\n    operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): Map<K,
R> {\n    return aggregateTo(mutableMapOf<K, R>(), operation)\n}\n\n**\n * Groups elements from the
[Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the
previously accumulated value and the current element as arguments,\n * and stores the results in the given
[destination] map.\n * \n * The key for each element is provided by the [Grouping.keyOf] function.\n * \n * @param
operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group
this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's
the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n * -
`first`: indicates whether it's the first `element` encountered in the group.\n * \n * If the [destination] map already has
a value corresponding to some key,\n * then the elements being aggregated for that key are never considered as
`first`.\n * \n * @return the [destination] map associating the key of each group with the result of aggregation of the
group elements.\n * @sample samples.collections.Grouping.aggregateByRadixTo\n
*\n@SinceKotlin("1.1")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T,
K>.aggregateTo(\n    destination: M,\n    operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): M
{\n    for (e in this.sourceIterator()) {\n        val key = keyOf(e)\n        val accumulator = destination[key]\n
destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))\n    }\n
return destination\n}\n\n**\n * Groups elements from the [Grouping] source by key and applies [operation] to the
elements of each group sequentially,\n * passing the previously accumulated value and the current element as
arguments, and stores the results in a new map.\n * An initial value of accumulator is provided by
[initialValueSelector] function.\n * \n * @param initialValueSelector a function that provides an initial value of
accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the
first element being encountered in that group.\n * \n * @param operation a function that is invoked on each element
with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the
current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n

```

```

*\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n *
 * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValue
 */
*\n * @SinceKotlin("1.1")\n public inline fun <T, K, R> Grouping<T, K>.fold(\n     initialValueSelector: (key: K,
 * element: T) -> R,\n     operation: (key: K, accumulator: R, element: T) -> R\n ): Map<K, R> =\n
 * @Suppress("UNCHECKED_CAST")\n     aggregate { key, acc, e, first -> operation(key, if (first)
 * initialValueSelector(key, e) else acc as R, e) }\n\n **\n * Groups elements from the [Grouping] source by key and
 * applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the
 * current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of
 * accumulator is provided by [initialValueSelector] function.\n * \n * @param initialValueSelector a function that
 * provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the
 * group;\n * - `element`: the first element being encountered in that group.\n * \n * If the [destination] map already has
 * a value corresponding to some key, that value is used as an initial value of\n * the accumulator for that group and the
 * [initialValueSelector] function is not called for that group.\n * \n * @param operation a function that is invoked on
 * each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * -
 * `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being
 * accumulated.\n * \n * @return the [destination] map associating the key of each group with the result of
 * accumulating the group elements.\n * @sample
 * samples.collections.Grouping.foldByEvenLengthWithComputedInitialValueTo\n */
*\n * @SinceKotlin("1.1")\n public
 * inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n     destination: M,\n
 * initialValueSelector: (key: K, element: T) -> R,\n     operation: (key: K, accumulator: R, element: T) -> R\n ): M =\n
 * @Suppress("UNCHECKED_CAST")\n     aggregateTo(destination) { key, acc, e, first -> operation(key, if (first)
 * initialValueSelector(key, e) else acc as R, e) }\n\n\n **\n * Groups elements from the [Grouping] source by key and
 * applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the
 * current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is the same
 * [initialValue] for each group.\n * \n * @param operation a function that is invoked on each element with the
 * following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the
 * element from the source being accumulated.\n * \n * @return a [Map] associating the key of each group with the
 * result of accumulating the group elements.\n * @sample
 * samples.collections.Grouping.foldByEvenLengthWithConstantInitialValue\n */
*\n * @SinceKotlin("1.1")\n public
 * inline fun <T, K, R> Grouping<T, K>.fold(\n     initialValue: R,\n     operation: (accumulator: R, element: T) -> R\n ):
 * Map<K, R> =\n     @Suppress("UNCHECKED_CAST")\n     aggregate { _, acc, e, first -> operation(if (first)
 * initialValue else acc as R, e) }\n\n\n **\n * Groups elements from the [Grouping] source by key and applies
 * [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current
 * element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator
 * is the same [initialValue] for each group.\n * \n * If the [destination] map already has a value corresponding to the
 * key of some group,\n * that value is used as an initial value of the accumulator for that group.\n * \n * @param
 * operation a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current
 * value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n * \n *
 * @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n
 * \n * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValueTo\n
 */
*\n * @SinceKotlin("1.1")\n public
 * inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n
 * destination: M,\n     initialValue: R,\n     operation: (accumulator: R, element: T) -> R\n ): M =\n
 * @Suppress("UNCHECKED_CAST")\n     aggregateTo(destination) { _, acc, e, first -> operation(if (first)
 * initialValue else acc as R, e) }\n\n\n\n **\n * Groups elements from the [Grouping] source by key and applies the
 * reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n
 * \n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in a
 * new map.\n * An initial value of accumulator is the first element of the group.\n * \n * @param operation a
 * function that is invoked on each subsequent element of the group with the following parameters:\n * - `key`: the
 * key of the group

```

this element belongs to;\n \* - `accumulator`: the current value of the accumulator of the group;\n \* - `element`: the element from the source being accumulated.\n \* @return a [Map] associating the key of each group with the result of accumulating the group elements.\n \* @sample samples.collections.Grouping.reduceByMaxVowels\n \* ^\n @SinceKotlin("1.1")\n public inline fun <S, T : S, K> Grouping<T, K>.reduce(\n operation: (key: K, accumulator: S, element: T) -> S)\n ): Map<K, S> =\n aggregate { key, acc, e, first ->\n @Suppress("UNCHECKED\_CAST")\n if (first) e else operation(key, acc as S, e)\n }\n }\n\n \*\*\n \* Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n \* sequentially starting from the second element of the group,\n \* passing the previously accumulated value and the current element as arguments,\n \* and stores the results in the given [destination] map.\n \* An initial value of accumulator is the first element of the group.\n \* If the [destination] map already has a value corresponding to the key of some group,\n \* that value is used as an initial value of the accumulator for that group and the first element of that group is also\n \* subjected to the [operation].\n \* @param operation a function that is invoked on each subsequent element of the group with the following parameters:\n \* - `accumulator`: the current value of the accumulator of the group;\n \* - `element`: the element from the source being folded;\n \* @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n \* @sample samples.collections.Grouping.reduceByMaxVowelsTo\n \* ^\n @SinceKotlin("1.1")\n public inline fun <S, T : S, K, M : MutableMap<in K, S>> Grouping<T, K>.reduceTo(\n destination: M,\n operation: (key: K, accumulator: S, element: T) -> S)\n ): M =\n aggregateTo(destination) { key, acc, e, first ->\n @Suppress("UNCHECKED\_CAST")\n if (first) e else operation(key, acc as S, e)\n }\n }\n\n \*\*\n \* Groups elements from the [Grouping] source by key and counts elements in each group to the given [destination] map.\n \* If the [destination] map already has a value corresponding to the key of some group,\n \* that value is used as an initial value of the counter for that group.\n \* @return the [destination] map associating the key of each group with the count of elements in the group.\n \* @sample samples.collections.Grouping.groupingByEachCount\n \* ^\n @SinceKotlin("1.1")\n public fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachCountTo(destination: M): M =\n foldTo(destination, 0) { acc, \_ -> acc + 1 }\n }\n\n \*\*\n \* Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group\n \* to the given [destination] map.\n \* If the [destination] map already has a value corresponding to the key of some group,\n \* that value is used as an initial value of the sum for that group.\n \* @return the [destination] map associating the key of each group with the sum of elements in the group.\n \* ^\n @SinceKotlin("1.1")\n public inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =\n foldTo(destination, 0) { acc, e -> acc + valueSelector(e) }\n }\n\n \*\*\n \* TODO: sum by long and by double overloads\n public inline fun <T, K, M : MutableMap<in K, Long>> Grouping<T, K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M =\n foldTo(destination, 0L) { acc, e -> acc + valueSelector(e) }\n }\n\n public inline fun <T, K> Grouping<T, K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =\n fold(0L) { acc, e -> acc + valueSelector(e) }\n }\n\n public inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T, K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =\n foldTo(destination, 0.0) { acc, e -> acc + valueSelector(e) }\n }\n\n public inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) -> Double): Map<K, Double> =\n fold(0.0) { acc, e -> acc + valueSelector(e) }\n }\n\n \*\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \* ^\n\n package kotlin.js\n\n \*\*\n \* An interface for indexing access to a collection of key-value pairs, where type of key is [String] and type of value is [Any?][Any].\n \* ^\n\n public external interface Json {\n /\*\*\n \* Calls to the function will be translated to indexing operation (square brackets) on the receiver with [propertyName] as the argument.\n \* E.g. for next code:\n \* ```kotlin\n \* fun test(j: Json, p: String) = j["prop"] + j.get(p)\n \* ```\n \* will be generated:\n \* ```js\n \* function test(j, p) {\n \* return j["prop"] + j[p];\n \* }\n \* ```\n \* ^\n \* An operator fun get(propertyName: String): Any? will be translated to an assignment of [value] to the receiver indexed (with square brackets/index operation) with [propertyName].\n \* E.g. for the



```

*@SinceKotlin("1.2")@InlineOnlypublic actual inline fun sinh(x: Double): Double =
nativeMath.sinh(x)n/n/** n * Computes the hyperbolic cosine of the value [x].n *n * Special cases:n * -
`cosh(NaN)` is `NaN`n * - `cosh(+Inf|-Inf)` is `+Inf`n *@SinceKotlin("1.2")@InlineOnlypublic actual
inline fun cosh(x: Double): Double = nativeMath.cosh(x)n/n/** n * Computes the hyperbolic tangent of the value
[x].n *n * Special cases:n * - `tanh(NaN)` is `NaN`n * - `tanh(+Inf)` is `1.0`n * - `tanh(-Inf)` is `-1.0`n
*@SinceKotlin("1.2")@InlineOnlypublic actual inline fun tanh(x: Double): Double =
nativeMath.tanh(x)n/n/** n * Computes the inverse hyperbolic sine of the value [x].n *n * The returned value is
`y` such that `sinh(y) == x`.n *n * Special cases:n * - `asinh(NaN)` is `NaN`n * - `asinh(+Inf)` is `+Inf`n * -
`asinh(-Inf)` is `-Inf`n *@SinceKotlin("1.2")@InlineOnlypublic actual inline fun asinh(x: Double): Double =
nativeMath.asinh(x)n/n/** n * Computes the inverse hyperbolic cosine of the value [x].n *n * The returned
value is positive `y` such that `cosh(y) == x`.n *n * Special cases:n * - `acosh(NaN)` is `NaN`n * - `acosh(x)`
is `NaN` when `x < 1`n * - `acosh(+Inf)` is `+Inf`n *@SinceKotlin("1.2")@InlineOnlypublic actual inline
fun acosh(x: Double): Double = nativeMath.acosh(x)n/n/** n * Computes the inverse hyperbolic tangent of the
value [x].n *n * The returned value is `y` such that `tanh(y) == x`.n *n * Special cases:n * - `tanh(NaN)` is
`NaN`n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`n * - `tanh(1.0)` is `+Inf`n * - `tanh(-1.0)` is `-Inf`n
*@SinceKotlin("1.2")@InlineOnlypublic actual inline fun atanh(x: Double): Double =
nativeMath.atanh(x)n/n/** n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.n *n * 
Special cases:n * - returns `+Inf` if any of arguments is infiniten * - returns `NaN` if any of arguments is `NaN`
and the other is not infiniten *@SinceKotlin("1.2")@InlineOnlypublic actual inline fun hypot(x: Double, y:
Double): Double = nativeMath.hypot(x, y)n/n/** n * Computes the positive square root of the value [x].n *n * 
Special cases:n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`n
*@SinceKotlin("1.2")@InlineOnlypublic actual inline fun sqrt(x: Double): Double =
nativeMath.sqrt(x)n/n/** n * Computes Euler's number `e` raised to the power of the value [x].n *n * Special
cases:n * - `exp(NaN)` is `NaN`n * - `exp(+Inf)` is `+Inf`n * - `exp(-Inf)` is `0.0`n
*@SinceKotlin("1.2")@InlineOnlypublic actual inline fun exp(x: Double): Double =
nativeMath.exp(x)n/n/** n * Computes `exp(x) - 1`.n *n * This function can be implemented to produce more
precise result for [x] near zero.n *n * Special cases:n * - `expm1(NaN)` is `NaN`n * - `expm1(+Inf)` is `+Inf`n
* - `expm1(-Inf)` is `-1.0`n * @see [exp] function.n *@SinceKotlin("1.2")@InlineOnlypublic actual
inline fun expm1(x: Double): Double = nativeMath.expm1(x)n/n/** n * Computes the logarithm of the value [x] to
the given [base].n *n * Special cases:n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`n * - `log(x, b)` is
`NaN` when `x < 0` or `b <= 0` or `b == 1.0`n * - `log(+Inf, +Inf)` is `NaN`n * - `log(+Inf, b)` is `+Inf` for `b >
1` and `-Inf` for `b < 1`n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`n *n * See also logarithm
functions for common fixed bases: [ln], [log10] and [log2].n *@SinceKotlin("1.2")public actual fun log(x:
Double, base: Double): Double { n if (base <= 0.0 || base == 1.0) return Double.NaNn return nativeMath.log(x)
/ nativeMath.log(base)n}n/n/** n * Computes the natural logarithm (base `E`) of the value [x].n *n * Special
cases:n * - `ln(NaN)` is `NaN`n * - `ln(x)` is `NaN` when `x < 0.0`n * - `ln(+Inf)` is `+Inf`n * - `ln(0.0)` is `-
Inf`n *@SinceKotlin("1.2")@InlineOnlypublic actual inline fun ln(x: Double): Double =
nativeMath.log(x)n/n/** n * Computes the common logarithm (base 10) of the value [x].n *n * @see [ln] function
for special cases.n *@SinceKotlin("1.2")@InlineOnlypublic actual inline fun log10(x: Double): Double =
nativeMath.log10(x)n/n/** n * Computes the binary logarithm (base 2) of the value [x].n *n * @see [ln] function
for special cases.n *@SinceKotlin("1.2")@InlineOnlypublic actual inline fun log2(x: Double): Double =
nativeMath.log2(x)n/n/** n * Computes `ln(x + 1)`.n *n * This function can be implemented to produce more
precise result for [x] near zero.n *n * Special cases:n * - `ln1p(NaN)` is `NaN`n * - `ln1p(x)` is `NaN` where `x
< -1.0`n * - `ln1p(-1.0)` is `-Inf`n * - `ln1p(+Inf)` is `+Inf`n *n * @see [ln] functionn * @see [expm1]
functionn *@SinceKotlin("1.2")@InlineOnlypublic actual inline fun ln1p(x: Double): Double =
nativeMath.log1p(x)n/n/** n * Rounds the given value [x] to an integer towards positive infinity.n *n * @return the
smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.n *n * 
Special cases:n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.n

```

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun ceil(x: Double): Double =
nativeMath.ceil(x)\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n * @return the
largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.\n * Special
cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n
*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun floor(x: Double): Double =
nativeMath.floor(x)\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n * @return the value [x]
having its fractional part truncated.\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or
`-Inf` or already a mathematical integer.\n *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun
truncate(x: Double): Double = nativeMath.trunc(x)\n\n/**\n * Rounds the given value [x] towards the closest integer
with ties rounded towards even integer.\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or
`-Inf` or already a mathematical integer.\n *^@SinceKotlin("1.2")@InlineOnly\npublic actual fun round(x: Double): Double
{\n if (x % 0.5 != 0.0) {\n return nativeMath.round(x)\n }\n val floor = floor(x)\n return if (floor % 2 ==
0.0) floor else ceil(x)\n}\n\n/**\n * Returns the absolute value of the given value [x].\n * Special cases:\n * -
`abs(NaN)` is `NaN`\n * @see absoluteValue extension property for [Double]\n
*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun abs(x: Double): Double =
nativeMath.abs(x)\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero
if the value is zero,\n * - `1.0` if the value is positive\n * Special case:\n * - `sign(NaN)` is `NaN`\n
*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun sign(x: Double): Double =
nativeMath.sign(x)\n\n/**\n * Returns the smaller of two values.\n * If either value is `NaN`, then the result is
`NaN`.\n *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun min(a: Double, b: Double): Double =
nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n * If either value is `NaN`, then the result is
`NaN`.\n *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun max(a: Double, b: Double): Double =
nativeMath.max(a, b)\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n * Special cases:\n * -
`b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x !=
0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not
an integer\n *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Double.pow(x: Double): Double =
nativeMath.pow(this, x)\n\n/**\n * Raises this value to the integer power [n].\n * See the other overload of
[pow] for details.\n *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Double.pow(n: Int): Double
= nativeMath.pow(this, n.toDouble())\n\n/**\n * Returns the absolute value of this value.\n * Special cases:\n *
- `NaN.absoluteValue` is `NaN`\n * @see abs function\n *^@SinceKotlin("1.2")@InlineOnly\npublic
actual inline val Double.absoluteValue: Double get() = nativeMath.abs(this)\n\n/**\n * Returns the sign of this
value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n * Special case:\n * - `NaN.sign` is `NaN`\n *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline val
Double.sign: Double get() = nativeMath.sign(this)\n\n/**\n * Returns this value with the sign bit same as of the
[sign] value.\n *^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Double.withSign(sign: Int):
Double = this.withSign(sign.toDouble())\n\n/**\n * Returns the ulp (unit in the last place) of this value.\n * An
ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.\n * Special
Cases:\n * - `NaN.ulp` is `NaN`\n * - `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`\n * - `0.0.ulp` is
`Double.MIN_VALUE`\n *^@SinceKotlin("1.2")@InlineOnly\npublic actual val Double.ulp: Double get() = when {\n this
< 0 -> (-this).ulp\n this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n this ==
Double.MAX_VALUE -> this - this.nextDown()\n else -> this.nextUp() - this\n}\n\n/**\n * Returns the [Double]
value nearest to this value in direction of positive infinity.\n *^@SinceKotlin("1.2")@InlineOnly\npublic actual fun
Double.nextUp(): Double = when {\n this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n this == 0.0
-> Double.MIN_VALUE\n else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1)\n}\n\n/**\n *
Returns the [Double] value nearest to this value in direction of negative infinity.\n
*^@SinceKotlin("1.2")@InlineOnly\npublic actual fun Double.nextDown(): Double = when {\n this.isNaN() || this ==
Double.NEGATIVE_INFINITY -> this\n this == 0.0 -> -Double.MIN_VALUE\n else ->
Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)\n}\n\n/**\n * Returns the [Double] value nearest to this

```

value in direction from this value towards the value [to].  
Special cases: `-x.nextTowards(y)` is `NaN` if either `x` or `y` are `NaN`.  
`-x.nextTowards(x) == x`  
@SinceKotlin("1.2")  
public actual fun Double.nextTowards(to: Double): Double = when {  
this.isNaN() || to.isNaN() -> Double.NaN  
to == this -> to  
to > this -> this.nextUp()  
else /\* to < this \*/ -> this.nextDown()  
}  
Rounds this [Double] value to the nearest integer and converts the result to [Int].  
Ties are rounded towards positive infinity.  
Special cases: `-x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`.  
`-x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`.  
@throws IllegalArgumentException when this value is `NaN`.  
@SinceKotlin("1.2")  
public actual fun Double.roundToInt(): Int = when {  
isNaN() -> throw IllegalArgumentException("Cannot round NaN value.")  
this > Int.MAX\_VALUE -> Int.MAX\_VALUE  
this < Int.MIN\_VALUE -> Int.MIN\_VALUE  
else -> nativeMath.round(this).toInt()  
}  
Rounds this [Double] value to the nearest integer and converts the result to [Long].  
Ties are rounded towards positive infinity.  
Special cases: `-x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`.  
`-x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`.  
@throws IllegalArgumentException when this value is `NaN`.  
@SinceKotlin("1.2")  
public actual fun Double.roundToLong(): Long = when {  
isNaN() -> throw IllegalArgumentException("Cannot round NaN value.")  
this > Long.MAX\_VALUE -> Long.MAX\_VALUE  
this < Long.MIN\_VALUE -> Long.MIN\_VALUE  
else -> nativeMath.round(this).toLong()  
}  
// endregion  
// region  
===== Float Math =====  
Computes the sine of the angle [x] given in radians.  
Special cases: `sin(NaN|+Inf|-Inf)` is `NaN`.  
@SinceKotlin("1.2")  
@InlineOnly  
public actual inline fun sin(x: Float): Float = nativeMath.sin(x.toDouble()).toFloat()  
Computes the cosine of the angle [x] given in radians.  
Special cases: `cos(NaN|+Inf|-Inf)` is `NaN`.  
@SinceKotlin("1.2")  
@InlineOnly  
public actual inline fun cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()  
Computes the tangent of the angle [x] given in radians.  
Special cases: `tan(NaN|+Inf|-Inf)` is `NaN`.  
@SinceKotlin("1.2")  
@InlineOnly  
public actual inline fun tan(x: Float): Float = nativeMath.tan(x.toDouble()).toFloat()  
Computes the arc sine of the value [x].  
the returned value is an angle in the range from `-PI/2` to `PI/2` radians.  
Special cases: `asin(x)` is `NaN`, when `abs(x) > 1` or `x` is `NaN`.  
@SinceKotlin("1.2")  
@InlineOnly  
public actual inline fun asin(x: Float): Float = nativeMath.asin(x.toDouble()).toFloat()  
Computes the arc cosine of the value [x].  
the returned value is an angle in the range from `0.0` to `PI` radians.  
Special cases: `acos(x)` is `NaN`, when `abs(x) > 1` or `x` is `NaN`.  
@SinceKotlin("1.2")  
@InlineOnly  
public actual inline fun acos(x: Float): Float = nativeMath.acos(x.toDouble()).toFloat()  
Computes the arc tangent of the value [x].  
the returned value is an angle in the range from `-PI/2` to `PI/2` radians.  
Special cases: `atan(NaN)` is `NaN`.  
@SinceKotlin("1.2")  
@InlineOnly  
public actual inline fun atan(x: Float): Float = nativeMath.atan(x.toDouble()).toFloat()  
Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond to the rectangular coordinates `(x, y)` by computing the arc tangent of the value `y / x`.  
the returned value is an angle in the range from `-PI` to `PI` radians.  
Special cases: `atan2(0.0, 0.0)` is `0.0`.  
`atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`.  
`atan2(-0.0, x)` is `-0.0` for `x > 0` and `-PI` for `x < 0`.  
`atan2(y, +Inf)` is `0.0` for `0 < y < +Inf` and `-0.0` for `-Inf < y < 0`.  
`atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`.  
`atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`.  
`atan2(+Inf, x)` is `PI/2` for finite `x`.  
`atan2(-Inf, x)` is `-PI/2` for finite `x`.  
`atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`.  
@SinceKotlin("1.2")  
@InlineOnly  
public actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()  
Computes the hyperbolic sine of the value [x].  
Special cases: `sinh(NaN)` is `NaN`.  
`sinh(+Inf)` is `+Inf`.  
`sinh(-Inf)` is `-Inf`.  
@SinceKotlin("1.2")  
@InlineOnly  
public actual inline fun sinh(x: Float): Float = nativeMath.sinh(x.toDouble()).toFloat()  
Computes the hyperbolic cosine of the value [x].  
Special cases: `cosh(NaN)` is `NaN`.  
`cosh(+Inf|-Inf)` is `+Inf`.  
@SinceKotlin("1.2")  
@InlineOnly  
public actual inline fun cosh(x: Float): Float =

`nativeMath.cosh(x.toDouble()).toFloat()` Computes the hyperbolic cosine of the value  $[x]$ .  
 Special cases:  $\cosh(\text{NaN})$  is  $\text{NaN}$ ,  $\cosh(+\text{Inf})$  is  $+\text{Inf}$ ,  $\cosh(-\text{Inf})$  is  $+\text{Inf}$ .  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tanh(x: Float): Float =`  
`nativeMath.tanh(x.toDouble()).toFloat()` Computes the inverse hyperbolic sine of the value  $[x]$ .  
 The returned value is  $y$  such that  $\sinh(y) = x$ .  
 Special cases:  $\text{asinh}(\text{NaN})$  is  $\text{NaN}$ ,  $\text{asinh}(+\text{Inf})$  is  $+\text{Inf}$ ,  $\text{asinh}(-\text{Inf})$  is  $-\text{Inf}$ .  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()`  
`nativeMath.acosh(x.toDouble()).toFloat()` Computes the inverse hyperbolic cosine of the value  $[x]$ .  
 The returned value is positive  $y$  such that  $\cosh(y) = x$ .  
 Special cases:  $\text{acosh}(\text{NaN})$  is  $\text{NaN}$ ,  $\text{acosh}(x)$  is  $\text{NaN}$  when  $x < 1$ ,  $\text{acosh}(+\text{Inf})$  is  $+\text{Inf}$ .  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acosh(x: Float): Float =`  
`nativeMath.acosh(x.toDouble()).toFloat()` Computes the inverse hyperbolic tangent of the value  $[x]$ .  
 The returned value is  $y$  such that  $\tanh(y) = x$ .  
 Special cases:  $\text{atanh}(\text{NaN})$  is  $\text{NaN}$ ,  $\text{atanh}(x)$  is  $\text{NaN}$  when  $x > 1$  or  $x < -1$ ,  $\text{atanh}(1.0)$  is  $+\text{Inf}$ ,  $\text{atanh}(-1.0)$  is  $-\text{Inf}$ .  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atanh(x: Float): Float =`  
`nativeMath.atanh(x.toDouble()).toFloat()` Computes  $\sqrt{x^2 + y^2}$  without intermediate overflow or underflow.  
 Special cases: returns  $+\text{Inf}$  if any of arguments is infinite, returns  $\text{NaN}$  if any of arguments is  $\text{NaN}$  and the other is not infinite.  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()`  
`nativeMath.sqrt(x.toDouble()).toFloat()` Computes the positive square root of the value  $[x]$ .  
 Special cases:  $\sqrt{x}$  is  $\text{NaN}$  when  $x < 0$  or  $x$  is  $\text{NaN}$ .  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sqrt(x: Float): Float =`  
`nativeMath.sqrt(x.toDouble()).toFloat()` Computes Euler's number  $e$  raised to the power of the value  $[x]$ .  
 Special cases:  $\exp(\text{NaN})$  is  $\text{NaN}$ ,  $\exp(+\text{Inf})$  is  $+\text{Inf}$ ,  $\exp(-\text{Inf})$  is  $0.0$ .  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun exp(x: Float): Float =`  
`nativeMath.exp(x.toDouble()).toFloat()` Computes  $\exp(x) - 1$ .  
 This function can be implemented to produce more precise result for  $[x]$  near zero.  
 Special cases:  $\text{expm1}(\text{NaN})$  is  $\text{NaN}$ ,  $\text{expm1}(+\text{Inf})$  is  $+\text{Inf}$ ,  $\text{expm1}(-\text{Inf})$  is  $-1.0$ .  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun expm1(x: Float): Float =`  
`nativeMath.expm1(x.toDouble()).toFloat()` Computes the logarithm of the value  $[x]$  to the given  $[base]$ .  
 Special cases:  $\log(x, b)$  is  $\text{NaN}$  if either  $x$  or  $b$  are  $\text{NaN}$ ,  $\log(x, b)$  is  $\text{NaN}$  when  $x < 0$  or  $b \leq 0$  or  $b = 1.0$ ,  $\log(+\text{Inf}, +\text{Inf})$  is  $\text{NaN}$ ,  $\log(+\text{Inf}, b)$  is  $+\text{Inf}$  for  $b > 1$  and  $-\text{Inf}$  for  $b < 1$ ,  $\log(0.0, b)$  is  $-\text{Inf}$  for  $b > 1$  and  $+\text{Inf}$  for  $b > 1$ .  
 See also logarithm functions for common fixed bases:  $[\ln]$ ,  $[\log_{10}]$  and  $[\log_2]$ .  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun log(x: Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat()`  
`nativeMath.log(x.toDouble()).toFloat()` Computes the natural logarithm (base  $E$ ) of the value  $[x]$ .  
 Special cases:  $\ln(\text{NaN})$  is  $\text{NaN}$ ,  $\ln(x)$  is  $\text{NaN}$  when  $x < 0.0$ ,  $\ln(+\text{Inf})$  is  $+\text{Inf}$ ,  $\ln(0.0)$  is  $-\text{Inf}$ .  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun ln(x: Float): Float = nativeMath.log(x.toDouble()).toFloat()`  
`nativeMath.log10(x.toDouble()).toFloat()` Computes the common logarithm (base 10) of the value  $[x]$ .  
 @see  $[\ln]$  function for special cases.  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()`  
`nativeMath.log2(x.toDouble()).toFloat()` Computes the binary logarithm (base 2) of the value  $[x]$ .  
 @see  $[\ln]$  function for special cases.  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun log2(x: Float): Float =`  
`nativeMath.log2(x.toDouble()).toFloat()` Computes  $\ln(a + 1)$ .  
 This function can be implemented to produce more precise result for  $[x]$  near zero.  
 Special cases:  $\ln_{1p}(\text{NaN})$  is  $\text{NaN}$ ,  $\ln_{1p}(x)$  is  $\text{NaN}$  where  $x < -1.0$ ,  $\ln_{1p}(-1.0)$  is  $-\text{Inf}$ ,  $\ln_{1p}(+\text{Inf})$  is  $+\text{Inf}$ .  
 @see  $[\ln]$  function, @see  $[\text{expm1}]$  function.  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun ln1p(x: Float): Float =`  
`nativeMath.log1p(x.toDouble()).toFloat()` Rounds the given value  $[x]$  to an integer towards positive infinity.  
 @return the smallest Float value that is greater than or equal to the given value  $[x]$  and is a mathematical integer.  
 Special cases:  $\text{ceil}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.  
`*\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun ceil(x: Float): Float =`

`nativeMath.ceil(x.toDouble()).toFloat()` Rounds the given value [x] to an integer towards negative infinity.

`@return` the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.

`Special cases:`

- `- floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun floor(x: Float): Float =
    nativeMath.floor(x.toDouble()).toFloat()
    
```

`nativeMath.floor(x.toDouble()).toFloat()` Rounds the given value [x] to an integer towards zero.

`@return` the value [x] having its fractional part truncated.

`Special cases:`

- `- truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun truncate(x: Float): Float = truncate(x.toDouble()).toFloat()
    
```

`nativeMath.truncate(x.toDouble()).toFloat()` Rounds the given value [x] towards the closest integer with ties rounded towards even integer.

`Special cases:`

- `- round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun round(x: Float): Float =
    round(x.toDouble()).toFloat()
    
```

`nativeMath.round(x.toDouble()).toFloat()` Returns the absolute value of the given value [x].

`Special cases:`

- `- abs(NaN)` is `NaN`

`@see` `absoluteValue` extension property for [Float]

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun abs(x: Float): Float =
    nativeMath.abs(x.toDouble()).toFloat()
    
```

`nativeMath.abs(x.toDouble()).toFloat()` Returns the sign of the given value [x]:

- `-1.0` if the value is negative,
- `0` if the value is zero,
- `1.0` if the value is positive

`Special case:`

- `- sign(NaN)` is `NaN`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun sign(x: Float): Float =
    nativeMath.sign(x.toDouble()).toFloat()
    
```

`nativeMath.sign(x.toDouble()).toFloat()` Returns the smaller of two values.

If either value is `NaN`, then the result is `NaN`.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun min(a: Float, b: Float): Float = nativeMath.min(a, b)
    
```

`nativeMath.min(a, b)` Returns the greater of two values.

If either value is `NaN`, then the result is `NaN`.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun max(a: Float, b: Float): Float = nativeMath.max(a, b)
    
```

`nativeMath.max(a, b)` // extensions

`nativeMath.pow(x.toDouble(), x.toDouble()).toFloat()` Raises this value to the power [x].

`Special cases:`

- `- b.pow(0.0)` is `1.0`
- `- b.pow(1.0) == b`
- `- b.pow(NaN)` is `NaN`
- `- NaN.pow(x)` is `NaN` for `x != 0.0`
- `- b.pow(Inf)` is `NaN` for `abs(b) == 1.0`
- `- b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.pow(x: Float): Float = nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()
    
```

`nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()` Raises this value to the integer power [n].

See the other overload of [pow] for details.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.pow(n: Int): Float = nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()
    
```

`nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()` Returns the absolute value of this value.

`Special cases:`

- `- NaN.absoluteValue` is `NaN`

`@see` `abs` function

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline val Float.absoluteValue: Float get() =
    nativeMath.abs(this.toDouble()).toFloat()
    
```

`nativeMath.abs(this.toDouble()).toFloat()` Returns the sign of this value:

- `-1.0` if the value is negative,
- `0` if the value is zero,
- `1.0` if the value is positive

`Special case:`

- `- NaN.sign` is `NaN`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline val Float.sign: Float get() =
    nativeMath.sign(this.toDouble()).toFloat()
    
```

`nativeMath.sign(this.toDouble()).toFloat()` Returns this value with the sign bit same as of the [sign] value.

If [sign] is `NaN` the sign of the result is undefined.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.withSign(sign: Float): Float =
    this.toDouble().withSign(sign.toDouble()).toFloat()
    
```

`this.toDouble().withSign(sign.toDouble()).toFloat()` Returns this value with the sign bit same as of the [sign] value.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.withSign(sign: Int): Float =
    this.toDouble().withSign(sign.toDouble()).toFloat()
    
```

`this.toDouble().withSign(sign.toDouble()).toFloat()` Rounds this [Float] value to the nearest integer and converts the result to [Int].

Ties are rounded towards positive infinity.

`Special cases:`

- `- x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`
- `- x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`

`@throws` `IllegalArgumentException` when this value is `NaN`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.roundToInt(): Int =
    toDouble().roundToInt()
    
```

`toDouble().roundToInt()` Rounds this [Float] value to the nearest integer and converts the result to [Long].

Ties are rounded towards positive infinity.

`Special cases:`

- `- x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`
- `- x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`

`@throws` `IllegalArgumentException` when this value is `NaN`

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Float.roundToLong(): Long =
    
```

```

toDouble().roundToLong()\n\n// endregion\n\n// region ===== Integer Math
=====
\n\n/**\n * Returns the absolute value of the given value
 [n].\n *\n * Special cases:\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n *\n * @see
 absoluteValue extension property for [Int]\n *\n// TODO: remove manual 'or' when KT-19290 is
 fixed\n@SinceKotlin("1.2")\npublic actual fun abs(n: Int): Int = if (n < 0) (-n or 0) else n\n\n/**\n * Returns the
 smaller of two values.\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun min(a: Int, b: Int): Int =
 nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n
 *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun max(a: Int, b: Int): Int = nativeMath.max(a,
 b)\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * -
 `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n
 *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Int.absoluteValue: Int get() = abs(this)\n\n/**\n *
 Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value
 is positive\n *\n@SinceKotlin("1.2")\npublic actual val Int.sign: Int get() = when {\n    this < 0 -> -1\n    this > 0 -
 > 1\n    else -> 0\n}\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * -
 `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension
 property for [Long]\n *\n@SinceKotlin("1.2")\npublic actual fun abs(n: Long): Long = if (n < 0) -n else
 n\n\n/**\n * Returns the smaller of two values.\n
 *\n@SinceKotlin("1.2")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun min(a: Long, b:
 Long): Long = if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n
 *\n@SinceKotlin("1.2")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun max(a: Long, b:
 Long): Long = if (a >= b) a else b\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * -
 `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n
 *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Long.absoluteValue: Long get() =
 abs(this)\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n
 * - `1` if the value is positive\n *\n@SinceKotlin("1.2")\npublic actual val Long.sign: Int get() = when {\n    this
 < 0 -> -1\n    this > 0 -> 1\n    else -> 0\n}\n\n\n// endregion\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and
 Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
 can be found in the license/LICENSE.txt file.\n *\npackage kotlin\n\n/**\n * Returns `true` if the specified
 number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n *\npublic actual fun Double.isNaN(): Boolean =
 this != this\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n
 *\npublic actual fun Float.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if this value is infinitely large in
 magnitude.\n *\npublic actual fun Double.isInfinite(): Boolean = this == Double.POSITIVE_INFINITY || this ==
 Double.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n *\npublic
 actual fun Float.isInfinite(): Boolean = this == Float.POSITIVE_INFINITY || this ==
 Float.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns
 `false` otherwise (for `NaN` and infinity arguments).\n *\npublic actual fun Double.isFinite(): Boolean =
 !isInfinite() && !isNaN()\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false`
 otherwise (for `NaN` and infinity arguments).\n *\npublic actual fun Float.isFinite(): Boolean = !isInfinite() &&
 !isNaN()\n\n/**\n * Counts the number of set bits in the binary representation of this [Int] number.\n
 *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
 Int.countOneBits(): Int {\n    // Hacker's Delight 5-1 algorithm\n    var v = this\n    v = (v and 0x55555555) +
 (v.ushr(1) and 0x55555555)\n    v = (v and 0x33333333) + (v.ushr(2) and 0x33333333)\n    v = (v and 0x0F0F0F0F)
 + (v.ushr(4) and 0x0F0F0F0F)\n    v = (v and 0x00FF00FF) + (v.ushr(8) and 0x00FF00FF)\n    v = (v and
 0x0000FFFF) + (v.ushr(16))\n    return v\n}\n\n/**\n * Counts the number of consecutive most significant bits that
 are zero in the binary representation of this [Int] number.\n
 *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
 actual inline fun Int.countLeadingZeroBits(): Int = JsMath.clz32(this)\n\n/**\n * Counts the number of
 consecutive least significant bits that are zero in the binary representation of this [Int] number.\n

```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.countTrailingZeroBits(): Int =\n // Hacker's Delight 5-4 algorithm for expressing countTrailingZeroBits with
countLeadingZeroBits\n Int.SIZE_BITS - (this or -this).inv().countLeadingZeroBits()\n\n/**\n * Returns a
number having a single bit set in the position of the most significant set bit of this [Int] number,\n * or zero, if this
number is zero.\n *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.takeHighestOneBit(): Int =\n if (this == 0) 0 else 1.shl(Int.SIZE_BITS - 1 - countLeadingZeroBits())\n\n/**\n *
Returns a number having a single bit set in the position of the least significant set bit of this [Int] number,\n * or
zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.takeLowestOneBit(): Int =\n // Hacker's Delight 2-1 algorithm for isolating rightmost 1-bit\n this and -
this\n\n/**\n * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of
bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the
right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit
count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32)
returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.rotateLeft(bitCount: Int): Int =\n shl(bitCount) or ushr(Int.SIZE_BITS - bitCount)\n\n\n/**\n * Rotates the
binary representation of this [Int] number right by the specified [bitCount] number of bits.\n * The least significant
bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating
the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Int.rotateRight(bitCount: Int): Int =\n shl(Int.SIZE_BITS - bitCount) or ushr(bitCount)\n\n\n/**\n * Counts the
number of set bits in the binary representation of this [Long] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countOneBits(): Int =\n high.countOneBits() + low.countOneBits()\n\n\n/**\n * Counts the number of
consecutive most significant bits that are zero in the binary representation of this [Long] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countLeadingZeroBits(): Int =\n when (val high = this.high) {\n 0 -> Int.SIZE_BITS +
low.countLeadingZeroBits()\n else -> high.countLeadingZeroBits()\n }\n\n\n/**\n * Counts the number of
consecutive least significant bits that are zero in the binary representation of this [Long] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.countTrailingZeroBits(): Int =\n when (val low = this.low) {\n 0 -> Int.SIZE_BITS +
high.countTrailingZeroBits()\n else -> low.countTrailingZeroBits()\n }\n\n\n/**\n * Returns a number having a
single bit set in the position of the most significant set bit of this [Long] number,\n * or zero, if this number is
zero.\n *\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.takeHighestOneBit(): Long =\n when (val high = this.high) {\n 0 -> Long(low.takeHighestOneBit(),
0)\n else -> Long(0, high.takeHighestOneBit())\n }\n\n\n/**\n * Returns a number having a single bit set in the
position of the least significant set bit of this [Long] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.takeLowestOneBit(): Long =\n when (val low = this.low) {\n 0 -> Long(0, high.takeLowestOneBit())\n
else -> Long(low.takeLowestOneBit(), 0)\n }\n\n\n/**\n * Rotates the binary representation of this [Long]
number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side
reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit
count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) ==
number.rotateRight(n)`\n *\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more
generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n

```

```

*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic actual fun
Long.rotateLeft(bitCount: Int): Long {\n    if ((bitCount and 31) != 0) {\n        val low = this.low\n        val high =
this.high\n        val newLow = low.shl(bitCount) or high.ushr(-bitCount)\n        val newHigh = high.shl(bitCount) or
low.ushr(-bitCount)\n        return if ((bitCount and 32) == 0) Long(newLow, newHigh) else Long(newHigh,
newLow)\n    } else {\n        return if ((bitCount and 32) == 0) this else Long(high, low)\n    }\n}\n\n/*\n *
Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The
least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n
*\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic
actual inline fun Long.rotateRight(bitCount: Int): Long = rotateLeft(-bitCount)\n", /*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport
kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Exposes the JavaScript [Promise
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.\n
*\n@Suppress("NOT_DOCUMENTED")\npublic open external class Promise<out T>(executor: (resolve: (T) ->
Unit, reject: (Throwable) -> Unit) -> Unit) {\n    @LowPriorityInOverloadResolution\n    public open fun <S>
then(onFulfilled: ((T) -> S)?): Promise<S>\n\n    @LowPriorityInOverloadResolution\n    public open fun <S>
then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>\n\n    public open fun <S>
catch(onRejected: (Throwable) -> S): Promise<S>\n\n    companion object {\n        public fun <S> all(promise:
Array<out Promise<S>>): Promise<Array<out S>>\n\n        public fun <S> race(promise: Array<out
Promise<S>>): Promise<S>\n\n        public fun reject(e: Throwable): Promise<Nothing>\n\n        public fun <S>
resolve(e: S): Promise<S>\n\n        public fun <S> resolve(e: Promise<S>): Promise<S>\n    }\n}\n\n// It's workaround
for KT-19672 since we can fix it properly until KT-11265 isn't fixed.\n\ninline fun <T, S>
Promise<Promise<T>>.then(\n    noinline onFulfilled: ((T) -> S)?\n): Promise<S> {\n    return
this.unsafeCast<Promise<T>>().then(onFulfilled)\n}\n\ninline fun <T, S> Promise<Promise<T>>.then(\n    noinline
onFulfilled: ((T) -> S)?,\n    noinline onRejected: ((Throwable) -> S)?\n): Promise<S> {\n    return
this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)\n}\n", /*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport
kotlin.math.pow\n\ninternal actual fun defaultPlatformRandom(): Random =\n    Random(js("Math.random() *
Math.pow(2, 32)) | 0").unsafeCast<Int>())\n\nprivate val INV_2_26: Double = 2.0.pow(-26)\nprivate val
INV_2_53: Double = 2.0.pow(-53)\n\ninternal actual fun doubleFromParts(hi26: Int, low27: Int): Double =\n    hi26 *
INV_2_26 + low27 * INV_2_53", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\nimport findAssociatedObject\n\n/**\n * The
experimental marker for associated objects API.\n * Any usage of a declaration annotated with
`@ExperimentalAssociatedObjects` must be accepted either by\n * annotating that usage with the [OptIn]
annotation, e.g. `@OptIn(ExperimentalAssociatedObjects::class)`,\n * or by using the compiler argument
`-Xopt-in=kotlin.reflect.ExperimentalAssociatedObjects`.\n *\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@Retention(value = AnnotationRetention.BINARY)\npublic annotation class
ExperimentalAssociatedObjects\n\n/**\n * Makes the annotated annotation class an associated object key.\n *\n * An
associated object key annotation should have single [KClass] parameter.\n * When applied to a class with
reference to an object declaration as an argument, it binds\n * the object to the class, making this binding
discoverable at runtime using [findAssociatedObject].\n
*\n@ExperimentalAssociatedObjects\n@Retention(AnnotationRetention.BINARY)\n@Target(AnnotationTarget.A
NNOTATION_CLASS)\npublic annotation class AssociatedObjectKey\n\n/**\n * If [T] is an

```

```

@[AssociatedObjectKey]-annotated annotation class and [this] class is annotated with @[T] (`S::class`),\n * returns
object `S`.\n *\n * Otherwise returns `null`.\n *\n * @ExperimentalAssociatedObjects\npublic inline fun <reified T :
Annotation> KClass<*>.findAssociatedObject(): Any? =\n    this.findAssociatedObject(T::class)", /*\n * Copyright
2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n *\npackage kotlin.js\n\nimport
getKClass\nimport kotlin.reflect.KClass\nimport kotlin.reflect.js.internal.KClassImpl\n\n/**\n * Represents the
constructor of a class. Instances of `JsClass` can be passed to JavaScript APIs that expect a constructor reference.\n
*\n * @nexternal interface JsClass<T : Any> {\n    /**\n     * Returns the unqualified name of the class represented by
this instance.\n     *\n     * val name: String\n    }\n\n    /**\n     * Obtains a constructor reference for the given `KClass`.\n
*\n     * nval <T : Any> KClass<T>.js: JsClass<T>\n     * get() = (this as KClassImpl<T>).jClass\n    }\n\n    /**\n     * Obtains a
`KClass` instance for the given constructor reference.\n     *\n     * nval <T : Any> JsClass<T>.kotlin: KClass<T>\n     * get()
= getKClass(this)\n    }", /*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n *\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal abstract
class KClassImpl<T : Any>(\n    internal open val jClass: JsClass<T>\n) : KClass<T> {\n\n    override val
qualifiedName: String?\n    get() = TODO()\n\n    override fun equals(other: Any?): Boolean {\n        return other
is KClassImpl<*> && jClass == other.jClass\n    }\n\n    // TODO: use FQN\n    override fun hashCode(): Int =
simpleName?.hashCode() ?: 0\n\n    override fun toString(): String {\n        // TODO: use FQN\n        return "\"class
$simpleName\"\n    }\n\n    internal class SimpleKClassImpl<T : Any>(jClass: JsClass<T>) :
KClassImpl<T>(jClass) {\n        override val simpleName: String? =
jClass.asDynamic().`$metadata$`.simpleName.unsafeCast<String?>()\n\n        override fun isInstance(value: Any?):
Boolean {\n            return jsIsType(value, jClass)\n        }\n\n        internal class PrimitiveKClassImpl<T : Any>(\n
jClass: JsClass<T>,\n        private val givenSimpleName: String,\n        private val isInstanceFunction: (Any?) ->
Boolean\n) : KClassImpl<T>(jClass) {\n            override fun equals(other: Any?): Boolean {\n                if (other lis
PrimitiveKClassImpl<*>) return false\n                return super.equals(other) && givenSimpleName ==
other.givenSimpleName\n            }\n\n            override val simpleName: String? get() = givenSimpleName\n\n            override fun
isInstance(value: Any?): Boolean {\n                return isInstanceFunction(value)\n            }\n\n            internal object
NothingKClassImpl : KClassImpl<Nothing>(js("Object")) {\n                override val simpleName: String =
\"Nothing\"\n\n                override fun isInstance(value: Any?): Boolean = false\n\n                override val jClass:
JsClass<Nothing>\n                get() = throw UnsupportedOperationException(\"There's no native JS class for Nothing
type\")\n\n                override fun equals(other: Any?): Boolean = other === this\n\n                override fun hashCode(): Int =
0\n            }\n\n            internal class ErrorKClass : KClass<Nothing> {\n                override val simpleName: String? get() =
error(\"Unknown simpleName for ErrorKClass\")\n\n                override val qualifiedName: String? get() = error(\"Unknown
qualifiedName for ErrorKClass\")\n\n                override fun isInstance(value: Any?): Boolean = error(\"Can's check
isInstance on ErrorKClass\")\n\n                override fun equals(other: Any?): Boolean = other === this\n\n                override fun
hashCode(): Int = 0\n            }", /*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n *\npackage kotlin.reflect\n\ninternal actual inline val
KClass<*>.qualifiedOrSimpleName: String?\n    get() = simpleName", /*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n *\n *\n// a package is omitted to get declarations directly under
the module\n\n// TODO: Remove once JsReflectionAPIChecker supports more reflection
types\n@file:Suppress(\"Unsupported\")\nimport kotlin.reflect.*\nimport
kotlin.reflect.js.internal.*\n\n@JsName(\"createKType\")\ninternal fun createKType(\n    classifier: KClassifier,\n
arguments: Array<KTypeProjection>,\n    isMarkedNullable: Boolean\n) =\n    KTypeImpl(classifier,
arguments.asList(), isMarkedNullable)\n\n@JsName(\"createDynamicKType\")\ninternal fun
createDynamicKType(): KType = DynamicKType\n\n@JsName(\"markKTypeNullable\")\ninternal fun
markKTypeNullable(kType: KType) = KTypeImpl(kType.classifier!!, kType.arguments,

```

```

true)\n\n@JsName("createKTypeParameter")\ninternal fun createKTypeParameter(\n    name: String,\n    upperBounds: Array<KType>,\n    variance: String): KTypeParameter {\n    val kVariance = when (variance) {\n        "in" -> KVariance.IN\n        "out" -> KVariance.OUT\n        else -> KVariance.INVARIANT\n    }\n    return\n    KTypeParameterImpl(name, upperBounds.asList(), kVariance,\nfalse)\n\n@JsName("getStarKTypeProjection")\ninternal fun getStarKTypeProjection(): KTypeProjection =\n    KTypeProjection.STAR\n\n@JsName("createCovariantKTypeProjection")\ninternal fun\n    createCovariantKTypeProjection(type: KType): KTypeProjection =\n    KTypeProjection.covariant(type)\n\n@JsName("createInvariantKTypeProjection")\ninternal fun\n    createInvariantKTypeProjection(type: KType): KTypeProjection =\n    KTypeProjection.invariant(type)\n\n@JsName("createContravariantKTypeProjection")\ninternal fun\n    createContravariantKTypeProjection(type: KType): KTypeProjection =\n    KTypeProjection.contravariant(type)\n"}\n\n/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming\n    Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n    license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal class\n    KTypeImpl(\n        override val classifier: KClassifier,\n        override val arguments: List<KTypeProjection>,\n        override val isMarkedNullable: Boolean\n    ) : KType {\n        override fun equals(other: Any?): Boolean =\n            other\n            is KTypeImpl &&\n                classifier == other.classifier && arguments == other.arguments &&\n                isMarkedNullable == other.isMarkedNullable\n        override fun hashCode(): Int =\n            (classifier.hashCode() * 31\n            + arguments.hashCode() * 31 + isMarkedNullable.hashCode())\n        override fun toString(): String {\n            val\n            kClass = (classifier as? KClass<*>)\n            val classifierName = when {\n                kClass == null ->\n                classifier.toString()\n                kClass.simpleName != null -> kClass.simpleName\n                else -> "(non-denotable\n            type)"\n            }\n            val args =\n                if (arguments.isEmpty()) ""\n                else arguments.joinToString(", ",\n                "<", ">") { it.asString() }\n            val nullable = if (isMarkedNullable) "?"\n            else ""\n            return classifierName\n            + args + nullable\n        }\n        // TODO: this should be the implementation of KTypeProjection.toString, see KT-\n        30071\n        private fun KTypeProjection.asString(): String {\n            if (variance == null) return ""\n            return\n            variance.prefixString() + type.toString()\n        }\n    }\n\ninternal object DynamicKType : KType {\n        override val\n        classifier: KClassifier? = null\n        override val arguments: List<KTypeProjection> = emptyList()\n        override val\n        isMarkedNullable: Boolean = false\n        override fun toString(): String = "dynamic"\n    }\n\ninternal fun\n    KVariance.prefixString() =\n        when (this) {\n            KVariance.INVARIANT -> ""\n            KVariance.IN -> "in "\n            KVariance.OUT -> "out "\n        }\n"}\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming\n    Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n    license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.js.JsClass\n\n@JsName("PrimitiveClasses")\ninternal\n    object PrimitiveClasses {\n        @JsName("anyClass")\n        val anyClass =\n            PrimitiveKClassImpl(js("Object").unsafeCast<JsClass<Any>>(), "Any", { it is Any })\n        @JsName("numberClass")\n        val numberClass =\n            PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Number>>(), "Number", { it is Number })\n        @JsName("nothingClass")\n        val nothingClass = NothingKClassImpl\n        @JsName("booleanClass")\n        val\n        booleanClass = PrimitiveKClassImpl(js("Boolean").unsafeCast<JsClass<Boolean>>(), "Boolean", { it is Boolean\n        })\n        @JsName("byteClass")\n        val byteClass =\n            PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Byte>>(), "Byte", { it is Byte })\n        @JsName("shortClass")\n        val shortClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Short>>(),\n        "Short", { it is Short })\n        @JsName("intClass")\n        val intClass =\n            PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Int>>(), "Int", { it is Int })\n    }

```

```

@JsName("floatClass")\n val floatClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Float>>(),
"Float", { it is Float })\n\n @JsName("doubleClass")\n val doubleClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Double>>(), "Double", { it is Double })\n\n
@JsName("arrayClass")\n val arrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<Array<*>>>(), "Array", { it is Array<*> })\n\n
@JsName("stringClass")\n val stringClass = PrimitiveKClassImpl(js("String").unsafeCast<JsClass<String>>(),
"String", { it is String })\n\n @JsName("throwableClass")\n val throwableClass =
PrimitiveKClassImpl(js("Error").unsafeCast<JsClass<Throwable>>(), "Throwable", { it is Throwable })\n\n
@JsName("booleanArrayClass")\n val booleanArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<BooleanArray>>(), "BooleanArray", { it is BooleanArray
})\n\n @JsName("charArrayClass")\n val charArrayClass =
PrimitiveKClassImpl(js("Uint16Array").unsafeCast<JsClass<CharArray>>(), "CharArray", { it is CharArray
})\n\n @JsName("byteArrayClass")\n val byteArrayClass =
PrimitiveKClassImpl(js("Int8Array").unsafeCast<JsClass<ByteArray>>(), "ByteArray", { it is ByteArray })\n\n
@JsName("shortArrayClass")\n val shortArrayClass =
PrimitiveKClassImpl(js("Int16Array").unsafeCast<JsClass<ShortArray>>(), "ShortArray", { it is ShortArray
})\n\n @JsName("intArrayClass")\n val intArrayClass =
PrimitiveKClassImpl(js("Int32Array").unsafeCast<JsClass<IntArray>>(), "IntArray", { it is IntArray })\n\n
@JsName("longArrayClass")\n val longArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<LongArray>>(), "LongArray", { it is LongArray })\n\n
@JsName("floatArrayClass")\n val floatArrayClass =
PrimitiveKClassImpl(js("Float32Array").unsafeCast<JsClass<FloatArray>>(), "FloatArray", { it is FloatArray
})\n\n @JsName("doubleArrayClass")\n val doubleArrayClass =
PrimitiveKClassImpl(js("Float64Array").unsafeCast<JsClass<DoubleArray>>(), "DoubleArray", { it is
DoubleArray })\n\n @JsName("functionClass")\n fun functionClass(arity: Int): KClassImpl<Any> {\n
return functionClasses.get(arity) ?: run {\n val result =
PrimitiveKClassImpl(js("Function").unsafeCast<JsClass<Any>>(), "Function$arity",\n
{ jsTypeOf(it) === "function" && it.asDynamic().length === arity })\n functionClasses.asDynamic()[arity]
= result\n result\n })\n }\n\nprivate val functionClasses =
arrayOfNulls<KClassImpl<Any>>(0), "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n a package is omitted to get declarations directly under the module\n\nimport
kotlin.reflect.*\nimport kotlin.reflect.js.internal.*\n\n@JsName("getKClass")\ninternal fun <T : Any>
getKClass(jClass: Any /* JsClass<T> | Array<JsClass<T>> */): KClass<T> {\n return if
(js("Array").isArray(jClass)) {\n getKClassM(jClass.unsafeCast<Array<JsClass<T>>>())\n } else {\n
getKClass1(jClass.unsafeCast<JsClass<T>>())\n }\n }\n\n@JsName("getKClassM")\ninternal fun <T : Any>
getKClassM(jClasses: Array<JsClass<T>>): KClass<T> = when (jClasses.size) {\n 1 ->
getKClass1(jClasses[0])\n 0 -> NothingKClassImpl.unsafeCast<KClass<T>>()\n else ->
ErrorKClass().unsafeCast<KClass<T>>()\n }\n\n@JsName("getKClassFromExpression")\ninternal fun <T : Any>
getKClassFromExpression(e: T): KClass<T> =\n when (jsTypeOf(e)) {\n "string" ->
PrimitiveClasses.stringClass\n "number" -> if (jsBitwiseOr(e, 0).asDynamic() === e)
PrimitiveClasses.intClass else PrimitiveClasses.doubleClass\n "boolean" -> PrimitiveClasses.booleanClass\n
"function" -> PrimitiveClasses.functionClass(e.asDynamic().length)\n else -> {\n when {\n
e
is BooleanArray -> PrimitiveClasses.booleanArrayClass\n
e is CharArray ->
PrimitiveClasses.charArrayClass\n
e is ByteArray -> PrimitiveClasses.byteArrayClass\n
e is
ShortArray -> PrimitiveClasses.shortArrayClass\n
e is IntArray -> PrimitiveClasses.intArrayClass\n
e is LongArray -> PrimitiveClasses.longArrayClass\n
e is FloatArray ->
PrimitiveClasses.floatArrayClass\n
e is DoubleArray -> PrimitiveClasses.doubleArrayClass\n
e is

```

```

KClass<*> -> KClass::class\n          e is Array<*> -> PrimitiveClasses.arrayClass\n          else -> {\n
    val constructor = js("Object").getPrototypeOf(e).constructor\n          when {\n          constructor
=== js("Object") -> PrimitiveClasses.anyClass\n          constructor === js("Error") ->
PrimitiveClasses.throwableClass\n          else -> {\n          val jsClass: JsClass<T> =
constructor\n          getKClass1(jsClass)\n          }\n          }\n          }\n          }\n
}\n } unsafeCast<KClass<T>>()\n@JsName("getKClass1")\ninternal fun <T : Any> getKClass1(jClass:
JsClass<T>): KClass<T> {\n if (jClass === js("String")) return
PrimitiveClasses.stringClass.unsafeCast<KClass<T>>()\n val metadata = jClass.asDynamic().`$metadata$\n\n
return if (metadata != null) {\n if (metadata.`$kClass$` == null) {\n val kClass =
SimpleKClassImpl(jClass)\n metadata.`$kClass$` = kClass\n kClass\n } else {\n
metadata.`$kClass$`\n }\n } else {\n SimpleKClassImpl(jClass)\n }\n }"/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n/**\n * Exposes
the JavaScript [RegExp
object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/RegExp) to Kotlin.\n
*/\n@Suppress("NOT_DOCUMENTED")\npublic external class RegExp(pattern: String, flags: String? =
definedExternally) {\n\n public fun test(str: String): Boolean\n\n public fun exec(str: String): RegExpMatch?\n\n
public override fun toString(): String\n\n /**\n * The lastIndex is a read/write integer property of regular
expressions that specifies the index at which to start the next match.\n */\n public var lastIndex: Int\n\n public
val global: Boolean\n public val ignoreCase: Boolean\n public val multiline: Boolean\n}\n/**\n * Resets the
regular expression so that subsequent [RegExp.test] and [RegExp.exec] calls will match starting with the beginning
of the input string.\n */\npublic fun RegExp.reset() {\n lastIndex = 0\n}\n\n// TODO: Inherit from array or
introduce asArray() extension\n/**\n * Represents the return value of [RegExp.exec].\n
*/\n@Suppress("NOT_DOCUMENTED")\npublic external interface RegExpMatch {\n public val index: Int\n
public val input: String\n public val length: Int\n}\n/**\n * Returns the entire text matched by [RegExp.exec] if
the [index] parameter is 0, or the text matched by the capturing parenthesis\n * at the given index.\n */\npublic inline
operator fun RegExpMatch.get(index: Int): String? = asDynamic()[index]\n\n/**\n * Converts the result of
[RegExp.exec] to an array where the first element contains the entire matched text and each subsequent\n * element
is the text matched by each capturing parenthesis.\n */\npublic inline fun RegExpMatch.asArray(): Array<out
String?> = unsafeCast<Array<out String?>>()\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.sequences\n\ninternal actual class
ConstrainedOnceSequence<T> actual constructor(sequence: Sequence<T>) : Sequence<T> {\n private var
sequenceRef: Sequence<T>? = sequence\n\n actual override fun iterator(): Iterator<T> {\n val sequence =
sequenceRef ?: throw IllegalStateException("This sequence can be consumed only once.")\n sequenceRef =
null\n return sequence.iterator()\n }\n}/\n"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n@SinceKotlin("1.5")\npublic actual enum
class CharCategory(internal val value: Int, public actual val code: String) {\n /**\n * General category "Cn" in
the Unicode specification.\n */\n UNASSIGNED(0, "Cn"),\n\n /**\n * General category "Lu" in the
Unicode specification.\n */\n UPPERCASE_LETTER(1, "Lu"),\n\n /**\n * General category "Ll" in the
Unicode specification.\n */\n LOWERCASE_LETTER(2, "Ll"),\n\n /**\n * General category "Lt" in the
Unicode specification.\n */\n TITLECASE_LETTER(3, "Lt"),\n\n /**\n * General category "Lm" in the
Unicode specification.\n */\n MODIFIER_LETTER(4, "Lm"),\n\n /**\n * General category "Lo" in the
Unicode specification.\n */\n OTHER_LETTER(5, "Lo"),\n\n /**\n * General category "Mn" in the
Unicode specification.\n */\n NON_SPACING_MARK(6, "Mn"),\n\n /**\n * General category "Me" in
the Unicode specification.\n */\n ENCLOSING_MARK(7, "Me"),\n\n /**\n * General category "Mc" in
the Unicode specification.\n */\n COMBINING_SPACING_MARK(8, "Mc"),\n\n /**\n * General

```



and returns this instance.

\* Surrogate pairs included in this string builder are treated as single characters.

\* Therefore, the order of the high-low surrogates is never reversed.

\* Note that the reverse operation may produce new surrogate pairs that were unpaired low-surrogates and high-surrogates before the operation.

\* For example, reversing `""` produces `""` which is a valid surrogate pair.

```

actual fun reverse(): StringBuilder {
    var reversed = ""
    var index = string.length - 1
    while (index >= 0) {
        val low = string[index--]
        if (low.isLowSurrogate() && index >= 0) {
            val high = string[index--]
            if (high.isHighSurrogate()) {
                reversed = reversed + high + low
            } else {
                reversed = reversed + low + high
            }
        } else {
            reversed += low
        }
    }
    string = reversed
    return this
}

```

Appends the string representation of the specified object [value] to this string builder and returns this instance.

The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method, and then that string was appended to this string builder.

```

actual fun append(value: Any?): StringBuilder {
    string += value.toString()
    return this
}

```

Appends the string representation of the specified boolean [value] to this string builder and returns this instance.

The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method, and then that string was appended to this string builder.

```

@SinceKotlin("1.3")
actual fun append(value: Boolean): StringBuilder {
    string += value
    return this
}

```

Appends characters in the specified character array [value] to this string builder and returns this instance.

Characters are appended in order, starting at the index 0.

```

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
actual fun append(value: CharArray): StringBuilder {
    string += value.concatToString()
    return this
}

```

Provided for binary compatibility.

```

fun append(value: String): StringBuilder = append(value)

```

Appends the specified string [value] to this string builder and returns this instance.

If [value] is `null`, then the four characters `"null"` are appended.

```

@SinceKotlin("1.3")
actual fun append(value: String?): StringBuilder {
    this.string += value ?: "null"
    return this
}

```

Returns the current capacity of this string builder.

The capacity is the maximum length this string builder can have before an allocation occurs.

In Kotlin/JS implementation of `StringBuilder` the value returned from this method may not indicate the actual size of the backing storage.

```

@SinceKotlin("1.3")
@ExperimentalStdlibApi
@Deprecated("Obtaining StringBuilder capacity is not supported in JS and common code.", level = DeprecationLevel.ERROR)
actual fun capacity(): Int = length

```

Ensures that the capacity of this string builder is at least equal to the specified [minimumCapacity].

If the current capacity is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.

Otherwise, this method takes no action and simply returns.

In Kotlin/JS implementation of `StringBuilder` the size of the backing storage is not extended to comply the given [minimumCapacity], thus calling this method has no effect on the further performance of operations.

```

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
actual fun ensureCapacity(minimumCapacity: Int) {
}

```

Returns the index within this string builder of the first occurrence of the specified [string].

Returns `-1` if the specified [string] does not occur in this string builder.

```

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
actual fun indexOf(string: String): Int = this.string.asDynamic().indexOf(string)

```

Returns the index within this string builder of the first occurrence of the specified [string], starting at the specified [startIndex].

Returns `-1` if the specified [string] does not occur in this string builder starting at the specified [startIndex].

```

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
actual fun indexOf(string: String, startIndex: Int): Int = this.string.asDynamic().indexOf(string, startIndex)

```

Returns the index within this string builder of the last occurrence of the specified [string].

The last occurrence of empty string `""` is considered to be at the index equal to `this.length`.

Returns `-1` if the specified [string] does not occur in this string builder.

```

@SinceKotlin("1.4")
@WasExperimental(ExperimentalStdlibApi::class)
actual fun lastIndexOf(string: String): Int = this.string.asDynamic().lastIndexOf(string)

```

Returns the index within this string builder of the last

```

occurrence of the specified [string],\n * starting from the specified [startIndex] toward the beginning.\n * \n *
Returns -1 if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun
lastIndexOf(string: String, startIndex: Int): Int {\n if (string.isEmpty() && startIndex < 0) return -1\n return
this.string.asDynamic().lastIndexOf(string, startIndex)\n }\n\n /**\n * Inserts the string representation of the
specified boolean [value] into this string builder at the specified [index] and returns this instance.\n * \n * The
overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n * and then
that string was inserted into this string builder at the specified [index].\n * \n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n * \n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int, value:
Boolean): StringBuilder {\n AbstractList.checkPositionIndex(index, length)\n\n string = string.substring(0,
index) + value + string.substring(index)\n\n return this\n }\n\n /**\n * Inserts the specified character [value]
into this string builder at the specified [index] and returns this instance.\n * \n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n * \n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int, value:
Char): StringBuilder {\n AbstractList.checkPositionIndex(index, length)\n\n string = string.substring(0,
index) + value + string.substring(index)\n\n return this\n }\n\n /**\n * Inserts characters in the specified
character array [value] into this string builder at the specified [index] and returns this instance.\n * \n * The
inserted characters go in same order as in the [value] character array, starting at [index].\n * \n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n * \n
*\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int, value:
CharArray): StringBuilder {\n AbstractList.checkPositionIndex(index, length)\n\n string =
string.substring(0, index) + value.concatToString() + string.substring(index)\n\n return this\n }\n\n /**\n *
Inserts characters in the specified character sequence [value] into this string builder at the specified [index] and
returns this instance.\n * \n * The inserted characters go in the same order as in the [value] character sequence,
starting at [index].\n * \n * @param index the position in this string builder to insert at.\n * @param value the
character sequence from which characters are inserted. If [value] is `null`, then the four characters `"\u0000\u0000\u0000\u0000"` are
inserted.\n * \n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of
this string builder.\n * \n *\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n
actual fun insert(index: Int, value: CharSequence?): StringBuilder {\n AbstractList.checkPositionIndex(index,
length)\n\n string = string.substring(0, index) + value.toString() + string.substring(index)\n\n return this\n
}\n\n /**\n * Inserts the string representation of the specified object [value] into this string builder at the
specified [index] and returns this instance.\n * \n * The overall effect is exactly as if the [value] were converted
to a string by the `value.toString()` method,\n * and then that string was inserted into this string builder at the
specified [index].\n * \n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the
length of this string builder.\n * \n *\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int, value: Any?): StringBuilder {\n
AbstractList.checkPositionIndex(index, length)\n\n string = string.substring(0, index) + value.toString() +
string.substring(index)\n\n return this\n }\n\n @Deprecated("Provided for binary compatibility.", level =
DeprecationLevel.HIDDEN)\n fun insert(index: Int, value: String): StringBuilder = insert(index, value)\n\n /**\n
* Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n * \n * If
[value] is `null`, then the four characters `"\u0000\u0000\u0000\u0000"` are inserted.\n * \n * @throws IndexOutOfBoundsException
if [index] is less than zero or greater than the length of this string builder.\n * \n *\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun insert(index: Int, value: String?): StringBuilder
{\n AbstractList.checkPositionIndex(index, length)\n\n val toInsert = value ?: "\u0000"\n\n this.string =
this.string.substring(0, index) + toInsert + this.string.substring(index)\n\n return this\n }\n\n /**\n * Sets
the length of this string builder to the specified [newLength].\n * \n * If the [newLength] is less than the current
length, it is changed to the specified [newLength].\n * \n * Otherwise, null characters `"\u0000"` are appended to this

```

```

string builder until its length is less than the [newLength].\n * \n * Note that in Kotlin/JS [set] operator function
has non-constant execution time complexity.\n * Therefore, increasing length of this string builder and then
updating each character by index may slow down your program.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n * \n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun setLength(newLength:
Int) {\n     if (newLength < 0) {\n         throw IllegalArgumentException("Negative new length:
$newLength.")\n     }\n     if (newLength <= length) {\n         string = string.substring(0, newLength)\n     }
else {\n         for (i in length until newLength) {\n             string += "\u0000"\n         }\n     }\n }\n /**\n * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the
[length] (exclusive).\n * \n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater
than the length of this string builder.\n * \n * \n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun substring(startIndex: Int): String {\n
AbstractList.checkPositionIndex(startIndex, length)\n     return string.substring(startIndex)\n }\n /**\n *
Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the
[endIndex] (exclusive).\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n * \n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n actual fun substring(startIndex:
Int, endIndex: Int): String {\n     AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n     return
string.substring(startIndex, endIndex)\n }\n /**\n * Attempts to reduce storage used for this string builder.\n
*\n * If the backing storage of this string builder is larger than necessary to hold its current contents,\n * then
it may be resized to become more space efficient.\n * Calling this method may, but is not required to, affect the
value of the [capacity] property.\n * \n * In Kotlin/JS implementation of StringBuilder the size of the backing
storage is always equal to the length of the string builder.\n * \n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n actual fun trimToSize() {\n }\n override fun toString():
String = string\n /**\n * Clears the content of this string builder making it empty and returns this instance.\n
*\n * @sample samples.text.Strings.clearStringBuilder\n * \n @SinceKotlin("1.3")\n public fun clear():
StringBuilder {\n     string = ""\n     return this\n }\n /**\n * Sets the character at the specified [index]
to the specified [value].\n * \n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string
builder.\n * \n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public
operator fun set(index: Int, value: Char) {\n     AbstractList.checkElementIndex(index, length)\n     string =
string.substring(0, index) + value + string.substring(index + 1)\n }\n /**\n * Replaces characters in the
specified range of this string builder with characters in the specified string [value] and returns this instance.\n
*\n * @param startIndex the beginning (inclusive) of the range to replace.\n * @param endIndex the end (exclusive)
of the range to replace.\n * @param value the string to replace with.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length
of this string builder, or `startIndex > endIndex`.\n * \n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n public fun setRange(startIndex: Int, endIndex: Int, value:
String): StringBuilder {\n     checkReplaceRange(startIndex, endIndex, length)\n     this.string =
this.string.substring(0, startIndex) + value + this.string.substring(endIndex)\n     return this\n }\n private fun
checkReplaceRange(startIndex: Int, endIndex: Int, length: Int) {\n     if (startIndex < 0 || startIndex > length) {\n
        throw IndexOutOfBoundsException("startIndex: $startIndex, length: $length")\n     }\n     if (startIndex >
endIndex) {\n         throw IllegalArgumentException("startIndex($startIndex) > endIndex($endIndex)")\n     }\n }\n
/**\n * Removes the character at the specified [index] from this string builder and returns this instance.\n
*\n * If the `Char` at the specified [index] is part of a supplementary code point, this method does not remove
the entire supplementary character.\n * \n * @param index the index of `Char` to remove.\n * \n * @throws
IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n * \n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n public fun deleteAt(index: Int): StringBuilder {\n
AbstractList.checkElementIndex(index, length)\n     string = string.substring(0, index) + string.substring(index +

```

```

1)\n    return this\n }\n\n /**\n  * Removes characters in the specified range from this string builder and
returns this instance.\n  *\n  * @param startIndex the beginning (inclusive) of the range to remove.\n  *
@param endIndex the end (exclusive) of the range to remove.\n  *\n  * @throws IndexOutOfBoundsException
or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex >
endIndex`.\n  */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun
deleteRange(startIndex: Int, endIndex: Int): String Builder {\n    checkReplaceRange(startIndex, endIndex,
length)\n\n    string = string.substring(0, startIndex) + string.substring(endIndex)\n    return this\n }\n\n
/**\n  * Copies characters from this string builder into the [destination] character array.\n  *\n  * @param
destination the array to copy to.\n  * @param destinationOffset the position in the array to copy to, 0 by default.\n
* @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n  * @param endIndex the end
(exclusive) of the range to copy, length of this string builder by default.\n  *\n  * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this
string builder indices or when `startIndex > endIndex`.\n  * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n  * or when that index
is out of the [destination] array indices range.\n  */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n public fun toCharArray(destination: CharArray,
destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length) {\n
AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n
AbstractList.checkBoundsIndexes(destinationOffset, destinationOffset + endIndex - startIndex, destination.size)\n\n
    var dstIndex = destinationOffset\n    for (index in startIndex until endIndex) {\n        destination[dstIndex++]
= string[index]\n    }\n }\n\n /**\n  * Appends characters in a subarray of the specified character array
[value] to this string builder and returns this instance.\n  *\n  * Characters are appended in order, starting at
specified [startIndex].\n  *\n  * @param value the array from which characters are appended.\n  * @param
startIndex the beginning (inclusive) of the subarray to append.\n  * @param endIndex the end (exclusive) of the
subarray to append.\n  *\n  * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n  */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun appendRange(value:
CharArray, startIndex: Int, endIndex: Int): String Builder {\n    string += value.concatToString(startIndex,
endIndex)\n    return this\n }\n\n /**\n  * Appends a subsequence of the specified character sequence [value]
to this string builder and returns this instance.\n  *\n  * @param value the character sequence from which a
subsequence is appended.\n  * @param startIndex the beginning (inclusive) of the subsequence to append.\n  *
@param endIndex the end (exclusive) of the subsequence to append.\n  *\n  * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] character sequence indices or when `startIndex > endIndex`.\n  */\n @SinceKotlin("1.4")\n
@WasExperimental(ExperimentalStdlibApi::class)\n public fun appendRange(value: CharSequence, startIndex:
Int, endIndex: Int): String Builder {\n    val stringCsq = value.toString()\n
AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)\n\n    string +=
stringCsq.substring(startIndex, endIndex)\n    return this\n }\n\n /**\n  * Inserts characters in a subarray of
the specified character array [value] into this string builder at the specified [index] and returns this instance.\n
*\n  * The inserted characters go in same order as in the [value] array, starting at [index].\n  *\n  * @param index
the position in this string builder to insert at.\n  * @param value the array from which characters are inserted.\n
* @param startIndex the beginning (inclusive) of the subarray to insert.\n  * @param endIndex the end (exclusive)
of the subarray to insert.\n  *\n  * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n  *
@throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
*/\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun
insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): String Builder {\n
AbstractList.checkPositionIndex(index, this.length)\n\n    string = string.substring(0, index) +

```

```

value.concatToString(startIndex, endIndex) + string.substring(index)\n    return this\n    }\n\n    /**\n     * Inserts
characters in a subsequence of the specified character sequence [value] into this string builder at the specified
[index] and returns this instance.\n     *\n     * The inserted characters go in the same order as in the [value] character
sequence, starting at [index].\n     *\n     * @param index the position in this string builder to insert at.\n     *
@param value the character sequence from which a subsequence is inserted.\n     * @param startIndex the beginning
(inclusive) of the subsequence to insert.\n     * @param endIndex the end (exclusive) of the subsequence to insert.\n
     *\n     * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is
out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n     * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n     */\n
@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n public fun insertRange(index: Int,
value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder {\n     AbstractList.checkPositionIndex(index,
length)\n\n     val stringCsq = value.toString()\n     AbstractList.checkBoundsIndexes(startIndex, endIndex,
stringCsq.length)\n\n     string = string.substring(0, index) + stringCsq.substring(startIndex, endIndex) +
string.substring(index)\n     return this\n    }\n\n    /**\n     * Clears the content of this string builder making it
empty and returns this instance.\n     *\n     * @sample samples.text.Strings.clearStringBuilder\n
     */\n\n    @SinceKotlin("1.3")\n    @Suppress("EXTENSION_SHADOWED_BY_MEMBER",
"NOTHING_TO_INLINE")\n    public actual inline fun StringBuilder.clear(): StringBuilder = this.clear()\n\n    /**\n     * Sets the character at the specified [index] to the specified [value].\n     *\n     * @throws IndexOutOfBoundsException if
[index] is out of bounds of this string builder.\n     */\n\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    @Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\n    public actual inline operator fun
StringBuilder.set(index: Int, value: Char) = this.set(index, value)\n\n    /**\n     * Replaces characters in the specified
range of this string builder with characters in the specified string [value] and returns this instance.\n     *\n     * @param
startIndex the beginning (inclusive) of the range to replace.\n     * @param endIndex the end (exclusive) of the range to
replace.\n     * @param value the string to replace with.\n     *\n     * @throws IndexOutOfBoundsException or
[IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or
`startIndex > endIndex`.\n     */\n\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    @Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\n    public actual inline fun
StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder =\n    this.setRange(startIndex,
endIndex, value)\n\n    /**\n     * Removes the character at the specified [index] from this string builder and returns this
instance.\n     *\n     * If the `Char` at the specified [index] is part of a supplementary code point, this method does not
remove the entire supplementary character.\n     *\n     * @param index the index of `Char` to remove.\n     *\n     * @throws
IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n     */\n\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    @Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\n    public actual inline fun StringBuilder.deleteAt(index:
Int): StringBuilder = this.deleteAt(index)\n\n    /**\n     * Removes characters in the specified range from this string
builder and returns this instance.\n     *\n     * @param startIndex the beginning (inclusive) of the range to remove.\n     *
@param endIndex the end (exclusive) of the range to remove.\n     *\n     * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex >
endIndex`.\n     */\n\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    @Suppress("EXTENSION_SHA
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\n    public actual inline fun
StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder = this.deleteRange(startIndex,
endIndex)\n\n    /**\n     * Copies characters from this string builder into the [destination] character array.\n     *\n     *
@param destination the array to copy to.\n     * @param destinationOffset the position in the array to copy to, 0 by
default.\n     * @param startIndex the beginning (inclusive) of the range to copy, 0 by default.\n     * @param endIndex
the end (exclusive) of the range to copy, length of this string builder by default.\n     *\n     * @throws

```

IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.  
@throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],  
or when that index is out of the [destination] array indices range.

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA  
DOWED_BY_MEMBER", "NOTHING_TO_INLINE",  
"ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun  
StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =  
this.length) =\n    this.toCharArray(destination, destinationOffset, startIndex, endIndex)\n\n/**  
 * Appends  
 characters in a subarray of the specified character array [value] to this string builder and returns this instance.  
 * Characters are appended in order, starting at specified [startIndex].  
 * @param value the array from which  
 characters are appended.  
 * @param startIndex the beginning (inclusive) of the subarray to append.  
 * @param  
 endIndex the end (exclusive) of the subarray to append.  
 * @throws IndexOutOfBoundsException or  
 [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when  
 `startIndex > endIndex`.
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA  
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun  
StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder =\n    this.appendRange(value, startIndex, endIndex)\n\n/**  
 * Appends a subsequence of the specified character  
 sequence [value] to this string builder and returns this instance.  
 * @param value the character sequence from  
 which a subsequence is appended.  
 * @param startIndex the beginning (inclusive) of the subsequence to append.  
 * @param  
 endIndex the end (exclusive) of the subsequence to append.  
 * @throws  
 IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the  
 [value] character sequence indices or when `startIndex > endIndex`.
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA  
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun  
StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder =\n    this.appendRange(value, startIndex, endIndex)\n\n/**  
 * Inserts characters in a subarray of the specified character  
 array [value] into this string builder at the specified [index] and returns this instance.  
 * The inserted characters  
 go in same order as in the [value] array, starting at [index].  
 * @param index the position in this string builder  
 to insert at.  
 * @param value the array from which characters are inserted.  
 * @param startIndex the beginning  
 (inclusive) of the subarray to insert.  
 * @param endIndex the end (exclusive) of the subarray to insert.  
 * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of  
 range of the [value] array indices or when `startIndex > endIndex`.  
 * @throws IndexOutOfBoundsException if  
 [index] is less than zero or greater than the length of this string builder.
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA  
DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun  
StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder =\n    this.insertRange(index, value, startIndex, endIndex)\n\n/**  
 * Inserts characters in a subsequence of the specified  
 character sequence [value] into this string builder at the specified [index] and returns this instance.  
 * The  
 inserted characters go in the same order as in the [value] character sequence, starting at [index].  
 * @param  
 index the position in this string builder to insert at.  
 * @param value the character sequence from which a  
 subsequence is inserted.  
 * @param startIndex the beginning (inclusive) of the subsequence to insert.  
 * @param  
 endIndex the end (exclusive) of the subsequence to insert.  
 * @throws IndexOutOfBoundsException or  
 [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence  
 indices or when `startIndex > endIndex`.  
 * @throws IndexOutOfBoundsException if [index] is less than zero or  
 greater than the length of this string builder.
```

```
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@Suppress("EXTENSION_SHA
```

```

DOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun
StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder =\n
this.insertRange(index, value, startIndex, endIndex)\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Returns `true` if the content of this
string is equal to the word `true`, ignoring case, and `false` otherwise.\n */\n@Deprecated("Use Kotlin compiler
1.4 to avoid deprecation warning.")\n@DeprecatedSinceKotlin(hiddenSince =
"1.4")\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toBoolean(): Boolean =
this.toBoolean()\n\n/**\n * Returns `true` if this string is not `null` and its content is equal to the word `true`,
ignoring case, and `false` otherwise.\n */\n * There are also strict versions of the function available on non-nullable
String, [toBooleanStrict] and [toBooleanStrictOrNull].\n */\n@SinceKotlin("1.4")\npublic actual fun
String?.toBoolean(): Boolean = this != null && this.lowercase() == `true`\n\n/**\n * Parses the string as a signed
[Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\npublic actual fun String.toByte(): Byte = toByteOrNull() ?:
numberFormatException(this)\n\n/**\n * Parses the string as a signed [Byte] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun
String.toByte(radix: Int): Byte = toByteOrNull(radix) ?: numberFormatException(this)\n\n/**\n * Parses the string as a
[Short] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\npublic actual fun String.toShort(): Short = toShortOrNull() ?:
numberFormatException(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun
String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatException(this)\n\n/**\n * Parses the string as
an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\npublic actual fun String.toInt(): Int = toIntOrNull() ?:
numberFormatException(this)\n\n/**\n * Parses the string as an [Int] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun
String.toInt(radix: Int): Int = toIntOrNull(radix) ?: numberFormatException(this)\n\n/**\n * Parses the string as a [Long]
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n */\npublic actual fun String.toLong(): Long = toLongOrNull() ?: numberFormatException(this)\n\n/**\n * Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not
a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for
string to number conversion.\n */\npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?:
numberFormatException(this)\n\n/**\n * Parses the string as a [Double] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun
String.toDouble(): Double = +(this.asDynamic()).unsafeCast<Double>().also {\n    if (it.isNaN() && !this.isNaN())\n    || it == 0.0 && this.isBlank())\n        numberFormatException(this)\n}\n\n/**\n * Parses the string as a [Float] number
and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloat(): Float =
toDouble().unsafeCast<Float>()\n\n/**\n * Parses the string as a [Double] number and returns the result\n * or `null`
if the string is not a valid representation of a number.\n */\npublic actual fun String.toDoubleOrNull(): Double? =
+(this.asDynamic()).unsafeCast<Double>().takeIf {\n    !(it.isNaN() && !this.isNaN()) || it == 0.0 &&
this.isBlank()\n}\n\n/**\n * Parses the string as a [Float] number and returns the result\n * or `null` if the string is
not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun
String.toFloatOrNull(): Float? = toDoubleOrNull().unsafeCast<Float?>()\n\n/**\n * Returns a string representation
of this [Byte] value in the specified [radix].\n */\n * @throws IllegalArgumentException when [radix] is not a valid

```

```

radix for number to string conversion.\n *^n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual
inline fun Byte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of
this [Short] value in the specified [radix].\n *^n * @throws IllegalArgumentException when [radix] is not a valid
radix for number to string conversion.\n *^n@SinceKotlin("1.2")\n@kotlin.internal.InlineOnly\npublic actual
inline fun Short.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string representation of
this [Int] value in the specified [radix].\n *^n * @throws IllegalArgumentException when [radix] is not a valid radix
for number to string conversion.\n *^n@SinceKotlin("1.2")\n\npublic actual fun Int.toString(radix: Int): String =
asDynamic().toString(checkRadix(radix))\n\nprivate fun String.isNaN(): Boolean = when (this.lowercase()) {\n
"nan", "+nan", "-nan" -> true\n else -> false\n}\n\n/**\n * Checks whether the given [radix] is valid radix for
string to number and number to string conversion.\n *^n@PublishedApi\n\ninternal actual fun checkRadix(radix: Int):
Int {\n if (radix !in 2..36) {\n throw IllegalArgumentException("radix $radix was not in valid range 2..36")\n
}\n return radix\n}\n\ninternal actual fun digitOf(char: Char, radix: Int): Int = when {\n char >= '0' && char <=
'9' -> char - '0'\n char >= 'A' && char <= 'Z' -> char - 'A' + 10\n char >= 'a' && char <= 'z' -> char - 'a' + 10\n
char < "\u0080" -> -1\n char >= "\uFF21" && char <= "\uFF3A" -> char - "\uFF21" + 10 // full-width latin capital
letter\n char >= "\uFF41" && char <= "\uFF5A" -> char - "\uFF41" + 10 // full-width latin small letter\n else ->
char.digitToIntImpl()\n}.let { if (it >= radix) -1 else it }\n", "\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *^n@npackage kotlin.text\n\nimport kotlin.js.RegExp\n\n/**\n * Provides
enumeration values to use to set regular expression options.\n *^n\npublic actual enum class RegexOptions(val value:
String) {\n /** Enables case-insensitive matching. *\n IGNORE_CASE("i"),\n /** Enables multiline
mode.\n *\n * In multiline mode the expressions `^` and `$` match just after or just before,\n * respectively, a
line terminator or the end of the input sequence. *\n MULTILINE("m")\n}\n\nprivate fun
Iterable<RegexOption>.toFlags(prepend: String): String = joinToString("\n", prefix = prepend) { it.value
}\n\n/**\n * Represents the results from a single capturing group within a [MatchResult] of [Regex].\n *^n *\n
@param value The value of captured group.\n *^n\npublic actual data class MatchGroup(actual val value:
String)\n\n/**\n * Represents a compiled regular expression.\n *^n *\n * Provides functions to match strings in text with a
pattern, replace the found occurrences and split text around matches.\n *^n *\n * For pattern syntax reference see [MDN
RegExp](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp#Special_characters_meaning_in_regular_expressions)\n
*\n * and
[http://www.w3schools.com/jsref/jsref_obj_regexp.asp](https://www.w3schools.com/jsref/jsref_obj_regexp.asp).\n
*\n * Note that `RegExp` objects under the hood are constructed with [the `u`
flag](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/RegExp/unicode)\n * that
enables Unicode-related features in regular expressions. This also makes the pattern syntax more strict,\n * for
example, prohibiting unnecessary escape sequences.\n *^n *\n * @constructor Creates a regular expression from the
specified [pattern] string and the specified set of [options].\n *^n\npublic actual class Regex actual
constructor(pattern: String, options: Set<RegexOption>) {\n\n /** Creates a regular expression from the specified
[pattern] string and the specified single [option]. *\n public actual constructor(pattern: String, option:
RegexOption) : this(pattern, setOf(option))\n\n /** Creates a regular expression from the specified [pattern] string
and the default options. *\n public actual constructor(pattern: String) : this(pattern, emptySet())\n\n /** The
pattern string of this regular expression. *\n public actual val pattern: String = pattern\n /** The set of options
that were used to create this regular expression. *\n public actual val options: Set<RegexOption> =
options.toSet()\n private val nativePattern: RegExp = RegExp(pattern, options.toFlags("gu"))\n private var
nativeStickyPattern: RegExp? = null\n private fun initStickyPattern(): RegExp =\n nativeStickyPattern ?:
RegExp(pattern, options.toFlags("yu")).also { nativeStickyPattern = it }\n\n private var
nativeMatchesEntirePattern: RegExp? = null\n private fun initMatchesEntirePattern(): RegExp =\n nativeMatchesEntirePattern ?: run {\n
if (pattern.startsWith('^') && pattern.endsWith('$'))\n nativePattern\n else\n return RegExp("^${pattern.trimStart('^').trimEnd('$')}\$"),

```

```

options.toFlags("gu"))\n    }.also { nativeMatchesEntirePattern = it }\n\n    /** Indicates whether the regular
expression matches the entire [input]. */\n    public actual infix fun matches(input: CharSequence): Boolean {\n
nativePattern.reset()\n    val match = nativePattern.exec(input.toString())\n    return match != null &&
match.index == 0 && nativePattern.lastIndex == input.length\n    }\n\n    /** Indicates whether the regular
expression can find at least one match in the specified [input]. */\n    public actual fun containsMatchIn(input:
CharSequence): Boolean {\n    nativePattern.reset()\n    return nativePattern.test(input.toString())\n    }\n\n
@SinceKotlin("1.5")\n    @ExperimentalStdlibApi\n    public actual fun matchesAt(input: CharSequence, index:
Int): Boolean {\n    if (index < 0 || index > input.length) {\n        throw IndexOutOfBoundsException("index
out of bounds: $index, input length: ${input.length}")\n    }\n    val pattern = initStickyPattern()\n
pattern.lastIndex = index\n    return pattern.test(input.toString())\n    }\n\n    /**\n    * Returns the first match of a
regular expression in the [input], beginning at the specified [startIndex].\n    *\n    * @param startIndex An index to
start search with, by default 0. Must be not less than zero and not greater than `input.length()`\n    * @return An
instance of [MatchResult] if match was found or `null` otherwise.\n    * @throws IndexOutOfBoundsException if
[startIndex] is less than zero or greater than the length of the [input] char sequence.\n    * @sample
samples.text.Regexps.find\n    */\n\n    @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n    public actual fun find(input:
CharSequence, startIndex: Int = 0): MatchResult? {\n    if (startIndex < 0 || startIndex > input.length) {\n
throw IndexOutOfBoundsException("Start index out of bounds: $startIndex, input length: ${input.length}")\n
}\n    return nativePattern.findNext(input.toString(), startIndex, nativePattern)\n    }\n\n    /**\n    * Returns a
sequence of all occurrences of a regular expression within the [input] string, beginning at the specified
[startIndex].\n    *\n    * @throws IndexOutOfBoundsException if [startIndex] is less than zero or greater than the
length of the [input] char sequence.\n    *\n    * @sample samples.text.Regexps.findAll\n    */\n\n    @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n    public actual fun findAll(input:
CharSequence, startIndex: Int = 0): Sequence<MatchResult> {\n    if (startIndex < 0 || startIndex > input.length)
{\n        throw IndexOutOfBoundsException("Start index out of bounds: $startIndex, input length:
${input.length}")\n    }\n    return generateSequence({ find(input, startIndex) }, { match -> match.next() })\n
}\n\n    /**\n    * Attempts to match the entire [input] CharSequence against the pattern.\n    *\n    * @return An
instance of [MatchResult] if the entire input matches or `null` otherwise.\n    */\n\n    public actual fun
matchEntire(input: CharSequence): MatchResult? =\n    initMatchesEntirePattern().findNext(input.toString(), 0,
nativePattern)\n\n    @SinceKotlin("1.5")\n    @ExperimentalStdlibApi\n    public actual fun matchAt(input:
CharSequence, index: Int): MatchResult? {\n    if (index < 0 || index > input.length) {\n        throw
IndexOutOfBoundsException("index out of bounds: $index, input length: ${input.length}")\n    }\n    return
initStickyPattern().findNext(input.toString(), index, nativePattern)\n    }\n\n\n    /**\n    * Replaces all occurrences
of this regular expression in the specified [input] string with specified [replacement] expression.\n    *\n    * The
replacement string may contain references to the captured groups during a match. Occurrences of `$index`\n    * in
the replacement string will be substituted with the subsequences corresponding to the captured groups with the
specified index.\n    * The first digit after '$' is always treated as part of group reference. Subsequent digits are
incorporated\n    * into `index` only if they would form a valid group reference. Only the digits '0'..'9' are considered
as potential components\n    * of the group reference. Note that indexes of captured groups start from 1, and the
group with index 0 is the whole match.\n    *\n    * Backslash character '\\' can be used to include the succeeding
character as a literal in the replacement string, e.g. `\\$` or `\\\\`. \n    * [Regex.escapeReplacement] can be used if
[replacement] have to be treated as a literal string.\n    *\n    * Note that referring named capturing groups by name
is currently not supported in Kotlin/JS.\n    * However, you can still refer them by index.\n    *\n    * @param input
the char sequence to find matches of this regular expression in\n    * @param replacement the expression to replace
found matches with\n    * @return the result of replacing each occurrence of this regular expression in [input] with
the result of evaluating the [replacement] expression\n    * @throws RuntimeException if [replacement] expression
is malformed, or capturing group with specified `name` or `index` does not exist\n    */\n\n    public actual fun
replace(input: CharSequence, replacement: String): String {\n    if (!replacement.contains("\\\\")) &&

```

```

!replacement.contains('$')) {\n        return input.toString().nativeReplace(nativePattern, replacement)\n    }\n    return replace(input) { substituteGroupRefs(it, replacement) }\n }\n\n /**\n  * Replaces all occurrences of this regular expression in the specified [input] string with the result of\n  * the given function [transform] that takes [MatchResult] and returns a string to be used as a\n  * replacement for that match.\n  *\n  * public actual fun\n  replace(input: CharSequence, transform: (MatchResult) -> CharSequence): String {\n    var match = find(input)\n    if (match == null) return input.toString()\n    var lastStart = 0\n    val length = input.length\n    val sb =\n    StringBuilder(length)\n    do {\n        val foundMatch = match!!\n        sb.append(input, lastStart,\n        foundMatch.range.start)\n        sb.append(transform(foundMatch))\n        lastStart =\n        foundMatch.range.endInclusive + 1\n        match = foundMatch.next()\n    } while (lastStart < length && match\n    != null)\n    if (lastStart < length) {\n        sb.append(input, lastStart, length)\n    }\n    return\n    sb.toString()\n }\n\n /**\n  * Replaces the first occurrence of this regular expression in the specified [input]\n  string with specified [replacement] expression.\n  *\n  * The replacement string may contain references to the\n  captured groups during a match. Occurrences of `$$index`\n  * in the replacement string will be substituted with the\n  subsequences corresponding to the captured groups with the specified index.\n  * The first digit after '$' is always\n  treated as part of group reference. Subsequent digits are incorporated\n  * into `index` only if they would form a\n  valid group reference. Only the digits '0'..'9' are considered as potential components\n  * of the group reference.\n  Note that indexes of captured groups start from 1, and the group with index 0 is the whole match.\n  *\n  * Backslash character '\\' can be used to include the succeeding character as a literal in the replacement string, e.g, '\\$\n  or '\\\\\\'.\n  * [Regex.escapeReplacement] can be used if [replacement] have to be treated as a literal string.\n  *\n  * Note that referring named capturing groups by name is not supported currently in Kotlin/JS.\n  * However, you\n  can still refer them by index.\n  *\n  * @param input the char sequence to find a match of this regular expression\n  in\n  * @param replacement the expression to replace the found match with\n  * @return the result of replacing\n  the first occurrence of this regular expression in [input] with the result of evaluating the [replacement] expression\n  * @throws RuntimeException if [replacement] expression is malformed, or capturing group with specified `name`\n  or `index` does not exist\n  *\n  * public actual fun\n  replaceFirst(input: CharSequence, replacement: String): String\n  {\n    if (!replacement.contains("\\\\") && !replacement.contains('$')) {\n        val nonGlobalOptions =\n        options.toFlags("\\u")\n        return input.toString().nativeReplace(RegExp(pattern, nonGlobalOptions),\n        replacement)\n    }\n    val match = find(input) ?: return input.toString()\n    return buildString {\n        append(input.substring(0, match.range.first))\n        append(substituteGroupRefs(match, replacement))\n        append(input.substring(match.range.last + 1, input.length))\n    }\n }\n\n /**\n  * Splits the [input]\n  CharSequence to a list of strings around matches of this regular expression.\n  *\n  * @param limit Non-negative\n  value specifying the maximum number of substrings the string can be split to.\n  * Zero by default means no limit\n  is set.\n  *\n  * @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n  public actual fun\n  split(input: CharSequence, limit: Int = 0): List<String> {\n    requireNonNegativeLimit(limit)\n    val matches =\n    findAll(input).let { if (limit == 0) it else it.take(limit - 1) }\n    val result = mutableListOf<String>()\n    var\n    lastStart = 0\n    for (match in matches) {\n        result.add(input.subSequence(lastStart,\n        match.range.start).toString())\n        lastStart = match.range.endInclusive + 1\n    }\n    result.add(input.subSequence(lastStart, input.length).toString())\n    return result\n }\n\n /**\n  * Splits the\n  [input] CharSequence to a sequence of strings around matches of this regular expression.\n  *\n  * @param limit\n  Non-negative value specifying the maximum number of substrings the string can be split to.\n  * Zero by default\n  means no limit is set.\n  * @sample samples.text.Regexps.splitToSequence\n  *\n  * @SinceKotlin("1.6")\n  @WasExperimental(ExperimentalStdlibApi::class)\n  @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n  public actual fun\n  splitToSequence(input: CharSequence, limit: Int = 0): Sequence<String> {\n    requireNonNegativeLimit(limit)\n    return sequence {\n        var match = find(input)\n        if (match ==\n        null || limit == 1) {\n            yield(input.toString())\n            return@sequence\n        }\n        var\n        nextStart = 0\n        var splitCount = 0\n        do {\n            val foundMatch = match!!\n            yield(input.substring(nextStart, foundMatch.range.first))\n            nextStart = foundMatch.range.endInclusive +

```



contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```
*\n\n@file:kotlin.jvm.JvmMultifileClass\n\n@file:kotlin.jvm.JvmName("StringsKt")\n\n@file:Suppress("EXTENSION_SHADOWED_BY_MEMBER")\n\npackage kotlin.text\n\nimport kotlin.contracts.*\n\n/**\n * A mutable sequence of characters.\n * String builder can be used to efficiently perform multiple string manipulation operations.\n */\nexpect class StringBuilder : Appendable, CharSequence {\n    /** Constructs an empty string builder. */\n    constructor()\n\n    /** Constructs an empty string builder with the specified initial [capacity]. */\n    constructor(capacity: Int)\n\n    /** Constructs a string builder that contains the same characters as the specified [content] char sequence. */\n    constructor(content: CharSequence)\n\n    /** Constructs a string builder that contains the same characters as the specified [content] string. */\n    @SinceKotlin("1.3")\n\n    @ExperimentalStdlibApi\n    constructor(content: String)\n\n    override val length: Int\n\n    override operator fun get(index: Int): Char\n\n    override fun subSequence(startIndex: Int, endIndex: Int): CharSequence\n\n    override fun append(value: Char): StringBuilder\n\n    override fun append(value: CharSequence?): StringBuilder\n\n    override fun append(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder\n\n    /**\n     * Reverses the contents of this string builder and returns this instance.\n     *\n     * Surrogate pairs included in this string builder are treated as single characters.\n     * Therefore, the order of the high-low surrogates is never reversed.\n     *\n     * Note that the reverse operation may produce new surrogate pairs that were unpaired low-surrogates and high-surrogates before the operation.\n     * For example, reversing `"\uDC00\uD800"` produces `"\uD800\uDC00"` which is a valid surrogate pair.\n     */\n    fun reverse(): StringBuilder\n\n    /**\n     * Appends the string representation of the specified object [value] to this string builder and returns this instance.\n     *\n     * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n     * and then that string was appended to this string builder.\n     */\n    fun append(value: Any?): StringBuilder\n\n    /**\n     * Appends the string representation of the specified boolean [value] to this string builder and returns this instance.\n     *\n     * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n     * and then that string was appended to this string builder.\n     */\n    @SinceKotlin("1.3")\n    fun append(value: Boolean): StringBuilder\n\n    /**\n     * Appends characters in the specified character array [value] to this string builder and returns this instance.\n     *\n     * Characters are appended in order, starting at the index 0.\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun append(value: CharArray): StringBuilder\n\n    /**\n     * Appends the specified string [value] to this string builder and returns this instance.\n     *\n     * If [value] is `null`, then the four characters `null` are appended.\n     */\n    @SinceKotlin("1.3")\n    fun append(value: String?): StringBuilder\n\n    /**\n     * Returns the current capacity of this string builder.\n     *\n     * The capacity is the maximum length this string builder can have before an allocation occurs.\n     */\n    @SinceKotlin("1.3")\n\n    @ExperimentalStdlibApi\n    @Deprecated("Obtaining StringBuilder capacity is not supported in JS and common code.", level = DeprecationLevel.ERROR)\n    fun capacity(): Int\n\n    /**\n     * Ensures that the capacity of this string builder is at least equal to the specified [minimumCapacity].\n     *\n     * If the current capacity is less than the [minimumCapacity], a new backing storage is allocated with greater capacity.\n     *\n     * Otherwise, this method takes no action and simply returns.\n     */\n    @SinceKotlin("1.4")\n\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun ensureCapacity(minimumCapacity: Int)\n\n    /**\n     * Returns the index within this string builder of the first occurrence of the specified [string].\n     *\n     * Returns -1 if the specified [string] does not occur in this string builder.\n     */\n    @SinceKotlin("1.4")\n\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun indexOf(string: String): Int\n\n    /**\n     * Returns the index within this string builder of the first occurrence of the specified [string],\n     * starting at the specified [startIndex].\n     *\n     * Returns -1 if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun indexOf(string: String, startIndex: Int): Int\n\n    /**\n     * Returns the index within this string builder of the last occurrence of the specified [string].\n     * The last occurrence of empty string `""` is considered to be at the index equal to `this.length`.\n     *\n     * Returns -1 if the specified [string] does not occur in this string builder.\n     */\n    @SinceKotlin("1.4")\n    @WasExperimental(ExperimentalStdlibApi::class)\n    fun lastIndexOf(string: String):
```

```

Int\n\n /**\n * Returns the index within this string builder of the last occurrence of the specified [string],\n * starting from the specified [startIndex] toward the beginning.\n * Returns -1 if the specified [string] does\n * not occur in this string builder starting at the specified [startIndex].\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun lastIndexOf(string: String, startIndex: Int): Int\n\n /**\n * Inserts the string representation of the specified boolean [value] into this string builder at the specified\n * [index] and returns this instance.\n * The overall effect is exactly as if the [value] were converted to a string\n * by the `value.toString()` method,\n * and then that string was inserted into this string builder at the specified\n * [index].\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of\n * this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: Boolean): StringBuilder\n\n /**\n * Inserts the specified character [value] into this\n * string builder at the specified [index] and returns this instance.\n * @throws IndexOutOfBoundsException\n * if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: Char): StringBuilder\n\n /**\n * Inserts characters in the specified character array [value] into this string builder at the specified [index] and\n * returns this instance.\n * The inserted characters go in same order as in the [value] character array, starting\n * at [index].\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length\n * of this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: CharArray): StringBuilder\n\n /**\n * Inserts characters in the specified character\n * sequence [value] into this string builder at the specified [index] and returns this instance.\n * The inserted\n * characters go in the same order as in the [value] character sequence, starting at [index].\n * @param index\n * the position in this string builder to insert at.\n * @param value the character sequence from which characters are\n * inserted. If [value] is `null`, then the four characters `\\null` are inserted.\n * @throws\n * IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value:\n CharSequence?): StringBuilder\n\n /**\n * Inserts the string representation of the specified object [value] into\n * this string builder at the specified [index] and returns this instance.\n * The overall effect is exactly as if the\n * [value] were converted to a string by the `value.toString()` method,\n * and then that string was inserted into this\n * string builder at the specified [index].\n * @throws IndexOutOfBoundsException if [index] is less than\n * zero or greater than the length of this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: Any?): StringBuilder\n\n /**\n * Inserts the string [value] into this string builder at the specified [index] and returns this instance.\n * If\n * [value] is `null`, then the four characters `\\null` are inserted.\n * @throws IndexOutOfBoundsException\n * if [index] is less than zero or greater than the length of this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun insert(index: Int, value: String?): StringBuilder\n\n /**\n * Sets the length of this string builder to the specified [newLength].\n * If the [newLength] is less\n * than the current length, it is changed to the specified [newLength].\n * Otherwise, null characters `\\u0000` are\n * appended to this string builder until its length is less than the [newLength].\n * Note that in Kotlin/JS [set]\n * operator function has non-constant execution time complexity.\n * Therefore, increasing length of this string\n * builder and then updating each character by index may slow down your program.\n * @throws\n * IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun setLength(newLength:\n Int)\n\n /**\n * Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive)\n * and up to the [length] (exclusive).\n * @throws IndexOutOfBoundsException if [startIndex] is less than\n * zero or greater than the length of this string builder.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun substring(startIndex: Int): String\n\n /**\n * Returns\n * a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex]\n * (exclusive).\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex]\n * or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n */\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun substring(startIndex: Int, endIndex: Int): String

```

```

@SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n fun substring(startIndex: Int,
endIndex: Int): String\n\n /**\n * Attempts to reduce storage used for this string builder.\n * \n * If the
backing storage of this string builder is larger than necessary to hold its current contents,\n * then it may be
resized to become more space efficient.\n * Calling this method may, but is not required to, affect the value of the
[capacity] property.\n * \n\n @SinceKotlin("1.4")\n @WasExperimental(ExperimentalStdlibApi::class)\n
fun trimToSize()\n}\n\n/**\n * Clears the content of this string builder making it empty and returns this instance.\n
*\n * @sample samples.text.Strings.clearStringBuilder\n * \n\n @SinceKotlin("1.3")\n\npublic expect fun
StringBuilder.clear(): StringBuilder\n\n/**\n * Sets the character at the specified [index] to the specified [value].\n
*\n * @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n
*\n\n @SinceKotlin("1.4")\n\n @WasExperimental(ExperimentalStdlibApi::class)\n\npublic expect operator fun
StringBuilder.set(index: Int, value: Char)\n\n/**\n * Replaces characters in the specified range of this string builder
with characters in the specified string [value] and returns this instance.\n * \n * @param startIndex the beginning
(inclusive) of the range to replace.\n * @param endIndex the end (exclusive) of the range to replace.\n * @param
value the string to replace with.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if
[startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.\n
*\n\n @SinceKotlin("1.4")\n\n @WasExperimental(ExperimentalStdlibApi::class)\n\npublic expect fun
StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder\n\n/**\n * Removes the
character at the specified [index] from this string builder and returns this instance.\n * \n * If the `Char` at the
specified [index] is part of a supplementary code point, this method does not remove the entire supplementary
character.\n * \n * @param index the index of `Char` to remove.\n * \n * @throws IndexOutOfBoundsException if
[index] is out of bounds of this string builder.\n
*\n\n @SinceKotlin("1.4")\n\n @WasExperimental(ExperimentalStdlibApi::class)\n\npublic expect fun
StringBuilder.deleteAt(index: Int): StringBuilder\n\n/**\n * Removes characters in the specified range from this
string builder and returns this instance.\n * \n * @param startIndex the beginning (inclusive) of the range to
remove.\n * @param endIndex the end (exclusive) of the range to remove.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder
indices or when `startIndex > endIndex`.\n
*\n\n @SinceKotlin("1.4")\n\n @WasExperimental(ExperimentalStdlibApi::class)\n\npublic expect fun
StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Copies characters from this
string builder into the [destination] character array.\n * \n * @param destination the array to copy to.\n * @param
destinationOffset the position in the array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive)
of the range to copy, 0 by default.\n * @param endIndex the end (exclusive) of the range to copy, length of this
string builder by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n *
@throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the
specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n
*\n\n @SinceKotlin("1.4")\n\n @WasExperimental(ExperimentalStdlibApi::class)\n\npublic expect fun
StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =
this.length)\n\n/**\n * Appends characters in a subarray of the specified character array [value] to this string
builder and returns this instance.\n * \n * Characters are appended in order, starting at specified [startIndex].\n *
*\n * @param value the array from which characters are appended.\n * @param startIndex the beginning (inclusive) of
the subarray to append.\n * @param endIndex the end (exclusive) of the subarray to append.\n * \n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] array indices or when `startIndex > endIndex`.\n
*\n\n @SinceKotlin("1.4")\n\n @WasExperimental(ExperimentalStdlibApi::class)\n\npublic expect fun
StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Appends a
subsequence of the specified character sequence [value] to this string builder and returns this instance.\n * \n *
@param value the character sequence from which a subsequence is appended.\n * @param startIndex the beginning

```

(inclusive) of the subsequence to append.\n \* @param endIndex the end (exclusive) of the subsequence to append.\n \* \n \* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
StringBuilder.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Inserts characters in a subarray of the specified character array [value] into this string builder at the specified [index] and returns this instance.\n * \n * The inserted characters go in same order as in the [value] array, starting at [index].\n * \n * @param index the position in this string builder to insert at.\n * @param value the array from which characters are inserted.\n * @param startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive) of the subarray to insert.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
StringBuilder.insertRange(index: Int, value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n * \n * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n * \n * @param index the position in this string builder to insert at.\n * @param value the character sequence from which a subsequence is inserted.\n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param endIndex the end (exclusive) of the subsequence to insert.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
```

```

*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
StringBuilder.insertRange(index: Int, value: CharSequence, startIndex: Int, endIndex: Int):
StringBuilder\n\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER")\n@Deprecated("Use
append(value: Any?) instead", ReplaceWith("append(value = obj)"),
DeprecationLevel.WARNING)\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.append(obj: Any?):
StringBuilder = this.append(obj)\n\n/**\n * Builds new string by populating newly created [StringBuilder] using provided [builderAction]\n * and then converting it to [String].\n * \n * @kotlin.internal.InlineOnly\npublic inline fun
buildString(builderAction: StringBuilder.() -> Unit): String {\n    contract { callsInPlace(builderAction,
InvocationKind.EXACTLY_ONCE) }\n    return StringBuilder().apply(builderAction).toString()\n}\n\n/**\n * Builds new string by populating newly created [StringBuilder] initialized with the given [capacity]\n * using provided [builderAction] and then converting it to [String].\n
```

```

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun buildString(capacity: Int, builderAction:
StringBuilder.() -> Unit): String {\n    contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return StringBuilder(capacity).apply(builderAction).toString()\n}\n\n/**\n * Appends all arguments to the given StringBuilder.\n * \n * @public fun StringBuilder.append(vararg value: String?): StringBuilder {\n    for (item in value)\n        append(item)\n    return this\n}\n\n/**\n * Appends all arguments to the given StringBuilder.\n * \n * @public fun StringBuilder.append(vararg value: Any?): StringBuilder {\n    for (item in value)\n        append(item)\n    return this\n}\n\n/**\n * Appends a line feed character (`\n`) to this StringBuilder.

```

```

*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.appendLine():
StringBuilder = append("\n")\n\n/**\n * Appends [value] to this [StringBuilder], followed by a line feed character (`\n`).\n * \n * @SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
StringBuilder.appendLine(value: CharSequence?): StringBuilder = append(value).appendLine()\n\n/**\n * Appends [value] to this [StringBuilder], followed by a line feed character (`\n`).\n * \n * @SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
StringBuilder.appendLine(value: String?): StringBuilder = append(value).appendLine()\n\n/**\n * Appends [value] to this [StringBuilder], followed by a line feed character (`\n`).

```

```

*\/n@SinceKotlin("1.4")\/n@kotlin.internal.InlineOnly\/npublic inline fun StringBuilder.appendLine(value: Any?):
StringBuilder = append(value).appendLine()\/n\/n** Appends [value] to this [StringBuilder], followed by a line feed
character (\/n). *\/n@SinceKotlin("1.4")\/n@kotlin.internal.InlineOnly\/npublic inline fun
StringBuilder.appendLine(value: CharArray): StringBuilder = append(value).appendLine()\/n\/n** Appends [value]
to this [StringBuilder], followed by a line feed character (\/n).
*\/n@SinceKotlin("1.4")\/n@kotlin.internal.InlineOnly\/npublic inline fun StringBuilder.appendLine(value: Char):
StringBuilder = append(value).appendLine()\/n\/n** Appends [value] to this [StringBuilder], followed by a line feed
character (\/n). *\/n@SinceKotlin("1.4")\/n@kotlin.internal.InlineOnly\/npublic inline fun
StringBuilder.appendLine(value: Boolean): StringBuilder = append(value).appendLine()\/n, "/*\/n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\/n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\/n *\/n\/npackage kotlin.text\/nimport
kotlin.js.RegExp\/n\/n@kotlin.internal.InlineOnly\/ninternal actual inline fun String.nativeIndexOf(ch: Char,
fromIndex: Int): Int = nativeIndexOf(ch.toString(), fromIndex)\/n\/n@kotlin.internal.InlineOnly\/ninternal actual
inline fun String.nativeLastIndexOf(ch: Char, fromIndex: Int): Int = nativeLastIndexOf(ch.toString(),
fromIndex)\/n\/n**\/n * Returns `true` if this string starts with the specified prefix.\/n
*\/n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\/npublic actual fun
String.startsWith(prefix: String, ignoreCase: Boolean = false): Boolean {\/n if (!ignoreCase)\/n return
nativeStartsWith(prefix, 0)\/n else\/n return regionMatches(0, prefix, 0, prefix.length, ignoreCase)\/n}\/n\/n**\/n *
Returns `true` if a substring of this string starting at the specified offset [startIndex] starts with the specified prefix.\/n
*\/n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\/npublic actual fun
String.startsWith(prefix: String, startIndex: Int, ignoreCase: Boolean = false): Boolean {\/n if (!ignoreCase)\/n
return nativeStartsWith(prefix, startIndex)\/n else\/n return regionMatches(startIndex, prefix, 0, prefix.length,
ignoreCase)\/n}\/n\/n**\/n * Returns `true` if this string ends with the specified suffix.\/n
*\/n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\/npublic actual fun
String.endsWith(suffix: String, ignoreCase: Boolean = false): Boolean {\/n if (!ignoreCase)\/n return
nativeEndsWith(suffix)\/n else\/n return regionMatches(length - suffix.length, suffix, 0, suffix.length,
ignoreCase)\/n}\/n\/n@Deprecated("Use Regex.matches() instead",
ReplaceWith("regex.toRegex().matches(this)"))\/n@DeprecatedSinceKotlin(warningSince = "1.6")\/npublic fun
String.matches(regex: String): Boolean {\/n @Suppress("DEPRECATION")\/n val result = this.match(regex)\/n
return result != null && result.size != 0}\/n\/n**\/n * Returns `true` if this string is empty or consists solely of
whitespace characters.\/n *\/n * @sample samples.text.Strings.stringIsBlank\/n *\/npublic actual fun
CharSequence.isBlank(): Boolean = length == 0 || indices.all { this[it].isWhitespace() }\/n\/n**\/n * Returns `true` if
this string is equal to [other], optionally ignoring character case.\/n *\/n * Two strings are considered to be equal if
they have the same length and the same character at the same index.\/n * If [ignoreCase] is true, the result of
`Char.uppercaseChar().lowercaseChar()` on each character is compared.\/n *\/n * @param ignoreCase `true` to ignore
character case when comparing strings. By default `false`.\/n
*\/n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\/npublic actual fun
String?.equals(other: String?, ignoreCase: Boolean = false): Boolean {\/n if (this == null) return other == null\/n if
(other == null) return false\/n if (!ignoreCase) return this == other\/n if (this.length != other.length) return
false\/n for (index in 0 until this.length) {\/n val thisChar = this[index]\/n val otherChar = other[index]\/n
if (!thisChar.equals(otherChar, ignoreCase)) {\/n return false\/n }\/n }\/n return
true}\/n\/n\/n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\/npublic actual fun
CharSequence.regionMatches(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int, ignoreCase:
Boolean = false): Boolean =\/n regionMatchesImpl(thisOffset, other, otherOffset, length, ignoreCase)\/n\/n**\/n *
Returns a copy of this string having its first letter titlecased using the rules of the default locale,\/n * or the original
string if it's empty or already starts with a title case letter.\/n *\/n * The title case of a character is usually the same as
its upper case with several exceptions.\/n * The particular list of characters with the special title case form depends
on the underlying platform.\/n *\/n * @sample samples.text.Strings.capitalize\/n *\/n@Deprecated("Use

```

```

replaceFirstChar instead.', ReplaceWith("replaceFirstChar { if (it.isLowerCase()) it.titlecase() else it.toString()
}"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic actual fun String.capitalize(): String {\n return if
(isNotEmpty()) substring(0, 1).uppercase() + substring(1) else this\n}\n\n/**\n * Returns a copy of this string having
its first letter lowercased using the rules of the default locale,\n * or the original string if it's empty or already starts
with a lower case letter.\n * \n * @sample samples.text.Strings.decapitalize\n * \n@Deprecated("Use
replaceFirstChar instead.', ReplaceWith("replaceFirstChar { it.lowercase()
}"))\n@DeprecatedSinceKotlin(warningSince = "1.5")\npublic actual fun String.decapitalize(): String {\n return
if (isNotEmpty()) substring(0, 1).lowercase() + substring(1) else this\n}\n\n/**\n * Returns a string containing this
char sequence repeated [n] times.\n * \n * @throws [IllegalArgumentException] when n < 0.\n * @sample
samples.text.Strings.repeat\n * \npublic actual fun CharSequence.repeat(n: Int): String {\n require(n >= 0) {\n
"Count 'n' must be non-negative, but was $n." }\n return when (n) {\n 0 -> ""\n 1 -> this.toString()\n
else -> {\n var result = ""\n if (!isEmpty()) {\n var s = this.toString()\n var count =
n\n while (true) {\n if ((count and 1) == 1) {\n result += s\n }\n
count = count ushr 1\n if (count == 0) {\n break\n }\n s +=
s\n }\n }\n return result\n }\n }\n}\n\n/**\n * Returns a new string obtained by
replacing all occurrences of the [oldValue] substring in this string\n * with the specified [newValue] string.\n * \n *
@sample samples.text.Strings.replace\n * \n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun
String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n
nativeReplace(Regex(Regex.escape(oldValue)), if (ignoreCase) "gui" else "gu"),
Regex.nativeEscapeReplacement(newValue))\n\n/**\n * Returns a new string with all occurrences of [oldChar]
replaced with [newChar].\n * \n * @sample samples.text.Strings.replace\n * \n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun
String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n
nativeReplace(Regex(Regex.escape(oldChar.toString())), if (ignoreCase) "gui" else "gu"),
newChar.toString())\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual
fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n
nativeReplace(Regex(Regex.escape(oldValue)), if (ignoreCase) "ui" else "u"),
Regex.nativeEscapeReplacement(newValue))\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGU
MENTS")\npublic actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false):
String =\n nativeReplace(Regex(Regex.escape(oldChar.toString())), if (ignoreCase) "ui" else "u"),
newChar.toString())\n", /*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n * \n@package kotlin.text\n\n/**\n * Returns the negative [size] if [throwOnMalformed] is
false, throws [CharacterCodingException] otherwise. *\nprivate fun malformed(size: Int, index: Int,
throwOnMalformed: Boolean): Int {\n if (throwOnMalformed) throw CharacterCodingException("Malformed
sequence starting at ${index - 1}")\n return -size\n}\n\n/**\n * Returns code point corresponding to UTF-16
surrogate pair,\n * where the first of the pair is the [high] and the second is in the [string] at the [index].\n * Returns
zero if the pair is malformed and [throwOnMalformed] is false.\n * \n * @throws CharacterCodingException if the
pair is malformed and [throwOnMalformed] is true.\n * \n@private fun codePointFromSurrogate(string: String, high:
Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n if (high !in 0xD800..0xDBFF || index >=
endIndex) {\n return malformed(0, index, throwOnMalformed)\n }\n val low = string[index].code\n if
(low !in 0xDC00..0xDFFF) {\n return malformed(0, index, throwOnMalformed)\n }\n return 0x10000 +
((high and 0x3FF) shl 10) or (low and 0x3FF)\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of
two bytes,\n * where the first byte of the sequence is the [byte1] and the second byte is in the [bytes] array at the
[index].\n * Returns zero if the sequence is malformed and [throwOnMalformed] is false.\n * \n * @throws
CharacterCodingException if the sequence of two bytes is malformed and [throwOnMalformed] is true.\n * \n@private fun codePointFrom2(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed:

```

```

Boolean): Int {\n  if (byte1 and 0x1E == 0 || index >= endIndex) {\n    return malformed(0, index,
throwOnMalformed)\n  }\n  val byte2 = bytes[index].toInt()\n  if (byte2 and 0xC0 != 0x80) {\n    return
malformed(0, index, throwOnMalformed)\n  }\n  return (byte1 shl 6) xor byte2 xor 0xF80}\n\n/**\n * Returns
code point corresponding to UTF-8 sequence of three bytes,\n * where the first byte of the sequence is the [byte1]
and the others are in the [bytes] array starting from the [index].\n * Returns a non-positive value indicating number
of bytes from [bytes] included in malformed sequence\n * if the sequence is malformed and [throwOnMalformed] is
false.\n * @throws CharacterCodingException if the sequence of three bytes is malformed and
[throwOnMalformed] is true.\n */\nprivate fun codePointFrom3(bytes: ByteArray, byte1: Int, index: Int, endIndex:
Int, throwOnMalformed: Boolean): Int {\n  if (index >= endIndex) {\n    return malformed(0, index,
throwOnMalformed)\n  }\n  val byte2 = bytes[index].toInt()\n  if (byte1 and 0xF == 0) {\n    if (byte2 and
0xE0 != 0xA0) {\n      // Non-shortest form\n      return malformed(0, index, throwOnMalformed)\n    }\n  }
else if (byte1 and 0xF == 0xD) {\n    if (byte2 and 0xE0 != 0x80) {\n      // Surrogate code point\n
return malformed(0, index, throwOnMalformed)\n    }\n  } else if (byte2 and 0xC0 != 0x80) {\n    return
malformed(0, index, throwOnMalformed)\n  }\n  if (index + 1 == endIndex) {\n    return malformed(1, index,
throwOnMalformed)\n  }\n  val byte3 = bytes[index + 1].toInt()\n  if (byte3 and 0xC0 != 0x80) {\n    return
malformed(1, index, throwOnMalformed)\n  }\n  return (byte1 shl 12) xor (byte2 shl 6) xor byte3 xor -
0x1E080}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of four bytes,\n * where the first byte
of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\n * Returns a non-
positive value indicating number of bytes from [bytes] included in malformed sequence\n * if the sequence is
malformed and [throwOnMalformed] is false.\n * @throws CharacterCodingException if the sequence of four
bytes is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFrom4(bytes: ByteArray, byte1:
Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n  if (index >= endIndex) {\n    malformed(0,
index, throwOnMalformed)\n  }\n  val byte2 = bytes[index].toInt()\n  if (byte1 and 0xF == 0x0) {\n    if
(byte2 and 0xF0 <= 0x80) {\n      // Non-shortest form\n      return malformed(0, index,
throwOnMalformed)\n    }\n  } else if (byte1 and 0xF == 0x4) {\n    if (byte2 and 0xF0 != 0x80) {\n      //
Out of Unicode code points domain (larger than U+10FFFF)\n      return malformed(0, index,
throwOnMalformed)\n    }\n  } else if (byte1 and 0xF > 0x4) {\n    return malformed(0, index,
throwOnMalformed)\n  } else if (byte2 and 0xC0 != 0x80) {\n    return malformed(0, index,
throwOnMalformed)\n  }\n  if (index + 1 == endIndex) {\n    return malformed(1, index,
throwOnMalformed)\n  }\n  val byte3 = bytes[index + 1].toInt()\n  if (byte3 and 0xC0 != 0x80) {\n    return
malformed(1, index, throwOnMalformed)\n  }\n  if (index + 2 == endIndex) {\n    return malformed(2, index,
throwOnMalformed)\n  }\n  val byte4 = bytes[index + 2].toInt()\n  if (byte4 and 0xC0 != 0x80) {\n    return
malformed(2, index, throwOnMalformed)\n  }\n  return (byte1 shl 18) xor (byte2 shl 12) xor (byte3 shl 6) xor
byte4 xor 0x381F80}\n\n/**\n * Maximum number of bytes needed to encode a single char.\n * Code points in
`0..0x7F` are encoded in a single byte.\n * Code points in `0x80..0x7FF` are encoded in two bytes.\n * Code points
in `0x800..0xD7FF` or in `0xE000..0xFFFF` are encoded in three bytes.\n * Surrogate code points in
`0xD800..0xDFFF` are not Unicode scalar values, therefore aren't encoded.\n * Code points in
`0x10000..0x10FFFF` are represented by a pair of surrogate `Char`s and are encoded in four bytes.\n */\nprivate
const val MAX_BYTES_PER_CHAR = 3\n\n/**\n * The byte sequence a malformed UTF-16 char sequence is
replaced by.\n */\nprivate val REPLACEMENT_BYTE_SEQUENCE: ByteArray = byteArrayOf(0xEF.toByte(),
0xBF.toByte(), 0xBD.toByte())\n\n/**\n * Encodes the [string] using UTF-8 and returns the resulting [ByteArray].\n
*\n * @param string the string to encode.\n * @param startIndex the start offset (inclusive) of the substring to
encode.\n * @param endIndex the end offset (exclusive) of the substring to encode.\n * @param
throwOnMalformed whether to throw on malformed char sequence or replace by the
[REPLACEMENT_BYTE_SEQUENCE].\n * @throws CharacterCodingException if the char sequence is
malformed and [throwOnMalformed] is true.\n */\nprivate fun encodeUtf8(string: String, startIndex: Int, endIndex:
Int, throwOnMalformed: Boolean): ByteArray {\n  require(startIndex >= 0 && endIndex <= string.length &&
startIndex <= endIndex)\n  val bytes = ByteArray((endIndex - startIndex) * MAX_BYTES_PER_CHAR)\n  var

```

```

byteIndex = 0\n    var charIndex = startIndex\n\n    while (charIndex < endIndex) {\n        val code =
string[charIndex++].code\n        when {\n            code < 0x80 ->{\n                bytes[byteIndex++] = code.toByteArray()\n                code < 0x800 -> {\n                    bytes[byteIndex++] = ((code shr 6) or 0xC0).toByte()\n                }\n                bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n            }\n            code < 0xD800 || code >= 0xE000 ->
{\n                bytes[byteIndex++] = ((code shr 12) or 0xE0).toByte()\n                bytes[byteIndex++] = (((code shr 6)
and 0x3F) or 0x80).toByte()\n                bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n            }\n            else -> { // Surrogate char value\n                val codePoint = codePointFromSurrogate(string, code, charIndex,
endIndex, throwOnMalformed)\n                if (codePoint <= 0) {\n                    bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[0]\n                    bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[1]\n                    bytes[byteIndex++] =
REPLACEMENT_BYTE_SEQUENCE[2]\n                } else {\n                    bytes[byteIndex++] = ((codePoint shr
18) or 0xF0).toByte()\n                    bytes[byteIndex++] = (((codePoint shr 12) and 0x3F) or 0x80).toByte()\n                    bytes[byteIndex++] = (((codePoint shr 6) and 0x3F) or 0x80).toByte()\n                    bytes[byteIndex++] =
(((codePoint and 0x3F) or 0x80).toByte()\n                    charIndex++\n                }\n            }\n        }\n    }\n    return if (bytes.size == byteIndex) bytes else bytes.copyOf(byteIndex)\n}\n\n/**\n * The character a malformed UTF-8 byte sequence is replaced by.\n */\nprivate const val REPLACEMENT_CHAR = "\uFFFF"\n\n/**\n * Decodes the UTF-8 [bytes] array and returns the resulting [String].\n */\n * @param bytes the byte array to decode.\n * @param startIndex the start offset (inclusive) of the array to be decoded.\n * @param endIndex the end offset (exclusive) of the array to be encoded.\n * @param throwOnMalformed whether to throw on malformed byte sequence or replace by the [REPLACEMENT_CHAR].\n * @throws CharacterCodingException if the array is malformed UTF-8 byte sequence and [throwOnMalformed] is true.\n */\ninternal fun decodeUtf8(bytes: ByteArray, startIndex: Int, endIndex: Int, throwOnMalformed: Boolean): String {\n    require(startIndex >= 0 && endIndex <=
bytes.size && startIndex <= endIndex)\n    var byteIndex = startIndex\n    val stringBuilder = StringBuilder()\n    while (byteIndex < endIndex) {\n        val byte = bytes[byteIndex++].toInt()\n        when {\n            byte >= 0 ->{\n                stringBuilder.append(byte.toChar())\n                byte shr 5 == -2 -> {\n                    val code =
codePointFrom2(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n                    if (code <= 0) {\n                        stringBuilder.append(REPLACEMENT_CHAR)\n                        byteIndex += -code\n                    } else {\n                        stringBuilder.append(code.toChar())\n                        byteIndex += 1\n                    }\n                }\n                byte shr 4 == -2 -> {\n                    val code = codePointFrom3(bytes, byte, byteIndex, endIndex, throwOnMalformed)\n                    if
(code <= 0) {\n                        stringBuilder.append(REPLACEMENT_CHAR)\n                        byteIndex += -code\n                    } else {\n                        stringBuilder.append(code.toChar())\n                        byteIndex += 2\n                    }\n                }\n            }\n            byte shr 3 == -2 -> {\n                val code = codePointFrom4(bytes, byte, byteIndex, endIndex,
throwOnMalformed)\n                if (code <= 0) {\n                    stringBuilder.append(REPLACEMENT_CHAR)\n                    byteIndex += -code\n                } else {\n                    val high = (code - 0x10000) shr 10 or 0xD800\n                    val low = (code and 0x3FF) or 0xDC00\n                    stringBuilder.append(high.toChar())\n                    stringBuilder.append(low.toChar())\n                    byteIndex += 3\n                }\n            }\n            else -> {\n                malformed(0, byteIndex, throwOnMalformed)\n                stringBuilder.append(REPLACEMENT_CHAR)\n            }\n        }\n    }\n    return stringBuilder.toString()\n}\n\n/**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin\n\n/**\n * Returns the detailed description of this throwable with its stack trace.\n */\n * The detailed description includes:\n * - the short description (see [Throwable.toString]) of this throwable;\n * - the complete stack trace;\n * - detailed descriptions of the exceptions that were [suppressed][suppressedExceptions] in order to deliver this exception;\n * - the detailed description of each throwable in the [Throwable.cause] chain.\n */\n@SinceKotlin("1.4")\npublic actual fun Throwable.stackTraceToString(): String = ExceptionTraceBuilder().buildFor(this)\n\n/**\n * Prints the [detailed description][Throwable.stackTraceToString] of this throwable to console error output.\n */\n@SinceKotlin("1.4")\npublic actual fun Throwable.printStackTrace() {\n    console.error(this.stackTraceToString())\n}\n\n/**\n * Adds the specified exception to the list of exceptions that

```

```

were\n * suppressed in order to deliver this exception.\n *\n@SinceKotlin("1.4")\npublic actual fun
Throwable.addSuppressed(exception: Throwable) {\n if (this !== exception) {\n val suppressed =
this.asDynamic()._suppressed.unsafeCast<MutableList<Throwable>?>()\n if (suppressed == null) {\n
this.asDynamic()._suppressed = mutableListOf(exception)\n } else {\n suppressed.add(exception)\n
}\n }\n}\n\n**\n * Returns a list of all exceptions that were suppressed in order to deliver this exception.\n
*\n@SinceKotlin("1.4")\npublic actual val Throwable.suppressedExceptions: List<Throwable>\n get() {\n
return this.asDynamic()._suppressed?.unsafeCast<List<Throwable>>() ?: emptyList()\n }\n\nprivate class
ExceptionTraceBuilder {\n private val target = StringBuilder()\n private val visited = arrayOf<Throwable>()\n
private var topStack: String = ""\n private var topStackStart: Int = 0\n\n fun buildFor(exception: Throwable):
String {\n exception.dumpFullTrace("\n", "\n")\n return target.toString()\n }\n\n private fun
hasSeen(exception: Throwable): Boolean = visited.any { it === exception }\n\n private fun
Throwable.dumpFullTrace(indent: String, qualifier: String) {\n this.dumpSelfTrace(indent, qualifier) ||
return\n\n var cause = this.cause\n while (cause != null) {\n cause.dumpSelfTrace(indent, "Caused
by: ") || return\n cause = cause.cause\n }\n }\n\n private fun Throwable.dumpSelfTrace(indent:
String, qualifier: String): Boolean {\n target.append(indent).append(qualifier)\n val shortInfo =
this.toString()\n if (hasSeen(this)) {\n target.append("[CIRCULAR REFERENCE, SEE ABOVE:
\n").append(shortInfo).append("\n")\n return false\n }\n visited.asDynamic().push(this)\n\n var
stack = this.asDynamic().stack as String?\n if (stack != null) {\n val stackStart =
stack.indexOf(shortInfo).let { if (it < 0) 0 else it + shortInfo.length }\n if (stackStart == 0)
target.append(shortInfo).append("\n")\n if (topStack.isEmpty()) {\n topStack = stack\n
topStackStart = stackStart\n } else {\n stack = dropCommonFrames(stack, stackStart)\n }\n
if (indent.isNotEmpty()) {\n // indent stack, but avoid indenting exception message lines\n val
messageLines = if (stackStart == 0) 0 else 1 + shortInfo.count { c -> c == '\n' }\n
stack.lineSequence().forEachIndexed { index: Int, line: String ->\n if (index >= messageLines)
target.append(indent)\n target.append(line).append("\n")\n } else {\n
target.append(stack).append("\n")\n }\n } else {\n target.append(shortInfo).append("\n")\n
}\n\n val suppressed = suppressedExceptions\n if (suppressed.isNotEmpty()) {\n val
suppressedIndent = indent + "\n\n" for (s in suppressed) {\n s.dumpFullTrace(suppressedIndent,
"Suppressed: ")\n }\n }\n return true\n }\n\n private fun dropCommonFrames(stack: String,
stackStart: Int): String {\n var commonFrames: Int = 0\n var lastBreak: Int = 0\n var preLastBreak: Int
= 0\n for (pos in 0 until minOf(topStack.length - topStackStart, stack.length - stackStart)) {\n val c =
stack[stack.lastIndex - pos]\n if (c != topStack[topStack.lastIndex - pos]) break\n if (c == '\n') {\n
commonFrames += 1\n preLastBreak = lastBreak\n lastBreak = pos\n }\n }\n
if (commonFrames <= 1) return stack\n while (preLastBreak > 0 && stack[stack.lastIndex - (preLastBreak - 1)]
== '\n')\n preLastBreak -= 1\n // leave 1 common frame to ease matching with the top exception stack\n
return stack.dropLast(preLastBreak) + "... and ${commonFrames - 1} more common stack frames skipped"\n
}\n}\n\n**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.time\nimport kotlin.js.json\nimport kotlin.math.*\n\ninternal actual inline val
durationAssertionsEnabled: Boolean get() = true\n\ninternal actual fun formatToExactDecimals(value: Double,
decimals: Int): String {\n val rounded = if (decimals == 0) {\n value\n } else {\n val pow =
10.0.pow(decimals)\n JsMath.round(abs(value) * pow) / pow * sign(value)\n }\n return if (abs(rounded) <
1e21) {\n // toFixed switches to scientific format after 1e21\n
rounded.asDynamic().toFixed(decimals).unsafeCast<String>()\n } else {\n // toPrecision outputs the specified
number of digits, but only for positive numbers\n val positive = abs(rounded)\n val positiveString =
positive.asDynamic().toPrecision(ceil(log10(positive)) + decimals).unsafeCast<String>()\n if (rounded < 0) "-"
+ positiveString\n } else positiveString\n }\n}\n\ninternal actual fun formatUpToDecimals(value: Double,
decimals: Int): String {\n return value.asDynamic().toLocaleString("en-us", json{"maximumFractionDigits" to

```

```

decimals)).unsafeCast<String>()\n}\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage
kotlin.time\n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalTime::class)\npublic actual enum class
DurationUnit(internal val scale: Double) {\n /*\n * Time unit representing one nanosecond, which is 1/1000 of
a microsecond.\n */\n NANOSECONDS(1e0),\n /*\n * Time unit representing one microsecond, which is
1/1000 of a millisecond.\n */\n MICROSECONDS(1e3),\n /*\n * Time unit representing one millisecond,
which is 1/1000 of a second.\n */\n MILLISECONDS(1e6),\n /*\n * Time unit representing one second.\n
*/\n SECONDS(1e9),\n /*\n * Time unit representing one minute.\n */\n MINUTES(60e9),\n /*\n
* Time unit representing one hour.\n */\n HOURS(3600e9),\n /*\n * Time unit representing one day,
which is always equal to 24 hours.\n */\n DAYS(86400e9);\n}\n\n@SinceKotlin("1.3")\ninternal actual fun
convertDurationUnit(value: Double, sourceUnit: DurationUnit, targetUnit: DurationUnit): Double {\n val
sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n return when {\n
sourceCompareTarget > 0 -> value * (sourceUnit.scale / targetUnit.scale)\n sourceCompareTarget < 0 -> value /
(targetUnit.scale / sourceUnit.scale)\n else -> value\n }\n}\n\n@SinceKotlin("1.5")\ninternal actual fun
convertDurationUnitOverflow(value: Long, sourceUnit: DurationUnit, targetUnit: DurationUnit): Long {\n val
sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n return when {\n
sourceCompareTarget > 0 -> value * (sourceUnit.scale / targetUnit.scale).toLong()\n sourceCompareTarget < 0
-> value / (targetUnit.scale / sourceUnit.scale).toLong()\n else -> value\n
}\n}\n\n@SinceKotlin("1.5")\ninternal actual fun convertDurationUnit(value: Long, sourceUnit: DurationUnit,
targetUnit: DurationUnit): Long {\n val sourceCompareTarget = sourceUnit.scale.compareTo(targetUnit.scale)\n
return when {\n sourceCompareTarget > 0 -> {\n val scale = (sourceUnit.scale /
targetUnit.scale).toLong()\n val result = value * scale\n when {\n result / scale == value ->
result\n value > 0 -> Long.MAX_VALUE\n else -> Long.MIN_VALUE\n }\n }\n
sourceCompareTarget < 0 -> value / (targetUnit.scale / sourceUnit.scale).toLong()\n else -> value\n
}\n}\n\n", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\npackage kotlin.time\n\nimport org.w3c.performance.GlobalPerformance\n\nimport
org.w3c.performance.Performance\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal actual object
MonotonicTimeSource : TimeSource {\n private val actualSource: TimeSource = run {\n val isNode:
Boolean = js("typeof process !== 'undefined' && process.versions && !process.versions.node")\n if
(isNode)\n HrTimeSource(js("process").unsafeCast<Process>())\n else\n
js("self").unsafeCast<GlobalPerformance?>()?.performance?.let(::PerformanceTimeSource)\n }:\n
DateNowTimeSource\n}\n\n override fun markNow(): TimeMark = actualSource.markNow()\n}\n\ninternal
external interface Process {\n fun hrtime(time: Array<Double> = definedExternally):
Array<Double>\n}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal class HrTimeSource(val process:
Process) : TimeSource {\n override fun markNow(): TimeMark = object : TimeMark() {\n val startedAt =
process.hrtime()\n override fun elapsedNow(): Duration =\n process.hrtime(startedAt).let { (seconds,
nanos) -> seconds.toDuration(DurationUnit.SECONDS) + nanos.toDuration(DurationUnit.NANOSECONDS) }\n
}\n\n override fun toString(): String =
\n"TimeSource(process.hrtime())"\n}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal class
PerformanceTimeSource(val performance: Performance) : AbstractDoubleTimeSource(unit =
DurationUnit.MILLISECONDS) {\n override fun read(): Double = performance.now()\n override fun toString():
String = \n"TimeSource(self.performance.now())"\n}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal
object DateNowTimeSource : AbstractDoubleTimeSource(unit = DurationUnit.MILLISECONDS) {\n override
fun read(): Double = kotlin.js.Date.now()\n override fun toString(): String = \n"TimeSource(Date.now())"\n}\n\n
/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage

```

```

kotlinx.dom\n\nimport org.w3c.dom.*\nimport kotlin.contracts.*\n\n/**\n * Creates a new element with the\n specified [name].\n *\n * The element is initialized with the specified [init] function.\n *\n @SinceKotlin("1.4")\n public fun Document.createElement(name: String, init: Element.() -> Unit): Element {\n     contract { callsInPlace(init, InvocationKind.EXACTLY_ONCE) }\n     return\n createElement(name).apply(init)\n }\n\n/**\n * Appends a newly created element with the specified [name] to this\n element.\n *\n * The element is initialized with the specified [init] function.\n *\n @SinceKotlin("1.4")\n public fun\n Element.appendElement(name: String, init: Element.() -> Unit): Element {\n     contract { callsInPlace(init,\n InvocationKind.EXACTLY_ONCE) }\n     return ownerDocument!!.createElement(name, init).also {\n appendChild(it) }\n }\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language\n contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n license/LICENSE.txt file.\n *\n @package kotlinx.dom\n @import org.w3c.dom.*\n\n Returns true if the element\n has the given CSS class style in its 'class' attribute\n *\n @SinceKotlin("1.4")\n fun Element.hasClass(cssClass:\n String): Boolean = className.matches("\\\\s*(^|\\s+)$cssClass(\\s+|$)\\.toRegex())\n\n/**\n * Adds CSS class\n to element. Has no effect if all specified classes are already in class attribute of the element\n *\n * @return true if at\n least one class has been added\n *\n @SinceKotlin("1.4")\n fun Element.addClass(vararg cssClasses: String):\n Boolean {\n     val missingClasses = cssClasses.filterNot { hasClass(it) }\n     if (missingClasses.isNotEmpty()) {\n         val presentClasses = className.trim()\n         className = buildString {\n             append(presentClasses)\n             if\n (!presentClasses.isEmpty()) {\n                 append(" ")\n             }\n             missingClasses.joinTo(this, " ")\n         }\n         return true\n     }\n     return false\n }\n\n/**\n * Removes all [cssClasses] from element. Has no effect if all\n specified classes are missing in class attribute of the element\n *\n * @return true if at least one class has been\n removed\n *\n @SinceKotlin("1.4")\n fun Element.removeClass(vararg cssClasses: String): Boolean {\n     if\n (cssClasses.any { hasClass(it) }) {\n         val toBeRemoved = cssClasses.toSet()\n         className =\n className.trim().split("\\\\s+\\.toRegex()).filter { it !in toBeRemoved }.joinToString(" ")\n         return true\n     }\n     return false\n }\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language\n contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n license/LICENSE.txt file.\n *\n @file: kotlin.jvm.JvmMultifileClass\n @file: kotlin.jvm.JvmName("StringsKt")\n @package\n kotlinx.text\n\n/**\n * Converts the string into a regular expression [Regex] with the default options.\n *\n @kotlin.internal.InlineOnly\n public inline fun String.toRegex(): Regex = Regex(this)\n\n/**\n * Converts the\n string into a regular expression [Regex] with the specified single [option].\n *\n @kotlin.internal.InlineOnly\n public\n inline fun String.toRegex(option: RegexOption): Regex = Regex(this, option)\n\n/**\n * Converts the string into a\n regular expression [Regex] with the specified set of [options].\n *\n @kotlin.internal.InlineOnly\n public inline fun\n String.toRegex(options: Set<RegexOption>): Regex = Regex(this, options)\n\n"/*\n * Copyright 2010-2018\n JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the\n Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n @package kotlinx.dom\n @import\n org.w3c.dom.*\n\n Gets a value indicating whether this node is a TEXT_NODE or a\n CDATA_SECTION_NODE.\n *\n @SinceKotlin("1.4")\n public val Node.isText: Boolean\n     get() = nodeType\n == Node.TEXT_NODE || nodeType == Node.CDATA_SECTION_NODE\n\n/**\n * Gets a value indicating\n whether this node is an [Element].\n *\n @SinceKotlin("1.4")\n public val Node.isElement: Boolean\n     get() =\n nodeType == Node.ELEMENT_NODE\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming\n Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n license/LICENSE.txt file.\n *\n @package kotlinx.dom\n @import org.w3c.dom.*\n\n Removes all the children\n from this node.\n *\n @SinceKotlin("1.4")\n public fun Node.clear() {\n     while (hasChildNodes()) {\n         removeChild(firstChild!)\n     }\n }\n\n/**\n * Creates text node and append it to the element.\n *\n * @return this\n element\n *\n @SinceKotlin("1.4")\n fun Element.appendText(text: String): Element {\n     appendChild(ownerDocument!!.createTextNode(text))\n     return this\n }\n\n"/*\n * Copyright 2010-2019 JetBrains\n s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0\n license that can be found in the license/LICENSE.txt file.\n *\n @package org.w3c.dom\n @Deprecated("Use

```

```

UnionMessagePortOrWindowProxy instead.\", ReplaceWith(\\\"UnionMessagePortOrWindowProxy\\\")\n\ntypealias
UnionMessagePortOrWindow = UnionMessagePortOrWindowProxy\n\n@Deprecated(\\\"Use `as` instead.\",
ReplaceWith(\\\"as\\\")\nvar HTMLLinkElement.as_\n    get() = `as`\n    set(value) {\n        `as` = value\n    }\n\n@Deprecated(\\\"Use `is` instead.\", ReplaceWith(\\\"is\\\")\nvar ElementCreationOptions.is_\n    get() = `is`\n    set(value) {\n        `is` = value\n    },"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See
github.com/kotlin/dukat for details\n\npackage org.khronos.webgl\n\nimport kotlin.js.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface WebGLContextAttributes {\n    var
alpha: Boolean? /* = true */\n        get() = definedExternally\n        set(value) = definedExternally\n    var depth:
Boolean? /* = true */\n        get() = definedExternally\n        set(value) = definedExternally\n    var stencil: Boolean?
/* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var antialias: Boolean? /* =
true */\n        get() = definedExternally\n        set(value) = definedExternally\n    var premultipliedAlpha: Boolean?
/* = true */\n        get() = definedExternally\n        set(value) = definedExternally\n    var preserveDrawingBuffer:
Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var
preferLowPowerToHighPerformance: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var failIfMajorPerformanceCaveat: Boolean? /* = false */\n        get() = definedExternally\n
        set(value) = definedExternally\n}\n\n@Suppress(\\\"INVISIBLE_REFERENCE\\\",
\\\"INVISIBLE_MEMBER\\\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun WebGLContextAttributes(alpha:
Boolean? = true, depth: Boolean? = true, stencil: Boolean? = false, antialias: Boolean? = true, premultipliedAlpha:
Boolean? = true, preserveDrawingBuffer: Boolean? = false, preferLowPowerToHighPerformance: Boolean? = false,
failIfMajorPerformanceCaveat: Boolean? = false): WebGLContextAttributes {\n    val o = js(\\\"({})\\\")\n
o[\\\"alpha\\\"] = alpha\n    o[\\\"depth\\\"] = depth\n    o[\\\"stencil\\\"] = stencil\n    o[\\\"antialias\\\"] = antialias\n
o[\\\"premultipliedAlpha\\\"] = premultipliedAlpha\n    o[\\\"preserveDrawingBuffer\\\"] = preserveDrawingBuffer\n
o[\\\"preferLowPowerToHighPerformance\\\"] = preferLowPowerToHighPerformance\n
o[\\\"failIfMajorPerformanceCaveat\\\"] = failIfMajorPerformanceCaveat\n    return o\n}\n\npublic external abstract
class WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n */\n\npublic external
abstract class WebGLBuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n */\n\npublic
external abstract class WebGLFramebuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n */\n\npublic external
abstract class WebGLProgram : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\n */\n\npublic
external abstract class WebGLRenderbuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n */\n\npublic external
abstract class WebGLShader : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n */\n\npublic external
abstract class WebGLTexture : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\n */\n\n
public external abstract class WebGLUniformLocation\n\n/**\n * Exposes the JavaScript
[WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\n */\n\npublic
external abstract class WebGLActiveInfo {\n    open val size: Int\n    open val type: Int\n    open val name:
String\n}\n\n/**\n * Exposes the JavaScript
[WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to
Kotlin\n */\n\npublic external abstract class WebGLShaderPrecisionFormat {\n    open val rangeMin: Int\n    open val
rangeMax: Int\n    open val precision:
Int\n}\n\n@Suppress(\\\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\\\")\n\npublic external interface

```

```

WebGLRenderingContextBase {
  val canvas: HTMLCanvasElement
  val drawingBufferWidth: Int
  val drawingBufferHeight: Int
  fun getContextAttributes(): WebGLContextAttributes?
  fun isContextLost(): Boolean
  fun getSupportedExtensions(): Array<String>?
  fun getExtension(name: String): dynamic
  fun activeTexture(texture: Int)
  fun attachShader(program: WebGLProgram?, shader: WebGLShader?)
  fun bindAttribLocation(program: WebGLProgram?, index: Int, name: String)
  fun bindBuffer(target: Int, buffer: WebGLBuffer?)
  fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?)
  fun bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?)
  fun bindTexture(target: Int, texture: WebGLTexture?)
  fun blendColor(red: Float, green: Float, blue: Float, alpha: Float)
  fun blendEquation(mode: Int)
  fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int)
  fun blendFunc(sfactor: Int, dfactor: Int)
  fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha: Int)
  fun bufferData(target: Int, size: Int, usage: Int)
  fun bufferData(target: Int, data: BufferDataSource?, usage: Int)
  fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?)
  fun checkFramebufferStatus(target: Int): Int
  fun clear(mask: Int)
  fun clearColor(red: Float, green: Float, blue: Float, alpha: Float)
  fun clearDepth(depth: Float)
  fun clearStencil(s: Int)
  fun colorMask(red: Boolean, green: Boolean, blue: Boolean, alpha: Boolean)
  fun compileShader(shader: WebGLShader?)
  fun compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data: ArrayBufferView)
  fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, data: ArrayBufferView)
  fun copyTexImage2D(target: Int, level: Int, internalformat: Int, x: Int, y: Int, width: Int, height: Int, border: Int)
  fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int, width: Int, height: Int)
  fun createBuffer(): WebGLBuffer?
  fun createFramebuffer(): WebGLFramebuffer?
  fun createProgram(): WebGLProgram?
  fun createRenderbuffer(): WebGLRenderbuffer?
  fun createShader(type: Int): WebGLShader?
  fun createTexture(): WebGLTexture?
  fun cullFace(mode: Int)
  fun deleteBuffer(buffer: WebGLBuffer?)
  fun deleteFramebuffer(framebuffer: WebGLFramebuffer?)
  fun deleteProgram(program: WebGLProgram?)
  fun deleteRenderbuffer(renderbuffer: WebGLRenderbuffer?)
  fun deleteShader(shader: WebGLShader?)
  fun deleteTexture(texture: WebGLTexture?)
  fun depthFunc(func: Int)
  fun depthMask(flag: Boolean)
  fun depthRange(zNear: Float, zFar: Float)
  fun detachShader(program: WebGLProgram?, shader: WebGLShader?)
  fun disable(cap: Int)
  fun disableVertexArray(index: Int)
  fun drawArrays(mode: Int, first: Int, count: Int)
  fun drawElements(mode: Int, count: Int, type: Int, offset: Int)
  fun enable(cap: Int)
  fun enableVertexArray(index: Int)
  fun finish()
  fun flush()
  fun framebufferRenderbuffer(target: Int, attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?)
  fun framebufferTexture2D(target: Int, attachment: Int, textarget: Int, texture: WebGLTexture?, level: Int)
  fun frontFace(mode: Int)
  fun generateMipmap(target: Int)
  fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?
  fun getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?
  fun getAttachedShaders(program: WebGLProgram?): Array<WebGLShader>?
  fun getAttribLocation(program: WebGLProgram?, name: String): Int
  fun getBufferParameter(target: Int, pname: Int): Any?
  fun getParameter(pname: Int): Any?
  fun getError(): Int
  fun getFramebufferAttachmentParameter(target: Int, attachment: Int, pname: Int): Any?
  fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?
  fun getProgramInfoLog(program: WebGLProgram?): String?
  fun getRenderbufferParameter(target: Int, pname: Int): Any?
  fun getShaderParameter(shader: WebGLShader?, pname: Int): Any?
  fun getShaderPrecisionFormat(shadertype: Int, precisiontype: Int): WebGLShaderPrecisionFormat?
  fun getShaderInfoLog(shader: WebGLShader?): String?
  fun getShaderSource(shader: WebGLShader?): String?
  fun getTexParameter(target: Int, pname: Int): Any?
  fun getUniform(program: WebGLProgram?, location: WebGLUniformLocation?): Any?
  fun getUniformLocation(program: WebGLProgram?, name: String): WebGLUniformLocation?
  fun getVertexAttrib(index: Int, pname: Int): Any?
  fun getVertexAttribOffset(index: Int, pname: Int): Int
  fun hint(target: Int, mode: Int)
  fun isBuffer(buffer: WebGLBuffer?): Boolean
  fun isEnabled(cap: Int): Boolean
  fun isFramebuffer(framebuffer: WebGLFramebuffer?): Boolean
  fun isProgram(program: WebGLProgram?): Boolean
  fun

```

```

isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n fun isShader(shader: WebGLShader?): Boolean\n
fun isTexture(texture: WebGLTexture?): Boolean\n fun lineWidth(width: Float)\n fun linkProgram(program:
WebGLProgram?)\n fun pixelStorei(pname: Int, param: Int)\n fun polygonOffset(factor: Float, units: Float)\n
fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n fun
renderbufferStorage(target: Int, internalformat: Int, width: Int, height: Int)\n fun sampleCoverage(value: Float,
invert: Boolean)\n fun scissor(x: Int, y: Int, width: Int, height: Int)\n fun shaderSource(shader: WebGLShader?,
source: String)\n fun stencilFunc(func: Int, ref: Int, mask: Int)\n fun stencilFuncSeparate(face: Int, func: Int, ref:
Int, mask: Int)\n fun stencilMask(mask: Int)\n fun stencilMaskSeparate(face: Int, mask: Int)\n fun
stencilOp(fail: Int, zfail: Int, zpass: Int)\n fun stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int)\n fun
texImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, format: Int, type: Int, pixels:
ArrayBufferView?)\n fun texImage2D(target: Int, level: Int, internalformat: Int, format: Int, type: Int, source:
TexImageSource?)\n fun texParameterf(target: Int, pname: Int, param: Float)\n fun texParameteri(target: Int,
pname: Int, param: Int)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int,
format: Int, type: Int, pixels: ArrayBufferView?)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset:
Int, format: Int, type: Int, source: TexImageSource?)\n fun uniform1f(location: WebGLUniformLocation?, x:
Float)\n fun uniform1fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform1fv(location:
WebGLUniformLocation?, v: Array<Float>)\n fun uniform1i(location: WebGLUniformLocation?, x: Int)\n fun
uniform1iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform1iv(location:
WebGLUniformLocation?, v: Array<Int>)\n fun uniform2f(location: WebGLUniformLocation?, x: Float, y:
Float)\n fun uniform2fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform2fv(location:
WebGLUniformLocation?, v: Array<Float>)\n fun uniform2i(location: WebGLUniformLocation?, x: Int, y: Int)\n
fun uniform2iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform2iv(location:
WebGLUniformLocation?, v: Array<Int>)\n fun uniform3f(location: WebGLUniformLocation?, x: Float, y: Float,
z: Float)\n fun uniform3fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform3fv(location:
WebGLUniformLocation?, v: Array<Float>)\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z:
Int)\n fun uniform3iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform3iv(location:
WebGLUniformLocation?, v: Array<Int>)\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y: Float,
z: Float, w: Float)\n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array)\n fun
uniform4fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform4i(location:
WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int)\n fun uniform4iv(location: WebGLUniformLocation?, v:
Int32Array)\n fun uniform4iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun
uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun
uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun
uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun
uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
useProgram(program: WebGLProgram?)\n fun validateProgram(program: WebGLProgram?)\n fun
vertexAttrib1f(index: Int, x: Float)\n fun vertexAttrib1fv(index: Int, values: dynamic)\n fun
vertexAttrib2f(index: Int, x: Float, y: Float)\n fun vertexAttrib2fv(index: Int, values: dynamic)\n fun
vertexAttrib3f(index: Int, x: Float, y: Float, z: Float)\n fun vertexAttrib3fv(index: Int, values: dynamic)\n fun
vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float)\n fun vertexAttrib4fv(index: Int, values: dynamic)\n
fun vertexAttribPointer(index: Int, size: Int, type: Int, normalized: Boolean, stride: Int, offset: Int)\n fun
viewport(x: Int, y: Int, width: Int, height: Int)\n\n companion object {\n val DEPTH_BUFFER_BIT: Int\n
val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES:
Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val
TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val
SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val

```

ONE\_MINUS\_SRC\_ALPHA: Int\n val DST\_ALPHA: Int\n val ONE\_MINUS\_DST\_ALPHA: Int\n  
 val DST\_COLOR: Int\n val ONE\_MINUS\_DST\_COLOR: Int\n val SRC\_ALPHA\_SATURATE: Int\n  
 val FUNC\_ADD: Int\n val BLEND\_EQUATION: Int\n val BLEND\_EQUATION\_RGB: Int\n val  
 BLEND\_EQUATION\_ALPHA: Int\n val FUNC\_SUBTRACT: Int\n val FUNC\_REVERSE\_SUBTRACT:  
 Int\n val BLEND\_DST\_RGB: Int\n val BLEND\_SRC\_RGB: Int\n val BLEND\_DST\_ALPHA: Int\n  
 val BLEND\_SRC\_ALPHA: Int\n val CONSTANT\_COLOR: Int\n val  
 ONE\_MINUS\_CONSTANT\_COLOR: Int\n val CONSTANT\_ALPHA: Int\n val  
 ONE\_MINUS\_CONSTANT\_ALPHA: Int\n val BLEND\_COLOR: Int\n val ARRAY\_BUFFER: Int\n  
 val ELEMENT\_ARRAY\_BUFFER: Int\n val ARRAY\_BUFFER\_BINDING: Int\n val  
 ELEMENT\_ARRAY\_BUFFER\_BINDING: Int\n val STREAM\_DRAW: Int\n val STATIC\_DRAW: Int\n  
 val DYNAMIC\_DRAW: Int\n val BUFFER\_SIZE: Int\n val BUFFER\_USAGE: Int\n val  
 CURRENT\_VERTEX\_ATTRIB: Int\n val FRONT: Int\n val BACK: Int\n val FRONT\_AND\_BACK:  
 Int\n val CULL\_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL\_TEST: Int\n  
 val DEPTH\_TEST: Int\n val SCISSOR\_TEST: Int\n val POLYGON\_OFFSET\_FILL: Int\n val  
 SAMPLE\_ALPHA\_TO\_COVERAGE: Int\n val SAMPLE\_COVERAGE: Int\n val NO\_ERROR: Int\n  
 val INVALID\_ENUM: Int\n val INVALID\_VALUE: Int\n val INVALID\_OPERATION: Int\n val  
 OUT\_OF\_MEMORY: Int\n val CW: Int\n val CCW: Int\n val LINE\_WIDTH: Int\n val  
 ALIASED\_POINT\_SIZE\_RANGE: Int\n val ALIASED\_LINE\_WIDTH\_RANGE: Int\n val  
 CULL\_FACE\_MODE: Int\n val FRONT\_FACE: Int\n val DEPTH\_RANGE: Int\n val  
 DEPTH\_WRITEMASK: Int\n val DEPTH\_CLEAR\_VALUE: Int\n val DEPTH\_FUNC: Int\n val  
 STENCIL\_CLEAR\_VALUE: Int\n val STENCIL\_FUNC: Int\n val STENCIL\_FAIL: Int\n val  
 STENCIL\_PASS\_DEPTH\_FAIL: Int\n val STENCIL\_PASS\_DEPTH\_PASS: Int\n val STENCIL\_REF:  
 Int\n val STENCIL\_VALUE\_MASK: Int\n val STENCIL\_WRITEMASK: Int\n val  
 STENCIL\_BACK\_FUNC: Int\n val STENCIL\_BACK\_FAIL: Int\n val  
 STENCIL\_BACK\_PASS\_DEPTH\_FAIL: Int\n val STENCIL\_BACK\_PASS\_DEPTH\_PASS: Int\n val  
 STENCIL\_BACK\_REF: Int\n val STENCIL\_BACK\_VALUE\_MASK: Int\n val  
 STENCIL\_BACK\_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR\_BOX: Int\n val  
 COLOR\_CLEAR\_VALUE: Int\n val COLOR\_WRITEMASK: Int\n val UNPACK\_ALIGNMENT: Int\n  
 val PACK\_ALIGNMENT: Int\n val MAX\_TEXTURE\_SIZE: Int\n val MAX\_VIEWPORT\_DIMS: Int\n  
 val SUBPIXEL\_BITS: Int\n val RED\_BITS: Int\n val GREEN\_BITS: Int\n val BLUE\_BITS: Int\n  
 val ALPHA\_BITS: Int\n val DEPTH\_BITS: Int\n val STENCIL\_BITS: Int\n val  
 POLYGON\_OFFSET\_UNITS: Int\n val POLYGON\_OFFSET\_FACTOR: Int\n val  
 TEXTURE\_BINDING\_2D: Int\n val SAMPLE\_BUFFERS: Int\n val SAMPLES: Int\n val  
 SAMPLE\_COVERAGE\_VALUE: Int\n val SAMPLE\_COVERAGE\_INVERT: Int\n val  
 COMPRESSED\_TEXTURE\_FORMATS: Int\n val DONT\_CARE: Int\n val FASTEST: Int\n val  
 NICEST: Int\n val GENERATE\_MIPMAP\_HINT: Int\n val BYTE: Int\n val UNSIGNED\_BYTE:  
 Int\n val SHORT: Int\n val UNSIGNED\_SHORT: Int\n val INT: Int\n val UNSIGNED\_INT: Int\n  
 val FLOAT: Int\n val DEPTH\_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val  
 RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE\_ALPHA: Int\n val  
 UNSIGNED\_SHORT\_4\_4\_4\_4: Int\n val UNSIGNED\_SHORT\_5\_5\_5\_1: Int\n val  
 UNSIGNED\_SHORT\_5\_6\_5: Int\n val FRAGMENT\_SHADER: Int\n val VERTEX\_SHADER: Int\n  
 val MAX\_VERTEX\_ATTRIBS: Int\n val MAX\_VERTEX\_UNIFORM\_VECTORS: Int\n val  
 MAX\_VARYING\_VECTORS: Int\n val MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS: Int\n val  
 MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS: Int\n val MAX\_TEXTURE\_IMAGE\_UNITS: Int\n val  
 MAX\_FRAGMENT\_UNIFORM\_VECTORS: Int\n val SHADER\_TYPE: Int\n val DELETE\_STATUS:  
 Int\n val LINK\_STATUS: Int\n val VALIDATE\_STATUS: Int\n val ATTACHED\_SHADERS: Int\n  
 val ACTIVE\_UNIFORMS: Int\n val ACTIVE\_ATTRIBUTES: Int\n val  
 SHADING\_LANGUAGE\_VERSION: Int\n val CURRENT\_PROGRAM: Int\n val NEVER: Int\n val

LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n  
 val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n  
 val DECR: Int\n val INVERT: Int\n val INCR\_WRAP: Int\n val DECR\_WRAP: Int\n val  
 VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR:  
 Int\n val NEAREST\_MIPMAP\_NEAREST: Int\n val LINEAR\_MIPMAP\_NEAREST: Int\n val  
 NEAREST\_MIPMAP\_LINEAR: Int\n val LINEAR\_MIPMAP\_LINEAR: Int\n val  
 TEXTURE\_MAG\_FILTER: Int\n val TEXTURE\_MIN\_FILTER: Int\n val TEXTURE\_WRAP\_S: Int\n  
 val TEXTURE\_WRAP\_T: Int\n val TEXTURE\_2D: Int\n val TEXTURE: Int\n val  
 TEXTURE\_CUBE\_MAP: Int\n val TEXTURE\_BINDING\_CUBE\_MAP: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_X: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_X: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Y: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Y: Int\n val  
 TEXTURE\_CUBE\_MAP\_POSITIVE\_Z: Int\n val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Z: Int\n val  
 MAX\_CUBE\_MAP\_TEXTURE\_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val  
 TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val  
 TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val  
 TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val  
 TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val  
 TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val  
 TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val  
 TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val  
 TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE\_TEXTURE: Int\n val REPEAT: Int\n  
 val CLAMP\_TO\_EDGE: Int\n val MIRRORED\_REPEAT: Int\n val FLOAT\_VEC2: Int\n val  
 FLOAT\_VEC3: Int\n val FLOAT\_VEC4: Int\n val INT\_VEC2: Int\n val INT\_VEC3: Int\n val  
 INT\_VEC4: Int\n val BOOL: Int\n val BOOL\_VEC2: Int\n val BOOL\_VEC3: Int\n val  
 BOOL\_VEC4: Int\n val FLOAT\_MAT2: Int\n val FLOAT\_MAT3: Int\n val FLOAT\_MAT4: Int\n  
 val SAMPLER\_2D: Int\n val SAMPLER\_CUBE: Int\n val VERTEX\_ATTRIB\_ARRAY\_ENABLED:  
 Int\n val VERTEX\_ATTRIB\_ARRAY\_SIZE: Int\n val VERTEX\_ATTRIB\_ARRAY\_STRIDE: Int\n  
 val VERTEX\_ATTRIB\_ARRAY\_TYPE: Int\n val VERTEX\_ATTRIB\_ARRAY\_NORMALIZED: Int\n  
 val VERTEX\_ATTRIB\_ARRAY\_POINTER: Int\n val VERTEX\_ATTRIB\_ARRAY\_BUFFER\_BINDING:  
 Int\n val IMPLEMENTATION\_COLOR\_READ\_TYPE: Int\n val  
 IMPLEMENTATION\_COLOR\_READ\_FORMAT: Int\n val COMPILE\_STATUS: Int\n val  
 LOW\_FLOAT: Int\n val MEDIUM\_FLOAT: Int\n val HIGH\_FLOAT: Int\n val LOW\_INT: Int\n  
 val MEDIUM\_INT: Int\n val HIGH\_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER:  
 Int\n val RGBA4: Int\n val RGB5\_A1: Int\n val RGB565: Int\n val DEPTH\_COMPONENT16:  
 Int\n val STENCIL\_INDEX: Int\n val STENCIL\_INDEX8: Int\n val DEPTH\_STENCIL: Int\n val  
 RENDERBUFFER\_WIDTH: Int\n val RENDERBUFFER\_HEIGHT: Int\n val  
 RENDERBUFFER\_INTERNAL\_FORMAT: Int\n val RENDERBUFFER\_RED\_SIZE: Int\n val  
 RENDERBUFFER\_GREEN\_SIZE: Int\n val RENDERBUFFER\_BLUE\_SIZE: Int\n val  
 RENDERBUFFER\_ALPHA\_SIZE: Int\n val RENDERBUFFER\_DEPTH\_SIZE: Int\n val  
 RENDERBUFFER\_STENCIL\_SIZE: Int\n val FRAMEBUFFER\_ATTACHMENT\_OBJECT\_TYPE: Int\n  
 val FRAMEBUFFER\_ATTACHMENT\_OBJECT\_NAME: Int\n val  
 FRAMEBUFFER\_ATTACHMENT\_TEXTURE\_LEVEL: Int\n val  
 FRAMEBUFFER\_ATTACHMENT\_TEXTURE\_CUBE\_MAP\_FACE: Int\n val COLOR\_ATTACHMENT0:  
 Int\n val DEPTH\_ATTACHMENT: Int\n val STENCIL\_ATTACHMENT: Int\n val  
 DEPTH\_STENCIL\_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER\_COMPLETE: Int\n  
 val FRAMEBUFFER\_INCOMPLETE\_ATTACHMENT: Int\n val  
 FRAMEBUFFER\_INCOMPLETE\_MISSING\_ATTACHMENT: Int\n val  
 FRAMEBUFFER\_INCOMPLETE\_DIMENSIONS: Int\n val FRAMEBUFFER\_UNSUPPORTED: Int\n



val FLOAT: Int\n
 val DEPTH\_COMPONENT: Int\n
 val ALPHA: Int\n
 val RGB: Int\n
 val RGBA: Int\n
 val LUMINANCE: Int\n
 val LUMINANCE\_ALPHA: Int\n
 val UNSIGNED\_SHORT\_4\_4\_4\_4: Int\n
 val UNSIGNED\_SHORT\_5\_5\_5\_1: Int\n
 val UNSIGNED\_SHORT\_5\_6\_5: Int\n
 val FRAGMENT\_SHADER: Int\n
 val VERTEX\_SHADER: Int\n
 val MAX\_VERTEX\_ATTRIBS: Int\n
 val MAX\_VERTEX\_UNIFORM\_VECTORS: Int\n
 val MAX\_VARYING\_VECTORS: Int\n
 val MAX\_COMBINED\_TEXTURE\_IMAGE\_UNITS: Int\n
 val MAX\_VERTEX\_TEXTURE\_IMAGE\_UNITS: Int\n
 val MAX\_TEXTURE\_IMAGE\_UNITS: Int\n
 val MAX\_FRAGMENT\_UNIFORM\_VECTORS: Int\n
 val SHADER\_TYPE: Int\n
 val DELETE\_STATUS: Int\n
 val LINK\_STATUS: Int\n
 val VALIDATE\_STATUS: Int\n
 val ATTACHED\_SHADERS: Int\n
 val ACTIVE\_UNIFORMS: Int\n
 val ACTIVE\_ATTRIBUTES: Int\n
 val SHADING\_LANGUAGE\_VERSION: Int\n
 val CURRENT\_PROGRAM: Int\n
 val NEVER: Int\n
 val LESS: Int\n
 val EQUAL: Int\n
 val LEQUAL: Int\n
 val GREATER: Int\n
 val NOTEQUAL: Int\n
 val GEQUAL: Int\n
 val ALWAYS: Int\n
 val KEEP: Int\n
 val REPLACE: Int\n
 val INCR: Int\n
 val DECR: Int\n
 val INVERT: Int\n
 val INCR\_WRAP: Int\n
 val DECR\_WRAP: Int\n
 val VENDOR: Int\n
 val RENDERER: Int\n
 val VERSION: Int\n
 val NEAREST: Int\n
 val LINEAR: Int\n
 val NEAREST\_MIPMAP\_NEAREST: Int\n
 val LINEAR\_MIPMAP\_NEAREST: Int\n
 val NEAREST\_MIPMAP\_LINEAR: Int\n
 val LINEAR\_MIPMAP\_LINEAR: Int\n
 val TEXTURE\_MAG\_FILTER: Int\n
 val TEXTURE\_MIN\_FILTER: Int\n
 val TEXTURE\_WRAP\_S: Int\n
 val TEXTURE\_WRAP\_T: Int\n
 val TEXTURE\_2D: Int\n
 val TEXTURE: Int\n
 val TEXTURE\_CUBE\_MAP: Int\n
 val TEXTURE\_BINDING\_CUBE\_MAP: Int\n
 val TEXTURE\_CUBE\_MAP\_POSITIVE\_X: Int\n
 val TEXTURE\_CUBE\_MAP\_NEGATIVE\_X: Int\n
 val TEXTURE\_CUBE\_MAP\_POSITIVE\_Y: Int\n
 val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Y: Int\n
 val TEXTURE\_CUBE\_MAP\_POSITIVE\_Z: Int\n
 val TEXTURE\_CUBE\_MAP\_NEGATIVE\_Z: Int\n
 val MAX\_CUBE\_MAP\_TEXTURE\_SIZE: Int\n
 val TEXTURE0: Int\n
 val TEXTURE1: Int\n
 val TEXTURE2: Int\n
 val TEXTURE3: Int\n
 val TEXTURE4: Int\n
 val TEXTURE5: Int\n
 val TEXTURE6: Int\n
 val TEXTURE7: Int\n
 val TEXTURE8: Int\n
 val TEXTURE9: Int\n
 val TEXTURE10: Int\n
 val TEXTURE11: Int\n
 val TEXTURE12: Int\n
 val TEXTURE13: Int\n
 val TEXTURE14: Int\n
 val TEXTURE15: Int\n
 val TEXTURE16: Int\n
 val TEXTURE17: Int\n
 val TEXTURE18: Int\n
 val TEXTURE19: Int\n
 val TEXTURE20: Int\n
 val TEXTURE21: Int\n
 val TEXTURE22: Int\n
 val TEXTURE23: Int\n
 val TEXTURE24: Int\n
 val TEXTURE25: Int\n
 val TEXTURE26: Int\n
 val TEXTURE27: Int\n
 val TEXTURE28: Int\n
 val TEXTURE29: Int\n
 val TEXTURE30: Int\n
 val TEXTURE31: Int\n
 val ACTIVE\_TEXTURE: Int\n
 val REPEAT: Int\n
 val CLAMP\_TO\_EDGE: Int\n
 val MIRRORED\_REPEAT: Int\n
 val FLOAT\_VEC2: Int\n
 val FLOAT\_VEC3: Int\n
 val FLOAT\_VEC4: Int\n
 val INT\_VEC2: Int\n
 val INT\_VEC3: Int\n
 val INT\_VEC4: Int\n
 val BOOL: Int\n
 val BOOL\_VEC2: Int\n
 val BOOL\_VEC3: Int\n
 val BOOL\_VEC4: Int\n
 val FLOAT\_MAT2: Int\n
 val FLOAT\_MAT3: Int\n
 val FLOAT\_MAT4: Int\n
 val SAMPLER\_2D: Int\n
 val SAMPLER\_CUBE: Int\n
 val VERTEX\_ATTRIB\_ARRAY\_ENABLED: Int\n
 val VERTEX\_ATTRIB\_ARRAY\_SIZE: Int\n
 val VERTEX\_ATTRIB\_ARRAY\_STRIDE: Int\n
 val VERTEX\_ATTRIB\_ARRAY\_TYPE: Int\n
 val VERTEX\_ATTRIB\_ARRAY\_NORMALIZED: Int\n
 val VERTEX\_ATTRIB\_ARRAY\_POINTER: Int\n
 val VERTEX\_ATTRIB\_ARRAY\_BUFFER\_BINDING: Int\n
 val IMPLEMENTATION\_COLOR\_READ\_TYPE: Int\n
 val IMPLEMENTATION\_COLOR\_READ\_FORMAT: Int\n
 val COMPILE\_STATUS: Int\n
 val LOW\_FLOAT: Int\n
 val MEDIUM\_FLOAT: Int\n
 val HIGH\_FLOAT: Int\n
 val LOW\_INT: Int\n
 val MEDIUM\_INT: Int\n
 val HIGH\_INT: Int\n
 val FRAMEBUFFER: Int\n
 val RENDERBUFFER: Int\n
 val RGBA4: Int\n
 val RGB5\_A1: Int\n
 val RGB565: Int\n
 val DEPTH\_COMPONENT16: Int\n
 val STENCIL\_INDEX: Int\n
 val STENCIL\_INDEX8: Int\n
 val DEPTH\_STENCIL: Int\n
 val RENDERBUFFER\_WIDTH: Int\n
 val RENDERBUFFER\_HEIGHT: Int\n
 val RENDERBUFFER\_INTERNAL\_FORMAT: Int\n
 val RENDERBUFFER\_RED\_SIZE: Int

```

RENDERBUFFER_GREEN_SIZE: Int\n    val RENDERBUFFER_BLUE_SIZE: Int\n    val
RENDERBUFFER_ALPHA_SIZE: Int\n    val RENDERBUFFER_DEPTH_SIZE: Int\n    val
RENDERBUFFER_STENCIL_SIZE: Int\n    val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n
val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n    val COLOR_ATTACHMENT0:
Int\n    val DEPTH_ATTACHMENT: Int\n    val STENCIL_ATTACHMENT: Int\n    val
DEPTH_STENCIL_ATTACHMENT: Int\n    val NONE: Int\n    val FRAMEBUFFER_COMPLETE: Int\n
val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n    val FRAMEBUFFER_UNSUPPORTED: Int\n
val FRAMEBUFFER_BINDING: Int\n    val RENDERBUFFER_BINDING: Int\n    val
MAX_RENDERBUFFER_SIZE: Int\n    val INVALID_FRAMEBUFFER_OPERATION: Int\n    val
UNPACK_FLIP_Y_WEBGL: Int\n    val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n    val
CONTEXT_LOST_WEBGL: Int\n    val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n    val
BROWSER_DEFAULT_WEBGL: Int\n    }\n}\n\n/**\n * Exposes the JavaScript
[WebGLContextEvent](https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent) to Kotlin\n
*\npublic external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit =
definedExternally) : Event {\n    open val statusMessage: String\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface WebGLContextEventInit : EventInit {\n    var statusMessage: String? /* = \"\" */\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
WebGLContextEventInit(statusMessage: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): WebGLContextEventInit {\n    val o = js(\"({})\")\n    o[\"statusMessage\"] =
statusMessage\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n
return o\n}\n\n/**\n * Exposes the JavaScript
[ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\n
*\npublic external open
class ArrayBuffer(length: Int) : BufferDataSource {\n    open val byteLength: Int\n    fun slice(begin: Int, end: Int =
definedExternally): ArrayBuffer\n\n    companion object {\n        fun isView(value: Any?): Boolean\n    }\n}\n\n/**\n * Exposes the JavaScript
[ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView) to Kotlin\n
*\npublic
external interface ArrayBufferView : BufferDataSource {\n    val buffer: ArrayBuffer\n    val byteOffset: Int\n    val
byteLength: Int\n}\n\n/**\n * Exposes the JavaScript
[Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\n
*\npublic external open class
Int8Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Int8Array)\n    constructor(array:
Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int =
definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n
override val byteLength: Int\n    fun set(array: Int8Array, offset: Int = definedExternally)\n    fun set(array:
Array<Byte>, offset: Int = definedExternally)\n    fun subarray(start: Int, end: Int): Int8Array\n\n    companion
object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int8Array.get(index: Int):
Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int8Array.set(index: Int,
value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint8Array](https://developer.mozilla.org/en/docs/Web/API/Uint8Array) to Kotlin\n
*\npublic external open class
Uint8Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Uint8Array)\n
constructor(array: Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:

```

```

Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: UInt8Array, offset: Int = definedExternally)\n  fun set(array:
Array<Byte>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): UInt8Array\n\n  companion
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun UInt8Array.get(index: Int):
Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun UInt8Array.set(index: Int,
value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[UInt8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/UInt8ClampedArray) to Kotlin\n */\npublic
external open class UInt8ClampedArray : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array:
UInt8ClampedArray)\n  constructor(array: Array<Byte>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int =
definedExternally, length: Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n
override val byteOffset: Int\n  override val byteLength: Int\n  fun set(array: UInt8ClampedArray, offset: Int =
definedExternally)\n  fun set(array: Array<Byte>, offset: Int = definedExternally)\n  fun subarray(start: Int, end:
Int): UInt8ClampedArray\n\n  companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
UInt8ClampedArray.get(index: Int): Byte = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
UInt8ClampedArray.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n */\npublic external open class
Int16Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int16Array)\n
constructor(array: Array<Short>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Int16Array, offset: Int = definedExternally)\n  fun set(array:
Array<Short>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Int16Array\n\n  companion
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int16Array.get(index: Int):
Short = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int16Array.set(index: Int,
value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[UInt16Array](https://developer.mozilla.org/en/docs/Web/API/UInt16Array) to Kotlin\n */\npublic external open
class UInt16Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: UInt16Array)\n
constructor(array: Array<Short>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: UInt16Array, offset: Int = definedExternally)\n  fun set(array:
Array<Short>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): UInt16Array\n\n  companion
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun UInt16Array.get(index: Int):
Short = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun UInt16Array.set(index: Int,
value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n */\npublic external open class
Int32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int32Array)\n
constructor(array: Array<Int>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n
override val byteLength: Int\n  fun set(array: Int32Array, offset: Int = definedExternally)\n  fun set(array:
Array<Int>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Int32Array\n\n  companion object

```

```

{\n    val BYTES_PER_ELEMENT: Int\n    }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int32Array.get(index: Int): Int
= asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Int32Array.set(index: Int,
value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n *\npublic external open
class Uint32Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Uint32Array)\n
constructor(array: Array<Int>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n
override val byteLength: Int\n    fun set(array: Uint32Array, offset: Int = definedExternally)\n    fun set(array:
Array<Int>, offset: Int = definedExternally)\n    fun subarray(start: Int, end: Int): Uint32Array\n\n    companion
object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint32Array.get(index: Int):
Int = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint32Array.set(index: Int,
value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n *\npublic external open
class Float32Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Float32Array)\n
constructor(array: Array<Float>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset:
Int\n    override val byteLength: Int\n    fun set(array: Float32Array, offset: Int = definedExternally)\n    fun
set(array: Array<Float>, offset: Int = definedExternally)\n    fun subarray(start: Int, end: Int): Float32Array\n\n
companion object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.get(index: Int):
Float = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float32Array.set(index: Int,
value: Float) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n *\npublic external open
class Float64Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Float64Array)\n
constructor(array: Array<Double>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset:
Int\n    override val byteLength: Int\n    fun set(array: Float64Array, offset: Int = definedExternally)\n    fun
set(array: Array<Double>, offset: Int = definedExternally)\n    fun subarray(start: Int, end: Int): Float64Array\n\n
companion object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.get(index: Int):
Double = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.set(index: Int,
value: Double) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[DataView](https://developer.mozilla.org/en/docs/Web/API/DataView) to Kotlin\n *\npublic external open class
DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) :
ArrayBufferView {\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n    override val
byteLength: Int\n    fun getInt8(byteOffset: Int): Byte\n    fun getUint8(byteOffset: Int): Byte\n    fun
getInt16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n    fun getUint16(byteOffset: Int,
littleEndian: Boolean = definedExternally): Short\n    fun getInt32(byteOffset: Int, littleEndian: Boolean =
definedExternally): Int\n    fun getUint32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n    fun
getFloat32(byteOffset: Int, littleEndian: Boolean = definedExternally): Float\n    fun getFloat64(byteOffset: Int,

```

```

littleEndian: Boolean = definedExternally): Double\n fun setInt8(byteOffset: Int, value: Byte)\n fun
setUInt8(byteOffset: Int, value: Byte)\n fun setInt16(byteOffset: Int, value: Short, littleEndian: Boolean =
definedExternally)\n fun setUInt16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally)\n
fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally)\n fun setUInt32(byteOffset: Int,
value: Int, littleEndian: Boolean = definedExternally)\n fun setFloat32(byteOffset: Int, value: Float, littleEndian:
Boolean = definedExternally)\n fun setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean =
definedExternally)\n}\n\npublic external interface BufferDataSource\n\npublic external interface
TexImageSource", /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for
details\n\npackage org.w3c.dom.clipboard\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface ClipboardEventInit : EventInit {\n var
clipboardData: DataTransfer? /* = null *\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ClipboardEventInit(clipboardData:
DataTransfer? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
ClipboardEventInit {\n val o = js("{}")\n o["clipboardData"] = clipboardData\n o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n o["composed"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[ClipboardEvent](https://developer.mozilla.org/en/docs/Web/API/ClipboardEvent) to Kotlin\n *\npublic external
open class ClipboardEvent(type: String, eventInitDict: ClipboardEventInit = definedExternally) : Event {\n open
val clipboardData: DataTransfer?\n\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\n/**\n * Exposes the JavaScript [Clipboard](https://developer.mozilla.org/en/docs/Web/API/Clipboard) to
Kotlin\n *\npublic external abstract class Clipboard : EventTarget {\n fun read(): Promise<DataTransfer>\n fun
readText(): Promise<String>\n fun write(data: DataTransfer): Promise<Unit>\n fun writeText(data: String):
Promise<Unit>\n}\n\npublic external interface ClipboardPermissionDescriptor {\n var allowWithoutGesture:
Boolean? /* = false *\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun
ClipboardPermissionDescriptor(allowWithoutGesture: Boolean? = false): ClipboardPermissionDescriptor {\n val
o = js("{}")\n o["allowWithoutGesture"] = allowWithoutGesture\n return o\n}, /*\n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.css\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\n\npublic external abstract class MediaList :
ItemArrayLike<String> {\n open var mediaText: String\n fun appendMedium(medium: String)\n fun
deleteMedium(medium: String)\n override fun item(index: Int):
String?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun MediaList.get(index: Int):
String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n *\npublic external abstract
class StyleSheet {\n open val type: String\n open val href: String?\n open val ownerNode:
UnionElementOrProcessingInstruction?\n open val parentStyleSheet: StyleSheet?\n open val title: String?\n
open val media: MediaList\n open var disabled: Boolean\n}\n\n/**\n * Exposes the JavaScript
[CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin\n *\npublic external
abstract class CSSStyleSheet : StyleSheet {\n open val ownerRule: CSSRule?\n open val cssRules:
CSSRuleList\n fun insertRule(rule: String, index: Int): Int\n fun deleteRule(index: Int)\n}\n\n/**\n * Exposes the
JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n *\npublic

```

```

external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n  override fun item(index: Int):
StyleSheet?\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun StyleSheetList.get(index: Int):
StyleSheet? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n *\npublic external interface
LinkStyle {\n  val sheet: StyleSheet?\n  get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript
[CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin\n *\npublic external abstract
class CSSRuleList : ItemArrayLike<CSSRule> {\n  override fun item(index: Int):
CSSRule?\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSRuleList.get(index: Int):
CSSRule? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n *\npublic external abstract class
CSSRule {\n  open val type: Short\n  open var cssText: String\n  open val parentRule: CSSRule?\n  open val
parentStyleSheet: CSSStyleSheet?\n\n  companion object {\n    val STYLE_RULE: Short\n    val
CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val
FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val
NAMESPACE_RULE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule) to Kotlin\n *\npublic external
abstract class CSSStyleRule : CSSRule {\n  open var selectorText: String\n  open val style:
CSSStyleDeclaration\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE:
Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n
    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n
  }\n}\n\npublic external abstract class CSSImportRule : CSSRule {\n  open val href: String\n  open val media:
MediaList\n  open val styleSheet: CSSStyleSheet\n\n  companion object {\n    val STYLE_RULE: Short\n
    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val
FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val
NAMESPACE_RULE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule) to Kotlin\n *\npublic
external abstract class CSSGroupingRule : CSSRule {\n  open val cssRules: CSSRuleList\n  fun insertRule(rule:
String, index: Int): Int\n  fun deleteRule(index: Int)\n\n  companion object {\n    val STYLE_RULE: Short\n
    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val
FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val
NAMESPACE_RULE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin\n *\npublic external
abstract class CSSMediaRule : CSSGroupingRule {\n  open val media: MediaList\n\n  companion object {\n
    val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val
MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val
MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin\n *\npublic external
abstract class CSSPageRule : CSSGroupingRule {\n  open var selectorText: String\n  open val style:
CSSStyleDeclaration\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE:
Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n
    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n
  }\n}\n\npublic external abstract class CSSMarginRule : CSSRule {\n  open val name: String\n  open val style:
CSSStyleDeclaration\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE:
Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n
    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n
  }\n}\n\n/**\n * Exposes the JavaScript

```

[CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin\n \*/\npublic external abstract class CSSNamespaceRule : CSSRule {\n open val namespaceURI: String\n open val prefix: String\n\n companion object {\n val STYLE\_RULE: Short\n val CHARSET\_RULE: Short\n val IMPORT\_RULE: Short\n val MEDIA\_RULE: Short\n val FONT\_FACE\_RULE: Short\n val PAGE\_RULE: Short\n val MARGIN\_RULE: Short\n val NAMESPACE\_RULE: Short\n }\n}\n\n/\*\n \* Exposes the JavaScript

[CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin\n \*/\npublic external abstract class CSSStyleDeclaration : ItemArrayLike<String> {\n open var cssText: String\n open val parentRule: CSSRule?\n open var cssFloat: String\n open var alignContent: String\n open var alignItems: String\n open var alignSelf: String\n open var animation: String\n open var animationDelay: String\n open var animationDirection: String\n open var animationDuration: String\n open var animationFillMode: String\n open var animationIterationCount: String\n open var animationName: String\n open var animationPlayState: String\n open var animationTimingFunction: String\n open var backfaceVisibility: String\n open var background: String\n open var backgroundAttachment: String\n open var backgroundClip: String\n open var backgroundColor: String\n open var backgroundImage: String\n open var backgroundOrigin: String\n open var backgroundPosition: String\n open var backgroundRepeat: String\n open var backgroundSize: String\n open var border: String\n open var borderBottom: String\n open var borderBottomColor: String\n open var borderBottomLeftRadius: String\n open var borderBottomRightRadius: String\n open var borderBottomStyle: String\n open var borderBottomWidth: String\n open var borderCollapse: String\n open var borderColor: String\n open var borderImage: String\n open var borderImageOutset: String\n open var borderImageRepeat: String\n open var borderImageSlice: String\n open var borderImageSource: String\n open var borderImageWidth: String\n open var borderLeft: String\n open var borderLeftColor: String\n open var borderLeftStyle: String\n open var borderLeftWidth: String\n open var borderRadius: String\n open var borderRight: String\n open var borderRightColor: String\n open var borderRightStyle: String\n open var borderRightWidth: String\n open var borderSpacing: String\n open var borderStyle: String\n open var borderTop: String\n open var borderTopColor: String\n open var borderTopLeftRadius: String\n open var borderTopRightRadius: String\n open var borderTopStyle: String\n open var borderTopWidth: String\n open var borderWidth: String\n open var bottom: String\n open var boxDecorationBreak: String\n open var boxShadow: String\n open var boxSizing: String\n open var breakAfter: String\n open var breakBefore: String\n open var breakInside: String\n open var captionSide: String\n open var clear: String\n open var clip: String\n open var color: String\n open var columnCount: String\n open var columnFill: String\n open var columnGap: String\n open var columnRule: String\n open var columnRuleColor: String\n open var columnRuleStyle: String\n open var columnRuleWidth: String\n open var columnSpan: String\n open var columnWidth: String\n open var columns: String\n open var content: String\n open var counterIncrement: String\n open var counterReset: String\n open var cursor: String\n open var direction: String\n open var display: String\n open var emptyCells: String\n open var filter: String\n open var flex: String\n open var flexBasis: String\n open var flexDirection: String\n open var flexFlow: String\n open var flexGrow: String\n open var flexShrink: String\n open var flexWrap: String\n open var font: String\n open var fontFamily: String\n open var fontFeatureSettings: String\n open var fontKerning: String\n open var fontLanguageOverride: String\n open var fontSize: String\n open var fontSizeAdjust: String\n open var fontStretch: String\n open var fontStyle: String\n open var fontSynthesis: String\n open var fontVariant: String\n open var fontVariantAlternates: String\n open var fontVariantCaps: String\n open var fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var fontVariantNumeric: String\n open var fontVariantPosition: String\n open var fontWeight: String\n open var hangingPunctuation: String\n open var height: String\n open var hyphens: String\n open var imageOrientation: String\n open var imageRendering: String\n open var imageResolution: String\n open var imeMode: String\n open var justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak: String\n open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var

```

listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom:
String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open
var mark: String\n open var markAfter: String\n open var markBefore: String\n open var marks: String\n
open var marqueeDirection: String\n open var marqueePlayCount: String\n open var marqueeSpeed: String\n
open var marqueeStyle: String\n open var mask: String\n open var maskType: String\n open var maxHeight:
String\n open var maxWidth: String\n open var minHeight: String\n open var minWidth: String\n open var
navDown: String\n open var navIndex: String\n open var navLeft: String\n open var navRight: String\n open
var navUp: String\n open var objectFit: String\n open var objectPosition: String\n open var opacity: String\n
open var order: String\n open var orphans: String\n open var outline: String\n open var outlineColor: String\n
open var outlineOffset: String\n open var outlineStyle: String\n open var outlineWidth: String\n open var
overflowWrap: String\n open var overflowX: String\n open var overflowY: String\n open var padding:
String\n open var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String\n
open var paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open
var pageBreakInside: String\n open var perspective: String\n open var perspectiveOrigin: String\n open var
phonemes: String\n open var position: String\n open var quotes: String\n open var resize: String\n open var
rest: String\n open var restAfter: String\n open var restBefore: String\n open var right: String\n open var
tabSize: String\n open var tableLayout: String\n open var textAlign: String\n open var textAlignLast: String\n
open var textCombineUpright: String\n open var textDecoration: String\n open var textDecorationColor:
String\n open var textDecorationLine: String\n open var textDecorationStyle: String\n open var textIndent:
String\n open var textJustify: String\n open var textOrientation: String\n open var textOverflow: String\n
open var textShadow: String\n open var textTransform: String\n open var textUnderlinePosition: String\n open
var top: String\n open var transform: String\n open var transformOrigin: String\n open var transformStyle:
String\n open var transition: String\n open var transitionDelay: String\n open var transitionDuration: String\n
open var transitionProperty: String\n open var transitionTimingFunction: String\n open var unicodeBidi:
String\n open var verticalAlign: String\n open var visibility: String\n open var voiceBalance: String\n open
var voiceDuration: String\n open var voicePitch: String\n open var voicePitchRange: String\n open var
voiceRate: String\n open var voiceStress: String\n open var voiceVolume: String\n open var whiteSpace:
String\n open var widows: String\n open var width: String\n open var wordBreak: String\n open var
wordSpacing: String\n open var wordWrap: String\n open var writingMode: String\n open var zIndex: String\n
open var _dashed_attribute: String\n open var _camel_cased_attribute: String\n open var
_webkit_cased_attribute: String\n fun getPropertyValue(property: String): String\n fun
getPropertyPriority(property: String): String\n fun setProperty(property: String, value: String, priority: String =
definedExternally)\n fun setPropertyValue(property: String, value: String)\n fun setPropertyPriority(property:
String, priority: String)\n fun removeProperty(property: String): String\n override fun item(index: Int):
String\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
CSSStyleDeclaration.get(index: Int): String? = asDynamic()[index]\n\npublic external interface
ElementCSSInlineStyle {\n val style: CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript
[CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n *\n\npublic external abstract class CSS {\n
companion object {\n fun escape(ident: String): String\n }\n}\n\npublic external interface
UnionElementOrProcessingInstruction, \"/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See
github.com/kotlin/dukat for details\n\npackage org.w3c.dom.encryptedmedia\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes the JavaScript
[MediaKeySystemConfiguration](https://developer.mozilla.org/en/docs/Web/API/MediaKeySystemConfiguration)
to Kotlin\n *\n\npublic external interface MediaKeySystemConfiguration {\n var label: String? /* = \"\" *\n
get() = definedExternally\n set(value) = definedExternally\n var initDataTypes: Array<String>? /* = arrayOf()

```

```

*\n    get() = definedExternally\n    set(value) = definedExternally\n    var audioCapabilities:
Array<MediaKeySystemMediaCapability>? /* = arrayOf() */\n    get() = definedExternally\n    set(value) =
definedExternally\n    var videoCapabilities: Array<MediaKeySystemMediaCapability>? /* = arrayOf() */\n
get() = definedExternally\n    set(value) = definedExternally\n    var distinctiveIdentifier:
MediaKeysRequirement? /* = MediaKeysRequirement.OPTIONAL */\n    get() = definedExternally\n
set(value) = definedExternally\n    var persistentState: MediaKeysRequirement? /* =
MediaKeysRequirement.OPTIONAL */\n    get() = definedExternally\n    set(value) = definedExternally\n
var sessionTypes: Array<String>?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaKeySystemConfiguration(label:
String? = \"\", initDataTypes: Array<String>? = arrayOf(), audioCapabilities:
Array<MediaKeySystemMediaCapability>? = arrayOf(), videoCapabilities:
Array<MediaKeySystemMediaCapability>? = arrayOf(), distinctiveIdentifier: MediaKeysRequirement? =
MediaKeysRequirement.OPTIONAL, persistentState: MediaKeysRequirement? =
MediaKeysRequirement.OPTIONAL, sessionTypes: Array<String>? = undefined): MediaKeySystemConfiguration
{\n    val o = js(\"({})\")\n    o[\"label\"] = label\n    o[\"initDataTypes\"] = initDataTypes\n
o[\"audioCapabilities\"] = audioCapabilities\n    o[\"videoCapabilities\"] = videoCapabilities\n
o[\"distinctiveIdentifier\"] = distinctiveIdentifier\n    o[\"persistentState\"] = persistentState\n    o[\"sessionTypes\"]
= sessionTypes\n    return o\n}\n\npublic external interface MediaKeySystemMediaCapability {\n    var
contentType: String? /* = \"\" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var
robustness: String? /* = \"\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
MediaKeySystemMediaCapability(contentType: String? = \"\", robustness: String? = \"\"):
MediaKeySystemMediaCapability {\n    val o = js(\"({})\")\n    o[\"contentType\"] = contentType\n
o[\"robustness\"] = robustness\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MediaKeySystemAccess](https://developer.mozilla.org/en/docs/Web/API/MediaKeySystemAccess) to Kotlin\n
*/\n\npublic external abstract class MediaKeySystemAccess {\n    open val keySystem: String\n    fun
getConfiguration(): MediaKeySystemConfiguration\n    fun createMediaKeys(): Promise<MediaKeys>\n}\n\n/**\n
 * Exposes the JavaScript [MediaKeys](https://developer.mozilla.org/en/docs/Web/API/MediaKeys) to Kotlin\n
*/\n\npublic external abstract class MediaKeys {\n    fun createSession(sessionType: MediaKeySessionType =
definedExternally): MediaKeySession\n    fun setServerCertificate(serverCertificate: dynamic):
Promise<Boolean>\n}\n\n/**\n * Exposes the JavaScript
[MediaKeySession](https://developer.mozilla.org/en/docs/Web/API/MediaKeySession) to Kotlin\n
*/\n\npublic external abstract class MediaKeySession : EventTarget {\n    open val sessionId: String\n    open val expiration:
Double\n    open val closed: Promise<Unit>\n    open val keyStatuses: MediaKeyStatusMap\n    open var
onkeystatuschange: ((Event) -> dynamic)?\n    open var onmessage: ((MessageEvent) -> dynamic)?\n    fun
generateRequest(initDataType: String, initData: dynamic): Promise<Unit>\n    fun load(sessionId: String):
Promise<Boolean>\n    fun update(response: dynamic): Promise<Unit>\n    fun close(): Promise<Unit>\n    fun
remove(): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[MediaKeyStatusMap](https://developer.mozilla.org/en/docs/Web/API/MediaKeyStatusMap) to Kotlin\n
*/\n\npublic external abstract class MediaKeyStatusMap {\n    open val size: Int\n    fun has(keyId: dynamic): Boolean\n    fun
get(keyId: dynamic): Any?\n}\n\n/**\n * Exposes the JavaScript
[MediaKeyMessageEvent](https://developer.mozilla.org/en/docs/Web/API/MediaKeyMessageEvent) to Kotlin\n
*/\n\npublic external open class MediaKeyMessageEvent(type: String, eventInitDict: MediaKeyMessageEventInit) :
Event {\n    open val messageType: MediaKeyMessageType\n    open val message: ArrayBuffer\n\n    companion
object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val
BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface MediaKeyMessageEventInit : EventInit {\n    var

```

```

messageType: MediaKeyMessageType? \n  var message:
ArrayBuffer? \n} \n\n@Suppress(\\"INVISIBLE_REFERENCE\\",
\\"INVISIBLE_MEMBER\\") \n@kotlin.internal.InlineOnly \npublic inline fun
MediaKeyMessageEventInit(messageType: MediaKeyMessageType?, message: ArrayBuffer?, bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): MediaKeyMessageEventInit {\n  val o =
js(\\"({})\\") \n  o[\\"messageType\\"] = messageType \n  o[\\"message\\"] = message \n  o[\\"bubbles\\"] = bubbles \n
o[\\"cancelable\\"] = cancelable \n  o[\\"composed\\"] = composed \n  return o \n} \n\npublic external open class
MediaEncryptedEvent(type: String, eventInitDict: MediaEncryptedEventInit = definedExternally) : Event {\n
open val initDataType: String \n  open val initData: ArrayBuffer? \n\n  companion object {\n    val NONE:
Short \n    val CAPTURING_PHASE: Short \n    val AT_TARGET: Short \n    val BUBBLING_PHASE:
Short \n  } \n} \n\npublic external interface MediaEncryptedEventInit : EventInit {\n  var initDataType: String? /* =
\\"\" */ \n  get() = definedExternally \n  set(value) = definedExternally \n  var initData: ArrayBuffer? /* = null
*/ \n  get() = definedExternally \n  set(value) =
definedExternally \n} \n\n@Suppress(\\"INVISIBLE_REFERENCE\\",
\\"INVISIBLE_MEMBER\\") \n@kotlin.internal.InlineOnly \npublic inline fun
MediaEncryptedEventInit(initDataType: String? = \\"\", initData: ArrayBuffer? = null, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): MediaEncryptedEventInit {\n  val o = js(\\"({})\\") \n
o[\\"initDataType\\"] = initData \n  o[\\"initData\\"] = initData \n  o[\\"bubbles\\"] = bubbles \n  o[\\"cancelable\\"]
= cancelable \n  o[\\"composed\\"] = composed \n  return o \n} \n\n/* please, don't implement this interface!
*/ \n\n@JsName(\\"null\\") \n@Suppress(\\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\\") \npublic external
interface MediaKeysRequirement {\n  companion object \n} \n\npublic inline val
MediaKeysRequirement.Companion.REQUIRED: MediaKeysRequirement get() =
\\"required\\".asDynamic().unsafeCast<MediaKeysRequirement>() \n\npublic inline val
MediaKeysRequirement.Companion.OPTIONAL: MediaKeysRequirement get() =
\\"optional\\".asDynamic().unsafeCast<MediaKeysRequirement>() \n\npublic inline val
MediaKeysRequirement.Companion.NOT_ALLOWED: MediaKeysRequirement get() = \\"not-
allowed\\".asDynamic().unsafeCast<MediaKeysRequirement>() \n\n/* please, don't implement this interface!
*/ \n\n@JsName(\\"null\\") \n@Suppress(\\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\\") \npublic external
interface MediaKeySessionType {\n  companion object \n} \n\npublic inline val
MediaKeySessionType.Companion.TEMPORARY: MediaKeySessionType get() =
\\"temporary\\".asDynamic().unsafeCast<MediaKeySessionType>() \n\npublic inline val
MediaKeySessionType.Companion.PERSISTENT_LICENSE: MediaKeySessionType get() = \\"persistent-
license\\".asDynamic().unsafeCast<MediaKeySessionType>() \n\n/* please, don't implement this interface!
*/ \n\n@JsName(\\"null\\") \n@Suppress(\\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\\") \npublic external
interface MediaKeyStatus {\n  companion object \n} \n\npublic inline val MediaKeyStatus.Companion.USABLE:
MediaKeyStatus get() = \\"usable\\".asDynamic().unsafeCast<MediaKeyStatus>() \n\npublic inline val
MediaKeyStatus.Companion.EXPIRED: MediaKeyStatus get() =
\\"expired\\".asDynamic().unsafeCast<MediaKeyStatus>() \n\npublic inline val
MediaKeyStatus.Companion.RELEASED: MediaKeyStatus get() =
\\"released\\".asDynamic().unsafeCast<MediaKeyStatus>() \n\npublic inline val
MediaKeyStatus.Companion.OUTPUT_RESTRICTED: MediaKeyStatus get() = \\"output-
restricted\\".asDynamic().unsafeCast<MediaKeyStatus>() \n\npublic inline val
MediaKeyStatus.Companion.OUTPUT_DOWNSCALED: MediaKeyStatus get() = \\"output-
downscaled\\".asDynamic().unsafeCast<MediaKeyStatus>() \n\npublic inline val
MediaKeyStatus.Companion.STATUS_PENDING: MediaKeyStatus get() = \\"status-
pending\\".asDynamic().unsafeCast<MediaKeyStatus>() \n\npublic inline val
MediaKeyStatus.Companion.INTERNAL_ERROR: MediaKeyStatus get() = \\"internal-
error\\".asDynamic().unsafeCast<MediaKeyStatus>() \n\n/* please, don't implement this interface!

```

```

*\n@jsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface MediaKeyMessageType {\n    companion object\n}\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_REQUEST: MediaKeyMessageType get() = "license-
request".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_RENEWAL: MediaKeyMessageType get() = "license-
renewal".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.LICENSE_RELEASE: MediaKeyMessageType get() = "license-
release".asDynamic().unsafeCast<MediaKeyMessageType>()\n\npublic inline val
MediaKeyMessageType.Companion.INDIVIDUALIZATION_REQUEST: MediaKeyMessageType get() =
"individualization-request".asDynamic().unsafeCast<MediaKeyMessageType>()"/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage
org.w3c.dom.events\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\n\n/**\n * Exposes
the JavaScript [UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin\n */\n\npublic external
open class UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\n    open val view:
Window?\n    open val detail: Int?\n    companion object {\n        val NONE: Short\n        val
CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n
    }\n}\n\npublic external interface UIEventInit : EventInit {\n    var view: Window? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var detail: Int? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun UIEventInit(view: Window? = null,
detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): UIEventInit
{\n    val o = js("{}")\n    o["view"] = view\n    o["detail"] = detail\n    o["bubbles"] = bubbles\n
    o["cancelable"] = cancelable\n    o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\n */\n\npublic external open class
FocusEvent(type: String, eventInitDict: FocusEventInit = definedExternally) : UIEvent {\n    open val relatedTarget:
EventTarget?\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val
AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface FocusEventInit :
UIEventInit {\n    var relatedTarget: EventTarget? /* = null */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun FocusEventInit(relatedTarget:
EventTarget? = null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? =
false, composed: Boolean? = false): FocusEventInit {\n    val o = js("{}")\n    o["relatedTarget"] =
relatedTarget\n    o["view"] = view\n    o["detail"] = detail\n    o["bubbles"] = bubbles\n    o["cancelable"] =
cancelable\n    o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\n */\n\npublic external open
class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) : UIEvent,
UnionElementOrMouseEvent {\n    open val screenX: Int?\n    open val screenY: Int?\n    open val clientX: Int?\n
    open val clientY: Int?\n    open val ctrlKey: Boolean?\n    open val shiftKey: Boolean?\n    open val altKey: Boolean?\n
    open val metaKey: Boolean?\n    open val button: Short?\n    open val buttons: Short?\n    open val relatedTarget:
EventTarget?\n    open val region: String?\n    open val pageX: Double?\n    open val pageY: Double?\n    open val x:
Double?\n    open val y: Double?\n    open val offsetX: Double?\n    open val offsetY: Double?\n    fun
getModifierState(keyArg: String): Boolean\n    companion object {\n        val NONE: Short\n        val
CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n
    }\n}\n\npublic external interface MouseEventInit : EventModifierInit {\n    var screenX: Int? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var screenY: Int? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var clientX: Int? /* = 0 */\n    get() =

```

```

definedExternally\n    set(value) = definedExternally\n    var clientY: Int? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var button: Short? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var buttons: Short? /* = 0 */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var relatedTarget: EventTarget? /* = null */\n    get()
= definedExternally\n    set(value) = definedExternally\n    var region: String? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun MouseEventInit(screenX: Int? = 0,
screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget:
EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean?
= false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false,
modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false,
modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false,
modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MouseEventInit {\n    val o =
js(\"({})\")\n    o[\"screenX\"] = screenX\n    o[\"screenY\"] = screenY\n    o[\"clientX\"] = clientX\n    o[\"clientY\"]
= clientY\n    o[\"button\"] = button\n    o[\"buttons\"] = buttons\n    o[\"relatedTarget\"] = relatedTarget\n
o[\"region\"] = region\n    o[\"ctrlKey\"] = ctrlKey\n    o[\"shiftKey\"] = shiftKey\n    o[\"altKey\"] = altKey\n
o[\"metaKey\"] = metaKey\n    o[\"modifierAltGraph\"] = modifierAltGraph\n    o[\"modifierCapsLock\"] =
modifierCapsLock\n    o[\"modifierFn\"] = modifierFn\n    o[\"modifierFnLock\"] = modifierFnLock\n
o[\"modifierHyper\"] = modifierHyper\n    o[\"modifierNumLock\"] = modifierNumLock\n
o[\"modifierScrollLock\"] = modifierScrollLock\n    o[\"modifierSuper\"] = modifierSuper\n
o[\"modifierSymbol\"] = modifierSymbol\n    o[\"modifierSymbolLock\"] = modifierSymbolLock\n    o[\"view\"] =
view\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] =
composed\n    return o\n}\n\npublic external interface EventModifierInit : UIEventInit {\n    var ctrlKey: Boolean?
/* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var shiftKey: Boolean? /* =
false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var altKey: Boolean? /* = false
*/\n    get() = definedExternally\n    set(value) = definedExternally\n    var metaKey: Boolean? /* = false */\n
get() = definedExternally\n    set(value) = definedExternally\n    var modifierAltGraph: Boolean? /* = false */\n
get() = definedExternally\n    set(value) = definedExternally\n    var modifierCapsLock: Boolean? /* = false
*/\n    get() = definedExternally\n    set(value) = definedExternally\n    var modifierFn: Boolean? /* = false */\n
get() = definedExternally\n    set(value) = definedExternally\n    var modifierFnLock: Boolean? /* = false */\n
get() = definedExternally\n    set(value) = definedExternally\n    var modifierHyper: Boolean? /* = false */\n
get() = definedExternally\n    set(value) = definedExternally\n    var modifierNumLock: Boolean? /* = false */\n
get() = definedExternally\n    set(value) = definedExternally\n    var modifierScrollLock: Boolean? /* = false
*/\n    get() = definedExternally\n    set(value) = definedExternally\n    var modifierSuper: Boolean? /* = false
*/\n    get() = definedExternally\n    set(value) = definedExternally\n    var modifierSymbol: Boolean? /* = false
*/\n    get() = definedExternally\n    set(value) = definedExternally\n    var modifierSymbolLock: Boolean? /* =
false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun EventModifierInit(ctrlKey: Boolean? =
false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph:
Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? =
false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): EventModifierInit {\n    val o = js(\"({})\")\n    o[\"ctrlKey\"] = ctrlKey\n    o[\"shiftKey\"] = shiftKey\n
o[\"altKey\"] = altKey\n    o[\"metaKey\"] = metaKey\n    o[\"modifierAltGraph\"] = modifierAltGraph\n
o[\"modifierCapsLock\"] = modifierCapsLock\n    o[\"modifierFn\"] = modifierFn\n    o[\"modifierFnLock\"] =

```

```

modifierFnLock\n o["modifierHyper"] = modifierHyper\n o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n o["modifierSymbolLock"] = modifierSymbolLock\n o["view"] =
view\n o["detail"] = detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] =
composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent) to Kotlin\n */\npublic external open
class WheelEvent(type: String, eventInitDict: WheelEventInit = definedExternally) : MouseEvent {\n open val
deltaX: Double\n open val deltaY: Double\n open val deltaZ: Double\n open val deltaMode: Int\n\n
companion object {\n val DOM_DELTA_PIXEL: Int\n val DOM_DELTA_LINE: Int\n val
DOM_DELTA_PAGE: Int\n val NONE: Short\n val CAPTURING_PHASE: Short\n val
AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface WheelEventInit :
MouseEventInit {\n var deltaX: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var deltaY: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var deltaZ: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var deltaMode: Int? /* = 0 */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\npublic inline fun WheelEventInit(deltaX: Double? = 0.0,
deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX: Int? = 0, screenY: Int? = 0, clientX:
Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region:
String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean?
= false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false,
modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,
modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false,
modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {\n val o = js("{}")\n
o["deltaX"] = deltaX\n o["deltaY"] = deltaY\n o["deltaZ"] = deltaZ\n o["deltaMode"] = deltaMode\n
o["screenX"] = screenX\n o["screenY"] = screenY\n o["clientX"] = clientX\n o["clientY"] = clientY\n
o["button"] = button\n o["buttons"] = buttons\n o["relatedTarget"] = relatedTarget\n o["region"] =
region\n o["ctrlKey"] = ctrlKey\n o["shiftKey"] = shiftKey\n o["altKey"] = altKey\n o["metaKey"] =
metaKey\n o["modifierAltGraph"] = modifierAltGraph\n o["modifierCapsLock"] = modifierCapsLock\n
o["modifierFn"] = modifierFn\n o["modifierFnLock"] = modifierFnLock\n o["modifierHyper"] =
modifierHyper\n o["modifierNumLock"] = modifierNumLock\n o["modifierScrollLock"] =
modifierScrollLock\n o["modifierSuper"] = modifierSuper\n o["modifierSymbol"] = modifierSymbol\n
o["modifierSymbolLock"] = modifierSymbolLock\n o["view"] = view\n o["detail"] = detail\n
o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return
o\n}\n\n/**\n * Exposes the JavaScript [InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to
Kotlin\n */\npublic external open class InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) :
UIEvent {\n open val data: String\n open val isComposing: Boolean\n\n companion object {\n val NONE:
Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE:
Short\n }\n}\n\npublic external interface InputEventInit : UIEventInit {\n var data: String? /* = "" */\n
get() = definedExternally\n set(value) = definedExternally\n var isComposing: Boolean? /* = false */\n
get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\npublic inline fun InputEventInit(data: String? = "",
isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): InputEventInit {\n val o = js("{}")\n o["data"] = data\n
o["isComposing"] = isComposing\n o["view"] = view\n o["detail"] = detail\n o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n o["composed"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to Kotlin\n */\npublic external

```

```

open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {
    open val key: String
    open val code: String
    open val location: Int
    open val ctrlKey: Boolean
    open val shiftKey: Boolean
    open val altKey: Boolean
    open val metaKey: Boolean
    open val repeat: Boolean
    open val isComposing: Boolean
    open val charCode: Int
    open val keyCode: Int
    open val which: Int
    fun getModifierState(keyArg: String): Boolean
    companion object {
        val
        DOM_KEY_LOCATION_STANDARD: Int
        val DOM_KEY_LOCATION_LEFT: Int
        val
        DOM_KEY_LOCATION_RIGHT: Int
        val DOM_KEY_LOCATION_NUMPAD: Int
        val NONE:
        Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE:
        Short
    }
}

public external interface KeyboardEventInit : EventModifierInit {
    var key: String? /* = "" */
    *
    get() = definedExternally
    set(value) = definedExternally
    var code: String? /* = "" */
    *
    get() =
    definedExternally
    set(value) = definedExternally
    var location: Int? /* = 0 */
    *
    get() =
    definedExternally
    set(value) = definedExternally
    var repeat: Boolean? /* = false */
    *
    get() =
    definedExternally
    set(value) = definedExternally
    var isComposing: Boolean? /* = false */
    *
    get() =
    definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun KeyboardEventInit(key: String? = "",
code: String? = "", location: Int? = 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): KeyboardEventInit {
    val o = js("{}")
    o["key"] = key
    o["code"] = code
    o["location"] = location
    o["repeat"] = repeat
    o["isComposing"] = isComposing
    o["ctrlKey"] = ctrlKey
    o["shiftKey"] = shiftKey
    o["altKey"] = altKey
    o["metaKey"] = metaKey
    o["modifierAltGraph"] = modifierAltGraph
    o["modifierCapsLock"] = modifierCapsLock
    o["modifierFn"] = modifierFn
    o["modifierFnLock"] = modifierFnLock
    o["modifierHyper"] = modifierHyper
    o["modifierNumLock"] = modifierNumLock
    o["modifierScrollLock"] = modifierScrollLock
    o["modifierSuper"] = modifierSuper
    o["modifierSymbol"] = modifierSymbol
    o["modifierSymbolLock"] = modifierSymbolLock
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript
[CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin */
public external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) :
UIEvent {
    open val data: String
    companion object {
        val NONE: Short
        val
        CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}

public external interface CompositionEventInit : UIEventInit {
    var data: String? /* = "" */
    *
    get() =
    definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun CompositionEventInit(data: String? = "", view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CompositionEventInit {
    val o = js("{}")
    o["data"] = data
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] =
    composed
    return o
}

/** Exposes the JavaScript
[Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin */
public external open class
Event(type: String, eventInitDict: EventInit = definedExternally) {
    open val type: String
    open val target:
    EventTarget?
    open val currentTarget: EventTarget?
    open val eventPhase: Short
    open val bubbles:
    Boolean
    open val cancelable: Boolean
    open val defaultPrevented: Boolean
    open val composed:
    Boolean
    open val isTrusted: Boolean
    open val timeStamp: Number
    fun composedPath():
    Array<EventTarget>
    fun stopPropagation()
    fun stopImmediatePropagation()
    fun preventDefault()
    fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean)
    companion object {
        val NONE:

```

```

Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE:
Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin\n *\npublic external abstract
class EventTarget {\n    fun addEventListener(type: String, callback: EventListener?, options: dynamic =
definedExternally)\n    fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
definedExternally)\n    fun removeEventListener(type: String, callback: EventListener?, options: dynamic =
definedExternally)\n    fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
definedExternally)\n    fun dispatchEvent(event: Event): Boolean\n}\n\n/**\n * Exposes the JavaScript
[EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin\n *\npublic external
interface EventListener {\n    fun handleEvent(event: Event)\n}\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport
org.w3c.dom.encryptedmedia.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport
org.w3c.dom.mediasource.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport
org.w3c.xhr.*\n\npublic external abstract class HTMLAllCollection {\n    open val length: Int\n    fun
item(nameOrIndex: String = definedExternally): UnionElementOrHTMLCollection?\n    fun namedItem(name:
String): UnionElementOrHTMLCollection?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLAllCollection.get(index: Int): Element? =
asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? = asDynamic()[name]\n\n/**\n *
Exposes the JavaScript
[HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection)
to Kotlin\n *\npublic external abstract class HTMLFormControlsCollection : HTMLCollection\n\n/**\n * Exposes
the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\n
*\npublic external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n    open var value:
String\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\n
*\npublic external abstract class HTMLOptionsCollection : HTMLCollection {\n    override var length: Int\n    open
var selectedIndex: Int\n    fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before:
dynamic = definedExternally)\n    fun remove(index: Int)\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n *
Exposes the JavaScript [HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to
Kotlin\n *\npublic external abstract class HTMLElement : Element, GlobalEventHandlers,
DocumentAndElementEventHandlers, ElementContentEditable, ElementCSSInlineStyle {\n    open var title:
String\n    open var lang: String\n    open var translate: Boolean\n    open var dir: String\n    open val dataset:
DOMStringMap\n    open var hidden: Boolean\n    open var tabIndex: Int\n    open var accessKey: String\n    open
val accessKeyLabel: String\n    open var draggable: Boolean\n    open val dropzone: DOMTokenList\n    open var
contextMenu: HTMLMenuElement?\n    open var spellcheck: Boolean\n    open var innerText: String\n    open val
offsetParent: Element?\n    open val offsetTop: Int\n    open val offsetLeft: Int\n    open val offsetWidth: Int\n    open
val offsetHeight: Int\n    fun click()\n    fun focus()\n    fun blur()\n    fun forceSpellCheck()\n\n    companion object
{\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val

```

```

ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin\n
*\npublic external abstract class HTMLUnknownElement : HTML_Element {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n
*\npublic external
abstract class DOMStringMap\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMStringMap.get(name:
String): String? = asDynamic()[name]\n\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMStringMap.set(name:
String, value: String) { asDynamic()[name] = value }\n\n\n/**\n * Exposes the JavaScript
[HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n
*\npublic
external abstract class HTMLHtmlElement : HTML_Element {\n    open var version: String\n\n    companion object
{\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to Kotlin\n
*\npublic
external abstract class HTMLHeadElement : HTML_Element {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n
*\npublic
external abstract class HTMLTitleElement : HTML_Element {\n    open var text: String\n\n    companion object {\n

```

```

    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin \n * \n public
external abstract class HTMLBaseElement : HTMLElement { \n    open var href: String \n    open var target:
String \n \n    companion object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin \n * \n public
external abstract class HTMLLinkElement : HTMLElement, LinkStyle { \n    open var href: String \n    open var
crossOrigin: String? \n    open var rel: String \n    open var `as`: RequestDestination \n    open val relList:
DOMTokenList \n    open var media: String \n    open var nonce: String \n    open var hreflang: String \n    open var
type: String \n    open val sizes: DOMTokenList \n    open var referrerPolicy: String \n    open var charset: String \n
    open var rev: String \n    open var target: String \n    open var scope: String \n    open var workerType:
WorkerType \n \n    companion object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin \n * \n public
external abstract class HTMLMetaElement : HTMLElement { \n    open var name: String \n    open var httpEquiv:
String \n    open var content: String \n    open var scheme: String \n \n    companion object { \n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript

```

[HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin\n \*/\npublic external abstract class HTMLStyleElement : HTMLElement, LinkStyle {\n open var media: String\n open var nonce: String\n open var type: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin\n \*/\npublic external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers {\n open var text: String\n open var link: String\n open var vLink: String\n open var aLink: String\n open var bgColor: String\n open var background: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin\n \*/\npublic external abstract class HTMLHeadingElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin\n \*/\npublic external abstract class HTMLParagraphElement : HTMLElement {\n open var align: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin\n \*/\npublic

```

external abstract class HTMLHRElement : HTMLInputElement {\n  open var align: String\n  open var color: String\n  open var noShade: Boolean\n  open var size: String\n  open var width: String\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n  }\n\n  DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n}\n\n/**\n * Exposes the JavaScript [HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin\n */\n\npublic external abstract class HTMLPreElement : HTMLInputElement {\n  open var width: Int\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n  }\n\n  DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n}\n\n/**\n * Exposes the JavaScript [HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin\n */\n\npublic external abstract class HTMLQuoteElement : HTMLInputElement {\n  open var cite: String\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n  }\n\n  DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n}\n\n/**\n * Exposes the JavaScript [HTMLLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLOListElement) to Kotlin\n */\n\npublic external abstract class HTMLLOListElement : HTMLInputElement {\n  open var reversed: Boolean\n  open var start: Int\n  open var type: String\n  open var compact: Boolean\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n  }\n\n  DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n}\n\n/**\n * Exposes the JavaScript [HTMLULListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLULListElement) to Kotlin\n */\n\npublic external abstract class HTMLULListElement : HTMLInputElement {\n  open var compact: Boolean\n  open var type: String\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n  }\n}

```

```

val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement) to Kotlin \n * \n public
external abstract class HTMLLIElement : HTMLInputElement { \n    open var value: Int \n    open var type: String \n \n
companion object { \n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement) to Kotlin \n * \n public
external abstract class HTMLDListElement : HTMLInputElement { \n    open var compact: Boolean \n \n
companion
object { \n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE:
Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin \n * \n public
external abstract class HTMLDivElement : HTMLInputElement { \n    open var align: String \n \n
companion object { \n
    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin \n
* \n public external abstract class HTMLAnchorElement : HTMLInputElement, HTMLHyperlinkElementUtils { \n
    open var target: String \n    open var download: String \n    open var ping: String \n    open var rel: String \n
    open val relList: DOMTokenList \n    open var hreflang: String \n    open var type: String \n    open var text: String \n
    open var referrerPolicy: String \n    open var coords: String \n    open var charset: String \n    open var name: String \n
    open var rev: String \n    open var shape: String \n \n
companion object { \n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n

```

```

val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\n *\npublic
external abstract class HTMLDataElement : HTMLElement {\n    open var value: String\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\n *\npublic
external abstract class HTMLTimeElement : HTMLElement {\n    open var dateTime: String\n\n    companion
object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\n *\npublic
external abstract class HTMLSpanElement : HTMLElement {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n *\npublic
external abstract class HTMLBRElement : HTMLElement {\n    open var clear: String\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val

```

DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n/n/\*\*\n \* Exposes the JavaScript [HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to Kotlin\n \*\npublic external interface HTMLHyperlinkElementUtils {\n var href: String\n val origin: String\n var protocol: String\n var username: String\n var password: String\n var host: String\n var hostname: String\n var port: String\n var pathname: String\n var search: String\n var hash: String\n }\n/n/\*\*\n \* Exposes the JavaScript [HTMLModElement](https://developer.mozilla.org/en/docs/Web/API/HTMLModElement) to Kotlin\n \*\npublic external abstract class HTMLModElement : HTMLModElement {\n open var cite: String\n open var dateTime: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n/n/\*\*\n \* Exposes the JavaScript [HTMLPictureElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPictureElement) to Kotlin\n \*\npublic external abstract class HTMLPictureElement : HTMLModElement {\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n/n/\*\*\n \* Exposes the JavaScript [HTMLSourceElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSourceElement) to Kotlin\n \*\npublic external abstract class HTMLSourceElement : HTMLModElement {\n open var src: String\n open var type: String\n open var srset: String\n open var sizes: String\n open var media: String\n\n companion object {\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n/n/\*\*\n \* Exposes the JavaScript [HTMLImageElement](https://developer.mozilla.org/en/docs/Web/API/HTMLImageElement) to Kotlin\n \*\npublic external abstract class HTMLImageElement : HTMLModElement, HTMLModElement, HTMLModElement, HTMLModElement, HTMLModElement {\n open var alt: String\n open var src: String\n open var srset: String\n open var sizes: String\n open var crossOrigin: String?\n open var useMap: String\n open var isMap: Boolean\n open var width: Int\n open var height: Int\n open val naturalWidth: Int\n open val naturalHeight: Int\n open val

```

complete: Boolean\n  open val currentSrc: String\n  open var referrerPolicy: String\n  open var name: String\n  open var lowsrc: String\n  open var align: String\n  open var hspace: Int\n  open var vspace: Int\n  open var longDesc: String\n  open var border: String\n  open val x: Int\n  open val y: Int\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript [HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin\n *\n * \npublic external abstract class HTMLIFrameElement : HTMLInputElement {\n  open var src: String\n  open var srcdoc: String\n  open var name: String\n  open val sandbox: DOMTokenList\n  open var allowFullscreen: Boolean\n  open var allowUserMedia: Boolean\n  open var width: String\n  open var height: String\n  open var referrerPolicy: String\n  open val contentDocument: Document?\n  open val contentWindow: Window?\n  open var align: String\n  open var scrolling: String\n  open var frameBorder: String\n  open var longDesc: String\n  open var marginHeight: String\n  open var marginWidth: String\n  fun getSVGDocument(): Document?\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript [HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin\n *\n * \npublic external abstract class HTMLEmbedElement : HTMLInputElement {\n  open var src: String\n  open var type: String\n  open var width: String\n  open var height: String\n  open var align: String\n  open var name: String\n  fun getSVGDocument(): Document?\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript [HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to Kotlin\n *\n * \npublic external abstract class HTMLObjectElement : HTMLInputElement {\n  open var data: String\n  open var type: String\n  open var typeMustMatch: Boolean\n  open var name: String\n  open var useMap: String\n  open var form: HTMLFormElement?\n  open var width: String\n  open var height: String\n  open val contentDocument: Document?\n  open val contentWindow: Window?\n  open val willValidate: Boolean\n  open val validity: ValidityState\n  open val validationMessage: String\n  open var align: String\n  open var archive: String\n  open var code: String\n  open var declare: Boolean\n  open var hspace: Int\n  open var standby:

```

```

String\n open var vspace: Int\n open var codeBase: String\n open var codeType: String\n open var border:
String\n fun getSVGDocument(): Document?\n fun checkValidity(): Boolean\n fun reportValidity():
Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to Kotlin\n
*\npublic external abstract class HTMLParamElement : HTMLElement {\n open var name: String\n open var
value: String\n open var type: String\n open var valueType: String\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin\n
*\npublic external abstract class HTMLVideoElement : HTMLMediaElement, CanvasImageSource, TexImageSource {\n
open var width: Int\n open var height: Int\n open val videoWidth: Int\n open val videoHeight: Int\n open var
poster: String\n open var playsInline: Boolean\n\n companion object {\n val NETWORK_EMPTY: Short\n
val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val NETWORK_NO_SOURCE:
Short\n val HAVE_NOTHING: Short\n val HAVE_METADATA: Short\n val
HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA: Short\n val HAVE_ENOUGH_DATA:
Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement) to Kotlin\n
*\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\n companion object {\n val
NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n
val NETWORK_NO_SOURCE: Short\n val HAVE_NOTHING: Short\n val HAVE_METADATA:
Short\n val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA: Short\n val
HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val

```

```

COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin \n
*\npublic external abstract class HTMLTrackElement : HTMLElement { \n    open var kind: String \n
    open var src: String \n    open var srclang: String \n    open var label: String \n
    open var default: Boolean \n    open val readyState: Short \n    open val track: TextTrack \n
    companion object { \n        val NONE: Short \n        val LOADING: Short \n        val
LOADED: Short \n        val ERROR: Short \n        val ELEMENT_NODE: Short \n        val ATTRIBUTE_NODE:
Short \n        val TEXT_NODE: Short \n        val CDATA_SECTION_NODE: Short \n        val
ENTITY_REFERENCE_NODE: Short \n        val ENTITY_NODE: Short \n        val
PROCESSING_INSTRUCTION_NODE: Short \n        val COMMENT_NODE: Short \n        val
DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n        val
DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED: Short \n        val DOCUMENT_POSITION_PRECEDING: Short \n
        val DOCUMENT_POSITION_FOLLOWING: Short \n        val DOCUMENT_POSITION_CONTAINS: Short \n
        val DOCUMENT_POSITION_CONTAINED_BY: Short \n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to Kotlin \n
*\npublic external abstract class HTMLMediaElement : HTMLElement { \n    open val error: MediaError? \n
    open var src: String \n    open var srcObject: MediaProvider? \n    open val currentSrc: String \n
    open var crossOrigin: String? \n    open val networkState: Short \n    open var preload: String \n
    open val buffered: TimeRanges \n    open val readyState: Short \n    open val seeking: Boolean \n
    open var currentTime: Double \n    open val duration: Double \n    open val paused: Boolean \n
    open var defaultPlaybackRate: Double \n    open var playbackRate: Double \n    open val played:
TimeRanges \n    open val seekable: TimeRanges \n    open val ended: Boolean \n    open
var autoplay: Boolean \n    open var loop: Boolean \n    open var controls: Boolean \n    open var
volume: Double \n    open var muted: Boolean \n    open var defaultMuted: Boolean \n    open val
audioTracks: AudioTrackList \n    open val videoTracks: VideoTrackList \n    open val textTracks:
TextTrackList \n    open val mediaKeys: MediaKeys? \n    open var onencrypted: ((Event) ->
dynamic)? \n    open var onwaitingforkey: ((Event) -> dynamic)? \n    fun load() \n    fun
canPlayType(type: String): CanPlayTypeResult \n    fun fastSeek(time: Double) \n    fun
getStartDate(): dynamic \n    fun play(): Promise<Unit> \n    fun pause() \n    fun addTextTrack(kind:
TextTrackKind, label: String = definedExternally, language: String = definedExternally): TextTrack \n
    fun setMediaKeys(mediaKeys: MediaKeys?): Promise<Unit> \n    companion object { \n        val
NETWORK_EMPTY: Short \n        val NETWORK_IDLE: Short \n        val NETWORK_LOADING: Short \n
        val NETWORK_NO_SOURCE: Short \n        val HAVE_NOTHING: Short \n        val HAVE_METADATA:
Short \n        val HAVE_CURRENT_DATA: Short \n        val HAVE_FUTURE_DATA: Short \n        val
HAVE_ENOUGH_DATA: Short \n        val ELEMENT_NODE: Short \n        val ATTRIBUTE_NODE: Short \n
        val TEXT_NODE: Short \n        val CDATA_SECTION_NODE: Short \n        val ENTITY_REFERENCE_NODE:
Short \n        val ENTITY_NODE: Short \n        val PROCESSING_INSTRUCTION_NODE: Short \n        val
COMMENT_NODE: Short \n        val DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n
        val DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED: Short \n        val DOCUMENT_POSITION_PRECEDING: Short \n
        val DOCUMENT_POSITION_FOLLOWING: Short \n        val DOCUMENT_POSITION_CONTAINS: Short \n
        val DOCUMENT_POSITION_CONTAINED_BY: Short \n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n /** \n * Exposes the JavaScript
[MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin \n
*\npublic external abstract

```

```

class MediaError {\n  open val code: Short\n\n  companion object {\n    val MEDIA_ERR_ABORTED: Short\n    val MEDIA_ERR_NETWORK: Short\n    val MEDIA_ERR_DECODE: Short\n    val MEDIA_ERR_SRC_NOT_SUPPORTED: Short\n  }\n}\n\n/**\n * Exposes the JavaScript [AudioTrackList](https://developer.mozilla.org/en/docs/Web/API/AudioTrackList) to Kotlin\n */\n\npublic external abstract class AudioTrackList : EventTarget {\n  open val length: Int\n  open var onchange: ((Event) -> dynamic)?\n  open var onaddtrack: ((TrackEvent) -> dynamic)?\n  open var onremovetrack: ((TrackEvent) -> dynamic)?\n  fun getTrackById(id: String): AudioTrack?\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun AudioTrackList.get(index: Int): AudioTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [AudioTrack](https://developer.mozilla.org/en/docs/Web/API/AudioTrack) to Kotlin\n */\n\npublic external abstract class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n  open val id: String\n  open val kind: String\n  open val label: String\n  open val language: String\n  open var enabled: Boolean\n  open val sourceBuffer: SourceBuffer?\n}\n\n/**\n * Exposes the JavaScript [VideoTrackList](https://developer.mozilla.org/en/docs/Web/API/VideoTrackList) to Kotlin\n */\n\npublic external abstract class VideoTrackList : EventTarget {\n  open val length: Int\n  open val selectedIndex: Int\n  open var onchange: ((Event) -> dynamic)?\n  open var onaddtrack: ((TrackEvent) -> dynamic)?\n  open var onremovetrack: ((TrackEvent) -> dynamic)?\n  fun getTrackById(id: String): VideoTrack?\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun VideoTrackList.get(index: Int): VideoTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [VideoTrack](https://developer.mozilla.org/en/docs/Web/API/VideoTrack) to Kotlin\n */\n\npublic external abstract class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n  open val id: String\n  open val kind: String\n  open val label: String\n  open val language: String\n  open var selected: Boolean\n  open val sourceBuffer: SourceBuffer?\n}\n\npublic external abstract class TextTrackList : EventTarget {\n  open val length: Int\n  open var onchange: ((Event) -> dynamic)?\n  open var onaddtrack: ((TrackEvent) -> dynamic)?\n  open var onremovetrack: ((TrackEvent) -> dynamic)?\n  fun getTrackById(id: String): TextTrack?\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun TextTrackList.get(index: Int): TextTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n */\n\npublic external abstract class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\n  open val kind: TextTrackKind\n  open val label: String\n  open val language: String\n  open val id: String\n  open val inBandMetadataTrackDispatchType: String\n  open var mode: TextTrackMode\n  open val cues: TextTrackCueList?\n  open val activeCues: TextTrackCueList?\n  open var oncuechange: ((Event) -> dynamic)?\n  open val sourceBuffer: SourceBuffer?\n  fun addCue(cue: TextTrackCue)\n  fun removeCue(cue: TextTrackCue)\n}\n\npublic external abstract class TextTrackCueList {\n  open val length: Int\n  fun getCueById(id: String): TextTrackCue?\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun TextTrackCueList.get(index: Int): TextTrackCue? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [TextTrackCue](https://developer.mozilla.org/en/docs/Web/API/TextTrackCue) to Kotlin\n */\n\npublic external abstract class TextTrackCue : EventTarget {\n  open val track: TextTrack?\n  open var id: String\n  open var startTime: Double\n  open var endTime: Double\n  open var pauseOnExit: Boolean\n  open var onenter: ((Event) -> dynamic)?\n  open var onexit: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript [TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n */\n\npublic external abstract class TimeRanges {\n  open val length: Int\n  fun start(index: Int): Double\n  fun end(index: Int): Double\n}\n\n/**\n * Exposes the JavaScript [TrackEvent](https://developer.mozilla.org/en/docs/Web/API/TrackEvent) to Kotlin\n */\n\npublic external open class TrackEvent(type: String, eventInitDict: TrackEventInit = definedExternally) : Event {\n  open val track:

```

```

UnionAudioTrackOrTextTrackOrVideoTrack? companion object {
    val NONE: Short
    val CAPTURING_PHASE: Short
    val AT_TARGET: Short
    val BUBBLING_PHASE: Short
}
public external interface TrackEventInit : EventInit {
    var track: UnionAudioTrackOrTextTrackOrVideoTrack? /* = null */
    get() = definedExternally
    set(value) = definedExternally
}
@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun TrackEventInit(track: UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): TrackEventInit {
    val o = js("{}")
    o["track"] = track
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}
/* Exposes the JavaScript [HTMLMapElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMapElement) to Kotlin
*/
public external abstract class HTMLMapElement : HTMLElement {
    open var name: String
    open val areas: HTMLCollection
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}
/* Exposes the JavaScript [HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement) to Kotlin
*/
public external abstract class HTMLAreaElement : HTMLElement, HTMLHyperlinkElementUtils {
    open var alt: String
    open var coords: String
    open var shape: String
    open var target: String
    open var download: String
    open var ping: String
    open var rel: String
    open val relList: DOMTokenList
    open var referrerPolicy: String
    open var noHref: Boolean
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}
/* Exposes the JavaScript [HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin
*/
public external abstract class HTMLTableElement : HTMLElement {
    open var caption: HTMLTableCaptionElement?
    open var tHead: HTMLTableSectionElement?
    open var tFoot: HTMLTableSectionElement?
    open val tBodies: HTMLCollection
    open val rows: HTMLCollection
    open var align: String
    open var border: String
    open var frame: String
    open var rules: String
    open var summary: String
    open var width: String
    open var bgColor: String
    open var cellPadding: String
    open var cellSpacing: String
    fun createCaption(): HTMLTableCaptionElement
    fun deleteCaption()
    fun createTHead(): HTMLTableSectionElement
    fun deleteTHead()
    fun createTFoot(): HTMLTableSectionElement
    fun deleteTFoot()
    fun createTBody(): HTMLTableSectionElement
    fun insertRow(index: Int = definedExternally): HTMLTableRowElement
    fun deleteRow(index: Int)
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val
    }
}

```

```

COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to
Kotlin \n * \n public external abstract class HTMLTableCaptionElement : HTMLElement { \n    open var align:
String \n \n    companion object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin \n
* \n public external abstract class HTMLTableColElement : HTMLElement { \n    open var span: Int \n    open var
align: String \n    open var ch: String \n    open var chOff: String \n    open var vAlign: String \n    open var width:
String \n \n    companion object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to
Kotlin \n * \n public external abstract class HTMLTableSectionElement : HTMLElement { \n    open val rows:
HTMLCollection \n    open var align: String \n    open var ch: String \n    open var chOff: String \n    open var vAlign:
String \n    fun insertRow(index: Int = definedExternally): HTMLElement \n    fun deleteRow(index: Int) \n \n
    companion object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin \n
* \n public external abstract class HTMLTableRowElement : HTMLElement { \n    open val rowIndex: Int \n    open
val sectionRowIndex: Int \n    open val cells: HTMLCollection \n    open var align: String \n    open var ch: String \n
    open var chOff: String \n    open var vAlign: String \n    open var bgColor: String \n    fun insertCell(index: Int =
definedExternally): HTMLElement \n    fun deleteCell(index: Int) \n \n    companion object { \n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val

```

```

CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin \n
*/ \n public external abstract class HTMLTableCellElement : HTMLElement { \n    open var colSpan: Int \n    open var
rowSpan: Int \n    open var headers: String \n    open val cellIndex: Int \n    open var scope: String \n    open var abbr:
String \n    open var align: String \n    open var axis: String \n    open var height: String \n    open var width: String \n
    open var ch: String \n    open var chOff: String \n    open var noWrap: Boolean \n    open var vAlign: String \n    open
var bgColor: String \n \n    companion object { \n        val ELEMENT_NODE: Short \n        val ATTRIBUTE_NODE:
Short \n        val TEXT_NODE: Short \n        val CDATA_SECTION_NODE: Short \n        val
ENTITY_REFERENCE_NODE: Short \n        val ENTITY_NODE: Short \n        val
PROCESSING_INSTRUCTION_NODE: Short \n        val COMMENT_NODE: Short \n        val
DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n        val
DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED: Short \n        val DOCUMENT_POSITION_PRECEDING: Short \n
        val DOCUMENT_POSITION_FOLLOWING: Short \n        val DOCUMENT_POSITION_CONTAINS: Short \n
        val DOCUMENT_POSITION_CONTAINED_BY: Short \n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin \n
*/ \n public external abstract class HTMLFormElement : HTMLElement { \n    open var acceptCharset: String \n    open var
action: String \n    open var autocomplete: String \n    open var enctype: String \n    open var encoding: String \n    open
var method: String \n    open var name: String \n    open var noValidate: Boolean \n    open var target: String \n    open
val elements: HTMLFormControlsCollection \n    open val length: Int \n    fun submit() \n    fun reset() \n    fun
checkValidity(): Boolean \n    fun reportValidity(): Boolean \n \n    companion object { \n        val ELEMENT_NODE:
Short \n        val ATTRIBUTE_NODE: Short \n        val TEXT_NODE: Short \n        val CDATA_SECTION_NODE:
Short \n        val ENTITY_REFERENCE_NODE: Short \n        val ENTITY_NODE: Short \n        val
PROCESSING_INSTRUCTION_NODE: Short \n        val COMMENT_NODE: Short \n        val
DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n        val
DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED: Short \n        val DOCUMENT_POSITION_PRECEDING: Short \n
        val DOCUMENT_POSITION_FOLLOWING: Short \n        val DOCUMENT_POSITION_CONTAINS: Short \n
        val DOCUMENT_POSITION_CONTAINED_BY: Short \n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun
HTMLFormElement.get(index: Int): Element? =
asDynamic()[index] \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun
HTMLFormElement.get(name: String): UnionElementOrRadioNodeList? = asDynamic()[name] \n \n /** \n * Exposes
the JavaScript [HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to
Kotlin \n
*/ \n public external abstract class HTMLLabelElement : HTMLElement { \n    open val form:
HTMLFormElement? \n    open var htmlFor: String \n    open val control: HTMLElement? \n \n    companion object
{ \n        val ELEMENT_NODE: Short \n        val ATTRIBUTE_NODE: Short \n        val TEXT_NODE: Short \n

```

```

val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
[HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin \n * \n public
external abstract class HTMLInputElement : HTMLElement { \n    open var accept: String \n    open var alt: String \n
open var autocomplete: String \n    open var autofocus: Boolean \n    open var defaultChecked: Boolean \n    open var
checked: Boolean \n    open var dirName: String \n    open var disabled: Boolean \n    open val form:
HTMLFormElement? \n    open val files: FileList? \n    open var formAction: String \n    open var formEnctype:
String \n    open var formMethod: String \n    open var formNoValidate: Boolean \n    open var formTarget: String \n
open var height: Int \n    open var indeterminate: Boolean \n    open var inputMode: String \n    open val list:
HTMLElement? \n    open var max: String \n    open var maxLength: Int \n    open var min: String \n    open var
minLength: Int \n    open var multiple: Boolean \n    open var name: String \n    open var pattern: String \n    open var
placeholder: String \n    open var readOnly: Boolean \n    open var required: Boolean \n    open var size: Int \n    open
var src: String \n    open var step: String \n    open var type: String \n    open var defaultValue: String \n    open var
value: String \n    open var valueAsDate: dynamic \n    open var valueAsNumber: Double \n    open var width: Int \n
open val willValidate: Boolean \n    open val validity: ValidityState \n    open val validationMessage: String \n    open
val labels: NodeList \n    open var selectionStart: Int? \n    open var selectionEnd: Int? \n    open var
selectionDirection: String? \n    open var align: String \n    open var useMap: String \n    fun stepUp(n: Int =
definedExternally) \n    fun stepDown(n: Int = definedExternally) \n    fun checkValidity(): Boolean \n    fun
reportValidity(): Boolean \n    fun setCustomValidity(error: String) \n    fun select() \n    fun
setRangeText(replacement: String) \n    fun setRangeText(replacement: String, start: Int, end: Int, selectionMode:
SelectionMode = definedExternally) \n    fun setSelectionRange(start: Int, end: Int, direction: String =
definedExternally) \n \n    companion object { \n        val ELEMENT_NODE: Short \n        val ATTRIBUTE_NODE:
Short \n        val TEXT_NODE: Short \n        val CDATA_SECTION_NODE: Short \n        val
ENTITY_REFERENCE_NODE: Short \n        val ENTITY_NODE: Short \n        val
PROCESSING_INSTRUCTION_NODE: Short \n        val COMMENT_NODE: Short \n        val
DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n        val
DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED: Short \n        val DOCUMENT_POSITION_PRECEDING: Short \n
        val DOCUMENT_POSITION_FOLLOWING: Short \n        val DOCUMENT_POSITION_CONTAINS: Short \n
        val DOCUMENT_POSITION_CONTAINED_BY: Short \n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to Kotlin \n * \n public
external abstract class HTMLButtonElement : HTMLElement { \n    open var autofocus: Boolean \n
open var disabled: Boolean \n    open val form: HTMLFormElement? \n    open var formAction: String \n    open var
formEnctype: String \n    open var formMethod: String \n    open var formNoValidate: Boolean \n    open var
formTarget: String \n    open var name: String \n    open var type: String \n    open var value: String \n    open var
menu: HTMLMenuElement? \n    open val willValidate: Boolean \n    open val validity: ValidityState \n    open val
validationMessage: String \n    open val labels: NodeList \n    fun checkValidity(): Boolean \n    fun reportValidity():
Boolean \n    fun setCustomValidity(error: String) \n \n    companion object { \n        val ELEMENT_NODE: Short \n
        val ATTRIBUTE_NODE: Short \n        val TEXT_NODE: Short \n        val CDATA_SECTION_NODE: Short \n
        val ENTITY_REFERENCE_NODE: Short \n        val ENTITY_NODE: Short \n        val
PROCESSING_INSTRUCTION_NODE: Short \n        val COMMENT_NODE: Short \n        val

```

```

DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n
*\npublic external abstract class HTMLSelectElement : HTMLElement, ItemArrayLike<Element> {\n
    open var autocomplete: String\n    open var autofocus: Boolean\n    open var disabled: Boolean\n
    open val form: HTMLFormElement?\n    open var multiple: Boolean\n    open var name: String\n
    open var required: Boolean\n    open var size: Int\n    open val type: String\n
    open val options: HTMLOptionsCollection\n    override var length: Int\n
    open val selectedOptions: HTMLCollection\n    open var selectedIndex: Int\n
    open var value: String\n    open val willValidate: Boolean\n
    open val validity: ValidityState\n    open val validationMessage: String\n
    open val labels: NodeList\n    fun namedItem(name: String): HTMLOptionElement?\n
    fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n
    fun remove(index: Int)\n    fun checkValidity(): Boolean\n    fun reportValidity(): Boolean\n
    fun setCustomValidity(error: String)\n    override fun item(index: Int): Element?\n
    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n
        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n
        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n
        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLSelectElement.get(index: Int): Element? =
asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLSelectElement.set(index: Int, option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n
 * Exposes the JavaScript
[HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n
*\npublic external abstract class HTMLDataListElement : HTMLElement {\n
    open val options: HTMLCollection\n
    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n
        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n
        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n
        val DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n
*\npublic external abstract class HTMLOptGroupElement : HTMLElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n
    open var disabled: Boolean\n    open var label:

```

```

String companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }

/** Exposes the JavaScript [HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin
 *
 * public external abstract class HTMLOptionElement : HTMLInputElement,
 *
 * UnionHTMLOptGroupElementOrHTMLOptionElement {
 *     open var disabled: Boolean
 *     open val form: HTMLFormElement?
 *     open var label: String
 *     open var defaultSelected: Boolean
 *     open var selected: Boolean
 *     open var value: String
 *     open var text: String
 *     open val index: Int
 * }
 * companion object {
 *     val ELEMENT_NODE: Short
 *     val ATTRIBUTE_NODE: Short
 *     val TEXT_NODE: Short
 *     val CDATA_SECTION_NODE: Short
 *     val ENTITY_REFERENCE_NODE: Short
 *     val ENTITY_NODE: Short
 *     val PROCESSING_INSTRUCTION_NODE: Short
 *     val COMMENT_NODE: Short
 *     val DOCUMENT_NODE: Short
 *     val DOCUMENT_TYPE_NODE: Short
 *     val DOCUMENT_FRAGMENT_NODE: Short
 *     val NOTATION_NODE: Short
 *     val DOCUMENT_POSITION_DISCONNECTED: Short
 *     val DOCUMENT_POSITION_PRECEDING: Short
 *     val DOCUMENT_POSITION_FOLLOWING: Short
 *     val DOCUMENT_POSITION_CONTAINS: Short
 *     val DOCUMENT_POSITION_CONTAINED_BY: Short
 * }
 * DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }
 * }
 * /** Exposes the JavaScript [HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin
 *
 * public external abstract class HTMLTextAreaElement : HTMLInputElement {
 *     open var autocomplete: String
 *     open var autofocus: Boolean
 *     open var cols: Int
 *     open var dirName: String
 *     open var disabled: Boolean
 *     open val form: HTMLFormElement?
 *     open var inputMode: String
 *     open var maxLength: Int
 *     open var minLength: Int
 *     open var name: String
 *     open var placeholder: String
 *     open var readOnly: Boolean
 *     open var required: Boolean
 *     open var rows: Int
 *     open var wrap: String
 *     open val type: String
 *     open var defaultValue: String
 *     open var value: String
 *     open val textLength: Int
 *     open val willValidate: Boolean
 *     open val validity: ValidityState
 *     open val validationMessage: String
 *     open val labels: NodeList
 *     open var selectionStart: Int?
 *     open var selectionEnd: Int?
 *     open var selectionDirection: String?
 *     fun checkValidity(): Boolean
 *     fun reportValidity(): Boolean
 *     fun setCustomValidity(error: String)
 *     fun select()
 *     fun setRangeText(replacement: String)
 *     fun setRangeText(replacement: String, start: Int, end: Int, selectionMode: SelectionMode = definedExternally)
 *     fun setSelectionRange(start: Int, end: Int, direction: String = definedExternally)
 * }
 * companion object {
 *     val ELEMENT_NODE: Short
 *     val ATTRIBUTE_NODE: Short
 *     val TEXT_NODE: Short
 *     val CDATA_SECTION_NODE: Short
 *     val ENTITY_REFERENCE_NODE: Short
 *     val ENTITY_NODE: Short
 *     val PROCESSING_INSTRUCTION_NODE: Short
 *     val COMMENT_NODE: Short
 *     val DOCUMENT_NODE: Short
 *     val DOCUMENT_TYPE_NODE: Short
 *     val DOCUMENT_FRAGMENT_NODE: Short
 *     val NOTATION_NODE: Short
 *     val DOCUMENT_POSITION_DISCONNECTED: Short
 *     val DOCUMENT_POSITION_PRECEDING: Short
 *     val DOCUMENT_POSITION_FOLLOWING: Short
 *     val DOCUMENT_POSITION_CONTAINS: Short
 *     val DOCUMENT_POSITION_CONTAINED_BY: Short
 * }
 * DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }
 * }
 * /** Exposes the JavaScript [HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin
 *
 * public external abstract class HTMLKeygenElement : HTMLInputElement {
 *     open var autofocus: Boolean
 *     open var challenge: String
 *     open var disabled: Boolean
 *     open val form: HTMLFormElement?
 * }

```

```

keytype: String\n open var name: String\n open val type: String\n open val willValidate: Boolean\n open val
validity: ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity():
Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement) to Kotlin\n
*\n\npublic external abstract class HTMLOutputElement : HTMLElement {\n open val htmlFor: DOMTokenList\n
open val form: HTMLFormElement?\n open var name: String\n open val type: String\n open var
defaultValue: String\n open var value: String\n open val willValidate: Boolean\n open val validity:
ValidityState\n open val validationMessage: String\n open val labels: NodeList\n fun checkValidity():
Boolean\n fun reportValidity(): Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to Kotlin\n
*\n\npublic external abstract class HTMLProgressElement : HTMLElement {\n open var value: Double\n open
var max: Double\n open val position: Double\n open val labels: NodeList\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin\n
*\n\npublic external abstract class HTMLMeterElement : HTMLElement {\n open var value: Double\n open var min:
Double\n open var max: Double\n open var low: Double\n open var high: Double\n open var optimum:
Double\n open val labels: NodeList\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val

```

```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin\n
*/\npublic external abstract class HTMLFieldSetElement : HTMLInputElement {\n    open var disabled: Boolean\n
open val form: HTMLFormElement?\n    open var name: String\n    open val type: String\n    open val elements:
HTMLCollection\n    open val willValidate: Boolean\n    open val validity: ValidityState\n    open val
validationMessage: String\n    fun checkValidity(): Boolean\n    fun reportValidity(): Boolean\n    fun
setCustomValidity(error: String)\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to Kotlin\n
*/\npublic external abstract class HTMLLegendElement : HTMLInputElement {\n    open val form:
HTMLFormElement?\n    open var align: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[ValidityState](https://developer.mozilla.org/en/docs/Web/API/ValidityState) to Kotlin\n
*/\npublic external abstract class ValidityState {\n    open val valueMissing: Boolean\n    open val typeMismatch: Boolean\n    open val
patternMismatch: Boolean\n    open val tooLong: Boolean\n    open val tooShort: Boolean\n    open val
rangeUnderflow: Boolean\n    open val rangeOverflow: Boolean\n    open val stepMismatch: Boolean\n    open val
badInput: Boolean\n    open val customError: Boolean\n    open val valid: Boolean\n}\n\n/**\n * Exposes the
JavaScript [HTMLDetailsElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDetailsElement) to
Kotlin\n
*/\npublic external abstract class HTMLDetailsElement : HTMLInputElement {\n    open var open: Boolean\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\npublic external abstract class
HTMLMenuElement : HTMLInputElement {\n    open var type: String\n    open var label: String\n    open var compact:

```

```

Boolean companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }

public external abstract class HTMLMenuItemElement : HTMLElement {
    open var type: String
    open var label: String
    open var icon: String
    open var disabled: Boolean
    open var checked: Boolean
    open var radiogroup: String
    open var default: Boolean
}

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }

public external open class RelatedEvent(
    type: String, eventInitDict: RelatedEventInit = definedExternally
) : Event {
    open val relatedTarget: EventTarget?

    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}

public external interface RelatedEventInit : EventInit {
    var relatedTarget: EventTarget? /* = null */
    get() = definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun RelatedEventInit(
    relatedTarget: EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false
): RelatedEventInit {
    val o = js("{}")
    o["relatedTarget"] = relatedTarget
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript [HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin */
public external abstract class HTMLDialogElement : HTMLElement {
    open var open: Boolean
    open var returnValue: String

    fun show(anchor: UnionElementOrMouseEvent = definedExternally)
    fun showModal(anchor: UnionElementOrMouseEvent = definedExternally)
    fun close(returnValue: String = definedExternally)

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
    }
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }

/** Exposes the JavaScript [HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin */
public external abstract class HTMLScriptElement : HTMLElement, HTMLOrSVGScriptElement {
    open var src: String
    open var type: String
    open var charset: String
    open var async: Boolean
    open var defer: Boolean
    open var crossOrigin: String?
    open var text: String
    open var nonce: String
    open var event:

```



```

DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
CanvasRenderingContext2DSettings {\n    var alpha: Boolean? /* = true */\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\n    val o =
js("{}")\n    o["alpha"] = alpha\n    return o\n}\n\n/**\n * Exposes the JavaScript
[CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to
Kotlin\n */\n\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform,
CanvasCompositing, CanvasImageSmoothing, CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters,
CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText, CanvasDrawImage, CanvasHitRegion,
CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles, CanvasPath, RenderingContext {\n
open val canvas: HTMLCanvasElement\n}\n\npublic external interface CanvasState {\n    fun save()\n    fun
restore()\n}\n\npublic external interface CanvasTransform {\n    fun scale(x: Double, y: Double)\n    fun
rotate(angle: Double)\n    fun translate(x: Double, y: Double)\n    fun transform(a: Double, b: Double, c: Double, d:
Double, e: Double, f: Double)\n    fun getTransform(): DOMMatrix\n    fun setTransform(a: Double, b: Double, c:
Double, d: Double, e: Double, f: Double)\n    fun setTransform(transform: dynamic = definedExternally)\n    fun
resetTransform()\n}\n\npublic external interface CanvasCompositing {\n    var globalAlpha: Double\n    var
globalCompositeOperation: String\n}\n\npublic external interface CanvasImageSmoothing {\n    var
imageSmoothingEnabled: Boolean\n    var imageSmoothingQuality: ImageSmoothingQuality\n}\n\npublic external
interface CanvasFillStrokeStyles {\n    var strokeStyle: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var fillStyle: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n
fun createLinearGradient(x0: Double, y0: Double, x1: Double, y1: Double): CanvasGradient\n    fun
createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1: Double): CanvasGradient\n
fun createPattern(image: CanvasImageSource, repetition: String): CanvasPattern?\n}\n\npublic external interface
CanvasShadowStyles {\n    var shadowOffsetX: Double\n    var shadowOffsetY: Double\n    var shadowBlur:
Double\n    var shadowColor: String\n}\n\npublic external interface CanvasFilters {\n    var filter:
String\n}\n\npublic external interface CanvasRect {\n    fun clearRect(x: Double, y: Double, w: Double, h:
Double)\n    fun fillRect(x: Double, y: Double, w: Double, h: Double)\n    fun strokeRect(x: Double, y: Double, w:
Double, h: Double)\n}\n\npublic external interface CanvasDrawPath {\n    fun beginPath()\n    fun fill(fillRule:
CanvasFillRule = definedExternally)\n    fun fill(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n
fun stroke()\n    fun stroke(path: Path2D)\n    fun clip(fillRule: CanvasFillRule = definedExternally)\n    fun
clip(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n    fun resetClip()\n    fun isPointInPath(x:
Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n    fun isPointInPath(path: Path2D, x:
Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n    fun isPointInStroke(x: Double, y:
Double): Boolean\n    fun isPointInStroke(path: Path2D, x: Double, y: Double): Boolean\n}\n\npublic external
interface CanvasUserInterface {\n    fun drawFocusIfNeeded(element: Element)\n    fun drawFocusIfNeeded(path:
Path2D, element: Element)\n    fun scrollPathIntoView()\n    fun scrollPathIntoView(path: Path2D)\n}\n\npublic
external interface CanvasText {\n    fun fillText(text: String, x: Double, y: Double, maxWidth: Double =
definedExternally)\n    fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally)\n
fun measureText(text: String): TextMetrics\n}\n\npublic external interface CanvasDrawImage {\n    fun
drawImage(image: CanvasImageSource, dx: Double, dy: Double)\n    fun drawImage(image: CanvasImageSource,
dx: Double, dy: Double, dw: Double, dh: Double)\n    fun drawImage(image: CanvasImageSource, sx: Double, sy:
Double, sw: Double, sh: Double, dx: Double, dy: Double, dw: Double, dh: Double)\n}\n\npublic external interface

```

```

CanvasHitRegion {\n fun addHitRegion(options: HitRegionOptions = definedExternally)\n fun
removeHitRegion(id: String)\n fun clearHitRegions()\n}\n\npublic external interface CanvasImageData {\n fun
createImageData(sw: Double, sh: Double): ImageData\n fun createImageData(imagedata: ImageData):
ImageData\n fun getImageData(sx: Double, sy: Double, sw: Double, sh: Double): ImageData\n fun
putImageData(imagedata: ImageData, dx: Double, dy: Double)\n fun putImageData(imagedata: ImageData, dx:
Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double, dirtyHeight: Double)\n}\n\npublic
external interface CanvasPathDrawingStyles {\n var lineWidth: Double\n var lineCap: CanvasLineCap\n var
lineJoin: CanvasLineJoin\n var miterLimit: Double\n var lineDashOffset: Double\n fun setLineDash(segments:
Array<Double>)\n fun getLineDash(): Array<Double>\n}\n\npublic external interface CanvasTextDrawingStyles
{\n var font: String\n var textAlign: CanvasTextAlign\n var textBaseline: CanvasTextBaseline\n var
direction: CanvasDirection\n}\n\npublic external interface CanvasPath {\n fun closePath()\n fun moveTo(x:
Double, y: Double)\n fun lineTo(x: Double, y: Double)\n fun quadraticCurveTo(cpx: Double, cpy: Double, x:
Double, y: Double)\n fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y:
Double)\n fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n fun arcTo(x1: Double,
y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n fun rect(x: Double, y:
Double, w: Double, h: Double)\n fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle:
Double, anticlockwise: Boolean = definedExternally)\n fun ellipse(x: Double, y: Double, radiusX: Double,
radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean =
definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n */\n\npublic external
abstract class CanvasGradient {\n fun addColorStop(offset: Double, color: String)\n}\n\n/**\n * Exposes the
JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n */\n\npublic
external abstract class CanvasPattern {\n fun setTransform(transform: dynamic = definedExternally)\n}\n\n/**\n *
Exposes the JavaScript [TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n
*/\n\npublic external abstract class TextMetrics {\n open val width: Double\n open val actualBoundingBoxLeft:
Double\n open val actualBoundingBoxRight: Double\n open val fontBoundingBoxAscent: Double\n open val
fontBoundingBoxDescent: Double\n open val actualBoundingBoxAscent: Double\n open val
actualBoundingBoxDescent: Double\n open val emHeightAscent: Double\n open val emHeightDescent:
Double\n open val hangingBaseline: Double\n open val alphabeticBaseline: Double\n open val
ideographicBaseline: Double\n}\n\npublic external interface HitRegionOptions {\n var path: Path2D? /* = null
*/\n fun get() = definedExternally\n fun set(value) = definedExternally\n var fillRule: CanvasFillRule? /* =
CanvasFillRule.NONZERO */\n fun get() = definedExternally\n fun set(value) = definedExternally\n var id:
String? /* = \"\" */\n fun get() = definedExternally\n fun set(value) = definedExternally\n var parentID: String? /*
= null */\n fun get() = definedExternally\n fun set(value) = definedExternally\n var cursor: String? /* = \"inherit\"
*/\n fun get() = definedExternally\n fun set(value) = definedExternally\n var control: Element? /* = null */\n
fun get() = definedExternally\n fun set(value) = definedExternally\n var label: String? /* = null */\n fun get() =
definedExternally\n fun set(value) = definedExternally\n var role: String? /* = null */\n fun get() =
definedExternally\n fun set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun HitRegionOptions(path: Path2D? =
null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\", parentID: String? = null, cursor:
String? = \"inherit\", control: Element? = null, label: String? = null, role: String? = null): HitRegionOptions {\n val
o = js(\"({})\")\n o[\"path\"] = path\n o[\"fillRule\"] = fillRule\n o[\"id\"] = id\n o[\"parentID\"] = parentID\n
o[\"cursor\"] = cursor\n o[\"control\"] = control\n o[\"label\"] = label\n o[\"role\"] = role\n return
o\n}\n\n/**\n * Exposes the JavaScript [ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to
Kotlin\n */\n\npublic external open class ImageData : ImageBitmapSource, TexImageSource {\n constructor(sw:
Int, sh: Int)\n constructor(data: Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\n open val width: Int\n
open val height: Int\n open val data: Uint8ClampedArray\n}\n\n/**\n * Exposes the JavaScript
[Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D) to Kotlin\n */\n\npublic external open class

```

```

Path2D() : CanvasPath {\n  constructor(path: Path2D)\n  constructor(paths: Array<Path2D>, fillRule:
CanvasFillRule = definedExternally)\n  constructor(d: String)\n  fun addPath(path: Path2D, transform: dynamic =
definedExternally)\n  override fun closePath()\n  override fun moveTo(x: Double, y: Double)\n  override fun
lineTo(x: Double, y: Double)\n  override fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n
  override fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n
  override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n  override fun arcTo(x1:
Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n  override fun
rect(x: Double, y: Double, w: Double, h: Double)\n  override fun arc(x: Double, y: Double, radius: Double,
startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */) \n  override fun ellipse(x:
Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double,
anticlockwise: Boolean /* = definedExternally */) \n} \n \n /** \n * Exposes the JavaScript
[ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext)
to Kotlin \n * \n public external abstract class ImageBitmapRenderingContext {\n  open val canvas:
HTMLCanvasElement \n  fun transferFromImageBitmap(bitmap: ImageBitmap?) \n} \n \n public external interface
ImageBitmapRenderingContextSettings {\n  var alpha: Boolean? /* = true */ \n  get() = definedExternally \n
  set(value) = definedExternally \n} \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline fun
ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n  val o
= js("{}") \n  o["alpha"] = alpha \n  return o \n} \n \n /** \n * Exposes the JavaScript
[CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin \n
* \n public external abstract class CustomElementRegistry {\n  fun define(name: String, constructor: () -> dynamic,
options: ElementDefinitionOptions = definedExternally) \n  fun get(name: String): Any? \n  fun
whenDefined(name: String): Promise<Unit> \n} \n \n public external interface ElementDefinitionOptions {\n  var
extends: String? \n  get() = definedExternally \n  set(value) =
definedExternally \n} \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline fun ElementDefinitionOptions(extends:
String? = undefined): ElementDefinitionOptions {\n  val o = js("{}") \n  o["extends"] = extends \n  return
o \n} \n \n public external interface ElementContentEditable {\n  var contentEditable: String \n  val
isContentEditable: Boolean \n} \n \n /** \n * Exposes the JavaScript
[DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer) to Kotlin \n * \n public external
abstract class DataTransfer {\n  open var dropEffect: String \n  open var effectAllowed: String \n  open val items:
DataTransferItemList \n  open val types: Array<out String> \n  open val files: FileList \n  fun
setDragImage(image: Element, x: Int, y: Int) \n  fun getData(format: String): String \n  fun setData(format: String,
data: String) \n  fun clearData(format: String = definedExternally) \n} \n \n /** \n * Exposes the JavaScript
[DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to Kotlin \n * \n public
external abstract class DataTransferItemList {\n  open val length: Int \n  fun add(data: String, type: String):
DataTransferItem? \n  fun add(data: File): DataTransferItem \n  fun remove(index: Int) \n  fun
clear() \n} \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun
DataTransferItemList.get(index: Int): DataTransferItem? = asDynamic()[index] \n \n /** \n * Exposes the JavaScript
[DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin \n * \n public
external abstract class DataTransferItem {\n  open val kind: String \n  open val type: String \n  fun
getAsString(_callback: ((String) -> Unit)?) \n  fun getAsFile(): File? \n} \n \n /** \n * Exposes the JavaScript
[DragEvent](https://developer.mozilla.org/en/docs/Web/API/TouchEvent) to Kotlin \n * \n public external open class
DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\n  open val
dataTransfer: DataTransfer? \n \n  companion object {\n    val NONE: Short \n    val CAPTURING_PHASE:
Short \n    val AT_TARGET: Short \n    val BUBBLING_PHASE: Short \n  } \n} \n \n public external interface
DragEventInit : MouseEventInit {\n  var dataTransfer: DataTransfer? /* = null */ \n  get() = definedExternally \n

```

```

    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun DragEventInit(dataTransfer:
DataTransfer? = null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0,
buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey:
Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false,
modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false,
modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): DragEventInit {\n    val o = js(\"({})\")\n    o[\"dataTransfer\"] = dataTransfer\n    o[\"screenX\"] = screenX\n
o[\"screenY\"] = screenY\n    o[\"clientX\"] = clientX\n    o[\"clientY\"] = clientY\n    o[\"button\"] = button\n
o[\"buttons\"] = buttons\n    o[\"relatedTarget\"] = relatedTarget\n    o[\"region\"] = region\n    o[\"ctrlKey\"] =
ctrlKey\n    o[\"shiftKey\"] = shiftKey\n    o[\"altKey\"] = altKey\n    o[\"metaKey\"] = metaKey\n
o[\"modifierAltGraph\"] = modifierAltGraph\n    o[\"modifierCapsLock\"] = modifierCapsLock\n
o[\"modifierFn\"] = modifierFn\n    o[\"modifierFnLock\"] = modifierFnLock\n    o[\"modifierHyper\"] =
modifierHyper\n    o[\"modifierNumLock\"] = modifierNumLock\n    o[\"modifierScrollLock\"] =
modifierScrollLock\n    o[\"modifierSuper\"] = modifierSuper\n    o[\"modifierSymbol\"] = modifierSymbol\n
o[\"modifierSymbolLock\"] = modifierSymbolLock\n    o[\"view\"] = view\n    o[\"detail\"] = detail\n
o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return
o\n}\n\n/**\n * Exposes the JavaScript [Window](https://developer.mozilla.org/en/docs/Web/API/Window) to
Kotlin\n */\npublic external abstract class Window : EventTarget, GlobalEventHandlers, WindowEventHandlers,
WindowOrWorkerGlobalScope, WindowSessionStorage, WindowLocalStorage, GlobalPerformance,
UnionMessagePortOrWindowProxy {\n    open val window: Window\n    open val self: Window\n    open val
document: Document\n    open var name: String\n    open val location: Location\n    open val history: History\n
open val customElements: CustomElementRegistry\n    open val locationbar: BarProp\n    open val menubar:
BarProp\n    open val personalbar: BarProp\n    open val scrollbars: BarProp\n    open val statusbar: BarProp\n
open val toolbar: BarProp\n    open var status: String\n    open val closed: Boolean\n    open val frames: Window\n
open val length: Int\n    open val top: Window\n    open var opener: Any?\n    open val parent: Window\n    open val
frameElement: Element?\n    open val navigator: Navigator\n    open val applicationCache: ApplicationCache\n
open val external: External\n    open val screen: Screen\n    open val innerWidth: Int\n    open val innerHeight: Int\n
open val scrollX: Double\n    open val pageXOffset: Double\n    open val scrollY: Double\n    open val
pageYOffset: Double\n    open val screenX: Int\n    open val screenY: Int\n    open val outerWidth: Int\n    open val
outerHeight: Int\n    open val devicePixelRatio: Double\n    fun close()\n    fun stop()\n    fun focus()\n    fun blur()\n
fun open(url: String = definedExternally, target: String = definedExternally, features: String = definedExternally):
Window?\n    fun alert()\n    fun alert(message: String)\n    fun confirm(message: String = definedExternally):
Boolean\n    fun prompt(message: String = definedExternally, default: String = definedExternally): String?\n    fun
print()\n    fun requestAnimationFrame(callback: (Double) -> Unit): Int\n    fun cancelAnimationFrame(handle:
Int)\n    fun postMessage(message: Any?, targetOrigin: String, transfer: Array<dynamic> = definedExternally)\n
fun captureEvents()\n    fun releaseEvents()\n    fun matchMedia(query: String): MediaQueryList\n    fun moveTo(x:
Int, y: Int)\n    fun moveBy(x: Int, y: Int)\n    fun resizeTo(x: Int, y: Int)\n    fun resizeBy(x: Int, y: Int)\n    fun
scroll(options: ScrollToOptions = definedExternally)\n    fun scroll(x: Double, y: Double)\n    fun scrollTo(options:
ScrollToOptions = definedExternally)\n    fun scrollTo(x: Double, y: Double)\n    fun scrollBy(options:
ScrollToOptions = definedExternally)\n    fun scrollBy(x: Double, y: Double)\n    fun getComputedStyle(elt:
Element, pseudoElt: String? = definedExternally):
CSSStyleDeclaration\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Window.get(name: String):
dynamic = asDynamic()[name]\n\npublic external abstract class BarProp {\n    open val visible: Boolean\n}\n\n/**\n * Exposes the JavaScript [History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin\n */\npublic

```

```

external abstract class History {
    open val length: Int
    open var scrollRestoration: ScrollRestoration
    open val state: Any?
    fun go(delta: Int = definedExternally)
    fun back()
    fun forward()
    fun pushState(data: Any?, title: String, url: String? = definedExternally)
    fun replaceState(data: Any?, title: String, url: String? = definedExternally)
}
/**
 * Exposes the JavaScript
 [Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin
 */
public external abstract class Location {
    open var href: String
    open val origin: String
    open var protocol: String
    open var host: String
    open var hostname: String
    open var port: String
    open var pathname: String
    open var search: String
    open var hash: String
    open val ancestorOrigins: Array<out String>
    fun assign(url: String)
    fun replace(url: String)
    fun reload()
}
/**
 * Exposes the JavaScript
 [PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin
 */
public external open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {
    open val state: Any?
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}
public external interface PopStateEventInit : EventInit {
    var state: Any? /* = null */
    get() = definedExternally
    set(value) = definedExternally
}
@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun PopStateEventInit(state: Any? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PopStateEventInit {
    val o = js("{}")
    o["state"] = state
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}
/**
 * Exposes the JavaScript
 [HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin
 */
public external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) : Event {
    open val oldURL: String
    open val newURL: String
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}
public external interface HashChangeEventInit : EventInit {
    var oldURL: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var newURL: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
}
@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun HashChangeEventInit(oldURL: String? = "", newURL: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): HashChangeEventInit {
    val o = js("{}")
    o["oldURL"] = oldURL
    o["newURL"] = newURL
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}
/**
 * Exposes the JavaScript
 [PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin
 */
public external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) : Event {
    open val persisted: Boolean
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}
public external interface PageTransitionEventInit : EventInit {
    var persisted: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
}
@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun PageTransitionEventInit(persisted: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PageTransitionEventInit {
    val o = js("{}")
    o["persisted"] = persisted
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}
/**
 * Exposes the JavaScript
 [BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin
 */
public external open class BeforeUnloadEvent : Event {
    var returnValue: String
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}
public external abstract class ApplicationCache : EventTarget {
    open val status: Short
    open var onchecking: ((Event) -> dynamic)?
    open var onerror: ((Event) -> dynamic)?
    open var onnoupdate: ((Event) -> dynamic)?
    open var ondownloading: ((Event) -> dynamic)?
    open var onprogress: ((ProgressEvent) -> dynamic)?
    open var onupdateready: ((Event) -> dynamic)?
    open var

```

```

oncached: ((Event) -> dynamic)?\n  open var onobsolete: ((Event) -> dynamic)?\n  fun update()\n  fun abort()\n  fun swapCache()\n\n  companion object {\n    val UNCACHED: Short\n    val IDLE: Short\n    val CHECKING: Short\n    val DOWNLOADING: Short\n    val UPDATEREADY: Short\n    val OBSOLETE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin\n *\npublic
external interface NavigatorOnLine {\n  val onLine: Boolean\n}\n\n/**\n * Exposes the JavaScript
[ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin\n *\npublic external open class
ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally) : Event {\n  open val message: String\n  open val filename: String\n  open val lineno: Int\n  open val colno: Int\n  open val error: Any?\n\n  companion
object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface ErrorEventInit : EventInit {\n  var message:
String? /* = \"\" */\n  get() = definedExternally\n  set(value) = definedExternally\n  var filename: String? /*
= \"\" */\n  get() = definedExternally\n  set(value) = definedExternally\n  var lineno: Int? /* = 0 */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var colno: Int? /* = 0 */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var error: Any? /* = null */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ErrorEventInit(message: String? = \"\",
filename: String? = \"\", lineno: Int? = 0, colno: Int? = 0, error: Any? = null, bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): ErrorEventInit {\n  val o = js(\"({})\")\n  o[\"message\"] =
message\n  o[\"filename\"] = filename\n  o[\"lineno\"] = lineno\n  o[\"colno\"] = colno\n  o[\"error\"] = error\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] = cancelable\n  o[\"composed\"] = composed\n  return
o\n}\n\n/**\n * Exposes the JavaScript
[PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin\n
*\npublic external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) :
Event {\n  open val promise: Promise<Any?>\n  open val reason: Any?\n\n  companion object {\n    val
NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface PromiseRejectionEventInit : EventInit {\n  var
promise: Promise<Any?>\n  var reason: Any?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun PromiseRejectionEventInit(promise:
Promise<Any?>?, reason: Any? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): PromiseRejectionEventInit {\n  val o = js(\"({})\")\n  o[\"promise\"] = promise\n  o[\"reason\"] = reason\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] = cancelable\n  o[\"composed\"] =
composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin\n
*\npublic external interface GlobalEventHandlers {\n  var onabort: ((Event) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var onblur: ((FocusEvent) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var oncancel: ((Event) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var oncanplay: ((Event) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var oncanplaythrough: ((Event) -> dynamic)?\n  get()
= definedExternally\n  set(value) = definedExternally\n  var onchange: ((Event) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var onclick: ((MouseEvent) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var onclose: ((Event) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var oncontextmenu: ((MouseEvent) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var oncuechange: ((Event) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var ondblclick: ((MouseEvent) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var ondrag: ((DragEvent) -> dynamic)?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var ondragend: ((DragEvent) -> dynamic)?\n

```

```

get() = definedExternally\n      set(value) = definedExternally\n      var ondragenter: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n      set(value) = definedExternally\n      var ondragexit: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n      set(value) = definedExternally\n      var ondragleave: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n      set(value) = definedExternally\n      var ondragover: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n      set(value) = definedExternally\n      var ondragstart: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n      set(value) = definedExternally\n      var ondrop: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n      set(value) = definedExternally\n      var ondurationchange: ((Event) -> dynamic)?\n
get() = definedExternally\n      set(value) = definedExternally\n      var onemptied: ((Event) -> dynamic)?\n
get() = definedExternally\n      set(value) = definedExternally\n      var onended: ((Event) -> dynamic)?\n      get() =
definedExternally\n      set(value) = definedExternally\n      var onerror: ((dynamic, String, Int, Int, Any?) ->
dynamic)?\n      get() = definedExternally\n      set(value) = definedExternally\n      var onfocus: ((FocusEvent) ->
dynamic)?\n      get() = definedExternally\n      set(value) = definedExternally\n      var oninput: ((InputEvent) ->
dynamic)?\n      get() = definedExternally\n      set(value) = definedExternally\n      var oninvalid: ((Event) ->
dynamic)?\n      get() = definedExternally\n      set(value) = definedExternally\n      var onkeydown:
((KeyboardEvent) -> dynamic)?\n      get() = definedExternally\n      set(value) = definedExternally\n      var
onkeypress: ((KeyboardEvent) -> dynamic)?\n      get() = definedExternally\n      set(value) = definedExternally\n
var onkeyup: ((KeyboardEvent) -> dynamic)?\n      get() = definedExternally\n      set(value) =
definedExternally\n      var onload: ((Event) -> dynamic)?\n      get() = definedExternally\n      set(value) =
definedExternally\n      var onloadeddata: ((Event) -> dynamic)?\n      get() = definedExternally\n      set(value) =
definedExternally\n      var onloadedmetadata: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onloadend: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onloadstart: ((ProgressEvent) -> dynamic)?\n      get() = definedExternally\n
      set(value) = definedExternally\n      var onmousedown: ((MouseEvent) -> dynamic)?\n      get() =
definedExternally\n      set(value) = definedExternally\n      var onmouseenter: ((MouseEvent) -> dynamic)?\n
get() = definedExternally\n      set(value) = definedExternally\n      var onmouseleave: ((MouseEvent) ->
dynamic)?\n      get() = definedExternally\n      set(value) = definedExternally\n      var onmousemove:
((MouseEvent) -> dynamic)?\n      get() = definedExternally\n      set(value) = definedExternally\n      var
onmouseout: ((MouseEvent) -> dynamic)?\n      get() = definedExternally\n      set(value) = definedExternally\n
var onmouseover: ((MouseEvent) -> dynamic)?\n      get() = definedExternally\n      set(value) =
definedExternally\n      var onmouseup: ((MouseEvent) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onwheel: ((WheelEvent) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onpause: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onplay: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onplaying: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onprogress: ((ProgressEvent) -> dynamic)?\n      get() = definedExternally\n
      set(value) = definedExternally\n      var onratechange: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onreset: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onresize: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onscroll: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onseeked: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onseeking: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onselect: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onshow: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onstalled: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onsubmit: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var onsuspend: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var ontimeupdate: ((Event) -> dynamic)?\n      get() = definedExternally\n
set(value) = definedExternally\n      var ontoggle: ((Event) -> dynamic)?\n      get() = definedExternally\n

```

```

set(value) = definedExternally\n    var onvolumechange: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onwaiting: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var ongotpointercapture: ((PointerEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onlostpointercapture: ((PointerEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n    var onpointerdown: ((PointerEvent) ->
dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onpointermove:
((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onpointerup: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onpointercancel: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onpointerover: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onpointerout: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onpointerenter: ((PointerEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onpointerleave: ((PointerEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n}\n\n**\n * Exposes the JavaScript
[WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n
*\n\npublic external interface WindowEventHandlers {\n    var onafterprint: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onbeforeprint: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onbeforeunload: ((BeforeUnloadEvent) ->
String?)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onhashchange:
((HashChangeEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onlanguagechange: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onmessage: ((MessageEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onoffline: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var ononline: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onpagehide: ((PageTransitionEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onpageshow: ((PageTransitionEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onpopstate: ((PopStateEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onrejectionhandled: ((Event) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n    var onstorage: ((StorageEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n    var onunhandledrejection:
((PromiseRejectionEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onunload: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\npublic external interface DocumentAndElementEventHandlers {\n    var oncopy:
((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var oncut:
((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onpaste: ((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n**\n * Exposes the JavaScript
[WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope)
to Kotlin\n
*\n\npublic external interface WindowOrWorkerGlobalScope {\n    val origin: String\n    val caches:
CacheStorage\n    fun btoa(data: String): String\n    fun atob(data: String): String\n    fun setTimeout(handler:
dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n    fun clearTimeout(handle: Int =
definedExternally)\n    fun setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?):
Int\n    fun clearInterval(handle: Int = definedExternally)\n    fun createImageBitmap(image: ImageBitmapSource,
options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n    fun createImageBitmap(image:
ImageBitmapSource, sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally):
Promise<ImageBitmap>\n    fun fetch(input: dynamic, init: RequestInit = definedExternally):
Promise<Response>\n}\n\n**\n * Exposes the JavaScript
[Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\n
*\n\npublic external abstract class

```

Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils, NavigatorCookies, NavigatorPlugins, NavigatorConcurrentHardware {  
 open val clipboard: Clipboard  
 open val mediaDevices: MediaDevices  
 open val maxTouchPoints: Int  
 open val serviceWorker: ServiceWorkerContainer  
 fun requestMediaKeySystemAccess(keySystem: String, supportedConfigurations: Array<MediaKeySystemConfiguration>): Promise<MediaKeySystemAccess>  
 fun getUserMedia(constraints: MediaStreamConstraints, successCallback: (MediaStream) -> Unit, errorCallback: (dynamic) -> Unit)  
 fun vibrate(pattern: dynamic): Boolean  
}

\* Exposes the JavaScript [NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin  
 \*^public external interface NavigatorID {  
 val appCodeName: String  
 val appName: String  
 val appVersion: String  
 val platform: String  
 val product: String  
 val productSub: String  
 val userAgent: String  
 val vendor: String  
 val vendorSub: String  
 val oscpu: String  
 fun taintEnabled(): Boolean  
}

\* Exposes the JavaScript [NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin  
 \*^public external interface NavigatorLanguage {  
 val language: String  
 val languages: Array<out String>  
}

\* Exposes the JavaScript [NavigatorContentUtils](https://developer.mozilla.org/en/docs/Web/API/NavigatorContentUtils) to Kotlin  
 \*^public external interface NavigatorContentUtils {  
 fun registerProtocolHandler(scheme: String, url: String, title: String)  
 fun registerContentHandler(mimeType: String, url: String, title: String)  
 fun isProtocolHandlerRegistered(scheme: String, url: String): String  
 fun isContentHandlerRegistered(mimeType: String, url: String): String  
 fun unregisterProtocolHandler(scheme: String, url: String)  
 fun unregisterContentHandler(mimeType: String, url: String)  
}

\* Exposes the JavaScript [NavigatorCookies](https://developer.mozilla.org/en/docs/Web/API/NavigatorCookies) to Kotlin  
 \*^public external interface NavigatorCookies {  
 val cookieEnabled: Boolean  
}

\* Exposes the JavaScript [NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to Kotlin  
 \*^public external interface NavigatorPlugins {  
 val plugins: PluginArray  
 val mimeTypes: MimeTypeArray  
 fun javaEnabled(): Boolean  
}

\* Exposes the JavaScript [PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin  
 \*^public external abstract class PluginArray : ItemArrayLike<Plugin> {  
 fun refresh(reload: Boolean = definedExternally)  
 override fun item(index: Int): Plugin?  
 fun namedItem(name: String): Plugin?  
}

@Suppress("INVISIBLE\_REFERENCE", "INVISIBLE\_MEMBER")  
 @kotlin.internal.InlineOnly  
 public inline operator fun PluginArray.get(index: Int): Plugin? = asDynamic()[index]  
 @Suppress("INVISIBLE\_REFERENCE", "INVISIBLE\_MEMBER")  
 @kotlin.internal.InlineOnly  
 public inline operator fun PluginArray.get(name: String): Plugin? = asDynamic()[name]

\* Exposes the JavaScript [MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin  
 \*^public external abstract class MimeTypeArray : ItemArrayLike<MimeType> {  
 override fun item(index: Int): MimeType?  
 fun namedItem(name: String): MimeType?  
}

@Suppress("INVISIBLE\_REFERENCE", "INVISIBLE\_MEMBER")  
 @kotlin.internal.InlineOnly  
 public inline operator fun MimeTypeArray.get(index: Int): MimeType? = asDynamic()[index]  
 @Suppress("INVISIBLE\_REFERENCE", "INVISIBLE\_MEMBER")  
 @kotlin.internal.InlineOnly  
 public inline operator fun MimeTypeArray.get(name: String): MimeType? = asDynamic()[name]

\* Exposes the JavaScript [Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin  
 \*^public external abstract class Plugin : ItemArrayLike<MimeType> {  
 open val name: String  
 open val description: String  
 open val filename: String  
 override fun item(index: Int): MimeType?  
 fun namedItem(name: String): MimeType?  
}

@Suppress("INVISIBLE\_REFERENCE", "INVISIBLE\_MEMBER")  
 @kotlin.internal.InlineOnly  
 public inline operator fun Plugin.get(index: Int): MimeType? = asDynamic()[index]  
 @Suppress("INVISIBLE\_REFERENCE", "INVISIBLE\_MEMBER")  
 @kotlin.internal.InlineOnly  
 public inline operator fun Plugin.get(name: String): MimeType? = asDynamic()[name]

\* Exposes the JavaScript [MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin  
 \*^public external abstract class MimeType {  
 open val type: String  
 open val description: String  
 open val suffixes: String  
 open val enabledPlugin: Plugin  
}

```

[ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n */\npublic external
abstract class ImageBitmap : CanvasImageSource, TexImageSource {\n  open val width: Int\n  open val height:
Int\n  fun close()\n}\n\npublic external interface ImageBitmapOptions {\n  var imageOrientation:
ImageOrientation? /* = ImageOrientation.NONE */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var colorSpaceConversion: ColorSpaceConversion? /* =
ColorSpaceConversion.DEFAULT */\n  get() = definedExternally\n  set(value) = definedExternally\n  var
resizeWidth: Int?\n  get() = definedExternally\n  set(value) = definedExternally\n  var resizeHeight: Int?\n
  get() = definedExternally\n  set(value) = definedExternally\n  var resizeQuality: ResizeQuality? /* =
ResizeQuality.LOW */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
ImageBitmapOptions(imageOrientation: ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha:
PremultiplyAlpha? = PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? =
ColorSpaceConversion.DEFAULT, resizeWidth: Int? = undefined, resizeHeight: Int? = undefined, resizeQuality:
ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {\n  val o = js(\"({})\")\n  o[\"imageOrientation\"]
= imageOrientation\n  o[\"premultiplyAlpha\"] = premultiplyAlpha\n  o[\"colorSpaceConversion\"] =
colorSpaceConversion\n  o[\"resizeWidth\"] = resizeWidth\n  o[\"resizeHeight\"] = resizeHeight\n
o[\"resizeQuality\"] = resizeQuality\n  return o\n}\n\n/**\n * Exposes the JavaScript
[MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin\n */\npublic external open
class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {\n  open val data:
Any?\n  open val origin: String\n  open val lastEventId: String\n  open val source:
UnionMessagePortOrWindowProxy?\n  open val ports: Array<out MessagePort>\n  fun initMessageEvent(type:
String, bubbles: Boolean, cancelable: Boolean, data: Any?, origin: String, lastEventId: String, source:
UnionMessagePortOrWindowProxy?, ports: Array<MessagePort>)\n\n  companion object {\n    val NONE:
Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE:
Short\n  }\n}\n\npublic external interface MessageEventInit : EventInit {\n  var data: Any? /* = null */\n  get()
= definedExternally\n  set(value) = definedExternally\n  var origin: String? /* = \"\" */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var lastEventId: String? /* = \"\" */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var source: UnionMessagePortOrWindowProxy? /* =
null */\n  get() = definedExternally\n  set(value) = definedExternally\n  var ports: Array<MessagePort>? /*
= arrayOf() */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MessageEventInit(data: Any? = null,
origin: String? = \"\", lastEventId: String? = \"\", source: UnionMessagePortOrWindowProxy? = null, ports:
Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): MessageEventInit {\n  val o = js(\"({})\")\n  o[\"data\"] = data\n  o[\"origin\"] = origin\n
o[\"lastEventId\"] = lastEventId\n  o[\"source\"] = source\n  o[\"ports\"] = ports\n  o[\"bubbles\"] = bubbles\n
o[\"cancelable\"] = cancelable\n  o[\"composed\"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\n */\npublic external open
class EventSource(url: String, eventSourceInitDict: EventSourceInit = definedExternally) : EventTarget {\n  open
val url: String\n  open val withCredentials: Boolean\n  open val readyState: Short\n  var onopen: ((Event) ->
dynamic)?\n  var onmessage: ((MessageEvent) -> dynamic)?\n  var onerror: ((Event) -> dynamic)?\n  fun
close()\n\n  companion object {\n    val CONNECTING: Short\n    val OPEN: Short\n    val CLOSED:
Short\n  }\n}\n\npublic external interface EventSourceInit {\n  var withCredentials: Boolean? /* = false */\n
get() = definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventSourceInit(withCredentials:
Boolean? = false): EventSourceInit {\n  val o = js(\"({})\")\n  o[\"withCredentials\"] = withCredentials\n  return

```

```

o\n}\n\n/**\n * Exposes the JavaScript [WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to
Kotlin\n *^\npublic external open class WebSocket(url: String, protocols: dynamic = definedExternally) :
EventTarget {\n  open val url: String\n  open val readyState: Short\n  open val bufferedAmount: Number\n  var
onopen: ((Event) -> dynamic)?\n  var onerror: ((Event) -> dynamic)?\n  var onclose: ((Event) -> dynamic)?\n
open val extensions: String\n  open val protocol: String\n  var onmessage: ((MessageEvent) -> dynamic)?\n  var
binaryType: BinaryType\n  fun close(code: Short = definedExternally, reason: String = definedExternally)\n  fun
send(data: String)\n  fun send(data: Blob)\n  fun send(data: ArrayBuffer)\n  fun send(data:
ArrayBufferView)\n\n  companion object {\n    val CONNECTING: Short\n    val OPEN: Short\n    val
CLOSING: Short\n    val CLOSED: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n *^\npublic external open class
CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally) : Event {\n  open val wasClean:
Boolean\n  open val code: Short\n  open val reason: String\n\n  companion object {\n    val NONE: Short\n
val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface CloseEventInit : EventInit {\n  var wasClean: Boolean? /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var code: Short? /* = 0 */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var reason: String? /* = \"\" */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CloseEventInit(wasClean: Boolean? =
false, code: Short? = 0, reason: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): CloseEventInit {\n  val o = js(\"({})\")\n  o[\"wasClean\"] = wasClean\n  o[\"code\"] = code\n
o[\"reason\"] = reason\n  o[\"bubbles\"] = bubbles\n  o[\"cancelable\"] = cancelable\n  o[\"composed\"] =
composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n *^\npublic external
open class MessageChannel {\n  open val port1: MessagePort\n  open val port2: MessagePort\n}\n\n/**\n *
Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n
*^\npublic external abstract class MessagePort : EventTarget, UnionMessagePortOrWindowProxy,
UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n  open var onmessage:
((MessageEvent) -> dynamic)?\n  fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n  fun start()\n  fun close()\n}\n\n/**\n * Exposes the JavaScript
[BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel) to Kotlin\n *^\npublic
external open class BroadcastChannel(name: String) : EventTarget {\n  open val name: String\n  var onmessage:
((MessageEvent) -> dynamic)?\n  fun postMessage(message: Any?)\n  fun close()\n}\n\n/**\n * Exposes the
JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n
*^\npublic external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope,
GlobalPerformance {\n  open val self: WorkerGlobalScope\n  open val location: WorkerLocation\n  open val
navigator: WorkerNavigator\n  open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n  open var
onlanguagechange: ((Event) -> dynamic)?\n  open var onoffline: ((Event) -> dynamic)?\n  open var ononline:
((Event) -> dynamic)?\n  open var onrejectionhandled: ((Event) -> dynamic)?\n  open var onunhandledrejection:
((PromiseRejectionEvent) -> dynamic)?\n  fun importScripts(vararg urls: String)\n}\n\n/**\n * Exposes the
JavaScript
[DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to
Kotlin\n *^\npublic external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n  open var
onmessage: ((MessageEvent) -> dynamic)?\n  fun postMessage(message: Any?, transfer: Array<dynamic> =
definedExternally)\n  fun close()\n}\n\n/**\n * Exposes the JavaScript
[SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to
Kotlin\n *^\npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n  open val name:
String\n  open val applicationCache: ApplicationCache\n  open var onconnect: ((Event) -> dynamic)?\n  fun
close()\n}\n\n/**\n * Exposes the JavaScript

```

[AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n \*^\\npublic external interface AbstractWorker {\n var onerror: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n\*\*\n \* Exposes the JavaScript

[Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n \*^\\npublic external open class Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n var onmessage: ((MessageEvent) -> dynamic)?\n override var onerror: ((Event) -> dynamic)?\n fun terminate()\n fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\npublic external interface WorkerOptions {\n var type: WorkerType? /\* = WorkerType.CLASSIC \*/\n get() = definedExternally\n set(value) = definedExternally\n var credentials: RequestCredentials? /\* = RequestCredentials.OMIT \*/\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE\_REFERENCE\", \"INVISIBLE\_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun WorkerOptions(type: WorkerType? = WorkerType.CLASSIC, credentials: RequestCredentials? = RequestCredentials.OMIT): WorkerOptions {\n val o = js(\"({})\")\n o[\"type\"] = type\n o[\"credentials\"] = credentials\n return o\n}\n\n\*\*\n \* Exposes the JavaScript

[SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n \*^\\npublic external open class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n open val port: MessagePort\n override var onerror: ((Event) -> dynamic)?\n}\n\n\*\*\n \* Exposes the JavaScript

[NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to Kotlin\n \*^\\npublic external interface NavigatorConcurrentHardware {\n val hardwareConcurrency: Number\n}\n\n\*\*\n \* Exposes the JavaScript

[WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\n \*^\\npublic external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorConcurrentHardware {\n open val serviceWorker: ServiceWorkerContainer\n}\n\n\*\*\n \* Exposes the JavaScript

[WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n \*^\\npublic external abstract class WorkerLocation {\n open val href: String\n open val origin: String\n open val protocol: String\n open val host: String\n open val hostname: String\n open val port: String\n open val pathname: String\n open val search: String\n open val hash: String\n}\n\n\*\*\n \* Exposes the JavaScript

[Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n \*^\\npublic external abstract class Storage {\n open val length: Int\n fun key(index: Int): String?\n fun removeItem(key: String)\n fun clear()\n fun getItem(key: String): String?\n fun setItem(key: String, value: String)\n}\n\n@Suppress(\"INVISIBLE\_REFERENCE\", \"INVISIBLE\_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.get(key: String): String? = asDynamic()[key]\n\n@Suppress(\"INVISIBLE\_REFERENCE\", \"INVISIBLE\_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.set(key: String, value: String) { asDynamic()[key] = value }\n\n\*\*\n \* Exposes the JavaScript

[WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n \*^\\npublic external interface WindowSessionStorage {\n val sessionStorage: Storage\n}\n\n\*\*\n \* Exposes the JavaScript

[WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to Kotlin\n \*^\\npublic external interface WindowLocalStorage {\n val localStorage: Storage\n}\n\n\*\*\n \* Exposes the JavaScript

[StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n \*^\\npublic external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n open val key: String?\n open val oldValue: String?\n open val newValue: String?\n open val url: String\n open val storageArea: Storage?\n\n companion object {\n val NONE: Short\n val CAPTURING\_PHASE: Short\n val AT\_TARGET: Short\n val BUBBLING\_PHASE: Short\n }\n}\n\npublic external interface StorageEventInit : EventInit {\n var key: String? /\* = null \*/\n get() = definedExternally\n set(value) = definedExternally\n var oldValue: String? /\* = null \*/\n get() = definedExternally\n set(value) = definedExternally\n var newValue: String? /\* = null \*/\n get() = definedExternally\n set(value) = definedExternally\n var url: String? /\* = \"\" \*/\n get() = definedExternally\n set(value) =

```

definedExternally\n    var storageArea: Storage? /* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun StorageEventInit(key: String? = null,
oldValue: String? = null, newValue: String? = null, url: String? = \"\", storageArea: Storage? = null, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {\n    val o =
js(\"({})\")\n    o[\"key\"] = key\n    o[\"oldValue\"] = oldValue\n    o[\"newValue\"] = newValue\n    o[\"url\"] =
url\n    o[\"storageArea\"] = storageArea\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n    return o\n}\n\npublic external abstract class HTMLAppletElement :
HTMLElement {\n    open var align: String\n    open var alt: String\n    open var archive: String\n    open var code:
String\n    open var codeBase: String\n    open var height: String\n    open var hspace: Int\n    open var name:
String\n    open var _object: String\n    open var vspace: Int\n    open var width: String\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLMarqueeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMarqueeElement) to Kotlin\n
*/\n\npublic external abstract class HTMLMarqueeElement : HTMLElement {\n    open var behavior: String\n    open
var bgColor: String\n    open var direction: String\n    open var height: String\n    open var hspace: Int\n    open var
loop: Int\n    open var scrollAmount: Int\n    open var scrollDelay: Int\n    open var trueSpeed: Boolean\n    open var
vspace: Int\n    open var width: String\n    open var onbounce: ((Event) -> dynamic)?\n    open var onfinish: ((Event)
-> dynamic)?\n    open var onstart: ((Event) -> dynamic)?\n    fun start()\n    fun stop()\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin\n
*/\n\npublic external abstract class HTMLFrameSetElement : HTMLElement, WindowEventHandlers {\n    open var
cols: String\n    open var rows: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
HTMLFrameElement : HTMLElement {\n    open var name: String\n    open var scrolling: String\n    open var src:

```

```

String\n open var frameBorder: String\n open var longDesc: String\n open var noResize: Boolean\n open val
contentDocument: Document?\n open val contentWindow: Window?\n open var marginHeight: String\n open
var marginWidth: String\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
HTMLDirectoryElement : HTMLElement {\n open var compact: Boolean\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement) to Kotlin\n */\npublic
external abstract class HTMLFontElement : HTMLElement {\n open var color: String\n open var face: String\n
open var size: String\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface External
{\n fun AddSearchProvider()\n fun IsSearchProviderInstalled()\n}\n\npublic external interface EventInit {\n
var bubbles: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var
cancelable: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var
composed: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventInit(bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): EventInit {\n val o = js(\"({})\")\n o[\"bubbles\"] =
bubbles\n o[\"cancelable\"] = cancelable\n o[\"composed\"] = composed\n return o\n}\n\n/**\n * Exposes the
JavaScript [CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n */\npublic
external open class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\n
open val detail: Any?\n fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail:
Any?)\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val
AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface CustomEventInit :
EventInit {\n var detail: Any? /* = null */\n get() = definedExternally\n set(value) =

```

```

definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CustomEventInit(detail: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CustomEventInit {\n    val o
= js(\"({})\")\n    o[\"detail\"] = detail\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\npublic external interface EventListenerOptions {\n    var capture:
Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun EventListenerOptions(capture:
Boolean? = false): EventListenerOptions {\n    val o = js(\"({})\")\n    o[\"capture\"] = capture\n    return
o\n}\n\npublic external interface AddEventListenerOptions : EventListenerOptions {\n    var passive: Boolean? /* =
false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var once: Boolean? /* = false */\n
get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun AddEventListenerOptions(passive:
Boolean? = false, once: Boolean? = false, capture: Boolean? = false): AddEventListenerOptions {\n    val o =
js(\"({})\")\n    o[\"passive\"] = passive\n    o[\"once\"] = once\n    o[\"capture\"] = capture\n    return o\n}\n\npublic
external interface NonElementParentNode {\n    fun getElementById(elementId: String): Element?\n}\n\n/**\n *
Exposes the JavaScript
[DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin\n
*\npublic external interface DocumentOrShadowRoot {\n    val fullscreenElement: Element?\n    get() =
definedExternally\n}\n\n/**\n * Exposes the JavaScript
[ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin\n
*\npublic external interface
ParentNode {\n    val children: HTMLCollection\n    val firstElementChild: Element?\n    get() =
definedExternally\n    val lastElementChild: Element?\n    get() = definedExternally\n    val childElementCount:
Int\n    fun prepend(vararg nodes: dynamic)\n    fun append(vararg nodes: dynamic)\n    fun querySelector(selectors:
String): Element?\n    fun querySelectorAll(selectors: String): NodeList\n}\n\n/**\n * Exposes the JavaScript
[NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to
Kotlin\n
*\npublic external interface NonDocumentTypeChildNode {\n    val previousElementSibling: Element?\n
get() = definedExternally\n    val nextElementSibling: Element?\n    get() = definedExternally\n}\n\n/**\n *
Exposes the JavaScript [ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin\n
*\npublic external interface ChildNode {\n    fun before(vararg nodes: dynamic)\n    fun after(vararg nodes:
dynamic)\n    fun replaceWith(vararg nodes: dynamic)\n    fun remove()\n}\n\n/**\n * Exposes the JavaScript
[Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin\n
*\npublic external interface Slotable
{\n    val assignedSlot: HTMLSlotElement?\n    get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript
[NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin\n
*\npublic external abstract class
NodeList : ItemArrayLike<Node> {\n    override fun item(index: Int):
Node?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun NodeList.get(index: Int):
Node? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin\n
*\npublic
external abstract class HTMLCollection : ItemArrayLike<Element>, UnionElementOrHTMLCollection {\n
override fun item(index: Int): Element?\n    fun namedItem(name: String):
Element?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLCollection.get(index:
Int): Element? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLCollection.get(name:
String): Element? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver) to Kotlin\n
*\npublic
external open class MutationObserver(callback: (Array<MutationRecord>, MutationObserver) -> Unit) {\n    fun

```

```

observe(target: Node, options: MutationObserverInit = definedExternally)\n fun disconnect()\n fun
takeRecords(): Array<MutationRecord>\n}\n\n/**\n * Exposes the JavaScript
[MutationObserverInit](https://developer.mozilla.org/en/docs/Web/API/MutationObserverInit) to Kotlin\n
*/\npublic external interface MutationObserverInit {\n var childList: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n var attributes: Boolean?\n get() =
definedExternally\n set(value) = definedExternally\n var characterData: Boolean?\n get() =
definedExternally\n set(value) = definedExternally\n var subtree: Boolean? /* = false */\n get() =
definedExternally\n set(value) = definedExternally\n var attributeOldValue: Boolean?\n get() =
definedExternally\n set(value) = definedExternally\n var characterDataOldValue: Boolean?\n get() =
definedExternally\n set(value) = definedExternally\n var attributeFilter: Array<String>?\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MutationObserverInit(childList:
Boolean? = false, attributes: Boolean? = undefined, characterData: Boolean? = undefined, subtree: Boolean? = false,
attributeOldValue: Boolean? = undefined, characterDataOldValue: Boolean? = undefined, attributeFilter:
Array<String>? = undefined): MutationObserverInit {\n val o = js(\"{\}\")\n o[\"childList\"] = childList\n
o[\"attributes\"] = attributes\n o[\"characterData\"] = characterData\n o[\"subtree\"] = subtree\n
o[\"attributeOldValue\"] = attributeOldValue\n o[\"characterDataOldValue\"] = characterDataOldValue\n
o[\"attributeFilter\"] = attributeFilter\n return o}\n}\n\n/**\n * Exposes the JavaScript
[MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to Kotlin\n
*/\npublic external
abstract class MutationRecord {\n open val type: String\n open val target: Node\n open val addedNodes:
NodeList\n open val removedNodes: NodeList\n open val previousSibling: Node?\n open val nextSibling:
Node?\n open val attributeName: String?\n open val attributeNamespace: String?\n open val oldValue:
String?\n}\n\n/**\n * Exposes the JavaScript [Node](https://developer.mozilla.org/en/docs/Web/API/Node) to
Kotlin\n
*/\npublic external abstract class Node : EventTarget {\n open val nodeType: Short\n open val
nodeName: String\n open val baseURI: String\n open val isConnected: Boolean\n open val ownerDocument:
Document?\n open val parentNode: Node?\n open val parentElement: Element?\n open val childNodes:
NodeList\n open val firstChild: Node?\n open val lastChild: Node?\n open val previousSibling: Node?\n
open val nextSibling: Node?\n open var nodeValue: String?\n open var textContent: String?\n fun
getRootNode(options: GetRootNodeOptions = definedExternally): Node\n fun hasChildNodes(): Boolean\n fun
normalize()\n fun cloneNode(deep: Boolean = definedExternally): Node\n fun isEqualNode(otherNode: Node?):
Boolean\n fun isSameNode(otherNode: Node?): Boolean\n fun compareDocumentPosition(other: Node): Short\n
fun contains(other: Node?): Boolean\n fun lookupPrefix(namespace: String?): String?\n fun
lookupNamespaceURI(prefix: String?): String?\n fun isDefaultNamespace(namespace: String?): Boolean\n fun
insertBefore(node: Node, child: Node?): Node\n fun appendChild(node: Node): Node\n fun replaceChild(node:
Node, child: Node): Node\n fun removeChild(child: Node): Node\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface
GetRootNodeOptions {\n var composed: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun GetRootNodeOptions(composed:
Boolean? = false): GetRootNodeOptions {\n val o = js(\"{\}\")\n o[\"composed\"] = composed\n return

```

o\n}\n\n/\*\*\n \* Exposes the JavaScript [Document](https://developer.mozilla.org/en/docs/Web/API/Document) to Kotlin\n \* \n\npublic external open class Document : Node, GlobalEventHandlers, DocumentAndElementEventHandlers, NonElementParentNode, DocumentOrShadowRoot, ParentNode, GeometryUtils {\n open val implementation: DOMImplementation\n open val URL: String\n open val documentURI: String\n open val origin: String\n open val compatMode: String\n open val characterSet: String\n open val charset: String\n open val inputEncoding: String\n open val contentType: String\n open val doctype: DocumentType?\n open val documentElement: Element?\n open val location: Location?\n var domain: String\n open val referrer: String\n var cookie: String\n open val lastModified: String\n open val readyState: DocumentReadyState\n var title: String\n var dir: String\n var body: HTMLElement?\n open val head: HTMLHeadElement?\n open val images: HTMLCollection\n open val embeds: HTMLCollection\n open val plugins: HTMLCollection\n open val links: HTMLCollection\n open val forms: HTMLCollection\n open val scripts: HTMLCollection\n open val currentScript: HTMLScriptElement?\n open val defaultView: Window?\n open val activeElement: Element?\n var designMode: String\n var onreadystatechange: ((Event) -> dynamic)?\n var fgColor: String\n var linkColor: String\n var vlinkColor: String\n var alinkColor: String\n var bgColor: String\n open val anchors: HTMLCollection\n open val applets: HTMLCollection\n open val all: HTMLAllCollection\n open val scrollingElement: Element?\n open val styleSheets: StyleSheetList\n open val rootElement: SVGElement?\n open val fullscreenEnabled: Boolean\n open val fullscreen: Boolean\n var onfullscreenchange: ((Event) -> dynamic)?\n var onfullscreenerror: ((Event) -> dynamic)?\n override var onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n override var oncancel: ((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough: ((Event) -> dynamic)?\n override var onchange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) -> dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) -> dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent) -> dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) -> dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var ondragexit: ((DragEvent) -> dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) -> dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) -> dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) -> dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -> dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) -> dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup: ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata: ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend: ((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown: ((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) -> dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) -> dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n override var onratechange: ((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked: ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) -> dynamic)?\n override var onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n override var onsubmit: ((Event) -> dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var ontimeupdate: ((Event) -> dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var onvolumechange: ((Event) -> dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var

```

ongotpointercapture: ((PointerEvent) -> dynamic)?\n  override var onlostpointercapture: ((PointerEvent) ->
dynamic)?\n  override var onpointerdown: ((PointerEvent) -> dynamic)?\n  override var onpointermove:
((PointerEvent) -> dynamic)?\n  override var onpointerup: ((PointerEvent) -> dynamic)?\n  override var
onpointercancel: ((PointerEvent) -> dynamic)?\n  override var onpointerover: ((PointerEvent) -> dynamic)?\n
override var onpointerout: ((PointerEvent) -> dynamic)?\n  override var onpointerenter: ((PointerEvent) ->
dynamic)?\n  override var onpointerleave: ((PointerEvent) -> dynamic)?\n  override var oncopy:
((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) -> dynamic)?\n  override var onpaste:
((ClipboardEvent) -> dynamic)?\n  override val fullscreenElement: Element?\n  override val children:
HTMLCollection\n  override val firstElementChild: Element?\n  override val lastElementChild: Element?\n
override val childElementCount: Int\n  fun getElementsByTagName(qualifiedName: String): HTMLCollection\n
fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n  fun
getElementsByTagName(className: String): HTMLCollection\n  fun createElement(localName: String,
options: ElementCreationOptions = definedExternally): Element\n  fun createElementNS(namespace: String?,
qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n  fun
createDocumentFragment(): DocumentFragment\n  fun createTextNode(data: String): Text\n  fun
createCDATASection(data: String): CDATASection\n  fun createComment(data: String): Comment\n  fun
createProcessingInstruction(target: String, data: String): ProcessingInstruction\n  fun importNode(node: Node,
deep: Boolean = definedExternally): Node\n  fun adoptNode(node: Node): Node\n  fun
createAttribute(localName: String): Attr\n  fun createAttributeNS(namespace: String?, qualifiedName: String):
Attr\n  fun createEvent(`interface`: String): Event\n  fun createRange(): Range\n  fun createNodeIterator(root:
Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n  fun
createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? =
definedExternally): NodeIterator\n  fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter:
NodeFilter? = definedExternally): TreeWalker\n  fun createTreeWalker(root: Node, whatToShow: Int =
definedExternally, filter: ((Node) -> Short)? = definedExternally): TreeWalker\n  fun
getElementsByTagName(elementName: String): NodeList\n  fun open(type: String = definedExternally, replace:
String = definedExternally): Document\n  fun open(url: String, name: String, features: String): Window\n  fun
close()\n  fun write(vararg text: String)\n  fun writeln(vararg text: String)\n  fun hasFocus(): Boolean\n  fun
execCommand(commandId: String, showUI: Boolean = definedExternally, value: String = definedExternally):
Boolean\n  fun queryCommandEnabled(commandId: String): Boolean\n  fun
queryCommandIndeterm(commandId: String): Boolean\n  fun queryCommandState(commandId: String):
Boolean\n  fun queryCommandSupported(commandId: String): Boolean\n  fun
queryCommandValue(commandId: String): String\n  fun clear()\n  fun captureEvents()\n  fun releaseEvents()\n
fun elementFromPoint(x: Double, y: Double): Element?\n  fun elementsFromPoint(x: Double, y: Double):
Array<Element>\n  fun caretPositionFromPoint(x: Double, y: Double): CaretPosition?\n  fun createTouch(view:
Window, target: EventTarget, identifier: Int, pageX: Int, pageY: Int, screenX: Int, screenY: Int): Touch\n  fun
createTouchList(vararg touches: Touch): TouchList\n  fun exitFullscreen(): Promise<Unit>\n  override fun
getElementById(elementId: String): Element?\n  override fun prepend(vararg nodes: dynamic)\n  override fun
append(vararg nodes: dynamic)\n  override fun querySelector(selectors: String): Element?\n  override fun
querySelectorAll(selectors: String): NodeList\n  override fun getBoxQuads(options: BoxQuadOptions /* =
definedExternally */): Array<DOMQuad>\n  override fun convertQuadFromNode(quad: dynamic, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n  companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val

```

```

DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun Document.get(name: String):
dynamic = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n *\npublic external
open class XMLDocument : Document {\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
ElementCreationOptions {\n    var `is`: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ElementCreationOptions(`is`: String?
= undefined): ElementCreationOptions {\n    val o = js("{}")\n    o["is"] = `is`\n    return o\n}\n\n/**\n *
Exposes the JavaScript
[DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to Kotlin\n
*\npublic external abstract class DOMImplementation {\n    fun createDocumentType(qualifiedName: String,
publicId: String, systemId: String): DocumentType\n    fun createDocument(namespace: String?, qualifiedName:
String, doctype: DocumentType? = definedExternally): XMLDocument\n    fun createHTMLDocument(title: String
= definedExternally): Document\n    fun hasFeature(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to Kotlin\n *\npublic external
abstract class DocumentType : Node, ChildNode {\n    open val name: String\n    open val publicId: String\n    open
val systemId: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin\n *\npublic
external open class DocumentFragment : Node, NonElementParentNode, ParentNode {\n    override val children:
HTMLCollection\n    override val firstElementChild: Element?\n    override val lastElementChild: Element?\n
    override val childElementCount: Int\n    override fun getElementById(elementId: String): Element?\n
    override fun
prepend(vararg nodes: dynamic)\n    override fun append(vararg nodes: dynamic)\n    override fun
querySelector(selectors: String): Element?\n    override fun querySelectorAll(selectors: String): NodeList\n

```

```

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE: Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }
}

/** Exposes the JavaScript [ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin
 *
 * @public external open class ShadowRoot : DocumentFragment, DocumentOrShadowRoot {
    open val mode: ShadowRootMode
    open val host: Element
    override val fullscreenElement: Element?

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
    }

    DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short }
}

/** Exposes the JavaScript [Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin
 *
 * @public external abstract class Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils, UnionElementOrHTMLCollection, UnionElementOrRadioNodeList, UnionElementOrMouseEvent, UnionElementOrProcessingInstruction {
    open val namespaceURI: String?
    open val prefix: String?
    open val localName: String
    open val tagName: String
    open var id: String
    open var className: String
    open val classList: DOMTokenList
    open var slot: String
    open val attributes: NamedNodeMap
    open val shadowRoot: ShadowRoot?
    open var scrollTop: Double
    open var scrollLeft: Double
    open val scrollWidth: Int
    open val scrollHeight: Int
    open val clientTop: Int
    open val clientLeft: Int
    open val clientWidth: Int
    open val clientHeight: Int
    open var innerHTML: String
    open var outerHTML: String

    fun hasAttributes(): Boolean
    fun getAttributeNames(): Array<String>
    fun getAttribute(qualifiedName: String): String?
    fun getAttributeNS(namespace: String?, localName: String): String?
    fun setAttribute(qualifiedName: String, value: String)
    fun setAttributeNS(namespace: String?, qualifiedName: String, value: String)
    fun removeAttribute(qualifiedName: String)
    fun removeAttributeNS(namespace: String?, localName: String)
    fun hasAttribute(qualifiedName: String): Boolean
    fun hasAttributeNS(namespace: String?, localName: String): Boolean
    fun getAttributeNode(qualifiedName: String): Attr?
    fun getAttributeNodeNS(namespace: String?, localName: String): Attr?
    fun setAttributeNode(attr: Attr): Attr?
    fun setAttributeNodeNS(attr: Attr): Attr?
    fun removeAttributeNode(attr: Attr): Attr
    fun attachShadow(init: ShadowRootInit): ShadowRoot
    fun closest(selectors: String): Element?
    fun matches(selectors: String): Boolean
    fun webkitMatchesSelector(selectors: String): Boolean
    fun getElementsByTagName(qualifiedName: String): HTMLCollection
    fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection
    fun getElementsByClassName(classNames: String): HTMLCollection
    fun insertAdjacentElement(where: String, element: Element): Element?
    fun insertAdjacentText(where: String, data: String)
    fun getClientRects(): Array<DOMRect>
    fun getBoundingClientRect(): DOMRect
    fun scrollIntoView()
    fun scrollIntoView(arg: dynamic)
    fun scroll(options: ScrollToOptions = definedExternally)
    fun scroll(x: Double, y: Double)
    fun scrollTo(options: ScrollToOptions = definedExternally)
    fun scrollTo(x: Double, y: Double)
    fun scrollBy(options: ScrollToOptions = definedExternally)
    fun scrollBy(x: Double, y: Double)
}

```

```

insertAdjacentHTML(position: String, text: String)\n fun setPointerCapture(pointerId: Int)\n fun
releasePointerCapture(pointerId: Int)\n fun hasPointerCapture(pointerId: Int): Boolean\n fun requestFullscreen():
Promise<Unit>\n\n companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE:
Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }
}\n\npublic external interface
ShadowRootInit {\n    var mode: ShadowRootMode?\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ShadowRootInit(mode:
ShadowRootMode?): ShadowRootInit {\n    val o = js(\\"({})\")\n    o[\"mode\"] = mode\n    return o\n}\n\n/**\n *
Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to
Kotlin\n */\npublic external abstract class NamedNodeMap : ItemArrayLike<Attr> {\n    fun
getNamedItemNS(namespace: String?, localName: String): Attr?\n    fun setNamedItem(attr: Attr): Attr?\n    fun
setNamedItemNS(attr: Attr): Attr?\n    fun removeNamedItem(qualifiedName: String): Attr\n    fun
removeNamedItemNS(namespace: String?, localName: String): Attr\n    override fun item(index: Int): Attr?\n    fun
getNamedItem(qualifiedName: String): Attr?\n}\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun NamedNodeMap.get(index:
Int): Attr? = asDynamic()[index]\n\n@Suppress(\\"INVISIBLE_REFERENCE\",
\\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun
NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName]\n\n/**\n * Exposes the
JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\n */\npublic external abstract class
Attr : Node {\n    open val namespaceURI: String?\n    open val prefix: String?\n    open val localName: String\n    open val name: String\n    open var value: String\n    open val ownerElement: Element?\n    open val specified:
Boolean\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\n */\npublic external
abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n    open var data: String\n    open
val length: Int\n    fun substringData(offset: Int, count: Int): String\n    fun appendData(data: String)\n    fun
insertData(offset: Int, data: String)\n    fun deleteData(offset: Int, count: Int)\n    fun replaceData(offset: Int, count:
Int, data: String)\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n

```

```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n */\npublic external open class Text(data:
String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n    open val wholeText: String\n    override
val assignedSlot: HTMLSlotElement?\n    override val previousElementSibling: Element?\n    override val
nextElementSibling: Element?\n    fun splitText(offset: Int): Text\n    override fun getBoxQuads(options:
BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n    override fun convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n    override
fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n    override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n    override fun before(vararg nodes:
dynamic)\n    override fun after(vararg nodes: dynamic)\n    override fun replaceWith(vararg nodes: dynamic)\n
override fun remove()\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin\n */\npublic external
open class CDATASection : Text {\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to Kotlin\n
*/\npublic external abstract class ProcessingInstruction : CharacterData, LinkStyle,
UnionElementOrProcessingInstruction {\n    open val target: String\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin\n */\npublic external open class
Comment(data: String = definedExternally) : CharacterData {\n    override val previousElementSibling: Element?\n

```



```

String?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMTokenList.get(index:
Int): String? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n */\npublic
external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\n  open val x: Double\n
open val y: Double\n  open val z: Double\n  open val w: Double\n  fun matrixTransform(matrix:
DOMMatrixReadOnly): DOMPoint\n}\n\n/**\n * Exposes the JavaScript
[DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\n */\npublic external open class
DOMPoint : DOMPointReadOnly {\n  constructor(point: DOMPointInit)\n  constructor(x: Double =
definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\n
  override var x: Double\n  override var y: Double\n  override var z: Double\n  override var w:
Double\n}\n\n/**\n * Exposes the JavaScript
[DOMPointInit](https://developer.mozilla.org/en/docs/Web/API/DOMPointInit) to Kotlin\n */\npublic external
interface DOMPointInit {\n  var x: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var y: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var z: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var w: Double? /* = 1.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun DOMPointInit(x: Double? = 0.0, y:
Double? = 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\n  val o = js("{}")\n  o["x"] = x\n
o["y"] = y\n  o["z"] = z\n  o["w"] = w\n  return o\n}\n\n/**\n * Exposes the JavaScript
[DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\n */\npublic external open class
DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally,
height: Double = definedExternally) : DOMRectReadOnly {\n  override var x: Double\n  override var y: Double\n
  override var width: Double\n  override var height: Double\n}\n\n/**\n * Exposes the JavaScript
[DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\n */\npublic
external open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {\n  open val x:
Double\n  open val y: Double\n  open val width: Double\n  open val height: Double\n  open val top: Double\n
open val right: Double\n  open val bottom: Double\n  open val left: Double\n}\n\npublic external interface
DOMRectInit {\n  var x: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var y: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var width: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var height: Double? /* = 0.0 */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun DOMRectInit(x: Double? = 0.0, y:
Double? = 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit {\n  val o = js("{}")\n  o["x"] =
x\n  o["y"] = y\n  o["width"] = width\n  o["height"] = height\n  return o\n}\n\npublic external interface
DOMRectList : ItemArrayLike<DOMRect> {\n  override fun item(index: Int):
DOMRect?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMRectList.get(index: Int):
DOMRect? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\n */\npublic external open class
DOMQuad {\n  constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3:
DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n  constructor(rect: DOMRectInit)\n
open val p1: DOMPoint\n  open val p2: DOMPoint\n  open val p3: DOMPoint\n  open val p4: DOMPoint\n
open val bounds: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly) to Kotlin\n
*/\npublic external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n  open val a: Double\n

```

```

open val b: Double\n open val c: Double\n open val d: Double\n open val e: Double\n open val f: Double\n
open val m11: Double\n open val m12: Double\n open val m13: Double\n open val m14: Double\n open val
m21: Double\n open val m22: Double\n open val m23: Double\n open val m24: Double\n open val m31:
Double\n open val m32: Double\n open val m33: Double\n open val m34: Double\n open val m41: Double\n
open val m42: Double\n open val m43: Double\n open val m44: Double\n open val is2D: Boolean\n open
val isIdentity: Boolean\n fun translate(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n
fun scale(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n
fun scale3d(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ:
Double = definedExternally): DOMMatrix\n fun scaleNonUniform(scaleX: Double, scaleY: Double =
definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double =
definedExternally, originZ: Double = definedExternally): DOMMatrix\n fun rotate(angle: Double, originX:
Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n fun rotateFromVector(x:
Double, y: Double): DOMMatrix\n fun rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double):
DOMMatrix\n fun skewX(sx: Double): DOMMatrix\n fun skewY(sy: Double): DOMMatrix\n fun
multiply(other: DOMMatrix): DOMMatrix\n fun flipX(): DOMMatrix\n fun flipY(): DOMMatrix\n fun
inverse(): DOMMatrix\n fun transformPoint(point: DOMPointInit = definedExternally): DOMPoint\n fun
toFloat32Array(): Float32Array\n fun toFloat64Array(): Float64Array\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n */\npublic external open
class DOMMatrix() : DOMMatrixReadOnly {\n constructor(transformList: String)\n constructor(other:
DOMMatrixReadOnly)\n constructor(array32: Float32Array)\n constructor(array64: Float64Array)\n
constructor(numberSequence: Array<Double>)\n override var a: Double\n override var b: Double\n override
var c: Double\n override var d: Double\n override var e: Double\n override var f: Double\n override var m11:
Double\n override var m12: Double\n override var m13: Double\n override var m14: Double\n override var
m21: Double\n override var m22: Double\n override var m23: Double\n override var m24: Double\n override
var m31: Double\n override var m32: Double\n override var m33: Double\n override var m34: Double\n
override var m41: Double\n override var m42: Double\n override var m43: Double\n override var m44:
Double\n fun multiplySelf(other: DOMMatrix): DOMMatrix\n fun preMultiplySelf(other: DOMMatrix):
DOMMatrix\n fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n fun
scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n
fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally,
originZ: Double = definedExternally): DOMMatrix\n fun scaleNonUniformSelf(scaleX: Double, scaleY: Double =
definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double =
definedExternally, originZ: Double = definedExternally): DOMMatrix\n fun rotateSelf(angle: Double, originX:
Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n fun rotateFromVectorSelf(x:
Double, y: Double): DOMMatrix\n fun rotateAxisAngleSelf(x: Double, y: Double, z: Double, angle: Double):
DOMMatrix\n fun skewXSelf(sx: Double): DOMMatrix\n fun skewYSelf(sy: Double): DOMMatrix\n fun
invertSelf(): DOMMatrix\n fun setMatrixValue(transformList: String): DOMMatrix\n}\n\npublic external
interface ScrollOptions {\n var behavior: ScrollBehavior? /* = ScrollBehavior.AUTO */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollOptions(behavior:
ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {\n val o = js(\"({})\")\n o[\"behavior\"] = behavior\n
return o\n}\n\n/**\n * Exposes the JavaScript
[ScrollToOptions](https://developer.mozilla.org/en/docs/Web/API/ScrollToOptions) to Kotlin\n */\npublic external
interface ScrollToOptions : ScrollOptions {\n var left: Double?\n get() = definedExternally\n set(value) =
definedExternally\n var top: Double?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollToOptions(left: Double? =
undefined, top: Double? = undefined, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {\n

```

```

val o = js("{}")\n o["left"] = left\n o["top"] = top\n o["behavior"] = behavior\n return o\n}\n\n**\n * Exposes the JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to Kotlin\n * \npublic external abstract class MediaQueryList : EventTarget {\n open val media: String\n open val matches: Boolean\n open var onchange: ((Event) -> dynamic)?\n fun addListener(listener: EventListener?)\n fun addListener(listener: ((Event) -> Unit)?)\n fun removeListener(listener: EventListener?)\n fun removeListener(listener: ((Event) -> Unit)?)\n}\n\n**\n * Exposes the JavaScript [MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent) to Kotlin\n * \npublic external open class MediaQueryListEvent(type: String, eventInitDict: MediaQueryListEventInit = definedExternally) : Event {\n open val media: String\n open val matches: Boolean\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface MediaQueryListEventInit : EventInit {\n var media: String? /* = "" */\n get() = definedExternally\n set(value) = definedExternally\n var matches: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun MediaQueryListEventInit(media: String? = "", matches: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaQueryListEventInit {\n val o = js("{}")\n o["media"] = media\n o["matches"] = matches\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return o\n}\n\n**\n * Exposes the JavaScript [Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin\n * \npublic external abstract class Screen {\n open val availWidth: Int\n open val availHeight: Int\n open val width: Int\n open val height: Int\n open val colorDepth: Int\n open val pixelDepth: Int\n}\n\n**\n * Exposes the JavaScript [CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin\n * \npublic external abstract class CaretPosition {\n open val offsetNode: Node\n open val offset: Int\n fun getClientRect(): DOMRect?\n}\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {\n var block: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n get() = definedExternally\n set(value) = definedExternally\n var inline: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ScrollIntoViewOptions(block: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollIntoViewOptions {\n val o = js("{}")\n o["block"] = block\n o["inline"] = inline\n o["behavior"] = behavior\n return o\n}\n\npublic external interface BoxQuadOptions {\n var box: CSSBoxType? /* = CSSBoxType.BORDER */\n get() = definedExternally\n set(value) = definedExternally\n var relativeTo: dynamic\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun BoxQuadOptions(box: CSSBoxType? = CSSBoxType.BORDER, relativeTo: dynamic = undefined): BoxQuadOptions {\n val o = js("{}")\n o["box"] = box\n o["relativeTo"] = relativeTo\n return o\n}\n\npublic external interface ConvertCoordinateOptions {\n var fromBox: CSSBoxType? /* = CSSBoxType.BORDER */\n get() = definedExternally\n set(value) = definedExternally\n var toBox: CSSBoxType? /* = CSSBoxType.BORDER */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ConvertCoordinateOptions(fromBox: CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? = CSSBoxType.BORDER): ConvertCoordinateOptions {\n val o = js("{}")\n o["fromBox"] = fromBox\n o["toBox"] = toBox\n return o\n}\n\n**\n * Exposes the JavaScript [GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin\n * \npublic external interface GeometryUtils {\n fun getBoxQuads(options: BoxQuadOptions = definedExternally): Array<DOMQuad>\n fun convertQuadFromNode(quad: dynamic, from: dynamic, options:

```



```

dynamic)?\n  override var onpointerdown: ((PointerEvent) -> dynamic)?\n  override var onpointermove:
((PointerEvent) -> dynamic)?\n  override var onpointerup: ((PointerEvent) -> dynamic)?\n  override var
onpointercancel: ((PointerEvent) -> dynamic)?\n  override var onpointerover: ((PointerEvent) -> dynamic)?\n
override var onpointerout: ((PointerEvent) -> dynamic)?\n  override var onpointerenter: ((PointerEvent) ->
dynamic)?\n  override var onpointerleave: ((PointerEvent) -> dynamic)?\n  override var oncopy:
((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) -> dynamic)?\n  override var onpaste:
((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n  override val isContentEditable:
Boolean\n  override val style: CSSStyleDeclaration\n  override val children: HTMLCollection\n  override val
firstElementChild: Element?\n  override val lastElementChild: Element?\n  override val childElementCount: Int\n
  override val previousElementSibling: Element?\n  override val nextElementSibling: Element?\n  override val
assignedSlot: HTMLSlotElement?\n  override fun prepend(vararg nodes: dynamic)\n  override fun append(vararg
nodes: dynamic)\n  override fun querySelector(selectors: String): Element?\n  override fun
querySelectorAll(selectors: String): NodeList\n  override fun before(vararg nodes: dynamic)\n  override fun
after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n  override fun remove()\n
override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override
fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n\n  public external open class
Audio(src: String = definedExternally) : HTMLAudioElement {\n  override var onabort: ((Event) -> dynamic)?\n
override var onblur: ((FocusEvent) -> dynamic)?\n  override var oncancel: ((Event) -> dynamic)?\n  override var
oncanplay: ((Event) -> dynamic)?\n  override var oncanplaythrough: ((Event) -> dynamic)?\n  override var
onchange: ((Event) -> dynamic)?\n  override var onclick: ((MouseEvent) -> dynamic)?\n  override var onclose:
((Event) -> dynamic)?\n  override var oncontextmenu: ((MouseEvent) -> dynamic)?\n  override var oncuechange:
((Event) -> dynamic)?\n  override var ondblclick: ((MouseEvent) -> dynamic)?\n  override var ondrag:
((DragEvent) -> dynamic)?\n  override var ondragend: ((DragEvent) -> dynamic)?\n  override var ondragenter:
((DragEvent) -> dynamic)?\n  override var ondragexit: ((DragEvent) -> dynamic)?\n  override var ondragleave:
((DragEvent) -> dynamic)?\n  override var ondragover: ((DragEvent) -> dynamic)?\n  override var ondragstart:
((DragEvent) -> dynamic)?\n  override var ondrop: ((DragEvent) -> dynamic)?\n  override var ondurationchange:
((Event) -> dynamic)?\n  override var onemptied: ((Event) -> dynamic)?\n  override var onended: ((Event) ->
dynamic)?\n  override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n  override var onfocus:
((FocusEvent) -> dynamic)?\n  override var oninput: ((InputEvent) -> dynamic)?\n  override var oninvalid:
((Event) -> dynamic)?\n  override var onkeydown: ((KeyboardEvent) -> dynamic)?\n  override var onkeypress:
((KeyboardEvent) -> dynamic)?\n  override var onkeyup: ((KeyboardEvent) -> dynamic)?\n  override var onload:
((Event) -> dynamic)?\n  override var onloadeddata: ((Event) -> dynamic)?\n  override var onloadedmetadata:
((Event) -> dynamic)?\n  override var onloadend: ((Event) -> dynamic)?\n  override var onloadstart:
((ProgressEvent) -> dynamic)?\n  override var onmousedown: ((MouseEvent) -> dynamic)?\n  override var
onmouseenter: ((MouseEvent) -> dynamic)?\n  override var onmouseleave: ((MouseEvent) -> dynamic)?\n

```

```

override var onmousemove: ((MouseEvent) -> dynamic)?\n  override var onmouseout: ((MouseEvent) ->
dynamic)?\n  override var onmouseover: ((MouseEvent) -> dynamic)?\n  override var onmouseup: ((MouseEvent)
-> dynamic)?\n  override var onwheel: ((WheelEvent) -> dynamic)?\n  override var onpause: ((Event) ->
dynamic)?\n  override var onplay: ((Event) -> dynamic)?\n  override var onplaying: ((Event) -> dynamic)?\n
override var onprogress: ((ProgressEvent) -> dynamic)?\n  override var onratechange: ((Event) -> dynamic)?\n
override var onreset: ((Event) -> dynamic)?\n  override var onresize: ((Event) -> dynamic)?\n  override var
onscroll: ((Event) -> dynamic)?\n  override var onseeked: ((Event) -> dynamic)?\n  override var onseeking:
((Event) -> dynamic)?\n  override var onselect: ((Event) -> dynamic)?\n  override var onshow: ((Event) ->
dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n  override var onsubmit: ((Event) -> dynamic)?\n
override var onsuspend: ((Event) -> dynamic)?\n  override var ontimeupdate: ((Event) -> dynamic)?\n  override
var ontoggle: ((Event) -> dynamic)?\n  override var onvolumechange: ((Event) -> dynamic)?\n  override var
onwaiting: ((Event) -> dynamic)?\n  override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n  override
var onlostpointercapture: ((PointerEvent) -> dynamic)?\n  override var onpointerdown: ((PointerEvent) ->
dynamic)?\n  override var onpointermove: ((PointerEvent) -> dynamic)?\n  override var onpointerup:
((PointerEvent) -> dynamic)?\n  override var onpointercancel: ((PointerEvent) -> dynamic)?\n  override var
onpointerover: ((PointerEvent) -> dynamic)?\n  override var onpointerout: ((PointerEvent) -> dynamic)?\n
override var onpointerenter: ((PointerEvent) -> dynamic)?\n  override var onpointerleave: ((PointerEvent) ->
dynamic)?\n  override var oncopy: ((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) ->
dynamic)?\n  override var onpaste: ((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n
override val isContentEditable: Boolean\n  override val style: CSSStyleDeclaration\n  override val children:
HTMLCollection\n  override val firstElementChild: Element?\n  override val lastElementChild: Element?\n
override val childElementCount: Int\n  override val previousElementSibling: Element?\n  override val
nextElementSibling: Element?\n  override val assignedSlot: HTMLSlotElement?\n  override fun prepend(vararg
nodes: dynamic)\n  override fun append(vararg nodes: dynamic)\n  override fun querySelector(selectors: String):
Element?\n  override fun querySelectorAll(selectors: String): NodeList\n  override fun before(vararg nodes:
dynamic)\n  override fun after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n
override fun remove()\n  override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */):
Array<DOMQuad>\n  override fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n
override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n  companion object {\n    val NETWORK_EMPTY: Short\n    val
NETWORK_IDLE: Short\n    val NETWORK_LOADING: Short\n    val NETWORK_NO_SOURCE: Short\n
    val HAVE_NOTHING: Short\n    val HAVE_METADATA: Short\n    val HAVE_CURRENT_DATA:
Short\n    val HAVE_FUTURE_DATA: Short\n    val HAVE_ENOUGH_DATA: Short\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[Option](https://developer.mozilla.org/en/docs/Web/API/Option) to Kotlin\n */\npublic external open class
Option(text: String = definedExternally, value: String = definedExternally, defaultSelected: Boolean =
definedExternally, selected: Boolean = definedExternally) : HTMLOptionElement {\n  override var onabort:
((Event) -> dynamic)?\n  override var onblur: ((FocusEvent) -> dynamic)?\n  override var oncancel: ((Event) ->

```

```

dynamic)?\n  override var oncanplay: ((Event) -> dynamic)?\n  override var oncanplaythrough: ((Event) ->
dynamic)?\n  override var onchange: ((Event) -> dynamic)?\n  override var onclick: ((MouseEvent) ->
dynamic)?\n  override var onclose: ((Event) -> dynamic)?\n  override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n  override var oncuechange: ((Event) -> dynamic)?\n  override var ondblclick: ((MouseEvent) ->
dynamic)?\n  override var ondrag: ((DragEvent) -> dynamic)?\n  override var ondragend: ((DragEvent) ->
dynamic)?\n  override var ondragenter: ((DragEvent) -> dynamic)?\n  override var ondragexit: ((DragEvent) ->
dynamic)?\n  override var ondragleave: ((DragEvent) -> dynamic)?\n  override var ondragover: ((DragEvent) ->
dynamic)?\n  override var ondragstart: ((DragEvent) -> dynamic)?\n  override var ondrop: ((DragEvent) ->
dynamic)?\n  override var ondurationchange: ((Event) -> dynamic)?\n  override var onemptied: ((Event) ->
dynamic)?\n  override var onended: ((Event) -> dynamic)?\n  override var onerror: ((dynamic, String, Int, Int,
Any?) -> dynamic)?\n  override var onfocus: ((FocusEvent) -> dynamic)?\n  override var oninput: ((InputEvent) ->
dynamic)?\n  override var oninvalid: ((Event) -> dynamic)?\n  override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n  override var onkeypress: ((KeyboardEvent) -> dynamic)?\n  override var onkeyup:
((KeyboardEvent) -> dynamic)?\n  override var onload: ((Event) -> dynamic)?\n  override var onloadeddata:
((Event) -> dynamic)?\n  override var onloadedmetadata: ((Event) -> dynamic)?\n  override var onloadend:
((Event) -> dynamic)?\n  override var onloadstart: ((ProgressEvent) -> dynamic)?\n  override var onmousedown:
((MouseEvent) -> dynamic)?\n  override var onmouseenter: ((MouseEvent) -> dynamic)?\n  override var
onmouseleave: ((MouseEvent) -> dynamic)?\n  override var onmousemove: ((MouseEvent) -> dynamic)?\n
override var onmouseout: ((MouseEvent) -> dynamic)?\n  override var onmouseover: ((MouseEvent) ->
dynamic)?\n  override var onmouseup: ((MouseEvent) -> dynamic)?\n  override var onwheel: ((WheelEvent) ->
dynamic)?\n  override var onpause: ((Event) -> dynamic)?\n  override var onplay: ((Event) -> dynamic)?\n
override var onplaying: ((Event) -> dynamic)?\n  override var onprogress: ((ProgressEvent) -> dynamic)?\n
override var onratechange: ((Event) -> dynamic)?\n  override var onreset: ((Event) -> dynamic)?\n  override var
onresize: ((Event) -> dynamic)?\n  override var onscroll: ((Event) -> dynamic)?\n  override var onseeked:
((Event) -> dynamic)?\n  override var onseeking: ((Event) -> dynamic)?\n  override var onselect: ((Event) ->
dynamic)?\n  override var onshow: ((Event) -> dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n
override var onsubmit: ((Event) -> dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n  override var
ontimeupdate: ((Event) -> dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var
onvolumechange: ((Event) -> dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var
ongotpointercapture: ((PointerEvent) -> dynamic)?\n  override var onlostpointercapture: ((PointerEvent) ->
dynamic)?\n  override var onpointerdown: ((PointerEvent) -> dynamic)?\n  override var onpointermove:
((PointerEvent) -> dynamic)?\n  override var onpointerup: ((PointerEvent) -> dynamic)?\n  override var
onpointercancel: ((PointerEvent) -> dynamic)?\n  override var onpointerover: ((PointerEvent) -> dynamic)?\n
override var onpointerout: ((PointerEvent) -> dynamic)?\n  override var onpointerenter: ((PointerEvent) ->
dynamic)?\n  override var onpointerleave: ((PointerEvent) -> dynamic)?\n  override var oncopy:
((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) -> dynamic)?\n  override var onpaste:
((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n  override val isContentEditable:
Boolean\n  override val style: CSSStyleDeclaration\n  override val children: HTMLCollection\n  override val
firstElementChild: Element?\n  override val lastElementChild: Element?\n  override val childElementCount: Int\n
  override val previousElementSibling: Element?\n  override val nextElementSibling: Element?\n  override val
assignedSlot: HTMLSlotElement?\n  override fun prepend(vararg nodes: dynamic)\n  override fun append(vararg
nodes: dynamic)\n  override fun querySelector(selectors: String): Element?\n  override fun
querySelectorAll(selectors: String): NodeList\n  override fun before(vararg nodes: dynamic)\n  override fun
after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n  override fun remove()\n
override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override
fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun

```

```

convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n\n\npublic external interface
UnionElementOrHTMLCollection\n\npublic external interface UnionElementOrRadioNodeList\n\npublic external
interface UnionHTMLOptGroupElementOrHTMLOptionElement\n\npublic external interface
UnionAudioTrackOrTextTrackOrVideoTrack\n\npublic external interface UnionElementOrMouseEvent\n\npublic
external interface UnionMessagePortOrWindowProxy\n\npublic external interface MediaProvider\n\npublic
external interface RenderingContext\n\npublic external interface HTMLOrSVGImageElement :
CanvasImageSource\n\npublic external interface CanvasImageSource : ImageBitmapSource\n\npublic external
interface ImageBitmapSource\n\npublic external interface HTMLOrSVGScriptElement\n\n/* please, don't
implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface DocumentReadyState {\n    companion object\n}\n\npublic inline val
DocumentReadyState.Companion.LOADING: DocumentReadyState get() =
"loading".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() =
"interactive".asDynamic().unsafeCast<DocumentReadyState>()\n\npublic inline val
DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() =
"complete".asDynamic().unsafeCast<DocumentReadyState>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface CanPlayTypeResult {\n    companion object\n}\n\npublic inline val
CanPlayTypeResult.Companion.EMPTY: CanPlayTypeResult get() =
"".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val CanPlayTypeResult.Companion.MAYBE:
CanPlayTypeResult get() = "maybe".asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val
CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() =
"probably".asDynamic().unsafeCast<CanPlayTypeResult>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface TextTrackMode {\n    companion object\n}\n\npublic inline val TextTrackMode.Companion.DISABLED:
TextTrackMode get() = "disabled".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.HIDDEN: TextTrackMode get() =
"hidden".asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.SHOWING: TextTrackMode get() =
"showing".asDynamic().unsafeCast<TextTrackMode>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface TextTrackKind {\n    companion object\n}\n\npublic inline val TextTrackKind.Companion.SUBTITLES:
TextTrackKind get() = "subtitles".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CAPTIONS: TextTrackKind get() =
"captions".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.DESCRPTIONS: TextTrackKind get() =
"descriptions".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val

```

```

TextTrackKind.Companion.CHAPTERS: TextTrackKind get() =
\"chapters\".asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.METADATA: TextTrackKind get() =
\"metadata\".asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface SelectionMode {\n  companion object\n}\n\npublic inline val SelectionMode.Companion.SELECT:
SelectionMode get() = \"select\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val
SelectionMode.Companion.START: SelectionMode get() =
\"start\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.END:
SelectionMode get() = \"end\".asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val
SelectionMode.Companion.PRESERVE: SelectionMode get() =
\"preserve\".asDynamic().unsafeCast<SelectionMode>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface CanvasFillRule {\n  companion object\n}\n\npublic inline val CanvasFillRule.Companion.NONZERO:
CanvasFillRule get() = \"nonzero\".asDynamic().unsafeCast<CanvasFillRule>()\n\npublic inline val
CanvasFillRule.Companion.EVENODD: CanvasFillRule get() =
\"evenodd\".asDynamic().unsafeCast<CanvasFillRule>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface ImageSmoothingQuality {\n  companion object\n}\n\npublic inline val
ImageSmoothingQuality.Companion.LOW: ImageSmoothingQuality get() =
\"low\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val
ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() =
\"medium\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val
ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() =
\"high\".asDynamic().unsafeCast<ImageSmoothingQuality>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface CanvasLineCap {\n  companion object\n}\n\npublic inline val CanvasLineCap.Companion.BUTT:
CanvasLineCap get() = \"butt\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val
CanvasLineCap.Companion.ROUND: CanvasLineCap get() =
\"round\".asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val CanvasLineCap.Companion.SQUARE:
CanvasLineCap get() = \"square\".asDynamic().unsafeCast<CanvasLineCap>()\n\n/* please, don't implement this
interface! *\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic
external interface CanvasLineJoin {\n  companion object\n}\n\npublic inline val
CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() =
\"round\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val CanvasLineJoin.Companion.BEVEL:
CanvasLineJoin get() = \"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val
CanvasLineJoin.Companion.MITER: CanvasLineJoin get() =
\"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\n\n/* please, don't implement this interface!
*\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external
interface CanvasTextAlign {\n  companion object\n}\n\npublic inline val CanvasTextAlign.Companion.START:
CanvasTextAlign get() = \"start\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.END: CanvasTextAlign get() =
\"end\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.LEFT:
CanvasTextAlign get() = \"left\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.RIGHT: CanvasTextAlign get() =
\"right\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() =
\"center\".asDynamic().unsafeCast<CanvasTextAlign>()\n\n/* please, don't implement this interface!

```

```

*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface CanvasTextBaseline {\n  companion object\n}\n\npublic inline val CanvasTextBaseline.Companion.TOP:
CanvasTextBaseline get() = "top".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() =
"hanging".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get() =
"middle".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() =
"alphabetic".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() =
"ideographic".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() =
"bottom".asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface CanvasDirection {\n  companion object\n}\n\npublic inline val CanvasDirection.Companion.LTR:
CanvasDirection get() = "ltr".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val
CanvasDirection.Companion.RTL: CanvasDirection get() =
"rtl".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val CanvasDirection.Companion.INHERIT:
CanvasDirection get() = "inherit".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this
interface! *\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic
external interface ScrollRestoration {\n  companion object\n}\n\npublic inline val
ScrollRestoration.Companion.AUTO: ScrollRestoration get() =
"auto".asDynamic().unsafeCast<ScrollRestoration>()\n\npublic inline val
ScrollRestoration.Companion.MANUAL: ScrollRestoration get() =
"manual".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface ImageOrientation {\n  companion object\n}\n\npublic inline val ImageOrientation.Companion.NONE:
ImageOrientation get() = "none".asDynamic().unsafeCast<ImageOrientation>()\n\npublic inline val
ImageOrientation.Companion.FLIPY: ImageOrientation get() =
"flipY".asDynamic().unsafeCast<ImageOrientation>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface PremultiplyAlpha {\n  companion object\n}\n\npublic inline val PremultiplyAlpha.Companion.NONE:
PremultiplyAlpha get() = "none".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() =
"premultiply".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() =
"default".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface ColorSpaceConversion {\n  companion object\n}\n\npublic inline val
ColorSpaceConversion.Companion.NONE: ColorSpaceConversion get() =
"none".asDynamic().unsafeCast<ColorSpaceConversion>()\n\npublic inline val
ColorSpaceConversion.Companion.DEFAULT: ColorSpaceConversion get() =
"default".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface ResizeQuality {\n  companion object\n}\n\npublic inline val ResizeQuality.Companion.PIXELATED:
ResizeQuality get() = "pixelated".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val
ResizeQuality.Companion.LOW: ResizeQuality get() =
"low".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.MEDIUM:

```

```

ResizeQuality get() = "medium".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val
ResizeQuality.Companion.HIGH: ResizeQuality get() = "high".asDynamic().unsafeCast<ResizeQuality>()\n\n/*
please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface BinaryType {\n  companion object\n}\n\npublic inline val BinaryType.Companion.BLOB: BinaryType
get() = "blob".asDynamic().unsafeCast<BinaryType>()\n\npublic inline val
BinaryType.Companion.ARRAYBUFFER: BinaryType get() =
"arraybuffer".asDynamic().unsafeCast<BinaryType>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface WorkerType {\n  companion object\n}\n\npublic inline val WorkerType.Companion.CLASSIC:
WorkerType get() = "classic".asDynamic().unsafeCast<WorkerType>()\n\npublic inline val
WorkerType.Companion.MODULE: WorkerType get() =
"module".asDynamic().unsafeCast<WorkerType>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface ShadowRootMode {\n  companion object\n}\n\npublic inline val ShadowRootMode.Companion.OPEN:
ShadowRootMode get() = "open".asDynamic().unsafeCast<ShadowRootMode>()\n\npublic inline val
ShadowRootMode.Companion.CLOSED: ShadowRootMode get() =
"closed".asDynamic().unsafeCast<ShadowRootMode>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface ScrollBehavior {\n  companion object\n}\n\npublic inline val ScrollBehavior.Companion.AUTO:
ScrollBehavior get() = "auto".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val
ScrollBehavior.Companion.INSTANT: ScrollBehavior get() =
"instant".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val ScrollBehavior.Companion.SMOOTH:
ScrollBehavior get() = "smooth".asDynamic().unsafeCast<ScrollBehavior>()\n\n/* please, don't implement this
interface! *\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic
external interface ScrollLogicalPosition {\n  companion object\n}\n\npublic inline val
ScrollLogicalPosition.Companion.START: ScrollLogicalPosition get() =
"start".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() =
"center".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() =
"end".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() =
"nearest".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface CSSBoxType {\n  companion object\n}\n\npublic inline val CSSBoxType.Companion.MARGIN:
CSSBoxType get() = "margin".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val
CSSBoxType.Companion.BORDER: CSSBoxType get() =
"border".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.PADDING:
CSSBoxType get() = "padding".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val
CSSBoxType.Companion.CONTENT: CSSBoxType get() =
"content".asDynamic().unsafeCast<CSSBoxType>()"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n@n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.fetch\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.files.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n *\n@npublic external open class
Headers(init: dynamic = definedExternally) {\n  fun append(name: String, value: String)\n  fun delete(name:

```

```

String)\n fun get(name: String): String?\n fun has(name: String): Boolean\n fun set(name: String, value:
String)\n}\n\n/**\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body) to
Kotlin\n */\npublic external interface Body {\n val bodyUsed: Boolean\n fun arrayBuffer():
Promise<ArrayBuffer>\n fun blob(): Promise<Blob>\n fun formData(): Promise<FormData>\n fun json():
Promise<Any?>\n fun text(): Promise<String>\n}\n\n/**\n * Exposes the JavaScript
[Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n */\npublic external open class
Request(input: dynamic, init: RequestInit = definedExternally) : Body {\n open val method: String\n open val
url: String\n open val headers: Headers\n open val type: RequestType\n open val destination:
RequestDestination\n open val referrer: String\n open val referrerPolicy: dynamic\n open val mode:
RequestMode\n open val credentials: RequestCredentials\n open val cache: RequestCache\n open val redirect:
RequestRedirect\n open val integrity: String\n open val keepalive: Boolean\n override val bodyUsed:
Boolean\n fun clone(): Request\n override fun arrayBuffer(): Promise<ArrayBuffer>\n override fun blob():
Promise<Blob>\n override fun formData(): Promise<FormData>\n override fun json(): Promise<Any?>\n
override fun text(): Promise<String>\n}\n\npublic external interface RequestInit {\n var method: String?\n
get() = definedExternally\n set(value) = definedExternally\n var headers: dynamic\n get() =
definedExternally\n set(value) = definedExternally\n var body: dynamic\n get() = definedExternally\n
set(value) = definedExternally\n var referrer: String?\n get() = definedExternally\n set(value) =
definedExternally\n var referrerPolicy: dynamic\n get() = definedExternally\n set(value) =
definedExternally\n var mode: RequestMode?\n get() = definedExternally\n set(value) =
definedExternally\n var credentials: RequestCredentials?\n get() = definedExternally\n set(value) =
definedExternally\n var cache: RequestCache?\n get() = definedExternally\n set(value) =
definedExternally\n var redirect: RequestRedirect?\n get() = definedExternally\n set(value) =
definedExternally\n var integrity: String?\n get() = definedExternally\n set(value) = definedExternally\n
var keepalive: Boolean?\n get() = definedExternally\n set(value) = definedExternally\n var window:
Any?\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun RequestInit(method: String? =
undefined, headers: dynamic = undefined, body: dynamic = undefined, referrer: String? = undefined, referrerPolicy:
dynamic = undefined, mode: RequestMode? = undefined, credentials: RequestCredentials? = undefined, cache:
RequestCache? = undefined, redirect: RequestRedirect? = undefined, integrity: String? = undefined, keepalive:
Boolean? = undefined, window: Any? = undefined): RequestInit {\n val o = js(\"({})\")\n o[\"method\"] =
method\n o[\"headers\"] = headers\n o[\"body\"] = body\n o[\"referrer\"] = referrer\n o[\"referrerPolicy\"] =
referrerPolicy\n o[\"mode\"] = mode\n o[\"credentials\"] = credentials\n o[\"cache\"] = cache\n o[\"redirect\"]
= redirect\n o[\"integrity\"] = integrity\n o[\"keepalive\"] = keepalive\n o[\"window\"] = window\n return
o\n}\n\n/**\n * Exposes the JavaScript [Response](https://developer.mozilla.org/en/docs/Web/API/Response) to
Kotlin\n */\npublic external open class Response(body: dynamic = definedExternally, init: ResponseInit =
definedExternally) : Body {\n open val type: ResponseType\n open val url: String\n open val redirected:
Boolean\n open val status: Short\n open val ok: Boolean\n open val statusText: String\n open val headers:
Headers\n open val body: dynamic\n open val trailer: Promise<Headers>\n override val bodyUsed: Boolean\n
fun clone(): Response\n override fun arrayBuffer(): Promise<ArrayBuffer>\n override fun blob():
Promise<Blob>\n override fun formData(): Promise<FormData>\n override fun json(): Promise<Any?>\n
override fun text(): Promise<String>\n\n companion object {\n fun error(): Response\n fun redirect(url:
String, status: Short = definedExternally): Response\n }\n}\n\npublic external interface ResponseInit {\n var
status: Short? /* = 200 */\n get() = definedExternally\n set(value) = definedExternally\n var statusText:
String? /* = \"OK\" */\n get() = definedExternally\n set(value) = definedExternally\n var headers:
dynamic\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ResponseInit(status: Short? = 200,

```

```

statusText: String? = \"OK\", headers: dynamic = undefined): ResponseInit {
    val o = js("{}")
    o[\"status\"] = status
    o[\"statusText\"] = statusText
    o[\"headers\"] = headers
    return o
}
/* please, don't implement this interface! */
@JsName(\"null\")
@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")
public external interface RequestType {
    companion object
}
public inline val RequestType.Companion.EMPTY: RequestType
get() = \"\".asDynamic().unsafeCast<RequestType>()
public inline val RequestType.Companion.AUDIO: RequestType
get() = \"audio\".asDynamic().unsafeCast<RequestType>()
public inline val RequestType.Companion.FONT: RequestType
get() = \"font\".asDynamic().unsafeCast<RequestType>()
public inline val RequestType.Companion.IMAGE: RequestType
get() = \"image\".asDynamic().unsafeCast<RequestType>()
public inline val RequestType.Companion.SCRIPT: RequestType
get() = \"script\".asDynamic().unsafeCast<RequestType>()
public inline val RequestType.Companion.STYLE: RequestType
get() = \"style\".asDynamic().unsafeCast<RequestType>()
public inline val RequestType.Companion.TRACK: RequestType
get() = \"track\".asDynamic().unsafeCast<RequestType>()
public inline val RequestType.Companion.VIDEO: RequestType
get() = \"video\".asDynamic().unsafeCast<RequestType>()
/* please, don't implement this interface! */
@JsName(\"null\")
@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")
public external interface RequestDestination {
    companion object
}
public inline val RequestDestination.Companion.EMPTY: RequestDestination
get() = \"\".asDynamic().unsafeCast<RequestDestination>()
public inline val RequestDestination.Companion.DOCUMENT: RequestDestination
get() = \"document\".asDynamic().unsafeCast<RequestDestination>()
public inline val RequestDestination.Companion.EMBED: RequestDestination
get() = \"embed\".asDynamic().unsafeCast<RequestDestination>()
public inline val RequestDestination.Companion.FONT: RequestDestination
get() = \"font\".asDynamic().unsafeCast<RequestDestination>()
public inline val RequestDestination.Companion.IMAGE: RequestDestination
get() = \"image\".asDynamic().unsafeCast<RequestDestination>()
public inline val RequestDestination.Companion.MANIFEST: RequestDestination
get() = \"manifest\".asDynamic().unsafeCast<RequestDestination>()
public inline val RequestDestination.Companion.MEDIA: RequestDestination
get() = \"media\".asDynamic().unsafeCast<RequestDestination>()
public inline val RequestDestination.Companion.OBJECT: RequestDestination
get() = \"object\".asDynamic().unsafeCast<RequestDestination>()
public inline val RequestDestination.Companion.REPORT: RequestDestination
get() = \"report\".asDynamic().unsafeCast<RequestDestination>()
public inline val RequestDestination.Companion.SCRIPT: RequestDestination
get() = \"script\".asDynamic().unsafeCast<RequestDestination>()
public inline val RequestDestination.Companion.SERVICEWORKER: RequestDestination
get() = \"serviceworker\".asDynamic().unsafeCast<RequestDestination>()
public inline val RequestDestination.Companion.SHAREDWORKER: RequestDestination
get() = \"sharedworker\".asDynamic().unsafeCast<RequestDestination>()
public inline val RequestDestination.Companion.STYLE: RequestDestination
get() = \"style\".asDynamic().unsafeCast<RequestDestination>()
public inline val RequestDestination.Companion.WORKER: RequestDestination
get() = \"worker\".asDynamic().unsafeCast<RequestDestination>()
public inline val RequestDestination.Companion.XSLT: RequestDestination
get() = \"xslt\".asDynamic().unsafeCast<RequestDestination>()
/* please, don't implement this interface! */

```

```

*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface RequestMode {\n  companion object\n}\n\npublic inline val RequestMode.Companion.NAVIGATE:
RequestMode get() = "navigate".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.SAME_ORIGIN: RequestMode get() = "same-
origin".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val RequestMode.Companion.NO_CORS:
RequestMode get() = "no-cors".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.CORS: RequestMode get() = "cors".asDynamic().unsafeCast<RequestMode>()\n\n/*
please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface RequestCredentials {\n  companion object\n}\n\npublic inline val RequestCredentials.Companion.OMIT:
RequestCredentials get() = "omit".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = "same-
origin".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.INCLUDE: RequestCredentials get() =
"include".asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface RequestCache {\n  companion object\n}\n\npublic inline val RequestCache.Companion.DEFAULT:
RequestCache get() = "default".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.NO_STORE: RequestCache get() = "no-
store".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.RELOAD:
RequestCache get() = "reload".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.NO_CACHE: RequestCache get() = "no-
cache".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.FORCE_CACHE: RequestCache get() = "force-
cache".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = "only-if-
cached".asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external
interface RequestRedirect {\n  companion object\n}\n\npublic inline val RequestRedirect.Companion.FOLLOW:
RequestRedirect get() = "follow".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val
RequestRedirect.Companion.ERROR: RequestRedirect get() =
"error".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val RequestRedirect.Companion.MANUAL:
RequestRedirect get() = "manual".asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this
interface!
*\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic
external interface ResponseType {\n  companion object\n}\n\npublic inline val ResponseType.Companion.BASIC:
ResponseType get() = "basic".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.CORS: ResponseType get() =
"cors".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.DEFAULT:
ResponseType get() = "default".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.ERROR: ResponseType get() =
"error".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.OPAQUE:
ResponseType get() = "opaque".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() =
"opaqueredirect".asDynamic().unsafeCast<ResponseType>(), /*
*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediacapture\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/*\n * Exposes

```

```

the JavaScript [MediaStream](https://developer.mozilla.org/en/docs/Web/API/MediaStream) to Kotlin\n *\npublic
external open class MediaStream() : EventTarget, MediaProvider {\n  constructor(stream: MediaStream)\n
constructor(tracks: Array<MediaStreamTrack>)\n  open val id: String\n  open val active: Boolean\n  var
onaddtrack: ((MediaStreamTrackEvent) -> dynamic)?\n  var onremovetrack: ((MediaStreamTrackEvent) ->
dynamic)?\n  fun getAudioTracks(): Array<MediaStreamTrack>\n  fun getVideoTracks():
Array<MediaStreamTrack>\n  fun getTracks(): Array<MediaStreamTrack>\n  fun getTrackById(trackId: String):
MediaStreamTrack?\n  fun addTrack(track: MediaStreamTrack)\n  fun removeTrack(track: MediaStreamTrack)\n
  fun clone(): MediaStream\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamTrack](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrack) to Kotlin\n *\npublic
external abstract class MediaStreamTrack : EventTarget {\n  open val kind: String\n  open val id: String\n  open
val label: String\n  open var enabled: Boolean\n  open val muted: Boolean\n  open var onmute: ((Event) ->
dynamic)?\n  open var onunmute: ((Event) -> dynamic)?\n  open val readyState: MediaStreamTrackState\n
open var onended: ((Event) -> dynamic)?\n  open var onoverconstrained: ((Event) -> dynamic)?\n  fun clone():
MediaStreamTrack\n  fun stop()\n  fun getCapabilities(): MediaTrackCapabilities\n  fun getConstraints():
MediaTrackConstraints\n  fun getSettings(): MediaTrackSettings\n  fun applyConstraints(constraints:
MediaTrackConstraints = definedExternally): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackSupportedConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSupportedConstrain
ts) to Kotlin\n *\npublic external interface MediaTrackSupportedConstraints {\n  var width: Boolean? /* = true
*/\n  get() = definedExternally\n  set(value) = definedExternally\n  var height: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var aspectRatio: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var frameRate: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var facingMode: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var resizeMode: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var volume: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var sampleRate: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var sampleSize: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var echoCancellation: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var autoGainControl: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var noiseSuppression: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var latency: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var channelCount: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var deviceId: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var groupId: Boolean? /* = true */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun
MediaTrackSupportedConstraints(width: Boolean? = true, height: Boolean? = true, aspectRatio: Boolean? = true,
frameRate: Boolean? = true, facingMode: Boolean? = true, resizeMode: Boolean? = true, volume: Boolean? = true,
sampleRate: Boolean? = true, sampleSize: Boolean? = true, echoCancellation: Boolean? = true, autoGainControl:
Boolean? = true, noiseSuppression: Boolean? = true, latency: Boolean? = true, channelCount: Boolean? = true,
deviceId: Boolean? = true, groupId: Boolean? = true): MediaTrackSupportedConstraints {\n  val o = js(\"({})\")\n
o[\"width\"] = width\n  o[\"height\"] = height\n  o[\"aspectRatio\"] = aspectRatio\n  o[\"frameRate\"] =
frameRate\n  o[\"facingMode\"] = facingMode\n  o[\"resizeMode\"] = resizeMode\n  o[\"volume\"] = volume\n
o[\"sampleRate\"] = sampleRate\n  o[\"sampleSize\"] = sampleSize\n  o[\"echoCancellation\"] =
echoCancellation\n  o[\"autoGainControl\"] = autoGainControl\n  o[\"noiseSuppression\"] = noiseSuppression\n
o[\"latency\"] = latency\n  o[\"channelCount\"] = channelCount\n  o[\"deviceId\"] = deviceId\n  o[\"groupId\"] =
groupId\n  return o\n}\n\npublic external interface MediaTrackCapabilities {\n  var width: ULongRange?\n
get() = definedExternally\n  set(value) = definedExternally\n  var height: ULongRange?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var aspectRatio: DoubleRange?\n  get() =

```

```

definedExternally\n    set(value) = definedExternally\n    var frameRate: DoubleRange?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var facingMode: Array<String>?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var resizeMode: Array<String>?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var volume: DoubleRange?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var sampleRate: ULongRange?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var sampleSize: ULongRange?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var echoCancellation: Array<Boolean>?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var autoGainControl: Array<Boolean>?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var noiseSuppression: Array<Boolean>?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var latency: DoubleRange?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var channelCount: ULongRange?\n        get() =
definedExternally\n    set(value) = definedExternally\n    var deviceId: String?\n        get() = definedExternally\n
    set(value) = definedExternally\n    var groupId: String?\n        get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackCapabilities(width:
ULongRange? = undefined, height: ULongRange? = undefined, aspectRatio: DoubleRange? = undefined,
frameRate: DoubleRange? = undefined, facingMode: Array<String>? = undefined, resizeMode: Array<String>? =
undefined, volume: DoubleRange? = undefined, sampleRate: ULongRange? = undefined, sampleSize:
ULongRange? = undefined, echoCancellation: Array<Boolean>? = undefined, autoGainControl: Array<Boolean>?
= undefined, noiseSuppression: Array<Boolean>? = undefined, latency: DoubleRange? = undefined, channelCount:
ULongRange? = undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackCapabilities
{\n    val o = js(\"({})\")\n    o[\"width\"] = width\n    o[\"height\"] = height\n    o[\"aspectRatio\"] = aspectRatio\n
o[\"frameRate\"] = frameRate\n    o[\"facingMode\"] = facingMode\n    o[\"resizeMode\"] = resizeMode\n
o[\"volume\"] = volume\n    o[\"sampleRate\"] = sampleRate\n    o[\"sampleSize\"] = sampleSize\n
o[\"echoCancellation\"] = echoCancellation\n    o[\"autoGainControl\"] = autoGainControl\n
o[\"noiseSuppression\"] = noiseSuppression\n    o[\"latency\"] = latency\n    o[\"channelCount\"] = channelCount\n
o[\"deviceId\"] = deviceId\n    o[\"groupId\"] = groupId\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackConstraints) to Kotlin\n
*\n\npublic external interface MediaTrackConstraints : MediaTrackConstraintSet {\n    var advanced:
Array<MediaTrackConstraintSet>?\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraints(advanced:
Array<MediaTrackConstraintSet>? = undefined, width: dynamic = undefined, height: dynamic = undefined,
aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined,
resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize:
dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined,
noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount: dynamic = undefined,
deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraints {\n    val o = js(\"({})\")\n
o[\"advanced\"] = advanced\n    o[\"width\"] = width\n    o[\"height\"] = height\n    o[\"aspectRatio\"] =
aspectRatio\n    o[\"frameRate\"] = frameRate\n    o[\"facingMode\"] = facingMode\n    o[\"resizeMode\"] =
resizeMode\n    o[\"volume\"] = volume\n    o[\"sampleRate\"] = sampleRate\n    o[\"sampleSize\"] = sampleSize\n
o[\"echoCancellation\"] = echoCancellation\n    o[\"autoGainControl\"] = autoGainControl\n
o[\"noiseSuppression\"] = noiseSuppression\n    o[\"latency\"] = latency\n    o[\"channelCount\"] = channelCount\n
o[\"deviceId\"] = deviceId\n    o[\"groupId\"] = groupId\n    return o\n}\n\npublic external interface
MediaTrackConstraintSet {\n    var width: dynamic\n        get() = definedExternally\n        set(value) =
definedExternally\n    var height: dynamic\n        get() = definedExternally\n        set(value) = definedExternally\n
var aspectRatio: dynamic\n        get() = definedExternally\n        set(value) = definedExternally\n    var frameRate:
dynamic\n        get() = definedExternally\n        set(value) = definedExternally\n    var facingMode: dynamic\n

```

```

get() = definedExternally\n    set(value) = definedExternally\n    var resizeMode: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n    var volume: dynamic\n    get() = definedExternally\n
    set(value) = definedExternally\n    var sampleRate: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var sampleSize: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var echoCancellation: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var autoGainControl: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var noiseSuppression: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var latency: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n
var channelCount: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n    var deviceId:
dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n    var groupId: dynamic\n    get()
= definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackConstraintSet(width:
dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic =
undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined,
sampleRate: dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined,
autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic = undefined,
channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined):
MediaTrackConstraintSet {\n    val o = js("{}")\n    o["width"] = width\n    o["height"] = height\n
    o["aspectRatio"] = aspectRatio\n    o["frameRate"] = frameRate\n    o["facingMode"] = facingMode\n
    o["resizeMode"] = resizeMode\n    o["volume"] = volume\n    o["sampleRate"] = sampleRate\n
    o["sampleSize"] = sampleSize\n    o["echoCancellation"] = echoCancellation\n    o["autoGainControl"] =
autoGainControl\n    o["noiseSuppression"] = noiseSuppression\n    o["latency"] = latency\n
    o["channelCount"] = channelCount\n    o["deviceId"] = deviceId\n    o["groupId"] = groupId\n    return
o\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackSettings](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSettings) to Kotlin\n\n*\n\npublic
external interface MediaTrackSettings {\n    var width: Int?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var height: Int?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
aspectRatio: Double?\n    get() = definedExternally\n    set(value) = definedExternally\n    var frameRate:
Double?\n    get() = definedExternally\n    set(value) = definedExternally\n    var facingMode: String?\n
get() = definedExternally\n    set(value) = definedExternally\n    var resizeMode: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var volume: Double?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var sampleRate: Int?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var sampleSize: Int?\n    get() = definedExternally\n    set(value) = definedExternally\n
var echoCancellation: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
autoGainControl: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
noiseSuppression: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n    var latency:
Double?\n    get() = definedExternally\n    set(value) = definedExternally\n    var channelCount: Int?\n
get() = definedExternally\n    set(value) = definedExternally\n    var deviceId: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var groupId: String?\n    get() = definedExternally\n
    set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackSettings(width: Int? =
undefined, height: Int? = undefined, aspectRatio: Double? = undefined, frameRate: Double? = undefined,
facingMode: String? = undefined, resizeMode: String? = undefined, volume: Double? = undefined, sampleRate: Int?
= undefined, sampleSize: Int? = undefined, echoCancellation: Boolean? = undefined, autoGainControl: Boolean? =
undefined, noiseSuppression: Boolean? = undefined, latency: Double? = undefined, channelCount: Int? = undefined,
deviceId: String? = undefined, groupId: String? = undefined): MediaTrackSettings {\n    val o = js("{}")\n
    o["width"] = width\n    o["height"] = height\n    o["aspectRatio"] = aspectRatio\n    o["frameRate"] =
frameRate\n    o["facingMode"] = facingMode\n    o["resizeMode"] = resizeMode\n    o["volume"] = volume\n

```

```

o["sampleRate"] = sampleRate\n  o["sampleSize"] = sampleSize\n  o["echoCancellation"] =
echoCancellation\n  o["autoGainControl"] = autoGainControl\n  o["noiseSuppression"] = noiseSuppression\n
o["latency"] = latency\n  o["channelCount"] = channelCount\n  o["deviceId"] = deviceId\n  o["groupId"] =
groupId\n  return o\n}\n\n**\n * Exposes the JavaScript
[MediaStreamTrackEvent](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrackEvent) to Kotlin\n
*\npublic external open class MediaStreamTrackEvent(type: String, eventInitDict: MediaStreamTrackEventInit) :
Event {\n  open val track: MediaStreamTrack\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface MediaStreamTrackEventInit : EventInit {\n  var track:
MediaStreamTrack?\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun MediaStreamTrackEventInit(track:
MediaStreamTrack?, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
MediaStreamTrackEventInit {\n  val o = js("{}")\n  o["track"] = track\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\npublic external open class
OverconstrainedErrorEvent(type: String, eventInitDict: OverconstrainedErrorEventInit) : Event {\n  open val error:
dynamic\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val
AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface
OverconstrainedErrorEventInit : EventInit {\n  var error: dynamic /* = null */\n  get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun OverconstrainedErrorEventInit(error:
dynamic = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
OverconstrainedErrorEventInit {\n  val o = js("{}")\n  o["error"] = error\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n**\n * Exposes the JavaScript
[MediaDevices](https://developer.mozilla.org/en/docs/Web/API/MediaDevices) to Kotlin\n
*\npublic external
abstract class MediaDevices : EventTarget {\n  open var ondevicechange: ((Event) -> dynamic)?\n  fun
enumerateDevices(): Promise<Array<MediaDeviceInfo>>\n  fun getSupportedConstraints():
MediaTrackSupportedConstraints\n  fun getUserMedia(constraints: MediaStreamConstraints = definedExternally):
Promise<MediaStream>\n}\n\n**\n * Exposes the JavaScript
[MediaDeviceInfo](https://developer.mozilla.org/en/docs/Web/API/MediaDeviceInfo) to Kotlin\n
*\npublic
external abstract class MediaDeviceInfo {\n  open val deviceId: String\n  open val kind: MediaDeviceKind\n
open val label: String\n  open val groupId: String\n  fun toJSON(): dynamic\n}\n\npublic external abstract class
InputDeviceInfo : MediaDeviceInfo {\n  fun getCapabilities(): MediaTrackCapabilities\n}\n\n**\n * Exposes the
JavaScript [MediaStreamConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaStreamConstraints) to
Kotlin\n
*\npublic external interface MediaStreamConstraints {\n  var video: dynamic /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var audio: dynamic /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun MediaStreamConstraints(video:
dynamic = false, audio: dynamic = false): MediaStreamConstraints {\n  val o = js("{}")\n  o["video"] =
video\n  o["audio"] = audio\n  return o\n}\n\npublic external interface ConstrainingPattern {\n  var
onoverconstrained: ((Event) -> dynamic)?\n  get() = definedExternally\n  set(value) = definedExternally\n
fun getCapabilities(): Capabilities\n  fun getConstraints(): Constraints\n  fun getSettings(): Settings\n  fun
applyConstraints(constraints: Constraints = definedExternally): Promise<Unit>\n}\n\n**\n * Exposes the
JavaScript [DoubleRange](https://developer.mozilla.org/en/docs/Web/API/DoubleRange) to Kotlin\n
*\npublic
external interface DoubleRange {\n  var max: Double?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var min: Double?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleRange(max: Double? =
undefined, min: Double? = undefined): DoubleRange {\n  val o = js("{}")\n  o["max"] = max\n  o["min"] =

```

```

min\n    return o\n}\n\npublic external interface ConstrainDoubleRange : DoubleRange {\n    var exact: Double?\n    get() = definedExternally\n    set(value) = definedExternally\n    var ideal: Double?\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainDoubleRange(exact: Double? = undefined, ideal: Double? = undefined, max: Double? = undefined, min: Double? = undefined): ConstrainDoubleRange {\n    val o = js(\"({})\")\n    o[\"exact\"] = exact\n    o[\"ideal\"] = ideal\n    o[\"max\"] = max\n    o[\"min\"] = min\n    return o\n}\n\npublic external interface ULongRange {\n    var max: Int?\n    get() = definedExternally\n    set(value) = definedExternally\n    var min: Int?\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ULongRange(max: Int? = undefined, min: Int? = undefined): ULongRange {\n    val o = js(\"({})\")\n    o[\"max\"] = max\n    o[\"min\"] = min\n    return o\n}\n\npublic external interface ConstrainULongRange : ULongRange {\n    var exact: Int?\n    get() = definedExternally\n    set(value) = definedExternally\n    var ideal: Int?\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainULongRange(exact: Int? = undefined, ideal: Int? = undefined, max: Int? = undefined, min: Int? = undefined): ConstrainULongRange {\n    val o = js(\"({})\")\n    o[\"exact\"] = exact\n    o[\"ideal\"] = ideal\n    o[\"max\"] = max\n    o[\"min\"] = min\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ConstrainBooleanParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainBooleanParameters) to Kotlin\n *\npublic external interface ConstrainBooleanParameters {\n    var exact: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n    var ideal: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainBooleanParameters(exact: Boolean? = undefined, ideal: Boolean? = undefined): ConstrainBooleanParameters {\n    val o = js(\"({})\")\n    o[\"exact\"] = exact\n    o[\"ideal\"] = ideal\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ConstrainDOMStringParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainDOMStringParameters) to Kotlin\n *\npublic external interface ConstrainDOMStringParameters {\n    var exact: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n    var ideal: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConstrainDOMStringParameters(exact: dynamic = undefined, ideal: dynamic = undefined): ConstrainDOMStringParameters {\n    val o = js(\"({})\")\n    o[\"exact\"] = exact\n    o[\"ideal\"] = ideal\n    return o\n}\n\npublic external interface Capabilities\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun Capabilities(): Capabilities {\n    val o = js(\"({})\")\n    return o\n}\n\npublic external interface Settings\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun Settings(): Settings {\n    val o = js(\"({})\")\n    return o\n}\n\npublic external interface ConstraintSet\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ConstraintSet(): ConstraintSet {\n    val o = js(\"({})\")\n    return o\n}\n\npublic external interface Constraints : ConstraintSet {\n    var advanced: Array<ConstraintSet>?\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\", \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun Constraints(advanced: Array<ConstraintSet>? = undefined): Constraints {\n    val o = js(\"({})\")\n    o[\"advanced\"] = advanced\n    return o\n}\n\n/** please, don't implement this interface!\n *\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface MediaStreamTrackState {\n    companion object\n}\n\npublic inline val MediaStreamTrackState.Companion.LIVE: MediaStreamTrackState get() = \"live\".asDynamic().unsafeCast<MediaStreamTrackState>()\n\npublic inline val

```

```

MediaStreamTrackState.Companion.ENDED: MediaStreamTrackState get() =
  `ended`.asDynamic().unsafeCast<MediaStreamTrackState>()\n\n/* please, don't implement this interface!
  *\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface VideoFacingModeEnum {\n  companion object\n}\n\npublic inline val
VideoFacingModeEnum.Companion.USER: VideoFacingModeEnum get() =
  `user`.asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.ENVIRONMENT: VideoFacingModeEnum get() =
  `environment`.asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.LEFT: VideoFacingModeEnum get() =
  `left`.asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.RIGHT: VideoFacingModeEnum get() =
  `right`.asDynamic().unsafeCast<VideoFacingModeEnum>()\n\n/* please, don't implement this interface!
  *\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface VideoResizeModeEnum {\n  companion object\n}\n\npublic inline val
VideoResizeModeEnum.Companion.NONE: VideoResizeModeEnum get() =
  `none`.asDynamic().unsafeCast<VideoResizeModeEnum>()\n\npublic inline val
VideoResizeModeEnum.Companion.CROP_AND_SCALE: VideoResizeModeEnum get() = `crop-and-
scale`.asDynamic().unsafeCast<VideoResizeModeEnum>()\n\n/* please, don't implement this interface!
  *\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface MediaDeviceKind {\n  companion object\n}\n\npublic inline val
MediaDeviceKind.Companion.AUDIOINPUT: MediaDeviceKind get() =
  `audioinput`.asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val
MediaDeviceKind.Companion.AUDIOOUTPUT: MediaDeviceKind get() =
  `audiooutput`.asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val
MediaDeviceKind.Companion.VIDEOINPUT: MediaDeviceKind get() =
  `videoinput`.asDynamic().unsafeCast<MediaDeviceKind>()\n\n/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *^\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediasource\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\n/**\n * Exposes
the JavaScript [MediaSource](https://developer.mozilla.org/en/docs/Web/API/MediaSource) to Kotlin\n\n*\n\npublic
external open class MediaSource : EventTarget, MediaProvider {\n  open val sourceBuffers: SourceBufferList\n
open val activeSourceBuffers: SourceBufferList\n  open val readyState: ReadyState\n  var duration: Double\n
var onsourceopen: ((Event) -> dynamic)?\n  var onsourceended: ((Event) -> dynamic)?\n  var onsourceclose:
((Event) -> dynamic)?\n  fun addSourceBuffer(type: String): SourceBuffer\n  fun
removeSourceBuffer(sourceBuffer: SourceBuffer)\n  fun endOfStream(error: EndOfStreamError =
definedExternally)\n  fun setLiveSeekableRange(start: Double, end: Double)\n  fun clearLiveSeekableRange()\n\n
companion object {\n  fun isTypeSupported(type: String): Boolean\n  }\n}\n\n/**\n * Exposes the JavaScript
[SourceBuffer](https://developer.mozilla.org/en/docs/Web/API/SourceBuffer) to Kotlin\n\n*\n\npublic external
abstract class SourceBuffer : EventTarget {\n  open var mode: AppendMode\n  open val updating: Boolean\n
open val buffered: TimeRanges\n  open val timestampOffset: Double\n  open val audioTracks: AudioTrackList\n
open val videoTracks: VideoTrackList\n  open val textTracks: TextTrackList\n  open var appendWindowStart:
Double\n  open var appendWindowEnd: Double\n  open var onupdatestart: ((Event) -> dynamic)?\n  open var
onupdate: ((Event) -> dynamic)?\n  open var onupdateend: ((Event) -> dynamic)?\n  open var onerror: ((Event) ->
dynamic)?\n  open var onabort: ((Event) -> dynamic)?\n  fun appendBuffer(data: dynamic)\n  fun abort()\n  fun
remove(start: Double, end: Double)\n}\n\n/**\n * Exposes the JavaScript
[SourceBufferList](https://developer.mozilla.org/en/docs/Web/API/SourceBufferList) to Kotlin\n\n*\n\npublic
external abstract class SourceBufferList : EventTarget {\n  open val length: Int\n  open var onaddsourcebuffer:

```

```

((Event) -> dynamic)?\n  open var onremovesourcebuffer: ((Event) ->
dynamic)?\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SourceBufferList.get(index:
Int): SourceBuffer? = asDynamic()[index]\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface ReadyState {\n  companion object\n}\n\npublic inline val ReadyState.Companion.CLOSED: ReadyState
get() = \"closed\".asDynamic().unsafeCast<ReadyState>()\n\npublic inline val ReadyState.Companion.OPEN:
ReadyState get() = \"open\".asDynamic().unsafeCast<ReadyState>()\n\npublic inline val
ReadyState.Companion.ENDED: ReadyState get() = \"ended\".asDynamic().unsafeCast<ReadyState>()\n\n/*
please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface EndOfStreamError {\n  companion object\n}\n\npublic inline val
EndOfStreamError.Companion.NETWORK: EndOfStreamError get() =
\"network\".asDynamic().unsafeCast<EndOfStreamError>()\n\npublic inline val
EndOfStreamError.Companion.DECODE: EndOfStreamError get() =
\"decode\".asDynamic().unsafeCast<EndOfStreamError>()\n\n/* please, don't implement this interface!
*\n\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external
interface AppendMode {\n  companion object\n}\n\npublic inline val AppendMode.Companion.SEGMENTS:
AppendMode get() = \"segments\".asDynamic().unsafeCast<AppendMode>()\n\npublic inline val
AppendMode.Companion.SEQUENCE: AppendMode get() =
\"sequence\".asDynamic().unsafeCast<AppendMode>()), /*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n * \n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.pointerevents\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\n\npublic external interface
PointerEventInit : MouseEventInit {\n  var pointerId: Int? /* = 0 */\n    get() = definedExternally\n
set(value) = definedExternally\n  var width: Double? /* = 1.0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var height: Double? /* = 1.0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var pressure: Float? /* = 0f */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var tangentialPressure: Float? /* = 0f */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var tiltX: Int? /* = 0 */\n    get() = definedExternally\n    set(value) = definedExternally\n
  var tiltY: Int? /* = 0 */\n    get() = definedExternally\n    set(value) = definedExternally\n  var twist: Int? /* =
0 */\n    get() = definedExternally\n    set(value) = definedExternally\n  var pointerType: String? /* = \"\" */\n
  get() = definedExternally\n    set(value) = definedExternally\n  var isPrimary: Boolean? /* = false */\n
  get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun PointerEventInit(pointerId: Int? = 0,
width: Double? = 1.0, height: Double? = 1.0, pressure: Float? = 0f, tangentialPressure: Float? = 0f, tiltX: Int? = 0,
tiltY: Int? = 0, twist: Int? = 0, pointerType: String? = \"\", isPrimary: Boolean? = false, screenX: Int? = 0, screenY:
Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? =
null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false,
metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn:
Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock:
Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol:
Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PointerEventInit {\n  val o =
js(\"({})\")\n  o[\"pointerId\"] = pointerId\n  o[\"width\"] = width\n  o[\"height\"] = height\n  o[\"pressure\"] =
pressure\n  o[\"tangentialPressure\"] = tangentialPressure\n  o[\"tiltX\"] = tiltX\n  o[\"tiltY\"] = tiltY\n
o[\"twist\"] = twist\n  o[\"pointerType\"] = pointerType\n  o[\"isPrimary\"] = isPrimary\n  o[\"screenX\"] =

```

```

screenX\n o["screenY"] = screenY\n o["clientX"] = clientX\n o["clientY"] = clientY\n o["button"] =
button\n o["buttons"] = buttons\n o["relatedTarget"] = relatedTarget\n o["region"] = region\n
o["ctrlKey"] = ctrlKey\n o["shiftKey"] = shiftKey\n o["altKey"] = altKey\n o["metaKey"] = metaKey\n
o["modifierAltGraph"] = modifierAltGraph\n o["modifierCapsLock"] = modifierCapsLock\n
o["modifierFn"] = modifierFn\n o["modifierFnLock"] = modifierFnLock\n o["modifierHyper"] =
modifierHyper\n o["modifierNumLock"] = modifierNumLock\n o["modifierScrollLock"] =
modifierScrollLock\n o["modifierSuper"] = modifierSuper\n o["modifierSymbol"] = modifierSymbol\n
o["modifierSymbolLock"] = modifierSymbolLock\n o["view"] = view\n o["detail"] = detail\n
o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return
o\n}\n\n/**\n * Exposes the JavaScript

```

```

[PointerEvent](https://developer.mozilla.org/en/docs/Web/API/PointerEvent) to Kotlin\n */\npublic external open
class PointerEvent(type: String, eventInitDict: PointerEventInit = definedExternally) : MouseEvent {\n open val
pointerId: Int\n open val width: Double\n open val height: Double\n open val pressure: Float\n open val
tangentialPressure: Float\n open val tiltX: Int\n open val tiltY: Int\n open val twist: Int\n open val
pointerType: String\n open val isPrimary: Boolean\n\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}"/**\n
* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS
FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage
org.w3c.dom.svg\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.css.*\n\n/**\n * Exposes the JavaScript

```

```

[SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n */\npublic external
abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers, SVGElementInstance {\n
open val dataset: DOMStringMap\n open val ownerSVGElement: SVGSVGElement?\n open val
viewportElement: SVGElement?\n open var tabIndex: Int\n fun focus()\n fun blur()\n\n companion object
{\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface

```

```

SVGBoundingBoxOptions {\n var fill: Boolean? /* = true */\n get() = definedExternally\n set(value) =
definedExternally\n var stroke: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var markers: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n var clipped: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",

```

```

"INVISIBLE_MEMBER")\n\n@kotlin.internal.InlineOnly\n\npublic inline fun SVGBoundingBoxOptions(fill:
Boolean? = true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false):
SVGBoundingBoxOptions {\n val o = js("{}")\n o["fill"] = fill\n o["stroke"] = stroke\n o["markers"]
= markers\n o["clipped"] = clipped\n return o\n}\n\n/**\n * Exposes the JavaScript

```

```

[SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n\n
*/\npublic external abstract class SVGGraphicsElement : SVGElement, SVGTests {\n open val transform:
SVGAnimatedTransformList\n fun getBBox(options: SVGBoundingBoxOptions = definedExternally):
DOMRect\n fun getCTM(): DOMMatrix?\n fun getScreenCTM(): DOMMatrix?\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val

```

```

CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
[SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement) to Kotlin \n
* \n public external abstract class SVGGeometryElement : SVGGraphicsElement { \n    open val pathLength:
SVGAnimatedNumber \n    fun isPointInFill(point: DOMPoint): Boolean \n    fun isPointInStroke(point: DOMPoint):
Boolean \n    fun getTotalLength(): Float \n    fun getPointAtLength(distance: Float): DOMPoint \n \n    companion
object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
[SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin \n * \n public external
abstract class SVGNumber { \n    open var value: Float \n} \n \n /** \n * Exposes the JavaScript
[SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin \n * \n public external abstract
class SVGLength { \n    open val unitType: Short\n    open var value: Float\n    open var valueInSpecifiedUnits:
Float\n    open var valueAsString: String\n    fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n    fun convertToSpecifiedUnits(unitType: Short)\n \n    companion object { \n        val
SVG_LENGTHTYPE_UNKNOWN: Short\n        val SVG_LENGTHTYPE_NUMBER: Short\n        val
SVG_LENGTHTYPE_PERCENTAGE: Short\n        val SVG_LENGTHTYPE_EMS: Short\n        val
SVG_LENGTHTYPE_EXS: Short\n        val SVG_LENGTHTYPE_PX: Short\n        val
SVG_LENGTHTYPE_CM: Short\n        val SVG_LENGTHTYPE_MM: Short\n        val
SVG_LENGTHTYPE_IN: Short\n        val SVG_LENGTHTYPE_PT: Short\n        val SVG_LENGTHTYPE_PC:
Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin \n * \n public external abstract
class SVGAngle { \n    open val unitType: Short\n    open var value: Float\n    open var valueInSpecifiedUnits:
Float\n    open var valueAsString: String\n    fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n    fun convertToSpecifiedUnits(unitType: Short)\n \n    companion object { \n        val
SVG_ANGLETYPE_UNKNOWN: Short\n        val SVG_ANGLETYPE_UNSPECIFIED: Short\n        val
SVG_ANGLETYPE_DEG: Short\n        val SVG_ANGLETYPE_RAD: Short\n        val
SVG_ANGLETYPE_GRAD: Short\n    } \n} \n \n public external abstract class SVGNameList { \n    open val length:
Int\n    open val numberOfItems: Int\n    fun clear()\n    fun initialize(newItem: dynamic): dynamic\n    fun
insertItemBefore(newItem: dynamic, index: Int): dynamic\n    fun replaceItem(newItem: dynamic, index: Int):
dynamic\n    fun removeItem(index: Int): dynamic\n    fun appendItem(newItem: dynamic): dynamic\n    fun
getItem(index: Int): dynamic \n} \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun SVGNameList.get(index: Int):
dynamic = asDynamic()[index] \n \n @Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER") \n @kotlin.internal.InlineOnly \n public inline operator fun SVGNameList.set(index: Int,
newItem: dynamic) { asDynamic()[index] = newItem } \n \n /** \n * Exposes the JavaScript

```

[SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to Kotlin\n \*^\\npublic external abstract class SVGNumberList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: SVGNumber): SVGNumber\n fun insertItemBefore(newItem: SVGNumber, index: Int): SVGNumber\n fun replaceItem(newItem: SVGNumber, index: Int): SVGNumber\n fun removeItem(index: Int): SVGNumber\n fun appendItem(newItem: SVGNumber): SVGNumber\n fun getItem(index: Int): SVGNumber\n}\n\n@Suppress(\"INVISIBLE\_REFERENCE\", \"INVISIBLE\_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNumberList.get(index: Int): SVGNumber? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE\_REFERENCE\", \"INVISIBLE\_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGNumberList.set(index: Int, newItem: SVGNumber) { asDynamic()[index] = newItem }\n\n/\*\*\n \* Exposes the JavaScript [SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to Kotlin\n \*^\\npublic external abstract class SVGLengthList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: SVGLength): SVGLength\n fun insertItemBefore(newItem: SVGLength, index: Int): SVGLength\n fun replaceItem(newItem: SVGLength, index: Int): SVGLength\n fun removeItem(index: Int): SVGLength\n fun appendItem(newItem: SVGLength): SVGLength\n fun getItem(index: Int): SVGLength\n}\n\n@Suppress(\"INVISIBLE\_REFERENCE\", \"INVISIBLE\_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.get(index: Int): SVGLength? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE\_REFERENCE\", \"INVISIBLE\_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGLengthList.set(index: Int, newItem: SVGLength) { asDynamic()[index] = newItem }\n\n/\*\*\n \* Exposes the JavaScript [SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\n \*^\\npublic external abstract class SVGAnimatedBoolean {\n open var baseVal: Boolean\n open val animVal: Boolean\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to Kotlin\n \*^\\npublic external abstract class SVGAnimatedEnumeration {\n open var baseVal: Short\n open val animVal: Short\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to Kotlin\n \*^\\npublic external abstract class SVGAnimatedInteger {\n open var baseVal: Int\n open val animVal: Int\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\n \*^\\npublic external abstract class SVGAnimatedNumber {\n open var baseVal: Float\n open val animVal: Float\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n \*^\\npublic external abstract class SVGAnimatedLength {\n open val baseVal: SVGLength\n open val animVal: SVGLength\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n \*^\\npublic external abstract class SVGAnimatedAngle {\n open val baseVal: SVGAngle\n open val animVal: SVGAngle\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n \*^\\npublic external abstract class SVGAnimatedString {\n open var baseVal: String\n open val animVal: String\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect) to Kotlin\n \*^\\npublic external abstract class SVGAnimatedRect {\n open val baseVal: DOMRect\n open val animVal: DOMRectReadOnly\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\n \*^\\npublic external abstract class SVGAnimatedNumberList {\n open val baseVal: SVGNumberList\n open val animVal: SVGNumberList\n}\n\n/\*\*\n \* Exposes the JavaScript [SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to Kotlin\n \*^\\npublic external abstract class SVGAnimatedLengthList {\n open val baseVal: SVGLengthList\n open val

```

animVal: SVGLengthList\n}\n\n/**\n * Exposes the JavaScript
[SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n *\npublic external
abstract class SVGStringList {\n  open val length: Int\n  open val numberOfItems: Int\n  fun clear()\n  fun
initialize(newItem: String): String\n  fun insertItemBefore(newItem: String, index: Int): String\n  fun
replaceItem(newItem: String, index: Int): String\n  fun removeItem(index: Int): String\n  fun
appendItem(newItem: String): String\n  fun getItem(index: Int):
String\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.get(index:
Int): String? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGStringList.set(index: Int,
newItem: String) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\n
*\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface SVGUnitTypes
{\n  companion object {\n    val SVG_UNIT_TYPE_UNKNOWN: Short\n    val
SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGTests](https://developer.mozilla.org/en/docs/Web/API/SVGTests) to Kotlin\n *\npublic external interface
SVGTests {\n  val requiredExtensions: SVGStringList\n  val systemLanguage: SVGStringList\n}\n\npublic
external interface SVGFitToViewBox {\n  val viewBox: SVGAnimatedRect\n  val preserveAspectRatio:
SVGAnimatedPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript
[SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n
*\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
SVGZoomAndPan {\n  var zoomAndPan: Short\n\n  companion object {\n    val
SVG_ZOOMANDPAN_UNKNOWN: Short\n    val SVG_ZOOMANDPAN_DISABLE: Short\n    val
SVG_ZOOMANDPAN_MAGNIFY: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\n *\npublic
external interface SVGURIReference {\n  val href: SVGAnimatedString\n}\n\n/**\n * Exposes the JavaScript
[SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\n *\npublic
external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan,
WindowEventHandlers {\n  open val x: SVGAnimatedLength\n  open val y: SVGAnimatedLength\n  open val
width: SVGAnimatedLength\n  open val height: SVGAnimatedLength\n  open var currentScale: Float\n  open
val currentTranslate: DOMPointReadOnly\n  fun getIntersectionList(rect: DOMRectReadOnly, referenceElement:
SVGElement?): NodeList\n  fun getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?):
NodeList\n  fun checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\n  fun
checkEnclosure(element: SVGElement, rect: DOMRectReadOnly): Boolean\n  fun deselectAll()\n  fun
createSVGNumber(): SVGNumber\n  fun createSVGLength(): SVGLength\n  fun createSVGAngle():
SVGAngle\n  fun createSVGPoint(): DOMPoint\n  fun createSVGMatrix(): DOMMatrix\n  fun
createSVGRect(): DOMRect\n  fun createSVGTransform(): SVGTransform\n  fun
createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n  fun
getElementById(elementId: String): Element\n  fun suspendRedraw(maxWaitMilliseconds: Int): Int\n  fun
unsuspendRedraw(suspendHandleID: Int)\n  fun unsuspendRedrawAll()\n  fun forceRedraw()\n\n  companion
object {\n    val SVG_ZOOMANDPAN_UNKNOWN: Short\n    val SVG_ZOOMANDPAN_DISABLE:
Short\n    val SVG_ZOOMANDPAN_MAGNIFY: Short\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val

```

```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[SVGGElement](https://developer.mozilla.org/en/docs/Web/API/SVGGElement) to Kotlin\n */\npublic external
abstract class SVGGElement : SVGGraphicsElement {\n    companion object {\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\npublic external abstract class
SVGUnknownElement : SVGGraphicsElement {\n    companion object {\n        val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\n */\npublic
external abstract class SVGDefsElement : SVGGraphicsElement {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin\n */\npublic
external abstract class SVGDescElement : SVGElement {\n    companion object {\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to Kotlin\n

```

```

*\npublic external abstract class SVGMetadataElement : SVGElement {\n  companion object {\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGTitleElement](https://developer.mozilla.org/en/docs/Web/API/SVGTitleElement) to Kotlin\n
*\npublic
external abstract class SVGTitleElement : SVGElement {\n  companion object {\n    val ELEMENT_NODE:
Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE:
Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGSymbolElement](https://developer.mozilla.org/en/docs/Web/API/SVGSymbolElement) to Kotlin\n
*\npublic
external abstract class SVGSymbolElement : SVGGraphicsElement, SVGFitToViewBox {\n  companion object
{\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n
    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\n
*\npublic external
abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\n  open val x:
SVGAnimatedLength\n  open val y: SVGAnimatedLength\n  open val width: SVGAnimatedLength\n
  open val height: SVGAnimatedLength\n  open val instanceRoot: SVGElement?\n  open val animatedInstanceRoot:
SVGElement?\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE:
Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\npublic external open class
SVGUseElementShadowRoot : ShadowRoot {\n  companion object {\n    val ELEMENT_NODE: Short\n
    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n

```

```

val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
SVGElementInstance {\n    val correspondingElement: SVGElement?\n    get() = definedExternally\n    val
correspondingUseElement: SVGUseElement?\n    get() = definedExternally\n}\n\n\npublic external open class
ShadowAnimation(source: dynamic, newTarget: dynamic) {\n    open val sourceAnimation: dynamic\n}\n\n\n**\n *
Exposes the JavaScript [SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement)
to Kotlin\n *
\npublic external abstract class SVGSwitchElement : SVGGraphicsElement {\n    companion object
{\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n\npublic external interface
GetSVGDocument {\n    fun getSVGDocument(): Document\n}\n\n\n**\n * Exposes the JavaScript
[SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\n *
\npublic
external abstract class SVGStyleElement : SVGElement, LinkStyle {\n    open var type: String\n    open var media:
String\n    open var title: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n\n**\n * Exposes the JavaScript
[SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\n *
\npublic external
abstract class SVGTransform {\n    open val type: Short\n    open val matrix: DOMMatrix\n    open val angle:
Float\n    fun setMatrix(matrix: DOMMatrixReadOnly)\n    fun setTranslate(tx: Float, ty: Float)\n    fun setScale(sx:
Float, sy: Float)\n    fun setRotate(angle: Float, cx: Float, cy: Float)\n    fun setSkewX(angle: Float)\n    fun
setSkewY(angle: Float)\n\n    companion object {\n        val SVG_TRANSFORM_UNKNOWN: Short\n        val
SVG_TRANSFORM_MATRIX: Short\n        val SVG_TRANSFORM_TRANSLATE: Short\n        val
SVG_TRANSFORM_SCALE: Short\n        val SVG_TRANSFORM_ROTATE: Short\n        val
SVG_TRANSFORM_SKEWX: Short\n        val SVG_TRANSFORM_SKEWY: Short\n    }\n}\n\n\n**\n * Exposes
the JavaScript [SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList) to Kotlin\n *
\npublic external abstract class SVGTransformList {\n    open val length: Int\n    open val numberOfItems: Int\n
fun clear()\n    fun initialize(newItem: SVGTransform): SVGTransform\n    fun insertItemBefore(newItem:
SVGTransform, index: Int): SVGTransform\n    fun replaceItem(newItem: SVGTransform, index: Int):
SVGTransform\n    fun removeItem(index: Int): SVGTransform\n    fun appendItem(newItem: SVGTransform):

```

```

SVGTransform\n fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n fun
consolidate(): SVGTransform?\n fun getItem(index: Int):
SVGTransform\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGTransformList.get(index:
Int): SVGTransform? = asDynamic()[index]\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGTransformList.set(index:
Int, newItem: SVGTransform) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to
Kotlin\n */\npublic external abstract class SVGAnimatedTransformList {\n open val baseVal:
SVGTransformList\n open val animVal: SVGTransformList\n}\n\n/**\n * Exposes the JavaScript
[SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin\n
*/\npublic external abstract class SVGPreserveAspectRatio {\n open var align: Short\n open var meetOrSlice:
Short\n\n companion object {\n val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short\n val
SVG_PRESERVEASPECTRATIO_NONE: Short\n val SVG_PRESERVEASPECTRATIO_XMINYMIN:
Short\n val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short\n val
SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short\n val
SVG_PRESERVEASPECTRATIO_XMINYMID: Short\n val
SVG_PRESERVEASPECTRATIO_XMIDYMID: Short\n val
SVG_PRESERVEASPECTRATIO_XMAXYMID: Short\n val
SVG_PRESERVEASPECTRATIO_XMINYMAX: Short\n val
SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short\n val
SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short\n val SVG_MEETORSLICE_UNKNOWN: Short\n
val SVG_MEETORSLICE_MEET: Short\n val SVG_MEETORSLICE_SLICE: Short\n }\n}\n\n/**\n *
Exposes the JavaScript
[SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspect
Ratio) to Kotlin\n */\npublic external abstract class SVGAnimatedPreserveAspectRatio {\n open val baseVal:
SVGPreserveAspectRatio\n open val animVal: SVGPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript
[SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin\n */\npublic
external abstract class SVGPathElement : SVGGeometryElement {\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin\n */\npublic
external abstract class SVGRectElement : SVGGeometryElement {\n open val x: SVGAnimatedLength\n open
val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val height: SVGAnimatedLength\n
open val rx: SVGAnimatedLength\n open val ry: SVGAnimatedLength\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n

```



```

val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin\n */\n\npublic
external interface SVGAnimatedPoints {\n    val points: SVGPointList\n    val animatedPoints:
SVGPointList\n}\n\npublic external abstract class SVGPointList {\n    open val length: Int\n    open val
numberOfItems: Int\n    fun clear()\n    fun initialize(newItem: DOMPoint): DOMPoint\n    fun
insertItemBefore(newItem: DOMPoint, index: Int): DOMPoint\n    fun replaceItem(newItem: DOMPoint, index:
Int): DOMPoint\n    fun removeItem(index: Int): DOMPoint\n    fun appendItem(newItem: DOMPoint):
DOMPoint\n    fun getItem(index: Int): DOMPoint\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline operator fun SVGPointList.get(index: Int):
DOMPoint? = asDynamic()[index]\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\n\npublic inline operator fun SVGPointList.set(index: Int,
newItem: DOMPoint) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript
[SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to Kotlin\n */\n\npublic
external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints {\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin\n */\n\npublic
external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\n */\n\npublic
external abstract class SVGTextContentElement : SVGGraphicsElement {\n    open val textLength:
SVGAnimatedLength\n    open val lengthAdjust: SVGAnimatedEnumeration\n    fun getNumberOfChars(): Int\n
fun getComputedTextLength(): Float\n    fun getSubStringLength(charnum: Int, nchars: Int): Float\n    fun
getStartPositionOfChar(charnum: Int): DOMPoint\n    fun getEndPositionOfChar(charnum: Int): DOMPoint\n    fun
getExtentOfChar(charnum: Int): DOMRect\n    fun getRotationOfChar(charnum: Int): Float\n    fun
getCharNumAtPosition(point: DOMPoint): Int\n    fun selectSubString(charnum: Int, nchars: Int)\n\n    companion
object {\n        val LENGTHADJUST_UNKNOWN: Short\n        val LENGTHADJUST_SPACING: Short\n
        val LENGTHADJUST_SPACINGANDGLYPHS: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val

```

DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val

DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val

DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n/n/\*\*\n \* Exposes the JavaScript [SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement) to Kotlin\n \*/\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\n open val x: SVGAnimatedLengthList\n open val y: SVGAnimatedLengthList\n open val dx: SVGAnimatedLengthList\n open val dy: SVGAnimatedLengthList\n open val rotate: SVGAnimatedNumberList\n\n companion object {\n val LENGTHADJUST\_UNKNOWN: Short\n val LENGTHADJUST\_SPACING: Short\n val LENGTHADJUST\_SPACINGANDGLYPHS: Short\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n/n/\*\*\n \* Exposes the JavaScript [SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin\n \*/\npublic external abstract class SVGTextElement : SVGTextPositioningElement {\n companion object {\n val LENGTHADJUST\_UNKNOWN: Short\n val LENGTHADJUST\_SPACING: Short\n val LENGTHADJUST\_SPACINGANDGLYPHS: Short\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n/n/\*\*\n \* Exposes the JavaScript [SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin\n \*/\npublic external abstract class SVGTSpanElement : SVGTextPositioningElement {\n companion object {\n val LENGTHADJUST\_UNKNOWN: Short\n val LENGTHADJUST\_SPACING: Short\n val LENGTHADJUST\_SPACINGANDGLYPHS: Short\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }n}\n/n/\*\*\n \* Exposes the JavaScript [SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin\n \*/\npublic external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference {\n open



```

SVG_MARKERUNITS_UNKNOWN: Short\n    val SVG_MARKERUNITS_USERSPACEONUSE: Short\n
val SVG_MARKERUNITS_STROKEWIDTH: Short\n    val SVG_MARKER_ORIENT_UNKNOWN: Short\n
    val SVG_MARKER_ORIENT_AUTO: Short\n    val SVG_MARKER_ORIENT_ANGLE: Short\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to Kotlin \n
*\npublic external abstract class SVGSolidcolorElement : SVGElement { \n    companion object { \n
    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to Kotlin \n
*\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference, SVGUnitTypes { \n
open val gradientUnits: SVGAnimatedEnumeration \n    open val gradientTransform: SVGAnimatedTransformList \n
open val spreadMethod: SVGAnimatedEnumeration \n \n    companion object { \n    val
SVG_SPREADMETHOD_UNKNOWN: Short\n    val SVG_SPREADMETHOD_PAD: Short\n    val
SVG_SPREADMETHOD_REFLECT: Short\n    val SVG_SPREADMETHOD_REPEAT: Short\n    val
SVG_UNIT_TYPE_UNKNOWN: Short\n    val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to
Kotlin \n
*\npublic external abstract class SVGLinearGradientElement : SVGGradientElement { \n    open val x1:
SVGAnimatedLength \n    open val y1: SVGAnimatedLength \n    open val x2: SVGAnimatedLength \n    open val
y2: SVGAnimatedLength \n \n    companion object { \n    val SVG_SPREADMETHOD_UNKNOWN: Short\n
    val SVG_SPREADMETHOD_PAD: Short\n    val SVG_SPREADMETHOD_REFLECT: Short\n    val
SVG_SPREADMETHOD_REPEAT: Short\n    val SVG_UNIT_TYPE_UNKNOWN: Short\n    val
SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n

```

```

    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to
Kotlin \n * \n public external abstract class SVGRadialGradientElement : SVGGradientElement { \n    open val cx:
SVGAnimatedLength \n    open val cy: SVGAnimatedLength \n    open val r: SVGAnimatedLength \n    open val fx:
SVGAnimatedLength \n    open val fy: SVGAnimatedLength \n    open val fr: SVGAnimatedLength \n \n    companion
object { \n        val SVG_SPREADMETHOD_UNKNOWN: Short\n        val SVG_SPREADMETHOD_PAD:
Short\n        val SVG_SPREADMETHOD_REFLECT: Short\n        val SVG_SPREADMETHOD_REPEAT:
Short\n        val SVG_UNIT_TYPE_UNKNOWN: Short\n        val SVG_UNIT_TYPE_USERSPACEONUSE:
Short\n        val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n public external abstract class
SVGMeshGradientElement : SVGGradientElement { \n    companion object { \n        val
SVG_SPREADMETHOD_UNKNOWN: Short\n        val SVG_SPREADMETHOD_PAD: Short\n        val
SVG_SPREADMETHOD_REFLECT: Short\n        val SVG_SPREADMETHOD_REPEAT: Short\n        val
SVG_UNIT_TYPE_UNKNOWN: Short\n        val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n        val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n public external abstract class
SVGMeshrowElement : SVGElement { \n    companion object { \n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val

```

```

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n\npublic external abstract class
SVGMeshpatchElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n\n/**\n * Exposes the JavaScript
[SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement) to Kotlin\n */\npublic
external abstract class SVGStopElement : SVGElement {\n open val offset: SVGAnimatedNumber\n\n
companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n\n/**\n * Exposes the JavaScript
[SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to Kotlin\n */\npublic
external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox, SVGURIReference,
SVGUnitTypes {\n open val patternUnits: SVGAnimatedEnumeration\n open val patternContentUnits:
SVGAnimatedEnumeration\n open val patternTransform: SVGAnimatedTransformList\n open val x:
SVGAnimatedLength\n open val y: SVGAnimatedLength\n open val width: SVGAnimatedLength\n open val
height: SVGAnimatedLength\n\n companion object {\n val SVG_UNIT_TYPE_UNKNOWN: Short\n
val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n\npublic external abstract class
SVGHatchElement : SVGElement {\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n\npublic external abstract class

```

```

SVGHatchpathElement : SVGElement {
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
    }
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}

Exposes the JavaScript [SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin
public external abstract class SVGCursorElement : SVGElement, SVGURIReference {
    open val x: SVGAnimatedLength
    open val y: SVGAnimatedLength
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
    }
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}

Exposes the JavaScript [SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin
public external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement {
    open var type: String
    open var crossOrigin: String?
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
    }
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}

Exposes the JavaScript [SVGAEElement](https://developer.mozilla.org/en/docs/Web/API/SVGAEElement) to Kotlin
public external abstract class SVGAEElement : SVGGraphicsElement, SVGURIReference {
    open val target: SVGAnimatedString
    open val download: SVGAnimatedString
    open val rel: SVGAnimatedString
    open val relList: SVGAnimatedString
    open val hreflang: SVGAnimatedString
    open val type: SVGAnimatedString
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
    }
}

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}

Exposes the JavaScript

```

[SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin\n \*/\npublic external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {\n companion object {\n val SVG\_ZOOMANDPAN\_UNKNOWN: Short\n val SVG\_ZOOMANDPAN\_DISABLE: Short\n val SVG\_ZOOMANDPAN\_MAGNIFY: Short\n val ELEMENT\_NODE: Short\n val ATTRIBUTE\_NODE: Short\n val TEXT\_NODE: Short\n val CDATA\_SECTION\_NODE: Short\n val ENTITY\_REFERENCE\_NODE: Short\n val ENTITY\_NODE: Short\n val PROCESSING\_INSTRUCTION\_NODE: Short\n val COMMENT\_NODE: Short\n val DOCUMENT\_NODE: Short\n val DOCUMENT\_TYPE\_NODE: Short\n val DOCUMENT\_FRAGMENT\_NODE: Short\n val NOTATION\_NODE: Short\n val DOCUMENT\_POSITION\_DISCONNECTED: Short\n val DOCUMENT\_POSITION\_PRECEDING: Short\n val DOCUMENT\_POSITION\_FOLLOWING: Short\n val DOCUMENT\_POSITION\_CONTAINS: Short\n val DOCUMENT\_POSITION\_CONTAINED\_BY: Short\n val DOCUMENT\_POSITION\_IMPLEMENTATION\_SPECIFIC: Short\n }\n}"/\n \* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.files\n\nimport kotlin.js.\*\nimport org.khronos.webgl.\*\nimport org.w3c.dom.\*\nimport org.w3c.dom.events.\*\nimport org.w3c.xhr.\*\n\n/\*\*\n \* Exposes the JavaScript [Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to Kotlin\n \*/\npublic external open class Blob(blobParts: Array<dynamic> = definedExternally, options: BlobPropertyBag = definedExternally) : MediaProvider, ImageBitmapSource {\n open val size: Number\n open val type: String\n open val isClosed: Boolean\n fun slice(start: Int = definedExternally, end: Int = definedExternally, contentType: String = definedExternally): Blob\n fun close()\n}\n\npublic external interface BlobPropertyBag {\n var type: String? /\* = "" \*/\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE\_REFERENCE", "INVISIBLE\_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun BlobPropertyBag(type: String? = ""): BlobPropertyBag {\n val o = js("{}")\n o["type"] = type\n return o\n}\n\n/\*\*\n \* Exposes the JavaScript [File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n \*/\npublic external open class File(fileBits: Array<dynamic>, fileName: String, options: FilePropertyBag = definedExternally) : Blob {\n open val name: String\n open val lastModified: Int\n}\n\npublic external interface FilePropertyBag : BlobPropertyBag {\n var lastModified: Int?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@Suppress("INVISIBLE\_REFERENCE", "INVISIBLE\_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun FilePropertyBag(lastModified: Int? = undefined, type: String? = ""): FilePropertyBag {\n val o = js("{}")\n o["lastModified"] = lastModified\n o["type"] = type\n return o\n}\n\n/\*\*\n \* Exposes the JavaScript [FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\n \*/\npublic external abstract class FileList : ItemArrayLike<File> {\n override fun item(index: Int): File?\n}\n\n@Suppress("INVISIBLE\_REFERENCE", "INVISIBLE\_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline operator fun FileList.get(index: Int): File? = asDynamic()[index]\n\n/\*\*\n \* Exposes the JavaScript [FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n \*/\npublic external open class FileReader : EventTarget {\n open val readyState: Short\n open val result: dynamic\n open val error: dynamic\n var onloadstart: ((ProgressEvent) -> dynamic)?\n var onprogress: ((ProgressEvent) -> dynamic)?\n var onload: ((Event) -> dynamic)?\n var onabort: ((Event) -> dynamic)?\n var onerror: ((Event) -> dynamic)?\n var onloadend: ((Event) -> dynamic)?\n fun readAsArrayBuffer(blob: Blob)\n fun readAsBinaryString(blob: Blob)\n fun readAsText(blob: Blob, label: String = definedExternally)\n fun readAsDataURL(blob: Blob)\n fun abort()\n\n companion object {\n val EMPTY: Short\n val LOADING: Short\n val DONE: Short\n }\n}\n\n/\*\*\n \* Exposes the JavaScript [FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n \*/\npublic external

```

open class FileReaderSync {
    fun readAsArrayBuffer(blob: Blob): ArrayBuffer
    fun readAsBinaryString(blob: Blob): String
    fun readAsText(blob: Blob, label: String = definedExternally): String
    fun readAsDataURL(blob: Blob): String
}
", /*
 * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package org.w3c.notifications
import kotlin.js.*
import org.khronos.webgl.*
import org.w3c.dom.events.*
import org.w3c.workers.*
/**
 * Exposes the JavaScript [Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin
 */
public external open class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {
    var onclick: ((MouseEvent) -> dynamic)?
    var onerror: ((Event) -> dynamic)?
    open val title: String
    open val dir: NotificationDirection
    open val lang: String
    open val body: String
    open val tag: String
    open val image: String
    open val icon: String
    open val badge: String
    open val sound: String
    open val vibrate: Array<out Int>
    open val timestamp: Number
    open val renotify: Boolean
    open val silent: Boolean
    open val noscreen: Boolean
    open val requireInteraction: Boolean
    open val sticky: Boolean
    open val data: Any?
    open val actions: Array<out NotificationAction>
    fun close()
    companion object {
        val permission: NotificationPermission
        val maxActions: Int
        fun requestPermission(deprecatedCallback: (NotificationPermission) -> Unit = definedExternally): Promise<NotificationPermission>
    }
}
public external interface NotificationOptions {
    var dir: NotificationDirection? /* = NotificationDirection.AUTO */
    get() = definedExternally
    set(value) = definedExternally
    var lang: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var body: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var tag: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var image: String?
    get() = definedExternally
    set(value) = definedExternally
    var icon: String?
    get() = definedExternally
    set(value) = definedExternally
    var badge: String?
    get() = definedExternally
    set(value) = definedExternally
    var sound: String?
    get() = definedExternally
    set(value) = definedExternally
    var vibrate: dynamic
    get() = definedExternally
    set(value) = definedExternally
    var timestamp: Number?
    get() = definedExternally
    set(value) = definedExternally
    var renotify: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var silent: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var noscreen: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var requireInteraction: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var sticky: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var data: Any? /* = null */
    get() = definedExternally
    set(value) = definedExternally
    var actions: Array<NotificationAction>? /* = arrayOf() */
    get() = definedExternally
    set(value) = definedExternally
}
@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun NotificationOptions(dir: NotificationDirection? = NotificationDirection.AUTO, lang: String? = "", body: String? = "", tag: String? = "", image: String? = undefined, icon: String? = undefined, badge: String? = undefined, sound: String? = undefined, vibrate: dynamic = undefined, timestamp: Number? = undefined, renotify: Boolean? = false, silent: Boolean? = false, noscreen: Boolean? = false, requireInteraction: Boolean? = false, sticky: Boolean? = false, data: Any? = null, actions: Array<NotificationAction>? = arrayOf()): NotificationOptions {
    val o = js("{}")
    o["dir"] = dir
    o["lang"] = lang
    o["body"] = body
    o["tag"] = tag
    o["image"] = image
    o["icon"] = icon
    o["badge"] = badge
    o["sound"] = sound
    o["vibrate"] = vibrate
    o["timestamp"] = timestamp
    o["renotify"] = renotify
    o["silent"] = silent
    o["noscreen"] = noscreen
    o["requireInteraction"] = requireInteraction
    o["sticky"] = sticky
    o["data"] = data
    o["actions"] = actions
    return o
}
public external interface NotificationAction {
    var action: String?
    var title: String?
    var icon: String?
    get() = definedExternally
    set(value) = definedExternally
}
@Suppress("INVISIBLE_REFERENCE",

```

```

\`INVISIBLE_MEMBER\`)@kotlin.internal.InlineOnly\npublic inline fun NotificationAction(action: String?,
title: String?, icon: String? = undefined): NotificationAction {\n val o = js(\`(\{ })\`) \n o[\`"action"\`] = action \n
o[\`"title"\`] = title \n o[\`"icon"\`] = icon \n return o \n} \n\npublic external interface GetNotificationOptions {\n var
tag: String? /* = \`\`" * \n get() = definedExternally \n set(value) =
definedExternally \n} \n\n@Suppress(\`"INVISIBLE_REFERENCE"\`,
\`"INVISIBLE_MEMBER"\`)@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? =
\`\`): GetNotificationOptions {\n val o = js(\`(\{ })\`) \n o[\`"tag"\`] = tag \n return o \n} \n\n/* \n * Exposes the
JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin \n
* \n\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) :
ExtendableEvent {\n open val notification: Notification \n open val action: String \n \n companion object {\n
val NONE: Short \n val CAPTURING_PHASE: Short \n val AT_TARGET: Short \n val
BUBBLING_PHASE: Short \n } \n} \n\npublic external interface NotificationEventInit : ExtendableEventInit {\n
var notification: Notification? \n var action: String? /* = \`\`" * \n get() = definedExternally \n set(value) =
definedExternally \n} \n\n@Suppress(\`"INVISIBLE_REFERENCE"\`,
\`"INVISIBLE_MEMBER"\`)@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification:
Notification?, action: String? = \`\`", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): NotificationEventInit {\n val o = js(\`(\{ })\`) \n o[\`"notification"\`] = notification \n o[\`"action"\`] =
action \n o[\`"bubbles"\`] = bubbles \n o[\`"cancelable"\`] = cancelable \n o[\`"composed"\`] = composed \n return
o \n} \n\n/* please, don't implement this interface!
* \n\n@JsName(\`"null"\`)@Suppress(\`"NESTED_CLASS_IN_EXTERNAL_INTERFACE"\`) \n\npublic external
interface NotificationPermission {\n companion object \n} \n\npublic inline val
NotificationPermission.Companion.DEFAULT: NotificationPermission get() =
\`"default"\`.asDynamic().unsafeCast<NotificationPermission>() \n\npublic inline val
NotificationPermission.Companion.DENIED: NotificationPermission get() =
\`"denied"\`.asDynamic().unsafeCast<NotificationPermission>() \n\npublic inline val
NotificationPermission.Companion.GRANTED: NotificationPermission get() =
\`"granted"\`.asDynamic().unsafeCast<NotificationPermission>() \n\n/* please, don't implement this interface!
* \n\n@JsName(\`"null"\`)@Suppress(\`"NESTED_CLASS_IN_EXTERNAL_INTERFACE"\`) \n\npublic external
interface NotificationDirection {\n companion object \n} \n\npublic inline val
NotificationDirection.Companion.AUTO: NotificationDirection get() =
\`"auto"\`.asDynamic().unsafeCast<NotificationDirection>() \n\npublic inline val
NotificationDirection.Companion.LTR: NotificationDirection get() =
\`"ltr"\`.asDynamic().unsafeCast<NotificationDirection>() \n\npublic inline val
NotificationDirection.Companion.RTL: NotificationDirection get() =
\`"rtl"\`.asDynamic().unsafeCast<NotificationDirection>() \n\n/* \n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file. \n * \n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT! \n\n//
See github.com/kotlin/dukat for details \n\npackage org.w3c.workers \n\nimport kotlin.js.* \nimport
org.khronos.webgl.* \nimport org.w3c.dom.* \nimport org.w3c.dom.events.* \nimport org.w3c.fetch.* \nimport
org.w3c.notifications.* \n\n/* \n * Exposes the JavaScript
[ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker) to Kotlin \n * \n\npublic external
abstract class ServiceWorker : EventTarget, AbstractWorker, UnionMessagePortOrServiceWorker,
UnionClientOrMessagePortOrServiceWorker {\n open val scriptURL: String \n open val state:
ServiceWorkerState \n open var onstatechange: ((Event) -> dynamic)? \n fun postMessage(message: Any?,
transfer: Array<dynamic> = definedExternally) \n} \n\n/* \n * Exposes the JavaScript
[ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to
Kotlin \n * \n\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n open val installing:
ServiceWorker? \n open val waiting: ServiceWorker? \n open val active: ServiceWorker? \n open val scope:

```

```

String\n  open var onupdatefound: ((Event) -> dynamic)?\n  open val APISpace: dynamic\n  fun update():
Promise<Unit>\n  fun unregister(): Promise<Boolean>\n  fun showNotification(title: String, options:
NotificationOptions = definedExternally): Promise<Unit>\n  fun getNotifications(filter: GetNotificationOptions =
definedExternally): Promise<Array<Notification>>\n  fun methodName(): Promise<dynamic>\n}\n\n/**\n *
Exposes the JavaScript
[ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to Kotlin\n
*/\npublic external abstract class ServiceWorkerContainer : EventTarget {\n  open val controller:
ServiceWorker?\n  open val ready: Promise<ServiceWorkerRegistration>\n  open var oncontrollerchange:
((Event) -> dynamic)?\n  open var onmessage: ((MessageEvent) -> dynamic)?\n  fun register(scriptURL: String,
options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n  fun
getRegistration(clientURL: String = definedExternally): Promise<Any?>\n  fun getRegistrations():
Promise<Array<ServiceWorkerRegistration>>\n  fun startMessages()\n}\n\npublic external interface
RegistrationOptions {\n  var scope: String?\n  get() = definedExternally\n  set(value) = definedExternally\n
var type: WorkerType? /* = WorkerType.CLASSIC */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun RegistrationOptions(scope: String? =
undefined, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions {\n  val o = js("{}")\n
o["scope"] = scope\n  o["type"] = type\n  return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to
Kotlin\n */\npublic external open class ServiceWorkerMessageEvent(type: String, eventInitDict:
ServiceWorkerMessageEventInit = definedExternally) : Event {\n  open val data: Any?\n  open val origin:
String\n  open val lastEventId: String\n  open val source: UnionMessagePortOrServiceWorker?\n  open val
ports: Array<out MessagePort>?\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface ServiceWorkerMessageEventInit : EventInit {\n  var data: Any?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var origin: String?\n  get() = definedExternally\n
set(value) = definedExternally\n  var lastEventId: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var source: UnionMessagePortOrServiceWorker?\n  get() = definedExternally\n
set(value) = definedExternally\n  var ports: Array<MessagePort>?\n  get() = definedExternally\n  set(value)
= definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun ServiceWorkerMessageEventInit(data:
Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source:
UnionMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\n  val o =
js("{}")\n  o["data"] = data\n  o["origin"] = origin\n  o["lastEventId"] = lastEventId\n  o["source"] =
source\n  o["ports"] = ports\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to
Kotlin\n */\npublic external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n  open val clients:
Clients\n  open val registration: ServiceWorkerRegistration\n  open var oninstall: ((Event) -> dynamic)?\n  open
var onactivate: ((Event) -> dynamic)?\n  open var onfetch: ((FetchEvent) -> dynamic)?\n  open var
onforeignfetch: ((Event) -> dynamic)?\n  open var onmessage: ((MessageEvent) -> dynamic)?\n  open var
onnotificationclick: ((NotificationEvent) -> dynamic)?\n  open var onnotificationclose: ((NotificationEvent) ->
dynamic)?\n  open var onfunctionalevent: ((Event) -> dynamic)?\n  fun skipWaiting():
Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n */\npublic external abstract class Client :
UnionClientOrMessagePortOrServiceWorker {\n  open val url: String\n  open val frameType: FrameType\n
open val id: String\n  fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n

```

```

* Exposes the JavaScript [WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to Kotlin
public external abstract class WindowClient : Client {
    open val visibilityState: dynamic
    open val focused: Boolean
    fun focus(): Promise<WindowClient>
    fun navigate(url: String): Promise<WindowClient>
}

* Exposes the JavaScript [Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin
public external abstract class Clients {
    fun get(id: String): Promise<Any?>
    fun matchAll(options: ClientQueryOptions = definedExternally): Promise<Array<Client>>
    fun openWindow(url: String): Promise<WindowClient?>
    fun claim(): Promise<Unit>
}

public external interface ClientQueryOptions {
    var includeUncontrolled: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var type: ClientType? /* = ClientType.WINDOW */
    get() = definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun ClientQueryOptions(includeUncontrolled: Boolean? = false, type: ClientType? = ClientType.WINDOW): ClientQueryOptions {
    val o = js("{}")
    o["includeUncontrolled"] = includeUncontrolled
    o["type"] = type
    return o
}

* Exposes the JavaScript [ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin
open class ExtendableEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : Event {
    fun waitUntil(f: Promise<Any?>)
}

companion object {
    val NONE: Short
    val CAPTURING_PHASE: Short
    val AT_TARGET: Short
    val BUBBLING_PHASE: Short
}

public external interface ExtendableEventInit : EventInit {
    @Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
    @kotlin.internal.InlineOnly
    public inline fun ExtendableEventInit(bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableEventInit {
        val o = js("{}")
        o["bubbles"] = bubbles
        o["cancelable"] = cancelable
        o["composed"] = composed
        return o
    }
}

* Exposes the JavaScript [InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin
open class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : ExtendableEvent {
    fun registerForeignFetch(options: ForeignFetchOptions)
}

companion object {
    val NONE: Short
    val CAPTURING_PHASE: Short
    val AT_TARGET: Short
    val BUBBLING_PHASE: Short
}

public external interface ForeignFetchOptions {
    var scopes: Array<String>?
    var origins: Array<String>?
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun ForeignFetchOptions(scopes: Array<String>?, origins: Array<String>?): ForeignFetchOptions {
    val o = js("{}")
    o["scopes"] = scopes
    o["origins"] = origins
    return o
}

* Exposes the JavaScript [FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin
open class FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {
    open val request: Request
    open val clientId: String?
    open val isReload: Boolean
    fun respondWith(r: Promise<Response>)
}

companion object {
    val NONE: Short
    val CAPTURING_PHASE: Short
    val AT_TARGET: Short
    val BUBBLING_PHASE: Short
}

public external interface FetchEventInit : ExtendableEventInit {
    var request: Request?
    var clientId: String? /* = null */
    get() = definedExternally
    set(value) = definedExternally
    var isReload: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
}

@Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
@kotlin.internal.InlineOnly
public inline fun FetchEventInit(request: Request?, clientId: String? = null, isReload: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): FetchEventInit {
    val o = js("{}")
    o["request"] = request
    o["clientId"] = clientId
    o["isReload"] = isReload
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

public external open class ForeignFetchEvent(type: String, eventInitDict: ForeignFetchEventInit) : ExtendableEvent {
    open val request: Request
    open val origin: String
    fun respondWith(r: Promise<ForeignFetchResponse>)
}

companion object {
    val NONE:

```

```

Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE:
Short\n    }\n}\n\npublic external interface ForeignFetchEventInit : ExtendableEventInit {\n    var request:
Request?\n    var origin: String? /* = \"null\" */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchEventInit(request:
Request?, origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): ForeignFetchEventInit {\n    val o = js(\"({})\")\n    o[\"request\"] = request\n    o[\"origin\"] = origin\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return
o\n}\n\npublic external interface ForeignFetchResponse {\n    var response: Response?\n    var origin: String?\n    get() = definedExternally\n    set(value) = definedExternally\n    var headers: Array<String>?\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchResponse(response:
Response?, origin: String? = undefined, headers: Array<String>? = undefined): ForeignFetchResponse {\n    val o =
js(\"({})\")\n    o[\"response\"] = response\n    o[\"origin\"] = origin\n    o[\"headers\"] = headers\n    return
o\n}\n\n/**\n * Exposes the JavaScript
[ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\n
*/\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit =
definedExternally) : ExtendableEvent {\n    open val data: Any?\n    open val origin: String\n    open val lastEventId:
String\n    open val source: UnionClientOrMessagePortOrServiceWorker?\n    open val ports: Array<out
MessagePort>?\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val
AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface
ExtendableMessageEventInit : ExtendableEventInit {\n    var data: Any?\n    get() = definedExternally\n
set(value) = definedExternally\n    var origin: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var lastEventId: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var source: UnionClientOrMessagePortOrServiceWorker?\n    get() = definedExternally\n
set(value) = definedExternally\n    var ports: Array<MessagePort>?\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ExtendableMessageEventInit(data:
Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source:
UnionClientOrMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit {\n
    val o = js(\"({})\")\n    o[\"data\"] = data\n    o[\"origin\"] = origin\n    o[\"lastEventId\"] = lastEventId\n
    o[\"source\"] = source\n    o[\"ports\"] = ports\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n
    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n
*/\npublic external abstract class Cache
{\n    fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n    fun
matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally):
Promise<Array<Response>>\n    fun add(request: dynamic): Promise<Unit>\n    fun addAll(requests:
Array<dynamic>): Promise<Unit>\n    fun put(request: dynamic, response: Response): Promise<Unit>\n    fun
delete(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Boolean>\n    fun
keys(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally):
Promise<Array<Request>>\n}\n\npublic external interface CacheQueryOptions {\n    var ignoreSearch: Boolean? /*
= false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var ignoreMethod: Boolean? /* =
false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var ignoreVary: Boolean? /* =
false */\n    get() = definedExternally\n    set(value) = definedExternally\n    var cacheName: String?\n
get() = definedExternally\n    set(value) = definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
\"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun CacheQueryOptions(ignoreSearch:
Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? = false, cacheName: String? = undefined):

```

```

CacheQueryOptions {\n  val o = js("{}")\n  o["ignoreSearch"] = ignoreSearch\n  o["ignoreMethod"] =
ignoreMethod\n  o["ignoreVary"] = ignoreVary\n  o["cacheName"] = cacheName\n  return o\n}\n\npublic
external interface CacheBatchOperation {\n  var type: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var request: Request?\n  get() = definedExternally\n  set(value) = definedExternally\n
var response: Response?\n  get() = definedExternally\n  set(value) = definedExternally\n  var options:
CacheQueryOptions?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@Suppress("INVISIBLE_REFERENCE",
"INVISIBLE_MEMBER")\n@kotlin.internal.InlineOnly\npublic inline fun CacheBatchOperation(type: String? =
undefined, request: Request? = undefined, response: Response? = undefined, options: CacheQueryOptions? =
undefined): CacheBatchOperation {\n  val o = js("{}")\n  o["type"] = type\n  o["request"] = request\n
o["response"] = response\n  o["options"] = options\n  return o\n}\n\n/**\n * Exposes the JavaScript
[CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin\n */\npublic external
abstract class CacheStorage {\n  fun match(request: dynamic, options: CacheQueryOptions = definedExternally):
Promise<Any?>\n  fun has(cacheName: String): Promise<Boolean>\n  fun open(cacheName: String):
Promise<Cache>\n  fun delete(cacheName: String): Promise<Boolean>\n  fun keys():
Promise<Array<String>>\n}\n\npublic external open class FunctionalEvent : ExtendableEvent {\n  companion
object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface UnionMessagePortOrServiceWorker\n\npublic
external interface UnionClientOrMessagePortOrServiceWorker\n\n/* please, don't implement this interface!
*/\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface ServiceWorkerState {\n  companion object\n}\n\npublic inline val
ServiceWorkerState.Companion.INSTALLING: ServiceWorkerState get() =
"installing".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() =
"installed".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() =
"activating".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() =
"activated".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() =
"redundant".asDynamic().unsafeCast<ServiceWorkerState>()\n\n/* please, don't implement this interface!
*/\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface FrameType {\n  companion object\n}\n\npublic inline val FrameType.Companion.AUXILIARY:
FrameType get() = "auxiliary".asDynamic().unsafeCast<FrameType>()\n\npublic inline val
FrameType.Companion.TOP_LEVEL: FrameType get() = "top-
level".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.NESTED: FrameType
get() = "nested".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.NONE:
FrameType get() = "none".asDynamic().unsafeCast<FrameType>()\n\n/* please, don't implement this interface!
*/\n\n@JsName("null")\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external
interface ClientType {\n  companion object\n}\n\npublic inline val ClientType.Companion.WINDOW: ClientType
get() = "window".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.WORKER:
ClientType get() = "worker".asDynamic().unsafeCast<ClientType>()\n\npublic inline val
ClientType.Companion.SHAREDWORKER: ClientType get() =
"sharedworker".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.ALL:
ClientType get() = "all".asDynamic().unsafeCast<ClientType>()","/*\n * Copyright 2010-2021 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.xhr\n\nimport kotlin.js.*\nimport

```

```

org.khronos.webgl.*\nimport org.w3c.dom.*\nimport org.w3c.dom.events.*\nimport org.w3c.files.*\n\n/**\n * Exposes the JavaScript
 [XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget) to
 Kotlin\n *\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n  open var onloadstart:
 ((ProgressEvent) -> dynamic)?\n  open var onprogress: ((ProgressEvent) -> dynamic)?\n  open var onabort:
 ((Event) -> dynamic)?\n  open var onerror: ((Event) -> dynamic)?\n  open var onload: ((Event) -> dynamic)?\n
 open var ontimeout: ((Event) -> dynamic)?\n  open var onloadend: ((Event) -> dynamic)?\n}\n\npublic external
 abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget\n\n/**\n * Exposes the JavaScript
 [XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to Kotlin\n *\npublic
 external open class XMLHttpRequest : XMLHttpRequestEventTarget {\n  var onreadystatechange: ((Event) ->
 dynamic)?\n  open val readyState: Short\n  var timeout: Int\n  var withCredentials: Boolean\n  open val upload:
 XMLHttpRequestUpload\n  open val responseURL: String\n  open val status: Short\n  open val statusText:
 String\n  var responseType: XMLHttpRequestResponseType\n  open val response: Any?\n  open val
 responseText: String\n  open val responseXML: Document?\n  fun open(method: String, url: String)\n  fun
 open(method: String, url: String, async: Boolean, username: String? = definedExternally, password: String? =
 definedExternally)\n  fun setRequestHeader(name: String, value: String)\n  fun send(body: dynamic =
 definedExternally)\n  fun abort()\n  fun getResponseHeader(name: String): String?\n  fun
 getAllResponseHeaders(): String\n  fun overrideMimeType(mime: String)\n\n  companion object {\n    val
 UNSENT: Short\n    val OPENED: Short\n    val HEADERS_RECEIVED: Short\n    val LOADING:
 Short\n    val DONE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
 [FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin\n *\npublic external open class
 FormData(form: HTMLFormElement = definedExternally) {\n  fun append(name: String, value: String)\n  fun
 append(name: String, value: Blob, filename: String = definedExternally)\n  fun delete(name: String)\n  fun
 get(name: String): dynamic\n  fun getAll(name: String): Array<dynamic>\n  fun has(name: String): Boolean\n
 fun set(name: String, value: String)\n  fun set(name: String, value: Blob, filename: String =
 definedExternally)\n}\n\n/**\n * Exposes the JavaScript
 [ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin\n *\npublic external open
 class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {\n  open val
 lengthComputable: Boolean\n  open val loaded: Number\n  open val total: Number\n\n  companion object {\n
 val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
 BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface ProgressEventInit : EventInit {\n  var
 lengthComputable: Boolean? /* = false */\n  get() = definedExternally\n  set(value) = definedExternally\n
 var loaded: Number? /* = 0 */\n  get() = definedExternally\n  set(value) = definedExternally\n  var total:
 Number? /* = 0 */\n  get() = definedExternally\n  set(value) =
 definedExternally\n}\n\n@Suppress(\"INVISIBLE_REFERENCE\",
 \"INVISIBLE_MEMBER\")\n@kotlin.internal.InlineOnly\npublic inline fun ProgressEventInit(lengthComputable:
 Boolean? = false, loaded: Number? = 0, total: Number? = 0, bubbles: Boolean? = false, cancelable: Boolean? =
 false, composed: Boolean? = false): ProgressEventInit {\n  val o = js(\"{\}\")\n  o[\"lengthComputable\"] =
 lengthComputable\n  o[\"loaded\"] = loaded\n  o[\"total\"] = total\n  o[\"bubbles\"] = bubbles\n
 o[\"cancelable\"] = cancelable\n  o[\"composed\"] = composed\n  return o\n}\n\n/* please, don't implement this
 interface! */\n@JsName(\"null\")\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic
 external interface XMLHttpRequestResponseType {\n  companion object\n}\n\npublic inline val
 XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() =
 \"\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
 XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() =
 \"arraybuffer\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
 XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() =
 \"blob\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val

```

```

XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() =
    \"document\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() =
    \"json\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\n\npublic inline val
XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType get() =
    \"text\".asDynamic().unsafeCast<XMLHttpRequestResponseType>()\", \"/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport
kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport
kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated
annotation class is a marker of an experimental API.\n * Any declaration annotated with that marker is
considered an experimental declaration\n * and its call sites should accept the experimental aspect of it either by
using [UseExperimental],\n * or by being annotated with that marker themselves, effectively causing further
propagation of that experimental aspect.\n * This class is deprecated in favor of a more general approach
provided by [RequiresOptIn]/[OptIn].\n
*/\n\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin(\"1.2\")\n@RequireKotlin(\"1.2.50
\", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n@Deprecated(\"Please use RequiresOptIn
instead.\")\npublic annotation class Experimental(val level: Level = Level.ERROR) {\n    /**\n     * Severity of the
diagnostic that should be reported on usages of experimental API which did not explicitly accept the experimental
aspect\n     * of that API either by using [UseExperimental] or by being annotated with the corresponding marker
annotation.\n     */\n    public enum class Level {\n        /** Specifies that a warning should be reported on incorrect
usages of this experimental API. */\n        WARNING,\n        /** Specifies that an error should be reported on
incorrect usages of this experimental API. */\n        ERROR,\n    }\n}\n\n/**\n * Allows to use experimental API
denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with
[UseExperimental], its usages are not required to opt-in to that experimental API.\n * This class is
deprecated in favor of a more general approach provided by [RequiresOptIn]/[OptIn].\n */\n\n@Target(\n    CLASS,
PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION,
PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE,
TYPEALIAS)\n\n@Retention(SOURCE)\n@SinceKotlin(\"1.2\")\n@RequireKotlin(\"1.2.50\", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n@Deprecated(\"Please use OptIn instead.\",
ReplaceWith(\"OptIn(*markerClass)\", \"kotlin.OptIn\"))\npublic annotation class UseExperimental(\n    vararg val
markerClass: KClass<out Annotation>)\n\n\n@Target(CLASS, PROPERTY, CONSTRUCTOR, FUNCTION,
TYPEALIAS)\n@Retention(BINARY)\n\ninternal annotation class WasExperimental(\n    vararg val markerClass:
KClass<out Annotation>)\n\n\", \"package kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * This
annotation marks the standard library API that is considered experimental and is not subject to the\n * [general
compatibility guarantees](https://kotlinlang.org/docs/reference/evolution/components-stability.html) given for the
standard library:\n * the behavior of such API may be changed or the API may be removed completely in any
further release.\n * Beware using the annotated API especially if you're developing a library, since your library
might become binary incompatible\n * with the future versions of the standard library.\n * Any usage of a
declaration annotated with `@ExperimentalStdlibApi` must be accepted either by\n * annotating that usage with the
[OptIn] annotation, e.g. `@OptIn(ExperimentalStdlibApi::class)`,\n * or by using the compiler argument `Xopt-
in=kotlin.ExperimentalStdlibApi`.\n */\n\n@Suppress(\"DEPRECATION\")\n@Experimental(level =
Experimental.Level.ERROR)\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@Retention(AnnotationRetention.BINARY)\n@Target(\n    CLASS,\n    ANNOTATION_CLASS,\n    PROPERTY,\n    FIELD,\n    LOCAL_VARIABLE,\n    VALUE_PARAMETER,\n    CONSTRUCTOR,\n    FUNCTION,\n    PROPERTY_GETTER,\n    PROPERTY_SETTER,\n    TYPEALIAS)\n\n@MustBeDocumented\n@SinceKotlin(\"1.3\")\npublic annotation class

```

ExperimentalStdlibApi\n", "/\*\n \* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.\*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/\*\*\n \* Allows to infer generic type arguments of a function from the calls in the annotated function parameter of that function.\n \*\n \* When this annotation is placed on a generic function parameter of a function,\n \* it enables to infer the type arguments of that generic function from the lambda body passed to that parameter.\n \*\n \* The calls that affect inference are either members of the receiver type of an annotated function parameter or\n \* extensions for that type. The extensions must be themselves annotated with `@BuilderInference`.\n \*\n \* Example: we declare\n \* ```\n \* fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>().() -> Unit): Sequence<T>\n \* ```\n \* and use it like\n \* ```\n \* val result = sequence { yield("result") }\n \* ```\n \* Here the type argument of the resulting sequence is inferred to `String` from\n \* the argument of the [SequenceScope.yield] function, that is called inside the lambda passed to [sequence].\n \*\n \* Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.\n \*/\n\n@Target(VALUE\_PARAMETER, FUNCTION, PROPERTY)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.3")\n@ExperimentalTypeInference\npublic annotation class BuilderInference\n\n/\*\*\n \* Enables overload selection based on the type of the value returned from lambda argument.\n \*\n \* When two or more function overloads have otherwise the same parameter lists that differ only in the return type\n \* of a functional parameter, this annotation enables overload selection by the type of the value returned from\n \* the lambda function passed to this functional parameter.\n \*\n \* Example:\n \* ```\n \* @OverloadResolutionByLambdaReturnType\n \* fun create(intProducer: () -> Int): Int\n \* fun create(doubleProducer: () -> Double): Double\n \* val newValue = create { 3.14 }\n \* ```\n \* The annotation being applied to one of overloads allows to resolve this ambiguity by analyzing what value is returned\n \* from the lambda function.\n \*\n \* This annotation is also used to discriminate the annotated overloads in case if overload selection still cannot\n \* choose one of them even taking in account the result of lambda parameter analysis. In that case a warning is reported.\n \*\n \* Note: this annotation is experimental, see [ExperimentalTypeInference] on how to opt-in for it.\n \*/\n\n@Target(FUNCTION)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.4")\n@ExperimentalTypeInference\npublic annotation class OverloadResolutionByLambdaReturnType\n\n/\*\*\n \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n \*/\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.\*\nimport kotlin.internal.RequireKotlin\nimport kotlin.internal.RequireKotlinVersionKind\n\n/\*\*\n \* The experimental multiplatform support API marker.\n \*\n \* Any usage of a declaration annotated with `@ExperimentalMultiplatform` must be accepted either by\n \* annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalMultiplatform::class)`,\n \* or by using the compiler argument `-Xopt-in=kotlin.ExperimentalMultiplatform`.\n \*/\n\n@Suppress("DEPRECATION")\n@Experimental\n@RequiresOptIn\n@MustBeDocumented\n@Target(CLASS, ANNOTATION\_CLASS, PROPERTY, FIELD, LOCAL\_VARIABLE, VALUE\_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY\_GETTER, PROPERTY\_SETTER, TYPEALIAS)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER\_VERSION)\npublic annotation class ExperimentalMultiplatform\n\n/\*\*\n \* Marks an expected annotation class that it isn't required to have actual counterparts in all platforms.\n \*\n \* This annotation is only applicable to `expect` annotation classes in multi-platform projects and marks that class as\n \* "optional".\n \*\n \* Optional expected class is allowed to have no corresponding actual class on the platform. Optional annotations can only be used\n \* to annotate something, not as types in signatures. If an optional annotation has no corresponding actual class on a platform,\n \* the annotation entries where it's used are simply erased when compiling code on that platform.\n \*\n \* Note: this annotation is experimental, see [ExperimentalMultiplatform] on how to opt-in for it.\n \*/\n

```

*\/n@Target(ANNOTATION_CLASS)\n@Retention(AnnotationRetention.BINARY)\n@ExperimentalMultiplatform\n\n@RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n\npublic
annotation class OptionalExpectation\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport
kotlin.annotation.AnnotationRetention.BINARY\n\nimport kotlin.annotation.AnnotationRetention.SOURCE\n\nimport
kotlin.annotation.AnnotationTarget\n\nimport kotlin.internal.RequireKotlin\n\nimport
kotlin.internal.RequireKotlinVersionKind\n\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated
annotation class is a marker of an API that requires an explicit opt-in.\n * Call sites of any declaration annotated
with that marker should opt in to the API either by using [OptIn],\n * or by being annotated with that marker
themselves, effectively causing further propagation of the opt-in requirement.\n * This class requires opt-in itself
and can only be used with the compiler argument `-Xopt-in=kotlin.RequiresOptIn`.\n * @property message
message to be reported on usages of API without an explicit opt-in, or empty string for the default message.\n *
The default message is: `This declaration is experimental and its usage should be marked with 'Marker`\n *
or '@OptIn(Marker::class)`, where `Marker` is the opt-in requirement marker.\n * @property level specifies
how usages of API without an explicit opt-in are reported in code.\n
*\/n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin("1.3")\n@RequireKotlin("1.3.70
", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n\npublic annotation class RequiresOptIn(\n
val message: String = "",\n val level: Level = Level.ERROR)\n {\n /**\n * Severity of the diagnostic that
should be reported on usages which did not explicitly opt into\n * the API either by using [OptIn] or by being
annotated with the corresponding marker annotation.\n */\n public enum class Level {\n /** Specifies that a
warning should be reported on incorrect usages of this API. */\n WARNING,\n /** Specifies that an error
should be reported on incorrect usages of this API. */\n ERROR,\n } }\n\n/**\n * Allows to use the API
denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with
[OptIn], its usages are not required to opt in to that API.\n * This class requires opt-in itself and can only be
used with the compiler argument `-Xopt-in=kotlin.RequiresOptIn`.\n */\n\n@Target(\n CLASS, PROPERTY,
LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER,
PROPERTY_SETTER, EXPRESSION, FILE,
TYPEALIAS)\n\n@Retention(SOURCE)\n@SinceKotlin("1.3")\n@RequireKotlin("1.3.70", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n\npublic annotation class OptIn(\n vararg val markerClass:
KClass<out Annotation>)\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\nimport kotlin.js.JsName\n\n/**\n * Provides a skeletal
implementation of the read-only [Collection] interface.\n */\n\n@param E the type of elements contained in the
collection. The collection is covariant in its element type.\n */\n\n@SinceKotlin("1.1")\n\npublic abstract class
AbstractCollection<out E> protected constructor() : Collection<E> {\n abstract override val size: Int\n abstract
override fun iterator(): Iterator<E>\n\n override fun contains(element: @UnsafeVariance E): Boolean = any { it
== element }\n\n override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean =\n
elements.all { contains(it) } // use when js will support bound refs: elements.all(this::contains)\n\n override fun
isEmpty(): Boolean = size == 0\n\n override fun toString(): String = joinToString(", ", "[", "]")\n\n if (it
=== this) \"(this Collection)\" else it.toString()\n }\n\n /**\n * Returns new array of type `Array<Any?>` with
the elements of this collection.\n */\n\n @JsName("toArray")\n protected open fun toArray(): Array<Any?> =
copyToArrayImpl(this)\n\n /**\n * Fills the provided [array] or creates new array of the same type\n * and
fills it with the elements of this collection.\n */\n\n protected open fun <T> toArray(array: Array<T>): Array<T>
= copyToArrayImpl(this, array)\n }\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\nprivate enum class State {\n Ready,\n
NotReady,\n Done,\n Failed }\n\n/**\n * A base class to simplify implementing iterators so that

```

```

implementations only have to implement [computeNext]\n * to implement the iterator, calling [done] when the
iteration is complete.\n *\n\npublic abstract class AbstractIterator<T> : Iterator<T> {\n    private var state =
State.NotReady\n    private var nextValue: T? = null\n\n    override fun hasNext(): Boolean {\n        require(state !=
State.Failed)\n        return when (state) {\n            State.Done -> false\n            State.Ready -> true\n            else ->
tryToComputeNext()\n        }\n    }\n\n    override fun next(): T {\n        if (!hasNext()) throw
NoSuchElementException()\n        state = State.NotReady\n        @Suppress("UNCHECKED_CAST")\n        return nextValue as T\n    }\n\n    private fun tryToComputeNext(): Boolean {\n        state = State.Failed\n        computeNext()\n        return state == State.Ready\n    }\n\n    /**\n     * Computes the next item in the iterator.\n     *\n     * This callback method should call one of these two methods:\n     * * [setNext] with the next value of
the iteration\n     * * [done] to indicate there are no more elements\n     * * Failure to call either method will
result in the iteration terminating with a failed state\n     *\n     * abstract protected fun computeNext(): Unit\n     *\n     * Sets the next value in the iteration, called from the [computeNext] function\n     * \n     * protected fun
setNext(value: T): Unit {\n        nextValue = value\n        state = State.Ready\n    }\n\n    /**\n     * Sets the state to
done so that the iteration terminates.\n     * \n     * protected fun done() {\n        state = State.Done\n    }\n}\n\n"/\n\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n * Based on
GWT AbstractList\n * Copyright 2007 Google Inc.\n\npackage kotlin.collections\n\n/**\n * Provides a skeletal
implementation of the read-only [List] interface.\n *\n * This class is intended to help implementing read-only lists
so it doesn't support concurrent modification tracking.\n *\n * @param E the type of elements contained in the list.
The list is covariant in its element type.\n */\n\n@SinceKotlin("1.1")\npublic abstract class AbstractList<out E>
protected constructor() : AbstractCollection<E>(), List<E> {\n    abstract override val size: Int\n    abstract override
fun get(index: Int): E\n    override fun iterator(): Iterator<E> = IteratorImpl()\n\n    override fun indexOf(element:
@UnsafeVariance E): Int = indexOfFirst { it == element }\n\n    override fun lastIndexOf(element:
@UnsafeVariance E): Int = indexOfLast { it == element }\n\n    override fun listIterator(): ListIterator<E> =
ListIteratorImpl(0)\n\n    override fun listIterator(index: Int): ListIterator<E> = ListIteratorImpl(index)\n\n    override fun
subList(fromIndex: Int, toIndex: Int): List<E> = SubList(this, fromIndex, toIndex)\n\n    private class
SubList<out E>(private val list: AbstractList<E>, private val fromIndex: Int, toIndex: Int) : AbstractList<E>(),
RandomAccess {\n        private var _size: Int = 0\n\n        init {\n            checkRangeIndexes(fromIndex, toIndex,
list.size)\n            this._size = toIndex - fromIndex\n        }\n\n        override fun get(index: Int): E {\n           
checkElementIndex(index, _size)\n            return list[fromIndex + index]\n        }\n\n        override val size: Int
get() = _size\n    }\n\n    /**\n     * Compares this list with other list instance with the ordered structural equality.\n     *\n     * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same
order.\n     * \n     * override fun equals(other: Any?): Boolean {\n        if (other === this) return true\n        if (other !is
List<*>) return false\n        return orderedEquals(this, other)\n    }\n\n    /**\n     * Returns the hash code value for
this list.\n     * \n     * override fun hashCode(): Int = orderedHashCode(this)\n\n    private open inner class IteratorImpl
: Iterator<E> {\n        /** the index of the item that will be returned on the next call to [next]`()\n     * \n     * protected
var index = 0\n\n        override fun hasNext(): Boolean = index < size\n\n        override fun next(): E {\n            if
(!hasNext()) throw NoSuchElementException()\n            return get(index++)\n        }\n    }\n\n    /**\n     *
Implementation of [ListIterator] for abstract lists.\n     * \n     * private open inner class ListIteratorImpl(index: Int) :
IteratorImpl(), ListIterator<E> {\n        init {\n            checkPositionIndex(index, this@AbstractList.size)\n            this.index = index\n        }\n\n        override fun hasPrevious(): Boolean = index > 0\n\n        override fun
nextIndex(): Int = index\n\n        override fun previous(): E {\n            if (!hasPrevious()) throw
NoSuchElementException()\n            return get(--index)\n        }\n\n        override fun previousIndex(): Int = index -
1\n    }\n\n    internal companion object {\n        internal fun checkElementIndex(index: Int, size: Int) {\n            if
(index < 0 || index >= size) {\n                throw IndexOutOfBoundsException("index: $index, size: $size")\n            }\n        }\n\n        internal fun checkPositionIndex(index: Int, size: Int) {\n            if (index < 0 || index > size) {\n                throw
IndexOutOfBoundsException("index: $index, size: $size")\n            }\n        }\n\n        internal fun
checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {\n            if (fromIndex < 0 || toIndex > size) {\n

```

```

throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex: $toIndex, size: $size")\n    }\n
if (fromIndex > toIndex) {\n    throw IllegalArgumentException("fromIndex: $fromIndex > toIndex:\n
StoIndex")\n    }\n    }\n    internal fun checkBoundsIndexes(startIndex: Int, endIndex: Int, size: Int) {\n
    if (startIndex < 0 || endIndex > size) {\n    throw IndexOutOfBoundsException("startIndex:\n
$startIndex, endIndex: $endIndex, size: $size")\n    }\n    if (startIndex > endIndex) {\n    throw\n
IllegalArgumentException("startIndex: $startIndex > endIndex: $endIndex")\n    }\n    }\n    internal\n
fun orderedHashCode(c: Collection<*>): Int {\n    var hashCode = 1\n    for (e in c) {\n
hashCode = 31 * hashCode + (e?.hashCode() ?: 0)\n    }\n    return hashCode\n    }\n    internal fun\n
orderedEquals(c: Collection<*>, other: Collection<*>): Boolean {\n    if (c.size != other.size) return false\n\n
val otherIterator = other.iterator()\n    for (elem in c) {\n    val elemOther = otherIterator.next()\n
if (elem != elemOther) {\n    return false\n    }\n    }\n    return true\n    }\n
}\n}"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this\n
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n
Based on GWT AbstractMap\n * Copyright 2007 Google Inc.\n *\npackage kotlin.collections\n\n/**\n * Provides\n
a skeletal implementation of the read-only [Map] interface.\n *\n * The implementor is required to implement\n
[entries] property, which should return read-only set of map entries.\n *\n * @param K the type of map keys. The\n
map is invariant in its key type.\n *\n * @param V the type of map values. The map is covariant in its value type.\n
*\n@SinceKotlin("1.1")\npublic abstract class AbstractMap<K, out V> protected constructor() : Map<K, V>\n
{\n\n    override fun containsKey(key: K): Boolean {\n    return implFindEntry(key) != null\n    }\n\n    override\n
fun containsValue(value: @UnsafeVariance V): Boolean = entries.any { it.value == value }\n\n    internal fun\n
containsEntry(entry: Map.Entry<*, *>?): Boolean {\n    // since entry comes from @UnsafeVariance parameters it\n
can be virtually anything\n    if (entry !is Map.Entry<*, *>) return false\n    val key = entry.key\n    val value\n
= entry.value\n    val ourValue = get(key)\n\n    if (value != ourValue) {\n    return false\n    }\n\n    //\n
Perhaps it was null and we don't contain the key?\n    if (ourValue == null && !containsKey(key)) {\n
return false\n    }\n\n    return true\n    }\n\n    /**\n    * Compares this map with other instance with the\n
ordered structural equality.\n    *\n    * @return true, if [other] instance is a [Map] of the same size, all entries of\n
which are contained in the [entries] set of this map.\n    *\n    override fun equals(other: Any?): Boolean {\n    if\n
(other === this) return true\n    if (other !is Map<*, *>) return false\n    if (size != other.size) return false\n\n
return other.entries.all { containsEntry(it) }\n    }\n\n    override operator fun get(key: K): V? =\n
implFindEntry(key)?.value\n\n    /**\n    * Returns the hash code value for this map.\n    *\n    * It is the same as\n
the hashCode of [entries] set.\n    *\n    override fun hashCode(): Int = entries.hashCode()\n\n    override fun\n
isEmpty(): Boolean = size == 0\n    override val size: Int get() = entries.size\n\n    /**\n    * Returns a read-only\n
[Set] of all keys in this map.\n    *\n    * Accessing this property first time creates a keys view from [entries].\n    *\n
All subsequent accesses just return the created instance.\n    *\n    override val keys: Set<K>\n    get() {\n
if (_keys == null) {\n    _keys = object : AbstractSet<K>() {\n    override operator fun\n
contains(element: K): Boolean = containsKey(element)\n\n    override operator fun iterator(): Iterator<K>\n
{\n    val entryIterator = entries.iterator()\n    return object : Iterator<K> {\n
override fun hasNext(): Boolean = entryIterator.hasNext()\n    override fun next(): K =\n
entryIterator.next().key\n    }\n    }\n\n    override val size: Int get() =\n
this@AbstractMap.size\n    }\n    }\n    return _keys!!\n    }\n\n    @kotlin.jvm.Volatile\n
private var _keys: Set<K>? = null\n\n    override fun toString(): String = entries.joinToString(", ", "\n", "\n") {\n
toString(it) }\n\n    private fun toString(entry: Map.Entry<K, V>): String = toString(entry.key) + "=" +\n
toString(entry.value)\n\n    private fun toString(o: Any?): String = if (o === this) "(this Map)" else o.toString()\n\n
/**\n    * Returns a read-only [Collection] of all values in this map.\n    *\n    * Accessing this property first time\n
creates a values view from [entries].\n    *\n    * All subsequent accesses just return the created instance.\n    *\n
override val values: Collection<V>\n    get() {\n    if (_values == null) {\n    _values = object :\n
AbstractCollection<V>() {\n    override operator fun contains(element: @UnsafeVariance V): Boolean =\n
containsValue(element)\n\n    override operator fun iterator(): Iterator<V> {\n    val

```

```

entryIterator = entries.iterator()\n                return object : Iterator<V> {\n                override fun
hasNext(): Boolean = entryIterator.hasNext()\n                override fun next(): V = entryIterator.next().value\n                }\n                }\n                override val size: Int get() = this@AbstractMap.size\n                }\n                }\n                return _values!!\n                }\n                @kotlin.jvm.Volatile\n                private var _values: Collection<V>? = null\n                private fun implFindEntry(key: K): Map.Entry<K, V>? = entries.firstOrNull { it.key == key }\n                internal
companion object {\n                internal fun entryHashCode(e: Map.Entry<*, *>): Int = with(e) { (key?.hashCode() ?:
0) xor (value?.hashCode() ?: 0) }\n                internal fun entryToString(e: Map.Entry<*, *>): String = with(e) {
\"$key=$value\" }\n                internal fun entryEquals(e: Map.Entry<*, *>, other: Any?): Boolean {\n                if (other !is
Map.Entry<*, *>) return false\n                return e.key == other.key && e.value == other.value\n                }\n                }\n                }\n                \"/*\n                * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n                * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n                *\n                */\n                package kotlin.collections\n                /**\n                * Provides a skeletal implementation of the read-only [Set] interface.\n                *\n                * This class is intended to help implementing read-only sets so it doesn't support concurrent modification tracking.\n                *\n                * @param E the type of elements contained in the set. The set is covariant in its element type.\n                *\n                */\n                @SinceKotlin(\"1.1\")\n                public abstract class AbstractSet<out E> protected constructor() :
AbstractCollection<E>(), Set<E> {\n                /**\n                * Compares this set with other set instance with the unordered
structural equality.\n                *\n                * @return true, if [other] instance is a [Set] of the same size, all elements of which are
contained in this set.\n                *\n                */\n                override fun equals(other: Any?): Boolean {\n                if (other === this) return true\n
if (other !is Set<*>) return false\n                return setEquals(this, other)\n                }\n                /**\n                * Returns the hash code
value for this set.\n                *\n                */\n                override fun hashCode(): Int = unorderedHashCode(this)\n                internal companion
object {\n                internal fun unorderedHashCode(c: Collection<*>): Int {\n                var hashCode = 0\n                for
(element in c) {\n                hashCode += (element?.hashCode() ?: 0)\n                }\n                return hashCode\n
}\n                internal fun setEquals(c: Set<*>, other: Set<*>): Boolean {\n                if (c.size != other.size) return false\n
return c.containsAll(other)\n                }\n                }\n                }\n                \"/*\n                * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n                * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n                *\n                */\n                package kotlin.collections\n                /**\n                * Resizable-array implementation
of the deque data structure.\n                *\n                * The name deque is short for \"double ended queue\" and is usually pronounced
\"deck\".\n                *\n                * The collection provide methods for convenient access to the both ends.\n                * It also implements
[MutableList] interface and supports efficient get/set operations by index.\n                *\n                */\n                @SinceKotlin(\"1.4\")\n                @WasExperimental(ExperimentalStdlibApi::class)\n                public class ArrayDeque<E> :
AbstractMutableList<E> {\n                private var head: Int = 0\n                private var elementData: Array<Any?>\n                override
var size: Int = 0\n                private set\n                /**\n                * Constructs an empty deque with specified [initialCapacity], or
throws [IllegalArgumentException] if [initialCapacity] is negative.\n                *\n                */\n                public constructor(initialCapacity:
Int) {\n                elementData = when {\n                initialCapacity == 0 -> emptyElementData\n                initialCapacity > 0 -
> arrayOfNulls(initialCapacity)\n                else -> throw IllegalArgumentException(\"Illegal Capacity:
$initialCapacity\")\n                }\n                }\n                /**\n                * Constructs an empty deque.\n                *\n                */\n                public constructor() {\n
elementData = emptyElementData\n                }\n                /**\n                * Constructs a deque that contains the same elements as the
specified [elements] collection in the same order.\n                *\n                */\n                public constructor(elements: Collection<E>) {\n
elementData = elements.toArray()\n                size = elementData.size\n                if (elementData.isEmpty())\n                elementData = emptyElementData\n                }\n                /**\n                * Ensures that the capacity of this deque is at least equal to
the specified [minCapacity].\n                *\n                * If the current capacity is less than the [minCapacity], a new backing
storage is allocated with greater capacity.\n                *\n                * Otherwise, this method takes no action and simply returns.\n                *\n                */\n                private fun ensureCapacity(minCapacity: Int) {\n                if (minCapacity < 0) throw IllegalStateException(\"Deque is
too big.\") // overflow\n                if (minCapacity <= elementData.size) return\n                if (elementData ===
emptyElementData) {\n                elementData = arrayOfNulls(minCapacity.coerceAtLeast(defaultMinCapacity))\n
return\n                }\n                val newCapacity = newCapacity(elementData.size, minCapacity)\n
copyElements(newCapacity)\n                }\n                /**\n                * Creates a new array with the specified [newCapacity] size and
copies elements in the [elementData] array to it.\n                *\n                */\n                private fun copyElements(newCapacity: Int) {\n                val

```

```

newElements = arrayOfNulls<Any?>(newCapacity)\n    elementData.copyInto(newElements, 0, head,
elementData.size)\n    elementData.copyInto(newElements, elementData.size - head, 0, head)\n    head = 0\n    elementData = newElements\n    }\n\n    @kotlin.internal.InlineOnly\n    private inline fun
internalGet(internalIndex: Int): E {\n        @Suppress("UNCHECKED_CAST")\n        return
elementData[internalIndex] as E\n    }\n\n    private fun positiveMod(index: Int): Int = if (index >=
elementData.size) index - elementData.size else index\n\n    private fun negativeMod(index: Int): Int = if (index < 0)
index + elementData.size else index\n\n    @kotlin.internal.InlineOnly\n    private inline fun internalIndex(index:
Int): Int = positiveMod(head + index)\n\n    private fun incremented(index: Int): Int = if (index ==
elementData.lastIndex) 0 else index + 1\n\n    private fun decremented(index: Int): Int = if (index == 0)
elementData.lastIndex else index - 1\n\n    override fun isEmpty(): Boolean = size == 0\n\n    /**\n     * Returns the
first element, or throws [NoSuchElementException] if this deque is empty.\n     */\n    public fun first(): E = if
(isEmpty()) throw NoSuchElementException("ArrayDeque is empty.") else internalGet(head)\n\n    /**\n     *
Returns the first element, or `null` if this deque is empty.\n     */\n    public fun firstOrNull(): E? = if (isEmpty()) null
else internalGet(head)\n\n    /**\n     * Returns the last element, or throws [NoSuchElementException] if this deque
is empty.\n     */\n    public fun last(): E = if (isEmpty()) throw NoSuchElementException("ArrayDeque is empty.")
else internalGet(internalIndex(lastIndex))\n\n    /**\n     * Returns the last element, or `null` if this deque is empty.\n
*/\n    public fun lastOrNull(): E? = if (isEmpty()) null else internalGet(internalIndex(lastIndex))\n\n    /**\n     *
Prepends the specified [element] to this deque.\n     */\n    public fun addFirst(element: E) {\n
ensureCapacity(size + 1)\n\n        head = decremented(head)\n        elementData[head] = element\n        size += 1\n
}\n\n    /**\n     * Appends the specified [element] to this deque.\n     */\n    public fun addLast(element: E) {\n
ensureCapacity(size + 1)\n\n        elementData[internalIndex(size)] = element\n        size += 1\n    }\n\n    /**\n     *
Removes the first element from this deque and returns that removed element, or throws [NoSuchElementException]
if this deque is empty.\n     */\n    public fun removeFirst(): E {\n        if (isEmpty()) throw
NoSuchElementException("ArrayDeque is empty.")\n\n        val element = internalGet(head)\n
elementData[head] = null\n        head = incremented(head)\n        size -= 1\n        return element\n    }\n\n    /**\n
     * Removes the first element from this deque and returns that removed element, or returns `null` if this deque is
empty.\n     */\n    public fun removeFirstOrNull(): E? = if (isEmpty()) null else removeFirst()\n\n    /**\n     *
Removes the last element from this deque and returns that removed element, or throws [NoSuchElementException]
if this deque is empty.\n     */\n    public fun removeLast(): E {\n        if (isEmpty()) throw
NoSuchElementException("ArrayDeque is empty.")\n\n        val internalLastIndex = internalIndex(lastIndex)\n
val element = internalGet(internalLastIndex)\n        elementData[internalLastIndex] = null\n        size -= 1\n
return element\n    }\n\n    /**\n     * Removes the last element from this deque and returns that removed element, or
returns `null` if this deque is empty.\n     */\n    public fun removeLastOrNull(): E? = if (isEmpty()) null else
removeLast()\n\n    // MutableList, MutableCollection\n    public override fun add(element: E): Boolean {\n
addLast(element)\n        return true\n    }\n\n    public override fun add(index: Int, element: E) {\n
AbstractList.checkPositionIndex(index, size)\n\n        if (index == size) {\n            addLast(element)\n
return\n        } else if (index == 0) {\n            addFirst(element)\n            return\n        }\n\n        ensureCapacity(size
+ 1)\n\n        // Elements in circular array lay in 2 ways:\n        // 1. `head` is less than `tail`:    [#, #, e1, e2, e3,
#]\n        // 2. `head` is greater than `tail`:    [e3, #, #, #, e1, e2]\n        // where head is the index of the first element
in the circular array,\n        // and tail is the index following the last element.\n        //\n        // At this point the
insertion index is not equal to head or tail.\n        // Also the circular array can store at least one more element.\n
//\n        // Depending on where the given element must be inserted the preceding or the succeeding\n        // elements
will be shifted to make room for the element to be inserted.\n        //\n        // In case the preceding elements are
shifted:\n        // * if the insertion index is greater than the head (regardless of circular array form)\n        // ->
shift the preceding elements\n        // * otherwise, the circular array has (2) form and the insertion index is less than
tail\n        // -> shift all elements in the back of the array\n        // -> shift preceding elements in the front of the
array\n        // In case the succeeding elements are shifted:\n        // * if the insertion index is less than the tail
(regardless of circular array form)\n        // -> shift the succeeding elements\n        // * otherwise, the circular

```

```

array has (2) form and the insertion index is greater than head\n    //    -> shift all elements in the front of the
array\n    //    -> shift succeeding elements in the back of the array\n\n    val internalIndex =
internalIndex(index)\n\n    if (index < (size + 1) shr 1) {\n        // closer to the first element -> shift preceding
elements\n        val decrementedInternalIndex = decremented(internalIndex)\n        val decrementedHead =
decremented(head)\n\n        if (decrementedInternalIndex >= head) {\n            elementData[decrementedHead]
= elementData[head] // head can be zero\n            elementData.copyInto(elementData, head, head + 1,
decrementedInternalIndex + 1)\n        } else { // head > tail\n            elementData.copyInto(elementData, head -
1, head, elementData.size) // head can't be zero\n            elementData[elementData.size - 1] = elementData[0]\n            elementData.copyInto(elementData, 0, 1, decrementedInternalIndex + 1)\n        }\n\n    elementData[decrementedInternalIndex] = element\n        head = decrementedHead\n    } else {\n        //
closer to the last element -> shift succeeding elements\n        val tail = internalIndex(size)\n\n        if
(internalIndex < tail) {\n            elementData.copyInto(elementData, internalIndex + 1, internalIndex, tail)\n
        } else { // head > tail\n            elementData.copyInto(elementData, 1, 0, tail)\n            elementData[0] =
elementData[elementData.size - 1]\n            elementData.copyInto(elementData, internalIndex + 1, internalIndex,
elementData.size - 1)\n        }\n        elementData[internalIndex] = element\n    }\n    size += 1\n }\n\nprivate fun copyCollectionElements(internalIndex: Int, elements: Collection<E>) {\n    val iterator =
elements.iterator()\n\n    for (index in internalIndex until elementData.size) {\n        if (!iterator.hasNext())
break\n        elementData[index] = iterator.next()\n    }\n    for (index in 0 until head) {\n        if
(!iterator.hasNext()) break\n        elementData[index] = iterator.next()\n    }\n    size += elements.size\n
}\n\npublic override fun addAll(elements: Collection<E>): Boolean {\n    if (elements.isEmpty()) return false\n
ensureCapacity(this.size + elements.size)\n    copyCollectionElements(internalIndex(size), elements)\n
return true\n }\n\npublic override fun addAll(index: Int, elements: Collection<E>): Boolean {\n
AbstractList.checkPositionIndex(index, size)\n\n    if (elements.isEmpty()) {\n        return false\n    } else if
(index == size) {\n        return addAll(elements)\n    }\n\n    ensureCapacity(this.size + elements.size)\n\n
val tail = internalIndex(size)\n    val internalIndex = internalIndex(index)\n    val elementsSize =
elements.size\n\n    if (index < (size + 1) shr 1) {\n        // closer to the first element -> shift preceding
elements\n\n        var shiftedHead = head - elementsSize\n\n        if (internalIndex >= head) {\n            if
(shiftedHead >= 0) {\n                elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n
            } else { // head < tail, insertion leads to head >= tail\n                shiftedHead += elementData.size\n                val
elementsToShift = internalIndex - head\n                val shiftToBack = elementData.size - shiftedHead\n\n                if (shiftToBack >= elementsToShift) {\n                    elementData.copyInto(elementData, shiftedHead, head,
internalIndex)\n                } else {\n                    elementData.copyInto(elementData, shiftedHead, head, head +
shiftToBack)\n                    elementData.copyInto(elementData, 0, head + shiftToBack, internalIndex)\n               
}\n            }\n        } else { // head > tail, internalIndex < tail\n            elementData.copyInto(elementData,
shiftedHead, head, elementData.size)\n            if (elementsSize >= internalIndex) {\n                elementData.copyInto(elementData, elementData.size - elementsSize, 0, internalIndex)\n            } else {\n                elementData.copyInto(elementData, elementData.size - elementsSize, 0, elementsSize)\n                elementData.copyInto(elementData, 0, elementsSize, internalIndex)\n            }\n        }\n        head =
shiftedHead\n        copyCollectionElements(negativeMod(internalIndex - elementsSize), elements)\n    } else
{\n        // closer to the last element -> shift succeeding elements\n        val shiftedInternalIndex =
internalIndex + elementsSize\n\n        if (internalIndex < tail) {\n            if (tail + elementsSize <=
elementData.size) {\n                elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, tail)\n
            } else { // head < tail, insertion leads to head >= tail\n                if (shiftedInternalIndex >= elementData.size)\n                {\n                    elementData.copyInto(elementData, shiftedInternalIndex - elementData.size, internalIndex, tail)\n                }\n            } else {\n                val shiftToFront = tail + elementsSize - elementData.size\n                elementData.copyInto(elementData, 0, tail - shiftToFront, tail)\n                elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, tail - shiftToFront)\n            }\n        } else { // head > tail,
internalIndex > head\n            elementData.copyInto(elementData, elementsSize, 0, tail)\n            if

```

```

(shiftedInternalIndex >= elementData.size) {\n                elementData.copyInto(elementData, shiftedInternalIndex
- elementData.size, internalIndex, elementData.size)\n                } else {\n
elementData.copyInto(elementData, 0, elementData.size - elementsSize, elementData.size)\n
elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, elementData.size - elementsSize)\n
}\n        }\n        copyCollectionElements(internalIndex, elements)\n        }\n\n        return true\n    }\n\n    public
override fun get(index: Int): E {\n        AbstractList.checkElementIndex(index, size)\n\n        return
internalGet(internalIndex(index))\n    }\n\n    public override fun set(index: Int, element: E): E {\n
AbstractList.checkElementIndex(index, size)\n        val internalIndex = internalIndex(index)\n        val oldElement
= internalGet(internalIndex)\n        elementData[internalIndex] = element\n\n        return oldElement\n    }\n\n
public override fun contains(element: E): Boolean = indexOf(element) != -1\n\n    public override fun
indexOf(element: E): Int {\n        val tail = internalIndex(size)\n\n        if (head < tail) {\n            for (index in head
until tail) {\n                if (element == elementData[index]) return index - head\n            }\n        } else if (head >=
tail) {\n            for (index in head until elementData.size) {\n                if (element == elementData[index]) return
index - head\n            }\n            for (index in 0 until tail) {\n                if (element == elementData[index]) return
index + elementData.size - head\n            }\n        }\n\n        return -1\n    }\n\n    public override fun
lastIndexOf(element: E): Int {\n        val tail = internalIndex(size)\n\n        if (head < tail) {\n            for (index in tail
- 1 downTo head) {\n                if (element == elementData[index]) return index - head\n            }\n        } else if
(head > tail) {\n            for (index in tail - 1 downTo 0) {\n                if (element == elementData[index]) return
index + elementData.size - head\n            }\n            for (index in elementData.lastIndex downTo head) {\n
if (element == elementData[index]) return index - head\n            }\n        }\n\n        return -1\n    }\n\n    public
override fun remove(element: E): Boolean {\n        val index = indexOf(element)\n        if (index == -1) return
false\n        removeAt(index)\n        return true\n    }\n\n    public override fun removeAt(index: Int): E {\n
AbstractList.checkElementIndex(index, size)\n\n        if (index == lastIndex) {\n            return removeLast()\n        }
else if (index == 0) {\n            return removeFirst()\n        }\n\n        val internalIndex = internalIndex(index)\n
val element = internalGet(internalIndex)\n\n        if (index < size shr 1) {\n            // closer to the first element ->
shift preceding elements\n            if (internalIndex >= head) {\n                elementData.copyInto(elementData, head
+ 1, head, internalIndex)\n            } else { // head > tail, internalIndex < head\n
elementData.copyInto(elementData, 1, 0, internalIndex)\n                elementData[0] = elementData[elementData.size
- 1]\n                elementData.copyInto(elementData, head + 1, head, elementData.size - 1)\n            }\n\n
elementData[head] = null\n            head = incremented(head)\n        } else {\n            // closer to the last element ->
shift succeeding elements\n            val internalLastIndex = internalIndex(lastIndex)\n\n            if (internalIndex <=
internalLastIndex) {\n                elementData.copyInto(elementData, internalIndex, internalIndex + 1,
internalLastIndex + 1)\n            } else { // head > tail, internalIndex > head\n
elementData.copyInto(elementData, internalIndex, internalIndex + 1, elementData.size)\n\n
elementData[elementData.size - 1] = elementData[0]\n                elementData.copyInto(elementData, 0, 1,
internalLastIndex + 1)\n            }\n\n            elementData[internalLastIndex] = null\n        }\n\n        size -= 1\n\n
return element\n    }\n\n    public override fun removeAll(elements: Collection<E>): Boolean = filterInPlace {
!elements.contains(it) }\n\n    public override fun retainAll(elements: Collection<E>): Boolean = filterInPlace {
elements.contains(it) }\n\n    private inline fun filterInPlace(predicate: (E) -> Boolean): Boolean {\n        if
(this.isEmpty() || elementData.isEmpty())\n            return false\n\n        val tail = internalIndex(size)\n        var
newTail = head\n        var modified = false\n\n        if (head < tail) {\n            for (index in head until tail) {\n
val element = elementData[index]\n\n                @Suppress("\n                UNCHECKED_CAST")\n                if
(predicate(element as E))\n                    elementData[newTail++] = element\n                    else\n                        modified =
true\n            }\n\n            elementData.fill(null, newTail, tail)\n        } else {\n            for (index in head until
elementData.size) {\n                val element = elementData[index]\n                elementData[index] = null\n\n                @Suppress("\n                UNCHECKED_CAST")\n                if (predicate(element as E))\n                    elementData[newTail++] = element\n                    else\n                        modified = true\n            }\n\n            newTail =
positiveMod(newTail)\n\n            for (index in 0 until tail) {\n                val element = elementData[index]\n

```

```

elementData[index] = null\n\n        @Suppress("UNCHECKED_CAST")\n        if (predicate(element as
E)) {\n        elementData[newTail] = element\n        newTail = incremented(newTail)\n        }
else {\n        modified = true\n        }\n        }\n        if (modified)\n        size =
negativeMod(newTail - head)\n        return modified\n        }\n\n        public override fun clear() {\n        val tail =
internalIndex(size)\n        if (head < tail) {\n        elementData.fill(null, head, tail)\n        } else if (isEmpty())
{\n        elementData.fill(null, head, elementData.size)\n        elementData.fill(null, 0, tail)\n        }\n        head =
0\n        size = 0\n        }\n\n        @Suppress("NOTHING_TO_OVERRIDE")\n        override fun <T> toArray(array:
Array<T>): Array<T> {\n        @Suppress("UNCHECKED_CAST")\n        val dest = (if (array.size >= size) array
else arrayOfNulls(array, size)) as Array<Any?>\n\n        val tail = internalIndex(size)\n        if (head < tail) {\n
elementData.copyInto(dest, startIndex = head, endIndex = tail)\n        } else if (isEmpty()) {\n
elementData.copyInto(dest, destinationOffset = 0, startIndex = head, endIndex = elementData.size)\n
elementData.copyInto(dest, destinationOffset = elementData.size - head, startIndex = 0, endIndex = tail)\n        }\n
        if (dest.size > size) {\n        dest[size] = null // null-terminate\n        }\n\n        @Suppress("UNCHECKED_CAST")\n        return dest as Array<T>\n        }\n\n        @Suppress("NOTHING_TO_OVERRIDE")\n        override fun toArray(): Array<Any?> {\n        return
toArray(arrayOfNulls<Any?>(size))\n        }\n\n        // for testing\n        internal fun <T> testToArray(array: Array<T>):
Array<T> = toArray(array)\n        internal fun testToArray(): Array<Any?> = toArray()\n\n        internal companion
object {\n        private val emptyElementData = emptyArray<Any?>()\n        private const val maxArraySize =
Int.MAX_VALUE - 8\n        private const val defaultMinCapacity = 10\n\n        internal fun
newCapacity(oldCapacity: Int, minCapacity: Int): Int {\n        // overflow-conscious\n        var newCapacity =
oldCapacity + (oldCapacity shr 1)\n        if (newCapacity - minCapacity < 0)\n        newCapacity =
minCapacity\n        if (newCapacity - maxArraySize > 0)\n        newCapacity = if (minCapacity >
maxArraySize) Int.MAX_VALUE else maxArraySize\n        return newCapacity\n        }\n        }\n\n        // For testing
only\n        internal fun internalStructure(structure: (head: Int, elements: Array<Any?>) -> Unit) {\n        val tail =
internalIndex(size)\n        val head = if (isEmpty() || head < tail) head else head - elementData.size\n
structure(head, toArray())\n        }\n    }"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ArraysKt")\n\npackage
kotlin.collections\n\nimport kotlin.contracts.*\n\n/**\n * Returns a single list of all elements from all arrays in the
given array.\n * @sample samples.collections.Arrays.Transformations.flattenArray\n */\npublic fun <T> Array<out
Array<out T>>.flatten(): List<T> {\n        val result = ArrayList<T>(sumOf { it.size })\n        for (element in this) {\n
result.addAll(element)\n        }\n        return result\n    }\n\n/**\n * Returns a pair of lists, where\n * *first* list is built from
the first values of each pair from this array,\n * *second* list is built from the second values of each pair from this
array.\n * @sample samples.collections.Arrays.Transformations.unzipArray\n */\npublic fun <T, R> Array<out
Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {\n        val listT = ArrayList<T>(size)\n        val listR =
ArrayList<R>(size)\n        for (pair in this) {\n        listT.add(pair.first)\n        listR.add(pair.second)\n        }\n        return
listT to listR\n    }\n\n/**\n * Returns `true` if this nullable array is either null or empty.\n * @sample
samples.collections.Arrays.Usage.arrayIsNullOrEmpty\n
*\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun Array<*>?.isNullOrEmpty(): Boolean
{\n        contract {\n        returns(false) implies (this@isNullOrEmpty != null)\n        }\n        return this == null ||
this.isEmpty()\n    }\n\n/**\n * Returns this array if it's not empty\n * or the result of calling [defaultValue] function if
the array is empty.\n * @sample samples.collections.Arrays.Usage.arrayIfEmpty\n
*\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("UPPER_BOUND_CANNOT_BE_ARRAY")\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : Array<*>, C : R =\n        if (isEmpty())
defaultValue() else
this\n\n\n@OptIn(ExperimentalUnsignedTypes::class)\n@SinceKotlin("1.3")\n@PublishedApi\n@kotlin.jvm.Jvm
Name("contentDeepEquals")\n@kotlin.js.JsName("contentDeepEqualsImpl")\ninternal fun <T> Array<out

```

```

T>?.contentDeepEqualsImpl(other: Array<out T>?): Boolean {
    if (this === other) return true
    if (this == null || other == null || this.size != other.size) return false
    for (i in indices) {
        val v1 = this[i]
        val v2 = other[i]
        if (v1 === v2) {
            continue
        } else if (v1 == null || v2 == null) {
            return false
        }
        when {
            v1 is Array<*> && v2 is Array<*> -> if (!v1.contentDeepEquals(v2)) return false
            v1 is ByteArray && v2 is ByteArray -> if (!v1.contentEquals(v2)) return false
            v1 is ShortArray && v2 is ShortArray -> if (!v1.contentEquals(v2)) return false
            v1 is IntArray && v2 is IntArray -> if (!v1.contentEquals(v2)) return false
            v1 is LongArray && v2 is LongArray -> if (!v1.contentEquals(v2)) return false
            v1 is FloatArray && v2 is FloatArray -> if (!v1.contentEquals(v2)) return false
            v1 is DoubleArray && v2 is DoubleArray -> if (!v1.contentEquals(v2)) return false
            v1 is CharArray && v2 is CharArray -> if (!v1.contentEquals(v2)) return false
            v1 is BooleanArray && v2 is BooleanArray -> if (!v1.contentEquals(v2)) return false
            v1 is UByteArray && v2 is UByteArray -> if (!v1.contentEquals(v2)) return false
            v1 is UShortArray && v2 is UShortArray -> if (!v1.contentEquals(v2)) return false
            v1 is UIntArray && v2 is UIntArray -> if (!v1.contentEquals(v2)) return false
            v1 is ULongArray && v2 is ULongArray -> if (!v1.contentEquals(v2)) return false
        } else -> if (v1 != v2) return false
    }
    return true
}
@SinceKotlin("1.3")
@PublishedApi
@kotlin.jvm.JvmName("contentDeepToString")
@kotlin.js.JsName("contentDeepToStringImpl")
internal fun <T> Array<out T>?.contentDeepToStringImpl(): String {
    if (this == null) return "null"
    val length = size.coerceAtMost((Int.MAX_VALUE - 2) / 5) * 5 + 2 // in order not to overflow Int.MAX_VALUE
    return buildString(length) {
        contentDeepToStringInternal(this, mutableListOf())
    }
}
@OptIn(ExperimentalUnsignedTypes::class)
private fun <T> Array<out T>.contentDeepToStringInternal(result: StringBuilder, processed: MutableList<Array<*>>) {
    if (this in processed) {
        result.append("[...]")
        return
    }
    processed.add(this)
    result.append('[')
    for (i in indices) {
        if (i != 0) {
            result.append(", ")
        }
        val element = this[i]
        when (element) {
            null -> result.append("null")
            is Array<*> -> element.contentDeepToStringInternal(result, processed)
            is ByteArray -> result.append(element.contentToString())
            is ShortArray -> result.append(element.contentToString())
            is IntArray -> result.append(element.contentToString())
            is LongArray -> result.append(element.contentToString())
            is FloatArray -> result.append(element.contentToString())
            is DoubleArray -> result.append(element.contentToString())
            is CharArray -> result.append(element.contentToString())
            is BooleanArray -> result.append(element.contentToString())
            is UByteArray -> result.append(element.contentToString())
            is UShortArray -> result.append(element.contentToString())
            is UIntArray -> result.append(element.contentToString())
            is ULongArray -> result.append(element.contentToString())
            else -> result.append(element.toString())
        }
    }
    result.append(']')
    processed.removeAt(processed.lastIndex)
}
/* Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
package kotlin.collections
/** Returns true if the brittle contains optimization is enabled. See KT-45438.
 */
internal expect fun brittleContainsOptimizationEnabled(): Boolean
/** Returns true if [brittleContainsOptimizationEnabled] is true
 * and it's safe to convert this collection to a set without changing contains method behavior.
 */
private fun <T> Collection<T>.safeToConvertToSet() = brittleContainsOptimizationEnabled() && size > 2 && this is ArrayList
/** When [brittleContainsOptimizationEnabled] is true:
 * - Converts this [Iterable] to a set if it is not a [Collection].
 * - Converts this [Collection] to a set, when it's worth so and it doesn't change contains method behavior.
 * - Otherwise returns this.
 */
/** When [brittleContainsOptimizationEnabled] is false:
 * - Converts this [Iterable] to a list if it is not a [Collection].
 * - Otherwise returns this.
 */
internal fun <T> Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =
    when (this) {
        is Set -> this
        is Collection -> when {
            source is Collection && source.size < 2 -> this
            else -> if (this.safeToConvertToSet()) toHashSet() else this
        }
        else -> if

```

```

(brittleContainsOptimizationEnabled()) toHashSet() else toList()\n } \n\n/**\n * When
[brittleContainsOptimizationEnabled] is true:\n * - Converts this [Iterable] to a set if it is not a [Collection].\n * -
Converts this [Collection] to a set, when it's worth so and it doesn't change contains method behavior.\n * -
Otherwise returns this.\n * When [brittleContainsOptimizationEnabled] is false:\n * - Converts this [Iterable] to a
list if it is not a [Collection].\n * - Otherwise returns this.\n */\ninternal fun <T>
Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n when (this) {\n is Set -> this\n is
Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n else -> if
(brittleContainsOptimizationEnabled()) toHashSet() else toList()\n } \n\n/**\n * Converts this sequence to a set if
[brittleContainsOptimizationEnabled] is true,\n * otherwise converts it to a list.\n */\ninternal fun <T>
Sequence<T>.convertToSetForSetOperation(): Collection<T> =\n if (brittleContainsOptimizationEnabled())
toHashSet() else toList()\n\n/**\n * Converts this array to a set if [brittleContainsOptimizationEnabled] is true,\n *
otherwise converts it to a list.\n */\ninternal fun <T> Array<T>.convertToSetForSetOperation(): Collection<T> =\n
if (brittleContainsOptimizationEnabled()) toHashSet() else asList()", /*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Data class
representing a value from a collection or sequence, along with its index in that collection or sequence.\n */\n *
@property value the underlying value.\n * @property index the index of the value in the collection or sequence.\n
*/\n\npublic data class IndexedValue<out T>(public val index: Int, public val value: T)\n", /*\n * Copyright 2010-
2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("MapAccessorsKt")\n\npackage kotlin.collections\n\nimport
kotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of the property for the given
object from this read-only map.\n * @param thisRef the object for which the value is requested (not used).\n *
@param property the metadata for the property, used to get the name of property and lookup the value
corresponding to this name in the map.\n * @return the property value.\n */\n * @throws NoSuchElementException
when the map doesn't contain value for the property name and doesn't provide an implicit default (see
[withDefault]).\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> Map<in String, @Exact
V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n @Suppress("UNCHECKED_CAST")
(getOrImplicitDefault(property.name) as V1)\n\n/**\n * Returns the value of the property for the given object from
this mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property
the metadata for the property, used to get the name of property and lookup the value corresponding to this name in
the map.\n * @return the property value.\n */\n * @throws NoSuchElementException when the map doesn't contain
value for the property name and doesn't provide an implicit default (see [withDefault]).\n
*/\n\n@kotlin.jvm.JvmName("getVar")\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V>
MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n
@Suppress("UNCHECKED_CAST") (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Stores the value of
the property for the given object in this mutable map.\n * @param thisRef the object for which the value is
requested (not used).\n * @param property the metadata for the property, used to get the name of property and store
the value associated with that name in the map.\n * @param value the value to set.\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V> MutableMap<in String, in V>.setValue(thisRef:
Any?, property: KProperty<*>, value: V) {\n this.put(property.name, value)\n}", /*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage
kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By
default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with
implicit default value use [withDefault] method.\n */\n * @throws NoSuchElementException when the map doesn't
contain a value for the specified key and no implicit default was provided for that map.\n

```

```

*  

@kotlin.jvm.JvmName("getOrImplicitDefaultNullable")  

@PublishedApi  

internal fun <K, V> Map<K, V>.getOrImplicitDefault(key: K): V {  

    if (this is MapWithDefault) return  

    this.getOrImplicitDefault(key)  

    return getOrElseNullable(key, { throw NoSuchElementException("Key $key  

is missing in the map.") })  

}  

  

* Returns a wrapper of this read-only map, having the implicit default value  

provided with the specified function [defaultValue].  

* This implicit default value is used when the original  

map doesn't contain a value for the key specified  

* and a value is obtained with [Map.getValue] function, for  

example when properties are delegated to the map.  

* When this map already has an implicit default value  

provided with a former call to [withDefault], it is being replaced by this call.  

  

public fun <K, V> Map<K, V>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =  

    when (this) {  

        is MapWithDefault ->  

this.map.withDefault(defaultValue)  

        else -> MapWithDefaultImpl(this, defaultValue)  

    }  

  

* Returns  

a wrapper of this mutable map, having the implicit default value provided with the specified function  

[defaultValue].  

* This implicit default value is used when the original map doesn't contain a value for the key  

specified  

* and a value is obtained with [Map.getValue] function, for example when properties are delegated to the  

map.  

* When this map already has an implicit default value provided with a former call to [withDefault], it is  

being replaced by this call.  

  

@kotlin.jvm.JvmName("withDefaultMutable")  

public fun <K, V>  

MutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =  

    when (this) {  

        is  

MutableMapWithDefault -> this.map.withDefault(defaultValue)  

        else -> MutableMapWithDefaultImpl(this,  

defaultValue)  

    }  

  

private interface MapWithDefault<K, out V> : Map<K, V> {  

    public val map: Map<K,  

V>  

    public fun getOrImplicitDefault(key: K): V  

}  

private interface MutableMapWithDefault<K, V> :  

MutableMap<K, V>, MapWithDefault<K, V> {  

    public override val map: MutableMap<K, V>  

}  

private class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V):  

MapWithDefault<K, V> {  

    override fun equals(other: Any?): Boolean = map.equals(other)  

    override fun  

hashCode(): Int = map.hashCode()  

    override fun toString(): String = map.toString()  

    override val size: Int get() = map.size  

    override fun isEmpty(): Boolean = map.isEmpty()  

    override fun containsKey(key: K): Boolean = map.containsKey(key)  

    override fun containsValue(value: @UnsafeVariance V): Boolean =  

map.containsKey(key) && map.containsValue(value)  

    override fun get(key: K): V? = map.get(key)  

    override val keys: Set<K> get() = map.keys  

    override val values: Collection<V> get() = map.values  

    override val entries: Set<Map.Entry<K, V>> get() = map.entries  

}  

private class MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K, V>, private val default: (key: K) -> V):  

MutableMapWithDefault<K, V> {  

    override fun equals(other: Any?):  

Boolean = map.equals(other)  

    override fun hashCode(): Int = map.hashCode()  

    override fun toString(): String = map.toString()  

    override val size: Int get() = map.size  

    override fun isEmpty(): Boolean = map.isEmpty()  

    override fun containsKey(key: K): Boolean = map.containsKey(key)  

    override fun containsValue(value: @UnsafeVariance V): Boolean = map.containsKey(key) && map.containsValue(value)  

    override fun get(key: K): V? = map.get(key)  

    override val keys: MutableSet<K> get() = map.keys  

    override val values: MutableCollection<V> get() = map.values  

    override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries  

    override fun put(key: K, value: V): V? = map.put(key, value)  

    override fun remove(key: K): V? =  

map.remove(key)  

    override fun putAll(from: Map<out K, V>) = map.putAll(from)  

    override fun clear() = map.clear()  

    override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key) })  

}  

  

/*  

Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.  

Use of  

this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.  

  

@file:kotlin.jvm.JvmMultifileClass  

@file:kotlin.jvm.JvmName("CollectionsKt")  

package  

kotlin.collections  

import kotlin.random.Random  

  

* Removes a single instance of the specified element  

from this  

* collection, if it is present.  

* Allows to overcome type-safety restriction of `remove` that requires  

to pass an element of type `E`.  

* @return `true` if the element has been successfully removed; `false` if it was  

not present in the collection.  

  

@kotlin.internal.InlineOnly  

public inline fun <@kotlin.internal.OnlyInputTypes  

T> MutableCollection<out T>.remove(element: T): Boolean =  

    @Suppress("UNCHECKED_CAST") (this as  

MutableCollection<T>).remove(element)  

  

* Removes all of this collection's elements that are also

```



```

retainAll(elements.convertToSetForSetOperationWith(this))\n\n/**\n * Retains only elements of this
[MutableCollection] that are contained in the given [elements] array.\n */\npublic fun <T> MutableCollection<in
T>.retainAll(elements: Array<out T>): Boolean {\n    if (elements.isNotEmpty())\n        return
retainAll(elements.convertToSetForSetOperation())\n    else\n        return retainNothing()\n}\n\n/**\n * Retains only
elements of this [MutableCollection] that are contained in the given [elements] sequence.\n */\npublic fun <T>
MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {\n    val set =
elements.convertToSetForSetOperation()\n    if (set.isNotEmpty())\n        return retainAll(set)\n    else\n        return
retainNothing()\n}\n\nprivate fun MutableCollection<*>.retainNothing(): Boolean {\n    val result = isEmpty()\n    clear()\n    return result\n}\n\n/**\n * Removes all elements from this [MutableIterable] that match the given
[predicate].\n */\n * @return `true` if any element was removed from this collection, or `false` when no elements
were removed and collection was not modified.\n */\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T)
-> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that
match the given [predicate].\n */\n * @return `true` if any element was removed from this collection, or `false` when
all elements were retained and collection was not modified.\n */\npublic fun <T>
MutableIterable<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun
<T> MutableIterable<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n
    var result = false\n    with(iterator()) {\n        while (hasNext())\n            if (predicate(next()) ==
predicateResultToRemove) {\n                remove()\n                result = true\n            }\n    }\n    return
result\n}\n\n/**\n * Removes the element at the specified [index] from this list.\n */\n * In Kotlin one should use the
[MutableList.removeAt] function instead.\n */\n@Deprecated("Use removeAt(index) instead.",
ReplaceWith("removeAt(index)"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline
fun <T> MutableList<T>.remove(index: Int): T = removeAt(index)\n\n/**\n * Removes the first element from this
mutable list and returns that removed element, or throws [NoSuchElementException] if this list is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeFirst(): T = if (isEmpty()) throw NoSuchElementException("List is empty.") else
removeAt(0)\n\n/**\n * Removes the first element from this mutable list and returns that removed element, or
returns `null` if this list is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeFirstOrNull(): T? = if (isEmpty()) null else removeAt(0)\n\n/**\n * Removes the last
element from this mutable list and returns that removed element, or throws [NoSuchElementException] if this list is
empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeLast(): T = if (isEmpty()) throw NoSuchElementException("List is empty.") else
removeAt(lastIndex)\n\n/**\n * Removes the last element from this mutable list and returns that removed element,
or returns `null` if this list is empty.\n */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T>
MutableList<T>.removeLastOrNull(): T? = if (isEmpty()) null else removeAt(lastIndex)\n\n/**\n * Removes all
elements from this [MutableList] that match the given [predicate].\n */\n * @return `true` if any element was
removed from this collection, or `false` when no elements were removed and collection was not modified.\n */\npublic fun <T> MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate,
true)\n\n/**\n * Retains only elements of this [MutableList] that match the given [predicate].\n */\n * @return `true`
if any element was removed from this collection, or `false` when all elements were retained and collection was not
modified.\n */\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean =
filterInPlace(predicate, false)\n\nprivate fun <T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean,
predicateResultToRemove: Boolean): Boolean {\n    if (this !is RandomAccess)\n        return (this as
MutableIterable<T>).filterInPlace(predicate, predicateResultToRemove)\n    var writeIndex: Int = 0\n    for
(readIndex in 0..lastIndex) {\n        val element = this[readIndex]\n        if (predicate(element) ==
predicateResultToRemove)\n            continue\n        if (writeIndex != readIndex)\n            this[writeIndex] =
element\n        writeIndex++\n    }\n    if (writeIndex < size) {\n        for (removeIndex in lastIndex downTo

```

```

writeIndex)\n      removeAt(removeIndex)\n\n      return true\n  } else {\n      return false\n  }\n}\n"/*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\nprivate open class ReversedListReadOnly<out T>(private val delegate: List<T>) :
AbstractList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) :
AbstractMutableList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =
delegate[reverseElementIndex(index)]\n    override fun clear() = delegate.clear()\n    override fun removeAt(index:
Int): T = delegate.removeAt(reverseElementIndex(index))\n    override fun set(index: Int, element: T): T =
delegate.set(reverseElementIndex(index), element)\n    override fun add(index: Int, element: T) {\n
delegate.add(reversePositionIndex(index), element)\n    }\n}\n\nprivate fun List<*>.reverseElementIndex(index:
Int) =\n    if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException("Element index
$index must be in range [${0..lastIndex}].")\n\nprivate fun List<*>.reversePositionIndex(index: Int) =\n    if (index
in 0..size) size - index else throw IndexOutOfBoundsException("Position index $index must be in range
[${0..size}].")\n\n/**\n * Returns a reversed read-only view of the original List.\n * All changes made in the
original list will be reflected in the reversed one.\n * @sample samples.collections.ReversedViews.asReversedList\n
*/\n\npublic fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\n\n/**\n * Returns a reversed
mutable view of the original mutable List.\n * All changes made in the original list will be reflected in the reversed
one and vice versa.\n * @sample samples.collections.ReversedViews.asReversedMutableList\n
*/\n\n@kotlin.jvm.JvmName("asReversedMutable")\n\npublic fun <T> MutableList<T>.asReversed():
MutableList<T> = ReversedList(this)\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n@file:OptIn(Experimenta
lTypeInference::class)\n\npackage kotlin.sequences\n\nimport kotlin.coroutines.*\nimport
kotlin.coroutines.intrinsics.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Builds a
[Sequence] lazily yielding values one by one.\n * @see kotlin.sequences.generateSequence\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n
*/\n\n@SinceKotlin("1.3")\n\npublic fun <T>
sequence(@BuilderInference block: suspend SequenceScope<T>().->Unit): Sequence<T> = Sequence {
iterator(block) }\n\n@SinceKotlin("1.3")\n\n@Deprecated("Use 'sequence { }' function instead.",
ReplaceWith("sequence(builderAction)"), level =
DeprecationLevel.ERROR)\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> buildSequence(@BuilderInference
noinline builderAction: suspend SequenceScope<T>().->Unit): Sequence<T> = Sequence { iterator(builderAction)
}\n\n/**\n * Builds an [Iterator] lazily yielding values one by one.\n * @sample
samples.collections.Sequences.Building.buildIterator\n * @sample samples.collections.Iterables.Building.iterable\n
*/\n\n@SinceKotlin("1.3")\n\npublic fun <T> iterator(@BuilderInference block: suspend SequenceScope<T>().->
Unit): Iterator<T> {\n    val iterator = SequenceBuilderIterator<T>()\n    iterator.nextStep =
block.createCoroutineUnintercepted(receiver = iterator, completion = iterator)\n    return
iterator\n}\n\n@SinceKotlin("1.3")\n\n@Deprecated("Use 'iterator { }' function instead.",
ReplaceWith("iterator(builderAction)"), level = DeprecationLevel.ERROR)\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun <T> buildIterator(@BuilderInference noinline builderAction: suspend SequenceScope<T>().->Unit):
Iterator<T> = iterator(builderAction)\n\n/**\n * The scope for yielding values of a [Sequence] or an [Iterator],
provides [yield] and [yieldAll] suspension functions.\n * @see sequence\n * @see iterator\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n
*/\n\n@RestrictsSuspension\n\n@SinceKotlin("1.3")\n\npublic abstract class SequenceScope<in T> internal

```

```

constructor() {\n    /**\n     * Yields a value to the [Iterator] being built and suspends\n     * until the next value is requested.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     * @sample samples.collections.Sequences.Building.buildFibonacciSequence\n     */\n    public abstract suspend fun yield(value: T)\n\n    /**\n     * Yields all values from the `iterator` to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * The sequence of values returned by the given iterator can be potentially infinite.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public abstract suspend fun yieldAll(iterator: Iterator<T>)\n\n    /**\n     * Yields a collections of values to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public suspend fun yieldAll(elements: Iterable<T>) {\n        if (elements is Collection && elements.isEmpty()) return\n        return yieldAll(elements.iterator())\n    }\n\n    /**\n     * Yields potentially infinite sequence of values to the [Iterator] being built\n     * and suspends until all these values are iterated and the next one is requested.\n     *\n     * The sequence can be potentially infinite.\n     *\n     * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n     */\n    public suspend fun yieldAll(sequence: Sequence<T>) = yieldAll(sequence.iterator())\n\n    @Deprecated("Use SequenceScope class instead.", ReplaceWith("SequenceScope<T>"), level = DeprecationLevel.ERROR)\n    public typealias SequenceBuilder<T> = SequenceScope<T>\n\n    private typealias State = Int\n\n    private const val State_NotReady: State = 0\n    private const val State_ManyNotReady: State = 1\n    private const val State_ManyReady: State = 2\n    private const val State_Ready: State = 3\n    private const val State_Done: State = 4\n    private const val State_Failed: State = 5\n\n    private class SequenceBuilderIterator<T> : SequenceScope<T>(), Iterator<T>, Continuation<Unit> {\n        private var state = State_NotReady\n        private var nextValue: T? = null\n        private var nextIterator: Iterator<T>? = null\n        var nextStep: Continuation<Unit>? = null\n\n        override fun hasNext(): Boolean {\n            while (true) {\n                when (state) {\n                    State_NotReady -> {}\n                    State_ManyNotReady -> {\n                        if (nextIterator!!.hasNext()) {\n                            state = State_ManyReady\n                            return true\n                        }\n                    }\n                    else {\n                        nextIterator = null\n                        state = State_Done -> return false\n                    }\n                }\n                state = State_Ready, state_ManyReady -> return true\n                else -> throw exceptionalState()\n            }\n            state = State_Failed\n            val step = nextStep!!\n            nextStep = null\n            step.resume(Unit)\n        }\n\n        override fun next(): T {\n            when (state) {\n                State_NotReady, State_ManyNotReady -> return nextNotReady()\n                State_ManyReady -> {\n                    state = State_ManyNotReady\n                    return nextIterator!!.next()\n                }\n                State_Ready -> {\n                    state = State_NotReady\n                    @Suppress("UNCHECKED_CAST")\n                    val result = nextValue as T\n                    nextValue = null\n                    return result\n                }\n                else -> throw exceptionalState()\n            }\n        }\n\n        private fun nextNotReady(): T {\n            if (!hasNext()) throw NoSuchElementException() else return next()\n        }\n\n        private fun exceptionalState(): Throwable = when (state) {\n            State_Done -> NoSuchElementException()\n            State_Failed -> IllegalStateException("Iterator has failed.")\n            else -> IllegalStateException("Unexpected state of the iterator: $state")\n        }\n\n        override suspend fun yield(value: T) {\n            nextValue = value\n            state = State_Ready\n            return suspendCoroutineUninterceptedOrReturn { c -> {\n                nextStep = c\n                COROUTINE_SUSPENDED\n            }}\n        }\n\n        override suspend fun yieldAll(iterator: Iterator<T>) {\n            if (!iterator.hasNext()) return\n            nextIterator = iterator\n            state = State_ManyReady\n            return suspendCoroutineUninterceptedOrReturn { c -> {\n                nextStep = c\n                COROUTINE_SUSPENDED\n            }}\n        }\n\n        // Completion continuation implementation\n        override fun resumeWith(result: Result<Unit>) {\n            result.getOrThrow() // just rethrow exception if it is there\n            state = State_Done\n        }\n\n        override val context: CoroutineContext\n            get() = EmptyCoroutineContext\n    }\n\n    /**\n     * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n\n    internal fun checkWindowSizeStep(size: Int, step: Int) {\n        require(size > 0 && step > 0) {\n            if (size != step)\n                "Both size $size and step $step must be greater than zero." else\n                    "size $size must be greater than zero."
        }\n    }\n\n    internal fun <T> Sequence<T>.windowedSequence(size: Int, step: Int, partialWindows: Boolean,

```

```

reuseBuffer: Boolean): Sequence<List<T>> {\n  checkWindowSizeStep(size, step)\n  return Sequence {
windowedIterator(iterator(), size, step, partialWindows, reuseBuffer) }\n}\n\ninternal fun <T>
windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean):
Iterator<List<T>> {\n  if (!iterator.hasNext()) return EmptyIterator\n  return iterator<List<T>> {\n    val
bufferInitialCapacity = size.coerceAtMost(1024)\n    val gap = step - size\n    if (gap >= 0) {\n      val buffer
= ArrayList<T>(bufferInitialCapacity)\n      var skip = 0\n      for (e in iterator) {\n        if (skip > 0) {
skip -= 1; continue }\n        buffer.add(e)\n        if (buffer.size == size) {\n          yield(buffer)\n
if (reuseBuffer) buffer.clear() else buffer = ArrayList(size)\n          skip = gap\n        }\n      }\n    }
if (buffer.isNotEmpty()) {\n      if (partialWindows || buffer.size == size) yield(buffer)\n    }\n  }
else {\n    var buffer = RingBuffer<T>(bufferInitialCapacity)\n    for (e in iterator) {\n      buffer.add(e)\n
if (buffer.isFull()) {\n        if (buffer.size < size) { buffer =
buffer.expanded(maxCapacity = size); continue }\n        yield(if (reuseBuffer) buffer else
ArrayList(buffer))\n        buffer.removeFirst(step)\n      }\n    }\n    if (partialWindows) {\n
while (buffer.size > step) {\n      yield(if (reuseBuffer) buffer else ArrayList(buffer))\n
buffer.removeFirst(step)\n    }\n    if (buffer.isNotEmpty()) yield(buffer)\n  }\n}\n}\n\ninternal class MovingSubList<out E>(private val list: List<E>) : AbstractList<E>(), RandomAccess {\n
private var fromIndex: Int = 0\n  private var _size: Int = 0\n  fun move(fromIndex: Int, toIndex: Int) {\n
checkRangeIndexes(fromIndex, toIndex, list.size)\n  this.fromIndex = fromIndex\n  this._size = toIndex -
fromIndex\n  }\n\n  override fun get(index: Int): E {\n    checkElementIndex(index, _size)\n    return
list[fromIndex + index]\n  }\n\n  override val size: Int get() = _size\n}\n\n/**\n * Provides ring buffer
implementation.\n * Buffer overflow is not allowed so [add] doesn't overwrite tail but raises an exception.\n
*/\nprivate class RingBuffer<T>(private val buffer: Array<Any?>, filledSize: Int) : AbstractList<T>(),
RandomAccess {\n  init {\n    require(filledSize >= 0) { "\"ring buffer filled size should not be negative but it is
$filledSize" }\n    require(filledSize <= buffer.size) { "\"ring buffer filled size: $filledSize cannot be larger than
the buffer size: ${buffer.size}" }\n  }\n\n  constructor(capacity: Int) : this(arrayOfNulls<Any?>(capacity), 0)\n\n
private val capacity = buffer.size\n  private var startIndex: Int = 0\n  override var size: Int = filledSize\n
private set\n\n  override fun get(index: Int): T {\n    checkElementIndex(index, size)\n
@Suppress("UNCHECKED_CAST")\n    return buffer[startIndex.forward(index)] as T\n  }\n\n  fun isFull() =
size == capacity\n\n  override fun iterator(): Iterator<T> = object : AbstractIterator<T>() {\n    private var count
= size\n    private var index = startIndex\n    override fun computeNext() {\n      if (count == 0) {\n
done()\n      } else {\n        @Suppress("UNCHECKED_CAST")\n        setNext(buffer[index] as
T)\n        index = index.forward(1)\n        count--\n      }\n    }\n  }\n}\n\n@Suppress("UNCHECKED_CAST")\n override fun <T> toArray(array: Array<T>): Array<T> {\n  val
result: Array<T?> =\n    if (array.size < this.size) array.copyOf(this.size) else array as Array<T?>\n\n  val
size = this.size\n\n  var widx = 0\n  var idx = startIndex\n\n  while (widx < size && idx < capacity) {\n
result[widx] = buffer[idx] as T\n    widx++\n    idx++\n  }\n\n  idx = 0\n  while (widx <
size) {\n    result[widx] = buffer[idx] as T\n    widx++\n    idx++\n  }\n  if (result.size >
this.size) result[this.size] = null\n\n  return result as Array<T>\n}\n\n override fun toArray(): Array<Any?>
{\n  return toArray(arrayOfNulls(size))\n}\n\n /**\n * Creates a new ring buffer with the capacity equal to
the minimum of [maxCapacity] and 1.5 * [capacity].\n * The returned ring buffer contains the same elements as
this ring buffer.\n */\n fun expanded(maxCapacity: Int): RingBuffer<T> {\n  val newCapacity = (capacity +
(capacity shr 1) + 1).coerceAtMost(maxCapacity)\n  val newBuffer = if (startIndex == 0)
buffer.copyOf(newCapacity) else toArray(arrayOfNulls(newCapacity))\n  return RingBuffer(newBuffer, size)\n
}\n\n /**\n * Add [element] to the buffer or fail with [IllegalStateException] if no free space available in the
buffer.\n */\n fun add(element: T) {\n  if (isFull()) {\n    throw IllegalStateException("ring buffer is
full")\n  }\n  buffer[startIndex.forward(size)] = element\n  size++\n}\n\n /**\n * Removes [n]
first elements from the buffer or fails with [IllegalArgumentException] if not enough elements in the buffer to
remove.\n */\n fun removeFirst(n: Int) {\n  require(n >= 0) { "\"n shouldn't be negative but it is $n" }\n}

```



```

license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.internal.InlineOnly\n\n/**\n * Compares this object with the specified object for order. Returns zero if this object is equal\n * to the specified [other] object, a negative number if it's less than [other], or a positive number\n * if it's greater than [other].\n */\n * This function delegates to [Comparable.compareTo] and allows to call it in infix form.\n\n*/\n@InlineOnly\n@SinceKotlin("1.6")\npublic inline infix fun <T> Comparable<T>.compareTo(other: T): Int\n =\n this.compareTo(other)\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.contracts\n\nimport kotlin.internal.InlineOnly\n\n/**\n * This marker distinguishes the experimental contract declaration API and is used to opt-in for that feature\n * when declaring contracts of user functions.\n */\n * Any usage of a declaration annotated with `@ExperimentalContracts` must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalContracts::class)`,\n * or by using the compiler argument `-Xopt-in=kotlin.contracts.ExperimentalContracts`.\n\n*/\n@Suppress("DEPRECATION")\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.3")\n@Experimental\n@RequiresOptIn\n@MustBeDocumented\npublic annotation class ExperimentalContracts\n\n/**\n * Provides a scope, where the functions of the contract DSL, such as [returns], [callsInPlace], etc.,\n * can be used to describe the contract of a function.\n */\n * This type is used as a receiver type of the lambda function passed to the [contract] function.\n */\n * @see contract\n\n*/\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin("1.3")\npublic interface ContractBuilder {\n /**\n * Describes a situation when a function returns normally, without any exceptions thrown.\n */\n * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n */\n * // @sample samples.contracts.returnsContract\n @ContractsDsl public fun returns(): Returns\n /**\n * Describes a situation when a function returns normally with the specified return [value].\n */\n * The possible values of [value] are limited to `true`, `false` or `null`.\n */\n * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n */\n * // @sample samples.contracts.returnsTrueContract\n // @sample samples.contracts.returnsFalseContract\n // @sample samples.contracts.returnsNullContract\n @ContractsDsl public fun returns(value: Any?): Returns\n /**\n * Describes a situation when a function returns normally with any value that is not `null`.\n */\n * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.\n */\n * // @sample samples.contracts.returnsNotNullContract\n @ContractsDsl public fun returnsNotNull(): ReturnsNotNull\n /**\n * Specifies that the function parameter [lambda] is invoked in place.\n */\n * This contract specifies that:\n * 1. the function [lambda] can only be invoked during the call of the owner function,\n * and it won't be invoked after that owner function call is completed;\n * 2. (optionally) the function [lambda] is invoked the amount of times specified by the [kind] parameter.\n * see the [InvocationKind] enum for possible values.\n */\n * A function declaring the `callsInPlace` effect must be _inline_.\n */\n * // @sample samples.contracts.callsInPlaceAtMostOnceContract\n * @sample samples.contracts.callsInPlaceAtLeastOnceContract\n * @sample samples.contracts.callsInPlaceExactlyOnceContract\n * @sample samples.contracts.callsInPlaceUnknownContract\n */\n @ContractsDsl public fun <R> callsInPlace(lambda: Function<R>, kind: InvocationKind = InvocationKind.UNKNOWN): CallsInPlace\n}\n\n/**\n * Specifies how many times a function invokes its function parameter in place.\n */\n * See [ContractBuilder.callsInPlace] for the details of the call-in-place function contract.\n\n*/\n@ContractsDsl\n@ExperimentalContracts\n@SinceKotlin("1.3")\npublic enum class InvocationKind {\n /**\n * A function parameter will be invoked one time or not invoked at all.\n */\n * // @sample samples.contracts.callsInPlaceAtMostOnceContract\n @ContractsDsl AT_MOST_ONCE,\n /**\n * A function parameter will be invoked one or more times.\n */\n * // @sample samples.contracts.callsInPlaceAtLeastOnceContract\n @ContractsDsl AT_LEAST_ONCE,\n /**\n * A function parameter will be invoked exactly one time.\n */\n * // @sample

```

```

samples.contracts.callsInPlaceExactlyOnceContract\n @ContractsDsl EXACTLY_ONCE,\n\n /**\n * A
function parameter is called in place, but it's unknown how many times it can be called.\n *\n *\n // @sample
samples.contracts.callsInPlaceUnknownContract\n @ContractsDsl UNKNOWN\n}\n\n/**\n * Specifies the
contract of a function.\n *\n * The contract description must be at the beginning of a function and have at least one
effect.\n *\n * Only the top-level functions can have a contract for now.\n *\n * @param builder the lambda where
the contract of a function is described with the help of the [ContractBuilder] members.\n *\n */\n @sample
samples.contracts.returnsContract\n* @sample samples.contracts.returnsTrueContract\n* @sample
samples.contracts.returnsFalseContract\n* @sample samples.contracts.returnsNullContract\n* @sample
samples.contracts.returnsNotNullContract\n* @sample samples.contracts.callsInPlaceAtMostOnceContract\n*
@sample samples.contracts.callsInPlaceAtLeastOnceContract\n* @sample
samples.contracts.callsInPlaceExactlyOnceContract\n* @sample
samples.contracts.callsInPlaceUnknownContract\n*/\n\n@ContractsDsl\n\n@ExperimentalContracts\n\n@InlineOnly\n\n@
SinceKotlin("1.3")\n\n@Suppress("UNUSED_PARAMETER")\n\npublic inline fun contract(builder:
ContractBuilder.() -> Unit) { }\n\n","/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\n\n/**\n * Marks coroutine context element that
intercepts coroutine continuations.\n * The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the
interceptor and\n * intercepts all coroutine continuations with [interceptContinuation] invocations.\n *\n *
[ContinuationInterceptor] behaves like a [polymorphic element][AbstractCoroutineContextKey], meaning that\n *
its implementation delegates [get][CoroutineContext.Element.get] and
[minusKey][CoroutineContext.Element.minusKey]\n * to [getPolymorphicElement] and [minusPolymorphicKey]
respectively.\n * [ContinuationInterceptor] subtypes can be extracted from the coroutine context using either
[ContinuationInterceptor.Key]\n * or subtype key if it extends [AbstractCoroutineContextKey].\n
*/\n\n@SinceKotlin("1.3")\n\npublic interface ContinuationInterceptor : CoroutineContext.Element {\n\n /**\n *
The key that defines *the* context interceptor.\n *\n * companion object Key :
CoroutineContext.Key<ContinuationInterceptor>\n\n /**\n * Returns continuation that wraps the original
[continuation], thus intercepting all resumptions.\n * This function is invoked by coroutines framework when
needed and the resulting continuations are\n * cached internally per each instance of the original [continuation].\n
*\n * This function may simply return original [continuation] if it does not want to intercept this particular
continuation.\n *\n * When the original [continuation] completes, coroutine framework invokes
[releaseInterceptedContinuation]\n * with the resulting continuation if it was intercepted, that is if
`interceptContinuation` had previously\n * returned a different continuation instance.\n */\n\n public fun <T>
interceptContinuation(continuation: Continuation<T>): Continuation<T>\n\n /**\n * Invoked for the
continuation instance returned by [interceptContinuation] when the original\n * continuation completes and will
not be used anymore. This function is invoked only if [interceptContinuation]\n * had returned a different
continuation instance from the one it was invoked with.\n *\n * Default implementation does nothing.\n *\n
*/\n\n * @param continuation Continuation instance returned by this interceptor's [interceptContinuation] invocation.\n
*/\n\n public fun releaseInterceptedContinuation(continuation: Continuation<*>) {\n\n /* do nothing by default
*/\n\n }\n\n\n public override operator fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>):
E? {\n\n // getPolymorphicKey specialized for ContinuationInterceptor key\n
@OptIn(ExperimentalStdlibApi::class)\n\n if (key is AbstractCoroutineContextKey<*, *>) {\n
@Suppress("UNCHECKED_CAST")\n\n return if (key.isSubKey(this.key)) key.tryCast(this) as? E else
null\n\n }\n\n @Suppress("UNCHECKED_CAST")\n\n return if (ContinuationInterceptor === key) this as
E else null\n\n }\n\n\n public override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext {\n
// minusPolymorphicKey specialized for ContinuationInterceptor key\n
@OptIn(ExperimentalStdlibApi::class)\n\n if (key is AbstractCoroutineContextKey<*, *>) {\n\n return if
(key.isSubKey(this.key) && key.tryCast(this) != null) EmptyCoroutineContext else this\n\n }\n\n return if
(ContinuationInterceptor === key) EmptyCoroutineContext else this\n\n }\n\n","/*\n * Copyright 2010-2018

```

```

JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\n/**\n * Persistent context for the coroutine. It is an indexed set of [Element] instances.\n * An indexed set is a mix between
a set and a map.\n * Every element in this set has a unique [Key].\n */\n\n@SinceKotlin("1.3")\npublic interface
CoroutineContext {\n    /**\n     * Returns the element with the given [key] from this context or `null`.\n     */\n    public operator fun <E : Element> get(key: Key<E>): E?\n    /**\n     * Accumulates entries of this context
starting with [initial] value and applying [operation]\n     * from left to right to current accumulator value and each
element of this context.\n     */\n    public fun <R> fold(initial: R, operation: (R, Element) -> R): R\n    /**\n     * Returns a context containing elements from this context and elements from other [context].\n     * The elements
from this context with the same key as in the other one are dropped.\n     */\n    public operator fun plus(context:
CoroutineContext): CoroutineContext =\n        if (context === EmptyCoroutineContext) this else // fast path -- avoid
lambda creation\n        context.fold(this) { acc, element ->\n            val removed =
acc.minusKey(element.key)\n            if (removed === EmptyCoroutineContext) element else {\n                //
make sure interceptor is always last in the context (and thus is fast to get when present)\n                val interceptor
= removed[ContinuationInterceptor]\n                if (interceptor == null) CombinedContext(removed, element) else
{\n                    val left = removed.minusKey(ContinuationInterceptor)\n                    if (left ===
EmptyCoroutineContext) CombinedContext(element, interceptor) else\n                    CombinedContext(CombinedContext(left, element), interceptor)\n                }\n            }\n    }\n    /**\n     * Returns a context containing elements from this context, but without an element with\n     * the specified [key].\n     */\n    public fun minusKey(key: Key<*>): CoroutineContext\n    /**\n     * Key for the elements of
[CoroutineContext]. [E] is a type of element with this key.\n     */\n    public interface Key<E : Element>\n    /**\n     * An element of the [CoroutineContext]. An element of the coroutine context is a singleton context by itself.\n     */\n    public interface Element : CoroutineContext {\n        /**\n         * A key of this coroutine context element.\n         */\n        public val key: Key<*>\n        public override operator fun <E : Element> get(key: Key<E>): E? =\n            @Suppress("UNCHECKED_CAST")\n            if (this.key == key) this as E else null\n        public override
fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n            operation(initial, this)\n        public override
fun minusKey(key: Key<*>): CoroutineContext =\n            if (this.key == key) EmptyCoroutineContext else this\n    }\n}\n", "/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\nimport kotlin.coroutines.CoroutineContext.Element\nimport
kotlin.coroutines.CoroutineContext.Key\n\n/**\n * Base class for [CoroutineContext.Element] implementations.\n */\n\n@SinceKotlin("1.3")\npublic abstract class AbstractCoroutineContextElement(public override val key:
Key<*>) : Element\n\n/**\n * Base class for [CoroutineContext.Key] associated with polymorphic
[CoroutineContext.Element] implementation.\n * Polymorphic element implementation implies delegating its
[get][Element.get] and [minusKey][Element.minusKey]\n * to [getPolymorphicElement] and
[minusPolymorphicKey] respectively.\n * Polymorphic elements can be extracted from the coroutine context
using both element key and its supertype key.\n * Example of polymorphic elements:\n * ```\n * open class
BaseElement : CoroutineContext.Element {\n *     companion object Key : CoroutineContext.Key<BaseElement>\n *     override val key: CoroutineContext.Key<*> get() = Key\n *     // It is important to use getPolymorphicKey and
minusPolymorphicKey\n *     override fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>):
E? = getPolymorphicElement(key)\n *     override fun minusKey(key: CoroutineContext.Key<*>):
CoroutineContext = minusPolymorphicKey(key)\n * }\n * class DerivedElement : BaseElement() {\n *     companion object Key : AbstractCoroutineContextKey<BaseElement, DerivedElement>(BaseElement, { it as?
DerivedElement })\n * }\n * // Now it is possible to query both `BaseElement` and `DerivedElement`\n *
someContext[BaseElement] // Returns BaseElement?, non-null both for BaseElement and DerivedElement
instances\n * someContext[DerivedElement] // Returns DerivedElement?, non-null only for DerivedElement
instance\n * ```\n * @param B base class of a polymorphic element\n * @param baseKey an instance of base key\n
* @param E element type associated with the current key\n * @param safeCast a function that can safely cast

```

```

abstract [CoroutineContext.Element] to the concrete [E] type\n *          and return the element if it is a subtype
of [E] or `null` otherwise.\n *@\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic abstract class
AbstractCoroutineContextKey<B : Element, E : B>(\n    baseKey: Key<B>,\n    private val safeCast: (element:
Element) -> E?)\n) : Key<E> {\n    private val topmostKey: Key<*> = if (baseKey is
AbstractCoroutineContextKey<*, *>) baseKey.topmostKey else baseKey\n\n    internal fun tryCast(element:
Element): E? = safeCast(element)\n    internal fun isSubKey(key: Key<*>): Boolean = key === this || topmostKey
=== key\n}\n\n/**\n * Returns the current element if it is associated with the given [key] in a polymorphic manner
or `null` otherwise.\n * This method returns non-null value if either [Element.key] is equal to the given [key] or if
the [key] is associated\n * with [Element.key] via [AbstractCoroutineContextKey].\n * See
[AbstractCoroutineContextKey] for the example of usage.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <E : Element>
Element.getPolymorphicElement(key: Key<E>): E? {\n    if (key is AbstractCoroutineContextKey<*, *>) {\n
@Suppress("UNCHECKED_CAST")\n        return if (key.isSubKey(this.key)) key.tryCast(this) as? E else null\n
}\n    @Suppress("UNCHECKED_CAST")\n        return if (this.key === key) this as E else null\n}\n\n/**\n * Returns empty coroutine context if the element is associated with the given [key] in a polymorphic manner\n * or
`null` otherwise.\n * This method returns empty context if either [Element.key] is equal to the given [key] or if the
[key] is associated\n * with [Element.key] via [AbstractCoroutineContextKey].\n * See
[AbstractCoroutineContextKey] for the example of usage.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun Element.minusPolymorphicKey(key: Key<*>):
CoroutineContext {\n    if (key is AbstractCoroutineContextKey<*, *>) {\n        return if (key.isSubKey(this.key)
&& key.tryCast(this) != null) EmptyCoroutineContext else this\n    }\n    return if (this.key === key)
EmptyCoroutineContext else this\n}\n\n/**\n * An empty coroutine context.\n */\n@SinceKotlin("1.3")\npublic
object EmptyCoroutineContext : CoroutineContext, Serializable {\n    private const val serialVersionUID: Long =
0\n    private fun readResolve(): Any = EmptyCoroutineContext\n\n    public override fun <E : Element> get(key:
Key<E>): E? = null\n    public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = initial\n
public override fun plus(context: CoroutineContext): CoroutineContext = context\n    public override fun minusKey(key:
Key<*>): CoroutineContext = this\n    public override fun hashCode(): Int = 0\n    public override fun toString():
String = "EmptyCoroutineContext"\n}\n\n//----- internal impl ----- \n\n// this class is not
exposed, but is hidden inside implementations\n// this is a left-biased list, so that `plus` works
naturally\n@SinceKotlin("1.3")\ninternal class CombinedContext(\n    private val left: CoroutineContext,\n
private val element: Element\n) : CoroutineContext, Serializable {\n    override fun <E : Element> get(key:
Key<E>): E? {\n        var cur = this\n        while (true) {\n            cur.element[key]?.let { return it }\n
            val next
= cur.left\n            if (next is CombinedContext) {\n                cur = next\n            } else {\n                return
next[key]\n            }\n        }\n    }\n\n    public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n
operation(left.fold(initial, operation), element)\n\n    public override fun minusKey(key: Key<*>):
CoroutineContext {\n        element[key]?.let { return left }\n        val newLeft = left.minusKey(key)\n        return
when {\n            newLeft === left -> this\n            newLeft === EmptyCoroutineContext -> element\n            else ->
CombinedContext(newLeft, element)\n        }\n    }\n\n    private fun size(): Int {\n        var cur = this\n        var size
= 2\n        while (true) {\n            cur = cur.left as? CombinedContext ?: return size\n            size++\n        }\n    }\n\n    private fun contains(element: Element): Boolean =\n        get(element.key) == element\n\n    private fun
containsAll(context: CombinedContext): Boolean {\n        var cur = context\n        while (true) {\n            if
(!contains(cur.element)) return false\n            val next = cur.left\n            if (next is CombinedContext) {\n
cur = next\n            } else {\n                return contains(next as Element)\n            }\n        }\n    }\n\n    override fun
equals(other: Any?): Boolean =\n        this === other || other is CombinedContext && other.size() == size() &&
other.containsAll(this)\n\n    override fun hashCode(): Int = left.hashCode() + element.hashCode()\n\n    override
fun toString(): String = "\n    [" + fold("") { acc, element ->\n        if (acc.isEmpty()) element.toString() else
"$acc, $element"\n    } + "]" \n\n    private fun writeReplace(): Any {\n        val n = size()\n        val elements =
arrayOfNulls<CoroutineContext>(n)\n        var index = 0\n        fold(Unit) { _, element -> elements[index++] =

```

```

element }
    check(index == n)
    @Suppress("UNCHECKED_CAST")
    return Serialized(elements
as Array<CoroutineContext>)
}
private class Serialized(val elements: Array<CoroutineContext>) :
Serializable {
    companion object {
        private const val serialVersionUID: Long = 0L
    }
    private fun readResolve(): Any = elements.fold(EmptyCoroutineContext, CoroutineContext::plus)
}
}
/*
 * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmName("IntrinsicsKt")
@file:kotlin.jvm.JvmMultifileClass
package
kotlin.coroutines.intrinsics
import kotlin.contracts.*
import kotlin.coroutines.*
import
kotlin.internal.InlineOnly
/**
 * Obtains the current continuation instance inside suspend functions and either
 * suspends * currently running coroutine or returns result immediately without suspension.
 * If the [block]
 * returns the special [COROUTINE_SUSPENDED] value, it means that suspend function did suspend the execution
 * and will * not return any result immediately. In this case, the [Continuation] provided to the [block] shall be
 * resumed by invoking [Continuation.resumeWith] at some moment in the * future when the result becomes
 * available to resume the computation.
 * Otherwise, the return value of the [block] must have a type assignable
 * to [T] and represents the result of this suspend function.
 * It means that the execution was not suspended and the
 * [Continuation] provided to the [block] shall not be invoked.
 * As the result type of the [block] is declared as
 * `Any?` and cannot be correctly type-checked,
 * its proper return type remains on the conscience of the suspend
 * function's author.
 * Invocation of [Continuation.resumeWith] resumes coroutine directly in the invoker's
 * thread without going through the * [ContinuationInterceptor] that might be present in the coroutine's
 * [CoroutineContext].
 * It is the invoker's responsibility to ensure that a proper invocation context is established.
 * [Continuation.intercepted] can be used to acquire the intercepted continuation.
 * Note that it is not
 * recommended to call either [Continuation.resume] nor [Continuation.resumeWithException] functions
 * synchronously
 * in the same stackframe where suspension function is run. Use [suspendCoroutine] as a safer way
 * to obtain current
 * continuation instance.
 */
@SinceKotlin("1.3")
@InlineOnly
@Suppress("UNUSED_PARAMETER",
"RedundantSuspendModifier")
public suspend inline fun <T>
suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T {
    contract {
        callsInPlace(block, InvocationKind.EXACTLY_ONCE)
    }
    throw NotImplementedError("Implementation of
suspendCoroutineUninterceptedOrReturn is intrinsic")
}
/**
 * This value is used as a return value of
[suspendCoroutineUninterceptedOrReturn] `block` argument to state that
 * the execution was suspended and will
 * not return any result immediately.
 * Note: this value should not be used in general code.
 * Using it outside
 * of the context of
suspendCoroutineUninterceptedOrReturn` function return value (including, but not limited
 * to,
 * storing this value in other properties, returning it from other functions, etc)
 * can lead to unspecified
 * behavior of the code.
 */
// It is implemented as property with getter to avoid ProGuard <clinit> problem with
multifile IntrinsicsKt class
@SinceKotlin("1.3")
public val COROUTINE_SUSPENDED: Any get() =
CoroutineSingletons.COROUTINE_SUSPENDED
// Using enum here ensures two important properties:
// 1.
It makes SafeContinuation serializable with all kinds of serialization frameworks (since all of them natively support
enums)
// 2.
It improves debugging experience, since you clearly see toString() value of those objects and what
package they come from
@SinceKotlin("1.3")
@PublishedApi // This class is Published API via serialized
representation of SafeContinuation, don't rename/move
internal enum class CoroutineSingletons {
COROUTINE_SUSPENDED, UNDECIDED, RESUMED }
/*
 * Copyright 2010-2018 JetBrains s.r.o. and
 * Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that
 * can be found in the license/LICENSE.txt file.
 */
package kotlin.experimental
/**
 * Performs a bitwise AND
 * operation between the two values.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public inline infix fun
Byte.and(other: Byte): Byte = (this.toInt() and other.toInt()).toByte()
/**
 * Performs a bitwise OR operation
 * between the two values.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public inline infix fun
Byte.or(other: Byte): Byte = (this.toInt() or other.toInt()).toByte()
/**
 * Performs a bitwise XOR operation
 * between the two values.
 */
@SinceKotlin("1.1")
@kotlin.internal.InlineOnly
public inline infix fun

```

```

Byte.xor(other: Byte): Byte = (this.toInt() xor other.toInt()).toByte()\n\n/** Inverts the bits in this value.
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.inv(): Byte =
(this.toInt().inv()).toByte()\n\n/** Performs a bitwise AND operation between the two values.
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.and(other: Short): Short =
(this.toInt() and other.toInt()).toShort()\n\n/** Performs a bitwise OR operation between the two values.
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.or(other: Short): Short =
(this.toInt() or other.toInt()).toShort()\n\n/** Performs a bitwise XOR operation between the two values.
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.xor(other: Short): Short =
(this.toInt() xor other.toInt()).toShort()\n\n/** Inverts the bits in this value.
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Short.inv(): Short =
(this.toInt().inv()).toShort()\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.experimental\n\n/**\n * The experimental marker for type
inference augmenting annotations.\n * Any usage of a declaration annotated with
`@ExperimentalTypeInference` must be accepted either by\n * annotating that usage with the [OptIn] annotation,
e.g. `@OptIn(ExperimentalTypeInference::class)`,\n * or by using the compiler argument `-Xopt-
in=kotlin.experimental.ExperimentalTypeInference`.\n */\n@Suppress("DEPRECATION")\n@Experimental(level
= Experimental.Level.ERROR)\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(A
nnotationTarget.ANNOTATION_CLASS)\n@SinceKotlin("1.3")\npublic annotation class
ExperimentalTypeInference\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin.internal\n\n/**\n * Specifies that the corresponding type should be
ignored during type inference.\n
*\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
NoInfer\n\n/**\n * Specifies that the constraint built for the type during type inference should be an equality one.\n
*\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
Exact\n\n/**\n * Specifies that a corresponding member has the lowest priority in overload resolution.\n
*\n@Target(AnnotationTarget.FUNCTION,
AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
LowPriorityInOverloadResolution\n\n/**\n * Specifies that the corresponding member has the highest priority in
overload resolution. Effectively this means that\n * an extension annotated with this annotation will win in overload
resolution over a member with the same signature.\n */\n@Target(AnnotationTarget.FUNCTION,
AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
HidesMembers\n\n/**\n * The value of this type parameter should be mentioned in input types (argument types,
receiver type or expected type).\n
*\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal
annotation class OnlyInputTypes\n\n/**\n * Specifies that this function should not be called directly without
inlining\n */\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY,
AnnotationTarget.PROPERTY_GETTER,
AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
InlineOnly\n\n/**\n * Specifies that this declaration can have dynamic receiver type.\n
*\n@Target(AnnotationTarget.FUNCTION,
AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
DynamicExtension\n\n/**\n * The value of this parameter should be a property reference expression (`this::foo`),
referencing a `lateinit` property,\n * the backing field of which is accessible at the point where the corresponding
argument is passed.\n
*\n@Target(AnnotationTarget.VALUE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n@SinceK

```

```

otlin("1.2")\ninternal annotation class AccessibleLateinitPropertyLiteral\n\n/**\n * Specifies that this declaration is
only completely supported since the specified version.\n *\n * The Kotlin compiler of an earlier version is going to
report a diagnostic on usages of this declaration.\n *\n * The diagnostic message can be specified with [message], or via
[errorCode] (takes less space, but might not be immediately clear\n * to the user). The diagnostic severity can be
specified with [level]: WARNING/ERROR mean that either a warning or an error\n * is going to be reported,
HIDDEN means that the declaration is going to be removed from resolution completely.\n *\n * [versionKind]
specifies which version should be compared with the [version] value, when compiling the usage of the annotated
declaration.\n *\n * Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE_VERSION] was supported,
so the Kotlin compiler before 1.2 is going to\n * treat any [RequireKotlin] as if it requires the language version.
Since 1.2, the Kotlin compiler supports\n * [RequireKotlinVersionKind.LANGUAGE_VERSION],
[RequireKotlinVersionKind.COMPILER_VERSION] and [RequireKotlinVersionKind.API_VERSION].\n *\n * If the
actual value of [versionKind] is something different (e.g. a new version kind, added in future versions of Kotlin),\n *
Kotlin 1.2 is going to ignore this [RequireKotlin] altogether, where as Kotlin before 1.2 is going to treat this as a
requirement\n * on the language version.\n *\n * This annotation is erased at compile time; its arguments are stored
in a more compact form in the Kotlin metadata.\n *\n\n@Target(AnnotationTarget.CLASS,
AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY, AnnotationTarget.CONSTRUCTOR,
AnnotationTarget.TYPEALIAS)\n@Retention(AnnotationRetention.SOURCE)\n@Repeatable\n@SinceKotlin("1.
2")\ninternal annotation class RequireKotlin(\n    val version: String,\n    val message: String = "",\n    val level:
DeprecationLevel = DeprecationLevel.ERROR,\n    val versionKind: RequireKotlinVersionKind =
RequireKotlinVersionKind.LANGUAGE_VERSION,\n    val errorCode: Int = -1)\n\n/**\n * The kind of the
version that is required by [RequireKotlin].\n *\n\n@SinceKotlin("1.2")\ninternal enum class
RequireKotlinVersionKind {\n    LANGUAGE_VERSION,\n    COMPILER_VERSION,\n
API_VERSION,\n}\n\n/**\n * Specifies that this declaration is a part of special DSL, used for constructing
function's contract.\n *\n\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.2")\ninternal annotation
class ContractsDsl\n\n/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Standard
property delegates.\n *\n\npublic object Delegates {\n    /**\n     * Returns a property delegate for a read/write
property with a non-`null` value that is initialized not during\n     * object construction time but at a later time.
Trying to read the property before the initial value has been\n     * assigned results in an exception.\n     *\n     *
@sample samples.properties.Delegates.notNullDelegate\n     *\n     public fun <T : Any> notNull():
ReadWriteProperty<Any?, T> = NotNullVar()\n     *\n     * Returns a property delegate for a read/write property
that calls a specified callback function when changed.\n     * @param initialValue the initial value of the property.\n
     * @param onChange the callback which is called after the change of the property is made. The value of the
property\n     * has already been changed when this callback is invoked.\n     *\n     * @sample
samples.properties.Delegates.observableDelegate\n     *\n     public inline fun <T> observable(initialValue: T,
crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Unit):\n
ReadWriteProperty<Any?, T> =\n     object : ObservableProperty<T>(initialValue) {\n         override fun
afterChange(property: KProperty<*>, oldValue: T, newValue: T) = onChange(property, oldValue, newValue)\n
     }\n     *\n     /**\n     * Returns a property delegate for a read/write property that calls a specified callback function when
changed,\n     * allowing the callback to veto the modification.\n     * @param initialValue the initial value of the
property.\n     * @param onChange the callback which is called before a change to the property value is attempted.\n
     * The value of the property hasn't been changed yet, when this callback is invoked.\n     * If the callback returns
`true` the value of the property is being set to the new value,\n     * and if the callback returns `false` the new value
is discarded and the property remains its old value.\n     *\n     * @sample
samples.properties.Delegates.vetoableDelegate\n     * @sample
samples.properties.Delegates.throwVetoableDelegate\n     *\n     public inline fun <T> vetoable(initialValue: T,
crossinline onChange: (property: KProperty<*>, oldValue: T, newValue: T) -> Boolean):\n

```



```

setValue(thisRef: Any?, property: KProperty<*>, value: V) {
    val oldValue = this.value
    if (!beforeChange(property, oldValue, value)) {
        return
    }
    this.value = value
    afterChange(property, oldValue, value)
}
"/>**\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n@file:Suppress("PackageDirectoryMismatch")\npackage
kotlin\n\nimport kotlin.reflect.*\n\n/**\n * An extension operator that allows delegating a read-only property of type
[V]\n * to a property reference to a property of type [V] or its subtype.\n * \n * @receiver A property reference to a
read-only or mutable property of type [V] or its subtype.\n * The reference is without a receiver, i.e. it either
references a top-level property or\n * has the receiver bound to it.\n * \n * Example:\n * \n * ```\n * class Login(val
username: String)\n * val defaultLogin = Login("Admin")\n * val defaultUsername by defaultLogin::username\n *
// equivalent to\n * val defaultUserName get() = defaultLogin.username\n * ```\n
*/\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V>
KProperty0<V>.getValue(thisRef: Any?, property: KProperty<*>): V {
    return get()\n}\n\n/**\n * An extension
operator that allows delegating a mutable property of type [V]\n * to a property reference to a mutable property of
the same type [V].\n * \n * @receiver A property reference to a mutable property of type [V].\n * The reference is
without a receiver, i.e. it either references a top-level property or\n * has the receiver bound to it.\n * \n * Example:\n
*\n * ```\n * class Login(val username: String, var incorrectAttemptCounter: Int = 0)\n * val defaultLogin =
Login("Admin")\n * var defaultLoginAttempts by defaultLogin::incorrectAttemptCounter\n * // equivalent to\n *
var defaultLoginAttempts: Int\n * get() = defaultLogin.incorrectAttemptCounter\n * set(value) {\n *
defaultLogin.incorrectAttemptCounter = value }\n * ```\n
*/\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline operator fun <V>
KMutableProperty0<V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {
    set(value)\n}\n\n/**\n * An extension operator that allows delegating a read-only member or extension property of type [V]\n * to a
property reference to a member or extension property of type [V] or its subtype.\n * \n * @receiver A property
reference to a read-only or mutable property of type [V] or its subtype.\n * The reference has an unbound receiver of
type [T].\n * \n * Example:\n * \n * ```\n * class Login(val username: String)\n * val Login.user by
Login::username\n * // equivalent to\n * val Login.user get() = this.username\n * ```\n
*/\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, V> KProperty1<T,
V>.getValue(thisRef: T, property: KProperty<*>): V {
    return get(thisRef)\n}\n\n/**\n * An extension operator
that allows delegating a mutable member or extension property of type [V]\n * to a property reference to a member
or extension mutable property of the same type [V].\n * \n * @receiver A property reference to a read-only or
mutable property of type [V] or its subtype.\n * The reference has an unbound receiver of type [T].\n * \n *
Example:\n * \n * ```\n * class Login(val username: String, var incorrectAttemptCounter: Int)\n * var Login.attempts
by Login::incorrectAttemptCounter\n * // equivalent to\n * var Login.attempts: Int\n * get() =
this.incorrectAttemptCounter\n * set(value) { this.incorrectAttemptCounter = value }\n * ```\n
*/\n\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, V> KMutableProperty1<T,
V>.setValue(thisRef: T, property: KProperty<*>, value: V) {
    set(thisRef, value)\n}
"/>**\n * Copyright 2010-
2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport
kotlin.math.nextDown\n\n/**\n * An abstract class that is implemented by random number generator algorithms.\n
*\n * The companion object [Random.Default] is the default instance of [Random].\n * \n * To get a seeded instance
of random generator use [Random] function.\n * \n * @sample samples.random.Randoms.defaultRandom\n
*/\n\n@SinceKotlin("1.3")\npublic abstract class Random {\n\n    /**\n     * Gets the next random [bitCount] number
of bits.\n     * \n     * Generates an `Int` whose lower [bitCount] bits are filled with random values and the remaining
upper bits are zero.\n     * \n     * @param bitCount number of bits to generate, must be in range 0..32, otherwise the
behavior is unspecified.\n     * \n     * @sample samples.random.Randoms.nextBits\n     */\n    public abstract fun
nextBits(bitCount: Int): Int\n\n    /**\n     * Gets the next random `Int` from the random number generator.\n     * \n
     * Generates an `Int` random value uniformly distributed between `Int.MIN_VALUE` and `Int.MAX_VALUE`

```

```

(inclusive).\n * \n * @sample samples.random.Randoms.nextInt\n * \n public open fun nextInt(): Int =
nextBits(32)\n\n /** \n * Gets the next random non-negative `Int` from the random number generator less than
the specified [until] bound.\n * \n * Generates an `Int` random value uniformly distributed between `0`
(inclusive) and the specified [until] bound (exclusive).\n * \n * @param until must be positive.\n * \n *
@throws IllegalArgumentException if [until] is negative or zero.\n * \n * @sample
samples.random.Randoms.nextIntFromUntil\n * \n public open fun nextInt(until: Int): Int = nextInt(0, until)\n\n
/** \n * Gets the next random `Int` from the random number generator in the specified range.\n * \n *
Generates an `Int` random value uniformly distributed between the specified [from] (inclusive) and [until]
(exclusive) bounds.\n * \n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n
*\n * @sample samples.random.Randoms.nextIntFromUntil\n * \n public open fun nextInt(from: Int, until:
Int): Int {\n    checkRangeBounds(from, until)\n    val n = until - from\n    if (n > 0 || n == Int.MIN_VALUE)
{\n        val rnd = if (n and -n == n) {\n            val bitCount = fastLog2(n)\n            nextBits(bitCount)\n
        } else {\n            var v: Int\n            do {\n                val bits = nextInt().ushr(1)\n                v = bits % n\n
            } while (bits - v + (n - 1) < 0)\n            v\n        }\n        return from + rnd\n    } else {\n        while
(true) {\n            val rnd = nextInt()\n            if (rnd in from until until) return rnd\n        }\n    }\n}\n\n
/** \n * Gets the next random `Long` from the random number generator.\n * \n * Generates a `Long` random
value uniformly distributed between `Long.MIN_VALUE` and `Long.MAX_VALUE` (inclusive).\n * \n *
@sample samples.random.Randoms.nextLong\n * \n public open fun nextLong(): Long =
nextInt().toLong().shl(32) + nextInt()\n\n /** \n * Gets the next random non-negative `Long` from the random
number generator less than the specified [until] bound.\n * \n * Generates a `Long` random value uniformly
distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n * \n * @param until must be
positive.\n * \n * @throws IllegalArgumentException if [until] is negative or zero.\n * \n * @sample
samples.random.Randoms.nextLongFromUntil\n * \n public open fun nextLong(until: Long): Long =
nextLong(0, until)\n\n /** \n * Gets the next random `Long` from the random number generator in the specified
range.\n * \n * Generates a `Long` random value uniformly distributed between the specified [from] (inclusive)
and [until] (exclusive) bounds.\n * \n * @throws IllegalArgumentException if [from] is greater than or equal to
[until].\n * \n * @sample samples.random.Randoms.nextLongFromUntil\n * \n public open fun
nextLong(from: Long, until: Long): Long {\n    checkRangeBounds(from, until)\n    val n = until - from\n
if (n > 0) {\n        val rnd: Long\n        if (n and -n == n) {\n            val nLow = n.toInt()\n            val nHigh
= (n ushr 32).toInt()\n            rnd = when {\n                nLow != 0 -> {\n                    val bitCount =
fastLog2(nLow)\n                    // toUInt().toLong()\n                    nextBits(bitCount).toLong() and
0xFFFF_FFFF\n                }\n                nHigh == 1 -> {\n                    // toUInt().toLong()\n
                    nextInt().toLong() and 0xFFFF_FFFF\n                }\n                else -> {\n                    val bitCount = fastLog2(nHigh)\n
                    nextBits(bitCount).toLong().shl(32) + (nextInt().toLong() and 0xFFFF_FFFF)\n                }\n
            }\n        } else {\n            var v: Long\n            do {\n                val bits = nextLong().ushr(1)\n
                v = bits % n\n            } while (bits - v + (n - 1) < 0)\n            rnd = v\n        }\n        return from + rnd\n
    } else {\n        while (true) {\n            val rnd = nextLong()\n            if (rnd in from until until) return rnd\n
        }\n    }\n}\n\n /** \n * Gets the next random [Boolean] value.\n * \n * @sample
samples.random.Randoms.nextBoolean\n * \n public open fun nextBoolean(): Boolean = nextBits(1) != 0\n\n
/** \n * Gets the next random [Double] value uniformly distributed between 0 (inclusive) and 1 (exclusive).\n
*\n * @sample samples.random.Randoms.nextDouble\n * \n public open fun nextDouble(): Double =
doubleFromParts(nextBits(26), nextBits(27))\n\n /** \n * Gets the next random non-negative `Double` from the
random number generator less than the specified [until] bound.\n * \n * Generates a `Double` random value
uniformly distributed between 0 (inclusive) and [until] (exclusive).\n * \n * @throws IllegalArgumentException
if [until] is negative or zero.\n * \n * @sample samples.random.Randoms.nextDoubleFromUntil\n * \n
public open fun nextDouble(until: Double): Double = nextDouble(0.0, until)\n\n /** \n * Gets the next random
`Double` from the random number generator in the specified range.\n * \n * Generates a `Double` random value
uniformly distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n * \n * [from]

```

```

and [until] must be finite otherwise the behavior is unspecified.
 * @throws IllegalArgumentException if
[from] is greater than or equal to [until].
 * @sample samples.random.Randoms.nextDoubleFromUntil
 */
public open fun nextDouble(from: Double, until: Double): Double {
    checkRangeBounds(from, until)
    val size = until - from
    val r = if (size.isInfinite() && from.isFinite() && until.isFinite()) {
        val r1 =
nextDouble() * (until / 2 - from / 2)
        from + r1 + r1
    } else {
        from + nextDouble() * size
    }
    return if (r >= until) until.nextDown() else r
}
/**
 * Gets the next random [Float] value
uniformly distributed between 0 (inclusive) and 1 (exclusive).
 * @sample
samples.random.Randoms.nextFloat
 */
public open fun nextFloat(): Float = nextBits(24) / (1 shl
24).toFloat()
/**
 * Fills a subrange of the specified byte [array] starting from [fromIndex] inclusive and
ending [toIndex] exclusive
 * with random bytes.
 * @return [array] with the subrange filled with
random bytes.
 * @sample samples.random.Randoms.nextBytes
 */
public open fun
nextBytes(array: ByteArray, fromIndex: Int = 0, toIndex: Int = array.size): ByteArray {
    require(fromIndex in 0..array.size && toIndex in 0..array.size) { "\"fromIndex ($fromIndex) or toIndex ($toIndex) are out of range:
0..${array.size}\" }
    require(fromIndex <= toIndex) { "\"fromIndex ($fromIndex) must be not greater than
toIndex ($toIndex).\" }
    val steps = (toIndex - fromIndex) / 4
    var position = fromIndex
    repeat(steps) {
        val v = nextInt()
        array[position] = v.toByte()
        array[position + 1] =
v.ushr(8).toByte()
        array[position + 2] = v.ushr(16).toByte()
        array[position + 3] =
v.ushr(24).toByte()
        position += 4
    }
    val remainder = toIndex - position
    val vr =
nextBits(remainder * 8)
    for (i in 0 until remainder) {
        array[position + i] = vr.ushr(i * 8).toByte()
    }
    return array
}
/**
 * Fills the specified byte [array] with random bytes and returns it.
 * @return [array] filled with random bytes.
 * @sample samples.random.Randoms.nextBytes
 */
public open fun nextBytes(array: ByteArray): ByteArray = nextBytes(array, 0, array.size)
/**
 * Creates a
byte array of the specified [size], filled with random bytes.
 * @sample
samples.random.Randoms.nextBytes
 */
public open fun nextBytes(size: Int): ByteArray =
nextBytes(ByteArray(size))
/**
 * The default random number generator.
 * On JVM this
generator is thread-safe, its methods can be invoked from multiple threads.
 * @sample
samples.random.Randoms.defaultRandom
 */
companion object Default : Random(), Serializable {
    private val defaultRandom: Random = defaultPlatformRandom()
    private object Serialized : Serializable {
        private const val serialVersionUID = 0L
        private fun readResolve(): Any = Random()
    }
    private fun writeReplace(): Any = Serialized
    override fun nextBits(bitCount: Int): Int =
defaultRandom.nextBits(bitCount)
    override fun nextInt(): Int = defaultRandom.nextInt()
    override fun
nextInt(until: Int): Int = defaultRandom.nextInt(until)
    override fun nextInt(from: Int, until: Int): Int =
defaultRandom.nextInt(from, until)
    override fun nextLong(): Long = defaultRandom.nextLong()
    override fun nextLong(until: Long): Long = defaultRandom.nextLong(until)
    override fun nextLong(from:
Long, until: Long): Long = defaultRandom.nextLong(from, until)
    override fun nextBoolean(): Boolean =
defaultRandom.nextBoolean()
    override fun nextDouble(): Double = defaultRandom.nextDouble()
    override fun
nextDouble(until: Double): Double = defaultRandom.nextDouble(until)
    override fun
nextDouble(from: Double, until: Double): Double = defaultRandom.nextDouble(from, until)
    override fun
nextFloat(): Float = defaultRandom.nextFloat()
    override fun nextBytes(array: ByteArray): ByteArray =
defaultRandom.nextBytes(array)
    override fun nextBytes(size: Int): ByteArray =
defaultRandom.nextBytes(size)
    override fun nextBytes(array: ByteArray, fromIndex: Int, toIndex: Int):
ByteArray =
defaultRandom.nextBytes(array, fromIndex, toIndex)
}
/**
 * Returns a repeatable
random number generator seeded with the given [seed] `Int` value.
 * Two generators with the same seed
produce the same sequence of values within the same version of Kotlin runtime.
 * Note: Future versions of
Kotlin may change the algorithm of this seeded number generator so that it will return
 * a sequence of values
different from the current one for a given seed.
 * On JVM the returned generator is NOT thread-safe. Do not
invoke it from multiple threads without proper synchronization.
 * @sample
samples.random.Randoms.seededRandom
 */
@SinceKotlin("1.3")
public fun Random(seed: Int): Random =

```

```

XorWowRandom(seed, seed.shr(31))\n\n**\n * Returns a repeatable random number generator seeded with the
given [seed] `Long` value.\n *\n * Two generators with the same seed produce the same sequence of values within
the same version of Kotlin runtime.\n *\n * *Note:* Future versions of Kotlin may change the algorithm of this
seeded number generator so that it will return\n * a sequence of values different from the current one for a given
seed.\n *\n * On JVM the returned generator is NOT thread-safe. Do not invoke it from multiple threads without
proper synchronization.\n *\n * @sample samples.random.Randoms.seededRandom\n
*\n@SinceKotlin("1.3")\npublic fun Random(seed: Long): Random = XorWowRandom(seed.toInt(),
seed.shr(32).toInt())\n\n**\n * Gets the next random `Int` from the random number generator in the specified
[range].\n *\n * Generates an `Int` random value uniformly distributed in the specified [range]:\n * from `range.start`
inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n
*\n@SinceKotlin("1.3")\npublic fun Random.nextInt(range: IntRange): Int = when {\n  range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n  range.last < Int.MAX_VALUE ->
nextInt(range.first, range.last + 1)\n  range.first > Int.MIN_VALUE -> nextInt(range.first - 1, range.last) + 1\n
else -> nextInt()\n}\n\n**\n * Gets the next random `Long` from the random number generator in the specified
[range].\n *\n * Generates a `Long` random value uniformly distributed in the specified [range]:\n * from
`range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range] is
empty.\n *\n@SinceKotlin("1.3")\npublic fun Random.nextLong(range: LongRange): Long = when {\n  range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n  range.last <
Long.MAX_VALUE -> nextLong(range.first, range.last + 1)\n  range.first > Long.MIN_VALUE ->
nextLong(range.first - 1, range.last) + 1\n  else -> nextLong()\n}\n\n\ninternal expect fun
defaultPlatformRandom(): Random\n\ninternal expect fun doubleFromParts(hi26: Int, low27: Int): Double\n\ninternal
fun fastLog2(value: Int): Int = 31 - value.countLeadingZeroBits()\n\n**\n * Takes upper [bitCount] bits (0..32) from
this number. *\n\ninternal fun Int.takeUpperBits(bitCount: Int): Int =\n  this.ushr(32 - bitCount) and (-
bitCount).shr(31)\n\n\ninternal fun checkRangeBounds(from: Int, until: Int) = require(until > from) {\n
  boundsErrorMessage(from, until) }\n\ninternal fun checkRangeBounds(from: Long, until: Long) = require(until >
from) {\n  boundsErrorMessage(from, until) }\n\ninternal fun checkRangeBounds(from: Double, until: Double) =
require(until > from) {\n  boundsErrorMessage(from, until) }\n\n\ninternal fun boundsErrorMessage(from: Any, until:
Any) = "Random range is empty: [$from, $until)."\n\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n\npackage kotlin.random\n\n\n**\n * Gets the next random [UInt]
from the random number generator.\n *\n * Generates a [UInt] random value uniformly distributed between
[UInt.MIN_VALUE] and [UInt.MAX_VALUE] (inclusive).\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextUInt(): UInt = nextInt().toUInt()\n\n**\n * Gets the next random [UInt] from the random number
generator less than the specified [until] bound.\n *\n * Generates a [UInt] random value uniformly distributed
between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws IllegalArgumentException if
[until] is zero.\n *\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextUInt(until: UInt): UInt = nextUInt(0u, until)\n\n**\n * Gets the next random [UInt] from the random
number generator in the specified range.\n *\n * Generates a [UInt] random value uniformly distributed between the
specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is
greater than or equal to [until].\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextUInt(from: UInt, until: UInt): UInt {\n  checkUIntRangeBounds(from, until)\n\n  val signedFrom =
from.toInt() xor Int.MIN_VALUE\n  val signedUntil = until.toInt() xor Int.MIN_VALUE\n\n  val signedResult =
nextInt(signedFrom, signedUntil) xor Int.MIN_VALUE\n  return signedResult.toUInt()\n}\n\n**\n * Gets the next
random [UInt] from the random number generator in the specified [range].\n *\n * Generates a [UInt] random value
uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n
*\n * @throws IllegalArgumentException if [range] is empty.\n

```

```

*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextInt(range: UIntRange): UInt = when {\n    range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n    range.last < UInt.MAX_VALUE ->
nextInt(range.first, range.last + 1u)\n    range.first > UInt.MIN_VALUE -> nextInt(range.first - 1u, range.last) +
1u\n    else -> nextInt()\n}\n\n/**\n * Gets the next random [UInt] from the random number generator.\n *\n * Generates a [UInt] random value uniformly distributed between [UInt.MIN_VALUE] and
[UInt.MAX_VALUE] (inclusive).\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextULong(): ULong = nextLong().toULong()\n\n/**\n * Gets the next random [ULong] from the random
number generator less than the specified [until] bound.\n *\n * Generates a [ULong] random value uniformly
distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws
IllegalArgumentException if [until] is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextULong(until: ULong): ULong = nextULong(0uL, until)\n\n/**\n * Gets the next random [ULong] from
the random number generator in the specified range.\n *\n * Generates a [ULong] random value uniformly
distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws
IllegalArgumentException if [from] is greater than or equal to [until].\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextULong(from: ULong, until: ULong): ULong {\n    checkULongRangeBounds(from, until)\n\n    val
signedFrom = from.toLong() xor Long.MIN_VALUE\n    val signedUntil = until.toLong() xor
Long.MIN_VALUE\n\n    val signedResult = nextLong(signedFrom, signedUntil) xor Long.MIN_VALUE\n
return signedResult.toULong()\n}\n\n/**\n * Gets the next random [ULong] from the random number generator in
the specified [range].\n *\n * Generates a [ULong] random value uniformly distributed in the specified [range]:\n *
from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws IllegalArgumentException if [range]
is empty.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
Random.nextULong(range: ULongRange): ULong = when {\n    range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n    range.last < ULong.MAX_VALUE -
> nextULong(range.first, range.last + 1u)\n    range.first > ULong.MIN_VALUE -> nextULong(range.first - 1u,
range.last) + 1u\n    else -> nextULong()\n}\n\n/**\n * Fills the specified unsigned byte [array] with random bytes
and returns it.\n *\n * @return [array] filled with random bytes.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array: UByteArray):
UByteArray {\n    nextBytes(array.asByteArray())\n    return array\n}\n\n/**\n * Creates an unsigned byte array of
the specified [size], filled with random bytes.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun Random.nextUBytes(size: Int): UByteArray = nextBytes(size).asUByteArray()\n\n/**\n * Fills a subrange of the
specified `UByte` [array] starting from [fromIndex] inclusive and ending [toIndex] exclusive with random
UBytes.\n *\n * @return [array] with the subrange filled with random bytes.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array: UByteArray,
fromIndex: Int = 0, toIndex: Int = array.size): UByteArray {\n    nextBytes(array.asByteArray(), fromIndex,
toIndex)\n    return array\n}\n\n\ninternal fun checkUIntRangeBounds(from: UInt, until: UInt) = require(until >
from) { boundsErrorMessage(from, until) }\ninternal fun checkULongRangeBounds(from: ULong, until: ULong) =
require(until > from) { boundsErrorMessage(from, until) }\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n
*\n@npackage kotlin.random\n\n/**\n * Random number generator,
using Marsaglia's "xorwow" algorithm\n *\n * Cycles after 2^192 - 2^32 repetitions.\n *\n * For more details, see
Marsaglia, George (July 2003). "Xorshift RNGs". Journal of Statistical Software. 8 (14).
doi:10.18637/jss.v008.i14\n *\n * Available at https://www.jstatsoft.org/v08/i14/paper\n *\n
*\n@ninternal class
XorWowRandom internal constructor(\n    private var x: Int,\n    private var y: Int,\n    private var z: Int,\n    private
var w: Int,\n    private var v: Int,\n    private var addend: Int\n) : Random(), Serializable {\n\n    internal

```





modifiers applied to it.  
 \* For example, in the type `Set<String>`, `String` is an invariant projection of the type represented by the class `String`.  
`@JvmStatic` public fun invariant(type: KType): KTypeProjection =  
 KTypeProjection(KVariance.INVARIANT, type)  
 /\*\*  
 \* Creates a contravariant projection of a given type, denoted by the `in` modifier applied to a type.  
 \* For example, in the type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.  
`@JvmStatic` public fun contravariant(type: KType): KTypeProjection =  
 KTypeProjection(KVariance.IN, type)  
 /\*\*  
 \* Creates a covariant projection of a given type, denoted by the `out` modifier applied to a type.  
 \* For example, in the type `Array<out Number>`, `out Number` is a covariant projection of the type of class `Number`.  
`@JvmStatic` public fun covariant(type: KType): KTypeProjection =  
 KTypeProjection(KVariance.OUT, type)  
 }  
 }  
 /\*\*  
 \* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.  
 \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.  
 \*/  
 package kotlin.reflect  
 /\*\*  
 \* Represents variance applied to a type parameter on the declaration site (\*declaration-site variance\*),  
 \* or to a type in a projection (\*use-site variance\*).  
 \* See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#variance) for more information.  
 \* @see [KTypeParameter.variance] @see [KTypeProjection]  
 \*/  
 @SinceKotlin("1.1")  
 enum class KVariance {  
 /\*\*  
 \* The affected type parameter or type is \*invariant\*, which means it has no variance applied to it.  
 \*/  
 INVARIANT,  
 /\*\*  
 \* The affected type parameter or type is \*contravariant\*. Denoted by the `in` modifier in the source code.  
 \*/  
 IN,  
 /\*\*  
 \* The affected type parameter or type is \*covariant\*. Denoted by the `out` modifier in the source code.  
 \*/  
 OUT,  
 }  
 /\*\*  
 \* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.  
 \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.  
 \*/  
 package kotlin.reflect  
 /\*\*  
 \* Returns a runtime representation of the given reified type [T] as an instance of [KType].  
 \* Note that on JVM, the created type has no annotations ([KType.annotations] returns an empty list) even if the type in the source code is annotated.  
 Support for type annotations might be added in a future version.  
 \*/  
 @SinceKotlin("1.6")  
 @WasExperimental(ExperimentalStdlibApi::class)  
 public inline fun <reified T> typeOf(): KType =  
 throw UnsupportedOperationException("This function is implemented as an intrinsic on all supported platforms.")  
 /\*\*  
 \* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.  
 \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.  
 \*/  
 @file:kotlin.jvm.JvmMultifileClass  
 @file:kotlin.jvm.JvmName("StringsKt")  
 package kotlin.text  
 /\*\*  
 \* An object to which char sequences and values can be appended.  
 \*/  
 expect interface Appendable {  
 /\*\*  
 \* Appends the specified character [value] to this Appendable and returns this instance.  
 \*/  
 @param value the character to append.  
 fun append(value: Char): Appendable  
 /\*\*  
 \* Appends the specified character sequence [value] to this Appendable and returns this instance.  
 \*/  
 @param value the character sequence to append. If [value] is `null`, then the four characters `"null"` are appended to this Appendable.  
 fun append(value: CharSequence?): Appendable  
 /\*\*  
 \* Appends a subsequence of the specified character sequence [value] to this Appendable and returns this instance.  
 \*/  
 @param value the character sequence from which a subsequence is appended. If [value] is `null`, then characters are appended as if [value] contained the four characters `"null"`.  
 @param startIndex the beginning (inclusive) of the subsequence to append.  
 @param endIndex the end (exclusive) of the subsequence to append.  
 @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.  
 fun append(value: CharSequence?, startIndex: Int, endIndex: Int): Appendable  
 }  
 /\*\*  
 \* Appends a subsequence of the specified character sequence [value] to this Appendable and returns this instance.  
 \*/  
 @param value the character sequence from which a subsequence is appended.  
 @param startIndex the beginning (inclusive) of the subsequence to append.  
 @param endIndex the end (exclusive) of the subsequence to append.  
 @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the

```

[value] character sequence indices or when `startIndex > endIndex`.
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic fun <T : Appendable>
T.appendRange(value: CharSequence, startIndex: Int, endIndex: Int): T {\n
@Suppress("UNCHECKED_CAST")\n    return append(value, startIndex, endIndex) as T\n}\n/**\n * Appends
all arguments to the given [Appendable].\n */\npublic fun <T : Appendable> T.append(vararg value:
CharSequence?): T {\n    for (item in value)\n        append(item)\n    return this\n}\n/** Appends a line feed
character (`\n`) to this Appendable. *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
Appendable.appendLine(): Appendable = append("\n")\n/** Appends value to the given Appendable and a line
feed character (`\n`) after it. *\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun
Appendable.appendLine(value: CharSequence?): Appendable = append(value).appendLine()\n/** Appends value
to the given Appendable and a line feed character (`\n`) after it.
*\n@SinceKotlin("1.4")\n@kotlin.internal.InlineOnly\npublic inline fun Appendable.appendLine(value: Char):
Appendable = append(value).appendLine()\n\ninternal fun <T> Appendable.appendElement(element: T,
transform: ((T) -> CharSequence)?) {\n    when {\n        transform != null -> append(transform(element))\n
element is CharSequence? -> append(element)\n        element is Char -> append(element)\n        else ->
append(element.toString())\n    }\n}\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n/**\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source
string and removes\n * the first and the last lines if they are blank (notice difference blank vs empty).\n *\n * Doesn't
affect a line if it doesn't contain [marginPrefix] except the first and the last blank lines.\n *\n * Doesn't preserve the
original line endings.\n *\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is
`|` (pipe character).\n *\n * @sample samples.text.Strings.trimMargin\n * @see trimIndent\n * @see
kotlin.text.isWhitespace\n */\npublic fun String.trimMargin(marginPrefix: String = "|"): String =\n    replaceIndentByMargin("|", marginPrefix)\n/**\n * Detects indent by [marginPrefix] as it does [trimMargin] and
replace it with [newIndent].\n *\n * @param marginPrefix non-blank string, which is used as a margin delimiter.
Default is `|` (pipe character).\n */\npublic fun String.replaceIndentByMargin(newIndent: String = "|",
marginPrefix: String = "|"): String {\n    require(marginPrefix.isNotBlank()) { "marginPrefix must be non-blank
string." }\n    val lines = lines()\n    return lines.reindent(length + newIndent.length * lines.size,
getIndentFunction(newIndent), { line ->\n        val firstNonWhitespaceIndex = line.indexOfFirst { !it.isWhitespace()
}\n        when {\n            firstNonWhitespaceIndex == -1 -> null\n            line.startsWith(marginPrefix,
firstNonWhitespaceIndex) -> line.substring(firstNonWhitespaceIndex + marginPrefix.length)\n            else -> null\n
        }\n    })\n}\n/**\n * Detects a common minimal indent of all the input lines, removes it from every line and
also removes the first and the last\n * lines if they are blank (notice difference blank vs empty).\n *\n * Note that
blank lines do not affect the detected indent level.\n *\n * In case if there are non-blank lines with no leading
whitespace characters (no indent at all) then the\n * common indent is 0, and therefore this function doesn't change
the indentation.\n *\n * Doesn't preserve the original line endings.\n *\n * @sample
samples.text.Strings.trimIndent\n * @see trimMargin\n * @see kotlin.text.isBlank\n */\npublic fun
String.trimIndent(): String = replaceIndent("|")\n/**\n * Detects a common minimal indent like it does
[trimIndent] and replaces it with the specified [newIndent].\n */\npublic fun String.replaceIndent(newIndent: String
= "|"): String {\n    val lines = lines()\n    val minCommonIndent = lines\n        .filter(String::isNotBlank)\n
        .map(String::indentWidth)\n        .minOrNull() ?: 0\n    return lines.reindent(length + newIndent.length *
lines.size, getIndentFunction(newIndent), { line -> line.drop(minCommonIndent) })\n}\n/**\n * Prepends [indent]
to every line of the original string.\n *\n * Doesn't preserve the original line endings.\n */\npublic fun
String.prependIndent(indent: String = "  "): String =\n    lineSequence()\n        .map {\n            when {\n
                it.isBlank() -> {\n                    when {\n                        it.length < indent.length -> indent\n
                        else -> it\n                    }\n                }\n            }\n        }\n        .joinToString("\n")\nprivate fun

```

```

String.indentWidth(): Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1) length else it }
private fun
getIndentFunction(indent: String) = when { \n  indent.isEmpty() -> { line: String -> line } \n  else -> { line: String -
> indent + line } \n } \n private inline fun List<String>.reindent(\n  resultSizeEstimate: Int, \n  indentAddFunction:
(String) -> String, \n  indentCutFunction: (String) -> String?): String { \n  val lastIndex = lastIndex \n  return
mapIndexedNotNull { index, value -> \n    if ((index == 0 || index == lastIndex) && value.isBlank()) \n
null \n    else \n      indentCutFunction(value)?.let(indentAddFunction)?: value \n  } \n
.joinTo(StringBuilder(resultSizeEstimate), "\\n") \n    .toString() \n } \n ", /* \n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file. \n */ \n package kotlin.text \n /** \n * Defines names for
Unicode symbols used in proper Typography. \n */ \n public object Typography { \n  /** The character &#x22;
\u2013 quotation mark */ \n  public const val quote: Char = "\u0022" \n  /** The character &#x24; \u2013 dollar
sign */ \n  public const val dollar: Char = "\u0024" \n  /** The character &#x26; \u2013 ampersand */ \n  public
const val amp: Char = "\u0026" \n  /** The character &#x3C; \u2013 less-than sign */ \n  public const val less:
Char = "\u003C" \n  /** The character &#x3E; \u2013 greater-than sign */ \n  public const val greater: Char =
"\u003E" \n  /** The non-breaking space character */ \n  public const val nbsp: Char = "\u00A0" \n  /** The
character &#xD7; */ \n  public const val times: Char = "\u00D7" \n  /** The character &#xA2; */ \n  public const
val cent: Char = "\u00A2" \n  /** The character &#xA3; */ \n  public const val pound: Char = "\u00A3" \n  /** The
character &#xA7; */ \n  public const val section: Char = "\u00A7" \n  /** The character &#xA9; */ \n  public const
val copyright: Char = "\u00A9" \n  /** The character &#xAB; */ \n  @SinceKotlin("1.6") \n  public const val
leftGuillemet: Char = "\u00AB" \n  /** The character &#xBB; */ \n  @SinceKotlin("1.6") \n  public const val
rightGuillemet: Char = "\u00BB" \n  /** The character &#xAE; */ \n  public const val registered: Char =
"\u00AE" \n  /** The character &#xB0; */ \n  public const val degree: Char = "\u00B0" \n  /** The character
&#xB1; */ \n  public const val plusMinus: Char = "\u00B1" \n  /** The character &#xB6; */ \n  public const val
paragraph: Char = "\u00B6" \n  /** The character &#xB7; */ \n  public const val middleDot: Char = "\u00B7" \n
/** The character &#xBD; */ \n  public const val half: Char = "\u00BD" \n  /** The character &#x2013; */ \n
public const val ndash: Char = "\u2013" \n  /** The character &#x2014; */ \n  public const val mdash: Char =
"\u2014" \n  /** The character &#x2018; */ \n  public const val leftSingleQuote: Char = "\u2018" \n  /** The
character &#x2019; */ \n  public const val rightSingleQuote: Char = "\u2019" \n  /** The character &#x201A; */ \n
public const val lowSingleQuote: Char = "\u201A" \n  /** The character &#x201C; */ \n  public const val
leftDoubleQuote: Char = "\u201C" \n  /** The character &#x201D; */ \n  public const val rightDoubleQuote: Char
= "\u201D" \n  /** The character &#x201E; */ \n  public const val lowDoubleQuote: Char = "\u201E" \n  /** The
character &#x2020; */ \n  public const val dagger: Char = "\u2020" \n  /** The character &#x2021; */ \n  public
const val doubleDagger: Char = "\u2021" \n  /** The character &#x2022; */ \n  public const val bullet: Char =
"\u2022" \n  /** The character &#x2026; */ \n  public const val ellipsis: Char = "\u2026" \n  /** The character
&#x2032; */ \n  public const val prime: Char = "\u2032" \n  /** The character &#x2033; */ \n  public const val
doublePrime: Char = "\u2033" \n  /** The character &#x20AC; */ \n  public const val euro: Char = "\u20AC" \n
/** The character &#x2122; */ \n  public const val tm: Char = "\u2122" \n  /** The character &#x2248; */ \n
public const val almostEqual: Char = "\u2248" \n  /** The character &#x2260; */ \n  public const val notEqual:
Char = "\u2260" \n  /** The character &#x2264; */ \n  public const val lessOrEqual: Char = "\u2264" \n  /** The
character &#x2265; */ \n  public const val greaterOrEqual: Char = "\u2265" \n  /** The character &#xAB; */ \n
@Deprecated("This constant has a typo in the name. Use leftGuillemet instead."),
ReplaceWith("Typography.leftGuillemet()") \n  @DeprecatedSinceKotlin("1.6") \n  public const val
leftGuillemete: Char = "\u00AB" \n  /** The character &#xBB; */ \n  @Deprecated("This constant has a typo in
the name. Use rightGuillemet instead."), ReplaceWith("Typography.rightGuillemet()") \n
@DeprecatedSinceKotlin("1.6") \n  public const val rightGuillemete: Char = "\u00BB" \n } \n ", /* \n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file. \n */ \n package kotlin.text \n /** \n *
Represents a collection of captured groups in a single match of a regular expression. \n */ \n * This collection has size

```

of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.

- \* Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.
- \* An element of the collection at the particular index can be `null` if the corresponding group in the regular expression is optional and there was no match captured by that group.

```

public interface MatchGroupCollection :
Collection<MatchGroup?> {
    /** Returns a group with the specified [index].
     * @return An instance of [MatchGroup] if the group with the specified [index] was matched or `null` otherwise.
     * Groups are indexed from 1 to the count of groups in the regular expression. A group with the index 0 corresponds to the entire match.
     */
    public operator fun get(index: Int): MatchGroup?
}

/** Extends [MatchGroupCollection] by introducing a way to get matched groups by name, when regex supports it.
 * @SinceKotlin("1.1")
 */
public interface MatchNamedGroupCollection : MatchGroupCollection {
    /** Returns a named group with the specified [name].
     * @return An instance of [MatchGroup] if the group with the specified [name] was matched or `null` otherwise.
     * @throws IllegalArgumentException if there is no group with the specified [name] defined in the regex pattern.
     * @throws UnsupportedOperationException if getting named groups isn't supported on the current platform.
     */
    public operator fun get(name: String): MatchGroup?
}

/** Represents the results from a single regular expression match.
 */
public interface MatchResult {
    /** The range of indices in the original string where match was captured.
     */
    public val range: IntRange
    /** The substring from the input string captured by this match.
     */
    public val value: String
}

/** A collection of groups matched by the regular expression.
 * This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.
 * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.
 */
public val groups: MatchGroupCollection

/** A list of matched indexed group values.
 * This list has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.
 * Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.
 * If the group in the regular expression is optional and there were no match captured by that group, corresponding item in [groupValues] is an empty string.
 */
@sample
samples.text.Regexps.matchDestructuringToGroupValues
/** An instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment of group values.
 * component1 corresponds to the value of the first group, component2 of the second, and so on.
 */
@sample samples.text.Regexps.matchDestructuringToGroupValues
/** Returns a new [MatchResult] with the results for the next match, starting at the position at which the last match ended (at the character after the last matched character).
 */
public fun next(): MatchResult?

/** Provides components for destructuring assignment of group values.
 * [component1] corresponds to the value of the first group, [component2] of the second, and so on.
 * If the group in the regular expression is optional and there were no match captured by that group, corresponding component value is an empty string.
 */
@sample samples.text.Regexps.matchDestructuringToGroupValues
public class Destructured internal constructor(public val match: MatchResult) {
    @kotlin.internal.InlineOnly public operator inline fun component1(): String = match.groupValues[1]
    @kotlin.internal.InlineOnly public operator inline fun component2(): String = match.groupValues[2]
    @kotlin.internal.InlineOnly public operator inline fun component3(): String = match.groupValues[3]
    @kotlin.internal.InlineOnly public operator inline fun component4(): String = match.groupValues[4]
    @kotlin.internal.InlineOnly public operator inline fun component5(): String = match.groupValues[5]
    @kotlin.internal.InlineOnly public operator inline fun component6(): String = match.groupValues[6]
    @kotlin.internal.InlineOnly public operator inline fun component7(): String = match.groupValues[7]
    @kotlin.internal.InlineOnly public operator inline fun component8(): String = match.groupValues[8]
    @kotlin.internal.InlineOnly public operator inline fun component9(): String = match.groupValues[9]
    @kotlin.internal.InlineOnly public operator inline fun component10(): String = match.groupValues[10]
}

/** Returns destructured group values as a list of strings.
 * First value in the returned list corresponds to the value of the first group, and so on.
 */
}

```

```

* @sample samples.text.Regexp.matchDestructuringToGroupValues\n      */\n      public fun toList():
List<String> = match.groupValues.subList(1, match.groupValues.size)\n    }\n}", "/*\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass()\n@file:kotlin.jvm.JvmName("DurationUnitKt")\n\npackage
kotlin.time\n\n/**\n * The list of possible time measurement units, in which a duration can be expressed.\n */\n *
The smallest time unit is [NANOSECONDS] and the largest is [DAYS], which corresponds to exactly 24
[HOURS].\n */\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalTime::class)\npublic expect enum class
DurationUnit {\n    /**\n     * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n     */\n    NANOSECONDS,\n    /**\n     * Time unit representing one microsecond, which is 1/1000 of a millisecond.\n     */\n    MICROSECONDS,\n    /**\n     * Time unit representing one millisecond, which is 1/1000 of a second.\n     */\n    MILLISECONDS,\n    /**\n     * Time unit representing one second.\n     */\n    SECONDS,\n    /**\n     *
Time unit representing one minute.\n     */\n    MINUTES,\n    /**\n     * Time unit representing one hour.\n     */\n    HOURS,\n    /**\n     * Time unit representing one day, which is always equal to 24 hours.\n     */\n    DAYS;\n}\n\n/**\n * Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified
[targetUnit].\n */\n@SinceKotlin("1.3")\n\ninternal expect fun convertDurationUnit(value: Double, sourceUnit:
DurationUnit, targetUnit: DurationUnit): Double\n\n// overflown result is
unspecified\n@SinceKotlin("1.5")\n\ninternal expect fun convertDurationUnitOverflow(value: Long, sourceUnit:
DurationUnit, targetUnit: DurationUnit): Long\n\n// overflown result is coerced in the Long range
boundaries\n@SinceKotlin("1.5")\n\ninternal expect fun convertDurationUnit(value: Long, sourceUnit:
DurationUnit, targetUnit: DurationUnit):
Long\n\n\n@SinceKotlin("1.3")\n\n@Suppress("REDUNDANT_ELSE_IN_WHEN")\n\ninternal fun
DurationUnit.shortName(): String = when (this) {\n    DurationUnit.NANOSECONDS -> "ns"\n    DurationUnit.MICROSECONDS -> "us"\n    DurationUnit.MILLISECONDS -> "ms"\n    DurationUnit.SECONDS -> "s"\n    DurationUnit.MINUTES -> "m"\n    DurationUnit.HOURS -> "h"\n    DurationUnit.DAYS -> "d"\n    else -> error("Unknown unit: $this")\n}\n\n@SinceKotlin("1.5")\n\ninternal fun
durationUnitByShortName(shortName: String): DurationUnit = when (shortName) {\n    "ns" ->
DurationUnit.NANOSECONDS\n    "us" -> DurationUnit.MICROSECONDS\n    "ms" ->
DurationUnit.MILLISECONDS\n    "s" -> DurationUnit.SECONDS\n    "m" -> DurationUnit.MINUTES\n    "h" -> DurationUnit.HOURS\n    "d" -> DurationUnit.DAYS\n    else -> throw
IllegalArgumentException("Unknown duration unit short name:
$shortName")\n}\n\n@SinceKotlin("1.5")\n\ninternal fun durationUnitByIsoChar(isoChar: Char,
isTimeComponent: Boolean): DurationUnit =\n    when {\n        !isTimeComponent -> {\n            when (isoChar)
{\n                'D' -> DurationUnit.DAYS\n                else -> throw IllegalArgumentException("Invalid or
unsupported duration ISO non-time unit: $isoChar")\n            }\n        }\n        else -> {\n            when (isoChar) {\n                'H' -> DurationUnit.HOURS\n                'M' -> DurationUnit.MINUTES\n                'S' ->
DurationUnit.SECONDS\n                else -> throw IllegalArgumentException("Invalid duration ISO time unit:
$isoChar")\n            }\n        }\n    }\n}"/\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * This annotation marks the experimental preview of the standard library API for measuring time and working with
durations.\n */\n * > Note that this API is in a preview state and has a very high chance of being changed in the
future.\n * Do not use it if you develop a library since your library will become binary incompatible\n * with the
future versions of the standard library.\n */\n * Any usage of a declaration annotated with `@ExperimentalTime`
must be accepted either by\n * annotating that usage with the [OptIn] annotation, e.g.
`@OptIn(ExperimentalTime::class)`,\n * or by using the compiler argument `-Xopt-in=kotlin.time.ExperimentalTime`.
\n */\n@Suppress("DEPRECATION")\n@Experimental(level =
Experimental.Level.ERROR)\n@RequiresOptIn(level =

```

```

RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(\n
CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n
VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n
PROPERTY_SETTER,\n TYPEALIAS)\n\n@SinceKotlin("1.3")\n\npublic annotation class
ExperimentalTime\n,/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\n/**\n * A source of time for measuring time intervals.\n
*\n * The only operation provided by the time source is [markNow]. It returns a [TimeMark], which can be used to
query the elapsed time later.\n *\n * @see [measureTime]\n * @see [measureTimedValue]\n
*\n\n@SinceKotlin("1.3")\n\n@ExperimentalTime\n\npublic interface TimeSource {\n    /**\n     * Marks a point in
time on this time source.\n     *\n     * The returned [TimeMark] instance encapsulates the captured time point and
allows querying\n     * the duration of time interval [elapsed][TimeMark.elapsedNow] from that point.\n     */\n
    public fun markNow(): TimeMark\n\n    /**\n     * The most precise time source available in the platform.\n     *\n
     * This time source returns its readings from a source of monotonic time when it is available in a target platform,\n
     * and resorts to a non-monotonic time source otherwise.\n     */\n    public object Monotonic : TimeSource by
MonotonicTimeSource {\n        override fun toString(): String = MonotonicTimeSource.toString()\n    }\n\n    public
companion object {\n        }\n\n    /**\n     * Represents a time point notched on a particular [TimeSource].
Remains bound to the time source it was taken from\n     * and allows querying for the duration of time elapsed from
that point (see the function [elapsedNow]).\n     */\n\n@SinceKotlin("1.3")\n\n@ExperimentalTime\n\npublic abstract class
TimeMark {\n    /**\n     * Returns the amount of time passed from this mark measured with the time source from
which this mark was taken.\n     *\n     * Note that the value returned by this function can change on subsequent
invocations.\n     */\n    public abstract fun elapsedNow(): Duration\n\n    /**\n     * Returns a time mark on the same
time source that is ahead of this time mark by the specified [duration].\n     *\n     * The returned time mark is more
_late_ when the [duration] is positive, and more _early_ when the [duration] is negative.\n     */\n    public open
operator fun plus(duration: Duration): TimeMark = AdjustedTimeMark(this, duration)\n\n    /**\n     * Returns a
time mark on the same time source that is behind this time mark by the specified [duration].\n     *\n     * The
returned time mark is more _early_ when the [duration] is positive, and more _late_ when the [duration] is
negative.\n     */\n    public open operator fun minus(duration: Duration): TimeMark = plus(-duration)\n\n    /**\n
     * Returns true if this time mark has passed according to the time source from which this mark was taken.\n     *\n
     * Note that the value returned by this function can change on subsequent invocations.\n     * If the time source is
monotonic, it can change only from `false` to `true`, namely, when the time mark becomes behind the current point
of the time source.\n     */\n    public fun hasPassedNow(): Boolean = !elapsedNow().isNegative()\n\n    /**\n
     * Returns false if this time mark has not passed according to the time source from which this mark was taken.\n     *\n
     * Note that the value returned by this function can change on subsequent invocations.\n     * If the time source is
monotonic, it can change only from `true` to `false`, namely, when the time mark becomes behind the current point
of the time source.\n     */\n    public fun hasNotPassedNow(): Boolean =
elapsedNow().isNegative()\n}\n\n\n@ExperimentalTime\n\n@SinceKotlin("1.3")\n\n@kotlin.internal.InlineOnly\n\n@
Deprecated(\n    "Subtracting one TimeMark from another is not a well defined operation because these time marks
could have been obtained from the different time sources.",\n    level =
DeprecationLevel.ERROR)\n\n\n@Suppress("UNUSED_PARAMETER")\n\npublic inline operator fun
TimeMark.minus(other: TimeMark): Duration = throw Error("Operation is
disallowed.")\n\n\n@ExperimentalTime\n\n@SinceKotlin("1.3")\n\n@kotlin.internal.InlineOnly\n\n@Deprecated(\n
"Comparing one TimeMark to another is not a well defined operation because these time marks could have been
obtained from the different time sources.",\n    level =
DeprecationLevel.ERROR)\n\n\n@Suppress("UNUSED_PARAMETER")\n\npublic inline operator fun
TimeMark.compareTo(other: TimeMark): Int = throw Error("Operation is
disallowed.")\n\n\n@ExperimentalTime\n\nprivate class AdjustedTimeMark(val mark: TimeMark, val adjustment:
Duration) : TimeMark() {\n    override fun elapsedNow(): Duration = mark.elapsedNow() - adjustment\n}

```

```

override fun plus(duration: Duration): TimeMark = AdjustedTimeMark(mark, adjustment + duration)\n}\n", "/*\n *
Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.time\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal expect object MonotonicTimeSource :
TimeSource\n\n/**\n * An abstract class used to implement time sources that return their readings as [Long] values
in the specified [unit].\n * @property unit The unit in which this time source's readings are expressed.\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic abstract class AbstractLongTimeSource(protected val
unit: DurationUnit) : TimeSource {\n    /**\n     * This protected method should be overridden to return the current
reading of the time source expressed as a [Long] number\n     * in the unit specified by the [unit] property.\n     */\n
protected abstract fun read(): Long\n\n    private class LongTimeMark(private val startedAt: Long, private val
timeSource: AbstractLongTimeSource, private val offset: Duration) : TimeMark() {\n        override fun
elapsedNow(): Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset\n        override fun
plus(duration: Duration): TimeMark = LongTimeMark(startedAt, timeSource, offset + duration)\n    }\n\n    override
fun markNow(): TimeMark = LongTimeMark(read(), this, Duration.ZERO)\n}\n\n/**\n * An abstract class used to
implement time sources that return their readings as [Double] values in the specified [unit].\n * @property unit
The unit in which this time source's readings are expressed.\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic abstract class AbstractDoubleTimeSource(protected val
unit: DurationUnit) : TimeSource {\n    /**\n     * This protected method should be overridden to return the current
reading of the time source expressed as a [Double] number\n     * in the unit specified by the [unit] property.\n
*/\n\n    protected abstract fun read(): Double\n\n    private class DoubleTimeMark(private val startedAt: Double,
private val timeSource: AbstractDoubleTimeSource, private val offset: Duration) : TimeMark() {\n        override fun
elapsedNow(): Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset\n        override fun
plus(duration: Duration): TimeMark = DoubleTimeMark(startedAt, timeSource, offset + duration)\n    }\n\n    override
fun markNow(): TimeMark = DoubleTimeMark(read(), this, Duration.ZERO)\n}\n\n/**\n * A time source
that has programmatically updatable readings. It is useful as a predictable source of time in tests.\n * The current
reading value can be advanced by the specified duration amount with the operator [plusAssign]:\n * val
timeSource = TestTimeSource()\n * timeSource += 10.seconds\n * ```\n * Implementation note: the current
reading value is stored as a [Long] number of nanoseconds,\n * thus it's capable to represent a time range of
approximately \u00b1292 years.\n * Should the reading value overflow as the result of [plusAssign] operation, an
[IllegalStateException] is thrown.\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic class TestTimeSource
: AbstractLongTimeSource(unit = DurationUnit.NANOSECONDS) {\n    private var reading: Long = 0L\n\n    override fun
read(): Long = reading\n\n    /**\n     * Advances the current reading value of this time source by the
specified [duration].\n     * [duration] value is rounded down towards zero when converting it to a [Long]
number of nanoseconds.\n     * For example, if the duration being added is `0.6.nanoseconds`, the reading doesn't
advance because\n     * the duration value is rounded to zero nanoseconds.\n     */\n     * @throws
IllegalStateException when the reading value overflows as the result of this operation.\n     */\n     public operator fun
plusAssign(duration: Duration) {\n        val longDelta = duration.toLong(unit)\n        reading = if (longDelta !=
Long.MIN_VALUE && longDelta != Long.MAX_VALUE) {\n            // when delta fits in long, add it as long\n
            val newReading = reading + longDelta\n            if (reading xor longDelta >= 0 && reading xor newReading < 0)\n
overflow(duration)\n            newReading\n        } else {\n            val delta = duration.toDouble(unit)\n            // when
delta is greater than long, add it as double\n            val newReading = reading + delta\n            if (newReading >
Long.MAX_VALUE || newReading < Long.MIN_VALUE) overflow(duration)\n            newReading.toLong()\n        }\n    }\n\n    private fun overflow(duration: Duration) {\n        throw IllegalStateException("TestTimeSource will
overflow if its reading ${reading}ns is advanced by $duration.")\n    }\n}\n", "/*\n * Copyright 2010-2020 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport
kotlin.contracts.*\n\n/**\n * Executes the given function [block] and returns the duration of elapsed time interval.\n
*/\n * The elapsed time is measured with [TimeSource.Monotonic].\n

```

```

*^@SinceKotlin("1.3")^@ExperimentalTime^public inline fun measureTime(block: () -> Unit): Duration {^n
contract {^n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)^n }^n return
TimeSource.Monotonic.measureTime(block)^n}^n/n/n/**^n * Executes the given function [block] and returns the
duration of elapsed time interval.^n *^n * The elapsed time is measured with the specified `this` [TimeSource]
instance.^n *^@SinceKotlin("1.3")^@ExperimentalTime^public inline fun TimeSource.measureTime(block: ()
-> Unit): Duration {^n    contract {^n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)^n    }^n/n/n    val
mark = markNow()^n    block()^n    return mark.elapsedNow()^n}^n/n/n/**^n * Data class representing a result of
executing an action, along with the duration of elapsed time interval.^n *^n * @property value the result of the
action.^n * @property duration the time elapsed to execute the action.^n
*^@SinceKotlin("1.3")^@ExperimentalTime^public data class TimedValue<T>(val value: T, val duration:
Duration)^n/n/**^n * Executes the given function [block] and returns an instance of [TimedValue] class, containing
both^n * the result of the function execution and the duration of elapsed time interval.^n *^n * The elapsed time is
measured with [TimeSource.Monotonic].^n *^@SinceKotlin("1.3")^@ExperimentalTime^public inline fun <T>
measureTimedValue(block: () -> T): TimedValue<T> {^n    contract {^n        callsInPlace(block,
InvocationKind.EXACTLY_ONCE)^n    }^n/n/n    return
TimeSource.Monotonic.measureTimedValue(block)^n}^n/n/n/**^n * Executes the given [block] and returns an
instance of [TimedValue] class, containing both^n * the result of function execution and the duration of elapsed time
interval.^n *^n * The elapsed time is measured with the specified `this` [TimeSource] instance.^n
*^@SinceKotlin("1.3")^@ExperimentalTime^public inline fun <T> TimeSource.measureTimedValue(block: ()
-> T): TimedValue<T> {^n    contract {^n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)^n    }^n/n/n
val mark = markNow()^n    val result = block()^n    return TimedValue(result, mark.elapsedNow())^n}^n"/^n *
Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.^n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.^n *^n/npackage
kotlin/nimport kotlin.coroutines.*^nimport kotlin.coroutines.intrinsics.*^nimport
kotlin.native.concurrent.SharedImmutable/n/**^n * Defines deep recursive function that keeps its stack on the
heap,^n * which allows very deep recursive computations that do not use the actual call stack.^n * To initiate a call to
this deep recursive function use its [invoke] function.^n * As a rule of thumb, it should be used if recursion goes
deeper than a thousand calls.^n *^n * The [DeepRecursiveFunction] takes one parameter of type [T] and returns a
result of type [R].^n * The [block] of code defines the body of a recursive function. In this block^n *
[callRecursive][DeepRecursiveScope.callRecursive] function can be used to make a recursive call^n * to the
declared function. Other instances of [DeepRecursiveFunction] can be called^n * in this scope with `callRecursive`
extension, too.^n *^n * For example, take a look at the following recursive tree class and a deeply^n * recursive
instance of this tree with 100K nodes:^n *^n * ````^n * class Tree(val left: Tree? = null, val right: Tree? = null)^n * val
deepTree = generateSequence(Tree()) { Tree(it) }.take(100_000).last()^n * ````^n *^n * A regular recursive function
can be defined to compute a depth of a tree:^n *^n * ````^n * fun depth(t: Tree?): Int =^n *     if (t == null) 0 else
max(depth(t.left), depth(t.right)) + 1^n * println(depth(deepTree)) // StackOverflowError^n * ````^n *^n * If this
`depth` function is called for a `deepTree` it produces [StackOverflowError] because of deep recursion.^n *
However, the `depth` function can be rewritten using `DeepRecursiveFunction` in the following way, and then^n * it
successfully computes [depth(deepTree)][DeepRecursiveFunction.invoke] expression:^n *^n * ````^n * val depth =
DeepRecursiveFunction<Tree?, Int> { t ->^n *     if (t == null) 0 else max(callRecursive(t.left),
callRecursive(t.right)) + 1^n * }^n * println(depth(deepTree)) // Ok^n * ````^n *^n * Deep recursive functions can also
mutually call each other using a heap for the stack via^n * [callRecursive][DeepRecursiveScope.callRecursive]
extension. For example, the^n * following pair of mutually recursive functions computes the number of tree nodes at
even depth in the tree.^n *^n * ````^n * val mutualRecursion = object {^n *     val even:
DeepRecursiveFunction<Tree?, Int> = DeepRecursiveFunction { t ->^n *         if (t == null) 0 else
odd.callRecursive(t.left) + odd.callRecursive(t.right) + 1^n *     }^n *     val odd: DeepRecursiveFunction<Tree?,
Int> = DeepRecursiveFunction { t ->^n *         if (t == null) 0 else even.callRecursive(t.left) +
even.callRecursive(t.right)^n *     }^n * }^n * ````^n *^n * @param [T] the function parameter type.^n * @param [R]

```





absolute value of the divisor.  
`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Short): Short = \n this.toInt().mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.`

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Int): Int = \n this.toInt().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.  
@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Int): Int = \n this.toInt().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.`

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Short.floorDiv(other: Long): Long = \n this.toLong().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.  
@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Short.mod(other: Long): Long = \n this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.`

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Byte): Int = \n this.floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.  
@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Byte): Byte = \n this.mod(other.toInt()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.`

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Short): Int = \n this.floorDiv(other.toInt())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.  
@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Short): Short = \n this.mod(other.toInt()).toShort()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.`

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Int): Int {\n var q = this / other\n if (this xor other < 0 && q * other != this) q--\n return q}\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.`

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Int): Int {\n val r = this % other\n return r + (other and (((r xor other) and (r or -r)) shr 31))}\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.`

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Int.floorDiv(other: Long): Long = \n this.toLong().floorDiv(other)\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.  
@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Int.mod(other: Long): Long = \n this.toLong().mod(other)\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.`

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Byte): Long = \n this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of flooring division of this value by the other value.\n * \n * The result is either zero or has the same sign as the _divisor_ and has the absolute value less than the absolute value of the divisor.  
@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Byte): Byte = \n this.mod(other.toLong()).toByte()\n\n/** Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.`

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Short): Long = \n this.floorDiv(other.toLong())\n\n/**\n * Calculates the remainder of flooring division of this value by the other`

value.  
 \* The result is either zero or has the same sign as the `_divisor_` and has the absolute value less than the absolute value of the divisor.  
`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Short): Short = this.mod(other.toLong()).toShort()\n`  
 \*\* Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Int): Long = this.floorDiv(other.toLong())\n`  
 \*\*  
 \* Calculates the remainder of flooring division of this value by the other value.  
 \* The result is either zero or has the same sign as the `_divisor_` and has the absolute value less than the absolute value of the divisor.  
`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Int): Int = this.mod(other.toLong()).toInt()\n`  
 \*\* Divides this value by the other value, flooring the result to an integer that is closer to negative infinity.

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Long.floorDiv(other: Long): Long { val q = this / other if (this xor other < 0 && q * other != this) q-- return q}\n`  
 \*\*  
 \* Calculates the remainder of flooring division of this value by the other value.  
 \* The result is either zero or has the same sign as the `_divisor_` and has the absolute value less than the absolute value of the divisor.

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Long.mod(other: Long): Long { val r = this % other return r + (other and (((r xor other) and (r or -r)) shr 63))}\n`  
 \*\*  
 \* Calculates the remainder of flooring division of this value by the other value.  
 \* The result is either zero or has the same sign as the `_divisor_` and has the absolute value less than the absolute value of the divisor.  
 \* If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or `_equal to_` the absolute value of the divisor.

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Float.mod(other: Float): Float { val r = this % other return if (r != 0.0.toFloat() && r.sign != other.sign) r + other else r}\n`  
 \*\*  
 \* Calculates the remainder of flooring division of this value by the other value.  
 \* The result is either zero or has the same sign as the `_divisor_` and has the absolute value less than the absolute value of the divisor.  
 \* If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or `_equal to_` the absolute value of the divisor.

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Float.mod(other: Double): Double = this.toDouble().mod(other)\n`  
 \*\*  
 \* Calculates the remainder of flooring division of this value by the other value.  
 \* The result is either zero or has the same sign as the `_divisor_` and has the absolute value less than the absolute value of the divisor.  
 \* If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or `_equal to_` the absolute value of the divisor.

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Double.mod(other: Float): Double = this.mod(other.toDouble())\n`  
 \*\*  
 \* Calculates the remainder of flooring division of this value by the other value.  
 \* The result is either zero or has the same sign as the `_divisor_` and has the absolute value less than the absolute value of the divisor.  
 \* If the result cannot be represented exactly, it is rounded to the nearest representable number. In this case the absolute value of the result can be less than or `_equal to_` the absolute value of the divisor.

`@SinceKotlin("1.5")@kotlin.internal.InlineOnly\npublic inline fun Double.mod(other: Double): Double { val r = this % other return if (r != 0.0 && r.sign != other.sign) r + other else r}\n`  
 \*\*  
 \* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.  
 \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

`package kotlin\nimport kotlin.internal.InlineOnly\n`  
 \*\*  
 \* Returns a hash code value for the object or zero if the object is `null`.  
 \* @see `Any.hashCode`  
`@SinceKotlin("1.3")@InlineOnly\npublic inline fun Any?.hashCode(): Int = this?.hashCode() ?: 0\n`  
 \*\*  
 \* Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.  
 \* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

`package kotlin\n`  
 \*\*  
 \* Represents a version of the Kotlin standard library.  
 \* `[major]`, `[minor]` and `[patch]` are integer components of a version,  
 \* they must be non-negative and not greater than 255 (`MAX_COMPONENT_VALUE`).  
 \* @constructor Creates a version from all three components.  
`@SinceKotlin("1.1")\npublic class KotlinVersion(val major: Int, val minor: Int, val patch: Int) :`

```

Comparable<KotlinVersion> {
    /**
     * Creates a version from [major] and [minor] components, leaving
     [patch] component zero.
     */
    public constructor(major: Int, minor: Int) : this(major, minor, 0)
    private val
    version = versionOf(major, minor, patch)
    private fun versionOf(major: Int, minor: Int, patch: Int): Int {
        require(major in 0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE && patch in
        0..MAX_COMPONENT_VALUE) {
            "Version components are out of range: $major.$minor.$patch"
        }
        return major.shl(16) + minor.shl(8) + patch
    }
    /**
     * Returns the string representation of this
    version
     */
    override fun toString(): String = "$major.$minor.$patch"
    override fun equals(other:
    Any?): Boolean {
        if (this === other) return true
        val otherVersion = (other as? KotlinVersion) ?: return
        false
        return this.version == otherVersion.version
    }
    override fun hashCode(): Int = version
    override fun compareTo(other: KotlinVersion): Int = version - other.version
    /**
     * Returns `true` if this
    version is not less than the version specified
     * with the provided [major] and [minor] components.
     */
    public fun isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major, minor, 0)
    this.major > major || (this.major == major &&
        this.minor >= minor)
    /**
     * Returns `true` if this
    version is not less than the version specified
     * with the provided [major], [minor] and [patch] components.
     */
    public fun isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor,
    patch)
    this.major > major || (this.major == major &&
        (this.minor > minor || this.minor == minor
        &&
            this.patch >= patch))
    companion object {
        /**
         * Maximum value a version
        component can have, a constant value 255.
         */
        // NOTE: Must be placed before CURRENT because its
        initialization requires this field being initialized in JS
        public const val MAX_COMPONENT_VALUE =
        255
        /**
         * Returns the current version of the Kotlin standard library.
         */
        @kotlin.jvm.JvmField
        public val CURRENT: KotlinVersion = KotlinVersionCurrentValue.get()
    }
}
// this class is ignored during classpath normalization when considering whether to recompile dependencies
in Kotlin build
private object KotlinVersionCurrentValue {
    @kotlin.jvm.JvmStatic
    fun get():
    KotlinVersion = KotlinVersion(1, 6, 10) // value is written here automatically during build
}
/**
 * Copyright
    2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed
    by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmName("LateinitKt")
@file:Suppress("unused")
package kotlin
import
kotlin.internal.InlineOnly
import kotlin.internal.AccessibleLateinitPropertyLiteral
import
kotlin.reflect.KProperty0
/**
 * Returns `true` if this lateinit property has been assigned a value, and `false`
    otherwise.
 * Cannot be used in an inline function, to avoid binary compatibility issues.
 */
@SinceKotlin("1.2")
@InlineOnly
inline val @receiver:AccessibleLateinitPropertyLiteral
KProperty0<*>.isInitialized: Boolean
    get() = throw NotImplementedError("Implementation is
    intrinsic")
/**
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use
    of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmName("LazyKt")
@file:kotlin.jvm.JvmMultifileClass
package kotlin
import
kotlin.reflect.KProperty
/**
 * Represents a value with lazy initialization.
 * To create an instance of
    [Lazy] use the [lazy] function.
 */
public interface Lazy<out T> {
    /**
     * Gets the lazily initialized value of
    the current Lazy instance.
     * Once the value was initialized it must not change during the rest of lifetime of this
    Lazy instance.
     */
    public val value: T
    /**
     * Returns `true` if a value for this Lazy instance has been
    already initialized, and `false` otherwise.
     * Once this function has returned `true` it stays `true` for the rest of
    lifetime of this Lazy instance.
     */
    public fun isInitialized(): Boolean
}
/**
 * Creates a new instance of
    the [Lazy] that is already initialized with the specified [value].
 */
public fun <T> lazyOf(value: T): Lazy<T> =
    InitializedLazyImpl(value)
/**
 * An extension to delegate a read-only property of type [T] to an instance of
    [Lazy].
 * This extension allows to use instances of Lazy for property delegation:
    `val property: String by lazy { initializer }`
 */
@kotlin.internal.InlineOnly
public inline operator fun <T> Lazy<T>.getValue(thisRef:
    Any?, property: KProperty<*>): T = value
/**
 * Specifies how a [Lazy] instance synchronizes initialization
    among multiple threads.
 */
public enum class LazyThreadSafetyMode {
    /**
     * Locks are used to ensure
    that only a single thread can initialize the [Lazy] instance.
     */
    SYNCHRONIZED,
    /**
     * Initializer

```

```

function can be called several times on concurrent access to uninitialized [Lazy] instance value,\n
 * but only the first returned value will be used as the value of [Lazy] instance.\n
 */\n PUBLICATION,\n\n /**\n
 * No locks are used to synchronize an access to the [Lazy] instance value; if the instance is accessed from multiple threads, its behavior is undefined.\n
 * \n
 * This mode should not be used unless the [Lazy] instance is guaranteed never to be initialized from more than one thread.\n
 */\n NONE,\n\n\n\ninternal object
UNINITIALIZED_VALUE\n\n// internal to be called from lazy in JS\n\ninternal class UnsafeLazyImpl<out T>(initializer: () -> T) : Lazy<T>, Serializable {\n
    private var initializer: (() -> T)? = initializer\n
    private var _value: Any? = UNINITIALIZED_VALUE\n\n
    override val value: T\n
        get() {\n
            if (_value === UNINITIALIZED_VALUE) {\n
                _value = initializer!!()\n
                initializer = null\n
            }\n
            @Suppress("UNCHECKED_CAST")\n
            return _value as T\n
        }\n\n
    override fun isInitialized(): Boolean = _value != UNINITIALIZED_VALUE\n\n
    override fun toString(): String = if (isInitialized()) value.toString() else "Lazy value not initialized yet."\n\n
    private fun writeReplace(): Any = InitializedLazyImpl(value)\n\n\n\ninternal class InitializedLazyImpl<out T>(override val value: T) : Lazy<T>, Serializable {\n\n
    override fun isInitialized(): Boolean = true\n\n
    override fun toString(): String = value.toString()\n\n\n", "/*\n
 * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
 */\n\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("NumbersKt")\npackage kotlin\n\n/**\n
 * Counts the number of set bits in the binary representation of this [Int] number.\n
 */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.countOneBits(): Int\n\n/**\n
 * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Int] number.\n
 */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.countLeadingZeroBits(): Int\n\n/**\n
 * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Int] number.\n
 */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.countTrailingZeroBits(): Int\n\n/**\n
 * Returns a number having a single bit set in the position of the most significant set bit of this [Int] number, or zero, if this number is zero.\n
 */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.takeHighestOneBit(): Int\n\n/**\n
 * Returns a number having a single bit set in the position of the least significant set bit of this [Int] number, or zero, if this number is zero.\n
 */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.takeLowestOneBit(): Int\n\n/**\n
 * Rotates the binary representation of this [Int] number left by the specified [bitCount] number of bits. The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side. Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n
 * `number.rotateLeft(-n) == number.rotateRight(n)`\n
 * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n
 * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n
 */\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.rotateLeft(bitCount: Int): Int\n\n/**\n
 * Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits. The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side. Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n
 * `number.rotateRight(-n) == number.rotateLeft(n)`\n
 * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n
 * `number.rotateRight(n) == number.rotateRight(n % 32)`\n
 */\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun Int.rotateRight(bitCount: Int): Int\n\n/**\n
 * Counts the number of set bits in the binary representation of this [Long] number.\n
 */\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect

```

```

fun Long.countOneBits(): Int\n\n**\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of this [Long] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.countLeadingZeroBits(): Int\n\n**\n * Counts the number of consecutive least significant bits that are zero in
the binary representation of this [Long] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.countTrailingZeroBits(): Int\n\n**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [Long] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.takeHighestOneBit(): Long\n\n**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [Long] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.takeLowestOneBit(): Long\n\n**\n * Rotates the binary representation of this [Long] number left by the
specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as
the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as
rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a
multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) ==
number.rotateLeft(n % 64)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.rotateLeft(bitCount: Int): Long\n\n**\n * Rotates the binary representation of this [Long] number right by the
specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number
as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is the same as
rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a
multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) ==
number.rotateRight(n % 64)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class)\npublic expect fun
Long.rotateRight(bitCount: Int): Long\n\n**\n * Counts the number of set bits in the binary representation of this
[Byte] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.countOneBits(): Int = (toInt() and 0xFF).countOneBits()\n\n**\n * Counts the number of
consecutive most significant bits that are zero in the binary representation of this [Byte] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.countLeadingZeroBits(): Int = (toInt() and 0xFF).countLeadingZeroBits() - (Int.SIZE_BITS -
Byte.SIZE_BITS)\n\n**\n * Counts the number of consecutive least significant bits that are zero in the binary
representation of this [Byte] number.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.countTrailingZeroBits(): Int = (toInt() or 0x100).countTrailingZeroBits()\n\n**\n * Returns a
number having a single bit set in the position of the most significant set bit of this [Byte] number,\n * or zero, if this
number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.takeHighestOneBit(): Byte = (toInt() and 0xFF).takeHighestOneBit().toByte()\n\n**\n * Returns a
number having a single bit set in the position of the least significant set bit of this [Byte] number,\n * or zero, if this
number is zero.\n
*\n@SinceKotlin("1.4")\n@WasExperimental(ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npubli
c inline fun Byte.takeLowestOneBit(): Byte = toInt().takeLowestOneBit().toByte()\n\n**\n * Rotates the binary
representation of this [Byte] number left by the specified [bitCount] number of bits.\n * The most significant bits
pushed out from the left side reenter the number as the least significant bits on the right side.\n * Rotating the
number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-

```

```

n) == number.rotateRight(n)`n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or
more generally`n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`n
*/n@SinceKotlin("1.6")n@WasExperimental(ExperimentalStdlibApi::class)npublic fun
Byte.rotateLeft(bitCount: Int): Byte =n (toInt().shl(bitCount and 7) or (toInt() and 0xFF).ushr(8 - (bitCount and
7))).toByte()\n/n/**n * Rotates the binary representation of this [Byte] number right by the specified [bitCount]
number of bits.n * The least significant bits pushed out from the right side reenter the number as the most
significant bits on the left side.n * Rotating the number right by a negative bit count is the same as rotating it
left by the negated bit count:n * `number.rotateRight(-n) == number.rotateLeft(n)`n * Rotating by a multiple of
[Byte.SIZE_BITS] (8) returns the same number, or more generally`n * `number.rotateRight(n) ==
number.rotateRight(n % 8)`n
*/n@SinceKotlin("1.6")n@WasExperimental(ExperimentalStdlibApi::class)npublic fun
Byte.rotateRight(bitCount: Int): Byte =n (toInt().shl(8 - (bitCount and 7)) or (toInt() and 0xFF).ushr(bitCount and
7)).toByte()\n/n/**n * Counts the number of set bits in the binary representation of this [Short] number.n
*/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnly\npubli
c inline fun Short.countOneBits(): Int = (toInt() and 0xFFFF).countOneBits()\n/n/**n * Counts the number of
consecutive most significant bits that are zero in the binary representation of this [Short] number.n
*/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnly\npubli
c inline fun Short.countLeadingZeroBits(): Int =n (toInt() and 0xFFFF).countLeadingZeroBits() - (Int.SIZE_BITS
- Short.SIZE_BITS)\n/n/**n * Counts the number of consecutive least significant bits that are zero in the binary
representation of this [Short] number.n
*/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnly\npubli
c inline fun Short.countTrailingZeroBits(): Int = (toInt() or 0x10000).countTrailingZeroBits()\n/n/**n * Returns a
number having a single bit set in the position of the most significant set bit of this [Short] number,n * or zero, if this
number is zero.n
*/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnly\npubli
c inline fun Short.takeHighestOneBit(): Short = (toInt() and 0xFFFF).takeHighestOneBit().toShort()\n/n/**n *
Returns a number having a single bit set in the position of the least significant set bit of this [Short] number,n * or
zero, if this number is zero.n
*/n@SinceKotlin("1.4")n@WasExperimental(ExperimentalStdlibApi::class)n@kotlin.internal.InlineOnly\npubli
c inline fun Short.takeLowestOneBit(): Short = toInt().takeLowestOneBit().toShort()\n/n/n/**n * Rotates the binary
representation of this [Short] number left by the specified [bitCount] number of bits.n * The most significant bits
pushed out from the left side reenter the number as the least significant bits on the right side.n * Rotating the
number left by a negative bit count is the same as rotating it right by the negated bit count:n * `number.rotateLeft(-
n) == number.rotateRight(n)`n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or
more generally`n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`n
*/n@SinceKotlin("1.6")n@WasExperimental(ExperimentalStdlibApi::class)npublic fun
Short.rotateLeft(bitCount: Int): Short =n (toInt().shl(bitCount and 15) or (toInt() and 0xFFFF).ushr(16 - (bitCount
and 15))).toShort()\n/n/**n * Rotates the binary representation of this [Short] number right by the specified
[bitCount] number of bits.n * The least significant bits pushed out from the right side reenter the number as the
most significant bits on the left side.n * Rotating the number right by a negative bit count is the same as rotating
it left by the negated bit count:n * `number.rotateRight(-n) == number.rotateLeft(n)`n * Rotating by a multiple
of [Short.SIZE_BITS] (16) returns the same number, or more generally`n * `number.rotateRight(n) ==
number.rotateRight(n % 16)`n
*/n@SinceKotlin("1.6")n@WasExperimental(ExperimentalStdlibApi::class)npublic fun
Short.rotateRight(bitCount: Int): Short =n (toInt().shl(16 - (bitCount and 15)) or (toInt() and
0xFFFF).ushr(bitCount and 15)).toShort()\n/n/**n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.n */n\npackage kotlin\nimport kotlin.internal.RequireKotlin\nimport

```

```

kotlin.internal.RequireKotlinVersionKind\n\n@kotlin.internal.InlineOnly\n\n@SinceKotlin("1.2")\n\n@Suppress("IN
VISIBLE_MEMBER", "INVISIBLE_REFERENCE")\n\n@RequireKotlin("1.2.30", level =
DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n\npublic inline fun
<R> suspend(noinline block: suspend () -> R): suspend () -> R = block\n\n", "/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmName("TuplesKt")\n\npackage kotlin\n\n/**\n * Represents a generic pair of two
values.\n *\n * There is no meaning attached to values in this class, it can be used for any purpose.\n *\n * Pair exhibits
value semantics, i.e. two pairs are equal if both components are equal.\n *\n * An example of decomposing it into
values:\n * @sample samples.misc.Tuples.pairDestructuring\n *\n * @param A type of the first value.\n * @param
B type of the second value.\n * @property first First value.\n * @property second Second value.\n * @constructor
Creates a new instance of Pair.\n */\n\npublic data class Pair<out A, out B>(\n    public val first: A,\n    public val
second: B\n) : Serializable {\n\n    /**\n     * Returns string representation of the [Pair] including its [first] and
[second] values.\n     *\n     * Returns string representation of the [Pair] including its [first] and
[second] values.\n     *\n     * public override fun toString(): String = "$first, $second")\n     *\n     * Creates a tuple
of type [Pair] from this and [that].\n     *\n     * This can be useful for creating [Map] literals with less noise, for
example:\n     * @sample samples.collections.Maps.instantiation.mapFromPairs\n     */\n\n    public infix fun <A, B>
A.to(that: B): Pair<A, B> = Pair(this, that)\n\n    /**\n     * Converts this pair into a list.\n     * @sample
samples.misc.Tuples.pairToList\n     */\n\n    public fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\n\n    /**\n     * Represents a triad of values\n     *\n     * There is no meaning attached to values in this class, it can be used for any
purpose.\n     *\n     * Triple exhibits value semantics, i.e. two triples are equal if all three components are equal.\n     * An
example of decomposing it into values:\n     * @sample samples.misc.Tuples.tripleDestructuring\n     *\n     * @param A
type of the first value.\n     * @param B type of the second value.\n     * @param C type of the third value.\n     * @property
first First value.\n     * @property second Second value.\n     * @property third Third value.\n     */\n\n    public data class
Triple<out A, out B, out C>(\n        public val first: A,\n        public val second: B,\n        public val third: C\n) : Serializable
{\n\n    /**\n     * Returns string representation of the [Triple] including its [first], [second] and [third] values.\n     *\n     * Returns string representation of the [Triple] including its [first], [second] and [third] values.\n     *\n     * public override fun toString(): String = "$first, $second, $third")\n     *\n     * Converts this triple into a
list.\n     * @sample samples.misc.Tuples.tripleToList\n     */\n\n    public fun <T> Triple<T, T, T>.toList(): List<T> =
listOf(first, second, third)\n\n", "/*\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport
kotlin.internal.*\n\n/**\n * A range of values of type `UInt`.\n
*\n\n@SinceKotlin("1.5")\n\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\npublic class UIntRange(start:
UInt, endInclusive: UInt) : UIntProgression(start, endInclusive, 1), ClosedRange<UInt> {\n    override val start:
UInt get() = first\n    override val endInclusive: UInt get() = last\n\n    override fun contains(value: UInt): Boolean =
first <= value && value <= last\n\n    /**\n     * Checks if the range is empty.\n     *\n     * The range is empty if its
start value is greater than the end value.\n     */\n\n    override fun isEmpty(): Boolean = first > last\n\n    override fun
equals(other: Any?): Boolean =\n        other is UIntRange && (isEmpty() && other.isEmpty()) ||\n        first ==
other.first && last == other.last\n\n    override fun hashCode(): Int =\n        if (isEmpty()) -1 else (31 * first.toInt()
+ last.toInt())\n\n    override fun toString(): String = "$first..$last")\n\n    companion object {\n        /** An empty
range of values of type UInt. */\n        public val EMPTY: UIntRange = UIntRange(UInt.MAX_VALUE,
UInt.MIN_VALUE)\n    }\n\n    /**\n     * A progression of values of type `UInt`.\n
*\n\n@SinceKotlin("1.5")\n\n@WasExperimental(ExperimentalUnsignedTypes::class)\n\npublic open class
UIntProgression\n\ninternal constructor(\n    start: UInt,\n    endInclusive: UInt,\n    step: Int\n) : Iterable<UInt> {\n    init {\n        if (step == 0.toInt()) throw kotlin.IllegalArgumentException("Step must be non-zero.")\n        if (step
== Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than Int.MIN_VALUE to
avoid overflow on negation.")\n    }\n\n    /**\n     * The first element in the progression.\n     */\n    public val first:
UInt = start\n\n    /**\n     * The last element in the progression.\n     */\n    public val last: UInt =
getProgressionLastElement(start, endInclusive, step)\n\n    /**\n     * The step of the progression.\n     */\n    public

```



```

ULongRange && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last == other.last)\n\n override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 * (first xor (first shr 32)).toInt() + (last xor (last shr\n32)).toInt())\n\n override fun toString(): String = \"$first..$last\"\n\n companion object {\n    /** An empty\nrange of values of type ULong. */\n    public val EMPTY: ULongRange = ULongRange(ULong.MAX_VALUE,\nULong.MIN_VALUE)\n    } }\n\n /** A progression of values of type `ULong`.\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic open class\nULongProgression(\n    start: ULong,\n    endInclusive: ULong,\n    step: Long)\n:\nIterable<ULong> {\n    init {\n        if (step == 0.toLong()) throw kotlin.IllegalArgumentException("Step must be\nnon-zero.")\n        if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater\nthan Long.MIN_VALUE to avoid overflow on negation.")\n    }\n\n    /**\n     * The first element in the\nprogression.\n     */\n    public val first: ULong = start\n\n    /**\n     * The last element in the progression.\n     */\n    public val last: ULong = getProgressionLastElement(start, endInclusive, step)\n\n    /**\n     * The step of the\nprogression.\n     */\n    public val step: Long = step\n\n    final override fun iterator(): Iterator<ULong> =\n    ULongProgressionIterator(first, last, step)\n\n    /**\n     * Checks if the progression is empty.\n     */\n\n    * Progression with a positive step is empty if its first element is greater than the last element.\n    * Progression with a\nnegative step is empty if its first element is less than the last element.\n     */\n    public open fun isEmpty(): Boolean\n= if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n    other is\nULongProgression && (isEmpty() && other.isEmpty()) ||\n        first == other.first && last == other.last &&\nstep == other.step)\n\n override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 * (31 * (first xor (first shr\n32)).toInt() + (last xor (last shr 32)).toInt()) + (step xor (step ushr 32)).toInt())\n\n override fun toString(): String =\nif (step > 0) \"$first..$last step $step\" else \"$first downTo $last step ${-step}\"\n\n companion object {\n\n    /**\n     * Creates ULongProgression within the specified bounds of a closed range.\n     * The progression\nstarts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n     *\n     * In order to go backwards the [step] must be negative.\n     * [step] must be greater than\n`Long.MIN_VALUE` and not equal to zero.\n     */\n    public fun fromClosedRange(rangeStart: ULong,\nrangeEnd: ULong, step: Long): ULongProgression = ULongProgression(rangeStart, rangeEnd, step)\n    }\n\n /** An iterator over a progression of values of type `ULong`. * @property step the number by which\nthe value is incremented on each step.\n*\n@SinceKotlin("1.3")\n@Suppress("DEPRECATION_ERROR")\nprivate class\nULongProgressionIterator(first: ULong, last: ULong, step: Long) : ULongIterator() {\n    private val finalElement =\nlast\n    private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n    private val step =\nstep.toULong() // use 2-complement math for negative steps\n    private var next = if (hasNext) first else\nfinalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextULong(): ULong {\n    val\nvalue = next\n    if (value == finalElement) {\n        if (!hasNext) throw kotlin.NoSuchElementException()\n        hasNext = false\n    } else {\n        next += step\n    }\n    return value\n    }\n}\n\n /**\n     * Copyright\n2010-2021 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * Use of this source code is governed\nby the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n\npackage kotlin.math\n\n /**\n     * Returns the smaller of two values.\n     */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n\npublic inline fun min(a: UInt, b: UInt): UInt {\n    return minOf(a, b)\n}\n\n /**\n     * Returns the smaller of two\nvalues.\n     */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n\npublic inline fun min(a: ULong, b: ULong): ULong {\n    return minOf(a, b)\n}\n\n /**\n     * Returns the greater of\ntwo values.\n     */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n\npublic inline fun max(a: UInt, b: UInt): UInt {\n    return maxOf(a, b)\n}\n\n /**\n     * Returns the greater of two\nvalues.\n     */\n*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\n
```

```

public inline fun max(a: ULong, b: ULong): ULong {\n  return maxOf(a, b)\n}"/**\n * Copyright 2010-2021
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmName("\nUNumbersKt")\npackage kotlin\n\n/**\n * Counts the number of set bits in the
binary representation of this [UInt] number.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countOneBits(): Int =
toInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary
representation of this [UInt] number.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countLeadingZeroBits(): Int =
toInt().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the
binary representation of this [UInt] number.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.countTrailingZeroBits(): Int =
toInt().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeHighestOneBit(): UInt =
toInt().takeHighestOneBit().toUInt()\n\n/**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [UInt] number,\n * or zero, if this number is zero.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.takeLowestOneBit(): UInt =
toInt().takeLowestOneBit().toUInt()\n\n/**\n * Rotates the binary representation of this [UInt] number left by the
specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as
the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as
rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a
multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\n * `number.rotateLeft(n) ==
number.rotateLeft(n % 32)`\n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.rotateLeft(bitCount: Int):
UInt = toInt().rotateLeft(bitCount).toUInt()\n\n/**\n * Rotates the binary representation of this [UInt] number
right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter
the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is
the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *
Rotating by a multiple of [UInt.SIZE_BITS] (32) returns the same number, or more generally\n *
`number.rotateRight(n) == number.rotateRight(n % 32)`\n
*/\n\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UInt.rotateRight(bitCount: Int):
UInt = toInt().rotateRight(bitCount).toUInt()\n\n/**\n * Counts the number of set bits in the binary representation
of this [ULong] number.\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countOneBits(): Int =
toLong().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of this [ULong] number.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countLeadingZeroBits(): Int =
toLong().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero
in the binary representation of this [ULong] number.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countTrailingZeroBits(): Int =
toLong().countTrailingZeroBits()

```

```

ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.countTrailingZeroBits(): Int
= toLong().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeHighestOneBit(): ULong
= toLong().takeHighestOneBit().toULong()\n\n/**\n * Returns a number having a single bit set in the position of the
least significant set bit of this [ULong] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.takeLowestOneBit(): ULong
= toLong().takeLowestOneBit().toULong()\n\n/**\n * Rotates the binary representation of this [ULong] number left
by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the
number as the least significant bits on the right side.\n * \n * Rotating the number left by a negative bit count is the
same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * \n *
Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or more generally\n *
`number.rotateLeft(n) == number.rotateLeft(n % 64)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateLeft(bitCount:
Int): ULong = toLong().rotateLeft(bitCount).toULong()\n\n/**\n * Rotates the binary representation of this [ULong]
number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side
reenter the number as the most significant bits on the left side.\n * \n * Rotating the number right by a negative bit
count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n
*\n * Rotating by a multiple of [ULong.SIZE_BITS] (64) returns the same number, or more generally\n *
`number.rotateRight(n) == number.rotateRight(n % 64)`\n
*\n@SinceKotlin("1.6")\n@WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun ULong.rotateRight(bitCount:
Int): ULong = toLong().rotateRight(bitCount).toULong()\n\n/**\n * Counts the number of set bits in the binary
representation of this [UByte] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countOneBits(): Int =
toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of this [UByte] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countLeadingZeroBits(): Int =
toByte().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in
the binary representation of this [UByte] number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.countTrailingZeroBits(): Int =
toByte().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeHighestOneBit(): UByte
= toInt().takeHighestOneBit().toUByte()\n\n/**\n * Returns a number having a single bit set in the position of the
least significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeLowestOneBit(): UByte =
toInt().takeLowestOneBit().toUByte()\n\n/**\n * Rotates the binary representation of this [UByte] number left by
the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the
number as the least significant bits on the right side.\n * \n * Rotating the number left by a negative bit count is the

```

```

same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n *
Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n *\n *
`number.rotateLeft(n) == number.rotateLeft(n % 8)`\n
*\n @SinceKotlin("1.6")\n @WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n public inline fun UByte.rotateLeft(bitCount:
Int): UByte = toByte().rotateLeft(bitCount).toUByte()\n\n/**\n * Rotates the binary representation of this [UByte]
number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side
reenter the number as the most significant bits on the left side.\n * \n * Rotating the number right by a negative bit
count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n
*\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n *\n *
`number.rotateRight(n) == number.rotateRight(n % 8)`\n
*\n @SinceKotlin("1.6")\n @WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n public inline fun UByte.rotateRight(bitCount:
Int): UByte = toByte().rotateRight(bitCount).toUByte()\n\n/**\n * Counts the number of set bits in the binary
representation of this [UShort] number.\n
*\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n @kotlin.internal.InlineOnly\n public inline fun UShort.countOneBits(): Int =
toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the
binary representation of this [UShort] number.\n
*\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n @kotlin.internal.InlineOnly\n public inline fun UShort.countLeadingZeroBits(): Int
= toShort().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero
in the binary representation of this [UShort] number.\n
*\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n @kotlin.internal.InlineOnly\n public inline fun UShort.countTrailingZeroBits(): Int
= toShort().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most
significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
*\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n @kotlin.internal.InlineOnly\n public inline fun UShort.takeHighestOneBit(): UShort
= toInt().takeHighestOneBit().toUShort()\n\n/**\n * Returns a number having a single bit set in the position of the
least significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
*\n @SinceKotlin("1.5")\n @WasExperimental(ExperimentalUnsignedTypes::class,
ExperimentalStdlibApi::class)\n @kotlin.internal.InlineOnly\n public inline fun UShort.takeLowestOneBit(): UShort
= toInt().takeLowestOneBit().toUShort()\n\n/**\n * Rotates the binary representation of this [UShort] number left
by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the
number as the least significant bits on the right side.\n * \n * Rotating the number left by a negative bit count is the
same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n *
Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more generally\n *\n *
`number.rotateLeft(n) == number.rotateLeft(n % 16)`\n
*\n @SinceKotlin("1.6")\n @WasExperimental(ExperimentalStdlibApi::class,
ExperimentalUnsignedTypes::class)\n @kotlin.internal.InlineOnly\n public inline fun UShort.rotateLeft(bitCount:
Int): UShort = toShort().rotateLeft(bitCount).toUShort()\n\n/**\n * Rotates the binary representation of this
[UShort] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the
right side reenter the number as the most significant bits on the left side.\n * \n * Rotating the number right by a
negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) ==
number.rotateLeft(n)`\n *\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more
generally\n *\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\n
*\n @SinceKotlin("1.6")\n @WasExperimental(ExperimentalStdlibApi::class,

```

```

ExperimentalUnsignedTypes::class)\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateRight(bitCount:
Int): UShort = toShort().rotateRight(bitCount).toUShort()\n"/**\n * Copyright 2010-2021 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.internal\n\n// (a - b) mod c\nprivate fun
differenceModulo(a: UInt, b: UInt, c: UInt): UInt {\n    val ac = a % c\n    val bc = b % c\n    return if (ac >= bc) ac -
bc else ac - bc + c}\n\nprivate fun differenceModulo(a: ULong, b: ULong, c: ULong): ULong {\n    val ac = a %
c\n    val bc = b % c\n    return if (ac >= bc) ac - bc else ac - bc + c}\n\n/**\n * Calculates the final element of a
bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end]
in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n * No validation on passed
parameters is performed. The given parameters should satisfy the condition:\n * - either `step > 0` and `start <=
end`,\n * - or `step < 0` and `start >= end`.\n * @param start first element of the progression\n * @param end
ending bound for the progression\n * @param step increment, or difference of successive elements in the
progression\n * @return the final element of the progression\n * @suppress\n
*/\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun getProgressionLastElement(start: UInt, end: UInt, step:
Int): UInt = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toUInt())\n
step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toUInt())\n    else -> throw
kotlin.IllegalArgumentException("Step is zero.")\n}\n\n/**\n * Calculates the final element of a bounded
arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case
of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n * No validation on passed
parameters is performed. The given parameters should satisfy the condition:\n * - either `step > 0` and `start <=
end`,\n * - or `step < 0` and `start >= end`.\n * @param start first element of the progression\n * @param end
ending bound for the progression\n * @param step increment, or difference of successive elements in the
progression\n * @return the final element of the progression\n * @suppress\n
*/\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun getProgressionLastElement(start: ULong, end: ULong,
step: Long): ULong = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start,
step.toULong())\n    step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toULong())\n
else -> throw kotlin.IllegalArgumentException("Step is zero.")\n}\n\n"/**\n * Copyright 2010-2021 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName("UStringsKt") // string
representation of unsigned numbers\n\npackage kotlin.text\n\n/**\n * Returns a string representation of this [Byte]
value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for
number to string conversion.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n//@kotlin.internal.InlineOnly
\npublic /*inline*/ fun UByte.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string
representation of this [Short] value in the specified [radix].\n * @throws IllegalArgumentException when [radix]
is not a valid radix for number to string conversion.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n//@kotlin.internal.InlineOnly
\npublic /*inline*/ fun UShort.toString(radix: Int): String = this.toInt().toString(radix)\n\n/**\n * Returns a string
representation of this [Int] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is
not a valid radix for number to string conversion.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\n//@kotlin.internal.InlineOnly
\npublic /*inline*/ fun UInt.toString(radix: Int): String = this.toLong().toString(radix)\n\n/**\n * Returns a string
representation of this [Long] value in the specified [radix].\n * @throws IllegalArgumentException when [radix]
is not a valid radix for number to string conversion.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
ULong.toString(radix: Int): String = ulongToString(this.toLong(), checkRadix(radix))\n\n/**\n * Parses the string
as a signed [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n

```

```

*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUByte():
UByte = toUByteOrNull() ?: numberFormatException(this)\n\n/**\n * Parses the string as a signed [UByte] number and
returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
@throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toUByte(radix: Int): UByte = toUByteOrNull(radix) ?: numberFormatException(this)\n\n/**\n * Parses the
string as a [UShort] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUShort():
UShort = toUShortOrNull() ?: numberFormatException(this)\n\n/**\n * Parses the string as a [UShort] number and
returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
@throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toUShort(radix: Int): UShort = toUShortOrNull(radix) ?: numberFormatException(this)\n\n/**\n * Parses the
string as an [UInt] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toUInt():
UInt = toUIntOrNull() ?: numberFormatException(this)\n\n/**\n * Parses the string as an [UInt] number and returns the
result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toUInt(radix: Int): UInt = toUIntOrNull(radix) ?: numberFormatException(this)\n\n/**\n * Parses the string as a
[ULong] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun String.toULong():
ULong = toULongOrNull() ?: numberFormatException(this)\n\n/**\n * Parses the string as a [ULong] number and
returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n *
@throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toULong(radix: Int): ULong = toULongOrNull(radix) ?: numberFormatException(this)\n\n/**\n * Parses
the string as an [UByte] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n *\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toUByteOrNull(): UByte? = toUByteOrNull(radix = 10)\n\n/**\n * Parses the string as an [UByte] number
and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toUByteOrNull(radix: Int): UByte? {\n    val int = this.toUIntOrNull(radix) ?: return null\n    if (int >
UByte.MAX_VALUE) return null\n    return int.toUByte()\n}\n\n/**\n * Parses the string as an [UShort] number
and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toUShortOrNull(): UShort? = toUShortOrNull(radix = 10)\n\n/**\n * Parses the string as an [UShort] number
and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toUShortOrNull(radix: Int): UShort? {\n    val int = this.toUIntOrNull(radix) ?: return null\n    if (int >
UShort.MAX_VALUE) return null\n    return int.toUShort()\n}\n\n/**\n * Parses the string as an [UInt] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun

```

```

String.toUIntOrNull(): UInt? = toUIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [UInt] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toUIntOrNull(radix: Int): UInt? {\n    checkRadix(radix)\n    val length = this.length\n    if (length == 0)
return null\n    val limit: UInt = UInt.MAX_VALUE\n    val start: Int\n    val firstChar = this[0]\n    if (firstChar
< '0') {\n        if (length == 1 || firstChar != '+') return null\n        start = 1\n    } else {\n        start = 0\n    }\n    val
limitForMaxRadix = 119304647u // limit / 36\n    var limitBeforeMul = limitForMaxRadix\n    val uradix =
radix.toUInt()\n    var result = 0u\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n        if
(digit < 0) return null\n        if (result > limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n
                limitBeforeMul = limit / uradix\n                if (result > limitBeforeMul) {\n                    return null\n
                }\n            } else {\n                return null\n            }\n        }\n        result *= uradix\n        val beforeAdding =
result\n        result += digit.toUInt()\n        if (result < beforeAdding) return null // overflow has happened\n    }\n    return result\n}\n\n/**\n * Parses the string as an [ULong] number and returns the result\n * or `null` if the string is
not a valid representation of a number.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toULongOrNull(): ULong? = toULongOrNull(radix = 10)\n\n/**\n * Parses the string as an [ULong] number
and returns the result\n * or `null` if the string is not a valid representation of a number.\n *\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n\n@SinceKotlin("1.5")\n@WasExperimental(ExperimentalUnsignedTypes::class)\npublic fun
String.toULongOrNull(radix: Int): ULong? {\n    checkRadix(radix)\n    val length = this.length\n    if (length ==
0) return null\n    val limit: ULong = ULong.MAX_VALUE\n    val start: Int\n    val firstChar = this[0]\n    if
(firstChar < '0') {\n        if (length == 1 || firstChar != '+') return null\n        start = 1\n    } else {\n        start = 0\n
    }\n    val limitForMaxRadix = 512409557603043100uL // limit / 36\n    var limitBeforeMul =
limitForMaxRadix\n    val uradix = radix.toULong()\n    var result = 0uL\n    for (i in start until length) {\n        val
digit = digitOf(this[i], radix)\n        if (digit < 0) return null\n        if (result > limitBeforeMul) {\n            if
(limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / uradix\n                if (result >
limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n            }\n
        }\n        result *= uradix\n        val beforeAdding = result\n        result += digit.toUInt()\n        if (result <
beforeAdding) return null // overflow has happened\n    }\n    return result\n}\n\n"/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")\npackage kotlin\n\nimport
kotlin.annotation.AnnotationTarget\n\nimport kotlin.internal.RequireKotlin\n\nimport
kotlin.internal.RequireKotlinVersionKind\n\n/**\n * Marks the API that is dependent on the experimental unsigned
types, including those types themselves.\n *\n * Usages of such API will be reported as warnings unless an explicit
opt-in with\n * the [OptIn] annotation, e.g. `@OptIn(ExperimentalUnsignedTypes::class)`,\n * or with the `-Xopt-
in=kotlin.ExperimentalUnsignedTypes` compiler option is given.\n *\n * It's recommended to propagate the
experimental status to the API that depends on unsigned types by annotating it with this annotation.\n
*/\n\n@Suppress("DEPRECATION")\n@Experimental(level =
Experimental.Level.WARNING)\n@RequiresOptIn(level =
RequiresOptIn.Level.WARNING)\n@MustBeDocumented\n@Target(CLASS, ANNOTATION_CLASS,
PROPERTY, FIELD, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION,
PROPERTY_GETTER, PROPERTY_SETTER,
TYPEALIAS)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin("1.2.50", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalUnsignedTypes\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/

```

```

*\n\n@file:kotlin.jvm.JvmMultifileClass\n\n@file:kotlin.jvm.JvmName("MathKt")\n\n\npackage
kotlin.math\n\n\n\n// constants, can't use them from nativeMath as they are not constants there\n\n/** Ratio of the
circumference of a circle to its diameter, approximately 3.14159. *\n\n@SinceKotlin("1.2")\n\npublic const val PI:
Double = 3.141592653589793\n\n/** Base of the natural logarithms, approximately 2.71828.
*\n\n@SinceKotlin("1.2")\n\npublic const val E: Double = 2.718281828459045\n\n\n// region =====
Double Math =====\n\n\n/** Computes the sine of the angle [x]
given in radians.\n\n * \n\n * Special cases:\n\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n\n *\n\n@SinceKotlin("1.2")\n\npublic
expect fun sin(x: Double): Double\n\n\n/** Computes the cosine of the angle [x] given in radians.\n\n * \n\n * Special
cases:\n\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n\n *\n\n@SinceKotlin("1.2")\n\npublic expect fun cos(x: Double):
Double\n\n\n/** Computes the tangent of the angle [x] given in radians.\n\n * \n\n * Special cases:\n\n * - `tan(NaN|+Inf|-
Inf)` is `NaN`\n\n *\n\n@SinceKotlin("1.2")\n\npublic expect fun tan(x: Double): Double\n\n\n/** \n\n * Computes the arc
sine of the value [x];\n\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n\n * \n\n * Special
cases:\n\n * - `asin(x)` is `NaN`, when `abs(x) > 1` or x is `NaN`\n\n *\n\n@SinceKotlin("1.2")\n\npublic expect fun
asin(x: Double): Double\n\n\n/** \n\n * Computes the arc cosine of the value [x];\n\n * the returned value is an angle in
the range from `0.0` to `PI` radians.\n\n * \n\n * Special cases:\n\n * - `acos(x)` is `NaN`, when `abs(x) > 1` or x is
`NaN`\n\n *\n\n@SinceKotlin("1.2")\n\npublic expect fun acos(x: Double): Double\n\n\n/** \n\n * Computes the arc tangent
of the value [x];\n\n * the returned value is an angle in the range from `-PI/2` to `PI/2` radians.\n\n * \n\n * Special
cases:\n\n * - `atan(NaN)` is `NaN`\n\n *\n\n@SinceKotlin("1.2")\n\npublic expect fun atan(x: Double): Double\n\n\n/** \n\n *
Returns the angle `theta` of the polar coordinates `(r, theta)` that correspond\n\n * to the rectangular coordinates `(x,
y)` by computing the arc tangent of the value [y] / [x];\n\n * the returned value is an angle in the range from `-PI` to
`PI` radians.\n\n * \n\n * Special cases:\n\n * - `atan2(0.0, 0.0)` is `0.0`\n\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI`
for `x < 0`\n\n * - `atan2(-0.0, x)` is `-0.0` for `x > 0` and `-PI` for `x < 0`\n\n * - `atan2(y, +Inf)` is `0.0` for `0 < y <
+Inf` and `-0.0` for `-Inf < y < 0`\n\n * - `atan2(y, -Inf)` is `PI` for `0 < y < +Inf` and `-PI` for `-Inf < y < 0`\n\n * -
`atan2(y, 0.0)` is `PI/2` for `y > 0` and `-PI/2` for `y < 0`\n\n * - `atan2(+Inf, x)` is `PI/2` for finite `x`\n\n * -
`atan2(-Inf, x)` is `-PI/2` for finite `x`\n\n * - `atan2(NaN, x)` and `atan2(y, NaN)` is `NaN`\n\n
*\n\n@SinceKotlin("1.2")\n\npublic expect fun atan2(y: Double, x: Double): Double\n\n\n/** \n\n * Computes the
hyperbolic sine of the value [x].\n\n * \n\n * Special cases:\n\n * - `sinh(NaN)` is `NaN`\n\n * - `sinh(+Inf)` is `+Inf`\n\n *
- `sinh(-Inf)` is `-Inf`\n\n *\n\n@SinceKotlin("1.2")\n\npublic expect fun sinh(x: Double): Double\n\n\n/** \n\n * Computes
the hyperbolic cosine of the value [x].\n\n * \n\n * Special cases:\n\n * - `cosh(NaN)` is `NaN`\n\n * - `cosh(+Inf|-Inf)` is
`+Inf`\n\n *\n\n@SinceKotlin("1.2")\n\npublic expect fun cosh(x: Double): Double\n\n\n/** \n\n * Computes the hyperbolic
tangent of the value [x].\n\n * \n\n * Special cases:\n\n * - `tanh(NaN)` is `NaN`\n\n * - `tanh(+Inf)` is `1.0`\n\n * - `tanh(-
Inf)` is `-1.0`\n\n *\n\n@SinceKotlin("1.2")\n\npublic expect fun tanh(x: Double): Double\n\n\n/** \n\n * Computes the
inverse hyperbolic sine of the value [x].\n\n * \n\n * The returned value is `y` such that `sinh(y) == x`.\n\n * \n\n * Special
cases:\n\n * - `asinh(NaN)` is `NaN`\n\n * - `asinh(+Inf)` is `+Inf`\n\n * - `asinh(-Inf)` is `-Inf`\n\n
*\n\n@SinceKotlin("1.2")\n\npublic expect fun asinh(x: Double): Double\n\n\n/** \n\n * Computes the inverse hyperbolic
cosine of the value [x].\n\n * \n\n * The returned value is positive `y` such that `cosh(y) == x`.\n\n * \n\n * Special
cases:\n\n * - `acosh(NaN)` is `NaN`\n\n * - `acosh(x)` is `NaN` when `x < 1`\n\n * - `acosh(+Inf)` is `+Inf`\n\n
*\n\n@SinceKotlin("1.2")\n\npublic expect fun acosh(x: Double): Double\n\n\n/** \n\n * Computes the inverse hyperbolic
tangent of the value [x].\n\n * \n\n * The returned value is `y` such that `tanh(y) == x`.\n\n * \n\n * Special
cases:\n\n * -
`tanh(NaN)` is `NaN`\n\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n\n * - `tanh(1.0)` is `+Inf`\n\n * - `tanh(-
1.0)` is `-Inf`\n\n *\n\n@SinceKotlin("1.2")\n\npublic expect fun atanh(x: Double): Double\n\n\n/** \n\n * Computes
`sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n\n * \n\n * Special cases:\n\n * - returns `+Inf` if any of
arguments is infinite\n\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n\n
*\n\n@SinceKotlin("1.2")\n\npublic expect fun hypot(x: Double, y: Double): Double\n\n\n/** \n\n * Computes the
positive square root of the value [x].\n\n * \n\n * Special cases:\n\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n\n
*\n\n@SinceKotlin("1.2")\n\npublic expect fun sqrt(x: Double): Double\n\n\n/** \n\n * Computes Euler's number `e`
raised to the power of the value [x].\n\n * \n\n * Special cases:\n\n * - `exp(NaN)` is `NaN`\n\n * - `exp(+Inf)` is `+Inf`\n\n
* - `exp(-Inf)` is `0.0`\n\n *\n\n@SinceKotlin("1.2")\n\npublic expect fun exp(x: Double): Double\n\n\n/** \n\n *

```

Computes  $\exp(x) - 1$ .  
 \* This function can be implemented to produce more precise result for [x] near zero.  
 \* Special cases:  
 \*  $\expm1(\text{NaN})$  is  $\text{NaN}$   
 \*  $\expm1(+\text{Inf})$  is  $+\text{Inf}$   
 \*  $\expm1(-\text{Inf})$  is  $-1.0$   
 \* @see [exp] function.  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun expm1(x: Double): Double  
 \*  
 \* Computes the logarithm of the value [x] to the given [base].  
 \* Special cases:  
 \*  $\log(x, b)$  is  $\text{NaN}$  if either  $x$  or  $b$  are  $\text{NaN}$   
 \*  $\log(x, b)$  is  $\text{NaN}$  when  $x < 0$  or  $b \leq 0$  or  $b == 1.0$   
 \*  $\log(+\text{Inf}, +\text{Inf})$  is  $\text{NaN}$   
 \*  $\log(+\text{Inf}, b)$  is  $+\text{Inf}$  for  $b > 1$  and  $-\text{Inf}$  for  $b < 1$   
 \*  $\log(0.0, b)$  is  $-\text{Inf}$  for  $b > 1$  and  $+\text{Inf}$  for  $b < 1$   
 \* See also logarithm functions for common fixed bases: [ln], [log10] and [log2].  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun log(x: Double, base: Double): Double  
 \*  
 \* Computes the natural logarithm (base 'E') of the value [x].  
 \* Special cases:  
 \*  $\ln(\text{NaN})$  is  $\text{NaN}$   
 \*  $\ln(x)$  is  $\text{NaN}$  when  $x < 0.0$   
 \*  $\ln(+\text{Inf})$  is  $+\text{Inf}$   
 \*  $\ln(0.0)$  is  $-\text{Inf}$   
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun ln(x: Double): Double  
 \*  
 \* Computes the common logarithm (base 10) of the value [x].  
 \* @see [ln] function for special cases.  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun log10(x: Double): Double  
 \*  
 \* Computes the binary logarithm (base 2) of the value [x].  
 \* @see [ln] function for special cases.  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun log2(x: Double): Double  
 \*  
 \* Computes  $\ln(x + 1)$ .  
 \* This function can be implemented to produce more precise result for [x] near zero.  
 \* Special cases:  
 \*  $\ln1p(\text{NaN})$  is  $\text{NaN}$   
 \*  $\ln1p(x)$  is  $\text{NaN}$  where  $x < -1.0$   
 \*  $\ln1p(-1.0)$  is  $-\text{Inf}$   
 \*  $\ln1p(+\text{Inf})$  is  $+\text{Inf}$   
 \* @see [ln] function  
 \* @see [expm1] function  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun ln1p(x: Double): Double  
 \*  
 \* Rounds the given value [x] to an integer towards positive infinity.  
 \* @return the smallest double value that is greater than or equal to the given value [x] and is a mathematical integer.  
 \* Special cases:  
 \*  $\text{ceil}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun ceil(x: Double): Double  
 \*  
 \* Rounds the given value [x] to an integer towards negative infinity.  
 \* @return the largest double value that is smaller than or equal to the given value [x] and is a mathematical integer.  
 \* Special cases:  
 \*  $\text{floor}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun floor(x: Double): Double  
 \*  
 \* Rounds the given value [x] to an integer towards zero.  
 \* @return the value [x] having its fractional part truncated.  
 \* Special cases:  
 \*  $\text{truncate}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun truncate(x: Double): Double  
 \*  
 \* Rounds the given value [x] towards the closest integer with ties rounded towards even integer.  
 \* Special cases:  
 \*  $\text{round}(x)$  is  $x$  where  $x$  is  $\text{NaN}$  or  $+\text{Inf}$  or  $-\text{Inf}$  or already a mathematical integer.  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun round(x: Double): Double  
 \*  
 \* Returns the absolute value of the given value [x].  
 \* Special cases:  
 \*  $\text{abs}(\text{NaN})$  is  $\text{NaN}$   
 \* @see absoluteValue extension property for [Double]  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun abs(x: Double): Double  
 \*  
 \* Returns the sign of the given value [x]:  
 \*  $-1.0$  if the value is negative,  
 \* zero if the value is zero,  
 \*  $1.0$  if the value is positive  
 \* Special case:  
 \*  $\text{sign}(\text{NaN})$  is  $\text{NaN}$   
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun sign(x: Double): Double  
 \*  
 \* Returns the smaller of two values.  
 \* If either value is  $\text{NaN}$ , then the result is  $\text{NaN}$ .  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun min(a: Double, b: Double): Double  
 \*  
 \* Returns the greater of two values.  
 \* If either value is  $\text{NaN}$ , then the result is  $\text{NaN}$ .  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun max(a: Double, b: Double): Double  
 \*  
 \* Raises this value to the power [x].  
 \* Special cases:  
 \*  $b.\text{pow}(0.0)$  is  $1.0$   
 \*  $b.\text{pow}(1.0) == b$   
 \*  $b.\text{pow}(\text{NaN})$  is  $\text{NaN}$   
 \*  $\text{NaN}.\text{pow}(x)$  is  $\text{NaN}$  for  $x != 0.0$   
 \*  $b.\text{pow}(\text{Inf})$  is  $\text{NaN}$  for  $\text{abs}(b) == 1.0$   
 \*  $b.\text{pow}(x)$  is  $\text{NaN}$  for  $b < 0$  and  $x$  is finite and not an integer  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun Double.pow(x: Double): Double  
 \*  
 \* Raises this value to the integer power [n].  
 \* See the other overload of [pow] for details.  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect fun Double.pow(n: Int): Double  
 \*  
 \* Returns the absolute value of this value.  
 \* Special cases:  
 \*  $\text{NaN}.\text{absoluteValue}$  is  $\text{NaN}$   
 \* @see abs function  
 \*  
 \* Since Kotlin("1.2")  
 \* public expect val Double.absoluteValue: Double  
 \*  
 \* Returns the sign of this value:  
 \*  $-1.0$  if the value is negative,  
 \* zero if the value is zero,  
 \*  $1.0$  if the value is positive  
 \* Special case:  
 \*  $\text{NaN}.\text{sign}$  is  $\text{NaN}$   
 \*  
 \* Since Kotlin("1.2")  
 \* public expect val Double.sign: Double  
 \*  
 \* Returns this value with the sign bit



`Inf)` is `-1.0`.  
`@SinceKotlin("1.2")` public expect fun `tanh(x: Float): Float` Computes the inverse hyperbolic sine of the value `[x]`. The returned value is `y` such that `sinh(y) == x`. Special cases: `asinh(NaN)` is `NaN` - `asinh(+Inf)` is `+Inf` - `asinh(-Inf)` is `-Inf`.

`@SinceKotlin("1.2")` public expect fun `asinh(x: Float): Float` Computes the inverse hyperbolic cosine of the value `[x]`. The returned value is positive `y` such that `cosh(y) == x`. Special cases: `acosh(NaN)` is `NaN` - `acosh(x)` is `NaN` when `x < 1` - `acosh(+Inf)` is `+Inf`.

`@SinceKotlin("1.2")` public expect fun `acosh(x: Float): Float` Computes the inverse hyperbolic tangent of the value `[x]`. The returned value is `y` such that `tanh(y) == x`. Special cases: `tanh(NaN)` is `NaN` - `tanh(x)` is `NaN` when `x > 1` or `x < -1` - `tanh(1.0)` is `+Inf` - `tanh(-1.0)` is `-Inf`.

`@SinceKotlin("1.2")` public expect fun `atanh(x: Float): Float` Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow. Special cases: - returns `+Inf` if any of arguments is infinite - returns `NaN` if any of arguments is `NaN` and the other is not infinite.

`@SinceKotlin("1.2")` public expect fun `hypot(x: Float, y: Float): Float` Computes the positive square root of the value `[x]`. Special cases: `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`.

`@SinceKotlin("1.2")` public expect fun `sqrt(x: Float): Float` Computes Euler's number `e` raised to the power of the value `[x]`. Special cases: `exp(NaN)` is `NaN` - `exp(+Inf)` is `+Inf` - `exp(-Inf)` is `0.0`.

`@SinceKotlin("1.2")` public expect fun `exp(x: Float): Float` Computes `exp(x) - 1`. This function can be implemented to produce more precise result for `[x]` near zero. Special cases: `expm1(NaN)` is `NaN` - `expm1(+Inf)` is `+Inf` - `expm1(-Inf)` is `-1.0`. @see `[exp]` function.

`@SinceKotlin("1.2")` public expect fun `expm1(x: Float): Float` Computes the logarithm of the value `[x]` to the given `[base]`. Special cases: `log(x, b)` is `NaN` if either `x` or `b` are `NaN` - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0` - `log(+Inf, +Inf)` is `NaN` - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1` - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`. See also logarithm functions for common fixed bases: `[ln]`, `[log10]` and `[log2]`.

`@SinceKotlin("1.2")` public expect fun `log(x: Float, base: Float): Float` Computes the natural logarithm (base `E`) of the value `[x]`. Special cases: `ln(NaN)` is `NaN` - `ln(x)` is `NaN` when `x < 0.0` - `ln(+Inf)` is `+Inf` - `ln(0.0)` is `-Inf`.

`@SinceKotlin("1.2")` public expect fun `ln(x: Float): Float` Computes the common logarithm (base 10) of the value `[x]`. @see `[ln]` function for special cases.

`@SinceKotlin("1.2")` public expect fun `log10(x: Float): Float` Computes the binary logarithm (base 2) of the value `[x]`. @see `[ln]` function for special cases.

`@SinceKotlin("1.2")` public expect fun `log2(x: Float): Float` Computes `ln(a + 1)`. This function can be implemented to produce more precise result for `[x]` near zero. Special cases: `ln1p(NaN)` is `NaN` - `ln1p(x)` is `NaN` where `x < -1.0` - `ln1p(-1.0)` is `-Inf` - `ln1p(+Inf)` is `+Inf`. @see `[ln]` function @see `[expm1]` function.

`@SinceKotlin("1.2")` public expect fun `ln1p(x: Float): Float` Rounds the given value `[x]` to an integer towards positive infinity. @return the smallest `Float` value that is greater than or equal to the given value `[x]` and is a mathematical integer. Special cases: `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`@SinceKotlin("1.2")` public expect fun `ceil(x: Float): Float` Rounds the given value `[x]` to an integer towards negative infinity. @return the largest `Float` value that is smaller than or equal to the given value `[x]` and is a mathematical integer. Special cases: `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`@SinceKotlin("1.2")` public expect fun `floor(x: Float): Float` Rounds the given value `[x]` to an integer towards zero. @return the value `[x]` having its fractional part truncated. Special cases: `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`@SinceKotlin("1.2")` public expect fun `truncate(x: Float): Float` Rounds the given value `[x]` towards the closest integer with ties rounded towards even integer. Special cases: `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`@SinceKotlin("1.2")` public expect fun `round(x: Float): Float` Returns the absolute value of the given value `[x]`. Special cases: `abs(NaN)` is `NaN`. @see `absoluteValue` extension property for `[Float]`.

`*\n@SinceKotlin("1.2")\npublic expect fun abs(x: Float): Float\n\n**\n * Returns the sign of the given value [x]:\n * -`-1.0` if the value is negative,\n * - zero if the value is zero,\n * -`1.0` if the value is positive\n *\n * Special case:\n * -`sign(NaN)` is `NaN`\n *\n@SinceKotlin("1.2")\npublic expect fun sign(x: Float): Float\n\n\n**\n * Returns the smaller of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n *\n@SinceKotlin("1.2")\npublic expect fun min(a: Float, b: Float): Float\n\n**\n * Returns the greater of two values.\n *\n * If either value is `NaN`, then the result is `NaN`.\n *\n@SinceKotlin("1.2")\npublic expect fun max(a: Float, b: Float): Float\n\n// extensions\n\n**\n * Raises this value to the power [x].\n *\n * Special cases:\n * -`b.pow(0.0)` is `1.0`\n * -`b.pow(1.0) == b`\n * -`b.pow(NaN)` is `NaN`\n * -`NaN.pow(x)` is `NaN` for `x != 0.0`\n * -`b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * -`b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n *\n@SinceKotlin("1.2")\npublic expect fun Float.pow(x: Float): Float\n\n**\n * Raises this value to the integer power [n].\n *\n * See the other overload of [pow] for details.\n *\n@SinceKotlin("1.2")\npublic expect fun Float.pow(n: Int): Float\n\n**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * -`NaN.absoluteValue` is `NaN`\n *\n * @see abs function\n *\n@SinceKotlin("1.2")\npublic expect val Float.absoluteValue: Float\n\n**\n * Returns the sign of this value:\n * -`-1.0` if the value is negative,\n * - zero if the value is zero,\n * -`1.0` if the value is positive\n *\n * Special case:\n * -`NaN.sign` is `NaN`\n *\n@SinceKotlin("1.2")\npublic expect val Float.sign: Float\n\n**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n * If [sign] is `NaN` the sign of the result is undefined.\n *\n@SinceKotlin("1.2")\npublic expect fun Float.withSign(sign: Float): Float\n\n**\n * Returns this value with the sign bit same as of the [sign] value.\n *\n@SinceKotlin("1.2")\npublic expect fun Float.withSign(sign: Int): Float\n\n\n**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n *\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * -`x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * -`x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n *\n@SinceKotlin("1.2")\npublic expect fun Float.roundToInt(): Int\n\n**\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\n *\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * -`x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * -`x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n *\n@SinceKotlin("1.2")\npublic expect fun Float.roundToLong(): Long\n\n\n// endregion\n\n**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * -`abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Int]\n *\n@SinceKotlin("1.2")\npublic expect fun abs(n: Int): Int\n\n\n**\n * Returns the smaller of two values.\n *\n@SinceKotlin("1.2")\npublic expect fun min(a: Int, b: Int): Int\n\n\n**\n * Returns the greater of two values.\n *\n@SinceKotlin("1.2")\npublic expect fun max(a: Int, b: Int): Int\n\n\n**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * -`Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n *\n@SinceKotlin("1.2")\npublic expect val Int.absoluteValue: Int\n\n\n**\n * Returns the sign of this value:\n * -`-1` if the value is negative,\n * -`0` if the value is zero,\n * -`1` if the value is positive\n *\n@SinceKotlin("1.2")\npublic expect val Int.sign: Int\n\n\n\n**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * -`abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension property for [Long]\n *\n@SinceKotlin("1.2")\npublic expect fun abs(n: Long): Long\n\n\n**\n * Returns the smaller of two values.\n *\n@SinceKotlin("1.2")\npublic expect fun min(a: Long, b: Long): Long\n\n\n**\n * Returns the greater of two values.\n *\n@SinceKotlin("1.2")\npublic expect fun max(a: Long, b: Long): Long\n\n\n**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * -`Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n *\n@SinceKotlin("1.2")\npublic expect val Long.absoluteValue: Long\n\n\n**\n * Returns the sign of this value:\n * -`-1` if the value is negative,\n * -`0` if the value is zero,\n * -`1` if the value is positive\n *\n@SinceKotlin("1.2")\npublic expect val Long.sign: Int\n\n\n// endregion\n\n", "names": [], "mappings": "AAWC,CAXA,yB;EACG,IAAI,OAAO,MAAO,KAAI,UAAW,IAAG,MAA`

M,IAA1C,C;IACI,MAAM,CAAC,QAAD,EA AW,CAAC,SAAD,CAAX,EA AwB,OA AxB,C;SAEL,IAAI,OAAO,OAAQ,KAAI,QAAvB,C;IACD,OAAO,CAAC,MAAM,QAAP,C;;IAGP,IAAI,OAAQ,GAAE,E;IACd,OAAO,CAAC,IAAI,OAAL,C;;CAEd,CAAC,IAAD,EAAO,kB;EACJ,IAAI,IAAI,M;ECPZ,MAAM,eAAgB,GAAE,a;IACpB,OA AoD,CAA5C,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAE,YAAW,SAAW,KAAG,CAAC,OAAQ,KAAI,c;G ;EAGxE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,SAAU,IAAG,CAAC,OAAQ,KAAI,c;G;EAGID,M AAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,U;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,Y AAW,WAA Y,IAAG,CAAC,OAAQ,KAAI,W;G;EAGpD,MAAM,WAA Y,GAAE,a;IACbB,OAAO,CAAE,YAAW, U;G;EAGxB,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,Y;G;EAGxB,MAAM,cAAe,GAAE,a;IACnB,O AAO,CAAE,YAAW,Y;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI,IA AG,CAAC,OAAQ,KAAI,W;G;EAG5C,MAAM,QAAS,GAAE,a;IACb,OAAO,KAAK,QAAQ,CAAC,CAAD,CAA I,IAAG,CAAC,CAAC,O;G;EAGjC,MAAM,WAA Y,GAAE,a;IACbB,OAAO,KAAK,QAAQ,CAAC,CAAD,CAAI, IAAG,WAAW,OAAO,CAAC,CAAD,C;G;EAGjD,MAAM,cAAe,GAAE,a;IACnB,IAAI,CAAE,KAAI,IAAV,C;M AAgB,OAAO,M;IACvB,IAAI,WAAW,MAAM,YAA Y,CAAC,CAAD,CAAI,GAAE,MAAM,aAAR,GAAwB,MA AM,S;IACnE,OAAO,GA AI,GAAE,KAAK,UAAU,IAAI,KAAK,CAAC,CAAD,EAAI,a;MAAc,OAAO,QAAQ,CA AC,CAAD,C;KAAjC,CAAwC,KAAK,CAAC,IAAD,CAA O,GAAE,G;G;EAG/F,MAAM,kBAAmB,GAAE,e;IACv B,OAAO,MAAM,OAAO,YAA Y,wBAAwB,CAAC,GAAD,C;G;EAG5D,MAAM,YAAa,GAAE,gB;IACjB,IAAI,C AAE,KAAI,CAAV,C;MACI,OAAO,I;KAEX,IAAI,CAAE,KAAI,IAAK,IAAG,CAAE,KAAI,IAAK,IAAG,CAAC, MAAM,WAAW,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAI,CAAC,OA AvE,C;MACI,OAAO,K;KAGX,KA AK,IAAI,IAAI,CAAR,EA AW,IAAI,CAAC,OA ArB,EAA8B,CAAE,GAAE,CAAIC,EAAqC,CAAC,EAAtC,C;MA CI,IAAI,CAAC,MAAM,OAAO,CAAC,CAAC,CAAC,CAAD,CAAF,EAAO,CAAC,CAAC,CAAD,CAAR,CAAI B ,C;QACI,OAAO,K;;IAGf,OAAO,I;G;EAGX,MAAM,gBAAiB,GAAE,gB;IACrB,OAAO,MAAM,OAAO,YAA Y,s BAAsB,CAAC,CAAD,EAAI,CAAJ,C;G;EAGID,MAAM,cAAe,GAAE,e;IACnB,IAAI,GA AI,KAAI,IAAZ,C;MA AkB,OAAO,C;IACzB,IAAI,SAAS,C;IACb,KAAK,IAAI,IAAI,CAAR,EA AW,IAAI,GAAG,OA AvB,EAAgC,CAA E,GAAE,CAApC,EAAuC,CAAC,EA AxC,C;MACI,MAAO,GAAqB,CAAjB,EAA G,GAAE,MAAO,GAAE,CAAG ,IAAE,MAAM,SAAS,CAAC,GAAG,CAAC,CAAD,CAAJ,CAAU,GAAE,C;;IAE7D,OAAO,M;G;EAGX,MAAM, kBAAmB,GAAE,e;IACvB,OAAO,MAAM,OAAO,YAA Y,wBAAwB,CAAC,GAAD,C;G;EAG5D,MAAM,mBAA oB,GAAE,iB;IACxB,KAAK,KAAK,CAAC,MAAM,gBAAP,C;G;ECpFd,MAAM,eAAgB,GAAE,mB;IACpB,CA AC,aAAc,GAAE,I;IACjB,OAAO,C;G;EAGX,MAAM,uBAAwB,GAAE,4C;IAC5B,MAAM,IAAK,GAAE,M;IAC b,MAAM,IAAK,GAAE,M;IACb,MAAM,aAAc,GAAE,I;IACtB,OAAO,mBAAmB,CAAC,MAAD,EAAS,MAAT, EAAiB,6BAA6B,CAAC,UAAD,CAA9C,C;G;EAG9B,iD;IACI,GAAG,WAA Y,GAAE,sBAAsB,CAAC,OAAO,M AAO,KAAI,UAAW,GAAE,KAAK,QAAP,GA AkB,KAAK,UAArD,C;IACvC,GAAG,YAAa,GAAE,G;IACIB,OA AO,G;G;EAGX,IAAI,gCAAqC,CACc,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,k B;GADvB,CADb,aAIe,QAAS,IAAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CADgC ,EAShC,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,kB;GADvB,CADb,aAIe,QAAS,I AAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CATgC,C;EAmBpC,uC;IACI,IAAI,KA AK,MAAO,KAAI,IAApB,C;MACI,KAAK,MAAO,GAAE,aACE,CAAC,KAAK,qBAAqB,EAA3B,CADF,aAEC,I AFD,aAGC,EAHD,cAIE,EAJF,SAKH,EALG,iBAMK,EANL,C;KASIB,OAAO,KAAK,M;G;EChDhB,MAAM,QA AS,GAAE,a;IACb,OAAoB,CAAZ,CAAE,GAAE,KAAQ,KAAG,EAAG,IAAG,E;G;EAGjC,MAAM,OAAQ,GAA E,a;IACZ,OA AkB,CAAV,CAAE,GAAE,GAAM,KAAG,EAAG,IAAG,E;G;EAG/B,MAAM,OAAQ,GAAE,a;IAC Z,OAAO,CAAE,GAAE,K;G;EAGf,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,MAAM,KAAM,GAAE, CAAF,GAAM,MAAM,KAAK,WAAW,CAAC,CAAD,C;G;EAGhE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE ,YAAW,MAAM,KAAM,GAAE,CAAC,MAAM,EAAT,GAAc,MAAM,YAA Y,CAAC,CAAD,C;G;EAGpE,MAA M,cAAe,GAAE,a;IACnB,OAAO,MAAM,QAAQ,CAAC,MAAM,YAA Y,CAAC,CAAD,CAAnB,C;G;EAGzB,MA AM,aAAc,GAAE,a;IACIB,OAAO,MAAM,OAAO,CAAC,MAAM,YAA Y,CAAC,CAAD,CAAnB,C;G;EAGxB,M AAM,eAAgB,GAAE,a;IACpB,OAAO,CAAC,C;G;EAGZ,MAAM,aAAc,GAAE,a;IACIB,OAAO,MAAM,OAAO, CAAC,MAAM,YAA Y,CAAC,CAAD,CAAnB,C;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,GAAE,U AAR,C;MAAoB,OAAO,U;IAC3B,IAAI,CAAE,GAAE,WAAR,C;MAAqB,OAAO,W;IAC5B,OAAO,CAAE,GAA E,C;G;EAGf,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,IAAI,CAAE,Y

AAW,MAAM,UAAvB,C;MAAmC,OAAO,C;IAC1C,OAAO,IAAI,MAAM,UAAV,CAAqB,CAArB,C;G;EAGX,M  
AAM,UAAW,GAAE,a;IACf,IAAI,CAAe,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,OAAO,MAAM,OAAO,CAAC,  
CAAD,C;G;ECIDxB,MAAM,OAAQ,GAAE,sB;IACZ,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,IAAK,IAAG,I;K  
AGnB,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,K;KAGX,IAAI,IAAK,KAAL,IAAb,C;MACI,OAAO,IAAK,KAA  
LI;KAGpB,IAAI,OAAO,IAAK,KAAL,QAAS,IAAG,OAAO,IAAI,OAAQ,KAAL,UAAvD,C;MACI,OAAO,IAAI,O  
AAO,CAAC,IAAD,C;KAGtB,IAAI,OAAO,IAAK,KAAL,QAAS,IAAG,OAAO,IAAK,KAAL,QAahD,C;MACI,OA  
AO,IAAK,KAAL,IAAK,KAAL,IAAK,KAAL,CAAe,IAAG,CAAe,GAAE,IAAK,KAAL,CAAe,GAAE,IAAnC,C;K  
AGzB,OAAO,IAAK,KAAL,I;G;EAGpB,MAAM,SAAU,GAAE,e;IACd,IAAI,GAAL,IAAG,IAAX,C;MACI,OAAO,  
C;KAEX,IAAI,UAAU,OAAO,G;IACrB,IAAI,QAAS,KAAL,OAAjB,C;MACI,OAAO,UAAW,KAAL,OAAO,GAA  
G,SAAU,GAAE,GAAG,SAAS,EAAd,GAAMb,iBAAiB,CAAC,GAAD,C;KAEIF,IAAI,UAAW,KAAL,OAAnB,C;  
MACI,OAAO,iBAAiB,CAAC,GAAD,C;KAE5B,IAAI,QAAS,KAAL,OAAjB,C;MACI,OAAO,MAAM,eAAe,CAA  
C,GAAD,C;KAEhC,IAAI,SAAU,KAAL,OAAIB,C;MACI,OAAO,MAAM,CAAC,GAAD,C;KAGjB,IAAI,MAAM,  
MAAM,CAAC,GAAD,C;IACHb,OAAO,iBAAiB,CAAC,GAAD,C;G;EAI5B,MAAM,SAAU,GAAE,a;IACd,IAAI,  
CAAe,IAAG,IAAT,C;MACI,OAAO,M;WAEN,IAAI,MAAM,WAAW,CAAC,CAAD,CAArB,C;MACD,OAAO,O  
;;MAGP,OAAO,CAAC,SAAS,E;;G;EAKzB,IAAI,WAAW,a;EAGf,IAAI,iCAAiC,sB;EAErC,gC;IACI,IAAI,EAEE  
,8BAA+B,IAAG,GAAPC,CAAJ,C;MACI,IAAI,OAAQ,IAAI,OAAO,EAAG,GAAE,QAAU,GAAE,C;MACxC,MA  
AM,eAAe,CAAC,GAAD,EAAM,8BAAN,EAAsC,QAAU,IAAV,cAA4B,KAA5B,CAAtC,C;KAEzB,OAAO,GAA  
G,CAAC,8BAAD,C;G;EAGd,gC;IACI,IAAI,OAAO,C;IACX,KAAK,IAAI,IAAI,CAAb,EAAGb,CAAe,GAAE,G  
AAG,OAAvB,EAAGC,CAAC,EAajC,C;MACI,IAAI,OAAQ,GAAG,WAAW,CAAC,CAAD,C;MAC1B,IAAM,G  
AAG,IAAK,GAAE,EAAG,GAAE,IAAM,GAAE,C;;IAEjC,OAAO,I;G;EAGX,MAAM,iBAakB,GAAE,iB;EC9C1  
B,MAAM,KAAM,GAAE,qB;IAKZ,IAAI,KAAM,GAAE,GAAL,GAAE,C;IAMIB,IAAI,MAAO,GAAE,IAAK,GA  
AE,C;G;EAGtB,MAAM,KAAK,WAAW,GAAE,OACf,OADe,cAET,MAFS,cAGV,EAHU,C;EAgBzB,MAAM,KA  
AK,UAAW,GAAE,E;EAQxB,MAAM,KAAK,QAAS,GAAE,iB;IACpB,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,  
GAAE,GAA7B,C;MACE,IAAI,YAAY,MAAM,KAAK,UAAU,CAAC,KAAD,C;MACrC,IAAI,SAAJ,C;QACE,O  
AAO,S;QAIX,IAAI,MAAM,IAAI,MAAM,KAAV,CAAGb,KAAM,GAAE,CAAxB,EA2B,KAAM,GAAE,CAAe  
,GAAE,EAaf,GAAO,CAA5C,C;IACV,IAAI,IAAK,IAAG,KAAM,IAAG,KAAM,GAAE,GAA7B,C;MACE,MAA  
M,KAAK,UAAU,CAAC,KAAD,CAAQ,GAAE,G;KAEjC,OAAO,G;G;EAYT,MAAM,KAAK,WAAW,GAAE,iB;I  
ACvB,IAAI,KAAK,CAAC,KAAD,CAAT,C;MACE,OAAO,MAAM,KAAK,K;WACb,IAAI,KAAM,IAAG,CAAC,  
MAAM,KAAK,gBAAzB,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAe,IAAG,MAAM,  
KAAK,gBAA5B,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAM,GAAE,CAAZ,C;MACL,OAAO,MAA  
M,KAAK,WAAW,CAAC,CAAC,KAaf,CAAQ,OAAO,E;;MAE5C,OAAO,IAAI,MAAM,KAAV,CACf,KAAM,  
GAAE,MAAM,KAAK,gBAakB,GAAE,CADrC,EAef,KAAM,GAAE,MAAM,KAAK,gBAakB,GAAE,CAFrC,C  
;;G;EAcX,MAAM,KAAK,SAAU,GAAE,6B;IACrB,OAAO,IAAI,MAAM,KAAV,CAAGb,OAahB,EAayB,QAAz  
B,C;G;EAWT,MAAM,KAAK,WAAW,GAAE,0B;IACvB,IAAI,GAAG,OAAQ,IAAG,CAAIB,C;MACE,MAAM,K  
AAK,CAAC,mCAAD,C;KAGb,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAe,IAAG,EAAG,G  
AAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA1B,C;KAGb,IAAI,GAAG,OAAO,CAAC,C  
AAD,CAAI,IAAG,GAARb,C;MACE,OAAO,MAAM,KAAK,WAAW,CAAC,GAAG,UAAU,CAAC,CAAD,CAAd  
,EAAMb,KAAAnB,CAAyB,OAAO,E;WACxD,IAAI,GAAG,QAAQ,CAAC,GAAD,CAAM,IAAG,CAAxB,C;MAC  
L,MAAM,KAAK,CAAC,+CAAgD,GAAE,GAAnD,C;KAKb,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IA  
AI,CAAC,KAAD,EAaQ,CAAR,CAAT,C;IAEzC,IAAI,SAAS,MAAM,KAAK,K;IACxB,KAAK,IAAI,IAAI,CAA  
b,EAAGb,CAAe,GAAE,GAAG,OAAvB,EAAGC,CAAe,IAAG,CAArC,C;MACE,IAAI,OAAO,IAAI,IAAI,CAAC  
,CAAD,EAAL,GAAG,OAAQ,GAAE,CAAjB,C;MACnB,IAAI,QAAQ,QAAQ,CAAC,GAAG,UAAU,CAAC,CAA  
D,EAAL,CAAe,GAAE,IAAR,CAAd,EA6B,KAA7B,C;MACpB,IAAI,IAAK,GAAE,CAAX,C;QACE,IAAI,QAA  
Q,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAaQ,IAAR,CAAT,C;QACIC,MAAO,GAAE,MAA  
M,SAAS,CAAC,KAAD,CAAO,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAAvB,C;;QAEnc,MAAO,  
GAAE,MAAM,SAAS,CAAC,YAAD,C;QACxB,MAAO,GAAE,MAAM,IAAI,CAAC,MAAM,KAAK,WAAW,CA  
AC,KAAD,CAAvB,C;;IAGvB,OAAO,M;G;EAcT,MAAM,KAAK,gBAAiB,GAAE,CAAe,IAAG,E;EAOnC,MA  
AM,KAAK,gBAAiB,GAAE,CAAe,IAAG,E;EAOnC,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,

GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBAaIB,GACxB,MAAM,KAAK,gBAaIB,GAAE,C;EAOIC,MAAM,KAAK,gBAaIB,GACxB,MAAM,KAAK,gBAaIB,GAAE,MAAM,KAAK,gB;EAO7C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAaIB,GAAE,C;EAIIC,MAAM,KAAK,KAAM,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAIIC,MAAM,KAAK,IAAK,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAIrC,MAAM,KAAK,QAAS,GAAE,MAAM,KAAK,QAAQ,CAAC,EAAD,C;EAIzC,MAAM,KAAK,UAAW,GACIB,MAAM,KAAK,SAAS,CAAC,aAAW,GAAE,CAAd,EAAiB,UAAW,GAAE,CAA9B,C;EAIxB,MAAM,KAAK,UAAW,GAAE,MAAM,KAAK,SAAS,CAAC,CAAD,EAAI,aAAW,GAAE,CAAjB,C;EAO5C,MAAM,KAAK,YAAa,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAe,IAAG,EAAN,C;EAI7C,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAO,IAAI,K;G;EAKb,MAAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,MAAM,KAAK,gBAaIB,GACzC,IAAI,mBAAmB,E;G;EAIhC,MAAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,IAAI,K;G;EAIqB,MAAM,KAAK,UAAU,SAAU,GAAE,qB;IAC/B,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAe,IAAG,EAAG,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAaIB,GAAE,KAAIB,C;KAGb,IAAI,IAAI,OAAO,EAaf,C;MACE,OAAO,G;KAGT,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;QAGE,IAAI,YAAy,MAAM,KAAK,WAAW,CAAC,KAAD,C;QACtC,IAAI,MAAM,IAAI,IAAI,CAAC,SAAD,C;QACIB,IAAI,MAAM,GAAG,SAAS,CAAC,SAAD,CAAW,SAAS,CAAC,IAAD,C;QACIC,OAAO,GAAG,SAAS,CAAC,KAAD,CAAQ,GAAE,GAAG,MAAM,EAae,SAAS,CAAC,KAAD,C;;QAEjD,OAAO,GAAI,GAAE,IAAI,OAAO,EAae,SAAS,CAAC,KAAD,C;;KAMvC,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAaQ,CAAR,CAAT,C;IAEzC,IAAI,MAAM,I;IACV,IAAI,SAAS,E;IACb,OAAO,IAAP,C;MACE,IAAI,SAAS,GAAG,IAAI,CAAC,YAAD,C;MACpB,IAAI,SAAS,GAAG,SAAS,CAAC,MAAM,SAAS,CAAC,YAAD,CAAhB,CAA+B,MAAM,E;MAC9D,IAAI,SAAS,MAAM,SAAS,CAAC,KAAD,C;MAE5B,GAAI,GAAE,M;MACN,IAAI,GAAG,OAAO,EAAd,C;QACE,OAAO,MAAO,GAAE,M;;QAEhB,OAAO,MAAM,OAAQ,GAAE,CAAvB,C;UACE,MAAO,GAAE,GAAI,GAAE,M;;QAEjB,MAAO,GAAE,EAAG,GAAE,MAAO,GAAE,M;;G;EAO7B,MAAM,KAAK,UAAU,YAAa,GAAE,Y;IACIC,OAAO,IAAI,M;G;EAKb,MAAM,KAAK,UAAU,WAAy,GAAE,Y;IACjC,OAAO,IAAI,K;G;EAKb,MAAM,KAAK,UAAU,mBAaIB,GAAE,Y;IACzC,OAAQ,IAAI,KAAM,IAAG,CAAG,GACpB,IAAI,KADgB,GACR,MAAM,KAAK,gBAaIB,GAAE,IAAI,K;G;EAIQpD,MAAM,KAAK,UAAU,cAAe,GAAE,Y;IACpC,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;QACE,OAAO,E;;QAEp,OAAO,IAAI,OAAO,EAae,cAAc,E;;MAGpC,IAAI,MAAM,IAAI,MAAO,IAAG,CAAe,GAAE,IAAI,MAAN,GAAe,IAAI,K;MAC7C,KAAK,IAAI,MAAM,EAaf,EAAMB,GAAI,GAAE,CAAzB,EA4B,GAAG,EAAB/C;QACE,IAAuB,CAAIB,GAAI,GAAG,CAAe,IAAG,GAAM,KAAG,CAAIB,C;UACE,K;;MAGJ,OAAO,IAAI,MAAO,IAAG,CAAe,GAAE,GAAI,GAAE,EAAR,GAaa,GAAI,GAAE,C;;G;EAM9C,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,OAAO,IAAI,MAAO,IAAG,CAAe,IAAG,IAAI,KAAM,IAAG,C;G;EAKzC,MAAM,KAAK,UAAU,WAAy,GAAE,Y;IACjC,OAAO,IAAI,MAAO,GAAE,C;G;EAKtB,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAuB,CAAf,IAAI,KAAM,GAAE,CAAG,KAAAG,C;G;EAQ5B,MAAM,KAAK,UAAU,WAAy,GAAE,iB;IACjC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,cAAe,GAAE,iB;IACpC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,gBAaIB,GAAE,iB;IACtC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,YAAa,GAAE,iB;IACIC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,mBAaIB,GAAE,iB;IACzC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAUhC,MAAM,KAAK,UAAU,QAAS,GAAE,iB;IAC9B,IAAI,IAAI,WAAW,CAAC,KAAD,CAAnB,C;MACE,OAAO,C;KAGT,IAAI,UAAU,IAAI,WAAW,E;IAC7B,IAAI,WAAW,KAAK,WAAW,E;IAC/B,IAAI,OAAQ,IAAG,CAAC,QAaHb,C;MACE,OAAO,E;KAET,IAAI,CAAC,OAAQ,IAAG,QAaHb,C;MACE,OAAO,C;KAIT,IAAI,IAAI,SAAS,CAAC,KAAD,CAAO,WAAW,EAAnC,C;MACE,OAAO,E;;MAEP,OAAO,C;;G;EAMX,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,OAAO,MAAM,KAAK,U;;MAEIB,OAAO,IAAI,IAAI,EAae,IAAI,CAAC,MAAM,KAAK,IAAZ,C;;G;EAUzB,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAGIB,IAAI,MAAM,IAAI,MAAO,KAaI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAaI,E;I

ACxB,IAAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,K  
AAK,MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAA  
E,K;IAEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAsB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GA  
AI,IAAG,GAAI,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GA  
AE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,I  
AAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,K;IACP,OAAO  
,MAAM,KAAK,SAAS,CAAE,GAAL,IAAG,EAAL,GAAE,GAAf,EAAqB,GAAL,IAAG,EAAL,GAAE,GAAIC,C;G;  
EAS7B,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,C;G;EA  
SjB,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,IAAI,IAAI,OAAO,EAaf,C;MACE,OAAO,MAAM,KAAK,K  
;WACb,IAAI,KAAK,OAAO,EAahB,C;MACL,OAAO,MAAM,KAAK,K;KAGpB,IAAI,IAAI,WAAW,CAAC,M  
AAM,KAAK,UAAZ,CAAnB,C;MACE,OAAO,KAAK,MAAM,EAAG,GAAE,MAAM,KAAK,UAAb,GAA0B,M  
AAM,KAAK,K;WACrD,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO,IAAI,M  
AAM,EAAG,GAAE,MAAM,KAAK,UAAb,GAA0B,MAAM,KAAK,K;KAG3D,IAAI,IAAI,WAAW,EAAnB,C;M  
ACE,IAAI,KAAK,WAAW,EAapB,C;QACE,OAAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAK,OAAO,EAAb,C;;  
QAE7B,OAAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,CAAO,OAAO,E;;WAExC,IAAI,KAAK,WAAW,EAap  
B,C;MACL,OAAO,IAAI,SAAS,CAAC,KAAK,OAAO,EAAb,CAAgB,OAAO,E;KAI7C,IAAI,IAAI,SAAS,CAAC,  
MAAM,KAAK,YAAZ,CAA0B,IACvC,KAAK,SAAS,CAAC,MAAM,KAAK,YAAZ,CADiB,C;MAEE,OAAO,M  
AAM,KAAK,WAAW,CAAC,IAAI,SAAS,EAAG,GAAE,KAAK,SAAS,EAajC,C;KAM/B,IAAI,MAAM,IAAI,M  
AAO,KAAI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;IACxB,I  
AAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,KAAK,  
MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,K;I  
AEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAsB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GAAL,IA  
AG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;I  
ACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,G  
AAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,G  
AAL,IAAG,K;IACP,GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,  
GAAL,IAAG,GAAL,GAAE,G;IACb,GAAL,IAAG,GAAL,KAAI,E;IACf,GAAL,IAAG,K;IACP,GAAL,IAAG,GAAL,  
GAAE,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,GAAL,GAAE,G;IACjD,GAAL,IAA  
G,K;IACP,OAAO,MAAM,KAAK,SAAS,CAAE,GAAL,IAAG,EAAL,GAAE,GAAf,EAAqB,GAAL,IAAG,EAAL,G  
AAE,GAAIC,C;G;EAS7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,IAAI,KAAK,OAAO,EAahB,C;MACE  
,MAAM,KAAK,CAAC,kBAAD,C;WACN,IAAI,IAAI,OAAO,EAaf,C;MACL,OAAO,MAAM,KAAK,K;KAGpB,  
IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,IAAI,KAAK,WAAW,CAAC,MAAM,KAA  
K,IAAZ,CAakB,IACiC,KAAK,WAAW,CAAC,MAAM,KAAK,QAAZ,CADpB,C;QAEe,OAAO,MAAM,KAAK,  
U;aACb,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;QACL,OAAO,MAAM,KAAK,I;;QAGiB,  
IAAI,WAAW,IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QAAQ,IAAI,CAAC,KAAD,CAAO,UAAU,C  
AAC,CAAD,C;QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KAAK,KAAZ,CAArB,C;UACE,OAAO,KAAK,W  
AAW,EAAG,GAAE,MAAM,KAAK,IAAb,GAAoB,MAAM,KAAK,Q;;UAEzD,IAAI,MAAM,IAAI,SAAS,CAAC,  
KAAK,SAAS,CAAC,MAAD,CAaf,C;UACvB,IAAI,SAAS,MAAM,IAAI,CAAC,GAAG,IAAI,CAAC,KAAD,CA  
AR,C;UACvB,OAAO,M;;WAGN,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO  
,MAAM,KAAK,K;KAGpB,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,KAAK,WAAW,EAapB,C;QACE,OAAO  
,IAAI,OAAO,EAAE,IAAI,CAAC,KAAK,OAAO,EAAb,C;;QAExB,OAAO,IAAI,OAAO,EAAE,IAAI,CAAC,KA  
AD,CAAO,OAAO,E;;WAEnC,IAAI,KAAK,WAAW,EAapB,C;MACL,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,  
EAAb,CAAgB,OAAO,E;KAQxC,IAAI,MAAM,MAAM,KAAK,K;IACrB,IAAI,MAAM,I;IACV,OAAO,GAAG,m  
BAAmB,CAAC,KAAD,CAA7B,C;MAGE,IAAI,SAAS,IAAI,IAAI,CAAC,CAAD,EAAL,IAAI,MAAM,CAAC,GA  
AG,SAAS,EAAG,GAAE,KAAK,SAAS,EAahC,CAAd,C;MAIrB,IAAI,OAAO,IAAI,KAAK,CAAC,IAAI,IAAI,C  
AAC,MAAD,CAAS,GAAE,IAAI,IAAxB,C;MACpB,IAAI,QAAS,IAAK,IAAG,EAAL,GAAE,CAAF,GAAM,IAAI  
,IAAI,CAAC,CAAD,EAAL,IAAK,GAAE,EAAX,C;MAIvC,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,MAAD,  
C;MACtC,IAAI,YAAY,SAAS,SAAS,CAAC,KAAD,C;MACiC,OAAO,SAAS,WAAW,EAAG,IAAG,SAAS,YAA

Y,CAAC,GAAD,CAAID,C;QACE,MAAO,IAAG,K;QACV,SAAU,GAAE,MAAM,KAAK,WAAW,CAAC,MAA  
D,C;QACIC,SAAU,GAAE,SAAS,SAAS,CAAC,KAAD,C;;MAKhc,IAAI,SAAS,OAAO,EAAPB,C;QACE,SAAU,  
GAAE,MAAM,KAAK,I;OAGzB,GAAl,GAAE,GAAG,IAAI,CAAC,SAAD,C;MACb,GAAl,GAAE,GAAG,SAAS,  
CAAC,SAAD,C;;IAEPB,OAAO,G;G;EAST,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC7B,OAAO,IAAI,SAAS,  
CAAC,IAAI,IAAI,CAAC,KAAD,CAAO,SAAS,CAAC,KAAD,CAAzB,C;G;EAKtB,MAAM,KAAK,UAAU,IAA  
K,GAAE,Y;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAC,IAAI,KAAN,EAAa,CAAC,IAAI,MAAIB,C;G;E  
AS7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE  
,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,GAAl,GAAE,iB  
;IACzB,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,K  
AAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC  
,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,U  
AAU,UAAW,GAAE,mB;IACHC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;MAEP,IA  
AI,MAAM,IAAI,K;MACd,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,OAAO,IAAI,M;QACf,OAAO,MAAM,KA  
AK,SAAS,CACvB,GAAl,IAAG,OADgB,EAETB,IAAK,IAAG,OAAS,GAAG,GAAl,KAAK,EAAG,GAAE,OAFZ,  
C;;QAI3B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAD,EAAl,GAAl,IAAI,OAAQ,GAAE,EAAtB,C;;;G;EAWjC,  
MAAM,KAAK,UAAU,WAAy,GAAE,mB;IACjC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OA  
AO,I;;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OA  
AO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAl,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,I  
AAG,OAFc,C;;QAI3B,OAAO,MAAM,KAAK,SAAS,CACvB,IAAK,IAAI,OAAQ,GAAE,EADI,EAEvB,IAAK,IA  
AG,CAAE,GAAE,CAAF,GAAM,EAFO,C;;;G;EAejC,MAAM,KAAK,UAAU,mBAaOB,GAAE,mB;IACzC,OAA  
Q,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,  
GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAl,OAAS,G  
AAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,KAAl,OAFc,C;aAGtB,IAAI,OAAQ,IAAG,EAaf,C;QACL  
,OAAO,MAAM,KAAK,SAAS,CAAC,IAAD,EAAO,CAAP,C;;QAE3B,OAAO,MAAM,KAAK,SAAS,CAAC,IAA  
K,KAAK,OAAQ,GAAE,EAARb,EAAOB,CAA1B,C;;;G;EAMjC,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC3B,  
OAAO,KAAM,YAAW,MAAM,KAAM,IAAG,IAAI,WAAW,CAAC,KAAD,C;G;EAG1D,MAAM,KAAK,UAAU,  
gBAaIB,GAAE,MAAM,KAAK,UAAU,Q;EAE7D,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IA  
AI,CAAC,MAAM,KAAK,IAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAA  
I,CAAC,MAAM,KAAK,QAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,QAAS,GAAE,Y;IAC5B,OAAO,IAAI,SAAS  
,E;G;EAGxB,MAAM,KAAK,UAAU,UAAW,GAAE,Y;IAC9B,OAAO,I;G;EAGX,MAAM,KAAK,UAAU,WAAy,  
GAAE,MAAM,KAAK,UAAU,O;EACxD,MAAM,KAAK,UAAU,IAAK,GAAE,MAAM,KAAK,UAAU,I;EAEjD,  
MAAM,KAAK,UAAU,QAAS,GAAE,iB;IAC5B,OAAO,IAAI,MAAM,OAAO,OAAO,UAAxB,CAAmC,IAAnC,E  
AAyC,KAAzC,C;G;EC1zBX,MAAM,aAAc,GAAE,2B;G;EAGtB,MAAM,qBAAsB,GAAE,oB;IAC1B,OAAO,G;  
G;EAGX,MAAM,aAAc,GAAE,e;IACIB,IAAI,IAAI,Y;MACJ,CAAE,GAAE,GAAG,E;MACP,OAAO,CAAC,MA  
AM,CAAC,IAAD,EAAO,SAAP,C;K;IAEIB,OAAO,Y;MACH,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP  
,C;K;G;EAItB,MAAM,SAAU,GAAE,gB;IACd,OAAO,kB;MACH,OAAO,OAAO,MAAO,KAAl,I;K;G;EAIjC,MA  
AM,aAAc,GAAE,iB;IACIB,OAAO,kB;MACH,OAAO,MAAM,OAAO,CAAC,MAAD,EAAS,KAAT,C;K;G;EAI5  
B,MAAM,OAAQ,GAAE,c;IACZ,OAAO,kB;MACH,OAAO,MAAO,IAAG,IAAK,IAAG,EAEE,CAAC,MAAD,C;  
K;G;EAIInC,MAAM,aAAc,GAAE,gB;IACIB,OAAO,kB;MACH,OAAO,CAAC,CAAC,MAAD,CAAS,IAAG,CAA  
C,CAAC,MAAD,C;K;G;EAI7B,MAAM,qBAAsB,GAAE,wC;G;EAG9B,MAAM,YAAa,GAAE,iB;IACjB,OAAO,  
K;G;EAGX,MAAM,gBAaIB,GAAE,qB;IACrB,gBAAGB,E;G;EAGpB,MAAM,oBAaQB,GAAE,qB;IACzB,gBA  
AGB,E;G;EAGpB,MAAM,kBAAmB,GAAE,qB;IACvB,gBAAGB,E;G;EAGpB,MAAM,mBAaOB,GAAE,4B;IACx  
B,gBAAGB,E;G;EAGpB,MAAM,6BAa8B,GAAE,yB;IACIC,gBAAGB,E;G;EAGpB,4B;IACI,MAAM,IAAI,KAAl  
,CACF,iDAaKD,GACID,qDAAsD,GACtD,uDAHE,C;G;EAMV,MAAM,gBAaIB,GAAE,4B;IACrB,OAAO,Y;M  
ACH,OAAO,Y;K;G;ECJfF,MAAM,UAAW,GAAE,gB;IACf,IAAI,QAAQ,OAAO,C;IACnB,IAAI,KAAM,KAAl,Q  
AAd,C;MACI,IAAI,OAAO,CAAE,KAAl,QAAjB,C;QACI,OAAO,MAAM,gBAAGB,CAAC,CAAD,EAAl,CAAJ,  
C;OAEjC,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAl,CAAJ,C;KAEPc,IAAI,KAAM,KAAl,QAAS,IAAG,K  
AAM,KAAl,SAAPc,C;MACI,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAl,CAAJ,C;KAEPc,OAAO,CAAC,g

BAAgB,CAAC,CAAD,C;G;EAG5B,MAAM,mBAAoB,GAAE,gB;IACxB,OAAO,CAAE,GAAE,CAAE,GAAE,E  
AAF,GAAO,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,C;G;EAGpC,MAAM,gBAAiB,GAAE,gB;IACrB,IAAI,C  
AAE,GAAE,CAAR,C;MAAW,OAAO,E;IACIB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,C;IAEIB,IAAI,CA  
AE,KAAL,CAAV,C;MACI,IAAI,CAAE,KAAL,CAAV,C;QAAa,OAAO,C;MAEpB,IAAI,KAAL,CAAE,GAAE,C;  
MACb,OAAO,EAAG,KAAL,CAAE,GAAE,CAAE,GAAE,CAAF,GAO,EAAG,GAAE,CAAE,GAAE,EAAF,GA  
AO,C;KAG7C,OAAO,CAAE,KAAL,CAAE,GAAG,CAAE,KAAL,CAAE,GAAE,CAAF,GAAM,CAAjB,GAAsB,E  
;G;EAGzC,MAAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAL,GAAC,CAAP,C;G;EAGxB,M  
AAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAL,GAAC,CAAP,C;G;EAGxB,MAAM,KAAM,  
GAAE,IAAI,KAAM,IAAG,I;EAE3B,MAAM,aAAc,GAAE,I;EAEtB,oB;IACI,OAAyB,CAAhB,CAAE,GAAE,YA  
AY,KAAG,CAAE,GAAE,KAAP,CAAE,GAAe,CAAZ,CAAE,GAAE,KAAQ,KAAG,CAAE,GAAE,CAAP,CAAW  
,GAAE,C;G;EA6DtE,CA1DD,Y;IACG,IAAI,MAAM,IAAI,WAAJ,CAAgB,CAAhB,C;IACV,IAAI,aAAa,IAAI,Y  
AAJ,CAAiB,GAAjB,C;IACjB,IAAI,aAAa,IAAI,YAAJ,CAAiB,GAAjB,C;IACjB,IAAI,WAAW,IAAI,UAAJ,CAA  
e,GAAf,C;IACf,IAAI,WAAW,C;IACf,IAAI,YAA Y,C;IAEhB,UAAU,CAAC,CAAD,CAAI,GAAE,E;IACHB,IAAI,  
QAAQ,CAAC,QAAD,CAAW,KAAL,CAA3B,C;MACI,QAAS,GAAE,C;MACX,SAAU,GAAE,C;KAGhB,MAAM  
,aAAc,GAAE,iB;MACIB,OAAO,MAAM,gBAAgB,CAAC,KAAL,CAAC,KAAD,CAAQ,GAAE,GAAF,GAAQ,K  
AAtB,C;K;IAGjC,MAAM,gBAAiB,GAAE,iB;MACrB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,M  
AAM,KAAL,SAAS,CAAC,QAAQ,CAAC,QAAD,CAAT,EAAqB,QAAQ,CAAC,SAAD,CAA7B,C;K;IAG/B,MA  
AM,eAAgB,GAAE,iB;MACpB,QAAQ,CAAC,QAAD,CAAW,GAAE,KAAL,K;MAC1B,QAAQ,CAAC,SAAD,C  
AAY,GAAE,KAAL,M;MAC3B,OAAO,UAAU,CAAC,CAAD,C;K;IAGrB,MAAM,YAAa,GAAE,iB;MACjB,OA  
AO,MAAM,eAAe,CAAC,KAAL,CAAC,KAAD,CAAQ,GAAE,GAAF,GAAQ,KAAtB,C;K;IAGhC,MAAM,eAAg  
B,GAAE,iB;MACpB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,QAAQ,CAAC,CAAD,C;K;IAGnB,  
MAAM,cAAe,GAAE,iB;MACnB,QAAQ,CAAC,CAAD,CAAI,GAAE,K;MACd,OAAO,UAAU,CAAC,CAAD,C;  
K;IAIrB,MAAM,cAAe,GAAE,iB;MACnB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,QAAQ,CAAC,  
SAAD,CAAY,GAAE,a;K;IAGjC,MAAM,eAAgB,GAAE,e;MACpB,IAAc,CAAT,GAAL,GAAE,CAAG,MAAI,GA  
AIB,C;QACI,OAAO,GAAL,GAAE,C;;QAGb,UAAU,CAAC,CAAD,CAAI,GAAE,G;QACHb,OAAc,CAA9B,QA  
AQ,CAAC,SAAD,CAAY,GAAE,EAAG,GAAE,CAAG,IAAE,QAAQ,CAAC,QAAD,CAAW,GAAE,C;;K;GAGvE  
,G;EAEF,MAAM,cAAe,GAAE,a;IACnB,OAAO,CAAE,IAAG,IAAL,GAAE,CAAF,GAAM,MAAM,SAAS,E;G;E  
C7G1C,IAAI,OAAO,MAAM,UAAU,WAA Y,KAAL,WAA3C,C;IACI,MAAM,eAAe,CAAC,MAAM,UAAU,EA  
AmB,YAAAnB,EAAiC,QAC3C,kC;MACH,QAAS,GAAE,QAAS,IAAG,C;MACvB,OAAO,IAAI,YAA Y,CAAC,YA  
AD,EAAe,QAAf,CAAyB,KAAL,Q;KAHN,CAAjC,C;GAOzB,IAAI,OAAO,MAAM,UAAU,SAAU,KAAL,WAAzC  
,C;IACI,MAAM,eAAe,CAAC,MAAM,UAAU,EAAMB,UAAAnB,EAA+B,QACzC,kC;MACH,IAAI,gBAAgB,IAAI  
,SAAS,E;MACjC,IAAI,QAAS,KAAL,SAAU,IAAG,QAAS,GAAE,aAAa,OAAtD,C;QACI,QAAS,GAAE,aAAa,O;  
OAE5B,QAAS,IAAG,YAA Y,O;MACxB,IAAI,YAA Y,aAAa,QAAQ,CAAC,YAAD,EAAe,QAAf,C;MACrC,OAA  
O,SAAU,KAAL,EAAG,IAAG,SAAU,KAAL,Q;KARG,CAA/B,C;GAazB,IAAI,OAAO,IAAI,KAAM,KAAL,WAAz  
B,C;IACI,IAAI,KAAM,GAAE,a;MACR,CAAE,GAAE,CAAC,C;MACL,IAAI,CAAE,KAAL,CAAE,IAAG,KAAL  
,CAAC,CAAD,CAApB,C;QACI,OAAO,MAAM,CAAC,CAAD,C;OAEjB,OAAO,CAAE,GAAE,CAAE,GAAE,C  
AAF,GAAM,E;K;GAG3B,IAAI,OAAO,IAAI,MAAO,KAAL,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,IAAI  
,KAAL,CAAC,CAAD,CAAT,C;QACI,OAAO,G;OAEX,IAAI,CAAE,GAAE,CAAR,C;QACI,OAAO,IAAI,MAA  
M,CAAC,CAAD,C;OAErB,OAAO,IAAI,KAAL,CAAC,CAAD,C;K;GAuKtB,CAnKD,Y;IACG,IAAI,UAAU,qB;I  
ACd,IAAI,iBAAiB,IAAI,KAAL,CAAC,OAAD,C;IAC9B,IAAI,iBAAiB,IAAI,KAAL,CAAC,cAAD,C;IAC9B,IA  
AI,uBAAuB,CAAC,GAAC,c;IAC7B,IAAI,uBAAuB,CAAC,GAAC,c;IAE7B,IAAI,OAAO,IAAI,KAAM,KAAL,W  
AAzB,C;MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI  
,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAA  
E,GAAE,CAAG,GAAE,C;WAE5B,OAAO,M;;UAEP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;UACHb,IAAI,KAA  
K,CAAE,GAAE,C;UACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAb,C;YAAkB,OAAO,IAAI,IAAI,CAAC,CAAE,  
GAAE,IAAI,IAAT,C;UACjC,IAAI,CAAC,QAAQ,CAAC,EAAD,CAAb,C;YAAmB,OAAO,CAAC,IAAI,IAAI,CA  
AC,CAAC,CAAE,GAAE,IAAI,IAAV,C;UACnB,OAAgB,CAAR,CAAE,GAAE,EAAL,IAAE,C;;O;KAI9B,IAAI,O  
AAO,IAAI,KAAM,KAAL,WAAzB,C;MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,

C;QACbB,IAAI,KAAK,CAAE,GAAE,C;QACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,QAAQ,C  
AAC,EAAD,CAA7B,C;UAAmC,OAAO,IAAI,IAAI,CAAC,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,IAAnB,  
C;QACID,OAAgB,CAAR,CAAE,GAAE,EAAL,IAAE,C;O;KAI1B,IAAI,OAAO,IAAI,KAAM,KAAL,WAAzB,C;  
MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C  
;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,  
CAAG,GAAE,C;WAE5B,OAAO,M;;UAGP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAC,CAAF,CAAhB,EAAsB,IAAI,I  
AAI,IAAI,CAAC,CAAC,CAAF,C;UACIC,OAAO,CAAE,KAAI,QAAS,GAAE,CAAF,GAAM,CAAE,KAAI,QAA  
S,GAAE,EAAG,GAAe,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,C;;O;KAQtE,IAAI,OAAO,IAAI  
,MAAO,KAAI,WAA1B,C;MACI,IAAI,QAAQ,a;QACR,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAEI,IAAI,CAAE,G  
AAE,oBAAR,C;YAEI,IAAI,CAAE,GAAE,oBAAR,C;cAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,  
I;;cAKzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAE,GAAG,CAAE,IAAG,CAAE,GAAE,CAAP,CAAZ,C;;;  
YAKnB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAd  
,C;;eAGIB,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAED,OAAO,CAAC,KAAK,CAAC,CAAC,CAAF,C;;UAKb,IAA  
I,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,IAAG,cAAAnB,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAA  
E,GAAE,C;YAEjB,MAAO,IAAG,EAAG,GAAE,C;WAEhB,OAAO,M;;O;MAGf,IAAI,MAAO,GAAE,K;KAEjB,I  
AAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,CAAE,GAAE,CAAR,C;U  
AEI,OAAO,G;eAEN,IAAI,CAAE,GAAE,CAAE,IAAG,cAAb,C;UAED,IAAI,CAAE,GAAE,oBAAR,C;YAGI,OA  
AO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;YAlzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK  
,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;;UAKnB,IAAI,IAAI,IAAI,KAAK,CAAC,CAAE,GAAE,C  
AAL,C;UAEjB,IAAI,SAAS,C;UACb,IAAI,CAAE,IAAG,cAAT,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAA  
E,C;YAEjB,MAAO,IAAG,EAAG,GAAE,E;WAGnB,OAAO,IAAI,KAAK,CAAC,CAAD,CAAI,GAAE,M;;O;KAI  
IC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CA  
AD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;Y  
ACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,C;WAE5B,OAAO,M;SAEX,OAAO,IAAI,IAAI,CA  
AS,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,CAAT,CAAoB,GAAE,C;O;KAG7C,IAAI,OAAO,I  
AAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE  
,cAAIB,C;UACI,IAAI,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,  
GAAE,C;UAEd,OAAQ,CAAC,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,G  
AAE,C;SAExC,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAL,C;O;KAGvB,IAAI,OAAO,IAAI,MAAO,KAAI,W  
AA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI  
,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GAAE,C;UAEd,OAAQ  
,EAAG,GAAE,EAAG,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;SAExC,OAAO,IAAI,I  
AAI,CAAC,CAAD,CAAI,GAAE,C;O;MAG/B,G;EACF,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,  
MAAO,GAAE,Y;MACT,IAAI,IAAI,C;MACR,IAAI,SAAS,SAAS,O;MAEtB,KAAK,IAAI,IAAI,CAAb,EAAGB,C  
AAE,GAAE,MAApB,EA4B,CAAC,EA7B,C;QACI,IAAI,SAAS,CAAC,CAAD,CAAI,KAAI,QAAS,IAAG,SA  
AS,CAAC,CAAD,CAAI,KAAI,CAAC,QAAnD,C;UACI,OAAO,Q;SAEX,CAAE,IAAG,SAAS,CAAC,CAAD,CA  
AI,GAAE,SAAS,CAAC,CAAD,C;;MAEjC,OAAO,IAAI,KAAK,CAAC,CAAD,C;K;GAGxB,IAAI,OAAO,IAAI,  
MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IA  
AI,O;K;GAGjC,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;IACI,IAAI,KAAM,GAAE,a;MACR,OAAO,IAAI,IA  
AI,CAAC,CAAD,CAAI,GAAE,IAAI,M;K;GAGjC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAA  
O,GAAG,oB;MACV,OAAO,a;QACH,IAAI,SAAS,CAAE,KAAI,C;QACnB,IAAI,MAAO,KAAI,CAAf,C;UACI,O  
AAO,E;SAEX,OAAO,EAAG,IAAG,GAAG,CAAC,MAAD,CAAS,GAAE,GAAL,GAAE,CAAvB,CAA0B,GAAE,  
C;O;KAE5C,CAAC,IAAI,IAAL,EAAW,IAAI,IAAf,C;GAIN,IAAI,OAAO,WAAW,OAAQ,KAAI,WAAIC,C;IACI  
,WAAW,OAAQ,GAAE,a;MACjB,OAAO,CAAE,IAAG,IAAK,IAAG,CAAC,UAAW,IAAG,IAAK,IAAG,CAAC,  
UAAU,UAAW,KAAI,SAAS,UAAU,U;K;GAlhG,IAAI,OAAO,KAAK,UAAU,KAAM,KAAI,WAApC,C;IAEI,M  
AAM,eAAe,CAAC,KAAK,UAAAN,EAakB,MAAI,EA0B,QACpC,iB;MAGH,IAAI,IAAK,IAAG,IAAZ,C;QAC  
I,MAAM,IAAI,SAAJ,CAAc,6BAAd,C;OAGV,IAAI,IAAI,MAAM,CAAC,IAAD,C;MAGd,IAAI,MAAM,CAAC,  
OAAQ,KAAI,C;MAGvB,IAAI,QAAQ,SAAS,CAAC,CAAD,C;MACrB,IAAI,gBAAGB,KAAM,IAAG,C;MAG7B,

IAAI,IAAI,aAAc,GAAE,CAAE,GACIB,IAAI,IAAI,CAAC,GAAl,GAAE,aAAP,EAAsB,CAAtB,CADU,GAEIB,I  
AAI,IAAI,CAAC,aAAD,EAAGb,GAAhB,C;MAGhB,IAAI,MAAM,SAAS,CAAC,CAAD,C;MACnB,IAAI,cAAc,  
GAAl,KAAI,SAAU,GACIB,GADkB,GACZ,GAAl,IAAG,C;MAG/B,IAAI,aAAa,WAAY,GAAE,CAAE,GACHb,I  
AAI,IAAI,CAAC,GAAl,GAAE,WAAP,EAaOb,CAApB,CADQ,GAehB,IAAI,IAAI,CAAC,WAAD,EAac,GAAd,  
C;MAGzB,OAAO,CAAE,GAAE,UAXX,C;QACI,CAAC,CAAC,CAAD,CAAI,GAAE,K;QACP,CAAC,E;;MAIL,  
OAAO,C;KAvCgC,CAA1B,C;GA4HvB,CAhFD,Y;IACG,yC;MACI,IAAI,MAAO,GAAE,CAAb,C;QAAgB,OAA  
O,IAAI,IAAI,CAAC,CAAD,EAAI,MAAO,GAAE,MAAb,C;MAC/B,OAAO,IAAI,IAAI,CAAC,MAAD,EAAS,M  
AAT,C;K;IAEnB,qC;MACI,IAAI,OAAO,GAAl,KAAI,WAAnB,C;QACI,GAAl,GAAE,IAAI,O;OAEd,KAAM,GA  
AE,eAAe,CAAC,KAAM,IAAG,CAAV,EAAa,IAAI,OAAjB,C;MACvB,GAAl,GAAE,IAAI,IAAI,CAAC,KAAD,E  
AAQ,eAAe,CAAC,GAAD,EAAM,IAAI,OAAV,CAAvB,C;MACd,OAAO,IAAI,IAAI,YAAR,CAAqB,IAAI,SAAS  
,CAAC,KAAD,EAAQ,GAAR,CAAI,C;K;IAGX,IAAI,SAAS,CAAC,SAAD,EAAY,UAAZ,EAawB,WAAxB,EA  
AqC,UAArC,EAAiD,YAAjD,EAA+D,YAA/D,C;IACb,KAAK,IAAI,IAAI,CAAb,EAAGb,CAAE,GAAE,MAAM,  
OAA1B,EAAMC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAI,OAAO,UAAU,UA  
AU,KAAM,KAAI,WAAzC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAXX,EAauB,MAAvB,EAA+B,QACzC,KA  
AK,UAAU,KAD0B,CAA/B,C;OAIzB,IAAI,OAAO,UAAU,UAAU,MAAO,KAAI,WAA1C,C;QACI,MAAM,eAA  
e,CAAC,UAAU,UAXX,EAauB,OAAvB,EAAGC,QAC1C,eAD0C,CAAhC,C;;MAQJ,CAApB,Y;OAAc,MAAM,  
CAAC,IAAD,EAAO,IAAI,UAAJ,CAAe,CAAf,CAAP,E;;MAErB,IAAI,QAAQ,QAAQ,UAAU,M;MAC9B,MAA  
M,eAAe,CAAC,QAAQ,UAAU,EAAGb,OAARb,EAA8B,QACxC,uB;QACH,OAAO,KAAK,KAAK,CAAC,IAAD,  
EAAO,IAAP,EAAa,EAAE,MAAM,KAAK,CAAC,KAAD,CAA1B,C;OAF0B,CAA9B,C;;IASzB,KAAK,IAAI,IA  
AI,CAAb,EAAGb,CAAE,GAAE,MAAM,OAA1B,EAAMC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,C  
AAD,C;MACvB,IAAI,OAAO,UAAU,UAAU,IAAK,KAAI,WAAxC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAA  
X,EAauB,MAAvB,EAA8B,QACxC,0B;UACH,OAAO,EAAE,MAAM,KAAK,CAAC,IAAD,CAAM,IAAI,CAAC,  
QAAD,EAAW,IAAX,C;SAFa,CAA9B,C;;IAU7B,IAAI,uBAAuB,gB;MACvB,IAAI,CAAE,GAAE,CAAR,C;QAA  
W,OAAO,E;MACIB,IAAI,CAAE,GAAE,CAAR,C;QAAW,OAAO,C;MAEIB,IAAI,CAAE,KAAI,CAAV,C;QACI,  
IAAI,CAAE,KAAI,CAAV,C;UAAa,OAAO,C;QAEpB,IAAI,KAAK,CAAE,GAAE,C;QACb,OAAO,EAAG,KAAI,  
CAAE,GAAE,CAAE,GAAE,CAAF,GAAG,EAAG,GAAE,CAAE,GAAE,EAAF,GAAG,C;OAG7C,OAAO,CAAE,  
KAAI,CAAE,GAAG,CAAE,KAAI,CAAE,GAAE,CAAF,GAAM,CAAjB,GAAsB,E;K;IAGzC,KAAK,IAAI,IAAI,  
CAAb,EAAGb,CAAE,GAAE,MAAM,OAA1B,EAAMC,EAAE,CAArC,C;MACI,IAAI,aAAa,MAAM,CAAC,CAA  
D,C;MACvB,IAAI,OAAO,UAAU,UAAU,KAAM,KAAI,WAAzC,C;QACI,MAAM,eAAe,CAAC,UAAU,UAXX,E  
AAuB,MAAvB,EAA+B,QACzC,2B;UACH,OAAO,KAAK,UAAU,KAAK,KAAK,CAAC,IAAD,EAAO,eAAgB,I  
AAG,oBAA1B,C;SAFY,CAA/B,C;;GAO/B,G;ECxXF,MAAM,KAAM,GAAE,QACH,OADG,aAEC,WAFD,UAG  
F,QAHE,C;EAMd,MAAM,WAAY,GAAE,2C;IACHb,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YA  
AR,C;IACxD,IAAI,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,OAAO,kBAAkB,IAAI,  
KAAK,CAAC,UAAD,C;KAGtC,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,  
kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,OAAO,UAAU,CAAC,YAAD,C;KAGrB,OAAO,  
MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAIC,EAA2C,YAA3C,C;G;EAG5B,MAA  
M,WAAY,GAAE,kD;IACHb,IAAI,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAI,kBA  
AmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACI,kBAAkB,IAAI,KAAK,CAAC,UAAD,EAAa,K  
AAb,C;MAC3B,M;KAGJ,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAI,kBAA  
mB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACI,UAAU,CAAC,YAAD,CAAe,GAAE,K;MAC3B,M;KA  
GJ,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAIC,EAA2C,YAA3C,EAAyD,KAAzD  
,C;G;EAGrB,iD;IACI,IAAI,IAAK,KAAI,KAAb,C;MAAOB,OAAO,I;IAE3B,IAAI,WAAW,IAAI,W;IACnB,IAAI,  
QAAS,IAAG,IAAhB,C;MACI,IAAI,aAAa,QAAQ,W;MACzB,KAAK,IAAI,IAAI,CAAb,EAAGb,CAAE,GAAE,U  
AAU,OAA9B,EAauC,CAAC,EAAxC,C;QACI,IAAI,0BAA0B,CAAC,UAAU,CAAC,CAAD,CAAX,EAAGb,KA  
AhB,CAA9B,C;UACI,OAAO,I;;KAKnB,IAAI,iBAAiB,IAAI,UAAW,IAAG,IAAK,GAAE,MAAM,eAAe,CAAC,I  
AAI,UAAU,CAAvB,GAA0C,I;IACtF,IAAI,mBAAmB,cAAe,IAAG,IAAK,GAAE,cAAc,YAAhB,GAA+B,I;IAC7  
E,OAAO,gBAAiB,IAAG,IAAK,IAAG,0BAA0B,CAAC,gBAAD,EAAMb,KAAAnB,C;G;EASjE,MAAM,OAAQ,G  
AAE,yB;IACZ,IAAI,KAAM,KAAI,MAAd,C;MACI,QAAQ,OAAO,MAAf,C;aACS,Q;aACA,Q;aACA,S;aACA,U;

UACD,OAAO,I;gBAEP,OAAO,MAAO,YAAW,M;;KAIrC,IAAI,MAAO,IAAG,IAAK,IAAG,KAAM,IAAG,IAA  
K,KAAl,OAAO,MAAO,KAAl,QAAS,IAAG,OAAO,MAAO,KAAl,UAApD,CAApC,C;MACl,OAAO,K;KAGX,I  
AAI,OAAO,KAAM,KAAl,UAAW,IAAG,MAAO,YAAW,KAArD,C;MACl,OAAO,I;KAGX,IAAI,QAAQ,MAA  
M,eAAe,CAAC,KAAD,C;IACjC,IAAI,cAAc,KAAM,IAAG,IAAK,GAAE,KAAl,YAAP,GAAaB,I;IACtD,IAAI,  
WAAy,IAAG,IAAK,IAAG,YAAa,IAAG,WAA3C,C;MACl,IAAI,WAAW,WAAW,W;MAC1B,IAAI,QAAQ,KA  
AM,KAAl,MAAM,KAAl,OAajC,C;QACl,OAAO,MAAO,KAAl,K;QAI1B,IAAI,gBAAgB,KAAl,W;IAGzB,IA  
AI,aAAc,IAAG,IAArB,C;MACl,OAAO,MAAO,YAAW,K;KAG7B,IAAI,aAAa,KAAM,KAAl,MAAM,KAAl,U  
AAW,IAAG,MAAM,YAAa,IAAG,IAA1E,C;MACl,OAAO,0BAA0B,CAAC,MAAM,YAAP,EAAqB,KAArB,C;K  
AGrC,OAAO,K;G;EAGX,MAAM,SAAU,GAAE,a;IACd,OAAO,OAAO,CAAE,IAAG,QAAS,IAAG,CAAE,YAA  
W,MAAM,K;G;EAGtD,MAAM,OAAQ,GAAE,iB;IACZ,OAAO,KAAM,YAAW,MAAM,U;G;EAGIC,MAAM,aA  
Ac,GAAE,iB;IACIB,IAAI,OAAO,OAAO,K;IAEIB,OAAO,IAAK,KAAl,QAAS,IACIB,IAAK,KAAl,SAAU,IACn  
B,MAAM,SAAS,CAAC,KAAD,CAAQ,IACvB,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,WAArB,C;  
G;EAGxB,MAAM,eAAgB,GAAE,iB;IACpB,OAAO,OAAO,KAAM,KAAl,QAAS,IAAG,MAAM,OAAO,CAAC,  
KAAD,EAAQ,MAAM,OAAO,aArB,C;G;,,,,,;aCnDV,gB;,,,;ICrE3C,gB;MAkBI,4B;MAjBA,aAA6C,E;MAC7C,  
gBAAgD,C;K;4EAG5C,Y;MAAQ,iB;K;+EAGR,Y;MAAQ,oB;K;qCAEZ,iB;MAAyC,OAAQ,0BAAR,YAAQ,EA  
AU,KAAM,QAaHb,C;K;4BAEjD,iB;MAAmC,gBAAS,K;K;8BAE5C,Y;MAA+B,0AAnc,MAAmC,kBAA8B,IA  
A9B,C;K;8BAE/B,Y;MAA0B,gB;K;IAE1B,0B;MAAA,8B;K;;IAAA,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;;IDf  
J,mC;MAC4C,oBAaA,MAAS,IAAT,CAAb,EAA6B,SAa7B,C;K;gEAE5C,yB;MAAA,mB;MAAA,6B;QAC2D,Y  
AAa,QAAS,IAAT,C;QAIvD,Q;QAAA,OAAA,KAAM,0AAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MA  
AM,CAAN,IAlgF,IAKrE,CAAK,CAAL,C;;QALwC,0AOhD,K;O;KARX,C;gEAGA,uB;MAEiB,Q;MAAA,OAA  
A,KAAM,0AAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,KAAl,CAAL,C;;MAEf,  
OAAO,K;K;IAGX,kC;MAliB,IAAN,I;MAFP,aAAsB,MAAe,IAAf,C;MACtB,gBAAkB,c;MAEd,IADS,IACT,mB  
ADS,IACT,EAAM,IAAN,E;QAAC,oBAaA,MAAb,EAAqB,KAArB,C;WACd,WAFS,IAET,S;QAAS,a;;QAZA,U;  
QAAA,SAaqB,MAbf,0AAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UAakC,MAZ9B,CAAM,CAAN,IAySc,IA  
Z3B,CAAK,CAAL,C;;QAYH,OAAaB,M;;MAHIC,W;K;2EAOJ,yB;MAAA,iC;MAAA,6B;QACoF,YAAa,aAAa,I  
AAb,EAAMB,KAAnB,C;QAlBhF,Q;QAAA,OAAA,KAAM,0AAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI  
,MAAM,CAAN,IAiBoH,IAjBzG,CAAK,CAAL,C;;QAIbIE,OafzE,K;O;KAcX,C;IAGA,+B;MAKiB,IAAN,I;MAF  
P,aAAa,IAAb,WAAa,CAAD,IAAC,C;MACb,gBAAkB,W;MAEd,IADS,IACT,mBADS,IACT,EAAM,IAAN,YAD  
S,IACT,EAAY,KAaz,E;QAaqB,a;;QA1BZ,U;QAAA,SA2BkB,MA3BZ,0AAN,GAAa,CAAb,I;QAAb,aAAU,CA  
AV,mB;UA2B+B,MA1B3B,CAAM,CAAN,IA0BmC,IA1BxB,CAAK,CAAL,C;;QA0BH,0AAMB,M;;MAF/B,W;  
K;qEAMJ,yB;MAAA,2B;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAY,UAAU,IAAV,EAAGB,IAAhB,C;QACC  
,OAAA,KAAM,0AAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAAK,CAAL,E;UACpB,KAAl,CA  
AC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;mFAWA,yB;MAAA,mB;MAAA,gC;MAAA,6B;QAGi  
B,Q;QADb,YAAY,QAAY,IAAZ,C;QACC,OAAA,KAAM,0AAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,  
YACY,eAAK,CAAL,E;UACpB,KAAl,CAAC,CAAD,CAAG,GAAG,K;;QAEP,OAAO,K;O;KARX,C;IAWA,+B;  
MAliB,IAAN,I;MAFP,aAAsB,MAAY,IAAZ,C;MACtB,gBAAkB,W;MAEd,IADS,IACT,mBADS,IACT,EAAM,I  
AAN,E;QAAC,oBAaA,MAAb,K;WACd,WAFS,IAET,S;QAAS,a;;QA3DA,U;QAAA,SA4DkB,MA5DZ,0AAN,G  
AAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA4D+B,MA3D3B,CAAM,CAAN,IA2DmC,IA3DxB,CAAK,CAAL,C;;Q  
A2DH,0AAMB,M;;MAH/B,W;K;qEAOJ,yB;MAAA,2B;MAAA,6B;QAC2E,YAAa,UAAU,IAAV,EAAGB,KAaH  
B,C;QAJEvE,Q;QAAA,OAAA,KAAM,0AAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IAg  
EwG,IAhE7F,CAAK,CAAL,C;;QAgEwD,0A9DhE,K;O;KA6DX,C;IAGA,wC;MACiB,Q;MAAA,OAAA,KAAM,  
0AAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,S;;MAEf,OAAO,K;K;IEIFX,iC;MA  
AA,qC;MAEI,iBAC8B,Q;MAE9B,iBAC8B,sB;MAE9B,yBAEsC,MAAM,G;MAE5C,yBAEsC,CAAC,GAAD,GA  
AO,G;MAE7C,WAEwB,EAAE,MAAM,GAAR,C;MAExB,kBACuB,C;MAEvB,iBACsB,E;K;;IAxB1B,6C;MAA  
A,4C;QAAA,2B;OAAA,qC;K;IA2BA,gC;MAAA,oC;MAEI,iBAC6B,O;MAE7B,iBAC6B,Y;MAE7B,yBAEqC,M  
AAO,G;MAE5C,yBAEqC,CAAC,GAAD,GAAQ,G;MAE7C,WAEuB,EAAE,MAAO,GAAT,C;MAEvB,kBACuB,  
C;MAEvB,iBACsB,E;K;;IAxB1B,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IA2BA,8B;MAAA,kC;MAEI,iBACqB,  
W;MAErB,iBACqB,U;MAErB,kBACuB,C;MAEvB,iBACsB,E;K;;IAZ1B,0C;MAAA,yC;QAAA,wB;OAAA,kC;



QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,UAAI,KAAJ,CAATC,GAAsD,uBAAa,KAAb,E;O;K  
APjE,C;oGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAA Y,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;qGAUA,y  
B;MAAA,qD;MAAA,mC;QAOI,OAA Y,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MA  
AA,mC;QAOI,OAA Y,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OA  
AY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAA Y,UAAL,SAAK,  
EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAA Y,UAAL,SAAK,EAAU,KAAV,C;  
O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAA Y,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGA  
UA,yB;MAAA,sD;MAAA,mC;QAOI,OAA Y,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD  
;MAAA,mC;QAOI,OAA Y,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;8EAUA,gC;MAOW,sB;;QAybS,Q;QAAh  
B,iD;UAAgB,cAAhB,e;UAAsB,IAzbH,SAybO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,q  
BAAO,I;;;MA1bP,yB;K;gFAGJ,gC;MAOW,sB;;QAubS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAvbH,SAubO,  
CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MAxbP,yB;K;gFAGJ,gC;MAOW,sB;  
;QAqbS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IArbH,SAqbO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YA  
AP,uB;;QAC9C,qBAAO,I;;;MATbP,yB;K;gFAGJ,gC;MAOW,sB;;QAmbS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAs  
B,IANbH,SAmbO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MApbP,yB;K;gFA  
GJ,gC;MAOW,sB;;QAibS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAjbH,SAibO,CAAU,OAAV,CAAJ,C;YAAw  
B,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA1bP,yB;K;gFAGJ,gC;MAOW,sB;;QA+aS,Q;QAAhB,iD;UAAgB,  
cAAhB,e;UAAsB,IA/aH,SA+aO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA  
hbP,yB;K;gFAGJ,gC;MAOW,sB;;QA6aS,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA7aH,SA6aO,CAAU,OAAV,  
CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;;MA9aP,yB;K;gFAGJ,gC;MAOW,sB;;QA2aS,Q;QA  
AhB,iD;UAAgB,cAAhB,e;UAAsB,IA3aH,SA2aO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9  
C,qBAAO,I;;;MA5aP,yB;K;gFAGJ,yB;MA4aA,oC;MAAA,gC;MA5aA,uC;QAOW,sB;;UAYaS,Q;UAAhB,iD;YA  
AgB,cAAhB,0B;YAAAsB,IAzaH,SAyaO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;UAC9C,qBAAO,  
I;;;QA1aP,yB;O;KAPJ,C;sFAUA,yB;MAw1CA,0D;MAAA,+C;MAx1CA,uC;QAOW,qB;;UAu1CO,Q;UAAA,OA  
Aa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAz1Cc,SAy  
1CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QA31CP,wB;O;KAPJ,C;wFAUA,  
yB;MA21CA,0D;MAAA,+C;MA31CA,uC;QAOW,qB;;UA01CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAA  
d,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA51Cc,SA41CV,CAAU,OAAV,CAAJ,C;cAA  
wB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QA91CP,wB;O;KAPJ,C;wFAUA,yB;MA81CA,0D;MAAA,+C;MA9  
1CA,uC;QAOW,qB;;UA61CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV  
,cAAc,UAAK,KAAL,C;YACd,IA/1Cc,SA+1CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,o  
BAAO,I;;;QAj2CP,wB;O;KAPJ,C;wFAUA,yB;MAi2CA,0D;MAAA,+C;MAj2CA,uC;QAOW,qB;;UAg2CO,Q;UA  
AA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAI2  
Cc,SAK2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAp2CP,wB;O;KAPJ,C;w  
FAUA,yB;MAo2CA,0D;MAAA,+C;MAp2CA,uC;QAOW,qB;;UAm2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,  
W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAr2Cc,SAq2CV,CAAU,OAAV,CAAJ,  
C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAv2CP,wB;O;KAPJ,C;wFAUA,yB;MAu2CA,0D;MAAA,+  
C;MAv2CA,uC;QAOW,qB;;UAs2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB  
;YACV,cAAc,UAAK,KAAL,C;YACd,IAx2Cc,SAw2CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;U  
AE5B,oBAAO,I;;;QA12CP,wB;O;KAPJ,C;wFAUA,yB;MA02CA,0D;MAAA,+C;MA12CA,uC;QAOW,qB;;UAY2  
CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;Y  
ACd,IA32Cc,SA22CV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QA72CP,wB;O;  
KAPJ,C;wFAUA,yB;MA62CA,0D;MAAA,+C;MA72CA,uC;QAOW,qB;;UA42CO,Q;UAAA,OAAa,SAAR,sBAA  
Q,CAAb,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IA92Cc,SA82CV,CAAU,OA  
AV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAh3CP,wB;O;KAPJ,C;wFAUA,yB;MAg3CA,0  
D;MAAA,+C;MAAA,oC;MAh3CA,uC;QAOW,qB;;UA+2CO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OA  
AAC,cAAAd,C;YAAc,uB;YACV,cAAc,UAAK,KAAL,C;YACd,IAj3Cc,SAi3CV,CAAU,oBAAV,CAAJ,C;cAAwB,  
oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAn3CP,wB;O;KAPJ,C;IAUA,0B;MAKI,IA4uNO,qBAAQ,CA5uNf,C;





R,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YACI,  
OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAikB,Q;QAAA,OAAQ,S  
AAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;YA  
CI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAikB,Q;QAAA,OAA  
Q,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;  
YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAikB,Q;QAAA,O  
AAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAA  
J,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAikB,Q;QAA  
A,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,  
CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,uC;  
QAikB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,sBAAK  
,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;IAYA,yB;MAQI,IAg7LO,qBAAQ,CAh7Lf,  
C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,wBAAL,C;K;IAGX,2B;MAQI,IA26LO,qBAAQ,CA  
36Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA56LO,qBAA  
Q,CAt6Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IAi6LO,q  
BAAQ,CAj6Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,IA45  
LO,qBAAQ,CA55Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MAQI,  
IAu5LO,qBAAQ,CAv5Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;M  
AQI,IAk5LO,qBAAQ,CA15Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2  
B;MAQI,IA64LO,qBAAQ,CA74Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IA  
GX,2B;MAQI,IAw4LO,qBAAQ,CAx4Lf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C  
;K;gFAGX,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAA  
Q,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;  
YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;gFAeA,yB;MAAA,0D;MAAA,+C;MAAA  
,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;  
UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAu  
B,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SA  
AR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,  
UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAA  
A,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,  
OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;  
;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QA  
QkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAA  
K,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;K  
AZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,C  
AAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAA  
J,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MA  
AA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,  
uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCA  
AuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,  
SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IA  
AI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MA  
AA,0D;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAA  
b,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAA  
wB,OAAO,O;;QAEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;IAeA,yC;MAKsB,UAMA,M;MAPIB,IAAI,eA  
AJ,C;QACKB,OAAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAK,KAAL,SA  
AJ,C;YACI,OAAO,K;;QAID,SAAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAc,gBAAd,C;UAAc,2B;UACV,IAAI,g  
BAAW,UAAK,OAAL,CAAX,CAAJ,C;YACI,OAAO,O;;MAInB,OAAO,E;K;IAGX,2C;MAikB,Q;MAAA,OAAQ



P,C;O;KARX,C;oFAWA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAW  
A,qC;MAOI,IAoxKO,qBAAQ,CAPxKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBA  
AQ,gBAAR,CAAX,C;K;IAGX,qC;MAOI,IAgxKO,qBAAQ,CAhxKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MAC  
V,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IA4wKO,qBAAQ,CA5wKf,C;QACI,MAA  
M,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAwwKO,qB  
AAQ,CAXwKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;  
IAGX,sC;MAOI,IAowKO,qBAAQ,CAPwKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO  
,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAgwKO,qBAAQ,CAhwKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;  
MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IA4vKO,qBAAQ,CA5vKf,C;QACI,  
MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,sC;MAOI,IAwvK  
O,qBAAQ,CAXvKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,  
C;K;IAGX,sC;MAOI,IAovKO,qBAAQ,CAPvKf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAI,MA  
AO,iBAAQ,gBAAR,CAAX,C;K;8FAGX,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;  
O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,y  
B;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA  
,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI  
,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAA  
b,C;O;KAPX,C;gGAUA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGA  
UA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;gGAUA,yB;MAAA,mC;M  
AAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,2C;MAMI,IA+kKO,qBAAQ,CA/kKf,C;Q  
ACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,2C;MAMI,IA4kKO,qBAAQ,CA5  
kKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAykKO,qBA  
AQ,CAzkKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MAMI,IAsk  
KO,qBAAQ,CAtkKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,4C;MA  
MI,IAmkKO,qBAAQ,CAnkKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAG  
X,4C;MAMI,IAgkKO,qBAAQ,CAhkKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,CAAX,  
C;K;IAGX,4C;MAMI,IA6jKO,qBAAQ,CA7jKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,gBAAR,  
CAAX,C;K;IAGX,4C;MAMI,IA0jKO,qBAAQ,CA1jKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iBAAQ,g  
BAAR,CAAX,C;K;IAGX,4C;MAMI,IAujKO,qBAAQ,CAvjKf,C;QACI,OAAO,I;MACX,OAAO,UAAI,MAAO,iB  
AAQ,gBAAR,CAAX,C;K;IAGX,2B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAu  
B,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;I  
AOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAA  
K,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MA  
AA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K  
;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,  
C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kC  
AAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iB  
AAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,  
6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBA  
AK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QA  
AM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBAC  
Q,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UA  
AK,MAAM,2BAAuB,iBAAvB,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAz  
B,C;;MAHIB,W;K;IAOJ,6B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,iBAAv  
B,C;aACX,C;UAAK,iBAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,kCAAzB,C;;MAHIB,W;K;oFAOJ,yB;  
MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QA  
CZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAJ,C;cA  
AW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MA

AM,gCAAuB,mDAAvB,C;QAEIB,OAAO,6E;O;KafX,C;oFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,u  
C;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;  
UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;  
YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;Kaf  
X,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAA  
Y,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA  
AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UA  
AY,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;  
MAAA,uC;QAMoB,UAST,M;QAXP,aAAmB,I;QACnB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,S  
AAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,  
SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2  
D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QAC  
pB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,I  
AAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KA  
AL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,iE;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MA  
AA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,c  
AAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;  
YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,  
OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAA  
sB,I;QACtB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,  
C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CA  
AC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAA  
A,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAuB,I;QACvB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;U  
AAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDA  
AzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;Q  
AEIB,OAAO,4D;O;KafX,C;qFakBA,yB;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QA  
MoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB  
,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,MAAM,8BAAYB,gDAAzB,C;YACjB,SAA  
S,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,4E;O;  
KafX,C;IakBA,iC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OA  
AW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,U  
AAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;  
K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,q  
BAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,  
CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IA  
GvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;gGAGvC,gC;MAMoB,Q;MAFh  
B,aAAiB,I;MACjB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV  
,CAAJ,C;UACI,IAAI,KA AJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,  
C;QAAY,OAAO,I;MACnB,OAAO,M;K;gGAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wB  
AAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KA AJ,C;YAAW,O  
AAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;i  
GAGX,gC;MAMoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,  
M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KA AJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;  
MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAmB,I;  
MACnB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;  
UACI,IAAI,KA AJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,  
OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACZ,wBAAgB,SA  
AhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KA AJ,C;YAAW,OAAO,I;U

ACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,g  
C;MAMoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI  
,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KA AJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,I  
AAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAA sB,I;MACtB,Y  
AAY,K;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,  
KA AJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MA  
CnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAuB,I;MACvB,YAAY,K;MACZ,wBAAgB,SAAhB,gB;QA  
AgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KA AJ,C;YAAW,OAAO,I;UACIB,SAAS,  
O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,yB;MAAA,oC;  
MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cA  
AhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KA AJ,C;cAAW,OAAO,I;YACIB,SAA  
S,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAA Y,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,4B;M  
cvqGI,IAAI,Ed+qGI,KAAK,Cc/qGT,CAAJ,C;QACI,cd8qGc,sD;Qc7qGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od  
8qGV,OAAO,oBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;McnrGI,IAAI,Ed2rG  
I,KAAK,Cc3rGT,CAAJ,C;QACI,cd0rGc,sD;QczrGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od0rGV,OAAO,sBAAO  
B,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc/rGI,IAAI,EdusGI,KAAK,CcvsGT,CA  
AJ,C;QACI,cdssGc,sD;QcrsGd,MAAM,gCAAYB,OAAQ,WAAjC,C;OdssGV,OAAO,sBAAoB,gBAAV,mBAAO,  
CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc3sGI,IAAI,EdmtGI,KAAK,CcntGT,CAAJ,C;QACI,cdktGc,  
sD;QcjtGd,MAAM,gCAAYB,OAAQ,WAAjC,C;OdkTGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,  
CAAd,CAApB,C;K;IAGX,8B;McvtGI,IAAI,Ed+tGI,KAAK,Cc/tGT,CAAJ,C;QACI,cd8tGc,sD;Qc7tGd,MAAM,g  
CAAYB,OAAQ,WAAjC,C;Od8tGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;I  
AGX,8B;McnuGI,IAAI,Ed2uGI,KAAK,Cc3uGT,CAAJ,C;QACI,cd0uGc,sD;QczuGd,MAAM,gCAAYB,OAAQ,W  
AAjC,C;Od0uGV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc/uGI,I  
AAI,EduvGI,KAAK,CcuvGT,CAAJ,C;QACI,cdsvGc,sD;QcervGd,MAAM,gCAAYB,OAAQ,WAAjC,C;OdsVGV,O  
AAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mc3vGI,IAAI,EdmwGI,KAA  
K,CcnwGT,CAAJ,C;QACI,cdkwGc,sD;QcejwGd,MAAM,gCAAYB,OAAQ,WAAjC,C;OdkwGV,OAAO,sBAAoB,g  
BAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;McvwGI,IAAI,Ed+wGI,KAAK,Cc/wGT,CAA  
J,C;QACI,cd8wGc,sD;Qc7wGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od8wGV,OAAO,sBAAoB,gBAAV,mBAAO  
,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,gC;McnxGI,IAAI,Ed2xGI,KAAK,Cc3xGT,CAAJ,C;QACI,cd0xG  
c,sD;QczxGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od0xGV,OAAO,gBAAgB,gBAAV,mBAAO,CAAP,IAAU,EA  
Ac,CAAd,CAAhB,C;K;IAGX,kC;Mc/xGI,IAAI,EduyGI,KAAK,CcvyGT,CAAJ,C;QACI,cdsyGc,sD;QcryGd,MAA  
M,gCAAYB,OAAQ,WAAjC,C;OdsyGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C  
;K;IAGX,kC;Mc3yGI,IAAI,EdmzGI,KAAK,CcnzGT,CAAJ,C;QACI,cdkzGc,sD;Qc jzGd,MAAM,gCAAYB,OAAQ  
,WAAjC,C;OdkzGV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Mcvz  
GI,IAAI,Ed+zGI,KAAK,Cc/zGT,CAAJ,C;QACI,cd8zGc,sD;Qc7zGd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od8zG  
V,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Mcn0GI,IAAI,Ed20GI,K  
AAK,Cc30GT,CAAJ,C;QACI,cd00Gc,sD;Qcz0Gd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od00GV,OAAO,kBAAg  
B,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Mc/0GI,IAAI,Edu1GI,KAAK,Ccv1GT,CA  
AJ,C;QACI,cds1Gc,sD;Qcr1Gd,MAAM,gCAAYB,OAAQ,WAAjC,C;Ods1GV,OAAO,kBAAgB,gBAAV,mBAAO,  
CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,kC;Mc31GI,IAAI,Edm2GI,KAAK,Ccn2GT,CAAJ,C;QACI,cdk2G  
c,sD;Qc j2Gd,MAAM,gCAAYB,OAAQ,WAAjC,C;Odk2GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EA  
Ac,CAAd,CAAhB,C;K;IAGX,kC;Mcv2GI,IAAI,Ed+2GI,KAAK,Cc/2GT,CAAJ,C;QACI,cd82Gc,sD;Qc72Gd,MA  
AM,gCAAYB,OAAQ,WAAjC,C;Od82GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB  
,C;K;IAGX,kC;Mcn3GI,IAAI,Ed23GI,KAAK,Cc33GT,CAAJ,C;QACI,cd03Gc,sD;Qcz3Gd,MAAM,gCAAYB,OA  
AQ,WAAjC,C;Od03GV,OAAO,kBAAgB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;gGAGX,yB;  
MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UA  
AU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;  
kGAcA,yB;MAAA,8D;MAAA,2C;MAAA,qD;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,

CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O ;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;U ACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,O AAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,C AA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL, C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd ,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CA AR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBA Ac,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK ,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD;MAAA,uC; QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OA AAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,qD; MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C ;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,oC; MAAA,4C;MAAA,qD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK, KAAL,EA AV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAXX,C;wFAcA,yB; MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SA Ab,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK, WAAI,IAAJ,C;YACL,WAAW,I;;QAE nB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QA Fb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IA AK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QA EnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX ,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC, UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAE nB,OAAO,I;O;KAFx,C;0FAkBA,yB; MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SA Ab,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK, WAAI,IAAJ,C;YACL,WAAW,I;;QAE nB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QA Fb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IA AK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QA EnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX ,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC, UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAE nB,OAAO,I;O;KAFx,C;0FAkBA,yB; MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SA Ab,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK, WAAI,IAAJ,C;YACL,WAAW,I;;QAE nB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QA Fb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IA AK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QA EnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX ,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,IAAI,QAAJ,C;YACI,IAAK,WA AI,iBAAJ,C;eACJ,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YACD,IAAK,WAAI,iBAAJ,C;YACL,WAAW,I;;QAE n B,OAAO,I;O;KAFx,C;kFAkBA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAmgBA,Q;QA AhB,iD;UAAgB, cAAhB,e;UAAsB,IAngBU,SAmgBN,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAngB1D,OAog BO,W;O;KA1gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAogBA,Q;QA AhB,iD;UAAgB,cA AhB,e;UAAsB,IApgBa,SAogBT,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QApGB1D,OAqgBO, W;O;KA3gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAqgBA,Q;QA AhB,iD;UAAgB,cAAhB ,e;UAAsB,IArgBc,SAqgBV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QArgB1D,OAsgBO,W;O; KA5gBX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAsgBA,Q;QA AhB,iD;UAAgB,cAAhB,e;UA AsB,IAtgBY,SAsgBR,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAtgB1D,OAuGBO,W;O;KA7g

BX,C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAugBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,I  
AvgBa,SAugBT,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAvGB1D,OAwgBO,W;O;KA9gBX,  
C;oFASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAwgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAx  
gBc,SAwgBV,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAxgB1D,OAYgBO,W;O;KA/gBX,C;o  
FASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QAYgBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IAzgBe,  
SAygBX,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAzgB1D,OA0gBO,W;O;KAhhBX,C;oFAS  
A,yB;MAAA,+D;MAAA,uC;QAMW,kBAAS,gB;QA0gBA,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAsB,IA1gBgB,S  
A0gBZ,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA1gB1D,OA2gBO,W;O;KAjhBX,C;oFASA,  
yB;MAAA,+D;MA2gBA,oC;MAAA,gC;MA3gBA,uC;QAMW,kBAAS,gB;QA2gBA,Q;QAAhB,iD;UAAgB,cAAh  
B,0B;UAAsB,IA3gBa,SA2gBT,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,WAAI,oBAAJ,C;;QA3gB1D,OA4gBO,  
W;O;KAlhBX,C;gGASA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAsgTV,gB;QADb,YAAY,C;QACZ,iD  
;UAAa,WAAb,e;UA16SI,IApGmC,SAoG/B,EAk6SkB,cAl6SIB,EAk6SkB,sBA16SIB,Wak6S2B,IA16S3B,CAAJ,C;  
YAA2C,sBAk6SZ,IA16SY,C;;QApG/C,OAsGO,W;O;KA9GX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBA  
AgB,gB;QAqgTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA95SI,IAvGsC,SAuG1C,EA85SkB,cA95SIB,E  
A85SkB,sBA95SIB,WA85S2B,IA95S3B,CAAJ,C;YAA2C,sBA85SZ,IA95SY,C;;QAvG/C,OAYGO,W;O;KAjHX,  
C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAogTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAA  
b,e;UA15SI,IA1GuC,SA0GnC,EA05SkB,cA15SIB,EA05SkB,sBA15SIB,WA05S2B,IA15S3B,CAAJ,C;YAA2C,sB  
A05SZ,IA15SY,C;;QA1G/C,OA4GO,W;O;KApHX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;Q  
AmgTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA5SI,IA7GqC,SA6GjC,EAs5SkB,cAt5SIB,EAs5SkB,s  
BA5SIB,WAs5S2B,IA5S3B,CAAJ,C;YAA2C,sBA5SZ,IA5SY,C;;QA7G/C,OA+GO,W;O;KAvHX,C;kGAWA,  
yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAkgTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA15SI,  
IAhHsC,SAgHIC,EAk5SkB,cAl5SIB,EAk5SkB,sBA15SIB,Wak5S2B,IA15S3B,CAAJ,C;YAA2C,sBAk5SZ,IA15  
Y,C;;QAhh/C,OAKHO,W;O;KA1HX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QAigTV,gB;Q  
ADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA94SI,IANHuC,SAmHnC,EA84SkB,cA94SIB,EA84SkB,sBA94SIB,W  
A84S2B,IA94S3B,CAAJ,C;YAA2C,sBA84SZ,IA94SY,C;;QAnH/C,OAqHO,W;O;KA7HX,C;kGAWA,yB;MAAA  
,+D;MAAA,uC;QAQW,kBAAGB,gB;QAaggTV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA14SI,IAHwC,S  
AsHpC,EA04SkB,cA14SIB,EA04SkB,sBA14SIB,WA04S2B,IA14S3B,CAAJ,C;YAA2C,sBA04SZ,IA14SY,C;;QA  
tH/C,OAwhO,W;O;KAhIX,C;kGAWA,yB;MAAA,+D;MAAA,uC;QAQW,kBAAGB,gB;QA+/SV,gB;QADb,YAA  
Y,C;QACZ,iD;UAAa,WAAb,e;UA4SI,IAzHyC,SAyHrC,EAs4SkB,cAt4SIB,EAs4SkB,sBA4SIB,WAs4S2B,IA4  
S3B,CAAJ,C;YAA2C,sBA4SZ,IA4SY,C;;QAZH/C,OA2HO,W;O;KANIX,C;kGAWA,yB;MAAA,+D;MA2HA,g  
C;MAo4SA,oC;MA//SA,uC;QAQW,kBAAGB,gB;QA8/SV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UAA  
mB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA14S/B,IA5HsC,SA4HIC,CAAU,OAAV,EAAiB,OAAjB,  
CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QA5H/C,OA8HO,W;O;KAtIX,C;oGAWA,6C;MA26SiB,gB;MADb,YAAY,C;  
MACZ,iD;QAAa,WAAb,e;QA16SI,IAAI,Wak6SkB,cAl6SIB,EAk6SkB,sBA16SIB,Wak6S2B,IA16S3B,CAAJ,C;U  
AA2C,sBAk6SZ,IA16SY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MAu6SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,W  
AAb,e;QA95SI,IAAI,WA85SkB,cA95SIB,EA85SkB,sBA95SIB,WA85S2B,IA95S3B,CAAJ,C;UAA2C,sBA85SZ,I  
A95SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm6SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA15SI,I  
AAI,WA05SkB,cA15SIB,EA05SkB,sBA15SIB,WA05S2B,IA15S3B,CAAJ,C;UAA2C,sBA05SZ,IA15SY,C;;MAE  
/C,OAAO,W;K;qGAGX,6C;MA+5SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA5SI,IAAI,WAs5SkB,c  
At5SIB,EAs5SkB,sBA5SIB,WAs5S2B,IA5S3B,CAAJ,C;UAA2C,sBA5SZ,IA5SY,C;;MAE/C,OAAO,W;K;sGA  
GX,6C;MA25SiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA15SI,IAAI,Wak5SkB,cAl5SIB,EAk5SkB,sB  
Al5SIB,Wak5S2B,IA15S3B,CAAJ,C;UAA2C,sBAk5SZ,IA15SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAu5SiB,g  
B;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA94SI,IAAI,WA84SkB,cA94SIB,EA84SkB,sBA94SIB,WA84S2  
B,IA94S3B,CAAJ,C;UAA2C,sBA84SZ,IA94SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAm5SiB,gB;MADb,YAA  
Y,C;MACZ,iD;QAAa,WAAb,e;QA14SI,IAAI,WA04SkB,cA14SIB,EA04SkB,sBA14SIB,WA04S2B,IA14S3B,CA  
AJ,C;UAA2C,sBA04SZ,IA14SY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+4SiB,gB;MADb,YAAY,C;MACZ,iD;  
QAAa,WAAb,e;QA4SI,IAAI,WAs4SkB,cAt4SIB,EAs4SkB,sBA4SIB,WAs4S2B,IA4S3B,CAAJ,C;UAA2C,sBA  
s4SZ,IA4SY,C;;MAE/C,OAAO,W;K;sGAGX,yB;MAAA,gC;MAo4SA,oC;MAP4SA,oD;QA24SiB,gB;QADb,YA

AY,C;QACZ,iD;UAAa,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAI4S/B,IAAI,UA  
AU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QAE/C,OAAO,W;O;KAXX,C;sGAcA,yB;MAAA,  
+D;MAAA,sC;QAMW,kBAAmB,gB;QASV,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,YAAJ,C;YAAkB,WA  
AY,WAAl,OAAJ,C;;QATpD,OAuO,W;O;KAhBX,C;0GASA,4C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QA  
AgB,cAAA,SAAhB,M;QAAsB,IAAI,YAAJ,C;UAAkB,WAAY,WAAl,OAAJ,C;;MACpD,OAAO,W;K;wFAGX,y  
B;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAoGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAPGS,SA  
oGR,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAl,OAAJ,C;;QApG3D,OAqGO,W;O;KA3GX,C;0FASA,yB;M  
AAA,+D;MAAA,uC;QAMW,kBAAY,gB;QAqGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CARGY,SAqG  
X,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAl,OAAJ,C;;QArG3D,OAsGO,W;O;KA5GX,C;0FASA,yB;MAA  
A,+D;MAAA,uC;QAMW,kBAAY,gB;QAsGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAtGa,SAsgZ,CA  
AU,OAAV,CAAL,C;YAAyB,WAAY,WAAl,OAAJ,C;;QAtG3D,OAuGO,W;O;KA7GX,C;0FASA,yB;MAAA,+D;  
MAAA,uC;QAMW,kBAAY,gB;QAUgh,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAvGW,SAuGV,CAAU,  
OAAV,CAAL,C;YAAyB,WAAY,WAAl,OAAJ,C;;QAvG3D,OAwGO,W;O;KA9GX,C;0FASA,yB;MAAA,+D;M  
AAA,uC;QAMW,kBAAY,gB;QAwGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAXGY,SAwGX,CAAU,O  
AAV,CAAL,C;YAAyB,WAAY,WAAl,OAAJ,C;;QAxG3D,OAYGO,W;O;KA/GX,C;0FASA,yB;MAAA,+D;MAA  
A,uC;QAMW,kBAAY,gB;QAYGH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAzGa,SAyGZ,CAAU,OAAV,  
CAAL,C;YAAyB,WAAY,WAAl,OAAJ,C;;QAzG3D,OA0GO,W;O;KAhHX,C;0FASA,yB;MAAA,+D;MAAA,uC;  
QAMW,kBAAY,gB;QA0GH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA1Gc,SA0Gb,CAAU,OAAV,CAA  
L,C;YAAyB,WAAY,WAAl,OAAJ,C;;QA1G3D,OA2GO,W;O;KAjHX,C;0FASA,yB;MAAA,+D;MAAA,uC;QA  
MW,kBAAY,gB;QA2GH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA3Ge,SA2Gd,CAAU,OAAV,CAAL,C;  
YAAyB,WAAY,WAAl,OAAJ,C;;QA3G3D,OA4GO,W;O;KAIHX,C;0FASA,yB;MAAA,+D;MA4GA,oC;MAAA,  
gC;MA5GA,uC;QAMW,kBAAY,gB;QA4GH,Q;QAaHb,iD;UAAgB,cAAhB,0B;UAAsB,IAAI,CA5GY,SA4GX,C  
AAU,oBAAV,CAAL,C;YAAyB,WAAY,WAAl,oBAAJ,C;;QA5G3D,OA6GO,W;O;KAnHX,C;IASA,kC;MAMI,O  
AAO,2BAAgB,gBAAhB,C;K;IAGX,iD;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QA  
AsB,IAAI,eAAJ,C;UAAqB,WAAY,WAAl,OAAJ,C;;MACvD,OAAO,W;K;4FAGX,6C;MAMoB,Q;MAAhB,wBA  
AgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl  
,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,  
M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,  
6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CA  
AL,C;UAAyB,WAAY,WAAl,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB  
,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;;M  
AC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IA  
AI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,  
Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAy  
B,WAAY,WAAl,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,  
cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;;MAC3D,OAA  
O,W;K;8FAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,U  
AAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC  
;MAAA,oD;QAMoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,CAAC,  
UAAU,oBAAV,CAAL,C;YAAyB,WAAY,WAAl,oBAAJ,C;;QAC3D,OAAO,W;O;KAPX,C;sFAUA,6C;MAMoB,  
Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WA  
AY,WAAl,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAA  
A,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAl,OAAJ,C;;MAC1D,OAAO,W;K;wFA  
GX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ  
,C;UAAwB,WAAY,WAAl,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,g  
B;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAl,OAAJ,C;;MAC1D,O  
AAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UA  
U,OAAV,CAAJ,C;UAAwB,WAAY,WAAl,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wB

AAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OA  
AJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;Q  
AAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAMo  
B,Q;MAAhB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,W  
AAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAMoB,Q;QAAhB,  
wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,WAA  
Y,WAAI,oBAAJ,C;;QAC1D,OAAO,W;O;KAPX,C;IAUA,mC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMhtle,W;O  
NIttC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,CAAqD,C;K;IA  
GhE,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxtle,W;ONyIttC,Oe7rIsC,Of6rI/B,yBAAY,OAAQ,MAApB,EA  
A2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI+B,C;K;IfgsI1C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMh  
ule,W;ONiutC,Oe7rIuC,Of6rIhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI  
gC,C;K;IfgsI3C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxule,W;ONyutC,Oe7rIqC,Of6rI9B,yBAAY,OAAQ,  
MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rI8B,C;K;IfgsIzC,qC;MAII,IAAI,OAAQ,UAAZ,C;Q  
AAuB,OMhve,W;ONivItC,Oe7rIsC,Of6rI/B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IA  
A3B,Ce7rI+B,C;K;IfgsI1C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxve,W;ONyvItC,Oe7rIuC,Of6rIhC,yBA  
AY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIgC,C;K;IfgsI3C,qC;MAII,IAAI,OAAQ,  
UAAZ,C;QAAuB,OMhve,W;ONiwItC,Oe7rIwC,Of6rIjC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAu  
B,CAAvB,IAA3B,Ce7rIiC,C;K;IfgsI5C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMxve,W;ONywItC,Oe7rIyC,  
Of6rIiC,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Ce7rIkC,C;K;IfgsI7C,qC;MAII,  
IAAI,OAAQ,UAAZ,C;QAAuB,OMhve,W;ONixItC,OAA4D,SAArD,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,a  
AAR,GAAuB,CAAvB,IAA3B,CAAqD,C;K;IAGhE,qC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EA  
AxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAaA,IAAb,C;MACG,yB;MAAd,OA  
Ac,cAAd,C;QAAC,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,qC;MAOkB,Q;MAH  
d,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAA  
W,iBAAGB,IAAhB,C;MACG,yB;MAAd,OAAC,cAAd,C;QAAC,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;  
MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SA  
AQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAaI,IAAjB,C;MACG,yB;MAAd,OAAC,cAAd,C;QAAC,uB;Q  
ACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OA  
AQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAaE,IAAf,C;MACG,  
yB;MAAd,OAAC,cAAd,C;QAAC,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;M  
AOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;  
MACTB,WAAW,iBAAGB,IAAhB,C;MACG,yB;MAAd,OAAC,cAAd,C;QAAC,uB;QACV,IAAK,WAAI,UAAI,KA  
AJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MAC  
nB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAaI,IAAjB,C;MACG,yB;MAAd,OAAC,cAAd,C;  
QAAC,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,  
wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAaKB,IA  
AIB,C;MACG,yB;MAAd,OAAC,cAAd,C;QAAC,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,  
I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;Q  
AAe,OAAO,W;MACTB,WAAW,iBAAmB,IAAnB,C;MACG,yB;MAAd,OAAC,cAAd,C;QAAC,uB;QACV,IAAK,  
WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB  
,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTB,WAAW,iBAAGB,IAAhB,C;MACG,yB;MA  
Ad,OAAC,cAAd,C;QAAC,uB;QACV,IAAK,WAAI,sBAI,KAAJ,EAJ,C;;MAET,OAAO,I;K;IAGX,wC;MAMw  
B,UACT,M;MAHX,aAAa,aAAa,SAAb,EAAMB,OAAQ,KAA3B,C;MACb,kBAaKB,C;MACE,yB;MAApB,OAAO  
B,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAAL,C;;MAE5B,OAAO,M;  
K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,cAAU,OAAQ,KAAIB,C;MACb,kBAaKB,C;MACE,yB;MAApB,O  
AAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAAL,C;;MAE5B,OAAO  
,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,eAAW,OAAQ,KAAIB,C;MACb,kBAaKB,C;MACE,yB;MAA  
pB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAAL,C;;MAE5B,O

AAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,eAAS,OAAQ,KAAjB,C;MACb,kBAAkB,C;MACE,yB;M  
AApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5  
B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,kBAAkB,C;MACE,  
yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;  
MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAW,OAAQ,KAAAnB,C;MACb,kBAAkB,C;  
MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WA  
AL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAy,OAAQ,KAApB,C;MACb,kBA  
AkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK  
,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,oBAAa,OAAQ,KAArB,C;MACb,k  
BAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,U  
AAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MA  
Cb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAA  
wB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,yBAAY,CAA  
Z,EAAe,CAAf,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;I  
AGX,0C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,cAAU,CAAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,  
EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAA  
W,CAAX,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX  
,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAAS,CAAT,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA  
2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,C  
AAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;  
MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAW,CAAX,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2  
B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAy,CA  
AZ,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;M  
AII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,oBAAa,CAAb,C;MAC9B,OAAO,oBAAY,OAAQ,MAApB,EAA2B,O  
AAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV  
,C;MAC9B,OAAO,oBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,4B;MAci  
B,Q;Mc3nJb,IAAI,EdqnJI,KAAK,CcrnJT,CAAJ,C;QACI,cdonJc,sD;QcnnJd,MAAM,gCAAYB,OAAQ,WAAjC,C;  
OdonJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,iB;MAcTB,IAA  
I,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CA  
Ab,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CA  
Af,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;McpJb,IAAI,Ed2oJI,KAAK,Cc3oJT,CAAJ,C;QACI,cd0oJ  
c,sD;QczoJd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od0oJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAA  
I,KAAK,gBAAT,C;QAAe,OAAO,mB;MAcTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAA  
P,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;Q  
ACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mcvq  
Jb,IAAI,EdiqJI,KAAK,CcjJt,CAAJ,C;QACI,cdgqJc,sD;Qc/pJd,MAAM,gCAAYB,OAAQ,WAAjC,C;OdgqJV,IA  
AI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MAcTB,IAAI,MAAK,  
CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;M  
ACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UA  
CI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc7rJb,IAAI,EdurJI,KAAK,Cc7rJT,CAAJ,C;QACI,cdsrJc,sD;QcrrJ  
d,MAAM,gCAAYB,OAAQ,WAAjC,C;OdsrJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gB  
AAT,C;QAAe,OAAO,mB;MAcTB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACn  
B,YAAY,C;MACZ,WAAW,iBAAe,CAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WA  
AI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;MentJb,IAAI,Ed6sJI,  
KAAK,Cc7sJT,CAAJ,C;QACI,cd4sJc,sD;Qc3sJd,MAAM,gCAAYB,OAAQ,WAAjC,C;Od4sJV,IAAI,MAAK,CAA  
T,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MAcTB,IAAI,MAAK,CAAT,C;QAAY  
,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,S  
AAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,O

AAO,I;K;IAGX,8B;MAciB,Q;McZuJb,IAAI,EdmuJI,KAAK,CcnuJT,CAAJ,C;QACI,cdkuJc,sD;QcjuJd,MAAM,gC  
AAyB,OAAQ,WAAjC,C;OdkuJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA  
Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;  
MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,  
C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc/vJb,IAAI,EdyvJI,KAAK,  
CczvJT,CAAJ,C;QACI,cdwvJc,sD;QcvvJd,MAAM,gCAAyB,OAAQ,WAAjC,C;OdwwJV,IAAI,MAAK,CAAT,C;  
QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OA  
AO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACX,wBAAa,SAAb  
,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;MAER,OAAO  
,I;K;IAGX,8B;MAciB,Q;McrxJb,IAAI,Ed+wJI,KAAK,Cc/wJT,CAAJ,C;QACI,cd8wJc,sD;Qc7wJd,MAAM,gCAA  
yB,OAAQ,WAAjC,C;Od8wJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,  
OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MA  
CZ,WAAW,iBAAmB,CAAnB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;  
QACL,IAAI,mCAAW,CAAf,C;UACI,K;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mc3yJb,IAAI,EdqyJI,KAAK,Cc  
ryJT,CAAJ,C;QACI,cdoyJc,sD;QcnyJd,MAAM,gCAAyB,OAAQ,WAAjC,C;OdoyJV,IAAI,MAAK,CAAT,C;QA  
AY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,O  
AAO,sBAAK,CAAL,EAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;  
QAAa,WAAb,UAAa,SAAb,O;QACI,IAAK,WAAI,iBAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;MAER,OA  
AO,I;K;IAGX,gC;MenzJI,IAAI,Ed2zJI,KAAK,Cc3zJT,CAAJ,C;QACI,cd0zJc,sD;QczzJd,MAAM,gCAAyB,OAA  
Q,WAAjC,C;Od0zJV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,  
C;QAae,OAAO,iB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;  
MACnB,WAAW,iBAaa,CAAb,C;MACX,iBAac,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UA  
AK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mct0JI,IAAI,Ed80JI,KAAK,Cc90JT,CAAJ,C;QACI,cd60Jc,sD;  
Qc50Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;Od60JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,  
gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAA  
K,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAac,OAAO,CAAP,IAAd,UAA6  
B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcz1JI,IAAI,Edi2JI,KAA  
K,Ccj2JT,CAAJ,C;QACI,cdg2Jc,sD;Qc/1Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;Odg2JV,IAAI,MAAK,CAAT,C;  
QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CA  
AT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,i  
BAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IA  
GX,kC;Mc52JI,IAAI,Edo3JI,KAAK,Ccp3JT,CAAJ,C;QACI,cdm3Jc,sD;Qcl3Jd,MAAM,gCAAyB,OAAQ,WAAjC,  
C;Odm3JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,O  
AAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,  
WAAW,iBAae,CAAf,C;MACX,iBAac,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAA  
L,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc/3JI,IAAI,Edu4JI,KAAK,Ccv4JT,CAAJ,C;QACI,cds4Jc,sD;Qcr4Jd,M  
AAM,gCAAyB,OAAQ,WAAjC,C;Ods4JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX  
,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,C  
AAP,IAAL,CAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAac,OAAO,CAAP,IAAd,UAA6B,IAA7B,U  
;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mcl5JI,IAAI,Ed05JI,KAAK,Cc15JT,C  
AAJ,C;QACI,cdy5Jc,sD;Qcx5Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;Ody5JV,IAAI,MAAK,CAAT,C;QAAY,OA  
AO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QA  
AY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAac,OA  
AO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc  
r6JI,IAAI,Ed66JI,KAAK,Cc76JT,CAAJ,C;QACI,cd46Jc,sD;Qc36Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;Od46JV,  
IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QAae,OAAO,mB;M  
ACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBA  
AkB,CAAlB,C;MACX,iBAac,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,UAAK,KAAL,CAAJ,

C;MACT,OAAO,I;K;IAGX,kC;Mcx7JI,IAAI,Edg8JI,KAAK,Cch8JT,CAAJ,C;QACI,cd+7Jc,sD;Qc97Jd,MAAM,g  
CAAyB,OAAQ,WAAjC,C;Od+7JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,gB;MACX,IAAI,  
KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,OAAO,CAAP,I  
AAL,CAAP,C;MACnB,WAAW,iBAAmB,CAAnB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QA  
CI,IAAK,WAAI,UAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,kC;Mc38JI,IAAI,Edm9JI,KAAK,Ccn9JT,CAA  
J,C;QACI,cdk9Jc,sD;Qcj9Jd,MAAM,gCAAyB,OAAQ,WAAjC,C;Odk9JV,IAAI,MAAK,CAAT,C;QAAY,OAAO,  
W;MACnB,WAAW,gB;MACX,IAAI,KAAK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,  
OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,EAAP,C;MACnB,WAAW,iBAAgB,CAAhB,C;MACX,iBAAc,OAA  
O,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,EAJ,C;MACT,OAAO,I;K;gGAGX,yB;M  
AAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAA  
U,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;k  
GAcA,yB;MAAA,8D;MAAA,2C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,  
CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O  
;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;U  
ACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,O  
AAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,C  
AA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,  
C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd  
,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CA  
AR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBA  
Ac,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK  
,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;  
QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OA  
AO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;  
MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C  
;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,oC;  
MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,  
KAAL,EA AV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;wFAcA,yB;  
MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA  
AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;  
MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA  
AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;  
MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA  
AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;  
MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA  
AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;  
MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA  
AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;  
MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IA  
AI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;  
MAAA,+D;MAAA,oC;MAAA,gC;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WA  
Ab,UAAa,SAAb,O;UACI,IAAI,CAAC,UAAU,iBAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,iBAAJ,C;;QAET,O  
AAO,I;O;KAZX,C;IAeA,4B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf  
,C;QAaKB,M;MACIB,mBAAmB,wB;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;

QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAA e,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;M ACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAA L,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CA Ab,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U; QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QA CrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QA AkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV, UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAA C,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB, iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;Q ACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I; MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI ,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,m C;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M; MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK, KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBA AO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc, CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,U AAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,I AAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU ,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;I AIR,kD;MAWI,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAAcS,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAA Z,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB ,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;Q ACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,kD;MAWI,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAAcS, gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M; MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;Q ACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCA Aa,2BAAkB,SAaIB,EAA6B,OAA7B,EAAcS,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CA AxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA 8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL, IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAAcS,gBAAtC,C;MACb, eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAm B,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAA L,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAa IB,EAA6B,OAA7B,EAAcS,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI, cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QAC I,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB, mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAAcS,gBAAtC,C;MACb,eAAe,CAAC,YAA Y,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I; MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,Y AAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7 B,EAAcS,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C; QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK, KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD; MAWI,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAAcS,gBAAtC,C;MACb,eAAe,CAAC,YAAY,OAAZ,IAAD,I AAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3B,mBAAmB,UAAU,CAAV,I;MACnB,iBAAc,S

AAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UA  
AK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,mD;MAWI,oCAAA,2BAaKB,SAaIB,EAA6B,OAA7B,EAA5C,gBAAt  
C,C;MACb,eAAe,CAAC,YAA,Y,AAZ,IAAD,IAAwB,CAAxB,I;MACf,IAAI,cAAa,QAAjB,C;QAA2B,M;MAC3  
B,mBAaMB,UAAU,CAAV,I;MACnB,iBAAc,SAAd,UAA8B,QAA9B,U;QACI,UAAU,UAAK,KAAL,C;QACV,U  
AAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,6B;MAII,IA+nEO,qBA  
AQ,CA/nEf,C;QAAe,OAAO,W;MACtB,WAAW,wB;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII  
,IA6nEO,qBAAQ,CA7nEf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;I  
AGX,+B;MAII,IA2nEO,qBAAQ,CA3nEf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MAC  
L,OAAO,I;K;IAGX,+B;MAII,IAynEO,qBAAQ,CAznEf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,I  
AAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAunEO,qBAAQ,CAvnEf,C;QAAe,OAAO,W;MACtB,WAAW,0B;M  
ACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAqnEO,qBAAQ,CAnEf,C;QAAe,OAAO,W;MACtB,  
WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAmnEO,qBAAQ,CAnEf,C;QAAe,OA  
AO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAinEO,qBAAQ,CAjnEf,  
C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IA+mEO,qB  
AAQ,CA/mEf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,kC;MA  
II,IAqiEO,qBAAQ,CariEf,C;QAAe,OAAO,S;MACtB,aAAa,aAAa,SAAb,EAAmB,gBAAnB,C;MACb,gBAAgB,w  
B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAA,Y,AAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,O  
AAO,M;K;IAGX,oC;MAII,IAiiEO,qBAAQ,CAjiEf,C;QAAe,OAAO,S;MACtB,aAAa,cAAU,gBAAV,C;MACb,gB  
AAGB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAA,Y,AAZ,IAAP,IAAwB,UAAK,CAAL,C;M  
AC5B,OAAO,M;K;IAGX,oC;MAII,IA6hEO,qBAAQ,CA7hEf,C;QAAe,OAAO,S;MACtB,aAAa,eAAW,gBAAX,  
C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAA,Y,AAZ,IAAP,IAAwB,UAAK  
,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAyhEO,qBAAQ,CAzhEf,C;QAAe,OAAO,S;MACtB,aAAa,eAA  
S,gBAAT,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAA,Y,AAZ,IAAP,IAA  
wB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAqhEO,qBAAQ,CArhEf,C;QAAe,OAAO,S;MACtB,a  
AAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAA,Y,AAZ  
,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAihEO,qBAAQ,CAjhEf,C;QAAe,OAAO,  
S;MACtB,aAAa,iBAAW,gBAAX,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,Y  
AA,Y,AAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IA6gEO,qBAAQ,CA7gEf,C;Q  
AAe,OAAO,S;MACtB,aAAa,iBAAY,gBAAZ,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QA  
CI,OAAO,YAA,Y,AAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAygeO,qBAAQ,  
CAzgEf,C;QAAe,OAAO,S;MACtB,aAAa,oBAAb,gBAAb,C;MACb,gBAAgB,0B;MACHb,aAAU,CAAV,OAAa,S  
AAb,M;QACI,OAAO,YAA,Y,AAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAqgE  
O,qBAAQ,CArgEf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAgB,0B;MACHb,aAAU,CA  
AV,OAAa,SAAb,M;QACI,OAAO,YAA,Y,AAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,4B;  
MAKI,qBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,qBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8  
B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,  
8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAGJ,8B;MAKI,sBAAQ,4BAAR,C;K;IAG  
J,sC;MAOI,aAAU,wBAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAA  
W,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,sC;MA  
OI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,  
CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,  
0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;  
QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,  
OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,U  
AAK,CAAL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,C  
AA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CA  
AL,IAAU,UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M  
;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,

UAAK,CAAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QA  
AQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,C  
AAL,C;QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MA  
AO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;  
QACV,UAAK,CAAL,IAAU,I;;K;IAIIB,uC;MAOI,aAAU,0BAAV,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBA  
AQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,UAAK,CAAL,C;QACX,UAAK,CAAL,IAAU,UAAK,CAAL,C;QACV,U  
AAK,CAAL,IAAU,I;;K;kFAIIB,yB;MAAA,oD;MgBn5LA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4  
B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3  
B,C;W;S;OA4DI,C;MhB44Lf,sC;QAMI,IAAI,mBAAO,CAAX,C;UAAc,oBgB15Ld,eAAW,iBhBk5LsB,QgB15LtB,  
CAAX,ChBk5Lc,C;U;KANIB,C;sGASA,yB;MAAA,oD;MgBz4LA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;e  
AwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,  
CAA3B,C;W;S;OA+EI,C;MhBk4Lf,sC;QAMI,IAAI,mBAAO,CAAX,C;UAAc,oBgBx4Ld,eAAW,2BhBw4LgC,Q  
gBx4LhC,CAAX,ChBw4Lc,C;U;KANIB,C;IASA,mC;MAMI,oBAAS,cAAT,C;K;IAGJ,qC;MAII,IAAI,mBAAO,C  
AAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,  
mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,iB;QACA,oB;Q;IAIR,qC;  
MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;  
Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,2B;MAMI,OAAqB,OAAAd,sBAAC,C;K;IAG  
zB,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiB5gMhC,WjB4gMgC,C;K;IAG3C,6B;MAI0B,kBAAf  
,yB;MAAuB,mB;MAA9B,OAAuC,OiBnhMhC,WjBmhMgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MA  
A9B,OAAuC,OiB1hMhC,WjB0hMgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiBjiM  
hC,WjBiiMgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiBxiMhC,WjBwiMgC,C;K;IA  
G3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiB/iMhC,WjB+iMgC,C;K;IAG3C,6B;MAI0B,kBAA  
f,0B;MAAuB,mB;MAA9B,OAAuC,OiBtjMhC,WjBsMgC,C;K;IAG3C,gC;MAMI,IA6kDO,qBAAQ,CA7kDf,C;Q  
AAe,OAAO,S;MACD,kBAAd,SepjKiB,Q;MfojKK,mB;MAA7B,OiBhkMO,W;K;IjBmkMX,kC;MAII,IA6kDO,qB  
AAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,SeljKiB,Q;MfkjKK,iB;MAA7B,OiBxkMO,W;K;IjB2kMX,kC;  
MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,SehjKiB,Q;MfgjKK,iB;MAA7B,OiBhlMO,W  
;K;IjBmlMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAd,Se9iKiB,Q;Mf8iKK,iB;MA  
A7B,OiBxlMO,W;K;IjB2IMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAAL,SA  
AK,C;MAAiB,mB;MAA7B,OiBhmMO,W;K;IjBmmMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,C;QAAe,OAAO,S;  
MACD,kBAAd,Se3iKiB,Q;Mf2iKK,iB;MAA7B,OiBxmMO,W;K;IjB2mMX,kC;MAII,IA6kDO,qBAAQ,CA7kDf,  
C;QAAe,OAAO,S;MACD,kBAAd,SeziKiB,Q;MfyiKK,iB;MAA7B,OiBhnMO,W;K;IjBmnMX,kC;MAII,IAqIDO,  
qBAAQ,CArldf,C;QAAe,OAAO,S;MACD,kBAAT,UAAAL,SAAK,C;MAAiB,iB;MAA7B,OiBxnMO,W;K;IjB2nM  
X,0C;MAMI,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,SetnKiB,Q;MfsnKK,sBAAS,cAAT,C;  
MAA7B,OiBloMO,W;K;IjBqoMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Sejn  
iB,Q;MfonKK,6B;MAA7B,OiB1oMO,W;K;IjB6oMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MA  
CD,kBAAd,SelnKiB,Q;MfknKK,6B;MAA7B,OiBlpMO,W;K;IjBqpMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;Q  
AAe,OAAO,S;MACD,kBAAd,SehnKiB,Q;MfgnKK,6B;MAA7B,OiB1pMO,W;K;IjB6pMX,4C;MAII,IA2gDO,qB  
AAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAT,UAAAL,SAAK,C;MAAiB,6B;MAA7B,OiBlqMO,W;K;IjBqqMX  
,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Se7mKiB,Q;Mf6mKK,6B;MAA7B,OiB1  
qMO,W;K;IjB6qMX,4C;MAII,IA2gDO,qBAAQ,CA3gDf,C;QAAe,OAAO,S;MACD,kBAAd,Se3mKiB,Q;Mf2mK  
K,6B;MAA7B,OiBlrMO,W;K;IjBqrMX,4C;MAII,IAmhDO,qBAAQ,CAnhDf,C;QAAe,OAAO,S;MACD,kBAAT,  
UAAAL,SAAK,C;MAAiB,6B;MAA7B,OiB1rMO,W;K;IjB6rMX,gD;MAMI,IAy8CO,qBAAQ,CAz8Cf,C;QAAe,O  
AAO,S;MACD,kBAAd,SexrKiB,Q;MfwrKK,iC;MAA7B,OiBpsMO,W;K;sfjBusMX,yB;MAAA,wD;MgB5rMA,s  
C;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4  
DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBqrMf,sC;QAQI,OAAO,sBgB7rMP,  
eAAW,iBhB6rMiB,QgB7rMjB,CAAX,ChB6rMO,C;O;KARX,C;wFAWA,yB;MAAA,wD;MgBvsMA,sC;MAAA,  
oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5D  
hB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBgsMf,sC;QAMI,OAAO,sBgBtsMP,eAAW,iBh

BssMiB,QgBtsMjB,CAAX,ChBssMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBhtMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBysMf,sC;QAMI,OAAO,sBgB/sMP,eAAW,iBhB+sMiB,QgB/sMjB,CAAX,ChB+sMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBztMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBktMf,sC;QAMI,OAAO,sBgBxtMP,eAAW,iBhBwtMiB,QgBxtMjB,CAAX,ChBwtMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBluMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB2tMf,sC;QAMI,OAAO,sBgBjuMP,eAAW,iBhBiuMiB,QgBjuMjB,CAAX,ChBiuMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgB3uMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBouMf,sC;QAMI,OAAO,sBgB1uMP,eAAW,iBhB0uMiB,QgB1uMjB,CAAX,ChB0uMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBpvMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB6uMf,sC;QAMI,OAAO,sBgBnvMP,eAAW,iBhBmvMiB,QgBnvMjB,CAAX,ChBmvMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgB7vMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhBsvMf,sC;QAMI,OAAO,sBgB5vMP,eAAW,iBhB4vMiB,QgB5vMjB,CAAX,ChB4vMO,C;O;KANX,C;wFASA,yB;MAAA,wD;MgBtwMA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MhB+vMf,sC;QAMI,OAAO,sBgBrwMP,eAAW,iBhBqwMiB,QgBrwMjB,CAAX,ChBqwMO,C;O;KANX,C;0GASA,yB;MAAA,wD;MgB5vMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBqvMf,sC;QAMI,OAAO,sBgB3vMP,eAAW,2BhB2vM2B,QgB3vM3B,CAAX,ChB2vMO,C;O;KANX,C;4GASA,yB;MAAA,wD;MgBrwMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB8vMf,sC;QAI,OAAO,sBgBlwMP,eAAW,2BhBkwM2B,QgBlwM3B,CAAX,ChBkwMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB5wMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBqwMf,sC;QAI,OAAO,sBgBzwMP,eAAW,2BhBywM2B,QgBzwM3B,CAAX,ChBywMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBnxMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB4wMf,sC;QAI,OAAO,sBgBhxMP,eAAW,2BhBgxM2B,QgBhxM3B,CAAX,ChBgxMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB1xMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBmxMf,sC;QAI,OAAO,sBgBvxMP,eAAW,2BhBuxM2B,QgBvxM3B,CAAX,ChBuxMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBjyMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB0xMf,sC;QAI,OAAO,sBgB9xMP,eAAW,2BhB8xM2B,QgB9xM3B,CAAX,ChB8xMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBxyMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBiyMf,sC;QAI,OAAO,sBgBryMP,eAAW,2BhBqyM2B,QgBryM3B,CAAX,ChBqyMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgB/yMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhBwyMf,sC;QAI,OAAO,sBgB5yMP,eAAW,2BhB4yM2B,QgB5yM3B,CAAX,ChB4yMO,C;O;KAJX,C;4GAOA,yB;MAAA,wD;MgBtzMA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MhB+yMf,sC;QAI,OAAO,sBgBnzMP,eAAW,2BhBmzM2B,QgBnzM3B,CAAX,ChBmzMO,C;O;KAJX,C;IAOA,qC;MAMI,OAAO,sBAAW,cAAx,C;K;IAGX,uC;MAIoB,kBel1KQ,iB;Mfk1KA,iB;MAAxB,OAAiC,Wi

Bx2M1B,WjBw2M0B,C;K;IAGrC,uC;MAIoB,kBe/0KQ,iB;Mf+0KA,iB;MAAxB,OAAiC,WiB/2M1B,WjB+2M0B ,C;K;IAGrC,uC;MAIoB,kBe50KQ,iB;Mf40KA,iB;MAAxB,OAAiC,WiBt3M1B,WjBs3M0B,C;K;IAGrC,uC;MAIo B,kBAAT,oB;MAAiB,mB;MAAxB,OAAiC,WiB73M1B,WjB63M0B,C;K;IAGrC,uC;MAIoB,kBev0KQ,iB;Mfu0 KA,iB;MAAxB,OAAiC,WiBp4M1B,WjBo4M0B,C;K;IAGrC,uC;MAIoB,kBep0KQ,iB;Mfo0KA,iB;MAAxB,OAA iC,WiB34M1B,WjB24M0B,C;K;IAGrC,uC;MAIoB,kBAAT,oB;MAAiB,iB;MAAxB,OAAiC,WiB15M1B,WjBk5 M0B,C;K;IAGrC,2C;MAMI,OAAmC,OAA5B,2BAAGB,UAAhB,CAA4B,C;K;IAGvC,6C;MAIoB,kBAAf,yB;MA AuB,iC;MAA9B,OAAqD,OiB16M9C,WjBk6M8C,C;K;IAGzD,6C;MAIoB,kBAAf,yB;MAAuB,iC;MAA9B,OAAq D,OiBz6M9C,WjBy6M8C,C;K;IAGzD,6C;MAIoB,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OiBh7M9C,WjBg7M 8C,C;K;IAGzD,6C;MAIoB,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OiBv7M9C,WjBu7M8C,C;K;IAGzD,6C;MA IoB,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD,OiB97M9C,WjB87M8C,C;K;IAGzD,6C;MAIoB,kBAAf,yB;MAAu B,iC;MAA9B,OAAqD,OiBr8M9C,WjBq8M8C,C;K;IAGzD,6C;MAIoB,kBAAf,yB;MAAuB,iC;MAA9B,OAAqD, OiB58M9C,WjB48M8C,C;K;IAGzD,6C;MAIoB,kBAAf,0B;MAAuB,iC;MAA9B,OAAqD,OiBn9M9C,WjBm9M8 C,C;K;IAkoCrD,gC;MAAQ,oBAAS,CAAT,EAAY,wBAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAA Z,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;I AMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAMR,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAM R,kC;MAAQ,oBAAS,CAAT,EAAY,0BAAZ,C;K;IAAEZ,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OA AO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB; MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;sF AGnB,qB;MAKI,OAAO,qBAAQ,C;K;sFAGnB,qB;MAKI,OAAO,qBAAQ,C;K;0FAGnB,qB;MAKI,OAAO,EAxE A,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAx EA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAx EA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,E AxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,EAxEA,qBAAQ,CAwER,C;K;4FAGX,qB;MAKI,OAAO,E AxEA,qBAAQ,CAwER,C;K;IAOP,kC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR, oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAMR,oC;MAAQ,0BAAO,CAAP,I;K;IAM R,oC;MAAQ,0BAAO,CAAP,I;K;IA8TZ,yD;MAcI,sBAAS,cAAT,EAAYB,SAAzB,EAAoC,OAApC,C;K;IAGJ,y D;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,qBAAQ,SAAR,EAAMB,OAAhB,C;K;IAGJ,yD;MAYI,mBA AK,SAAL,EAAGB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMB,OAAhB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EA AgB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMB,OAAhB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAAhB, C;MACA,sBAAQ,SAAR,EAAMB,OAAhB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,sBA AQ,SAAR,EAAMB,OAAhB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,sBAAQ,SAAR,EA AMB,OAAhB,C;K;IAGJ,0D;MAYI,mBAAK,SAAL,EAAGB,OAAhB,C;MACA,sBAAQ,SAAR,EAAMB,OAAhB, C;K;IA2B0B,oD;MAAA,wB;QAAW,2BAAK,KAAL,C;O;K;IAJzC,mC;MAII,OAAO,qBAAa,gBAAb,EAAMB,gC AAnB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,+BAAU,gBAAV,GAA gB,6BAAhB,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAAO,kBAAU,gBAA V,EAAGB,6BAAhB,C;K;IAOkB,kD;MAAA,wB;QAAW,0BAAK,KAAL,C;O;K;IAJxC,kC;MAII,OAAO,kCAAY, gBAAZ,GAAkB,+BAAIB,C;K;IAOiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IAJvC,iC;MAII,OAAO,kC AAW,gBAAX,GAAiB,8BAAjB,C;K;IAOe,4C;MAAA,wB;QAAW,uBAAK,KAAL,C;O;K;IAJrC,+B;MAII,OAAO ,gCAAS,gBAAT,GAAe,4BAAf,C;K;IAOgB,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IAJtC,gC;MAII,OAA O,kBAAU,gBAAV,EAAGB,6BAAhB,C;K;IAOiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IAJvC,iC;MAII, OAAO,gCAAW,gBAAX,GAAiB,8BAAjB,C;K;wFA2CX,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAW LeAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAA hB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOx+QnB,wBAAI,IAAK,MAAT,EAAGB, IAAK,OAArB,C;;QP8zPA,OA4qBO,W;O;KAXrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;Q AWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAD,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q; QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOv/QnB,wBAAI,IAAK,MAAT,EA

AgB,IAAK,OAArB,C;;QP60PA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOtgrnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QP41PA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOrhRnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QP22PA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOpiRnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QP03PA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOnjRnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QPpy4PA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOlkrnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QPw5PA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UOjlrnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QPu6PA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAA4qBA,oC;MAAA,gC;MA5qBA,uC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYqBH,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WA1qB8C,SA0qB/B,CAAU,oBAAV,C;UOhmRnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QP7PA,OA4qBO,W;O;KAxrBX,C;4FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAmQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApQoC,WaOqHc,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QApQhB,OAsQO,W;O;KAIRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAAQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArQuC,WaqQnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QArQhB,OAuQO,W;O;KANRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAAQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtQwC,WAsQpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAtQhB,OAwQO,W;O;KApRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAAQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvQsC,WaUqIC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAvQhB,OAyQO,W;O;KARRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAuQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxQuC,WawQnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAxQhB,OA0QO,W;O;KATRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAAQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAzQwC,WAYqPc,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAZqHb,OA2QO,W;O;KAvRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QAYQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1QyC,WA0QrC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA1QhB,OA4QO,W;O;KAxRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA0QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3Q0C,WA2Qic,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA3QhB,OA6QO,W;O;KAzRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA6QA,oC;MAAA,gC;MA7QA,yC;QAWI,eAAiC,cAAIB,YAAY,gBAAZ,CAAkB,EAAC,EAAd,C;QAC1B,kBAAY,mBAAoB,QAApB,C;QA2QL,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WAAY,aA5QuC,WA4QnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QA5QhB,OA8QO,W;O;KA1RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAY,gBAAZ,CAAk



,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;mGAGX,yB;MAAA,oC;MAAA,gC;MAAA,sE;QAUoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAY,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;2FAGBA,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOx+QnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MP0+QA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOv/QnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MPy/QA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOtgrnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MPwgrA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOrhrnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MPuhrA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOpirnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MPsirA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOnjrnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MPqjRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOlkrnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MPokRA,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAe,UAAU,OAAV,C;QOjlrnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MPmlRA,OAAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QASoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAe,UAAU,oBAAV,C;UOhmRnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QPkmRA,OAAO,W;O;KAZX,C;gGAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAYI,aAAa,mBAAaC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,CAATC,C;QASJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAD,CAAB,C;;QATJhB,OAAuB,M;O;KAd3B,C;kGAgBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAAyC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,CAAzC,C;QASJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAD,CAAB,C;;QATJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA0C,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,CAA1C,C;QASJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAD,CAAB,C;;QATJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAAyC,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,CAAzC,C;QASJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAD,CAAB,C;;QATJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA0C,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,CAA1C,C;QASJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAD,CAAB,C;;QATJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA2C,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,CAA3C,C;QASJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAD,CAAB,C;;QATJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAaI,aAAa,mBAA4C,cAAIB,YAAY,gBAAZ,CAAKB,EAAC,EAAD,CAA5C,C;QASJG,Q;QAAhB,iD;UAAgB,cAAhB,e;UArJuB,MAsJP,aAAI,OAAJ,EATJe,aAsJF,CAAC,OAAD,CAAB,C;;QATJhB,OAAuB,M;O;KAd3B,C;kGaiBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAWJA,oC;MAAA,gC;MAxJA,2C;QAaI,aAAa,mBAA2D,cAApC,YAAiB,aAAL,gBAAK,EAAa,GAAb,CAAjB,CAAoC,EAAC,EAAD,CAA3D,C;QASJG,Q;QAAhB,iD;UAAgB,cAAhB,0B;UArJuB,MAsJP,aAAI,oBAAJ,EATJe,aAsJF,CAAC,oBAAAd,CAAB,C;;QATJhB,OAAuB,M;O;KAd3B,C;oGaiBA,iD;MAUoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAD,CAAB,C;;MAEhB,OAAO,W;K;sGAGX,iD;MAWoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,WAAY,aAAI,OAAJ,EAAa,cAAc,OAAD,CAAB,C;;MAEhB,OAA





,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA1JhB,OA4JO,W;O;KAxKX,C;oG  
AeA,yB;MAAA,+D;MA4JA,gD;MA5JA,uC;QAYW,kBAaiB,gB;QA2JR,gB;QADhB,YAAY,C;QACZ,iD;UAAg  
B,cAAhB,e;UACI,WA5JoC,SA4JzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,E  
AAO,IAAP,C;;QA7JhB,OA+JO,W;O;KA3KX,C;oGAeA,yB;MAAA,+D;MA+JA,gD;MA/JA,uC;QAYW,kBAaiB,  
gB;QA8JR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WA/JoC,SA+JzB,EAAU,cAAV,EAAU,sBA  
AV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAhKhB,OAkKO,W;O;KA9KX,C;oGAeA,yB;M  
AAA,+D;MAkKA,gD;MAIKa,uC;QAYW,kBAaiB,gB;QAIKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,  
e;UACI,WAIKoC,SakKzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAA  
P,C;;QAnKhB,OAqKO,W;O;KAjLX,C;oGAeA,yB;MAAA,+D;MAqKA,gD;MArKA,uC;QAYW,kBAaiB,gB;QA  
oKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WArKoC,SAqKzB,EAAU,cAAV,EAAU,sBAAV,  
WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtKhB,OAwKO,W;O;KAplX,C;oGAeA,yB;MAA  
A,+D;MAwKA,gD;MAxKA,uC;QAYW,kBAaiB,gB;QAUKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;  
UACI,WAxKoC,SAwKzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAA  
P,C;;QAZKhB,OA2KO,W;O;KAvLX,C;oGAeA,yB;MAAA,+D;MA2KA,gD;MA3KA,uC;QAYW,kBAaiB,gB;QA  
OKR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WA3KoC,SA2KzB,EAAU,cAAV,EAAU,sBAAV,  
WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QA5KhB,OA8KO,W;O;KA1LX,C;oGAeA,yB;MAA  
A,+D;MA8KA,oC;MAAA,gD;MAAA,gC;MA9KA,uC;QAYW,kBAaiB,gB;QA6KR,gB;QADhB,YAAY,C;QACZ  
,iD;UAAgB,cAAhB,OB;UACI,WA9KoC,SA8KzB,EAAU,cAAV,EAAU,sBAAV,WAAMb,oBAAnB,C;UACC,OA  
AZ,WAAY,EAAO,IAAP,C;;QA/KhB,OaiLO,W;O;KA7LX,C;oGAeA,yB;MAAA,+D;MAiLA,gD;MAjLA,uC;QA  
YW,kBAaiB,gB;QAgLR,gB;QADhB,YAAY,C;QACZ,iD;UAAgB,cAAhB,e;UACI,WajLoC,SAiLzB,EAAU,cAA  
V,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAILhB,OAoLO,W;O;KAhMX,C;  
sGAeA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAGB,SAAhB,gB;UAAgB,cA  
AA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,I  
AAP,C;;QAEhB,OAAO,W;O;KafX,C;uGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;  
QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,  
OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAA  
A,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAA  
W,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;  
O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAGB,SAAhB,g  
B;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,W  
AAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QA  
FzB,YAAY,C;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBA  
AV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MA  
AA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;  
UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEh  
B,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAA  
gB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UA  
CC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,  
UACS,M;QAFzB,YAAY,C;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,cAA  
V,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wG  
AkBA,yB;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAGB,S  
AAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAW,WAAU,cAAV,EAAU,sBAAV,WAAMb,oBAAnB,  
C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;wGakBA,yB;MAAA,gD;MAAA,oD;QA  
WoB,UACS,M;QAFzB,YAAY,C;QACZ,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,WAAU,  
cAAV,EAAU,sBAAV,WAAMb,OAAnB,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;  
uFAkBA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,W  
AAW,UAAU,OA AV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAA  
A,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OA



ACA,e;;YAEA,c;;UPwhVA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5QT,OA8QO,W;O;KAvRX,C;sFAYA,yB;MAAA,wE;MA8QA,+D;MA9QA,yD;QAUW,kBAAU,oB;QA8QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/QiD,WA+QvC,CAAY,OAAZ,C;UO9iVP,U;UADP,YPgjVe,WOhjVH,WPgjVwB,GOhjVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8iVuC,gB;YAA5B,WO7iVX,aP6iVgC,GO7iVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0iVA,iB;UACA,IAAK,WAjRyD,cAiRrD,CAAe,OAAf,CAAJ,C;;QAJRT,OAmRO,W;O;KA7RX,C;sFAaA,yB;MAAA,wE;MAmRA,+D;MAnRA,yD;QAUW,kBAAU,oB;QAmRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAPriD,WAOvC,CAAY,OAAZ,C;UOhkVP,U;UADP,YPkkVe,WOlkVH,WPkkVwB,GOlkVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8kVuC,gB;YAA5B,WO/jVX,aP+jVgC,GO/jVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4jVA,iB;UACA,IAAK,WAtRyD,cAsRrD,CAAe,OAAf,CAAJ,C;;QAtRT,OAwRO,W;O;KAISX,C;uFAaA,yB;MAAA,wE;MAwRA,+D;MAxRA,yD;QAUW,kBAAU,oB;QAwRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAzriD,WAYvC,CAAY,OAAZ,C;UOIIVP,U;UADP,YPolVe,WOpIVH,WPoIVwB,GOplVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkiVuC,gB;YAA5B,WOjlVX,aPilVgC,GOjlVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8kVA,iB;UACA,IAAK,WA3RyD,cA2RrD,CAAe,OAAf,CAAJ,C;;QA3RT,OA6RO,W;O;KAvSX,C;uFAaA,yB;MAAA,wE;MA6RA,+D;MA7RA,yD;QAUW,kBAAU,oB;QA6RD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA9riD,WA8RvC,CAAY,OAAZ,C;UOpMVP,U;UADP,YPsmVe,WOTmVH,WpSmVwB,GOtmVxB,C;UACL,IAAI,aAAJ,C;YACH,aPomVuC,gB;YAA5B,WOnmVX,aPmmVgC,GOmVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgmVA,iB;UACA,IAAK,WAhSyD,cAgSrD,CAAe,OAAf,CAAJ,C;;QAhST,OAKSO,W;O;KA5SX,C;uFAaA,yB;MAAA,wE;MAkSA,+D;MAISA,yD;QAUW,kBAAU,oB;QAKSD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAnSiD,WAmSvC,CAAY,OAAZ,C;UOtMVP,U;UADP,YPwnVe,WOxnVH,WpwnVwB,GOxnVxB,C;UACL,IAAI,aAAJ,C;YACH,aPsnVuC,gB;YAA5B,WOrnVX,aPqnVgC,GOrnVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPknVA,iB;UACA,IAAK,WArSyD,cAqSrD,CAAe,OAAf,CAAJ,C;;QArST,OAuSO,W;O;KAjTX,C;uFAaA,yB;MAAA,wE;MAuSA,+D;MAvSA,yD;QAUW,kBAAU,oB;QAUd,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAXSiD,WAWsvC,CAAY,OAAZ,C;UOXoVP,U;UADP,YP0oVe,W01oVH,WP0oVwB,GO1oVxB,C;UACL,IAAI,aAAJ,C;YACH,aPwoVuC,gB;YAA5B,W0voVX,aPuoVgC,GOvoVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPooVA,iB;UACA,IAAK,WA1SyD,cA0SrD,CAAe,OAAf,CAAJ,C;;QA1ST,OA4SO,W;O;KAiTX,C;uFAaA,yB;MAAA,wE;MA4SA,+D;MA5SA,yD;QAUW,kBAAU,oB;QA4SD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA7SiD,WA6SvC,CAAY,OAAZ,C;UO1pVP,U;UADP,YP4pVe,W05pVH,WP4pVwB,GO5pVxB,C;UACL,IAAI,aAAJ,C;YACH,aP0pVuC,gB;YAA5B,W0zpVX,aPypVgC,GOzpVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPspVA,iB;UACA,IAAK,WA/SyD,cA+SrD,CAAe,OAAf,CAAJ,C;;QA/ST,OAiTO,W;O;KA3TX,C;uFAaA,yB;MAAA,wE;MAiTA,+D;MAjTA,yD;QAUW,kBAAU,oB;QAITD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAITiD,WAKTvC,CAAY,OAAZ,C;UO5qVP,U;UADP,YP8qVe,W09qVH,WP8qVwB,GO9qVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4qVuC,gB;YAA5B,W03qVX,aP2qVgC,GO3qVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwqVA,iB;UACA,IAAK,WApTyD,cAoTrD,CAAe,OAAf,CAAJ,C;;QApTT,OASTo,W;O;KAhUX,C;uFAaA,yB;MAAA,wE;MAStA,oC;MAAA,+D;MAAA,gC;MAiTA,yD;QAUW,kBAAU,oB;QASd,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,UAvTiD,WAutvC,CAAY,oBAAZ,C;UO9rVP,U;UADP,YPgsVe,WOhSvH,WPgsVwB,GOhsVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8rVuC,gB;YAA5B,W07rVX,aP6rVgC,GO7rVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0rVA,iB;UACA,IAAK,WAZTyD,cAyTrD,CAAe,oBAaf,CAAJ,C;;QAZTT,OA2TO,W;O;KArUX,C;uFAaA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOp5UP,U;UADP,YPs5Ue,W0t5UH,WP55UwB,GOt5UxB,C;UACL,IAAI,aAAJ,C;YACH,aPo5UuC,gB;YAA5B,WOn5UX,aPm5UgC,GO5UHc,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPg5UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOr6UP,U;UADP,YPu6Ue,W0v6UH,WPu6UwB,GOv6UxB,C;UACL,IAAI,aAAJ,C;YACH,aPq6UuC,gB;YAA5B,WOp6UX,aPo6UgC,GOp6UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPI6UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOt7UP,U;UADP,YPw7Ue,W0x7UH,WPw7UwB,GOx7UxB,C;UACL,IAAI,aAAJ,C;YACH,aPs7UuC,gB;YAA5B,WOr7UX,aPq7UgC,GO7UHc,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk7UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOv8UP,U;UADP,YPy8Ue,W0z8UH,WPY8UwB,G

Oz8UxB,C;UACL,IAAI,aAAJ,C;YACH,aPu8UuC,gB;YAA5B,WOt8UX,aPs8UgC,GOt8UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPm8UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UOx9UP,U;UADP,YP09Ue,WO19UH,WP09UwB,GO19UxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9UuC,gB;YAA5B,Wov9UX,aPu9UgC,GOv9UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UOz+UP,U;UADP,YP2+Ue,WO3+UH,WP2+UwB,GO3+UxB,C;UACL,IAAI,aAAJ,C;YACH,aPy+UuC,gB;YAA5B,WOx+UX,aPw+UgC,GOx+UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPq+UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UO1/UP,U;UADP,YP4/Ue,WO5/UH,WP4/UwB,GO5/UxB,C;UACL,IAAI,aAAJ,C;YACH,aP0/UuC,gB;YAA5B,WOz/UX,aPy/UgC,GOz/UhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/UA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UO3gVP,U;UADP,YP6gVe,WO7gVH,WP6gVwB,GO7gVxB,C;UACL,IAAI,aAAJ,C;YACH,aP2gVuC,gB;YAA5B,WO1gVX,aP0gVgC,GO1gVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugVA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAAY,oBAAZ,C;UO5hVP,U;UADP,YP8hVe,WO9hVH,WP8hVwB,GO9hVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hVuC,gB;YAA5B,WO3hVX,aP2hVgC,GO3hVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwhVA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UO9iVP,U;UADP,YPgjVe,WOhjVH,WPgjVwB,GOhjVxB,C;UACL,IAAI,aAAJ,C;YACH,aP8iVuC,gB;YAA5B,WO7iVX,aP6iVgC,GO7iVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0iVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UOhkVP,U;UADP,YPkkVe,WOlkVH,WPkkVwB,GOlkVxB,C;UACL,IAAI,aAAJ,C;YACH,aPkgVuC,gB;YAA5B,WO/jVX,aP+jVgC,GO/jVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4jVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UOllVP,U;UADP,YPolVe,WOplVH,WPolVwB,GOplVxB,C;UACL,IAAI,aAAJ,C;YACH,aPklVuC,gB;YAA5B,WOjlVX,aPilVgC,GOjlVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8kVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UOpmVP,U;UADP,YPsmVe,WOtmVH,WPsmVwB,GOtmVxB,C;UACL,IAAI,aAAJ,C;YACH,aPomVuC,gB;YAA5B,WOnmVX,aPmmVgC,GOmmVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgmVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UOtnVP,U;UADP,YPwnVe,WOxnVH,WPwnVwB,GOxnVxB,C;UACL,IAAI,aAAJ,C;YACH,aPsnVuC,gB;YAA5B,WOrnVX,aPqnVgC,GOrnVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPknVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UOxoVP,U;UADP,YP0oVe,WO1oVH,WP0oVwB,GO1oVxB,C;UACL,IAAI,aAAJ,C;YACH,aPwoVuC,gB;YAA5B,WOvoVX,aPuoVgC,GOvoVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPooVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UO1pVP,U;UADP,YP4pVe,WO5pVH,WP4pVwB,GO5pVxB,C;UACL,IAAI,aAAJ,C;YACH,aP0pVuC,gB;YAA5B,WOzpVX,aPypVgC,GOzpVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPspVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAAY,OAAZ,C;UO5qVP,U;UADP,YP8qVe,WO9qVH,WP8qVwB,GO9qVxB,C;UACL,IAAI,aAAJ,C;YACH,aP4qVuC,gB;YAA5B,WO3qVX,aP2qVgC,GO3qVhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwqVA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;K











V,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,8D;MAAA,oC;MAAA,gD;QAYoC,Q;  
QAHhC,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,sBAAI,YAAJ,EAA  
I,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;sGAiBA,yB;MAAA,8D;MAAA,gD;QAUI,Y  
AAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KA  
AAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;QAU  
I,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KA  
AJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,gD;Q  
AUI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,  
KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,g  
D;QAUI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UA  
AI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA  
,gD;QAUI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,U  
AAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAA  
A,gD;QAUI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,  
UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;MA  
AA,gD;QAUI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAi  
B,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8D;  
MAAA,gD;QAUI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,E  
AAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;wGAmBA,yB;MAAA,8  
D;MAAA,oC;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAakB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UA  
AU,KAAV,EAAiB,sBAAI,KAAJ,EAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;oFAmBA  
,6B;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B  
;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;M  
AIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAI  
oB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,  
Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;  
MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;M  
AAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,6B;MAIoB,Q;MAA  
hB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,OAAO,OAAP,C;;K;sFAG1B,yB;MAAA,oC;MAAA,  
gC;MAAA,oC;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAAsB,OAAO,oBA  
AP,C;;O;KAJ1B,C;kGAOA,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SA  
Ab,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YA  
AY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,  
C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAA  
mB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MAC  
Z,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAG  
vB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,c  
AAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SA  
Ab,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOi  
B,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,  
sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,6B;MAOiB,UAAa,M;MAD1B,YAAY,C;MACZ,wBAAa,SAAb,gB;QAA  
a,WAAA,SAAb,M;QAAMB,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;oGAGvB,yB;MAAA,oC;MAAA  
,gC;MAAA,oC;QAOiB,UAAa,M;QAD1B,YAAY,C;QACZ,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UA  
AmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;O;KAPvB,C;IAUA,wB;MAII,OAAO,oB;K;IAGX,0B;M  
AII,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAG  
X,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,s  
B;K;IAGX,0B;MAGI,OAAO,sB;K;gFAGX,yB;MAsDA,8D;MAtdA,sC;QAGW,sB;;UAODP,IAhXLO,qBAAQ,CA  
gxLf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAj

B,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA9DmB,QA8DJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAJEe,QAiEP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAvEP,yB;O;KAHJ,C;kFAMA,yB;MAuEA,8D;MAvEA,sC;QAGW,sB;;UA2EP,IA/xLO,qBAAQ,CA+xLf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA/EmB,QA+EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAIFe,QakFP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAxFP,yB;O;KAHJ,C;kFAMA,yB;MAwFA,8D;MAxFA,sC;QAGW,sB;;UA4FP,IA9yLO,qBAAQ,CA8yLf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAhGmB,QAgGJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAnGe,QAmGP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAzGP,yB;O;KAHJ,C;kFAMA,yB;MAyGA,8D;MAzGA,sC;QAGW,sB;;UA6GP,IA7zLO,qBAAQ,CA6zLf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAjHmB,QAIHJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QApHe,QAoHP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA1HP,yB;O;KAHJ,C;kFAMA,yB;MA0HA,8D;MA1HA,sC;QAGW,sB;;UA8HP,IA50LO,qBAAQ,CA40Lf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAlImB,QakIJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QArIe,QAqIP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA3IP,yB;O;KAHJ,C;kFAMA,yB;MA2IA,8D;MA3IA,sC;QAGW,sB;;UA+IP,IA31LO,qBAAQ,CA21Lf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAnJmB,QAmJJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAtJe,QAsJP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA5JP,yB;O;KAHJ,C;kFAMA,yB;MA4JA,8D;MA5JA,sC;QAGW,sB;;UAgKP,IA12LO,qBAAQ,CA02Lf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eApKmB,QAoKJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAvKe,QAuKP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA7KP,yB;O;KAHJ,C;kFAMA,yB;MA6KA,8D;MA7KA,sC;QAGW,sB;;UAIpL,IAz3LO,qBAAQ,CAy3Lf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eArLmB,QAqLJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAxLe,QAwLP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA9LP,yB;O;KAHJ,C;kFAMA,yB;MA8LA,8D;MAAA,oC;MA9LA,sC;QAGW,sB;;UAKMP,IAx4LO,qBAAQ,CAw4Lf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAtMmB,QAsMJ,CAAS,oBAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAzMe,QAyMP,CAAS,cAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA/MP,yB;O;KAHJ,C;4FAMA,yB;MAAA,8D;MAAA,sC;QAOL,IAhxLO,qBAAQ,CAGxLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOL,IA/xLO,qBAAQ,CA+xLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOL,IA9yLO,qBAAQ,CA8yLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,S

AAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA7zLO,qBAAQ,CA6zLf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA50LO,qBAAQ,CA40Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA31LO,qBAAQ,CA21Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA12LO,qBAAQ,CA02Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IAZ3LO,qBAAQ,CAY3Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,oC;MAAA,sC;QAOI,IAx4LO,qBAAQ,CAw4Lf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;gFAuBA,yB;MAAA,sE;MAAA,8D;MkBhnbA,iB;MIBgnbA,sC;QAeiB,Q;QAFb,IAr+LO,qBAAQ,CAq+Lf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBznbG,MAAO,KIBynbO,QkBznbP,ElBynbiB,CkBznbjB,C;;QIB2nbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkbtobA,iB;MIBsobA,sC;QAeiB,Q;QAFb,IAAn/LO,qBAAQ,CAM/Lf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/obG,MAAO,KIB+obO,QkB/obP,ElB+obiB,CkB/objB,C;;QIBipbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB5pbA,iB;MIB4pbA,sC;QAeiB,Q;QAFb,IAjgMO,qBAAQ,CAigMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBBrqbG,MAAO,KIBqqbO,QkBBrqbP,ElBqqbiB,CkBBrqbjB,C;;QIBuqbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBlrbA,iB;MIBkrbA,sC;QAeiB,Q;QAFb,IA/gMO,qBAAQ,CA+gMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3rbG,MAAO,KIB2rbO,QkB3rbP,ElB2rbiB,CkB3rbjB,C;;QIB6rbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBxsbA,iB;MIBwsbA,sC;QAeiB,Q;QAFb,IA7hMO,qBAAQ,CA6hMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjtbG,MAAO,KIBitbO,QkBjtbP,ElBitbiB,CkBjtbjB,C;;QIBmtbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB9tbA,iB;MIB8tbA,sC;QAeiB,Q;QAFb,IA3iMO,qBAAQ,CA2iMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvubG,MAAO,KIBuubO,QkBvubP,ElBuubiB,CkBvubjB,C;;QIByubd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBpvbA,iB;MIBovbA,sC;QAeiB,Q;QAFb,IAzjMO,qBAAQ,CAyjMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7vbG,MAAO,KIB6vbO,QkB7vbP,ElB6vbiB,CkB7vbjB,C;;QIB+vbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB1wbA,iB;MIB0wbA,sC;QAeiB,Q;QAFb,IAvkMO,qBAAQ,CAuk

Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkbnxBG,MAAO,KIBmxB,O,QkbnxBP,ElBmxBiB,CkbnxBjB,C;;QlBqxbd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBhybA,iB;MIBgybA,sC;QAeiB,Q;QAFb,IarIMO,qBAAQ,CAqlMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBzybG,MAAO,KIByybO,QkBzybP,ElByybiB,CkBzybjB,C;;QlB2ybd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBj0bA,iB;MlBi0bA,sC;QAeiB,Q;QAFb,IA3qMO,qBAAQ,CA2qMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB10bG,MAAO,KIB00bO,QkB10bP,ElB00biB,CkB10bjB,C;;QlB40bd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBv1bA,iB;MlBu1bA,sC;QAeiB,Q;QAFb,IAzrMO,qBAAQ,CAyrMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBh2bG,MAAO,KIBg2bO,QkBh2bP,ElBg2biB,CkBh2bjB,C;;QlBk2bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB72bA,iB;MIB62bA,sC;QAeiB,Q;QAFb,IAvsMO,qBAAQ,CAusMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBt3bG,MAAO,KIBs3bO,QkBt3bP,ElBs3biB,CkBt3bjB,C;;QlBw3bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBn4bA,iB;MIBm4bA,sC;QAeiB,Q;QAFb,IArtMO,qBAAQ,CAqtMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB54bG,MAAO,KIB44bO,QkB54bP,ElB44biB,CkB54bjB,C;;QlB84bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBz5bA,iB;MIBy5bA,sC;QAeiB,Q;QAFb,IAnuMO,qBAAQ,CAmuMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB16bG,MAAO,KIBk6bO,QkB16bP,ElBk6biB,CkB16bjB,C;;QlBo6bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB/6bA,iB;MIB+6bA,sC;QAeiB,Q;QAFb,IAjvMO,qBAAQ,CAivMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx7bG,MAAO,KIBw7bO,QkBx7bP,ElBw7biB,CkBx7bjB,C;;QlB07bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBr8bA,iB;MIBq8bA,sC;QAeiB,Q;QAFb,IA/vMO,qBAAQ,CA+vMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB98bG,MAAO,KIB88bO,QkB98bP,ElB88biB,CkB98bjB,C;;QlBg9bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB39bA,iB;MIB29bA,sC;QAeiB,Q;QAFb,IA7wMO,qBAAQ,CA6wMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp+bG,MAAO,KIBo+bO,QkBp+bP,ElBo+biB,CkBp+bjB,C;;QlBs+bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkBj/bA,iB;MIBi/bA,sC;QAeiB,Q;QAFb,IA3xMO,qBAAQ,CA2xMf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkB1/bG,MAAO,KIB0/bO,QkB1/bP,ElB0/biB,CkB1/bjB,C;;QlB4/bd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA/2MO,qBAAQ,CA+2Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA73MO,qBAAQ,CA63Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA34MO,qBAAQ,CA24Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAz5MO,qBAAQ,CAy5Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAv6MO,qBAAQ,CAu6Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U

ACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAr7MO,qBAAQ,CAq7Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UA AK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAA I,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D ;MAAA,sC;QAaiB,Q;QAFb,IA8MO,qBAAQ,CAM8Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL ,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW, CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,s C;QAaiB,Q;QAFb,IAj9MO,qBAAQ,CAi9Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C; QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,K AAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA, sC;QAaiB,Q;QAFb,IA9MO,qBAAQ,CA+9Mf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT, C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX, KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;4FAsBA,yB;MAAA,8D;MkBlscA,iB;MIBkscA,sC;Q AaiB,Q;QAFb,IArjNO,qBAAQ,CAqjNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+ B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzscG,MAAO,KIByscO,QkBz scP,ElBysciB,CkBzscjB,C;;QIB2scd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBttcA,iB;MIBstcA,sC;QA aiB,Q;QAFb,IAjkNO,qBAAQ,CAikNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B; QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7tcG,MAAO,KIB6tcO,QkB7tc P,ElB6tcB,CkB7tcjB,C;;QIB+tcD,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1ucA,iB;MIB0ucA,sC;QAa iB,Q;QAFb,IA7kNO,qBAAQ,CA6kNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B; QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBjvcG,MAAO,KIBivcO,QkBjvc P,ElBivciB,CkBjvcjB,C;;QIBmvd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB9vcA,iB;MIB8vcA,sC;QA aiB,Q;QAFb,IAzlNO,qBAAQ,CAylNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B; QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrcG,MAAO,KIBqwcO,QkBrc P,ElBqwcB,CkBrcjB,C;;QIBuwcd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1xcA,iB;MIBkxcA,sC ;QAaiB,Q;QAFb,IArmNO,qBAAQ,CAqmNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QA CF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzxcG,MAAO,KIByxcO, QkBzxcP,ElByxcB,CkBzxcjB,C;;QIB2xcd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBtycA,iB;MIBsycA ,sC;QAaiB,Q;QAFb,IAjnNO,qBAAQ,CAinNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QA CF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB7ycG,MAAO,KIB6ycO, QkB7ycP,ElB6ycB,CkB7ycjB,C;;QIB+ycd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB1zcA,iB;MIB0zc A,sC;QAaiB,Q;QAFb,IA7nNO,qBAAQ,CA6nNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C; QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj0cG,MAAO,KIBi0c O,QkBj0cP,ElBi0ciB,CkBj0cjB,C;;QIBm0cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB90cA,iB;MIB80 cA,sC;QAaiB,Q;QAFb,IAzoNO,qBAAQ,CAyoNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C ;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBrlcG,MAAO,KIBq 1cO,QkBrlcP,ElBq1ciB,CkBrlcjB,C;;QIBu1cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,oC;MAAA,8D;MkB12 cA,iB;MIBk2cA,sC;QAaiB,Q;QAFb,IArpNO,qBAAQ,CAqpNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,C AAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBz2c G,MAAO,KIBy2cO,QkBz2cP,ElBy2ciB,CkBz2cjB,C;;QIB22cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;M kBj4cA,iB;MIBi4cA,sC;QAaiB,Q;QAFb,IAzuNO,qBAAQ,CAyuNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAA K,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx 4cG,MAAO,KIBw4cO,QkBx4cP,ElBw4ciB,CkBx4cjB,C;;QIB04cd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8 D;MkB5cA,iB;MIBq5cA,sC;QAaiB,Q;QAFb,IArvNO,qBAAQ,CAqvNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,U AAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,W kB55cG,MAAO,KIB45cO,QkB55cP,ElB45ciB,CkB55cjB,C;;QIB85cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA ,8D;MkBz6cA,iB;MIBy6cA,sC;QAaiB,Q;QAFb,IAjwNO,qBAAQ,CAiwNf,C;UAAe,OAAO,I;QACtB,eAAe,SAA S,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR

,WkBh7cG,MAAO,KIBg7cO,QkBh7cP,ElBg7ciB,CkBh7cjB,C;;QIBk7cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB77cA,iB;MIB67cA,sC;QAaiB,Q;QAFb,IA7wNO,qBAAQ,CA6wNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBp8cG,MAAO,KIBo8cO,QkBp8cP,ElBo8ciB,CkBp8cjB,C;;QIBs8cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBj9cA,iB;MIBi9cA,sC;QAaiB,Q;QAFb,IAzxNO,qBAAQ,CAyxNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBx9cG,MAAO,KIBw9cO,QkBx9cP,ElBw9ciB,CkBx9cjB,C;;QIB09cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBr+cA,iB;MIBq+cA,sC;QAaiB,Q;QAFb,IAryNO,qBAAQ,CAqyNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5+cG,MAAO,KIB4+cO,QkB5+cP,ElB4+ciB,CkB5+cjB,C;;QIB8+cd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBz/cA,iB;MIBy/cA,sC;QAaiB,Q;QAFb,IAjzNO,qBAAQ,CAizNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhgdG,MAAO,KIBggdO,QkBhgdP,ElBggdiB,CkBhgdjB,C;;QIBkgdd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB7gdA,iB;MIB6gdA,sC;QAaiB,Q;QAFb,IA7zNO,qBAAQ,CA6zNf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBphdG,MAAO,KIBohdO,QkBphdP,ElBohdiB,CkBphdjB,C;;QIBshdd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBjida,iB;MIBiidA,sC;QAaiB,Q;QAFb,IAz0NO,qBAAQ,CAy0Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBxidG,MAAO,KIBwidO,QkBxidP,ElBwidiB,CkBxidjB,C;;QIB0idd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA35NO,qBAAQ,CA25Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IAv6NO,qBAAQ,CAu6Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA7NO,qBAAQ,CA+7Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA38NO,qBAAQ,CA28Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9NO,qBAAQ,CAu9Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA+NO,qBAAQ,CA++Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA3/NO,qBAAQ,CA2/Nf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAjloo,qBAAQ,CAilOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAa

iB,Q;QAFb,IA/IOO,qBAAQ,CA+IOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA7mOO,qBAAQ,CA6mOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA3nOO,qBAAQ,CA2nOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAzoOO,qBAAQ,CAyoOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAvpOO,qBAAQ,CAupOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IArqOO,qBAAQ,CAqqOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAjsOO,qBAAQ,CAisOf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;oGAsBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IArxOO,qBAAQ,CAqxOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAjyOO,qBAAQ,CAiyOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA7yOO,qBAAQ,CA6yOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAzzOO,qBAAQ,CAyzOf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAr0OO,qBAAQ,CAq0Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAj1OO,qBAAQ,CAi1Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA71OO,qBAAQ,CA61Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAaKc,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,

Q;QAFb,IAz200,qBAAQ,CAy2Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;Q  
AAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,  
CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,oC;MA  
AA,8D;MAAA,kD;QAWiB,Q;QAFb,IAr300,qBAAQ,CAq3Of,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,C  
AAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UA  
AW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;I  
AoBA,8B;MASiB,Q;MAFb,IAv800,qBAAQ,CAu8Of,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MAC  
G,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB3leG,MAAO,KIB2leE,Gk3leF,ElB2le  
O,CkB3leP,C;;MIB6led,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAv900,qBAAQ,CAu9Of,C;QAAe,OAAO,I;MA  
CtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,Mkbtne  
G,MAAO,KIBsneE,GkbtneF,ElBsneO,CkbtneP,C;;MIBwned,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAr+00,q  
BAAQ,CAq+Of,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,Q  
AAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;M  
AOiB,Q;MAFb,IA3+00,qBAAQ,CA2+Of,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,  
aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAA  
O,G;K;IAGX,gC;MAOiB,Q;MAFb,IAj/00,qBAAQ,CAi/Of,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;  
MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM  
,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IAv/00,qBAAQ,CAu/Of,C;QAAe,OAAO,I;MAcTb,UAAU,  
UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,  
C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA7/00,qBAAQ,CA6/Of,C;QAAe,OAAO,I  
;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI  
,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IArPO,qBAAQ,C  
AqPp,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UA  
AK,CAAL,C;QACR,MkB5seG,MAAO,KIB4seE,Gk5seF,ElB4seO,CkB5seP,C;;MIB8sed,OAAO,G;K;IAGX,gC;  
MASiB,Q;MAFb,IA7gPO,qBAAQ,CA6gPf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,  
aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkBjteG,MAAO,KIBiteE,GkBjteF,ElBiteO,CkBjteP,C;;  
MIBmtd,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA3gPO,qBAAQ,CA2gPf,C;QAAe,OAAO,I;MAcTb,UAAU,U  
AAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C  
;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,wC;MAGI,OAAO,yBAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2B  
AAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,  
0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BA  
Ac,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,8  
C;MAOiB,Q;MAFb,IA/oPO,qBAAQ,CA+oPf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,+B;MA  
Ab,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAaA,CAAb,CAAX,GA  
A6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IArPO,qBAAQ,CAqpPf,C;  
QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL  
,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAaA,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAA  
O,G;K;IAGX,gD;MAOiB,Q;MAFb,IA3pPO,qBAAQ,CA2pPf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;  
MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAaA,CA  
Ab,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAjqPO,qBA  
AQ,CAiqPf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,  
UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAaA,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;  
MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IAvqPO,qBAAQ,CAuqPf,C;QAAe,OAAO,I;MAcTb,UAAU,UA  
AK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GA  
AR,EAaA,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb  
,IA7qPO,qBAAQ,CA6qPf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB  
;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAaA,CAAb,CAAX,GAA6B,CAAjC,C;UAA  
oC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IArPO,qBAAQ,CAMrPf,C;QAAe,OAAO,I;MA

CtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UA  
AW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;M  
AOiB,Q;MAFb,IAZrPO,qBAAQ,CAyrPf,C;QAAe,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,a  
AAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,  
CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,gD;MAOiB,Q;MAFb,IA/rPO,qBAAQ,CA+rPf,C;QAAe  
,OAAO,I;MAcTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QA  
CR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;  
K;IAGX,wB;MAII,OAAO,oB;K;IAGX,0B;MAII,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,O  
AAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;  
MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;IAGX,0B;MAGI,OAAO,sB;K;gFAGX,yB;MA5DA,8D;MAtd  
A,sC;QAGW,sB;;UA0DP,IAAn4PO,qBAAQ,CAm4Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;  
UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA9DmB,QA8DJ,CA  
AS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAjEe,QAiEP,CAAS,C  
AAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAvEP,yB  
;O;KAHJ,C;kFAMA,yB;MAuEA,8D;MAvEA,sC;QAGW,sB;;UA2EP,IAI5PO,qBAAQ,CAk5Pf,C;YAAe,qBAAO,  
I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O  
;YAAP,uB;WACpB,eA/EmB,QA+EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,  
CAAL,C;YACR,QAIfe,QAkFP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,W  
AAW,C;;UAGnB,qBAAO,O;;;QAxFP,yB;O;KAHJ,C;kFAMA,yB;MAwFA,8D;MAxFA,sC;QAGW,sB;;UA4FP,I  
Aj6PO,qBAAQ,CAi6Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB  
,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAhGmB,QA9GJ,CAAS,OAAT,C;UACf,aAAU,C  
AAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAnGe,QAmGP,CAAS,CAAT,C;YACR,IAAI,2BA  
AW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAzGP,yB;O;KAHJ,C;kFAMA,yB;  
MAyGA,8D;MAzGA,sC;QAGW,sB;;UA6GP,IAh7PO,qBAAQ,CAg7Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAA  
c,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAj  
HmB,QAiHJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QApH  
e,QAOHP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBA  
AO,O;;;QA1HP,yB;O;KAHJ,C;kFAMA,yB;MA0HA,8D;MA1HA,sC;QAGW,sB;;UA8HP,IA/7PO,qBAAQ,CA+7  
Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,  
C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAllmB,QAkIJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;Y  
ACI,QAAQ,UAAK,CAAL,C;YACR,QArIe,QaQIP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,  
UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA3IP,yB;O;KAHJ,C;kFAMA,yB;MA2IA,8D;MA3IA,sC;QAG  
W,sB;;UA+IP,IA98PO,qBAAQ,CA88Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBA  
AqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAnJmB,QAmJJ,CAAS,OAAT,C;  
UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAtJe,QAsJP,CAAS,CAAT,C;YACR  
,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA5JP,yB;O;KAHJ,C;kF  
AMA,yB;MA4JA,8D;MA5JA,sC;QAGW,sB;;UA9KP,IA79PO,qBAAQ,CA69Pf,C;YAAe,qBAAO,I;YAAP,uB;W  
ACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;W  
ACpB,eApKmB,QAOkJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;Y  
ACR,QAvKe,QAuKP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;  
UAGnB,qBAAO,O;;;QA7KP,yB;O;KAHJ,C;kFAMA,yB;MA6KA,8D;MA7KA,sC;QAGW,sB;;UAI LP,IA5+PO,q  
BAAQ,CA4+Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,c  
AAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eArLmB,QAqLJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OA  
Aa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,QAxLe,QAwLP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAA  
X,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA9LP,yB;O;KAHJ,C;kFAMA,yB;MA8LA,8  
D;MAAA,oC;MA9LA,sC;QAGW,sB;;UAKMP,IA3/PO,qBAAQ,CA2/Pf,C;YAAe,qBAAO,I;YAAP,uB;WACf,cA  
Ac,UAAK,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,e  
AtMmB,QAsMJ,CAAS,oBAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,UAAK,CAAL,C;YACR,Q

AzMe,QAyMP,CAAS,cAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QA/MP,yB;O;KAHJ,C;4FAMA,yB;MAAA,8D;MAAA,sC;QAOI,IAAn4PO,qBAAQ,CAm4Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IAI5PO,qBAAQ,Cak5Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IAI6PO,qBAAQ,Cai6Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IAh7PO,qBAAQ,Cag7Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA7PO,qBAAQ,CA+7Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA98PO,qBAAQ,CA88Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA79PO,qBAAQ,CA69Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA5+PO,qBAAQ,CA4+Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sC;QAOI,IA3/PO,qBAAQ,CA2/Pf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,C;8FAuBA,yB;MAAA,8D;MAAA,sE;MAAA,8D;MkB/gfA,iB;MIB+gfA,sC;QAeiB,Q;QAFb,IAxlQO,qBAAQ,CAwlQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxhfG,MAAO,KIBwhfO,QkBxhfP,EIBwhfiB,CkBxhfjB,C;;QIB0hfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBrifA,iB;MIBqifA,sC;QAeiB,Q;QAFb,IAtmQO,qBAAQ,CAsmQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB9ifG,MAAO,KIB8ifO,QkB9ifP,EIB8ifiB,CkB9ifjB,C;;QIBgjf,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkB3jfA,iB;MIB2jfA,sC;QAeiB,Q;QAFb,IApnQO,qBAAQ,CAonQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpkfG,MAAO,KIBokfO,QkBpkfP,EIBokfiB,CkBpkfjB,C;;QIBskfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBjlfA,iB;MIBilfA,sC;QAeiB,Q;QAFb,IAloQO,qBAAQ,CAkoQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UA

CR,WkB1lfG,MAAO,KIB0lfO,QkB1lfP,ElB0lfiB,CkB1lfjB,C,;QIB4lfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAA  
A,sE;MAAA,8D;MkBvmfA,iB;MIBumfA,sC;QAeiB,Q;QAFb,IAhpQO,qBAAQ,CAgpQf,C;UAAe,MAAM,6B;QA  
CrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,  
CAAT,C;UACR,WkBhnfG,MAAO,KIBgnfO,QkBhnfP,ElBgnfiB,CkBhnfjB,C,;QIBknfd,OAAO,Q;O;KAnBX,C;k  
FAsBA,yB;MAAA,sE;MAAA,8D;MkB7nfA,iB;MIB6nfA,sC;QAeiB,Q;QAFb,IA9pQO,qBAAQ,CA8pQf,C;UAAe  
,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,  
UAAK,CAAL,CAAT,C;UACR,WkBtofG,MAAO,KIBsofO,QkBtofP,ElBsofiB,CkBtofjB,C,;QIBwofd,OAAO,Q;  
O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBnfpA,iB;MIBmpfA,sC;QAeiB,Q;QAFb,IA5qQO,qBAAQ,C  
A4qQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UA  
CI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5pfG,MAAO,KIB4pfO,QkB5pfP,ElB4pfiB,CkB5pfjB,C,;QI  
B8pfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBzqfA,iB;MIByqfA,sC;QAeiB,Q;QAFb,IA1r  
QO,qBAAQ,CA0rQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,  
CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB1rfG,MAAO,KIBkrfO,QkB1rfP,ElBkrfiB,CkB  
1rfjB,C,;QIBorfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MkB/rfA,iB;MIB+rfA,sC;  
QAeiB,Q;QAFb,IAxsQO,qBAAQ,CAwsQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;Q  
ACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBxsfG,MAAO,KIBwsf  
O,QkBxsfP,ElBwsfiB,CkBxsfjB,C,;QIB0sfd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAAA,8D;MkBhufA  
,iB;MIBgufA,sC;QAeiB,Q;QAFb,IA9xQO,qBAAQ,CA8xQf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,C  
AAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBzufG,  
MAAO,KIByufO,QkBzufP,ElByufiB,CkBzufjB,C,;QIB2ufd,OAAO,Q;O;KAnBX,C;kFAsBA,yB;MAAA,sE;MAA  
A,8D;MkBtvfA,iB;MIBsvfA,sC;QAeiB,Q;QAFb,IA5yQO,qBAAQ,CA4yQf,C;UAAe,MAAM,6B;QACrB,eAAe,S  
AAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;U  
ACR,WkB/vfG,MAAO,KIB+vfO,QkB/vfP,ElB+vfifiB,CkB/vfjB,C,;QIBiwfd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;  
MAAA,sE;MAAA,8D;MkB5wfA,iB;MIB4wfA,sC;QAeiB,Q;QAFb,IA1zQO,qBAAQ,CA0zQf,C;UAAe,MAAM,6  
B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,C  
AAL,CAAT,C;UACR,WkBxrfG,MAAO,KIBqxfO,QkBxrfP,ElBqxifiB,CkBxrfjB,C,;QIBuxfd,OAAO,Q;O;KAnBX,  
C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBlyfA,iB;MIBkyfA,sC;QAeiB,Q;QAFb,IAx0QO,qBAAQ,CAw0Qf,C;U  
AAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,S  
AAS,UAAK,CAAL,CAAT,C;UACR,WkB3yfG,MAAO,KIB2yfO,QkB3yfP,ElB2yfiB,CkB3yfjB,C,;QIB6yfd,OAA  
O,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBzxfA,iB;MIBwzfA,sC;QAeiB,Q;QAFb,IA11QO,qBAA  
Q,CA11Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;  
UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBj0fG,MAAO,KIBi0fO,QkBj0fP,ElBi0fiB,CkBj0fjB,C,;Q  
IBm0fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB90fA,iB;MIB80fA,sC;QAeiB,Q;QAFb,IA  
Ap2QO,qBAAQ,CA02Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aA  
AU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBv1fG,MAAO,KIBu1fO,QkBv1fP,ElBu1fi  
B,CkBv1fjB,C,;QIBy1fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkBp2fA,iB;MIBo2fA,sC;Q  
AeiB,Q;QAFb,IA13QO,qBAAQ,CAk3Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QAC  
F,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB72fG,MAAO,KIB62fO,Q  
kB72fP,ElB62fiB,CkB72fjB,C,;QIB+2fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MkB13fA,iB  
;MIB03fA,sC;QAeiB,Q;QAFb,IAh4QO,qBAAQ,CAg4Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAA  
L,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn4fG,M  
AAO,KIBm4fO,QkBn4fP,ElBm4fiB,CkBn4fjB,C,;QIBq4fd,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAA  
A,oC;MAAA,8D;MkBh5fA,iB;MIBg5fA,sC;QAeiB,Q;QAFb,IA94QO,qBAAQ,CA84Qf,C;UAAe,MAAM,6B;QA  
CrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAA  
L,EAAT,C;UACR,WkBz5fG,MAAO,KIBy5fO,QkBz5fP,ElBy5fiB,CkBz5fjB,C,;QIB25fd,OAAO,Q;O;KAnBX,C;  
mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA1+QO,qBAAQ,CAk+Qf,C;UAAe,MAAM,6B;Q  
ACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAA  
L,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C,;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,y

B;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAh/QO,qBAAQ,CAg/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA9/QO,qBAAQ,CA8/Qf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA5gRO,qBAAQ,CA4gRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IA1hRO,qBAAQ,CA0hRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAxiRO,qBAAQ,CAwiRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAIjRO,qBAAQ,CAsjRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IApkRO,qBAAQ,CAokRf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;mFAsBA,yB;MAAA,sE;MAAA,8D;MAAA,sC;QAaiB,Q;QAFb,IAIiRO,qBAAQ,CAkIrf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;4FAsBA,yB;MAAA,8D;MkBJmgBA,iB;MlBimgBA,sC;QAaiB,Q;QAFb,IAxqRO,qBAAQ,CAwqRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxmgBG,MAAO,KIBwmgBO,QkBxmgBP,ElBwmgBiB,CkxmgBjB,C;;QIB0mgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrngBA,iB;MlBqngBA,sC;QAaiB,Q;QAFb,IAprRO,qBAAQ,CAorRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5ngBG,MAAO,KIB4ngBO,QkB5ngBP,ElB4ngBiB,CkB5ngBjB,C;;QIB8ngBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzogBA,iB;MlByogBA,sC;QAaiB,Q;QAFb,IAhsRO,qBAAQ,CAgsRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhpgBG,MAAO,KIBgpgBO,QkBhpgBP,ElBgpgBiB,CkBhpgBjB,C;;QIBkpgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7pgBA,iB;MlB6pgBA,sC;QAaiB,Q;QAFb,IA5sRO,qBAAQ,CA4sRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBppqBG,MAAO,KlBoqgBO,QkBppqBP,ElBoqgBiB,CkBppqBjB,C;;QIBsqgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBjrgBA,iB;MlBirgBA,sC;QAaiB,Q;QAFb,IAxtRO,qBAAQ,CAwtRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBxrgBG,MAAO,KlBwrgBO,QkBxrgBP,ElBwrgBiB,CkBxrgBjB,C;;QIB0rgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBrsgBA,iB;MlBqsgBA,sC;QAaiB,Q;QAFb,IApuRO,qBAAQ,CAouRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB5sgBG,MAAO,KlB4sgBO,QkB5sgBP,ElB4sgBiB,CkB5sgBjB,C;;QIB8sgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBzrgBA,iB;MlByrgBA,sC;QAaiB,Q;QAFb,IAhvRO,qBAAQ,CAgvRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBhugBG,MAAO,KlBgugBO,QkBhugBP,ElBgugBiB,CkBhugBjB,C;;QIBkugBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkB7ugBA,iB;MlB6ugBA,sC;QAaiB,Q;QAFb,IA5vRO,qBAAQ,CA4vRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBpvgBG,MAAO,KlBovgBO,QkBpvgBP,ElBovgBiB,CkBpvgBjB,C;

jB,C;;QIBsvdBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,oC;MAAA,8D;MkBjwgBA,iB;MIBiwgBA,sC;QAaiB,Q;QAFb,IAxwRO,qBAAQ,CAwwRf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBxwgBG,MAAO,KIBwwgBO,QkBxwgBP,ElBwwgBiB,CkBxwgBjB,C;;QIB0wgBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBhygBA,iB;MIBgygBA,sC;QAaiB,Q;QAFb,IA51RO,qBAAQ,CA41Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBvygBG,MAAO,KIBuygBO,QkBvygBP,ElBuygBiB,CkBvygBjB,C;;QIByygBd,OAAO,Q;O;KAjBX,C;8FAoBA,yB;MAAA,8D;MkBpzgBA,iB;MIBozgBA,sC;QAaiB,Q;QAFb,IAx2RO,qBAAQ,CAw2Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB3zgBG,MAAO,KIB2zgBO,QkB3zgBP,ElB2zgBiB,CkB3zgBjB,C;;QIB6zgBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBx0gBA,iB;MIBw0gBA,sC;QAaiB,Q;QAFb,IAp3RO,qBAAQ,CAo3Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/0gBG,MAAO,KIB+0gBO,QkB/0gBP,ElB+0gBiB,CkB/0gBjB,C;;QIBi1gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB51gBA,iB;MIB41gBA,sC;QAaiB,Q;QAFb,IAh4RO,qBAAQ,CAg4Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn2gBG,MAAO,KIBm2gBO,QkBn2gBP,ElBm2gBiB,CkBn2gBjB,C;;QIBq2gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBh3gBA,iB;MIBg3gBA,sC;QAaiB,Q;QAFb,IA54RO,qBAAQ,CA44Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBv3gBG,MAAO,KIBu3gBO,QkBv3gBP,ElBu3gBiB,CkBv3gBjB,C;;QIBy3gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBp4gBA,iB;MIBo4gBA,sC;QAaiB,Q;QAFb,IAx5RO,qBAAQ,CAw5Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB34gBG,MAAO,KIB24gBO,QkB34gBP,ElB24gBiB,CkB34gBjB,C;;QIB64gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkBx5gBA,iB;MIBw5gBA,sC;QAaiB,Q;QAFb,IAp6RO,qBAAQ,CAo6Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkB/5gBG,MAAO,KIB+5gBO,QkB/5gBP,ElB+5gBiB,CkB/5gBjB,C;;QIBi6gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MkB56gBA,iB;MIB46gBA,sC;QAaiB,Q;QAFb,IAh7RO,qBAAQ,CAg7Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,WkBn7gBG,MAAO,KIBm7gBO,QkBn7gBP,ElBm7gBiB,CkBn7gBjB,C;;QIBq7gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MkBh8gBA,iB;MIBg8gBA,sC;QAaiB,Q;QAFb,IA57RO,qBAAQ,CA47Rf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,WkBv8gBG,MAAO,KIBu8gBO,QkBv8gBP,ElBu8gBiB,CkBv8gBjB,C;;QIBy8gBd,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9gSO,qBAAQ,CA8gSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA1hSO,qBAAQ,CA0hSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9jSO,qBAAQ,CA8jSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA1kSO,qBAAQ,CA0kSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAA

T,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAA  
A,8D;MAAA,sC;QAWiB,Q;QAFb,IAItSO,qBAAQ,CAsI Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,  
CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,  
CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,8D;MAAA,sC;QAWiB,Q  
;QAFb,IAImSO,qBAAQ,CAkmSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QA  
Ab,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,  
WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;+FAoBA,yB;MAAA,oC;MAAA,8D;MAAA,sC;QAWiB,Q;QAFb,IA9  
mSO,qBAAQ,CA8mSf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,  
CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;  
QAGnB,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IApsSO,qBAAQ,  
CAosSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;U  
ACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,  
CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAai  
B,Q;QAFb,IAItSO,qBAAQ,CAktSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;  
QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB  
,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MA  
AA,8D;MAAA,kD;QAaiB,Q;QAFb,IAhuSO,qBAAQ,CAGuSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,  
CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,U  
AAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,  
C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA9uSO,qBAAQ,CA8uSf,C;UAAe,MAAM,6B;  
QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CA  
AL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;Q  
AGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IA5vSO,qBAAQ,C  
A4vSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UA  
CI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,C  
AAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB  
,Q;QAFb,IA1wSO,qBAAQ,CA0wSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B  
;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAak  
B,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;M  
AAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAxxSO,qBAAQ,CAwxSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,UAA  
K,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,  
UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX  
,C;0FAsBA,yB;MAAA,sE;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IAtySO,qBAAQ,CAsySf,C;UAAe,MAAM,6B;  
QACrB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CA  
AL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;Q  
AGnB,OAAO,Q;O;KAnBX,C;0FAsBA,yB;MAAA,sE;MAAA,oC;MAAA,8D;MAAA,kD;QAaiB,Q;QAFb,IApzS  
O,qBAAQ,CAozSf,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,C  
AAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAA  
X,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;oGAsBA,yB;MAAA,8D;MAAA,kD;QA  
WiB,Q;QAFb,IAx4SO,qBAAQ,CAw4Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+  
B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAa  
kB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;  
MAAA,kD;QAWiB,Q;QAFb,IAp5SO,qBAAQ,CAo5Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CA  
AT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAA  
Q,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,y  
B;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAh6SO,qBAAQ,CAG6Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UA  
AK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAA  
I,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjB

X,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA56SO,qBAAQ,CA46Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C,;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx7SO,qBAAQ,CAw7Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C,;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAp8SO,qBAAQ,CAo8Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C,;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAh9SO,qBAAQ,CAg9Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C,;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IA59SO,qBAAQ,CA49Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,UAAK,CAAL,CAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,UAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C,;QAGnB,OAAO,Q;O;KAjBX,C;sGAoBA,yB;MAAA,8D;MAAA,kD;QAWiB,Q;QAFb,IAx+SO,qBAAQ,CAw+Sf,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAAkC,CAAtC,C;YACI,WAAW,C,;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,8B;MASiB,Q;MAFb,IA1jTO,qBAAQ,CA0jTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB1/hBG,MAAO,KIB0/hBE,GkB1/hBF,EIB0/hBO,CkB1/hBP,C,;MIB4/hBd,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IA1kTO,qBAAQ,CA0kTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB1/hBG,MAAO,KIB0/hBE,GkB1/hBF,EIB0/hBO,CkB1/hBP,C,;MIB4/hBd,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IA1lTO,qBAAQ,CA0lTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C,;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA9lTO,qBAAQ,CA8lTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C,;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IApmTO,qBAAQ,CAomTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C,;MAEvB,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA1mTO,qBAAQ,CA0mTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C,;MAEvB,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAxnTO,qBAAQ,CAwnTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkB3miBG,MAAO,KIB2miBE,GkB3miBF,EIB2miBO,CkB3miBP,C,;MIB6miBd,OAAO,G;K;IAGX,gC;MASiB,Q;MAFb,IAhoTO,qBAAQ,CAgoTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,MkBhniBG,MAAO,KIBgniBE,GkBhniBF,EIBgniBO,CkBhniBP,C,;MIBkniBd,OAAO,G;K;IAGX,gC;MAOiB,Q;MAFb,IA9nTO,qBAAQ,CA8nTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C,;MAEvB,OAAO,G;K;IAGX,wC;MAGI,OAAO,yBAAc,UAAc,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAc,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAc,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAc,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAc,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAc,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAc,C;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAc,C;K;IAGX,8C;MAOiB,Q;MAFb,IAlwTO,qBAAQ,CAkwTf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAaA,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C,;MAE9C,OAAO,G;K;IAGX,gD;



jJiB,gB;MADb,YAAy,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;M  
AkkJnB,gB;K;kGAGJ,6B;MA3jJiB,gB;MADb,YAAy,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAA  
O,sBAAP,WAAgB,IAAhB,C;;MAokJnB,gB;K;kGAGJ,6B;MA7jJiB,gB;MADb,YAAy,C;MACZ,iD;QAAa,WAA  
b,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAskJnB,gB;K;kGAGJ,6B;MA/jJiB,gB;MADb,Y  
AAy,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAwkJnB,gB;K;k  
GAGJ,6B;MAjkJiB,gB;MADb,YAAy,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QAAO,cAAP,EAAO,sBAAP,WAA  
gB,IAAhB,C;;MA0kJnB,gB;K;kGAGJ,6B;MAnkJiB,gB;MADb,YAAy,C;MACZ,iD;QAAa,WAAb,e;QAAMb,QA  
AO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MA4kJnB,gB;K;kGAGJ,yB;MAAA,6B;MAAA,sC;MA5kJA,oC;M  
AAA,gC;MA4kJA,2BASiB,yB;QArIjJb,oC;QAAA,gC;eAqIjJb,0B;UAAA,4B;YAAE,aAAe,c;YA9kJjB,gB;YADb  
,YAAy,C;YACZ,iD;cAAa,WAAb,0B;cAAmB,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;YA8kJmB,W;  
W;S;OAAzB,C;MATjB,oC;QArkJiB,gB;QADb,YAAy,C;QACZ,iD;UAAa,WAAb,0B;UAAmB,QAAO,cAAP,EA  
AO,sBAAP,WAAgB,iBAAhB,C;;QA8kJnB,gB;O;KATJ,C;kFAYA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBq  
B,Q;QAHjB,IAhvUO,qBAAQ,CagvUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAqB,UAAK,CAAL,C  
;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEiB,OA  
AO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9vUO,qBAAQ,CA8vU  
f,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;  
UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEiB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MA  
AA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5wUO,qBAAQ,CA4wUf,C;UACI,MAAM,mCAA8B,+BAA  
9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAu  
B,UAAK,KAAL,CAAvB,C;;QAEiB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAg  
BqB,Q;QAHjB,IA1xUO,qBAAQ,CA0xUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAA  
L,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEiB,  
OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxyUO,qBAAQ,CA  
wyUf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd  
,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEiB,OAAO,W;O;KAnBX,C;oFAsBA,yB;  
MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtzUO,qBAAQ,CAszUf,C;UACI,MAAM,mCAA8B,+BA  
A9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAA  
uB,UAAK,KAAL,CAAvB,C;;QAEiB,OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QA  
gBqB,Q;QAHjB,IAp0UO,qBAAQ,CAo0Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAA  
L,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEiB,  
OAAO,W;O;KAnBX,C;oFAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA11UO,qBAAQ,CAk  
1Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,  
yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEiB,OAAO,W;O;KAnBX,C;oFAsBA,yB;  
MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IAh2UO,qBAAQ,Cag2Uf,C;UACI,  
MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cA  
Ac,oBAAU,wBAAV,EAAuB,sBAAK,KAAL,EAAvB,E;;QAEiB,OAAO,W;O;KAnBX,C;gGAsBA,yB;MAAA,4F;  
MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA7UO,qBAAQ,CAs7Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QA  
CV,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,E  
AA8B,UAAK,KAAL,CAA9B,C;;QAEiB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;  
QAgBqB,Q;QAHjB,IAp8UO,qBAAQ,CAo8Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,C  
AAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,  
CAA9B,C;;QAEiB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,I  
A19UO,qBAAQ,CAk9Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;Q  
AAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEiB,O  
AAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAh+UO,qBAAQ,Cag  
+Uf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,  
yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEiB,OAAO,W;O;KAnBX,  
C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9+UO,qBAAQ,CA8+Uf,C;UACI,MAA

M,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UA  
AU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MA  
AA,4F;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5/UO,qBAAQ,CA4/Uf,C;UACI,MAAM,mCAA8B,+BAA9  
B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,  
WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;  
MAAA,uC;QAgBqB,Q;QAHjB,IA1gVO,qBAAQ,CA0gVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAA  
kB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,U  
AAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAgBqB  
,Q;QAHjB,IAxhVO,qBAAQ,CAwhVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;  
QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B  
,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAgB  
qB,Q;QAHjB,IAtiVO,qBAAQ,CAsiVf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;  
QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,sBAaK,KAAL,EAA  
9B,E;;QAEIB,OAAO,W;O;KAnBX,C;4GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA5nVO,qBAAQ,  
CA4nVf,C;UACI,OAAO,I;QACX,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,U  
AAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;M  
AAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA1oVO,qBAAQ,CA0oVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,C  
AAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,  
CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAxpVO,qB  
AAQ,CAwpVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,c  
AAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,  
yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAtsVO,qBAAQ,CAsqVf,C;UACI,OAAO,I;QACX,kBAaKB,UAA  
K,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KA  
AL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAprVO,  
qBAAQ,CAorVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,  
cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsB  
A,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAIsVO,qBAAQ,CAsVf,C;UACI,OAAO,I;QACX,kBAaKB,U  
AAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,  
KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IAht  
VO,qBAAQ,CAgtVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;U  
ACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8G  
AsBA,yB;MAAA,8D;MAAA,uC;QAgBqB,Q;QAHjB,IA9tVO,qBAAQ,CA8tVf,C;UACI,OAAO,I;QACX,kBAaK  
B,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UA  
AK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAnBX,C;8GAsBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,u  
C;QAgBqB,Q;QAHjB,IA5uVO,qBAAQ,CA4uVf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;  
QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,wBAAjB,EAA8B,sBAaK,KAAL,EAA9B,E;;QAE  
IB,OAAO,W;O;KAnBX,C;8FAsBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IAN0VO,qBAAQ,CAM0Vf,C;  
UACI,OAAO,I;QACX,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAA  
V,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbq  
B,Q;QAHjB,IAI1VO,qBAAQ,CAl1Vf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iB  
AAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KApBX,C;g  
GAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IAj2VO,qBAAQ,CAi2Vf,C;UACI,OAAO,I;QACX,kBAA  
kB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CA  
AvB,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MAAA,uC;QAIbqB,Q;QAHjB,IAh3VO,qBAA  
Q,CAg3Vf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc  
,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,yB;MAAA,8D;MA  
AA,uC;QAIbqB,Q;QAHjB,IA/3VO,qBAAQ,CA+3Vf,C;UACI,OAAO,I;QACX,kBAaKB,UAAK,CAAL,C;QACD  
,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;







ArBX,C;8FAwBA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,gD;QAiBoB,Q;QAHhB,IAP8XO,qB  
AAQ,CAo8Xf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QA  
A5C,aiBjpnBO,W;QjBkpnBP,kBAAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAC  
I,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;0GA  
wBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAcI,IA5hYO,qBAAQ,CA4hYf,C;UAAe,OAAO,OAAO,OAAP,C;Q  
ACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzqnBO,W;QjB0qnBP,kBAAkB,O;QACIB,  
wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,  
C;;QAEX,OAAO,M;O;KArBX,C;4GAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAeI,IA7iYO,qBAAQ,CA6iYf  
,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBlSnBO,  
W;QjBmsnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9  
B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,g  
D;QAeI,IA9jYO,qBAAQ,CA8jYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,  
C;QAA+B,8B;QAA5C,aiB3tnBO,W;QjB4tnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WA  
AjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,y  
B;MAAA,gD;MAAA,gE;MAAA,gD;QAeI,IA/kYO,qBAAQ,CA+kYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kB  
AAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBpvnBO,W;QjBqvnBP,kBAAkB,O;QACIB,wD;UA  
CI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAE  
X,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAeI,IAhmYO,qBAAQ,CAGmYf,C;U  
AAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7wnBO,W;  
QjB8wnBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,  
C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD  
;QAeI,IAjnYO,qBAAQ,CAinYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C  
;QAA+B,8B;QAA5C,aiBtynBO,W;QjBuynBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAj  
B,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;  
MAAA,gD;MAAA,gE;MAAA,gD;QAeI,IALoYO,qBAAQ,CAkoYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBA  
AvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB/znBO,W;QjBg0nBP,kBAAkB,O;QACIB,wD;UACI,  
cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,  
OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAeI,IANpYO,qBAAQ,CAnpYf,C;UAAe  
,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBx1nBO,W;QjBy  
1nBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UA  
Cd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4GAyBA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAA  
A,gD;QAeI,IAPqYO,qBAAQ,CAoqYf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,I  
AAb,C;QAA+B,8B;QAA5C,aiBj3nBO,W;QjBk3nBP,kBAAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB  
,WAAjB,EAA8B,sBAAK,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;gGAY  
BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAcI,IA5vYO,qBAAQ,CA4vYf,C;UAAe,OAAO,W;QACtB,sBAAqB,  
UAAK,CAAL,CAArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAL,aAAJ,C;QAAxC,aiB14nBO,W;QjB2  
4nBP,iBAAC,CAAd,UAAsB,gBAAtB,U;UACI,gBAAC,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,M  
AAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,C;kGAwBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAz  
wYO,qBAAQ,CaywYf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,  
gBAAhB,C;QAA8B,sBAAL,aAAJ,C;QAA3C,aiB/5nBO,W;QjBg6nBP,iBAAC,CAAd,UAAsB,gBAAtB,U;UACI,g  
BAAC,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIB  
X,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAtxYO,qBAAQ,CAsxYf,C;UAAe,OAAO,W;QACtB  
,sBAAkB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAL,aAAJ,C;QAA5C,aiBp7n  
BO,W;QjBq7nBP,iBAAC,CAAd,UAAsB,gBAAtB,U;UACI,gBAAC,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB  
,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;  
QAWI,IANyYO,qBAAQ,CamyYf,C;UAAe,OAAO,W;QACtB,sBAAkB,UAAK,CAAL,CAAIB,C;QACkC,kBAAr  
B,eAAe,gBAAf,C;QAA6B,sBAAL,aAAJ,C;QAA1C,aiBz8nBO,W;QjB08nBP,iBAAC,CAAd,UAAsB,gBAAtB,U;U  
ACI,gBAAC,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;

KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IAhzYO,qBAAQ,CAgzYf,C;UAAe,OAAO,W;  
QACtB,sBAaKB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3  
C,aiB99nBO,W;QjB+9nBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAA  
L,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;M  
AAA,uC;QAWI,IA7zYO,qBAAQ,CA6zYf,C;UAAe,OAAO,W;QACtB,sBAaKB,UAAK,CAAL,CAAIB,C;QACoC  
,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBn/nBO,W;QjBo/nBP,iBAAc,CAAd,UAAsB,gB  
AAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,O  
AAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAWI,IA10YO,qBAAQ,CA00Yf,C;UAAe,  
OAAO,W;QACtB,sBAaKB,UAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,gBAaIB,C;QAAgC,sBAAI,aAAJ,  
C;QAA7C,aiBxgoBO,W;QjBygoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAA  
K,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAA  
A,gE;MAAA,uC;QAWI,IAv1YO,qBAAQ,CAu1Yf,C;UAAe,OAAO,W;QACtB,sBAaKB,UAAK,CAAL,CAAIB,C  
;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiB7hoBO,W;QjB8hoBP,iBAAc,CAAd,U  
AAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;  
QAEX,OAAO,M;O;KAIBX,C;kGAqBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAWI,IAp  
2YO,qBAAQ,CAo2Yf,C;UAAe,OAAO,W;QACtB,sBAaKB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,g  
BAAhB,C;QAA8B,sBAAI,0BAAJ,C;QAA3C,aiBljoBO,W;QjBmjoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,g  
BAAc,oBAAU,0BAAV,EAAuB,sBAAK,KAAL,EAAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;  
KAIBX,C;8GAqBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QACI,IA57YO,qBAAQ,CA47Yf,C;UAAe,OAAO,W;Q  
ACtB,sBAaKB,UAAK,CAAL,CAArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAI,aAAJ,C;QAAxC,aiB  
1koBO,W;QjB2koBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAsB,EAAiB,aAAjB,EAA8B,UA  
AK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gHAWBA,yB;MAAA,qD;M  
AAA,gE;MAAA,uC;QAYI,IA18YO,qBAAQ,CA08Yf,C;UAAe,OAAO,W;QACtB,sBAaKB,UAAK,CAAL,CAA  
IB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiBhmoBO,W;QjBimoBP,iBAAc,CA  
Ad,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAsB,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,M  
AAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAx9  
YO,qBAAQ,CAw9Yf,C;UAAe,OAAO,W;QACtB,sBAaKB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gB  
AAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBtnoBO,W;QjBunoBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBA  
Ac,UAAU,KAAsB,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAA  
O,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IA+YO,qBAAQ,CAs+Yf,C;UAAe,OA  
AO,W;QACtB,sBAaKB,UAAK,CAAL,CAAIB,C;QACkC,kBAArB,eAAe,gBAAf,C;QAA6B,sBAAI,aAAJ,C;QA  
A1C,aiB5ooBO,W;QjB6ooBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAsB,EAAiB,aAAjB,EA  
A8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAA  
A,qD;MAAA,gE;MAAA,uC;QAYI,IAp/YO,qBAAQ,CAo/Yf,C;UAAe,OAAO,W;QACtB,sBAaKB,UAAK,CAAL,  
CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiBlqoBO,W;QjBmqoBP,iBAA  
c,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAsB,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UAC  
d,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IA  
AlgZO,qBAAQ,CAkgZf,C;UAAe,OAAO,W;QACtB,sBAaKB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,  
gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBxroBO,W;QjByroBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gB  
AAc,UAAU,KAAsB,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OA  
AO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAhhZO,qBAAQ,CAghZf,C;UAAe,O  
AAO,W;QACtB,sBAaKB,UAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,gBAaIB,C;QAAgC,sBAAI,aAAJ,C  
;QAA7C,aiB9soBO,W;QjB+soBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAsB,EAAiB,aAAjB  
,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;M  
AAA,qD;MAAA,gE;MAAA,uC;QAYI,IA9hZO,qBAAQ,CA8hZf,C;UAAe,OAAO,W;QACtB,sBAaKB,UAAK,C  
AAL,CAAIB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBpuoBO,W;QjBpuoBP,i  
BAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAsB,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;  
UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;gHAsBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;M

AAA,gC;MAAA,uC;QAYI,IA5iZO,qBAAQ,CA4iZf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,0BAAJ,C;QAA3C,aiB1voBO,W;QjB2voBP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,oBAAU,KAAV,EAAiB,0BAAjB,EAA8B,sBAAK,KAAL,EAA9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;8EAsBA,yB;MA/zBA,gD;MAAA,gE;MA+zBA,gD;QAcW,sB;;UA7zBS,Q;UAHhB,IAp0XO,qBAAQ,CAo0Xf,C;YAAe,qBAAO,OAgoBH,OAhoBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+zBzB,OA/zByB,C;UAA5C,aiBj9mBO,W;UjBk9mBP,kBA8zBmB,O;UA7zBnB,iD;YAAgB,cAAhB,e;YACI,cA4zBwB,SA5zBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAyzBP,yB;O;KAdJ,C;gFAiBA,yB;MAzzBA,gD;MAAA,gE;MAyzBA,gD;QAeW,sB;;UA7zBS,Q;UAHhB,IAp1XO,qBAAQ,CAo1Xf,C;YAAe,qBAAO,OA0zBH,OA1zBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAyzBzB,OazzByB,C;UAA5C,aiBz+mBO,W;UjB0+mBP,kBAwzBmB,O;UA7zBnB,iD;YAAgB,cAAhB,e;YACI,cAszBwB,SAtzBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAmzBP,yB;O;KafJ,C;gFAkBA,yB;MANzBA,gD;MAAA,gE;MAmzBA,gD;QAeW,sB;;UA7zBS,Q;UAHhB,IAp2XO,qBAAQ,CAo2Xf,C;YAAe,qBAAO,OAozBH,OApozBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAyzBzB,OanzByB,C;UAA5C,aiBjgnBO,W;UjBkgnBP,kBAkzBmB,O;UA7zBnB,iD;YAAgB,cAAhB,e;YACI,cAgzBwB,SAhzBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA6yBP,yB;O;KafJ,C;gFAkBA,yB;MA7yBA,gD;MAAA,gE;MA6yBA,gD;QAeW,sB;;UA3yBS,Q;UAHhB,IAp3XO,qBAAQ,CAo3Xf,C;YAAe,qBAAO,OA8yBH,OA9yBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA6yBzB,OA7yByB,C;UAA5C,aiBzhnBO,W;UjB0hnBP,kBA4yBmB,O;UA3yBnB,iD;YAAgB,cAAhB,e;YACI,cA0yBwB,SA1yBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAuyBP,yB;O;KafJ,C;gFAkBA,yB;MAvyBA,gD;MAAA,gE;MAuyBA,gD;QAeW,sB;;UAryBS,Q;UAHhB,IAp4XO,qBAAQ,CAo4Xf,C;YAAe,qBAAO,OAwyBH,OAxyBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAuyBzB,OAvyByB,C;UAA5C,aiBjgnBO,W;UjBkgnBP,kBA5yBmB,O;UAryBnB,iD;YAAgB,cAAhB,e;YACI,cAoyBwB,SApyBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAiyBP,yB;O;KafJ,C;gFAkBA,yB;MAjyBA,gD;MAAA,gE;MAiyBA,gD;QAeW,sB;;UA/xBS,Q;UAHhB,IAp5XO,qBAAQ,CAo5Xf,C;YAAe,qBAAO,OAkyBH,OAlyBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAiyBzB,OAjyByB,C;UAA5C,aiBzknBO,W;UjB0knBP,kBAgyBmB,O;UA/xBnB,iD;YAAgB,cAAhB,e;YACI,cA8xBwB,SA9xBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA2xBP,yB;O;KafJ,C;gFAkBA,yB;MA3xBA,gD;MAAA,gE;MA2xBA,gD;QAeW,sB;;UAzxBS,Q;UAHhB,IAp6XO,qBAAQ,CAo6Xf,C;YAAe,qBAAO,OA4xBH,OA5xBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA2xBzB,OA3xByB,C;UAA5C,aiBjmnBO,W;UjBkmnBP,kBA0xBmB,O;UAzxBnB,iD;YAAgB,cAAhB,e;YACI,cAwxBwB,SAxxBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAqxBP,yB;O;KafJ,C;gFAkBA,yB;MArxBA,gD;MAAA,gE;MAqxBA,gD;QAeW,sB;;UANxBS,Q;UAHhB,IAp7XO,qBAAQ,CAo7Xf,C;YAAe,qBAAO,OA5xBH,OA6xBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAqxzBzB,OArxByB,C;UAA5C,aiBznnBO,W;UjB0nnBP,kBAoxBmB,O;UANxBnB,iD;YAAgB,cAAhB,e;YACI,cA8xBwB,SA1xBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA+wBP,yB;O;KafJ,C;gFAkBA,yB;MA/wBA,gD;MAAA,gE;MAAA,oC;MAAA,gC;MA+wBA,gD;QAeW,sB;;UA7wBS,Q;UAHhB,IAp8XO,qBAAQ,CAo8Xf,C;YAAe,qBAAO,OA8xBH,OA9xBG,C;YAAP,uB;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+wBzB,OA/wByB,C;UAA5C,aiBjpnBO,W;UjBkpnBP,kBA8wBmB,O;UA7wBnB,iD;YAAgB,cAAhB,e;YACI,cA4wBwB,SA5wBV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAywBP,yB;O;KafJ,C;4FAkBA,yB;MAzwBA,gD;MAAA,gE;MAywBA,gD;QAeW,6B;;UA1wBP,IA5hYO,qBAAQ,CA4hYf,C;YAAe,4BAAO,OA0wBI,OA1wBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAywBIB,OAzwBkB,C;UAA5C,aiBzqnBO,W;UjB0qnBP,kBAwwB0B,O;UA7wBnB,iD;YACI,cAswB+B,SA7wBjB,CAAU,KAAV,EAAiB,WAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAmwBP,gC;O;KafJ,C;8FAkBA,yB;MANwBA,gD;MAAA,gE;MAMwBA,gD;QAgBW,6B;;UApwBP,IA7iYO,qBAAQ,CA6iYf,C;YAAe,4BAAO,OAowBI,OApwBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAMwBIB,OAowBkB,C;UAA5C,aiBlsnBO,W;UjBmsnBP,kBAkwB0B,O;UA7wBnB,iD;YACI,cAgwB+B,SAhwBjB,CAA

U,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;  
QA6vBP,gC;O;KAhBJ,C;8FamBA,yB;MA7vBA,gD;MAAA,gE;MA6vBA,gD;QAgBW,6B;;UA9vBP,IA9jYO,qB  
AAQ,CA8jYf,C;YAAe,4BAAO,OA8vBI,OA9vBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;  
UAA+B,sBA6vBIB,OA7vBkB,C;UAA5C,aiB3tnBO,W;UjB4tnBP,kBA4vB0B,O;UA3vB1B,wD;YACI,cA0vB+B,  
SA1vBjB,CAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAE  
X,4BAAO,M;;QAuvBP,gC;O;KAhBJ,C;8FamBA,yB;MAvvBA,gD;MAAA,gE;MAuvBA,gD;QAgBW,6B;;UAxv  
BP,IAkYO,qBAAQ,CA+kYf,C;YAAe,4BAAO,OAwwBI,OAxxvBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO  
,CAAP,IAAb,C;UAA+B,sBAuvBIB,OAvvBkB,C;UAA5C,aiBpvnBO,W;UjBqvnBP,kBAsvB0B,O;UArvB1B,wD;  
YACI,cAovB+B,SApvBjB,CAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UA  
AI,WAAJ,C;;UAEX,4BAAO,M;;QAivBP,gC;O;KAhBJ,C;8FamBA,yB;MAjvBA,gD;MAAA,gE;MAivBA,gD;Q  
AgBW,6B;;UA1vBP,IAhmYO,qBAAQ,CAGmYf,C;YAAe,4BAAO,OAkvBI,OA1vBJ,C;YAAP,8B;WACqB,kBAA  
vB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAivBIB,OAjvBkB,C;UAA5C,aiB7wnBO,W;UjB8wnBP,kBAgvB0B  
,O;UAuB1B,wD;YACI,cA8uB+B,SA9uBjB,CAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;Y  
ACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;QA2uBP,gC;O;KAhBJ,C;8FamBA,yB;MA3uBA,gD;MAAA,g  
E;MA2uBA,gD;QAgBW,6B;;UA5uBP,IAjnYO,qBAAQ,CAinYf,C;YAAe,4BAAO,OA4uBI,OA5uBJ,C;YAAP,8B  
;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA2uBIB,OA3uBkB,C;UAA5C,aiBtynBO,W;UjBuy  
nBP,kBA0uB0B,O;UAzuB1B,wD;YACI,cAwuB+B,SAxuBjB,CAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KA  
AL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;QAquBP,gC;O;KAhBJ,C;8FamBA,yB;MARu  
BA,gD;MAAA,gE;MAquBA,gD;QAgBW,6B;;UAtuBP,IAloYO,qBAAQ,CAkoYf,C;YAAe,4BAAO,OA5uBI,OA  
tBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBAquBIB,OAruBkB,C;UAA5C,aiB/  
znBO,W;UjBgnBP,kBAouB0B,O;UANuB1B,wD;YACI,cAkuB+B,SAluBjB,CAAU,KAaV,EAAiB,WAAjB,EAA  
8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;QA+tBP,gC;O;KAhBJ,C;8Fam  
BA,yB;MA/tBA,gD;MAAA,gE;MA+tBA,gD;QAgBW,6B;;UAhuBP,IANpYO,qBAAQ,CampYf,C;YAAe,4BAAO  
,OAguBI,OAhuBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B,sBA+tBIB,OA/tBkB,C  
;UAA5C,aiBx1nBO,W;UjBy1nBP,kBA8tB0B,O;UA7tB1B,wD;YACI,cA4tB+B,SA5tBjB,CAAU,KAaV,EAAiB,  
WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;QAYtBP,gC;O;K  
AhBJ,C;8FamBA,yB;MAztBA,gD;MAAA,gE;MAAA,oC;MAytBA,gD;QAgBW,6B;;UA1tBP,IApqYO,qBAAQ,C  
AoqYf,C;YAAe,4BAAO,OA0tBI,OA1tBJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;UAA+B  
,sBAytBIB,OAztBkB,C;UAA5C,aiBj3nBO,W;UjBk3nBP,kBAwtB0B,O;UAvtB1B,wD;YACI,cAstB+B,SA  
ttBjB,CAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,EAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,  
M;;QAMtBP,gC;O;KAhBJ,C;gFamBA,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,c  
AAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe  
,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;  
K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAA  
O,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,  
gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;M  
ADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MA  
EJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;  
QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAOoB,Q;MADhB,UAAe,C;MACf,wBAA  
gB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;M  
AOoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,C  
AAP,I;;MAEJ,OAAO,G;K;kFAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAe,C;QACf,wB  
AAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;  
KAVX,C;4FAaA,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;Q  
ACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,  
SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q  
;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MA  
EX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAh

B,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB,wB  
AAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MA  
OoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,  
C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,  
SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACI  
B,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,y  
B;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAkB,G;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAh  
B,UAAgB,SAAhB,O;UACI,OAAO,SAAS,oBAAT,C;;QAEX,OAAO,G;O;KAVX,C;gFAaA,+B;MAUoB,Q;MADh  
B,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,O  
AAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;  
QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAg  
B,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,  
Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;  
MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,S  
AAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB  
,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,+B;  
MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,SAAS,O  
AAT,C;;MAEX,OAAO,G;K;kFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACpB,wBAAgB,SAAhB,gB;QAAgB,c  
AAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;kFAGX,yB;MAAA,oC;MAAA,gC;MAAA,s  
C;QAUoB,Q;QADhB,UAAoB,C;QACpB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,OAAO  
,SAAS,oBAAT,C;;QAEX,OAAO,G;O;KAbX,C;kFAGBA,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SA  
AhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAUoB,  
Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;  
;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SA  
AhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,w  
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,  
+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,O  
AAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAg  
B,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,U  
AAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAA  
O,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,  
YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;mFAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QA  
DhB,UAAe,C;QACf,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,YAAO,SAAS,oBAAT,CA  
AP,I;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wB  
AAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;m  
FAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,S  
AAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MA  
TpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAA  
T,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QAC  
A,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAb  
X,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cA  
AA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,g  
B;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,  
OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;  
QACA,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;  
KAbX,C;mFAGBA,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAg  
B,cAAA,SAAhB,M;UACI,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,SAS  
oB,gB;MATpB,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,Y;QACA,wBAAgB,SAAhB,gB;UAAgB,cAAhB,U

AAgB,SAAhB,O;UACI,cAAO,SAAS,oBAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAgBA,yB;MGI7pBA,6B;MHk7pBA,sC;QAWoB,Q;QADhB,UGI7pBmC,cHk7pBnB,CGI7pBmB,C;QHm7pBnC,wBAAgB,SAAhB,gB;UA  
AgB,cAAA,SAAhB,M;UACI,MGtvqBiD,cHsvqBjD,GGtvqB2D,KAAK,GHsvqBzD,SAAS,OAAT,CGtvqBoE,KA  
AX,IAAf,C;;QHwvqBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGn8pBA,6B;MHm8pBA,sC;QAWoB,Q;QADhB,U  
Gn8pBmC,cHm8pBnB,CGn8pBmB,C;QH08pBnC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGvw  
qBiD,cHuwqBjD,GGvwqB2D,KAAK,GHuwqBzD,SAAS,OAAT,CGvwqBoE,KAAAX,IAAf,C;;QHwvqBrD,OAAO  
,G;O;KAdX,C;mFAiBA,yB;MGp9pBA,6B;MH09pBA,sC;QAWoB,Q;QADhB,UGp9pBmC,cHo9pBnB,CGp9pBm  
B,C;QHq9pBnC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGxxqBiD,cHwxqBjD,GGxxqB2D,KA  
AK,GHwxqBzD,SAAS,OAAT,CGxxqBoE,KAAAX,IAAf,C;;QH0xqBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGr+p  
BA,6B;MHq+pBA,sC;QAWoB,Q;QADhB,UGr+pBmC,cHq+pBnB,CGr+pBmB,C;QHs+pBnC,wBAAgB,SAAhB,  
gB;UAAgB,cAAA,SAAhB,M;UACI,MGzyqBiD,cHyyqBjD,GGzyqB2D,KAAK,GHyyqBzD,SAAS,OAAT,CGzyq  
BoE,KAAAX,IAAf,C;;QH2yqBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGt/pBA,6B;MHs/pBA,sC;QAWoB,Q;QAD  
hB,UGt/pBmC,cHs/pBnB,CGt/pBmB,C;QH0/pBnC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MGIz  
qBiD,cH0zqBjD,GG1zqB2D,KAAK,GH0zqBzD,SAAS,OAAT,CG1zqBoE,KAAAX,IAAf,C;;QH4zqBrD,OAAO,G;  
O;KAdX,C;mFAiBA,yB;MGvgqBA,6B;MHugqBA,sC;QAWoB,Q;QADhB,UGvgqBmC,cHugqBnB,CGvgqBmB,  
C;QHwgqBnB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MG30qBiD,cH20qBjD,GG30qB2D,KAAK  
,GH20qBzD,SAAS,OAAT,CG30qBoE,KAAAX,IAAf,C;;QH60qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGxhqBA  
,6B;MHwhqBA,sC;QAWoB,Q;QADhB,UGxhqBmC,cHwhqBnB,CGxhqBmB,C;QHxhqBnB,wBAAgB,SAAhB,gB  
;UAAgB,cAAA,SAAhB,M;UACI,MG51qBiD,cH41qBjD,GG51qB2D,KAAK,GH41qBzD,SAAS,OAAT,CG51qBo  
E,KAAAX,IAAf,C;;QH81qBrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MGziqBA,6B;MHYiqBA,sC;QAWoB,Q;QADh  
B,UGziqBmC,cHYiqBnB,CGziqBmB,C;QH0iqBnB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MG72  
qBiD,cH62qBjD,GG72qB2D,KAAK,GH62qBzD,SAAS,OAAT,CG72qBoE,KAAAX,IAAf,C;;QH+2qBrD,OAAO,G  
;O;KAdX,C;mFAiBA,yB;MAAA,oC;MAAA,gC;MG1jqBA,6B;MH0jqBA,sC;QAWoB,Q;QADhB,UG1jqBmC,cH  
0jqBnB,CG1jqBmB,C;QH2jqBnB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,MG93qBiD,c  
H83qBjD,GG93qB2D,KAAK,GH83qBzD,SAAS,oBAAT,CG93qBoE,KAAAX,IAAf,C;;QHg4qBrD,OAAO,G;O;K  
AdX,C;mFAiBA,yB;MmBxkqBA,+B;MnBwkqBA,sC;QAWoB,Q;QADhB,UmBvkqBqC,eAAW,oBnBukqB/B,Cm  
BvkqB+B,CAAX,C;QnBwkqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB54qBmD,enB44qB  
nD,GmB54qB8D,KAAK,KnB44qB5D,SAAS,OAAT,CmB54qBuE,KAAAX,CAAhB,C;;QnB84qBvD,OAAO,G;O;K  
AdX,C;mFAiBA,yB;MmBzlqBA,+B;MnBylqBA,sC;QAWoB,Q;QADhB,UmBxlqBqC,eAAW,oBnBwlqB/B,CmB  
xlqB+B,CAAX,C;QnBylqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB75qBmD,enB65qBnD  
,GmB75qB8D,KAAK,KnB65qB5D,SAAS,OAAT,CmB75qBuE,KAAAX,CAAhB,C;;QnB+5qBvD,OAAO,G;O;KAd  
X,C;mFAiBA,yB;MmB1mqBA,+B;MnB0mqBA,sC;QAWoB,Q;QADhB,UmBzmqBqC,eAAW,oBnBmqB/B,Cm  
BzmqB+B,CAAX,C;QnB0mqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB96qBmD,enB86q  
BnD,GmB96qB8D,KAAK,KnB86qB5D,SAAS,OAAT,CmB96qBuE,KAAAX,CAAhB,C;;QnBg7qBvD,OAAO,G;O;  
KAdX,C;kFAiBA,yB;MmB3nqBA,+B;MnB2nqBA,sC;QAWoB,Q;QADhB,UmB1nqBqC,eAAW,oBnB0nqB/B,C  
mB1nqB+B,CAAX,C;QnB2nqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmB/7qBmD,enB+7q  
BnD,GmB/7qB8D,KAAK,KnB+7qB5D,SAAS,OAAT,CmB/7qBuE,KAAAX,CAAhB,C;;QnBi8qBvD,OAAO,G;O;K  
AdX,C;mFAiBA,yB;MmB5oqBA,+B;MnB4oqBA,sC;QAWoB,Q;QADhB,UmB3oqBqC,eAAW,oBnB2oqB/B,Cm  
B3oqB+B,CAAX,C;QnB4oqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBh9qBmD,enBg9qB  
nD,GmBh9qB8D,KAAK,KnBg9qB5D,SAAS,OAAT,CmBh9qBuE,KAAAX,CAAhB,C;;QnBk9qBvD,OAAO,G;O;K  
AdX,C;mFAiBA,yB;MmB7pqBA,+B;MnB6pqBA,sC;QAWoB,Q;QADhB,UmB5pqBqC,eAAW,oBnB4pqB/B,Cm  
B5pqB+B,CAAX,C;QnB6pqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBj+qBmD,enBi+qBn  
D,GmBj+qB8D,KAAK,KnBi+qB5D,SAAS,OAAT,CmBj+qBuE,KAAAX,CAAhB,C;;QnBm+qBvD,OAAO,G;O;KA  
dX,C;mFAiBA,yB;MmB9qqBA,+B;MnB8qqBA,sC;QAWoB,Q;QADhB,UmB7qqBqC,eAAW,oBnB6qqB/B,CmB  
7qqB+B,CAAX,C;QnB8qqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBl/qBmD,enBk/qBnD,  
GmBl/qB8D,KAAK,KnBk/qB5D,SAAS,OAAT,CmBl/qBuE,KAAAX,CAAhB,C;;QnBo/qBvD,OAAO,G;O;KAdX,C  
;kFAiBA,yB;MmB/rqBA,+B;MnB+rqBA,sC;QAWoB,Q;QADhB,UmB9rqBqC,eAAW,oBnB8rqB/B,CmB9rqB+B,  
CAAX,C;QnB+rqBrC,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,MmBngrBmD,enBmgrBnD,GmBng



3urBf,C;MIB4urBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAlIqB,GAKI  
P,UAAK,CAAL,CAlIO,EAAnB,KAKIqB,CAAM,CAAN,CAlIF,CakIrB,C;;MAIIT,OAoIO,I;K;IAjIX,iC;MA4II,W  
kB3vrBO,MAAO,KIB2vrBG,gBkB3vrBH,ElBsnrBH,KaQIqB,OkB3vrBf,C;MIB4vrBd,WAAW,iBAAa,IAAb,C;M  
ACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAxIqB,GAwIP,UAAK,CAAL,CAXIO,EAAnB,KAwIqB,C  
AAM,CAAN,CAXIF,CAwIrB,C;;MAxIT,OA0IO,I;K;IAvIX,iC;MAkJI,WkB3wrBO,MAAO,KIB2wrBG,gBkB3wr  
BH,ElBgorBH,KA2IkB,OkB3wrBf,C;MIB4wrBd,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,  
M;QACI,IAAK,WA9IqB,GA8IP,sBAAK,CAAL,EA9IO,EAAnB,KA8IqB,CAAM,CAAN,CA9IF,CA8IrB,C;;MA9  
IT,OAgJO,I;K;8EA7IX,yB;MAAA,gE;MkBzorBA,iB;MIByorBA,8C;QAQI,WkB3orBO,MAAO,KIB2orBG,gBkB  
3orBH,ElB2orBS,KAAM,OkB3orBf,C;QIB4orBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M  
;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;  
KAbX,C;8EAgBA,yB;MAAA,gE;MkBzprBA,iB;MIByprBA,8C;QAQI,WkB3prBO,MAAO,KIB2prBG,gBkB3prB  
H,ElB2prBS,KAAM,OkB3prBf,C;QIB4prBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UA  
CI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAb  
X,C;+EAgBA,yB;MAAA,gE;MkBzqrBA,iB;MIByqrBA,8C;QAQI,WkB3qrBO,MAAO,KIB2qrBG,gBkB3qrBH,El  
B2qrBS,KAAM,OkB3qrBf,C;QIB4qrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,I  
AAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C  
;8EAgBA,yB;MAAA,gE;MkBzrrBA,iB;MIByrrBA,8C;QAQI,WkB3rrBO,MAAO,KIB2rrBG,gBkB3rrBH,ElB2rrB  
S,KAAM,OkB3rrBf,C;QIB4rrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,W  
AAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgB  
A,yB;MAAA,gE;MkBzsrBA,iB;MIBysrBA,8C;QAQI,WkB3srBO,MAAO,KIB2srBG,gBkB3srBH,ElB2srBS,KAA  
M,OkB3srBf,C;QIB4srBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,U  
AAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;  
MAAA,gE;MkBztrBA,iB;MIBytrBA,8C;QAQI,WkB3trBO,MAAO,KIB2trBG,gBkB3trBH,ElB2trBS,KAAM,OkB  
3trBf,C;QIB4trBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,U  
AAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,  
gE;MkBzurBA,iB;MIByurBA,8C;QAQI,WkB3urBO,MAAO,KIB2urBG,gBkB3urBH,ElB2urBS,KAAM,OkB3urB  
f,C;QIB4urBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAA  
K,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;  
MkBzvrBA,iB;MIByvrBA,8C;QAQI,WkB3vrBO,MAAO,KIB2vrBG,gBkB3vrBH,ElB2vrBS,KAAM,OkB3vrBf,C;  
QIB4vrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,C  
AAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MA  
AA,oC;MkBzwrBA,iB;MIBywrBA,8C;QAQI,WkB3wrBO,MAAO,KIB2wrBG,gBkB3wrBH,ElB2wrBS,KAAM,O  
kB3wrBf,C;QIB4wrBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAA  
U,sBAAK,CAAL,EA AV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAGBA,kC;MAq  
GoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,iBkBt3rBJ,MAAO,KIBs3rBsB,wBA5FzB,KA4FyB,EAawB,EA  
AxB,CkBt3rBtB,ElBs3rBmD,SkBt3rBnD,CIBs3rBH,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OA  
AgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhGqB,GAAGP,UAAK,U  
AAL,EAAK,kBAAL,SAhGO,EAGGI,OA hGJ,CAGGrB,C;;MAhGT,OakGO,I;K;IA/FX,kC;MA6GoB,gB;MAHhB,  
gBAAGB,gB;MACHb,WAAW,iBkBx4rBJ,MAAO,KIBw4rBsB,wBApGzB,KAoGyB,EAawB,EAAXB,CkBx4rBtB  
,ElBw4rBmD,SkBx4rBnD,CIBw4rBH,C;MACX,QAAQ,C;MACQ,OA tGL,KAsGK,W;MAAhB,OAAgB,cAAhB,C  
;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxGqB,GAwGP,UAAK,UAAL,EAAK,kB  
AAL,SAXGO,EAwGI,OA xGJ,CAwGrB,C;;MAxGT,OA0GO,I;K;IAvGX,kC;MAqHoB,gB;MAHhB,gBAAGB,gB;  
MACHb,WAAW,iBkB15rBJ,MAAO,KIB05rBsB,wBA5GzB,KA4GyB,EAawB,EAAXB,CkB15rBtB,ElB05rBmD,  
SkB15rBnD,CIB05rBH,C;MACX,QAAQ,C;MACQ,OA9GL,KA8GK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;  
QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhHqB,GAAGP,UAAK,UAAL,EAAK,kBAAL,SAhHO  
,EAGHI,OA hHJ,CAGHrB,C;;MAhHT,OakHO,I;K;IA/GX,kC;MA6HoB,gB;MAHhB,gBAAGB,gB;MACHb,WAA  
W,iBkB56rBJ,MAAO,KIB46rBsB,wBApHzB,KAoHyB,EAawB,EAAXB,CkB56rBtB,ElB46rBmD,SkB56rBnD,Cl  
B46rBH,C;MACX,QAAQ,C;MACQ,OA tHL,KAsHK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KA

AK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxHqB,GAwHP,UAAK,UAAL,EAAK,kBAAL,SAxHO,EAwHI,OAxH  
J,CAwHrB,C;;MAXHT,OA0HO,I;K;IAvHX,kC;MAqIoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,iBkB97rBJ,  
MAAO,KIB87rBsB,wBA5HzB,KA4HyB,EAAwB,EAAxB,CkB97rBtB,ElB87rBmD,SkB97rBnD,CIB87rBH,C;M  
ACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C  
;UAAoB,K;QACpB,IAAK,WAhIqB,GAgIP,UAAK,UAAL,EAAK,kBAAL,SAhIO,EAgII,OAHIJ,CAGIrB,C;;MAhI  
T,OAKIO,I;K;IA/HX,kC;MA6IoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,iBkH9rBJ,MAAO,KIBg9rBsB,wB  
AplzB,KAOIyB,EAAwB,EAAxB,CkH9rBtB,ElBg9rBmD,SkH9rBnD,CIBg9rBH,C;MACX,QAAQ,C;MACQ,O  
AtIL,KAsIK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,  
WAXIqB,GAwIP,UAAK,UAAL,EAAK,kBAAL,SAxIO,EAwII,OAxIJ,CAwIrB,C;;MAXIT,OA0IO,I;K;IAvIX,kC;  
MAqJoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,iBkBl+rBJ,MAAO,KIBk+rBsB,wBA5IzB,KA4IyB,EAAwB,  
EAAxB,CkBl+rBtB,ElBk+rBmD,SkBl+rBnD,CIBk+rBH,C;MACX,QAAQ,C;MACQ,OA9IL,KA8IK,W;MAAhB,  
OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhJqB,GAgJP,UAAK,  
UAAL,EAAK,kBAAL,SAhJO,EAgJI,OAHIJ,CAGIrB,C;;MAhJT,OAKJO,I;K;IA/IX,kC;MA6JoB,gB;MAHhB,gBA  
AgB,gB;MACHb,WAAW,iBkBP/rBJ,MAAO,KIBo/rBsB,wBApJzB,KAOJyB,EAAwB,EAAxB,CkBP/rBtB,ElBo/r  
BmD,SkBP/rBnD,CIBo/rBH,C;MACX,QAAQ,C;MACQ,OAtJL,KAsJK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,y  
B;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAXJqB,GAwJP,UAAK,UAAL,EAAK,kBAAL,SAxJ  
O,EAwJI,OAxJJ,CAwJrB,C;;MAXJT,OA0JO,I;K;IAvJX,kC;MAqKoB,gB;MAHhB,gBAAgB,gB;MACHb,WAAW,  
iBkbtgsBJ,MAAO,KIBsgsBsB,wBA5JzB,KA4JyB,EAAwB,EAAxB,CkbtgsBtB,ElBsgsBmD,SkbtgsBnD,CIBsgsB  
H,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SA  
AT,C;UAAoB,K;QACpB,IAAK,WAhKqB,GAgKP,sBAAK,UAAL,EAAK,kBAAL,UAhKO,EAgKI,OAHKJ,CAG  
KrB,C;;MAhKT,OAKKO,I;K;+EA/JX,yB;MAAA,kF;MAAA,gE;Mkbn3rBA,iB;MIBm3rBA,8C;QAWoB,UAEY,  
M;QAL5B,gBAAgB,gB;QACHb,WAAW,ekBt3rBJ,MAAO,KIBs3rBsB,wBAAN,KAAM,EAAwB,EAAxB,Ckbt3r  
BtB,ElBs3rBmD,Skbt3rBnD,CIBs3rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;U  
ACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAq  
B,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;Mkbr4rBA,iB;MIBq4rBA,8C  
;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHb,WAAW,ekBx4rBJ,MAAO,KIBw4rBsB,wBAAN,KAAM,EAA  
wB,EAAxB,CkBx4rBtB,ElBw4rBmD,SkBx4rBnD,CIBw4rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cA  
AhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,  
kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkBv5  
rBA,iB;MIBu5rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHb,WAAW,ekB15rBJ,MAAO,KIB05rBsB,w  
BAAN,KAAM,EAAwB,EAAxB,CkB15rBtB,ElB05rBmD,SkB15rBnD,CIB05rBH,C;QACX,QAAQ,C;QACQ,uB;  
QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,U  
AAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,k  
F;MAAA,gE;MkBz6rBA,iB;MIBy6rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHb,WAAW,ekB56rBJ,  
MAAO,KIB46rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB56rBtB,ElB46rBmD,SkB56rBnD,CIB46rBH,C;QACX,  
QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IA  
AK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+  
EakBA,yB;MAAA,kF;MAAA,gE;MkB37rBA,iB;MIB27rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACH  
B,WAAW,ekB97rBJ,MAAO,KIB87rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkB97rBtB,ElB87rBmD,SkB97rBnD  
,CIB87rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;  
YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,  
OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkB78rBA,iB;MIB68rBA,8C;QAWoB,UAEY,M;QAL5  
B,gBAAgB,gB;QACHb,WAAW,ekBh9rBJ,MAAO,KIBg9rBsB,wBAAN,KAAM,EAAwB,EAAxB,CkH9rBtB,El  
Bg9rBmD,SkH9rBnD,CIBg9rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,I  
AAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAL,EAAK,kBAAL,SAAV,EAAqB,OA  
ARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkB/9rBA,iB;MIB+9rBA,8C;QA  
WoB,UAEY,M;QAL5B,gBAAgB,gB;QACHb,WAAW,ekBl+rBJ,MAAO,KIBk+rBsB,wBAAN,KAAM,EAAwB,E  
AAxB,CkBl+rBtB,ElBk+rBmD,SkBl+rBnD,CIBk+rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C

;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkBj/rBA,iB;MIBi/rBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACbB,WAAW,ekBp/rBJ,MAAO,KIBo/rBsB,wBAAN,KAAAM,EAAwB,EAAxB,CkBp/rBtB,ElBo/rBmD,SkBp/rBnD,CIBo/rBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MAAA,oC;MkBngsBA,iB;MIBmgsBA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACbB,WAAW,ekBtgsBJ,MAAO,KIBsgsBsB,wBAAN,KAAAM,EAAwB,EAAxB,CkBtgsBtB,ElBsgsBmD,SkBtgsBnD,CIBsgsBH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAGb,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,sBAAK,UAAAL,EAAK,kBAAL,UAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;IakBA,kC;MAwFI,WkBvmsBO,MAAO,KIBumsBG,gBkBvmsBH,ElBshsBH,KAiFkB,OkBvmsBf,C;MIBwmsBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WApFqB,GAoFP,UAAK,CAAL,CAPFO,EAAnB,KAOFqB,CAAM,CAAN,CAPFF,CAoFrB,C;;MAPFT,OASFO,I;K;IANFX,kC;MA8FI,WkBvnsBO,MAAO,KIBunsBG,gBkBvnsBH,ElBgisBH,KAuFkB,OkBvnsBf,C;MIBwnsBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1FqB,GA0FP,UAAK,CAAL,CA1FO,EAAnB,KAOFqB,CAAM,CAAN,CA1FF,CA0FrB,C;;MA1FT,OA4FO,I;K;IAzFX,kC;MAoGI,WkBvosBO,MAAO,KIBuosBG,gBkBvosBH,ElB0isBH,KA6FkB,OkBvosBf,C;MIBwosBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAhGqB,GAGP,UAAK,CAAL,CAhGO,EAAnB,KAGqB,CAAM,CAAN,CAhGF,CAGrB,C;;MAhGT,OAkGO,I;K;IAFX,kC;MAOGI,WkBvpsBO,MAAO,KIBupsBG,gBkBvpsBH,ElBojsBH,KAmGkB,OkBvpsBf,C;MIBwpsBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAtGqB,GAsGP,UAAK,CAAL,CAtGO,EAAnB,KAsGqB,CAAM,CAAN,CAtGF,CAsGrB,C;;MATGT,OAwGO,I;K;IARGX,kC;MAGHI,WkBvqsBO,MAAO,KIBuqsBG,gBkBvqsBH,ElB8jsBH,KAyGkB,OkBvqsBf,C;MIBwqsBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5GqB,GA4GP,UAAK,CAAL,CA5GO,EAAnB,KA4GqB,CAAM,CAAN,CA5GF,CA4GrB,C;;MA5GT,OA8GO,I;K;IA3GX,kC;MAshI,WkBvrsBO,MAAO,KIBursBG,gBkBvrsBH,ElBwksBH,KA+GkB,OkBvrsBf,C;MIBwrsBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAlHqB,GakHP,UAAK,CAAL,CAIHO,EAAnB,KAKHqB,CAAM,CAAN,CAIHF,CAkHrB,C;;MAIHT,OAoHO,I;K;IAjHX,kC;MA4HI,WkBvssBO,MAAO,KIBussBG,gBkBvssBH,ElBklsBH,KAqHkB,OkBvssBf,C;MIBwssBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAxHqB,GAwHP,UAAK,CAAL,CAXHO,EAAnB,KAwHqB,CAAM,CAAN,CAXHF,CAwHrB,C;;MAXHT,OA0HO,I;K;IAvHX,kC;MAkII,WkBvtsBO,MAAO,KIButsBG,gBkBvtsBH,ElB4lsBH,KA2HkB,OkBvtsBf,C;MIBwtsBd,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9HqB,GA8HP,sBAAK,CAAL,EA9HO,EA8HE,YA9HrB,KA8HqB,CAAM,CAAN,EA9HF,CA8HrB,C;;MA9HT,OAgtO,I;K;+EA7HX,yB;MAAA,gE;MkBrmsBA,iB;MIBqmsBA,8C;QAQI,WkBvmsBO,MAAO,KIBumsBG,gBkBvmsBH,ElBumsBS,KAAAM,OkBvmsBf,C;QIBwmsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrnsBA,iB;MIBqnsBA,8C;QAQI,WkBvnsBO,MAAO,KIBunsBG,gBkBvnsBH,ElBunsBS,KAAAM,OkBvnsBf,C;QIBwnsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrpsBA,iB;MIBqpsBA,8C;QAQI,WkBvpsBO,MAAO,KIBupsBG,gBkBvpsBH,ElBupsBS,KAAAM,OkBvpsBf,C;QIBwpsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrqsBA,iB;MIBqqsBA,8C;QAQI,WkBvqsBO,MAAO,KIBuqsBG,gBkBvqsBH,ElBuqsBS,KAAAM,OkBvqsBf,C;QIBwqsBd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrqsBA,iB;MIBqrsBA,8C;QAQI,WkBvrsBO,MAAO,KIBursBG,gBkBvrsBH,ElBursBS,KAAAM,OkBvrsBf,C;QIBwrsBd,WAA

W,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EA  
AmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MkBrssBA,iB;MIBq  
ssBA,8C;QAQI,WkBvssBO,MAAO,KIBussBG,gBkBvssBH,ElBussBS,KAAM,OkBvssBf,C;QIBwssBd,WAAW,e  
AAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb  
,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EAgBA,yB;MAAA,gE;MAAA,oC;MkBrtsBA,iB;  
MIBqtsBA,8C;QAQI,WkBvtsBO,MAAO,KIButsBG,gBkBvtsBH,ElButsBS,KAAM,OkBvtsBf,C;QIBwtsBd,WAA  
W,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EA AV,EA  
AmB,kBAAM,CAAN,EAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAgBA,4F;MAQ8D,yB;QAAA,YAA0B,I;M  
AAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K  
;MAAO,yB;QAAA,YAAoC,I;MAGvN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,  
SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IA  
AI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAAd,EA AuB,SAAvB,C;;UACJ,K;;MA  
EX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAA  
P,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,  
UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MA  
FhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,I  
AAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UA  
CI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UAC  
R,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gB  
AAO,OAA P,C;MACP,OAAO,M;K;IAGX,8F;MAQyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,u  
B;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAG  
tN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,  
M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KA  
A1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WA  
Af,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,  
MAAO,gBAAO,OAA P,C;MACP,OAAO,M;K;IAGX,8F;MAQuD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAu  
B,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YA  
AsC,I;MAGIN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAA  
A,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,  
SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,  
OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,  
C;MACxC,MAAO,gBAAO,OAA P,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;Q  
AAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB  
;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;  
QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,  
CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MA  
AO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gB  
AAO,SAAP,C;MACxC,MAAO,gBAAO,OAA P,C;MACP,OAAO,M;K;IAGX,8F;MAQyD,yB;QAAA,YAA0B,I;M  
AAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K  
;MAAO,yB;QAAA,YAAuC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,  
SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IA  
AI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;  
YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,  
MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAA P,C;MACP,OAAO,M;K;IAGX,8F;MAQ0D,yB;QAAA,Y  
AA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,  
YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MAGxN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,  
wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;  
QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,

CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C ;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQ2D,yB; QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,y B;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MAG1N,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY, C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO, SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAA U,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ, KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;M AQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa, E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MAC P,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAGB,cAAhB,UAAgB,SAAhB,O;QACI,IAAI,iCAAU,CAAd,C;UAAi B,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MA AAO,gBAAO,UAAU,oBAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAP,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IA Ac,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;I AGX,0F;MAQyC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QA AA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACIN,OAAO,kBAAO,sBAAP,EAAwB ,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5 F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA, QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,S AAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F, 4F;MAQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA, QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN,OAAO,oBAAO,sBAAP,EAAwB,S AAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F, 4F;MAQiC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,Q AAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAc,I;MAC5M,OAAO,oBAAO,sBAAP,EAAwB,SAA xB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F; MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAA a,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB ,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;M AQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa, E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,E AAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQ oC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;M AAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MACIN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAm C,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQqC,y B;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI ,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MACpN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC, MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQkC,yB; QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,y B;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,M AAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAASe,SAAtE,CAAI,F,W;K;IAQxE,4C;MAAA,mB;Q AAe,OAAK,qBAAL,eAAK,C;O;K;IAL3B,+B;MAII,IAlleO,qBAAQ,CAkIeF,C;QAAe,OAAO,W;MACtB,kCAA gB,4BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,C AkIeF,C;QAAe,OAAO,W;MACtB,kCAA gB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK, C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAkIeF,C;QAAe,OAAO,W;MACtB,kCAA gB,8BAAhB,C;K;IAQgB,8C;M AAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAkIeF,C;QAAe,OAAO,W;MA CtB,kCAA gB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO ,qBAAQ,CAkIeF,C;QAAe,OAAO,W;MACtB,kCAA gB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,0BA

AL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAkIef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAkIef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,4BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAkIef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IAlleO,qBAAQ,CAkIef,C;QAAe,OAAO,W;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,4C;MAAA,mB;QAAE,OAAK,qBAAL,eAAK,C;O;K;IAP3B,+B;MAMI,IA5peO,qBAAQ,CA4pef,C;QAAe,OAAO,e;MACtB,kCAAgB,4BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA9peO,qBAAQ,CA8pef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAhqeO,qBAAQ,CAgqef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IALqeO,qBAAQ,CAkqef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IApqeO,qBAAQ,CAoqef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAtqeO,qBAAQ,CAsqef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAxqeO,qBAAQ,CAwqef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,4BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA1qeO,qBAAQ,CA0qef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAUgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA5qeO,qBAAQ,CA4qef,C;QAAe,OAAO,e;MACtB,kCAAgB,8BAAhB,C;K;IAGJ,4B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,wB;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OA AO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cA

AA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKOB,Q;MADhB,UAAe,C;MACf,wBAAgB,SA  
AhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKOB,Q;MADhB,UAAe,C;  
MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKOB,  
Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAA  
O,G;K;IAGX,0B;MAKOB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,cAAO,O  
AAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAKOB,Q;MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAA  
A,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAKOB,Q;MADhB,UAAkB,G;MACiB,wBAAgB,S  
AAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;Ia5uuBX,oD;MAQuF,wC;K;IARvF,8C  
ASI,Y;MAAuC,8B;K;IAT3C,gF;4FOOA,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,  
CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,q  
B;MAOI,OAAO,sBAAI,CAAJ,C;K;IAGX,wC;MAII,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,OAAT,C;MACX,OA  
AO,qBAAQ,OAAR,KAAoB,C;K;IAWG,yC;MAAA,qB;QAAE,MAAM,8BAA0B,iDAA8C,aAA9C,MAA1B,C;O;  
K;IAR1C,qC;MAMI,IAAI,8BAAJ,C;QACI,OAAO,sBAAI,KAAJ,C;MACX,OAAO,6BAAgB,KAAhB,EAAuB,uB  
AAvB,C;K;0FAGX,4B;MAOI,OAAO,sBAAI,KAAJ,C;K;IAGX,2D;MAcqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OA  
AsB,KA4Lf,IAAS,CAAT,IA5Le,KA4LD,IAAS,iBA5LvB,SA4LuB,CAA3B,GA5LI,SA4LkC,aA5LnB,KA4LmB,C  
AAtC,GA5L0B,YA4L4B,CA5LnC,KA4LmC,C;OA3L7D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;M  
ACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,Y  
AAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,aAAa,KAAb,C;K;sGAGX,yB;MAAA,8D;MAAA,i  
D;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;K  
APjE,C;IAUA,6C;MAcqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAO,YAAL,SAAK,EAAU,KAAV,C;MACHB,IAA  
I,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAA  
c,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;K;sGAGX,yB;  
MAAA,sD;MAAA,mC;QAOI,OAAO,YAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;gFAUA,gC;MAOW,sB;;QAU  
HS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAvHH,SAuHO,CAAU,OAAV,CAAJ,C;YAAw  
B,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MAxHP,yB;K;wFAGJ,gC;MA2VoB,Q;MADhB,WAAe,I;MACC,2B;  
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IARvC,SAqVV,CAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MatVf,  
OAYVO,I;K;wFAtVX,gC;MAOW,qB;;QAwVP,eAAoB,+BAAa,cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,  
cAAc,QAAS,W;UACvB,IA3Vc,SA2VV,CAAU,OAAV,CAAJ,C;YAAwB,oBAAO,O;YAAP,sB;;QAE5B,oBAAO,  
I;;MA7VP,wB;K;IAGJ,6B;MAMQ,kBADE,SACF,Q;QAAW,OAAO,SAAL,SAAK,C;;QAEEnB,eAAe,oB;QACf,I  
AAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,OAAO,QAAS,O;;K;IAK5B,6B;MAKI,I  
AAI,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,CAAL,C;K;mFAGX,yB;MAAA,iE;  
MAAA,uC;QAKoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;Y  
AAwB,OAAO,O;;QACrD,MAAM,gCAAuB,wDAAvB,C;O;KANV,C;oGASA,yB;MAAA,iE;MAAA,uC;QASW,  
Q;QAAA,+B;;UAYS,U;UAAA,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YACZ,aAbwB,SAaX,CAAU,OAAV  
,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;UAGR,8BAAO,I;;QAIbA,kC;QAAA,iB;UAAmC,MAAM,g  
CAAuB,mEAAvB,C;SAAhD,OAAO,I;O;KATX,C;gHAYA,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C  
;QAAgB,yB;QACZ,aAAa,UAAU,OAAV,C;QACb,IAAI,cAAJ,C;UACI,OAAO,M;;MAGf,OAAO,I;K;IAGX,mC;  
MAKQ,kBADE,SACF,Q;QACI,IAAI,mBAAJ,C;UACI,OAAO,I;;UAEP,OAAO,sBAAK,CAAL,C;;QAGX,eAAe,o  
B;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;QACX,OAAO,QAAS,O;;K;IAK5B,mC;MAIL,OAAW,mBA  
AJ,GAAe,IAAf,GAAY,sBAAK,CAAL,C;K;+FAGpC,gC;MAIoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QA  
AgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;0FAGX,yB;MAAA,8D;M  
AAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,  
C;O;KALjE,C;IAQA,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAsC,sBAAI,KAAJ,CAAtC,GAA  
sD,I;K;IAGjE,uC;MAMiB,Q;MAFb,IAAI,8BAAJ,C;QAAkB,OAAO,SAAK,eAAQ,OAAR,C;MAC9B,YAAY,C;M  
ACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAhB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UA  
CI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;IAGX,uC;MAKI,OAAO,wBAAQ,OAAR,C;K;gGAGX,yB;MAAA,w  
E;MAAA,uC;QAKiB,Q;QAdB,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAhB,  
C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;O;KAXX,C;gGAcA,gC;MAK

iB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ,C;UACI,OA  
AO,K;QACX,qB;;MAEJ,OAAO,E;K;8FAGX,yB;MAAA,wE;MAAA,uC;QAMiB,Q;QAFb,gBAAgB,E;QACbB,Y  
AAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAAU,IAAV,CA  
AJ,C;YACI,YAAY,K;UACHb,qB;;QAEJ,OAAO,S;O;KAZX,C;8FAeA,gC;MAII,eAAe,SAAK,sBAAa,cAAb,C;M  
ACpB,OAAO,QAAS,cAAhB,C;QACI,IAAI,UAAU,QAAS,WAAAnB,CAAJ,C;UACI,OAAO,QAAS,Y;;MAGxB,O  
AAO,E;K;IAGX,4B;MASQ,kBADE,SACF,Q;QAAW,OAAy,QAAL,SAAK,C;;QAEEnB,eAAe,oB;QACf,IAAI,CA  
AC,QAAS,UAAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAh  
B,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;K;IAKnB,4B;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,gBA  
AvB,C;MACV,OAAO,sBAAK,2BAAL,C;K;iFAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAUoB,U  
AQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,O  
AAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,wDAA  
vB,C;QAEIB,OAAO,2E;O;KAlBX,C;iFAqBa,yB;MAAA,iE;MAAA,uC;QAQI,eAAe,SAAK,sBAAa,cAAb,C;QA  
CpB,OAAO,QAAS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;Q  
AEnC,MAAM,gCAAuB,kDAAvB,C;O;KAbV,C;IAGBA,2C;MAOIb,Q;MAHb,IAAI,8BAAJ,C;QAAkB,OAAO,S  
AAK,mBAAY,OAAZ,C;MAC9B,gBAAgB,E;MACHB,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA  
CT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAY,K;QACbB,qB;;MAEJ,OAAO,S;K;I  
AGX,2C;MAKI,OAAO,4BAAY,OAAZ,C;K;IAGX,kC;MAOQ,kBADE,SACF,Q;QAAW,OAAW,mBAAJ,GAAe,I  
AAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;;QAEvC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAA  
O,I;QACX,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;K;IAK  
nB,kC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,gC;MAOoB,Q;  
MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,  
OAAO,O;;MAGf,OAAO,I;K;6FAGX,gC;MAMI,eAAe,SAAK,sBAAa,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C;  
QACI,cAAc,QAAS,W;QACvB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MAEnC,OAAO,I;K;qFAGX,yB  
;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IAAI,mBAAJ,C  
;QACI,MAAM,2BAAuB,sBAAvB,C;MACV,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAJB,C;K;iGAGX,yB;MA  
AA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QA  
CI,OAAO,I;MACX,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAJB,C;K;IAGX,8B;MAKQ,kBADE,SACF,Q;QAA  
W,OAAy,UAAAL,SAAK,C;;QAEEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAAuB,sBAA  
vB,C;QACV,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,MAAM,gCAAYB,uCAAzB,C;QACV,OAAO,M  
;;K;IAKnB,8B;MAIiB,IAAN,I;MAAA,QAAM,cAAN,C;aACH,C;UAAK,MAAM,2BAAuB,gBAAvB,C;aACX,C;  
UAAK,6BAAK,CAAL,C;UAAAL,K;gBACQ,MAAM,gCAAYB,iCAAzB,C;;MAHIB,W;K;qFAOJ,yB;MAAA,kF;M  
AAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI,2B;QAAh  
B,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BA  
AyB,qDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,wD  
AAvB,C;QAEIB,OAAO,6E;O;KAFx,C;IAkBA,oC;MAKQ,kBADE,SACF,Q;QAAW,OAAW,mBAAQ,CAAZ,GA  
Ae,sBAAK,CAAL,CAAF,GAA4B,I;;QAEIc,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;QACX  
,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,OAAO,I;QACX,OAAO,M;;K;IAKnB,oC;MAII,OAAW,mB  
AAQ,CAAZ,GAAe,sBAAK,CAAL,CAAF,GAA4B,I;K;iGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB,YAAY,  
K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;Y  
AAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAA  
O,M;K;IAGX,8B;MAoBsC,UAGT,MAHS,EAarB,M;MN7pBb,IAAI,EMooBI,KAAK,CNpoBT,CAAJ,C;QACI,cM  
moBc,sD;QNloBd,MAAM,gCAAYB,OAAQ,WAAjC,C;OMmoBV,IAAI,MAAK,CAAT,C;QAAy,OAAO,mB;MA  
CnB,Q;MACA,IAAI,oCAAJ,C;QACI,iBAAiB,iBAAO,CAAP,I;QACjB,IAAI,cAAc,CAAIB,C;UACI,OAAO,W;Q  
ACX,IAAI,eAAc,CAAIB,C;UACI,OAAO,OAAO,kBAAP,C;QACX,OAAO,iBAAa,UAAb,C;QACP,IAAI,8BAAJ,  
C;UACI,IAAI,sCAAJ,C;YAC0B,qB;YAAtB,iBAAc,CAAd,wB;cACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;;YAE  
I,wCAAa,CAAb,C;YAAb,OAAa,gBAAb,C;cAAa,wB;cACT,IAAK,WAAI,IAAJ,C;;UAEB,OAAO,I;;QAIX,OAA  
O,gB;;MAEX,YAAY,C;MACC,6B;MAAb,OAAa,gBAAb,C;QAAa,0B;QACT,IAAI,SAAS,CAAb,C;UAAgB,IAA  
K,WAAI,MAAJ,C;;UAAe,qB;;MAEXc,OAAy,qBAAL,IAAK,C;K;IAGhB,kC;MNnqBI,IAAI,EM2qBI,KAAK,C

N3qBT,CAAJ,C;QACI,cM0qBc,sD;QNzqBd,MAAM,gCAAyB,OAAQ,WAAjC,C;OM0qBV,OAAO,kBAAGB,gB  
AAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;kGAGX,yB;MAAA,4C;MAAA,qD;MAAA,uC;QAMI,IAA  
I,CAAC,mBAAL,C;UACI,eAAe,+BAAa,cAAb,C;UACf,OAAO,QAAS,cAAhB,C;YACI,IAAI,CAAC,UAAU,QA  
AS,WAAhB,CAAL,C;cACI,OAAO,gBAAK,QAAS,YAAT,GAAuB,CAAvB,IAAL,C;;SAInB,OAAO,W;O;KAdX,  
C;0FAiBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb  
,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD  
,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEhB,OAAO,I;O;KAFx,C;oFAkBA,yB;MAAA,+D;MAAA,uC;QAM  
W,kBAAS,gB;QA2FA,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IA3FU,SA2FN,CAAU,OAA  
V,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QA3F1D,OA4FO,W;O;KAIGX,C;kGASA,yB;MAAA,+D;MA6jCA,  
wE;MA7jCA,uC;QAQW,kBAAGB,gB;QA4jCV,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;  
UAhjCT,IAZmC,SAY/B,CAGjCkB,oBAAmB,cAAnB,EAAMb,sBAAnB,UAhjCIB,EAjC+C,IAhjC/C,CAAJ,C;Y  
AA2C,sBAgjCQ,IAhjCR,C;;QAZ/C,OAcO,W;O;KATBX,C;sGAWA,yB;MAkjCA,wE;MALjCA,oD;QAYjCiB,gB;Q  
ADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAhjCT,IAAI,UAGjCkB,oBAAmB,cAAnB,EAAMb,s  
BAAnB,UAhjCIB,EAjC+C,IAhjC/C,CAAJ,C;YAA2C,sBAgjCQ,IAhjCR,C;;QAE/C,OAAO,W;O;KAXX,C;wGA  
cA,yB;MAAA,+D;MAAA,sC;QAMW,kBAAmB,gB;QASV,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;  
UAAM,IAAI,YAAJ,C;YAAkB,WAAy,WAAI,OAAJ,C;;QATpD,OAuO,W;O;KAhBX,C;4GASA,4C;MAMoB,Q;  
MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAy,WAAI,OAAJ,C;;MA  
CpD,OAAO,W;K;0FAGX,yB;MAAA,+D;MAAA,uC;QAMW,kBAAY,gB;QA4BH,Q;QAAA,2B;QAAhB,OAAGB  
,cAAhB,C;UAAgB,yB;UAAM,IAAI,CA5BS,SA4BR,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;Q  
A5B3D,OA6BO,W;O;KANCX,C;IASA,oC;MAMI,OAAO,6BAAGB,gBAAhB,C;K;IAGX,mD;MAMoB,Q;MAAA,  
2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAy,WAAI,OAAJ,C;;MACvD,OA  
AO,W;K;8FAGX,6C;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU  
,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;wFAGX,6C;MAMoB,Q;MAAA,2B;MA  
AhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MA  
C1D,OAAO,W;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,Od3wBe,W;Oc4wBtC,OAA6D,SAAtD,SAAK,i  
BAAQ,OAAQ,MAAhB,EAAuB,OAAQ,aAAR,GAAuB,CAAvB,IAAvB,CAAI,D,C;K;IAGjE,sC;MAOkB,Q;MAH  
d,WAAmB,wBAAR,OAAQ,EAAwB,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACTb,WAA  
W,iBAAa,IAAb,C;MACG,yB;MAAd,OAAc,cAAd,C;QAAC,uB;QACV,IAAK,WAAI,sBAAL,KAJ,CAAJ,C;;MA  
ET,OAAO,I;K;IAGX,8B;MAgBiB,Q;MN51Bb,IAAI,EMo1BI,KAAC,CNp1BT,CAAJ,C;QACI,cMm1Bc,sD;QN1  
Bd,MAAM,gCAAyB,OAAQ,WAAjC,C;OMm1BV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,IAAI,oCA  
AJ,C;QACI,IAAI,KAAC,cAAT,C;UAAe,OAAO,mB;QACtB,IAAI,MAAK,CAAT,C;UAAy,OAAO,OAAO,mBA  
AP,C;OAEvB,YAAy,C;MACZ,WAAW,iBAAa,CAAb,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAA  
K,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAF,C;UACI,K;;MAER,OAAy,qBAAL,IAAK,C;K;IAGhB,kC;MAeqC  
,IAGhB,I;MNt3BjB,IAAI,EM42BI,KAAC,CN52BT,CAAJ,C;QACI,cM22Bc,sD;QN12Bd,MAAM,gCAAyB,OAA  
Q,WAAjC,C;OM22BV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAC,IAAT,  
C;QAAe,OAAO,mB;MACTb,IAAI,MAAK,CAAT,C;QAAy,OAAO,OAAO,kBAAP,C;MACnB,WAAW,iBAAa,C  
AAb,C;MACX,IAAI,sCAAJ,C;QACI,iBAAC,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;UACI,IAAK,WAAI,sBAAK  
,KAAL,CAAJ,C;;QAEI,sCAAa,OAAO,CAAP,IAAb,C;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAK,WAAI,IAA  
J,C;;MAEb,OAAO,I;K;kGAGX,yB;MAAA,qD;MAAA,gE;MAAA,gD;MAAA,uC;QAMI,IAAI,mBAAJ,C;UACI,  
OAAO,W;QACX,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,IAAI,CAAC,UAAU,QAAS,WAA  
nB,CAAL,C;YACI,QAAS,O;YACT,mBAAmB,iBAAO,QAAS,YAAhB,I;YACnB,IAAI,iBAAGB,CAApB,C;cAAu  
B,OAAO,W;YACI,kBAA3B,eAAa,YAAb,C;YACH,OAAGB,kBAAhB,C;cACI,sBAaa,eAAb,C;YAFR,OH11BD,  
W;;QGg2BP,OAAO,iB;O;KApBX,C;0FAuBA,yB;MAAA,+D;MAAA,uC;QAoiB,Q;QADb,WAAW,gB;QACE,2B  
;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KAZX,C;IAoBA,+B;MAII,IAAI,wCAASB,kBAAQ,CAAI,C;QAAqC,OAAO,mB;MAC5C,  
WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;IAGX,uC;MAOI,aAAU,2BAAV,OAA2B,CAA3B,M;QA  
CI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,sBAAK,CAAL,EAAU,SAAK,aAAI,CAAJ,EAAO,sBAAK,  
CAAL,CAAP,CAAF,C;;K;oFAIR,yB;MAAA,oD;MJn4BA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B

;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MI43Bf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,oBJI4Bd,eAAW,iBIk4BsB,QJI4BtB,CAAX,CIk4Bc,C;U;KANIB,C;wGASA,yB;MAAA,oD;MJz3BA,sC;MAAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MIk3Bf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,oBJx3Bd,eAAW,2BIw3BgC,QJx3BhC,CAAX,CIw3Bc,C;U;KANIB,C;IASA,sC;MAMI,sBAAS,cAAT,C;K;IAGJ,6B;MASgB,Q;MAHZ,IAAI,oCAAJ,C;QACI,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEwB,kBAA3C,sBC5+BsD,sBD4+BtD,uB;QAAmD,mB;QA A3D,OAAoE,OHI7BjE,WGk7BiE,C;OAEjD,kBAAhB,0B;MAAwB,oB;MAA/B,OHp7BO,W;K;wFGu7BX,yB;M AAA,wD;MJ56BA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MIq6Bf,sC;QAQI,OAAO,sBJ76BP,eAAW,iBI66BiB,QJ76BjB,CAAX,CI66BO,C;O;KARX,C;4GAWA,yB;MAAA,wD;MJp6BA,sC;M AAA,oC;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,C A/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MI65Bf,sC;QAMI,OAAO,sBj6BP,eAAW,2BI m6B2B,QJn6B3B,CAAX,CI66BO,C;O;KANX,C;IASA,uC;MAMI,OAAO,wBAAW,cAAX,C;K;IAGX,6C;MASe, Q;MAHX,IAAI,oCAAJ,C;QACG,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEe,kBAAIC,sBCvhC uD,sBDuhCvD,uB;QAA0C,iC;QAAID,OAAyE,OH79BrE,WG69BqE,C;OAErD,kBAAhB,0B;MAAwB,mC;MAA/ B,OH/9BO,W;K;IGk+BX,qC;MAMoB,UACL,M;MAHX,aAAa,oBAAa,cAAb,C;MACb,YAAY,C;MACI,2B;MAA hB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,k C;MAMoB,UACL,M;MAHX,aAAa,cAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAA gB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAH X,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,oC;QACZ,OAAO,cAA P,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,oC;MAMoB,UACL,M;MAHX,aAAa,iBAAy,cAAZ,C; MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB, O;;MACtB,OAAO,M;K;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,iBAAW,cAAX,C;MACb,YAAY,C;MACI,2 B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;I AGX,iC;MAMoB,UACL,M;MAHX,aAAa,eAAS,cAAT,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C ;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M; MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAA O,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,eAAW,cA AX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,Y AAkB,O;;MACtB,OAAO,M;K;0FAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAA wD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAYC,EAAc,EAAc,C;QACjD,kBAAY,mBAAoB,QAApB,C;QA yEH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA1E8C,SA0E/B,CAAU,OAAV,C;UbpkBnB, wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,C;Qa0fA,OA4EO,W;O;KAXFX,C;+FAeA,yB;MAAA,kF;MAAA,0 D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAYC,EAAc,EA Ad,C;QACjD,kBAAc,mBAAoB,QAApB,C;QA2BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ, WAAY,aA5BoC,WA4BhC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA5BhB,OA8BO,W;O;KA1CX,C;+FAeA,y B;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAU,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,C AAZ,CAAYC,EAAc,EAAc,C;QACjD,kBAAc,mBAAoB,QAApB,C;QA6BL,Q;QAAA,2B;QAAhB,OAAgB,cAAh B,C;UAAgB,yB;UACZ,WAAY,aA9BoC,WA8BhC,CAAY,OAAZ,CAAJ,EA9BiD,cA8BvB,CAAE,OAAf,CAA1B, C;;QA9BhB,OA9CO,W;O;KA3CX,C;mGAcA,+C;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB ;QACZ,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;M AAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAY,aAAI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf ,CAA1B,C;;MAEhB,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QA CZ,WAAY,eAAU,OAAV,C;QbpkBnB,wBAAI,IAAK,MAAT,EAAgB,IAAK,OAAR,C;;MaskBA,OAAO,W;K;kG AGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAYI,aAAa,mBAA6D,cAAzC,YAAY,mCAA wB,EAAxB,CAAZ,CAAYC,EAAc,EAAc,C;QACg,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB; UAbo,MAcP,aAAI,OAAJ,EAd,eAAcF,CAAc,OAAc,CAAb,C;;QAdhB,OAAuB,M;O;KAb3B,C;sGAgBA,iD;MA

UoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAc,CAA b,C;;MAEHb,OAAO,W;K;IAGX,gD;MAIiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAA I,IAAJ,C;;MAEHb,OAAO,W;K;IAGX,gC;MAII,OAAO,0BAAa,eAAW,YAAy,mCAAwB,EAAxB,CAAZ,CAAX, CAAb,C;K;IAGX,6B;MAKqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,kB;YA AL,K;eACA,C;YAAK,cAAW,8BAAJ,GAakB,sBAAI,CAAJ,CAAIB,GAA8B,oBAAW,OAAhD,C;YAAL,K;kBA Ca,uBAAL,SAAK,C;YAHV,K;;QAAP,W;OAMJ,OAA4B,qBAAhB,gBAAL,SAAK,CAAgB,C;K;IAGhC,oC;MAII ,IAAI,oCAAJ,C;QACI,OAAy,gBAAL,SAAK,C;MACHb,OAAO,0BAAa,gBAAb,C;K;IAGX,oC;MAII,OAAO,iB AAU,SAAV,C;K;IAGX,4B;MAOqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,iB ;YAAL,K;eACA,C;YAAK,aAAU,8BAAJ,GAakB,sBAAK,CAAL,CAAIB,GAA+B,oBAAW,OAAhD,C;YAAL,K; kBACQ,iCAAa,qBAAiB,YAAy,cAAZ,CAAJB,CAAb,C;YAhL,K;;QAAP,W;OAMJ,OAAwC,oBAAJC,0BAAa,s BAAb,CAAiC,C;K;sFAG5C,yB;MAAA,+D;MAwFA,gD;MAxFA,uC;QAMW,kBAAU,gB;QAsFD,Q;QAAA,2B; QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvF6B,SAuFIB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO, IAAP,C;;QAxFhB,OA0FO,W;O;KAhGX,C;uFASA,yB;MAAA,+D;MA0FA,gD;MA1FA,uC;QAUW,kBAAU,gB; QAwFD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WazF6B,SAyFIB,CAAU,OAAV,C;UACC, OAAZ,WAAy,EAAO,IAAP,C;;QA1FhB,OA4FO,W;O;KATGX,C;oGAaA,yB;MAAA,+D;MA8BA,wE;MAAA,gD ;MA9BA,uC;QAYW,kBAAiB,gB;QA6BR,gB;QADhB,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,y B;UACZ,WA9BoC,SA8BzB,CAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAA Z,WAAy,EAAO,IAAP,C;;QA/BhB,OAiCO,W;O;KA7CX,C;oGAeA,yB;MAAA,+D;MAiCA,wE;MAAA,gD;MAj CA,uC;QAYW,kBAAiB,gB;QA9CR,gB;QADhB,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA CZ,WAjCoC,SAiCzB,CAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WA AY,EAAO,IAAP,C;;QAiChB,OAoCO,W;O;KAhDX,C;wGAeA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAWoB, UAC4B,M;QAF5C,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB, cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W; O;KafX,C;yGakBA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAWoB,UAC4B,M;QAF5C,YAAy,C;QACI,2B;QA AhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC, OAAvC,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;0FAkBA,yB;MAAA,gD;MAAA, oD;QAiOB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ, WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;2FAWA,yB;MAAA,gD;MAAA,oD;QAQoB,Q;QAAA,2B ;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;; QAEhB,OAAO,W;O;KAZX,C;uFAeA,yB;MAAA,wE;MAyBA,+D;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;Q AAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA1BiD,WA0BvC,CAAY,OAAZ,C;UbnvCP,U;UADP, YaynCe,WbznCH,WaynCwB,GbznCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCuC,gB;YAA5B,WbznCX,aasnCgC,G btnChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UamnCA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5BT,OA8BO,W;O;K AvCX,C;uFAYA,yB;MAAA,wE;MA8BA,+D;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,2B;QAAhB,OA AgB,cAAhB,C;UAAgB,yB;UACZ,UA/BiD,WA+BvC,CAAY,OAAZ,C;UbnvCP,U;UADP,Ya2oCe,Wb3oCH,WA2 oCwB,Gb3oCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCuC,gB;YAA5B,WbzoCX,aawoCgC,GbzoChC,EAAS,MAA T,C;YACA,e;;YAEA,c;;UaqoCA,iB;UACA,IAAK,WAjCyD,cAiCrD,CAAe,OAAf,CAAJ,C;;QAJCT,OAmCO,W; O;KA7CX,C;0FAaA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA CZ,UAAU,YAAy,OAAZ,C;UbnvCP,U;UADP,YaynCe,WbznCH,WaynCwB,GbznCxB,C;UACL,IAAI,aAAJ,C;Y ACH,aaunCuC,gB;YAA5B,WbznCX,aasnCgC,GbznChC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UamnCA,iB;UACA, IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAA,2B;Q AAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAy,OAAZ,C;UbnvCP,U;UADP,Ya2oCe,Wb3oCH,WA2o CwB,Gb3oCxB,C;UACL,IAAI,aAAJ,C;YACH,aaunCuC,gB;YAA5B,WbzoCX,aawoCgC,GbzoChC,EAAS,MAA T,C;YACA,e;;YAEA,c;;UaqoCA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;4FA kBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAA6C,OAAA,oBAAgB, W;O;MATrE,iDAUQ,mB;QAAoC,gCAAY,OAAZ,C;O;MAV5C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;8EAa,yB; MAAA,kF;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,mCAAwB,EAAxB,CAAb,C;QAuEA,Q;QAAA,2B;QA Ab,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAXewC,SAwEpC,CAAU,IAAV,CAAJ,C;;QAxehB,OAYEO,W;O;

KAhFX,C;4FAUA,yB;MAAA,kF;MAAA,gE;MA+BA,wE;MA/BA,uC;QAOW,kBAaA,eAAa,mCAAwB,EAAXB,CAAb,C;QAgCP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAJC+C,SAiC3C,CAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QAJChB,OAKCO,W;O;KAZCX,C;0GAUA,yB;MAAA,+D;MAoSA,wE;MApSA,uC;QAOW,kBAaOB,gB;QAoSd,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1RSB,U;UAAA,cAVQ,SAUR,CAORT,oBAAmB,cAAnB,EAAMb,sBAAnB,UA1RS,EA0RoB,IA1RpB,W;YAA6C,6B;;QAVhF,OAOW,W;O;KAlBX,C;8GAUA,yB;MA0RA,wE;MA1RA,oD;QAiSiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1RSB,U;UAAA,wBAORT,oBAAmB,cAAnB,EAAMb,sBAAnB,UA1RS,EA0RoB,IA1RpB,W;YAA6C,6B;;QACHF,OAAO,W;O;KARX,C;+FAWA,yB;MAAA,wE;MAAA,oD;QAQiB,UACoC,M;QAFjD,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAAI,UAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QACHB,OAAO,W;O;KAVX,C;4FAaA,yB;MAAA,+D;MAAA,uC;QAOW,kBAaA,gB;QAwPJ,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UahPK,U;UAAA,cARe,SAQf,CAGPQ,OAHPR,W;YAAcS,6B;;QAR3D,OASO,W;O;KAhBX,C;gGAUA,yB;MAAA,oD;QAqPoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UahPK,U;UAAA,wBAGPQ,OAHPR,W;YAAcS,6B;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;IAQiB,4C;MAAA,mB;QAAE,gC;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAGX,+B;MASI,OAA2B,SAAf,eAAL,SAAK,CAAE,C;K;4FAG/B,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAYc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACD,2B;QAAV,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAjBX,C;IAoBA,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAU,KAHV,CAAU,KAHV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAU,KAHV,C;MACJ,OAAO,G;K;IAGX,mC;MAMiB,IAAN,I;MACH,kBADs,SACT,c;QAAoB,4BAAc,SAAd,C;;QACZ,iCAAA,sBAAb,C;MAFZ,W;K;IAMJ,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAL,EAU,KAHV,C;MACJ,OAAO,G;K;8EAGX,yB;MAAA,gD;MAAA,uC;QAoOB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;O;KARX,C;IAWA,2B;MAMI,IAAI,oCAAJ,C;QAAwB,OAAO,CAAC,mB;MACHC,OAAO,oBAAW,U;K;+EAGtB,yB;MAAA,gD;MAAA,uC;QAoOB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,K;QAC5B,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,I;QACrD,OAAO,K;O;KARX,C;IAWA,6B;MAMoB,Q;MAFhB,IAAI,oCAAJ,C;QAAwB,OAAO,c;MAC/B,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;MACtB,OAAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,yB;MAAA,gD;MAAA,wE;MAAA,uC;QAMoB,Q;QAFhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,C;QAC5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;QAC9C,OAAO,K;O;KAPX,C;gFAUA,yC;MAUoB,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;8FAGX,yB;MAAA,wE;MAAA,gD;QAYoB,UAAiD,M;QAFjE,YAAY,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,WAAvC,EAAoD,OAAPD,C;;QACpC,OAAO,W;O;KAbX,C;0FAGBA,yC;MASI,kBAAkB,O;MACIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;OAGtB,OAAO,W;K;wGAGX,yC;MAUI,kBAAkB,O;MACIB,IAAI,CAAC,mBAAL,C;QACI,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,YAAY,QAAS,gB;UACrB,cAAc,UAAU,KAHV,EAaiB,QAAS,WAA1B,EAAsC,WAAiC,C;;OAGtB,OAAO,W;K;sFAGX,6B;MAKoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;oGAG1B,yB;MAAA,wE;MAAA,oC;QAoiB,UAAgC,M;QAD7C,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAA M,OAAO,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAP,EAAoC,IAAPC,C;;O;KAPvB,C;IAUA,0B;MAII,OAAO,sB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;kFAGX,+B;MAGW,sB;;QAUP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eAdmB,QAcJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QAjBe,QAiBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MAvBP,yB;K;8FAGJ,+B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAA

d,C;QAAyB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHc,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;mFAGX,yB;MAAA,sE;MF/yDA,iB;ME+yDA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,WFzzDG,MAAO,KEyzDO,QFzzDP,EEyzDiB,CFzzDjB,C;;QE2zDd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MFj1DA,iB;MEi1DA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,WF31DG,MAAO,KE21DO,QF31DP,EE21DiB,CF31DjB,C;;QE61Dd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAAA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;+FAuBA,yB;MFp3DA,iB;MEo3DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QAChC,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,WF53DG,MAAO,KE43DO,QF53DP,EE43DiB,CF53DjB,C;;QE83Dd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MFp5DA,iB;MEo5DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QAChC,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,WF55DG,MAAO,KE45DO,QF55DP,EE45DiB,CF55DjB,C;;QE85Dd,OAAO,Q;O;KAIBX,C;+FAqBA,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAlB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAlB,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;0FAGX,yB;MAAA,sE;MAAA,kD;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAlB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;sGAuBA,2C;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,eAAe,SAAS,QAAS,OAAlB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAlB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAlB,CAAX,GAakC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,gC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MFn+DG,MAAO,KEm+DE,GFn+DF,EE+DO,CFn+DP,C;;MEq+Dd,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MFn+DG,MAAO,KE+/DE,GF//DF,EE+/DO,CF//DP,C;;MEigEd,OAAO,G;K;IAGX,iC;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,gD;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAaA,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0B;MAIL,OAAO,sB;K;IAGX,2B;MAIL,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;kFAGX,+B;MAGW,sB;;QAUP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eAdmB,QAcJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QAjBe,QAiBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MAvBP,yB;K;8FAGJ,+B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHc,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;mFAGX,yB;MAAA,sE;MF14DA,iB;MEk4DA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UACR,WF54DG,MAAO,KE44DO,QF54DP,EE44DiB,CF54DjB,C;;QE84Dd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MFp6DA,iB;MEo6DA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAlB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAlB,C;UAC

R,WF96DG,MAAO,KE86DO,QF96DP,EE86DiB,CF96DjB,C;;QEg7Dd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAAA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,C AAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;+FAuBA,yB;MFv8DA,iB;MEu8DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACCh,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF/8DG,MAAO,KE+8DO,QF/8DP,EE+8DiB,CF/8DjB,C;;QEi9Dd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MFv+DA,iB;MEu+DA,sC;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACCh,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WF/+DG,MAAO,KE++DO,QF/+DP,EE++DiB,CF/+DjB,C;;QEi/Dd,OAAO,Q;O;KAIBX,C;+FAqBA,+B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACCh,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;0FAGX,yB;MAAA,sE;MAAA,kD;QAWI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAAC,CAATC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;sGAuBA,2C;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACCh,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAAkB,CAAIB,CAAX,GAAC,CAATC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,gC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACCh,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MFtjEG,MAAO,KEsjEE,GFtjEF,EEsjEO,CFtjEP,C;;MEwjEd,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACCh,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MFIIEG,MAAO,KEKIEE,GFIIIEF,EEKIEO,CFIIIEP,C;;MEoIEd,OAAO,G;K;IAGX,iC;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACCh,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0C;MAGI,OAAO,2BAAc,UAAAd,C;K;IAGX,gD;MAKI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACCh,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,4B;MAMI,IAAI,oCAAJ,C;QAawB,OAAO,mB;MAC/B,OAAO,CAAC,oBAAW,U;K;iFAGvB,yB;MAAA,gD;MAAA,uC;QAoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAahB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;O;KARX,C;oFAWA,6B;MAKmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;kGAGJ,yB;MAAA,6B;MAAA,sC;MArnBA,wE;MAqnBA,2BAQiB,yB;QA7nBjB,wE;eA6nBiB,0B;UAAA,4B;YAAE,aAAe,c;YAtmBjB,gB;YADb,YAAY,C;YACC,2B;YAAb,OAAa,cAAb,C;cAAa,sB;cAAM,OAAO,oBAAMB,cAAnB,EAAmB,sBAAnB,UAAAP,EAAoC,IAApC,C;;YAsnBmB,W;W;S;OAAzB,C;MARjB,oC;QA9mBiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAMB,cAAnB,EAAmB,sBAAnB,UAAAP,EAAoC,IAApC,C;;QAsnBnB,gB;O;KARJ,C;oFAWA,yB;MAAA,4F;MAAA,uC;QAaI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;QAEIB,OAAO,W;O;KAnBX,C;kGAsBA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAKBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAMB,YAAnB,EAAmB,oBAAnB,QAAV,EAAuB,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KApBX,C;8GAuBA,yB;MAAA,wE;MAAA,uC;QAKBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACCh,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAMB,YAAnB,EAAmB,oBAAnB,QAAV,EAAuB,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KApBX,C;gGAuBA,gC;MAcI,eAAe,SAAK,W;MACpB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACCh,kBAAqB,QAAS,O;MAC9B,OAAO,QAAS,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;MAEIB,OAAO,W;K;8FAGX,yB;MAAA,4F;MAAA,uC;QAaI,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAc,UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QA

AS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;QAEIB,OAAO,  
W;O;KApBX,C;4GAuBA,yB;MAAA,4F;MAAA,uC;QAAI,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAA  
d,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,YA  
AY,QAAS,gB;UACrB,cAAc,UAAU,KAAV,EAAiB,QAAS,WAA1B,EAAc,WAAtC,C;;QAEIB,OAAO,W;O;KA  
rBX,C;wHAWBA,gC;MAaI,eAAe,+BAAa,cAAb,C;MACf,IAAI,CAAC,QAAS,cAAAd,C;QACI,OAAO,I;MACX,kB  
AAqB,QAAS,W;MAC9B,OAAO,QAAS,cAAhB,C;QACI,YAAY,QAAS,gB;QACrB,cAAc,UAAU,KAAV,EAAiB  
,QAAS,WAA1B,EAAc,WAAtC,C;;MAEIB,OAAO,W;K;0GAGX,gC;MAcI,eAAe,+BAAa,cAAb,C;MACf,IAAI,  
CAAC,QAAS,cAAAd,C;QACI,OAAO,I;MACX,kBAAqB,QAAS,W;MAC9B,OAAO,QAAS,cAAhB,C;QACI,cAAc  
,UAAU,QAAS,WAAAnB,EAA+B,WAA/B,C;;MAEIB,OAAO,W;K;8FAGX,yB;MAAA,kF;MAAA,gD;MAAA,gE;  
MAAA,gD;QAIBoB,Q;QAJhB,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAiB,CAArB,C;UAAwB,OAAO  
,OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;QAAwC,8B;QAArD,aHjjFO,W;QGkjFP,kBA  
AkB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd  
,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4GAwBA,yB;MAAA,kF;MAAA,gD;MAAA,gE;MAAA,  
gD;QAmBoB,UACY,M;QAN5B,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAiB,CAArB,C;UAAwB,OAA  
O,OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;QAAwC,8B;QAArD,aH1kFO,W;QG2kFP,Y  
AAY,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,WAAU,cAAV,EAAU  
,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;k  
GA0BA,yB;MAAA,qD;MAAA,kF;MAAA,gE;MAAA,uC;QAcI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UA  
Ad,C;UAAyB,OAAO,W;QACc,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAAb,  
C;QAAkD,sBAAI,aAAJ,C;QAA/D,aHrmFO,W;QGsmFP,OAAO,QAAS,UAAhB,C;UACI,gBAAc,UAAU,aAAV,  
EAAuB,QAAS,OAAhC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;gHAYBA,yB;MAAA,qD  
;MAAA,kF;MAAA,gE;MAAA,uC;QAOBgC,Q;QAN5B,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;U  
AAyB,OAAO,W;QACc,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAAb,C;QAA  
kD,sBAAI,aAAJ,C;QAA/D,aH9nFO,W;QG+nFP,YAAY,C;QACZ,OAAO,QAAS,UAAhB,C;UACI,gBAAc,WAA  
U,YAAV,EAAU,oBAAV,SAAmB,aAAnB,EAAgC,QAAS,OAAzC,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAA  
O,M;O;KAvBX,C;gFA0BA,yB;MArGA,kF;MAAA,gD;MAAA,gE;MAqGA,gD;QAcW,sB;;UAIGS,Q;UAJhB,oB  
AAoB,mCAAwB,CAAxB,C;UACpB,IAAI,kBAAiB,CAArB,C;YAAwB,qBAAO,OAqGZ,OArGY,C;YAAP,uB;W  
ACqB,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;UAAwC,sBAoGIC,OApgkC,C;UAArD,aHjjFO,W;UGkjFP,kB  
AmGmB,O;UAIGH,2B;UAAhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAiGwB,SAjGV,CAAU,WAAV,EAAuB,  
OAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;QA8FP,yB;O;KAdJ,C;8FAiBA,yB;MA9FA,kF;M  
AAA,gD;MAAA,gE;MA8FA,gD;QAeW,6B;;UA1FS,gB;UALhB,oBAAoB,mCAAwB,CAAxB,C;UACpB,IAAI,k  
BAAiB,CAArB,C;YAAwB,4BAAO,OA8FL,OA9FK,C;YAAP,8B;WACqB,kBAAhC,eAAa,gBAAGB,CAAhB,IA  
Ab,C;UAAwC,sBA6F3B,OA7F2B,C;UAArD,aH1kFO,W;UG2kFP,YAAY,C;UACZ,kBA2F0B,O;UA1FV,2B;UA  
AhB,OAAGB,cAAhB,C;YAAgB,yB;YACZ,cAyF+B,SAzFjB,EAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EA  
AgC,OAAhC,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;QAsFP,gC;O;KAFj,C;kFAkBA,+B;MAOoB,  
Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;M  
AEJ,OAAO,G;K;8FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;  
QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAUoB,Q;MADhB,UAAoB,C;MACJ,2B;MAA  
hB,OAAGB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAUoB,Q;M  
ADhB,UAAe,C;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,  
OAAO,G;K;mFAGX,yB;MAAA,SASoB,gB;MATpB,sC;QAUoB,Q;QADhB,Y;QACgB,2B;QAAhB,OAAGB,cAA  
hB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;mFAgBA,yB;MjB/7EA,6B;  
MiB+7EA,sC;QAWoB,Q;QADhB,UjB/7EmC,ciB+7EnB,CjB/7EmB,C;QiBg8EnB,2B;QAAhB,OAAGB,cAAhB,C;  
UAAgB,yB;UACZ,MjBnwFiD,ciBmwFjD,GjBnwF2D,KAAK,GiBmwFzD,SAAS,OAAT,CjBnwFoE,KAAAX,IAAf  
,C;;QiBqwFrD,OAAO,G;O;KAdX,C;mFAiBA,yB;MD78EA,+B;MC68EA,sC;QAWoB,Q;QADhB,UD58EqC,eAA  
W,oBC48E/B,CD58E+B,CAAX,C;QC68ErB,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,MDjxFmD,eCixF  
nD,GDjxF8D,KAAK,KCixF5D,SAAS,OAAT,CDjxFuE,KAAAX,CAAhB,C;;QCmxFvD,OAAO,G;O;KAdX,C;IAiB  
A,qC;MAIoB,UAMT,M;MANS,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,

gCAAYB,2BAAwB,SAAXB,MAAZB,C;;MAId,OAAO,mE;K;IAGX,qC;MAIoB,UAMT,M;MANS,2B;MAAhB,O  
AAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAYB,2BAAwB,SAAXB,MAAZB,C;;MAId,  
OAAO,+D;K;IAGX,kC;MAWI,OAAO,oBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAGBI,OAAO,s  
BAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,EAAwD,SAAXD,C;K;IAGX,mC;MAII,aAAa,iBAAa,mCAAwB,EAAxB  
,CAAb,C;MACb,kBAAC,KAAAd,C;MAnIEgB,Q;MAAA,OAoLET,SAPLES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,  
2B;QAAU,oB;QAoIEK,IAAI,CAAC,SAAD,IAAY,OAPlEX,SAoIEW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAA  
iD,K;;UAAjD,mBAA8D,I;;QAplEvE,qB;UAoIED,MAPlEqC,WAAI,SAAJ,C;;MAoIE1D,OAaqB,M;K;IAGzB,sC;  
MAQI,IAAI,QpB0yJG,YAAQ,CoB1yJf,C;QAAwB,OAAY,SAAL,SAAK,C;MACpC,YAAqB,8BAAT,QAAS,C;M  
AtoEd,kBAAy,gB;MA4BH,Q;MAAA,OA2mET,SA3mES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IA  
AI,CA2mEF,qBA3mEa,OA2mEb,CA3mEF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MA2mE3D,OA1mEO,W;K;IA6m  
EX,sC;MAQI,YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,S  
AAK,C;MAppET,kBAAy,gB;MA4BH,Q;MAAA,OAynET,SAznES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;Q  
AAM,IAAI,CAynEF,qBAznEa,OAynEb,CAznEF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAynE3D,OAxnEO,W;K;I  
A2nEX,sC;MAQI,YAAqB,8BAAT,QAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MAI  
qET,kBAAy,gB;MA4BH,Q;MAAA,OAuoET,SAvoES,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,  
CAuoEF,qBAvoEa,OAuoEb,CAvoEF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAuoE3D,OAtoEO,W;K;8FAyoEX,yB  
;MAAA,8C;MAAA,qC;QAKI,OAAO,iBAAM,OAAN,C;O;KALX,C;0FAQA,yB;MAAA,+D;MAAA,6B;MAAA,u  
C;QAUoB,Q;QAFhB,YAAy,gB;QACZ,aAAa,gB;QACG,2B;QAAhB,OAAGB,cAAhB,C;UAGB,yB;UACZ,IAAI  
,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;;QAGf,OAAO,cAAK,K  
AAL,EAAy,MAAZ,C;O;KAjBX,C;IAoBA,kC;MAII,IAAI,oCAAJ,C;QAawB,OAAY,OAAL,SAAK,EAAK,OAA  
L,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;  
K;IAGX,oC;MAII,aAAa,iBAAa,iBAAO,CAAP,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,  
OAAJ,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,oCAAJ,C;QAawB,OAAY,OAAL,SAAK,EAAK,QAAL,C;M  
ACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M  
;K;IAGX,qC;MAII,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,OAAR,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;  
MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,oCAAJ,C;QAawB,OAAY,OA  
AL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,OAAP,MAAO,EA  
AO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,mCAAJ,C;QACI,aAAa,iBAAa,SAAK,KAAL,GAAY,QA  
AS,KAAR,IAAb,C;QACb,MAAO,gBAAO,SAAP,C;QACP,MAAO,gBAAO,QAAP,C;QACP,OAAO,M;;QAEP,e  
AAa,iBAAa,SAAb,C;QACN,OAAP,QA AO,EAAO,QAAP,C;QACP,OAAO,Q;;K;IAIf,qC;MAII,aAAa,gB;MACN,  
OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,aAA  
a,iBAAa,SAAK,KAAL,GAAY,EAAZ,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,Q  
AAP,C;MACP,OAAO,M;K;4FAGX,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;8FA  
QA,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;IAQA,yD;MAGB+C,oB;QAAA,OAA  
Y,C;MAAG,8B;QAAA,iBAA0B,K;MAOzE,Q;MANX,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAw  
B,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAASB,WAAW,IAAX,KAAMB,CAAvB,G  
AA0B,CAA1B,GAAiC,CAAnD,K;QACrB,aAAa,iBAAmB,cAAAnB,C;QACb,gBAAy,CAAZ,C;QACA,Y;UAAO,c  
;UAAP,MAAGB,CAAT,mBAAiB,QAAXB,E;YAAA,K;UACI,iBAASB,eAAL,IAAK,EAAa,WAAW,OAAx,IAAb,  
C;UACtB,IAAI,aAAa,IAAb,IAAQB,CAAC,cAA1B,C;YAA0C,K;Ud59FID,WAAW,iBc69Fa,Ud79Fb,C;UWCX,m  
BAAC,CAAd,YG49FwB,UH59FxB,Y;YXA6B,ec49FS,sBH39F3B,OG29FgC,GAAK,OAAL,IAAL,Cd59FT,C;;Uc  
49FrB,MAAO,Wd39FR,Ic29FQ,C;UACP,oBAAS,IAAT,I;;QAEJ,OAAO,M;OAEX,eAAa,gB;MACiE,kBAA9E,iB  
AAiB,oBAAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,KAAvE,C;ME51GA,OAAGB,qBAAhB,  
C;QAAGB,gC;QF6lGL,mBE7lGqB,OF6lGrB,C;;MAEX,OAAO,Q;K;IAGX,sE;MAkBkD,oB;QAAA,OAAY,C;MA  
AG,8B;QAAA,iBAA0B,K;MACvF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI  
,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAASB,WAAW,IAAX,KAAMB,CAAvB,GAA0B,CAA1B,GAA  
iC,CAAnD,K;QACrB,aAAa,iBAAa,cAAAb,C;QACb,eAAa,kBAAC,SAAd,C;QACb,YAAy,C;QACZ,OAAGB,CAA  
T,qBAAiB,QAAXB,C;UACI,iBAASB,eAAL,IAAK,EAAa,WAAW,KAAX,IAAb,C;UACtB,IAAI,CAAC,cAAD,IA  
AmB,aAAa,IAApC,C;YAA0C,K;UAC1C,QA AO,cAAK,KAAL,EAAy,QA AQ,UAAR,IAAZ,C;UACP,MAAO,W

AAI,UAAU,QAAY,CAAJ,C;UACP,gBAAS,IAAT,I;:QAEJ,OAAO,M;OAEX,eAAa,gB;MACgE,kBAA7E,iBAAi  
B,oBAAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,IAAvE,C;MEtoGA,OAAgB,qBAAhB,C;QA  
AgB,gC;QFuoGL,mBAAI,UEvoGiB,OFuoGjB,CAAJ,C;:MAEX,OAAO,Q;K;IAGX,kC;MAqBoB,gB;MAHhB,gB  
AXW,KAWW,O;MACtB,WAAW,iBF17FJ,MAAO,KE07FgB,mCAAwB,EAAxB,CF17FhB,EE07F6C,SF17F7C,C  
E07FH,C;MACX,QAAQ,C;MACQ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UA  
AoB,K;QACpB,IAAK,WAhBqB,GAgBP,OAhBO,EAAAnB,KAgBqB,CAAM,UAAAnB,EAAM,kBAAN,SAhBF,CAG  
BrB,C;:MAhBT,OAKBO,I;K;+EAfX,yB;MAAA,kF;MAAA,gE;MFv7FA,iB;MEu7FA,8C;QAWoB,UAEsB,M;QA  
LtC,gBAAgB,KAAM,O;QACtB,WAAW,eF17FJ,MAAO,KE07FgB,mCAAwB,EAAxB,CF17FhB,EE07F6C,SF17  
F7C,CE07FH,C;QACX,QAAQ,C;QACQ,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,  
C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,OAAV,EAAmB,MAAM,UAAAnB,EAAM,kBAAN,SAAnB,CAAJ,C;:Q  
AET,OAAO,I;O;KafX,C;IAkBA,kC;MAkBI,YAAY,oB;MACZ,aAZW,KAYQ,W;MACnB,WAAW,iBFv9FJ,MA  
AO,KEu9FgB,mCAAwB,EAAxB,CFv9FhB,EEu9FmD,wBAbtD,KAsD,EAAwB,EAAxB,CFv9FhB,CEu9FH,C;  
MACX,OAAO,KAAM,UAAAnB,IAAmB,MAAO,UAAjC,C;QACI,IAAK,WafqB,GAeP,KAAM,OafC,EAeO,MAA  
O,OafD,CAerB,C;:MAfT,OaiBO,I;K;+EAdX,yB;MAAA,kF;MAAA,gE;MFv9FA,iB;MEm9FA,8C;QAQI,YAAY,  
oB;QACZ,aAAa,KAAM,W;QACnB,WAAW,eFv9FJ,MAAO,KEu9FgB,mCAAwB,EAAxB,CFv9FhB,EEu9FmD,  
wBAAN,KAAM,EAAwB,EAAxB,CFv9FhB,CEu9FH,C;QACX,OAAO,KAAM,UAAAnB,IAAmB,MAAO,UAAjC,C  
;UACI,IAAK,WAAI,UAAU,KAAM,OAAhB,EAAwB,MAAO,OAA/B,CAAJ,C;:QAET,OAAO,I;O;KAdX,C;IAiB  
A,gC;MASW,sB;:QAaP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,W;UAAP,uB;SACzB,ad/  
pGoD,gB;QcgqGpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,  
WAnBkB,GAmBJ,OAnBI,EAmBK,IAAnBL,CAmBIB,C;UACP,UAAU,I;:QAEd,qBAAO,M;:;MAtBP,yB;K;8FAGJ,  
yB;MAAA,qD;MdzpGA,+D;McygGA,uC;QAUI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,W  
;QACChC,ad/pGoD,gB;QcgqGpD,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UAC  
pB,MAAO,WAAI,UAAU,OAAV,EAAmB,IAAnB,CAAJ,C;UACP,UAAU,I;:QAEd,OAAO,M;O;KANBX,C;IAsB  
A,8F;MAQ6D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA  
,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,  
C;MACP,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MA  
AO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAAd,  
EAAuB,SAAvB,C;:UACJ,K;:MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,  
C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,4F;MAQwC,yB;QAAA,YAA0B,I;MAAM,sB;Q  
AAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB  
;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,  
KAApD,EAA2D,SAA3D,EAAe,SAAT,E,CAAI,F,W;K;4FAG5F,qB;MAKI,OAAO,S;K;IASS,8C;MAAA,mB;QAA  
E,OAAA,eAAK,W;O;K;IAN3B,iC;MAMI,oCAAgB,8BAAhB,C;K;IAGJ,+B;MAOoB,Q;MAFhB,UAAkB,G;MAC  
IB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EA  
AmB,KAAnB,E;:MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOo  
B,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;  
QACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;:MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,  
MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;  
QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;:MAEJ,OAAW,UAAAS,CAAb,GAA  
gB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2  
B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;:MAE  
J,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G  
;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAA  
nB,EAAmB,KAAnB,E;:MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;  
MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OA  
AO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAAnB,E;:MAEJ,OAAW,UAAAS,CAAb,GAAgB,wCAAO,IAAvB,GA  
AgC,MAAM,K;K;IAGjD,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q  
ACZ,YAAO,O;:MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB

,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB ,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,Y;MA CgB,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,2B;MAMoB, Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;I AGX,2B;MAMoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;M AEX,OAAO,G;K;IGn1GX,uC;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,C AAT,EAakC,UAAIC,C;K;IAGX,oC;MAOI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAAh C,GAAmC,CAAnC,GAA0C,C;K;IAmDrD,wC;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,Q AAA,KAAV,M;QAAiB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;; MAC3D,OAAO,G;K;IA+GX,uC;MAOI,OAAO,SAAM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT,EAAY,UAAZ ,CAAT,EAakC,UAAIC,C;K;IAGX,oC;MAOI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAA hC,GAAmC,CAAnC,GAA0C,C;K;IAmDrD,wC;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,Q AAA,KAAV,M;QAAiB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;; MAC3D,OAAO,G;K;oGCnXX,yB;MAAA,iE;MAAA,uC;QASW,Q;QAAA,+B;;UAYS,U;UAAA,SjB4UoE,iBAA Q,W;UiB5U5F,OAAgB,gBAAhB,C;YAAgB,2B;YACZ,aAbwB,SAaX,CAAU,OAAV,C;YACb,IAAI,cAAJ,C;cAC I,8BAAO,M;cAAP,gC;;UAGR,8BAAO,I;;QAlBA,kC;QAAA,iB;UAAmC,MAAM,gCAAUb,4DAAvB,C;SAAhD, OAAO,I;O;KATX,C;gHAYA,gC;MASoB,Q;MAAA,OAAA,SjB4UoE,QAAQ,W;MiB5U5F,OAAgB,cAAhB,C;Q AAgB,yB;QACZ,aAAa,UAAU,OAAV,C;QACb,IAAI,cAAJ,C;UACI,OAAO,M;;MAGf,OAAO,I;K;IAGX,6B;MA II,IAAI,mBAAQ,CAAZ,C;QACI,OAAO,W;MACX,eAAe,iBAAQ,W;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAC I,OAAO,W;MACX,YAAY,QAAS,O;MACrB,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,OjB8PiD,SiB9P1C,KjB 8P+C,IAAL,EiB9P1C,KjB8PoD,MAAV,CiB9PjD,C;OACX,aAAa,iBAAsB,cAAtB,C;MACb,MAAO,WjB4PqD,Si B5PjD,KjB4PsD,IAAL,EiB5PjD,KjB4P2D,MAAV,CiB5PrD,C;;QAEwB,kBAAhB,QAAS,O;QAApB,MAAO,WjB 0PiD,SAAK,eAAL,EAAU,iBAAV,CiB1PjD,C;;MACO,QAAT,QAAS,W;MACiB,OAAO,M;K;uFAGX,yB;MAAA ,+D;MAsBA,gD;MatBA,uC;QAMW,kBAAU,gB;QAOBD,Q;QAAA,OjBqRoE,iBAAQ,W;QiBrR5F,OAAgB,cAA hB,C;UAAgB,yB;UACZ,WArB6B,SAqBIB,CAAU,OAAV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAtBhB,OA wBO,W;O;KA9BX,C;uFASA,yB;MAAA,+D;MAwBA,gD;MAxBA,uC;QAUW,kBAAU,gB;QAsBD,Q;QAAA,Oj BsQoE,iBAAQ,W;QiBtQ5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAvB6B,SAuBIB,CAAU,OAAV,C;UACC,O AAZ,WAAY,EAAO,IAAP,C;;QAxBhB,OA0BO,W;O;KApCX,C;2FAaA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QA AA,OAAA,SjBqRoE,QAAQ,W;QiBrR5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC ,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;2FAWA,yB;MAAA,gD;MAAA,oD;QAQoB,Q;Q AAA,OAAA,SjBsQoE,QAAQ,W;QiBtQ5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UAC C,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAZX,C;8EAeA,yB;MAAA,gE;MAAA,uC;QAOW,kBA AM,eAAa,cAAb,C;QA2BA,Q;QAAA,OjB6NuE,iBAAQ,W;QiB7N5F,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,W A5BiB,SA4Bb,CAAU,IAAV,CAAJ,C;;QA5BhB,OA6BO,W;O;KApCX,C;4FAUA,yB;MAAA,+D;MAAA,uC;QA OW,kBAaA,gB;QA4EJ,Q;QAAA,OjBkKoE,iBAAQ,W;QiBIK5F,OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAA A,cARe,SAQf,CAoEQ,OApER,W;YAAsC,6B;;QAR3D,OASO,W;O;KAhBX,C;gGAUA,yB;MAAA,oD;QAYeOB, Q;QAAA,OjBkKoE,iBAAQ,W;QiBIK5F,OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,wBAoEQ,OApER,W; YAAsC,6B;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;MAAA,OAAA,SjB6NuE,QAAQ,W;MiB7N5F, OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAl,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;8EAGX,gC;MAOo B,Q;MADhB,IAAI,mBAAJ,C;QAae,OAAO,I;MACN,OAAA,SjBiNoE,QAAQ,W;MiBjN5F,OAAgB,cAAhB,C;Q AAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;IAGX,2B;MAMI, OAAO,CAAC,mB;K;+EAGZ,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAae,OAAO,K;MACN,OAAA,SjB6LoE, QAAQ,W;MiB7L5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MA CrD,OAAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAae,OAAO, C;MACtB,YAAY,C;MACI,OAAA,SjB2KoE,QAAQ,W;MiB3K5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,U AAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFAGX,6B;MAKoB,Q;MAAA,OAAA,SjBkKoE,QAAQ ,W;MiBIK5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;kFAG1B,+B;MAemB,kBAAR,iB;MAA Q,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAp,uB;SACzB,cAAc,QAAS,O

;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eIjpDmB,QJipDJ,CAAS,OAAT,C;;  
UAEX,QAAQ,QAAS,O;UACjB,QIppDe,QJopDP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,  
UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;MI1pDP,yB;K;8FAGJ,+B;MAQmB,kB  
AAR,iB;MAAQ,sB;;QJkoDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,c  
AAc,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eItoD2B,QJsoDZ,CA  
AS,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIzoDuB,QJyoDf,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,K  
AAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;MI/oDP,yB;K;mFAGJ,y  
B;MJ+oDA,sE;MF/yDA,iB;MMgKA,sC;QJ4pDI,eI/oDO,iBJ+oDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAy  
B,MAAM,6B;QAC/B,eIjpDqB,QJipDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QInpDiB,  
QJmpDT,CAAS,QAAS,OAAIB,C;UACR,WFzzDG,MAAO,KEyzDO,QFzzDP,EEyzDiB,CFzzDjB,C;;QMqKd,OJs  
pDO,Q;O;KInqDX,C;mFagBA,yB;MJspDA,sE;MFj1DA,iB;MM2LA,sC;QJmqDI,eItpDO,iBJspDQ,W;QACf,IAA  
I,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIxpDqB,QJwpDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,  
QAAS,UAAhB,C;UACI,QI1pDiB,QJ0pDT,CAAS,QAAS,OAAIB,C;UACR,WF31DG,MAAO,KE21DO,QF31DP,  
EE21DiB,CF31DjB,C;;QMgMd,OJ6pDO,Q;O;KI1qDX,C;mFagBA,yB;MJ6pDA,sE;MI7pDA,sC;QJwqDI,eI7pDO  
,iBJ6pDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI/pDqB,QJ+pDN,CAAS,QAAS,O  
AAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIjqDiB,QJiqDT,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,  
CAAX,KAAJ,C;YACI,WAAW,C;;QInqDnB,OJsqDO,Q;O;KIjrDX,C;+FACa,yB;MN9MA,iB;MM8MA,sC;QAW  
mB,kBAAR,iB;QAAQ,sB;;UJsqDf,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;W  
ACzB,eIxd2B,QJwqDZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UAAhB,C;YACI,QI1qDuB,QJ0qDf,CAA  
S,QAAS,OAAIB,C;YACR,WF53DG,MAAO,KE43DO,QF53DP,EE43DiB,CF53DjB,C;;UE83Dd,qBAAO,Q;;QI7  
qDP,yB;O;KAXJ,C;+FACa,yB;MNvOA,iB;MMuOA,sC;QAWmB,kBAAR,iB;QAAQ,sB;;UJ6qDf,eAAe,sB;UACf  
,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;WACzB,eI/qD2B,QJ+qDZ,CAAS,QAAS,OAAIB,C;U  
ACf,OAAO,QAAS,UAAhB,C;YACI,QIjrDuB,QJirDf,CAAS,QAAS,OAAIB,C;YACR,WF55DG,MAAO,KE45DO  
,QF55DP,EE45DiB,CF55DjB,C;;UE85Dd,qBAAO,Q;;QIprDP,yB;O;KAXJ,C;+FACa,+B;MASmB,kBAAR,iB;M  
AAQ,sB;;QJorDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,eItrD2B,QJs  
rDZ,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIxrDuB,QJwrDf,CAAS,QAAS,OAAIB,C;U  
ACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,qBAAO,Q;;;MI7rDP,yB;K;0FAGJ,yB;MJ6rDA,s  
E;MI7rDA,kD;QJwsDI,eI7rDO,iBJ6rDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI/r  
DqC,QJ+rDtB,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIjsDiC,QJisDzB,CAAS,QAAS,O  
AAIB,C;UACR,IIIsDqB,UJksDN,SAAQ,QAAR,EAakB,CAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QIn  
sDnB,OJssDO,Q;O;KIjtDX,C;SGAcA,2C;MASmB,kBAAR,iB;MAAQ,0B;;QJssDf,eAAe,sB;QACf,IAAI,CAAC,Q  
AAS,UAAAd,C;UAAyB,yBAAO,I;UAAP,2B;SACzB,eIxsD2C,QJwsD5B,CAAS,QAAS,OAAIB,C;QACf,OAAO,Q  
AAS,UAAhB,C;UACI,QI1sDuC,QJ0sD/B,CAAS,QAAS,OAAIB,C;UACR,II3sD2B,UJ2sDZ,SAAQ,QAAR,EAak  
B,CAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,yBAAO,Q;;;MI/sDP,6B;K;sFAGJ,yB;MAOA,8D;  
MAPA,wC;QAIL,OASe,cAAR,iBAAQ,EATM,UASN,C;O;KAbnB,C;kGAOA,yB;MAAA,8D;MAAA,wC;QAMI,  
OAAe,cAAR,iBAAQ,EAAC,UAAAd,C;O;KANnB,C;kFASA,+B;MAcmB,kBAAR,iB;MAAQ,sB;;QJwxDf,eAAe,sB  
;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,CAAC,  
QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eIvyDmB,QJuyDJ,CAAS,OAAT,C;;UAEX,QAAQ,QAAS,  
O;UACjB,QI1yDe,QJ0yDP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAA  
W,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;MIhzDP,yB;K;8FAGJ,+B;MAQmB,kBAAR,iB;MAAQ,sB;;QJ  
wxDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cAAc,QAAS,O;QACvB  
,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eI5xD2B,QJ4xDZ,CAAS,OAAT,C;;UAEX,  
QAAQ,QAAS,O;UACjB,QI/xDuB,QJ+xDf,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,  
C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;;MIryDP,yB;K;mFAGJ,yB;MJqyDA,sE;MFI4D  
A,iB;MM6FA,sC;QJkzDI,eIryDO,iBJqyDQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eI  
vyDqB,QJuyDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIzyDiB,QJyyDT,CAAS,QAAS,  
OAAIB,C;UACR,WF54DG,MAAO,KE44DO,QF54DP,EE44DiB,CF54DjB,C;;QMkGd,OJ4yDO,Q;O;KIzzDX,C;  
mFagBA,yB;MJ4yDA,sE;MFp6DA,iB;MMwHA,sC;QJyzDI,eI5yDO,iBJ4yDQ,W;QACf,IAAI,CAAC,QAAS,UA

Ad,C;UAAyB,MAAM,6B;QAC/B,eI9yDqB,QJ8yDN,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;U  
ACI,QIhzDiB,QJgzDT,CAAS,QAAS,OAAIB,C;UACR,WF96DG,MAAO,KE86DO,QF96DP,EE86DiB,CF96DjB,  
C;;QM6Hd,OJmzDO,Q;O;KIh0DX,C;mFAGBA,yB;MJmzDA,sE;MInzDA,sC;QJ8zDI,eInzDO,iBJmzDQ,W;QACf,  
IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIrzDqB,QJqzDN,CAAS,QAAS,OAAIB,C;QACf,OAA  
O,QAAS,UAAhB,C;UACI,QIvzDiB,QJuzDT,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YA  
CI,WAAW,C;;QIzzDnB,OJ4zDO,Q;O;KIv0DX,C;+FACa,yB;MN3IA,iB;MM2IA,sC;QAWmB,kBAAR,iB;QAAQ  
,sB;;UJ4zDf,eAAe,sB;UACf,IAAI,CAAC,QAAS,UAAAd,C;YAAyB,qBAAO,I;YAAP,uB;WACzB,eI9zD2B,QJ8zD  
Z,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UAAhB,C;YACI,QIh0DuB,QJg0Df,CAAS,QAAS,OAAIB,C;YA  
CR,WF/8DG,MAAO,KE+8DO,QF/8DP,EE+8DiB,CF/8DjB,C;;UEi9Dd,qBAAO,Q;;;QIn0DP,yB;O;KAXJ,C;+FAC  
A,yB;MNpKA,iB;MMoKA,sC;QAWmB,kBAAR,iB;QAAQ,sB;;UJm0Df,eAAe,sB;UACf,IAAI,CAAC,QAAS,UA  
Ad,C;YAAyB,qBAAO,I;YAAP,uB;WACzB,eIr0D2B,QJq0DZ,CAAS,QAAS,OAAIB,C;UACf,OAAO,QAAS,UA  
AhB,C;YACI,QIv0DuB,QJu0Df,CAAS,QAAS,OAAIB,C;YACR,WF/+DG,MAAO,KE++DO,QF/+DP,EE++DiB,C  
F/+DjB,C;;UEi/Dd,qBAAO,Q;;;QI10DP,yB;O;KAXJ,C;+FACa,+B;MASmB,kBAAR,iB;MAAQ,sB;;QJ00Df,eAA  
e,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;YAAP,uB;SACzB,eI50D2B,QJ40DZ,CAAS,QAAS,O  
AAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QI90DuB,QJ80Df,CAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,  
CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,qBAAO,Q;;;MIn1DP,yB;K;0FAGJ,yB;MJm1DA,sE;MIn1DA,kD;QJ8  
1DI,eIn1DO,iBJm1DQ,W;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eIr1DqC,QJq1DtB,CA  
AS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QIv1DiC,QJu1DzB,CAAS,QAAS,OAAIB,C;UACR,I  
Ix1DqB,UJw1DN,SAAQ,QAAR,EAakB,CAAlB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QIz1DnB,OJ41DO,  
Q;O;KIv2DX,C;SgAcA,2C;MASmB,kBAAR,iB;MAAQ,0B;;QJ41Df,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,  
C;UAAyB,yBAAO,I;YAAP,2B;SACzB,eI91D2C,QJ81D5B,CAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAh  
B,C;UACI,QIh2DuC,QJg2D/B,CAAS,QAAS,OAAIB,C;UACR,Ii2D2B,UJi2DZ,SAAQ,QAAR,EAakB,CAAlB,C  
AAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,yBAAO,Q;;;MIR2DP,6B;K;IAGJ,0C;MAGI,OASe,gBAAR,iB  
AAQ,EATM,UASN,C;K;kGANnB,yB;MAAA,8D;MAAA,wC;QAMI,OAAe,cAAR,iBAAQ,EAac,UAAAd,C;O;KA  
NnB,C;IASA,4B;MAMI,OAAO,mB;K;iFAGX,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAae,OAAO,I;MACN,O  
AAA,SjBnJoE,QAAQ,W;MiBmJ5F,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAw  
B,OAAO,K;;MACrD,OAAO,I;K;oFAGX,6B;MAKmC,Q;MAAA,OjB5JqD,iBAAQ,W;MiB4J7E,OAAgB,cAAhB,  
C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;kGAGJ,yB;MAAA,6B;MAAA,sC;MJwyCA,wE;MIxyCA,  
2BAQiB,yB;QJgyCjB,wE;eIhyCiB,0B;UAAA,4B;YAAU,kBAAR,iB;YAAQ,aAAe,c;YJuyCzB,gB;YADb,YAAy,  
C;YACC,6B;YAAb,OAAa,cAAb,C;cAAa,sB;cAAM,OAAO,oBAAmB,cAAnB,EAAMB,sBAAnB,UAAP,EAAoC,  
IAApC,C;;YIvyC2B,W;W;S;OAAjC,C;MARjB,oC;QJ+yCiB,gB;QADb,YAAy,C;QACC,OIvyCE,iBJuyCF,W;QA  
Ab,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAnB,EAAMB,sBAAnB,UAAP,EAAoC,IAApC,C;;QIvy  
CnB,gB;O;KARJ,C;4FAWA,qB;MAKI,OAAO,iB;K;IAGX,iC;MAIL,OAAe,aAAR,iBAAQ,C;K;IC9hBnB,kC;MA  
EI,gBCmE2D,8BAAy,c;MDIEvE,IAAI,SAAU,OAAV,GAAMB,CAAvB,C;QACW,Q;QAAA,IAAI,cAAQ,GAAZ,  
C;UAAA,OAAsB,S;;uBAAe,qBAAU,CAAV,C;UAAA,YAAe,SEiNc,WFjNM,CEiNN,CAff,c;UFIMnD,OG8MoD,  
2BAAL,GAakB,K;;QH9MxE,W;OAEJ,OAAuB,oBAAhB,wBAAgB,C;K;gFxB3B,yB;MAAA,mC;MAAA,2C;M  
AAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAA  
O,kBAAO,cAAP,C;O;KARX,C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O  
;KARX,C;IAWA,sC;;QAQQ,OAAc,QAAP,MAAO,EAAQ,SAAR,C;;QACHB,+C;UACE,MAAM,2BAAuB,CAAE  
,QAAzB,C;;UAHV,O;;K;IAOJ,sC;;QAQQ,OAAc,SAAP,MAAO,EAAS,SAAT,C;;QACHB,+C;UACE,MAAM,2B  
AAuB,CAAE,QAAzB,C;;UAHV,O;;K;IAOJ,sC;;QAQQ,OAAiD,OAA1C,MAAO,iBAAQ,e4BtCgB,I5BsCxB,EA  
AoB,CAAA,c4BtCl,I5BsCJ,IAAY,CAAZ,IAApB,CAAmC,C;;QACnD,+C;UACE,MAAM,2BAAuB,CAAE,QAAz  
B,C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FA  
UA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;M  
AAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,  
I;MACX,OAAc,QAAP,MAAO,EAAQ,SAAR,C;K;IAGIB,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OA  
Ac,SAAP,MAAO,EAAS,SAAT,C;K;IAGIB,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAiD,OAA1C,  
MAAO,iBAAQ,e4BxGoB,I5BwG5B,EAAoB,CAAA,c4BxGQ,I5BwGR,IAAY,CAAZ,IAApB,CAAmC,C;K;mFA

GrD,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;IAG9B,uC;MAKI,OAAO,2BA Ae,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BA Ae,oBAAN,KAAM,CAAf,C;K;IAGX,uC;MAKI,OAAO,2BA Ae,KAAf,C;K;IAGX,uC;MAOI,OAAO,2BA Ae,KAAf,C;K;IAGX,uC;MgBzHW,ShBgIM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG5E,uC;MgBnIW,ShB0IM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgB7IW,ShBoJM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBvJW,ShB8JM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAKI,OAAO,2BA Ae,KAAf,C;K;IAGX,uC;MgBzKW,ShBgLM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG5E,uC;MgBnLW,ShB0LM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgB7LW,ShBoMM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBvMW,ShB8MM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAKI,OAAO,2BA Ae,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BA Ae,oBAAN,KAAM,CAAf,C;K;IAGX,uC;MgBjOW,ShBsOM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBzOW,ShB8OM,mBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAOI,OAAO,2BA Ae,KAAf,C;K;IAGX,uC;MAOI,OAAO,2BA Ae,KAAf,C;K;IAGX,uC;MgBrQW,ShB0QM,iBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG5E,uC;MgB7QW,ShBkRM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MgBrRW,ShB0RM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG9E,uC;MAOI,OAAO,2BAAS,KAAM,WAAf,C;K;IAGX,uC;MAOI,OAAO,2BAAS,KAAM,WAAf,C;K;IAGX,uC;MAKI,OAAO,2BA Ae,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BA Ae,oBAAN,KAAM,CAAf,C;K;IAGX,uC;MgBjUW,ShBsUM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAakC,K;K;IAG7E,uC;MAOI,OAAO,2BA Ae,KAAf,C;K;IAGX,uC;MAOI,OAAO,2BA Ae,KAAf,C;K;IAGX,+B;MAOI,OAAO,sCA Ae,yBAAgB,SAAhB,EAAyB,EAAzB,EAAkC,EAAiC,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAyB,oBAAH,EAAG,CAAzB,M;K;IAG3B,iC;MAOI,OAAO,sCA Ae,yBAAgB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;IAG1B,iC;MAOI,OAAO,sCA Ae,yBAAgB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;IAG1B,iC;MAOI,OAAO,sCA Ae,yBAAgB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;IAG1B,iC;MAOI,OAAO,sCA Ae,yBAAgB,SAArB,EAA8B,EAA9B,EAAkC,EAAiC,C;K;IAG1B,iC;MAOI,OAAO,sCA Ae,yBAAgB,SAArB,EAA8B,EAA9B,EAAkC,EAAiC,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,oBAAL,SAAK,CAArB,EAAB,EAA/B,M;K;IAG3B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAA8B,EAA9B,EAAkC,EAAiC,C;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAgB,oBAAL,SAAK,CAArB,EAAB,EAA/B,M;K;IAG3B,kC;MAOI,OAAO,sCA Ae,yBAAgB,SAArB,EAA8B,EAA9B,EAAkC,EAAiC,C;K;IAG1B,kC;MAOI,OAAO,sCA Ae,yBAAgB,SAArB,EAA8B,EAA9B,EAAkC,EAAiC,C;K;IAG1B,kC;MAOI,OAAO,sCA Ae,yBAAgB,SAArB,EAA8B,EAA9B,EAAkC,EAAiC,C;K;IAG1B,+B;MAII,OAAO,sCA Ae,yBAAgB,cAAhB,EAA8B,cAAD,AA7B,C;K;IAG3B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAA8B,cAAD,AA7B,C;K;IAG3B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAA8B,cAAD,AA7B,C;K;IAG3B,+B;MAII,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,sCA Ae,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GAAY,CAAhB,GAAMB,IAANB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG1B,iC;MAII,oBAAoB,kBAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GAAY,CAAhB,GAAMB,IAANB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,iC;MAII,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GAAY,CAAhB,GAAMB,IAANB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,sC;MACI,OAAmB,IAAR,8BAAgC,GAApC,GAAiE,OAAL,SAAK,CAAjE,GAA+E,I;K;IAG1F,wC;MACI,OAAW,mEA AJ,GAAMe,OAAL,SAAK,SAAnE,GAAiF,I;K;IAG5F,wC;MACI,OAAW,YAAQ,aAAA,sCA Ae,UAAf,EAA0B,sCA Ae,UAAzC,CAAR,YAAJ,GAAqE,OAAL,SAAK,CAArE,GAAMF,I;K;IAG9F,wC;MACI,OAAmB,UAAA,sCA

Ae,UAAf,EAA2B,sCAAe,UAA1C,CAAR,4BAAJ,GAA+E,OAAR,YAAL,SAAK,CAAQ,CAA/E,GAA6F,I;K;IAG  
xG,wC;MACI,OAAmB,UAAA,sCAAe,UAAf,EAA0B,sCAAe,UAAzC,CAAR,4BAAJ,GAA6E,OAAR,YAAL,SA  
AK,CAAQ,CAA7E,GAA2F,I;K;IAGtG,qC;MACI,OAAW,iFAAJ,GAA4D,SAAK,QAAjE,GAA8E,I;K;IAGzF,uC;  
MACI,OAAmB,UAAc,WAAAd,EAAwC,UAAxC,CAAR,4BAAJ,GAAqE,YAAL,SAAK,CAArE,GAaKf,I;K;IAG7  
F,uC;MACI,OAAmB,UAAc,WAAAd,EAAuC,UAAvC,CAAR,4BAAJ,GAAmE,YAAL,SAAK,CAAnE,GAAGf,I;K;  
IAG3F,sC;MACI,OAAmB,UAAe,mCAAf,EAA0C,mCAA1C,CAAR,4BAAJ,GAAuE,uBAAL,SAAK,CAAvE,GA  
AqF,I;K;IAGhG,wC;MACI,OAAmB,UAAe,mCAAf,EAAyC,mCAAzC,CAAR,4BAAJ,GAAqE,uBAAL,SAAK,C  
AArE,GAAMf,I;K;IAG9F,uC;MACI,OAAmB,MAAR,8BAAiC,KAArC,GAAMe,QAAL,SAAK,CAAnE,GAaKf,  
I;K;IAG7F,yC;MACI,OAAW,uEAAJ,GAAqE,QAAL,SAAK,SAArE,GAAoF,I;K;IAG/F,yC;MACI,OAAmB,UAA  
A,uCAAgB,UAAhB,EAA4B,uCAAgB,UAA5C,CAAR,4BAAJ,GAAiF,QAAR,YAAL,SAAK,CAAQ,CAAjF,GAA  
gG,I;K;IAG3G,yC;MACI,OAAmB,UAAA,uCAAgB,UAAhB,EAA2B,uCAAgB,UAA3C,CAAR,4BAAJ,GAA+E,  
QAAR,YAAL,SAAK,CAAQ,CAA/E,GAA8F,I;K;IAGzG,8B;MAMI,OAAO,wBAAY,EAAa,GAaH,CAAG,IAAz  
B,C;K;IAGX,gC;MAMI,OAAO,kBAAY,oBAAH,EAAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAGX,gC;MAMI,O  
AAO,aAAK,SAAL,EAAoB,EAAa,GAaH,CAAG,IAAjC,C;K;IAGX,gC;MAMI,OAAO,aAAK,SAAL,EAAoB,EA  
Aa,GAaH,CAAG,IAAjC,C;K;IAGX,gC;MAMI,IAAI,MAAM,CAAV,C;QAAoB,OAAO,iCAAU,M;MACrC,OAA  
O,yBAAiB,OAAR,EAAQ,GAaH,CAAG,CAAjB,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;QAAyB,OAAO,  
gCAAS,M;MACzC,OAAO,wBAAS,EAAQ,GAaH,CAAG,IAAjB,C;K;IAGX,gC;MAMI,OAAO,kBAAY,oBAAH,  
EAAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;QAAyB,OAAO,gCAAS,M;  
MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAaH,CAAG,IAAzB,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,  
C;QAAyB,OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAaH,CAAG,IAAzB,C;K;IAGX,gC;  
MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAy,oBAAL,SAAK,CAAL,SAaKB,EAAQ,8BAAH  
,CAAG,EAA1B,C;K;IAGX,gC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAO,kBAAS,EAAQ  
,8BAAH,CAAG,EAAjB,C;K;IAGX,iC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAy,oBAA  
L,SAAK,CAAL,SAaKB,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iC  
AAU,M;MAC3C,OAAy,oBAAL,SAAK,CAAL,SAaKB,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,O  
AAO,wBAAY,EAAa,GAaH,CAAG,IAAzB,C;K;IAGX,iC;MAMI,OAAO,kBAAY,oBAAH,EAAG,CAAc,8BAAH  
,CAAG,EAA1B,C;K;IAGX,iC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAaH,CAAG,IAAjC,C;K;IAGX,iC;  
MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAaH,CAAG,IAAjC,C;K;IAGX,gD;MAQI,OAAW,4BAAO,YAAP,  
KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAG  
tD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GA  
AyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD  
,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GA  
AyB,YAAzB,GAA2C,S;K;IAGtD,+C;MAQI,OAAW,4BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD  
;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GA  
AyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OA  
AW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GA  
AyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,yD;MAQI,IAAI,i  
BAAiB,IAAjB,IAAyB,iBAAiB,IAA9C,C;QACI,IAAI,+BAAe,YAAf,KAAJ,C;UAAiC,MAAM,gCAAyB,6DAAiD  
,YAAjD,wCAAoF,YAApF,OAazB,C;QACvC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;QAChC,IAAI,4B  
AAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;;QAGhC,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAk  
D,OAAO,Y;QACzD,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,Y;;MAE7D,OAAO,  
S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAA  
zB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MAC  
hC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YA  
ApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAA  
O,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8B  
AAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QA  
AyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,6BAAe,YAAf,KAAJ,C;QAAiC,MAAM,gCAAyB,oD

AAiD,YAAjD,yCAAoF,YAApF,iBAaZB,C;MACvC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHc,I  
AAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHc,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAAnB,C;QA  
AiC,MAAM,gCAAYB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAZB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,O  
AAO,Y;MACHc,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHc,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YA  
AnB,C;QAAiC,MAAM,gCAAYB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAZB,C;MACvC,IAAI,YAAO,YAAX,C;  
QAAyB,OAAO,Y;MACHc,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHc,OAAO,S;K;IAGX,sC;MAUW,Q;  
MADP,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAYB,4CAAYC,KAAZC,MAAZB,C;MAGvB,IAAA,KAAM,0  
BAAiB,SAAjB,EAAuB,KAAM,MAA7B,CAAN,IAA6C,CAAC,KAAM,0BAAiB,KAAM,MAAvB,EAA8B,SAA9  
B,CAApD,C;QAAiG,OAAN,KAAM,M;WAEjG,IAAA,KAAM,0BAAiB,KAAM,aAAvB,EAAqC,SAArC,CAAN,I  
AAoD,CAAC,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,aAA7B,CAA3D,C;QAA+G,OAAN,KAAM,a;QACvG,gB  
;MALZ,W;K;IASJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAY,KAAZ,C;OAEhB,IA  
AI,KAAM,UAAV,C;QAAqB,MAAM,gCAAYB,4CAAYC,KAAZC,MAAZB,C;MAEvB,gCAAO,KAAM,MAAb,M;  
QAA4B,OAAN,KAAM,M;WAC5B,gCAAO,KAAM,aAAb,M;QAAMC,OAAN,KAAM,a;QAC3B,gB;MAHZ,W;  
K;IAOJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAC,KAAc,C;OAEhB,IAAI,KAAM,  
UAAV,C;QAAqB,MAAM,gCAAYB,4CAAYC,KAAZC,MAAZB,C;MAEvB,gBAAO,KAAM,MAAb,C;QAA4B,O  
AAN,KAAM,M;WAC5B,gBAAO,KAAM,aAAb,C;QAAMC,OAAN,KAAM,a;QAC3B,gB;MAHZ,W;K;IAOJ,sC;  
MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAC,KAAf,C;OAEhB,IAAI,KAAM,UAAV,C;Q  
AAqB,MAAM,gCAAYB,4CAAYC,KAAZC,MAAZB,C;MAEvB,8BAAO,KAAM,MAAb,M;QAA4B,OAAN,KAA  
M,M;WAC5B,8BAAO,KAAM,aAAb,M;QAAMC,OAAN,KAAM,a;QAC3B,gB;MAHZ,W;K;IW1rCJ,oD;MAMu  
F,wC;K;IANvF,8CAOI,Y;MAAuC,8B;K;IAP3C,gF;IkBQA,yC;MAMI,OAAO,sBAAQ,OAAR,KAAoB,C;K;IAW  
G,2C;MAAA,qB;QAAE,MAAM,8BAA0B,+CAA4C,aAA5C,MAA1B,C;O;K;IAR1C,uC;MAQI,OAAO,8BAAgB,  
KAAhB,EAAuB,yBAAvB,C;K;IAGX,4D;MACqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C  
;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,  
YAAT,EAAS,oBAAT,OA AJ,C;UACI,OAAO,O;MAEf,OAAO,aAAa,KAAb,C;K;IAGX,8C;MACqB,Q;MANjB,I  
AAI,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,c  
AAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OA AJ,C;UACI,OAAO,O;MAEf,OAAO,I;K;8EAGX,  
gC;MASW,sB;;QA2FS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAGB,yB;UAAM,IA3FH,SA2FO,CAAU,OA  
V,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA5FP,yB;K;uFAGJ,gC;MAkOoB,Q;MADhB,W  
AAe,I;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IA1Nc,SA0NV,CAAU,OA AV,CAAJ,C;UACI,O  
AAO,O;;MA3Nf,OA8NO,I;K;IA3NX,6B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAA d,C;QACI,MAAM,2B  
AAuB,oBAAvB,C;MACV,OAAO,QAAS,O;K;IFAGpB,yB;MAAA,iE;MAAA,uC;QAOb,Q;QAAA,2B;QAAhB,  
OAAGB,cAAhB,C;UAAGB,yB;UAAM,IAAI,UAAU,OA AV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAu  
B,sDAAvB,C;O;KARV,C;kGAWA,yB;MAAA,iE;MAAA,uC;QAWW,Q;QAAA,+B;;UAcS,U;UAAA,6B;UAAhB,  
OAAGB,gBAAhB,C;YAAgB,2B;YACZ,aAfwB,SAeX,CAAU,OA AV,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cA  
AP,gC;;UAGR,8BAAO,I;;QApBA,kC;QAAA,iB;UAAMC,MAAM,gCAAuB,iEAAvB,C;SAAhD,OAAO,I;O;KA  
XX,C;8GAcA,gC;MAWob,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,aAAa,UAAU,OA AV,C;  
QACb,IAAI,cAAJ,C;UACI,OAAO,M;;MAGf,OAAO,I;K;IAGX,mC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,  
UAA d,C;QACI,OAAO,I;MACX,OAAO,QAAS,O;K;6FAGpB,gC;MAMob,Q;MAAA,2B;MAAhB,OAAGB,cAAh  
B,C;QAAGB,yB;QAAM,IAAI,UAAU,OA AV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;IAGX,wC;MAOiB  
,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAMb,KAA nB,C;QACA,IAAI,gBA  
AW,IAAX,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;+FAGX,yB;MAAA,wE;MAAA,uC;QAoiB,Q  
;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAMb,KAA nB,C;UACA,IAAI,UAAU,I  
AAV,CAAJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;O;KAbX,C;6FAGBA,yB;MAAA,wE;MAAA,uC;QAQ  
iB,Q;QAFb,gBAAGB,E;QACHB,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAMb,KAA nB,  
C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,YAAY,K;UACHB,qB;;QAEJ,OAAO,S;O;KAdX,C;IAiBA,4B;MAUI  
,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAA d,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,WAAW,QAAS,O;M  
ACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;K;+EAGX,yB;MAAA,iE;MAAA,gB;  
MAAA,8B;MAAA,uC;QAYoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAGB,cAAhB,C;

UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C  
;UAAy,MAAM,gCAAuB,sDAAvB,C;QAEIB,OAAO,2E;O;KApBX,C;IAuBA,4C;MAQiB,Q;MAFb,gBAAGB,E;  
MACHB,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAhB,C;QACA,IAAI,gBAA  
W,IAAX,CAAJ,C;UACI,YAAy,K;QACbB,qB;;MAEJ,OAAO,S;K;IAGX,kC;MAQI,eAAe,oB;MACf,IAAI,CAAC  
,QAAS,UAAAd,C;QACI,OAAO,I;MACX,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAA  
S,O;MACpB,OAAO,I;K;2FAGX,gC;MASoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB  
,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MAGf,OAAO,I;K;IAGX,8B;MAMI,eAAe,oB;MACf,I  
AAI,CAAC,QAAS,UAAAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,aAAa,QAAS,O;MACtB,IAAI,QAAS,U  
AAb,C;QACI,MAAM,gCAAyB,qCAAzB,C;MACV,OAAO,M;K;mFAGX,yB;MAAA,kF;MAAA,iE;MAAA,gB;M  
AAA,8B;MAAA,uC;QAQoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAy,K;QACI,2B;QAAhB,OAAGB,cAAhB,C;U  
AAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MAAM,8BAAYB,mDAAzB,C;YACj  
B,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,sDAAvB,C;QAEIB,OAAO,  
6E;O;KAjBX,C;IAoBA,oC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,I;MACX,aAAa,Q  
AAS,O;MACtB,IAAI,QAAS,UAAb,C;QACI,OAAO,I;MACX,OAAO,M;K;+FAGX,gC;MAQoB,Q;MAFhB,aAAi  
B,I;MACjB,YAAy,K;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;U  
ACI,IAAI,KAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,O  
AAO,I;MACnB,OAAO,M;K;IAGX,8B;MAWW,Q;MhBhXP,IAAI,EgB+WI,KAAK,ChB/WT,CAAJ,C;QACI,cgB  
8Wc,sD;QhB7Wd,MAAM,gCAAyB,OAAQ,WAAjC,C;OgB+WN,UAAK,CAAL,C;QAAU,gB;WACV,+C;QAAiC  
,OAAL,SAAK,cAAK,CAAL,C;;QACzB,wBAaA,SAAb,EAAMB,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,  
sBAAkB,SAAIB,EAAwB,SAAxB,C;K;IAGX,wC;MAQI,OAAO,sBAAkB,SAAIB,EAAwB,IAAxB,EAA8B,SAA9  
B,C;K;IACqE,iD;MAAA,qB;QAAE,yBAAU,EAAG,MAAb,EAAoB,EAAG,MAAvB,C;O;K;IAAkC,oC;MAAE,O  
AAA,EAAG,M;K;IAXzH,+C;MAWI,OAAO,yBAAqB,sBAAkB,qBAAiB,SAAjB,CAAIB,EAA0C,IAA1C,EAAGD  
,+BAAhD,CAArB,EAAYG,sBAAzG,C;K;oGAGX,yB;MA80BA,wE;MA90BA,oD;QAU1BiB,gB;QADb,YAAy,C;  
QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA50BT,IAAI,UA40BkB,oBAAmB,cAAnB,EAAMB,sBAAnB,UA50  
BIB,EA40B+C,IA50B/C,CAAJ,C;YAA2C,sBA40BQ,IA50BR,C;;QAE/C,OAAO,W;O;KAbX,C;sGAgBA,yB;MA  
AA,8C;MAAA,0C;MAAA,8B;MASKB,qD;QAAA,qB;UAAE,c;S;O;MATpB,sC;QASW,Q;QAAP,OAAO,uCAAQ,  
iCAAP,gC;O;KATX,C;0GAYA,4C;MAQoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,  
YAAJ,C;UAAkB,WAAy,WAAI,OAAJ,C;;MACpD,OAAO,W;K;IAGX,2C;MAQI,OAAO,sBAAkB,SAAIB,EAA  
wB,KAAxB,EAA+B,SAA/B,C;K;IAYU,kC;MAAE,iB;K;IATvB,oC;MASW,Q;MAAP,OAAO,4CAAU,oBAAV,k  
C;K;IAGX,mD;MAQoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,eAAJ,C;UAAqB,W  
AAy,WAAI,OAAJ,C;;MACvD,OAAO,W;K;4FAGX,6C;MAQoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;sFA  
GX,6C;MAQoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UA  
AwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,8B;MAWW,Q;MhBzGbp,IAAI,EgBwgBI,KAAK,Ch  
BxgBT,CAAJ,C;QACI,cgBugBc,sD;QhBtgBd,MAAM,gCAAyB,OAAQ,WAAjC,C;OgBwgBN,UAAK,CAAL,C;Q  
AAU,sB;WACV,+C;QAAiC,OAAL,SAAK,cAAK,CAAL,C;;QACzB,wBAaA,SAAb,EAAMB,CAAnB,C;MAHZ,  
W;K;IAOJ,2C;MAQI,OAAO,sBAAkB,SAAIB,EAAwB,SAAxB,C;K;IAWA,2C;MAAA,8B;K;8CACH,Y;MACI,i  
BAA6B,iBAAZ,gBAAY,C;MACIB,QAAX,UAAW,C;MACX,OAAO,UAAW,W;K;;IAZ9B,6B;MAQI,0C;K;sFAS  
J,yB;MAAA,sD;MdfA,sC;MAAA,oC;MAAA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YA  
AtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mc0ef,sC;QAU  
I,OAAO,sBdpfP,eAAW,iBcofiB,QdpfjB,CAAX,CcofO,C;O;KAVX,C;0GAaA,yB;MAAA,sD;Md3eA,sC;MAAA,o  
C;MAAA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB  
,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mcoef,sC;QAQI,OAAO,sBd5eP,eAAW,2Bc4e2B,Qd5e  
3B,CAAX,Cc4eO,C;O;KARX,C;IAWA,uC;MAQI,OAAO,wBAAW,cAAx,C;K;IAWA,uE;MAAA,sC;MAAA,4C;  
K;kDACH,Y;MACI,iBAAiC,iBAAhB,oBAAGB,C;MACtB,WAAx,UAAW,EAAS,uBAAT,C;MACX,OAAO,UA  
AW,W;K;;IAZ9B,6C;MAQI,0D;K;wFASJ,yB;MAAA,wE;MAAA,uC;QAaW,kBAAY,oB;QAIhF,Q;QAAA,2B;Q  
AAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,WAlFsC,SakFvB,CAAU,OAAV,C;UvBnEnB,wBAAI,IAAK,MAA  
T,EAAGB,IAAK,OAArB,C;;QuBfA,OAoFO,W;O;KAjGX,C;6FAGBA,yB;MAAA,wE;MAAA,yC;QAaW,kBAAC,

oB;QA8BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA/B4B,WA+BxB,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA/BhB,OAIcO,W;O;KA9CX,C;6FAgBA,yB;MAAA,wE;MAAA,yD;QAYW,kBA Ac,oB;QAIcL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aAIC4B,WakCxB,CAAY,OA AZ,CAAJ,EAIcYc,cAkCf,CAAe,OAAf,CAA1B,C;;QAIChB,OAoCO,W;O;KAhDX,C;igAeA,+C;MAYoB,Q;MA AA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,YAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;MA EhB,OAAO,W;K;igAGX,+D;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aA AI,YAAY,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAEhB,OAAO,W;K;4FAGX,6C;MAWoB,Q;MAAA,2 B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAe,UAAU,OAAV,C;QvBnEnB,wBAAI,IAAK,MAAT,EAA gB,IAAK,OAArB,C;;MuBqEA,OAAO,W;K;gGAGX,yB;MAAA,wE;MAAA,2C;QAcI,aAAa,oB;QAgBG,Q;QAA A,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAFo,MAgBP,aAAI,OAAJ,EAhBe,aAgBF,CAAc,OAAAd,CAAb,C;; QAhBhB,OAAuB,M;O;Kaf3B,C;oGakBA,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Q ACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAAd,CAAb,C;;MAEhB,OAAO,W;K;IAGX,gD;MAMiB,Q;MAAA,2B;M AAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gC;MAMI,OAAO,0B AAa,cAAb,C;K;IAGX,8B;MAMI,OAA4B,qBAAhB,iBAAL,SAAK,CAAgB,C;K;IAGhC,qC;MAMI,OAAO,0BAA a,gBAAb,C;K;IAGX,4B;MAQI,OAAwC,oBAAJC,0BAAa,sBAAb,CAAiC,C;K;IAG5C,0C;MAYI,OAAO,uBAAm B,SAAnB,EAAYB,SAAZB,6BAAoC,qB;;OAApC,E;K;IAGX,0C;MAQI,OAAO,uBAAmB,SAAnB,EAAYB,SAAZ B,6BAAoC,qB;;OAApC,E;K;IAGX,iD;MAaI,OAAO,kBA Ae,SAAf,EAAqB,SAArB,6BAAgC,qB;;OAAhC,E;K;I AGX,iD;MAaI,OAAO,kBA Ae,SAAf,EAAqB,SAArB,6BAAgC,qB;;OAAhC,E;K;sGAGX,yB;MAAA,wE;MAAA, gD;MAAA,oD;QAaoB,UAC4B,M;QAF5C,YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,W AAW,UAAU,oBAAmB,cAAnB,EAAMB,sBAAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAy,EAAO,IAA P,C;;QAEhB,OAAO,W;O;KAjBX,C;uGAoBA,yB;MAAA,wE;MAAA,gD;MAAA,oD;QAaoB,UAC4B,M;QAF5C, YAAY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,oBAAmB,cAAnB,EAAMB,sB AAnB,UAAV,EAAuC,OAAvC,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAjBX,C;yFAoB A,yB;MAAA,gD;MAAA,oD;QAUoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAA U,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAdX,C;yFAiBA,yB;MAAA,gD;MAA A,oD;QAMoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OA AZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAVX,C;qFAaA,yB;MAAA,wE;MA6BA,+D;MA7BA,yC;QA WW,kBAAU,oB;QA6BD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA9BiD,WA8BvC,CAAY ,OAAZ,C;UvBjoBP,U;UADP,YuBmoBe,WvBnoBH,WuBmoBwB,GvBnoBxB,C;UACL,IAAI,aAAJ,C;YACH,auB ioBuC,gB;YAA5B,WvBhoBX,auBgoBgC,GvBhoBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuB6nBA,iB;UACA,IA AK,WAAI,OAAJ,C;;QAhCT,OAKCO,W;O;KA7CX,C;qFAcA,yB;MAAA,wE;MAkCA,+D;MAICA,yD;QAYW, kBAAU,oB;QAKCD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAnCiD,WAmCvC,CAAY,OA AZ,C;UvBrpBP,U;UADP,YuBupBe,WvBvpBH,WuBupBwB,GvBvpBxB,C;UACL,IAAI,aAAJ,C;YACH,auBqpBu C,gB;YAA5B,WvBppBX,auBopBgC,GvBppBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuBipBA,iB;UACA,IAAK ,WArCyD,cAqCrD,CAAe,OAAf,CAAJ,C;;QArCT,OAuCO,W;O;KAnDX,C;yFAeA,yB;MAAA,+D;MAAA,sD;Q AWoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;UvBjoBP,U;UADP, YuBmoBe,WvBnoBH,WuBmoBwB,GvBnoBxB,C;UACL,IAAI,aAAJ,C;YACH,auBioBuC,gB;YAA5B,WvBhoBX ,auBgoBgC,GvBhoBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UuB6nBA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAEt, OAAO,W;O;KAhBX,C;yFAmBA,yB;MAAA,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;U AAAGB,yB;UACZ,UAAU,YAAY,OAAZ,C;UvBrpBP,U;UADP,YuBupBe,WvBvpBH,WuBupBwB,GvBvpBxB,C;U ACL,IAAI,aAAJ,C;YACH,auBqpBuC,gB;YAA5B,WvBppBX,auBopBgC,GvBppBhC,EAAS,MAAT,C;YACA,e;; YAEA,c;;UuBipBA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAEt,OAAO,W;O;KAjBX,C;0FAoBA,yB;M AAA,kC;MAAA,4C;MAAA,wE;QAUW,sC;QAAA,8C;O;MAVX,oDAWQ,Y;QAA6C,OAAA,oBAAGB,W;O;MA XrE,iDAYQ,mB;QAAoC,gCAAY,OAAZ,C;O;MAZ5C,gF;MAAA,yC;QAUI,2D;O;KAVJ,C;IAGBA,sC;MASI,OA AO,yBAAqB,SAArB,EAA2B,SAA3B,C;K;IAGX,4C;MASI,OAAO,gCAA4B,SAA5B,EAakC,SAAIC,C;K;IAGX, mD;MASI,OAAoD,gBAA7C,gCAA4B,SAA5B,EAakC,SAAIC,CAA6C,C;K;4GAGxD,yB;MAuNA,wE;MAvNA, oD;QAGoiB,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAvNsB,U;UAAA,wBAuNT,oBAA mB,cAAnB,EAAMB,sBAAnB,UAvNS,EAuNoB,IAvNpB,W;YAA6C,6B;;QACHF,OAAO,W;O;KAVX,C;8FAaA,

yB;MAAA,wE;MAAA,oD;QAUiB,UACoC,M;QAFjD,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAC T,WAAy,WAAI,UAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QACb,OAAO, W;O;KAZX,C;IAeA,4C;MASI,OAA6C,gBAAtC,yBAAqB,SAArB,EAA2B,SAA3B,CAAsC,C;K;8FAGjD,yB;MA AA,oD;QA4KoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UArKK,U;UAAA,wBAqKQ,OArKR,W;Y AA,sC,6B;;QAC3D,OAAO,W;O;KARX,C;IFAWA,6C;MAOiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;Q ACT,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;IAGX,gC;MAOI,OAAO,qBAAiB,SAAJB,C;K; IAcgB,6B;MAAE,S;K;IAX7B,+B;MAWI,OAAy,aAAL,SAAK,EAAW,eAAx,C;K;IAGhB,2C;MAYI,OAAO,qBA AiB,SAAJB,EAAuB,QAAvB,C;K;IAGX,mC;MASiB,Q;MADb,UAAU,sB;MACG,2B;MAAb,OAAa,cAAb,C;QA Aa,sB;QAAM,GAAl,WAAI,IAAJ,C;;MACvB,OAAO,G;K;6EAGX,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,c AAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;IAGX, 2B;MAQI,OAAO,oBAAW,U;K;6EAGtB,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAA M,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;IAGX,6B;MAOoB,Q;MADhB,YAAY,C ;MACl,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;MACtB,OA AO,K;K;IFAGX,yB;MAAA,wE;MAAA,uC;QAOb,Q;QADhB,YAAY,C;QACl,2B;QAAhB,OAAgB,cAAhB,C;U AAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;QAC9C,OAA O,K;O;KARX,C;8EAWA,yC;MAYoB,Q;MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB ;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;4FAGX,yB;MAAA,wE;MAAA,gD;QAc oB,UAAiD,M;QAFjE,YAAY,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cA Ac,UAAU,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAuC,WAAvC,EAAoD,OAApD,C;;QACpC,OAAO,W; O;KafX,C;qFAkBA,6B;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C; ;K;kGAGlB,yB;MAAA,wE;MAAA,oC;QASiB,UAAgC,M;QAD7C,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;U AAa,sB;UAAM,OAAO,oBAAmB,cAAnB,EAAMb,sBAAnB,UAAV,EAAoC,IAApC,C;;O;KATvB,C;IAYA,2B;M AII,OAAO,uB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;IFAGX,+B;MAGW,sB;;QAYP,eA Ae,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAp,uB;SACzB,cAAc,QAAS,O;QACvB,IAAI,C AAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAp,uB;SACzB,eAhBmB,QAgBJ,CAAS,OAAT,C;;UAEX,QAAQ,Q AAS,O;UACjB,QAnBe,QAmBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV, WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MAzBP,yB;K;6FAGJ,+B;MASI,eAAe,oB;MACf,IAAI,C AAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,cAAc,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB, OAAO,O;MACHc,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2 BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;IFAG X,yB;MAAA,sE;MZpwCA,iB;MYowCA,sC;QAEI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM ,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C ;UACR,WZhxCG,MAAO,KYgxCO,QZhxCP,EYgxCiB,CZhxCjB,C;;QYkxCd,OAAO,Q;O;KATBX,C;IFAyBA,yB; MAAA,sE;MZxyCA,iB;MYwyCA,sC;QAEI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;Q AC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UAC R,WZpzCG,MAAO,KYozCO,QZpzCP,EYozCiB,CZpzCjB,C;;QYszCd,OAAO,Q;O;KATBX,C;IFAyBA,yB;MAA A,sE;MAAA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,Q AAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,2BAAW,CA AX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KATBX,C;6FAyBA,yB;MZ/0CA,iB;MY+0CA,sC;QAaI,eAA e,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHc,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO, QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZz1CG,MAAO,KYy1CO,QZz1CP,EYy1CiB,C Zz1CjB,C;;QY21Cd,OAAO,Q;O;KApBX,C;6FAuBA,yB;MZj3CA,iB;MYi3CA,sC;QAaI,eAAe,oB;QACf,IAAI,C AAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACHc,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;U ACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZ33CG,MAAO,KY23CO,QZ33CP,EY23CiB,CZ33CjB,C;;QY63Cd ,OAAO,Q;O;KApBX,C;6FAuBA,+B;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MA ChC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QAC R,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;yFAGX,yB;MAAA,sE;MAAA,kD;QAa I,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,

OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CA  
AIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAtBX,C;qGAyBA,2C;MAWI,eAAe,oB;  
MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QA  
AS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,  
GAakC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,  
UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;  
QACjB,MZ18CG,MAAO,KY08CE,GZ18CF,EY08CO,CZ18CP,C;;MY48Cd,OAAO,G;K;IAGX,iC;MASI,eAAe,o  
B;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAh  
B,C;QACI,QAAQ,QAAS,O;QACjB,MZx+CG,MAAO,KYw+CE,GZx+CF,EYw+CO,CZx+CP,C;;MY0+Cd,OAA  
O,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,  
O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAA  
M,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAAd,C;K;IAGX,iD;MAOI,eAAe,oB;MACf,IAAI,C  
AAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAA  
Q,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAaA,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MA  
E9C,OAAO,G;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAII,OAAO,uB;K;IAGX,2B;MAGI,OAAO,uB;K;iFAG  
X,+B;MAGW,sB;;QAYP,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,I;UAAP,uB;SACzB,cA  
Ac,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,qBAAO,O;UAAP,uB;SACzB,eAhBmB,QAgBJ,CAA  
S,OAAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QAnBe,QAmBP,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAA  
J,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,qBAAO,O;;MAzBP,yB;K;6FAGJ,+B;M  
ASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,IAAI,CAA  
C,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QAAQ,SA  
AS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QAAS,W;  
MACIB,OAAO,O;K;iFAGX,yB;MAAA,sE;MZj3CA,iB;MYi3CA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,U  
AAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,  
SAAS,QAAS,OAAIB,C;UACR,WZ73CG,MAAO,KY63CO,QZ73CP,EY63CiB,CZ73CjB,C;;QY+3Cd,OAAO,Q;  
O;KAtBX,C;iFayBA,yB;MAAA,sE;MZr5CA,iB;MYq5CA,sC;QAeI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAA  
d,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAA  
S,QAAS,OAAIB,C;UACR,WZj6CG,MAAO,KYi6CO,QZj6CP,EYi6CiB,CZj6CjB,C;;QYm6Cd,OAAO,Q;O;KAtB  
X,C;iFayBA,yB;MAAA,sE;MAAA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;  
QAC/B,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UA  
CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAtBX,C;6FAyBA,yB;MZ57CA,iB;M  
Y47CA,sC;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACChC,eAAe,SAAS,QAAS,OA  
AIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZt8CG,MAAO,KYs8CO,  
QZt8CP,EYs8CiB,CZt8CjB,C;;QYw8Cd,OAAO,Q;O;KApBX,C;6FAuBA,yB;MZ99CA,iB;MY89CA,sC;QAaI,eA  
Ae,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,OAAO,I;QACChC,eAAe,SAAS,QAAS,OAAIB,C;QACf,OAA  
O,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,WZx+CG,MAAO,KYw+CO,QZx+CP,EYw+Ci  
B,CZx+CjB,C;;QY0+Cd,OAAO,Q;O;KApBX,C;6FAuBA,+B;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,  
C;QAAyB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OAAIB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,  
QAAS,OAAIB,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;yFAGX,yB;MA  
AA,sE;MAAA,kD;QAaI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,6B;QAC/B,eAAe,SAAS,  
QAAS,OAAIB,C;QACf,OAAO,QAAS,UAAhB,C;UACI,QAAQ,SAAS,QAAS,OAAIB,C;UACR,IAAI,UAAW,SA  
AQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAtBX,C;qGAyB  
A,2C;MAWI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,eAAe,SAAS,QAAS,OA  
IB,C;MACf,OAAO,QAAS,UAAhB,C;QACI,QAAQ,SAAS,QAAS,OAAIB,C;QACR,IAAI,UAAW,SAAQ,QAAR,E  
AAkB,CAAIB,CAAX,GAakC,CAAtC,C;UACI,WAAW,C;;MAGnB,OAAO,Q;K;IAGX,iC;MASI,eAAe,oB;MAC  
f,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QA  
CI,QAAQ,QAAS,O;QACjB,MZvjDG,MAAO,KYujDE,GZvjDF,EYujDO,CZvjDP,C;;MYyjDd,OAAO,G;K;IAGX,  
iC;MASI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OA

AO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,MZrIDG,MAAO,KYqIDe,GZrIDF,EYqIDo,CZrIDP,C;;MY  
ulDd,OAAO,G;K;IAGX,iC;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,UAA  
U,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAl,C;UA  
Aa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAC,UAAAd,C;K;IAGX,iD;MAOI,eAAe,oB;MAC  
f,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MAChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QA  
CI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM  
,C;;MAE9C,OAAO,G;K;IAGX,4B;MAQI,OAAO,CAAC,oBAAW,U;K;+EAGvB,gC;MAQoB,Q;MAAA,2B;MAA  
hB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;  
IAUI,uC;MAAA,qB;QACP,eAAO,EAAP,C;QAAA,OACA,E;O;K;IATR,sC;MAOI,OAAO,kBAAl,qBAAl,C;K;IA  
eW,8C;MAAA,iC;QACd,eAAO,KAAP,EAAC,OAAAd,C;QAAA,OACA,O;O;K;IAXR,6C;MASI,OAAO,wBAAW,4  
BAAX,C;K;kFAMX,yB;MAAA,4F;MAAA,uC;QAEI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAA  
yB,MAAM,mCAA8B,kCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UA  
AU,WAAV,EAAuB,QAAS,OAAhC,C;;QAEIB,OAAO,W;O;KArBX,C;gGawBA,yB;MAAA,4F;MAAA,wE;MA  
AA,uC;QAOBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,k  
CAA9B,C;QAC/B,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oB  
AAmB,YAAnB,EAAMB,oBAAnB,QAAY,EAAuC,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KAT  
BX,C;4GAYBA,yB;MAAA,wE;MAAA,uC;QAOBmD,Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UA  
Ad,C;UAAyB,OAAO,I;QACH,C,YAAY,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cA  
Ac,UAAU,oBAAMB,YAAnB,EAAMB,oBAAnB,QAAY,EAAuC,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OA  
AO,W;O;KATBX,C;8FAYBA,gC;MAGBI,eAAe,SAAK,W;MACpB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I  
;MAChC,kBAAqB,QAAS,O;MAC9B,OAAO,QAAS,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAA  
hC,C;;MAEIB,OAAO,W;K;IAoBS,2I;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,gD;MAAA,kD;MAA  
A,wB;MAAA,+B;MAAA,kC;K;;;sDAAA,Y;;;cACZ,gB;8BAAA,iCAAM,0BAAN,O;kBAAA,2C;uBAAA,yB;CA  
AA,Q;;;uCACkB,0B;cACf,wD;cAAhB,gB;;;cAAA,KAAGB,yBAhB,C;gBAAA,gB;;;cAAGB,oC;cACZ,yBAAc,  
6BAAU,sBAAV,EAAuB,OAAvB,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAF  
J,gB;;;cAIJ,W;;;K;IAPgB,wF;MAAA,yD;uBAAA,+H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAjBpB,sD;M  
AiBI,OAAO,SAAS,iDAAT,C;K;IA4BS,yJ;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,8D;MAAA,kD;  
MAAA,wB;MAAA,yB;MAAA,+B;MAAA,kC;K;;;6DAAA,Y;;;kBAKMc,I;cAJ/C,gB;8BAAA,iCAAM,0BAAN,  
O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;iCACY,C;uCACM,0B;cACf,+D;cAAhB,gB;;;cAAA,KAAGB,yBAhB,C;g  
BAAA,gB;;;cAAGB,oC;cACZ,yBAAc,6BAAU,oBAAMB,uBAAnB,EAAMB,+BAAnB,QAAY,EAAuC,sBAAVC,E  
AAoD,OAAPD,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;K;  
;K;IARgB,sG;MAAA,yD;uBAAA,6I;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAIbPb,6D;MAKBI,OAAO,SAAS,  
wDAAT,C;K;IA2BS,4H;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,oD;MAAA,kD;MAAA,4B;MAAA,+B;MAA  
A,kC;K;;;wDAAA,Y;;;oCACG,wC;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iC  
AAM,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;cAGI,gB;;;cAAA,KAAO,mBAAS,UAAhB,C  
;gBAAA,gB;;;cACI,yBAAc,6BAAU,sBAAV,EAAuB,mBAAS,OAAhC,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;k  
BAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAHJ,gB;;;cAQJ,W;;;K;IAVgB,yE;MAAA,yD;uBAAA,gH;Y  
AAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,+C;MAGBI,OAAO,SAAS,0CAAT,C;K;IA6BS,0I;MAAA,wC;MAAA  
,6B;MAAA,yB;MAAA,kE;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,yB;MAAA,kC;K;;;+DAAA,Y;;;cAOuC,Q  
;oCANpC,+C;cACf,IAAI,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAA  
A,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;iCAGgB,C;cACZ,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,g  
B;;;cACI,yBAAc,6BAAU,oBAAMB,uBAAnB,EAAMB,+BAAnB,QAAY,EAAuC,sBAAVC,EAAoD,mBAAS,OA  
A7D,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAJJ,gB;;;cASJ,W;;;K;  
;K;IAXgB,uF;MAAA,yD;uBAAA,8H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,sD;MAGBI,OAAO,SAA  
S,iDAAT,C;K;IAcX,+C;MAKBI,OAAO,yBAAy,OAAZ,EAAqB,SAArB,C;K;IAGX,sD;MAmBI,OAAO,gCAAMB  
,OAAAnB,EAA4B,SAA5B,C;K;gFAGX,+B;MASoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;Q  
AAgB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;4FAGX,+B;MASoB,Q;MADhB,UAAkB,G;  
MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;iFAGX,+

B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT ,C;;MAEX,OAAO,G;K;iFAGX,+B;MAYoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB, yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;iFAGX,yB;MAAA,SAWoB,gB;MAXpB,sC;QAYoB ,Q;QADhB,Y;QACgB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAO,SAAS,OAAT,CAAP,C;;QAEJ,O AAO,G;O;KafX,C;iFAkBA,yB;M3B15DA,6B;M2B05DA,sC;QAaoB,Q;QADhB,U3B55DmC,c2B45DnB,C3B55 DmB,C;Q2B65DnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M3BhuEiD,c2BguEjD,G3BhuE2D,KAAK, G2BguEzD,SAAS,OAAT,C3BhuEoE,KAAAX,IAAf,C;;Q2BkuErD,OAAO,G;O;KAhBX,C;iFAMBA,yB;MX16DA, +B;MW06DA,sC;QAaoB,Q;QADhB,UX36DqC,eAAW,oBW26D/B,CX36D+B,CAAX,C;QW46DrB,2B;QAAhB, OAAgB,cAAhB,C;UAAgB,yB;UACZ,MXhvEmD,eWgvEnD,GXhvE8D,KAAK,KWgvE5D,SAAS,OAAT,CXhvE uE,KAAAX,CAAhB,C;;QWkvEvD,OAAO,G;O;KAhBX,C;IAyBe,oD;MAAA,qB;QAAE,e;UAAM,MAAM,gCAAY B,2BAAwB,mBAAXB,MAAZB,C;SAAZ,S;O;K;IANjB,qC;MAMI,OAAO,kBAAl,gCAAJ,C;K;IAGX,oC;MAaI,O AAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc ,IAAtC,EAAwD,SAAXD,C;K;IASA,0D;MAAA,4B;MAAA,sC;K;IAG0B,+E;MAAA,qB;QAAE,IAAI,CAAC,iBA AD,IAAY,WAAM,eAAN,CAAhB,C;UAAiC,oBAAU,I;UAA3C,OAAiD,K;;UAAjD,OAA8D,I;O;K;6CAF7F,Y;M ACI,kBAAc,KAAAd,C;MACA,OAAkB,SAAX,eAAW,EAAO,kEAAP,CAA8E,W;K;;IAT5G,qC;MAMI,kD;K;IASB O,6D;MAAA,wC;MAAA,4B;K;IAG6B,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CAFIC,Y;MACI,YAAqB, 8BAAT,qBAAS,C;MACrB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IAjBxD,sC;MAaI,IAAI,Q9B80 KG,YAAQ,C8B90Kf,C;QAAwB,OAAO,S;MAC/B,qD;K;IAqBO,6D;MAAA,wC;MAAA,4B;K;IAMiC,8D;MAAA ,qB;QAAE,OAAM,aAAN,mB;O;K;+CALtC,Y;MACI,YAAqB,4BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C ;QACI,OAAO,eAAW,W;;QAEIB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IANB5D,sC;MAaI,qD;K; IAwBO,6D;MAAA,wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CALtC,Y;MACI,Y AAqB,8BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,eAAW,W;;QAEIB,OAAkB,YAAX,eAA W,EAAU,4CAAV,CAA0B,W;K;;IANB5D,sC;MAaI,qD;K;8FAWJ,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,iBAA M,OAAAN,C;O;KAPX,C;wFAUA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAYoB,Q;QAFhB,YAAY,gB;QACZ,aA Aa,gB;QACG,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,W AAI,OAAJ,C;;YAEN,MAAO,WAAL,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAI,MAAZ,C;O;KANBX,C;IASB A,oC;MAMI,OAA6C,UAAtC,YAAW,SAAX,EAAiB,YAAW,OAAI,EAAjB,EAAc,C;K;IAGjD,qC;MASI,OAA Y,OAAAL,SAAK,EAAc,OAAT,QAAS,CAAd,C;K;IAGhB,qC;MASI,OAA+C,UAAx,C,YAAW,SAAX,EAA0B,aA AT,QAAS,CAA1B,EAAwC,C;K;IAGnD,sC;MASI,OAAkC,UAA3B,YAAW,SAAX,EAAiB,QAAjB,EAA2B,C;K; 4FAGtC,yB;MAAA,0C;MAAA,qC;QAOI,OAAO,gBAAK,OAAAL,C;O;KAPX,C;IAUA,2D;MAGb+C,oB;QAAA, OAAI,C;MAAG,8B;QAAA,iBAA0B,K;MACpF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2 D,KAA3D,C;K;IAGX,sE;MAkBkD,oB;QAAA,OAAI,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,OAAwE,OAAjE ,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA2D,IAA3D,CAAiE,EAAI,SAAJ,C;K;IAYpC,4B;MAAY,c AAM,EAAAN,C;K;IATpD,kC;MASI,OAAO,oBAAgB,SAAhB,EAAcB,KAAtB,EAA6B,UAA7B,C;K;IAGX,6C;M AUI,OAAO,oBAAgB,SAAhB,EAAcB,KAAtB,EAA6B,SA7B,C;K;IAcY,kC;MAAU,aAAK,CAAL,C;K;IAXjC,k C;MAWI,OAAO,yBAAY,kBAAZ,C;K;IAeiB,wH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,gD;MAAA,kD;MA AA,4B;MAAA,2B;MAAA,wB;MAAA,kC;K;;sDAAA,Y;;oCACL,sC;cACf,IAAI,CAAC,mBAAS,UAAAd,C;gB AAyB,M;;gBAAZB,gB;;mCACc,mBAAS,O;cACvB,gB;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;gCA Ce,mBAAS,O;cACpB,gB;8BAAA,iCAAM,6BAAU,kBAAV,EAAmB,eAAnB,CAAN,O;kBAAA,2C;uBAAA,yB;c AAA,Q;;cACA,qBAAU,e;cAHd,gB;;cAKJ,W;;K;IATwB,uE;MAAA,yD;uBAAA,4G;YAAA,S;iBAAA,Q; ;iBAAA,uB;O;K;IAZ5B,6C;MAYI,OAAO,SAAS,0CAAT,C;K;IAYX,8F;MAU6D,yB;QAAA,YAA0B,I;MAAM,s B;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAA O,yB;QAAA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAI,C;MACI,2B;MAAhB,OAAg B,cAAhB,C;QAAgB,yB;QACZ,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,C AAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAc,OAAd,EAAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,S AAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP ,OAAO,M;K;IAGX,4F;MAUwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E ;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAAO,oBAAO,s

BAAP,EAAwB,SAAxB,EAAMc,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAtE,CA  
AiF,W;K;IAOxE,8C;MAAA,mB;QAAE,OAAA,eAAK,W;O;K;IAJ3B,kC;MAII,oCAAgB,8BAAhB,C;K;2FAGJ,q  
B;MAKI,OAAO,S;K;IAGX,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,c  
AAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAS,CA  
Ab,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;  
MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAMb,KAAAnB  
,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,U  
AAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAM  
B,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IA  
GjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QA  
CZ,OAAO,O;QACP,oBAAMb,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAA  
vB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAg  
B,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAMb,qBAAnB,EAAMb,KAAAnB,E;;MAEJ,OAAW,UAAS,  
CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MASoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,  
C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;QACP,oBAAMb,qBAAnB,EAAMb,KAA  
nB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,2B;MAQoB,Q;MADh  
B,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,G;K;IAGX,2B;M  
AQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O;;MAEX,OAAO,  
G;K;IAGX,2B;MAQoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,YAAO,O  
AAP,I;;MAEJ,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;  
QACZ,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,G;MACD,2B;MAAhB,OAAg  
B,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAkB,G;MACF,2  
B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IC71FX,qC;MAMI,aAAa,qBAA  
iB,YAAy,cAAZ,CAAjB,C;MACb,kBAAc,KAAAd,C;MX4zBgB,Q;MAAA,OW3zBT,SX2zBS,W;MAAhB,OAAgB  
,cAAhB,C;QAAgB,2B;QAAU,oB;QW3zBK,IAAI,CAAC,SAAD,IAAY,OX2zBX,SW3zBW,UAAhB,C;UAAiC,Y  
AAU,I;UAA3C,mBAAiD,K;;UAAjD,mBAA8D,I;;QX2zBvE,qB;UW3zBD,MX2zBqC,WAAI,SAAJ,C;;MW3zB1  
D,OAAqB,M;K;IAGzB,sC;MAUI,aAAa,qBAAiB,SAAJB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAA  
O,M;K;IAGX,sC;MAUI,YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAA  
Y,QAAL,SAAK,C;MACHB,IAAI,yBAAJ,C;QACgB,kBAAY,sB;QXixBZ,Q;QAAA,OWjxBL,SXixBK,W;QAAhB  
,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CWjxBwB,qBXixBb,OWjxBa,CXixB5B,C;YAAyB,WAAy,WAAI,  
OAAJ,C;;QWjxBvD,OXkxBG,W;OWjxBP,aAAa,qBAAiB,SAAJB,C;MACb,MAAO,mBAAU,KAAV,C;MACP,O  
AAO,M;K;IAGX,uC;MAUI,aAAa,qBAAiB,SAAJB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;  
K;gGAGX,yB;MAAA,8C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;O;KAPX,C;IAUA,qC;MAMI,aAAa,qBAAi  
B,YAAy,iBAAO,CAAP,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MAC  
P,OAAO,M;K;IAGX,sC;MAOI,aAAa,qBAAiB,YAAy,SAAK,KAAL,GAAY,QAAS,OAArB,IAAZ,CAAjB,C;MA  
Cb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,sC;MAMuD,UA  
AT,M;MAA1C,aAAa,qBAAiB,YAAy,WAAS,4BAAT,QAAS,CAAT,YAA4C,cAAL,WAAvC,4BAA2D,SAAK,K  
AAL,GAAY,CAAZ,IAAvE,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;  
MACP,OAAO,M;K;IAGX,sC;MAOI,aAAa,qBAAiB,YAAy,SAAK,KAAL,GAAY,CAAZ,IAAZ,CAAjB,C;MACb  
,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;8FAGX,yB;MAAA,4C;M  
AAA,qC;QAOI,OAAO,gBAAK,OAAL,C;O;KAPX,C;InBnIA,oD;MAMuF,wC;K;IANvF,8CAOI,Y;MAAuC,8B;K  
;IAP3C,gF;ICGA,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;gGmBYA,yB;MAAA,uD;MAAA,  
gC;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAJ,CAAtC,GAAsD,uBAA  
a,KAAb,E;O;KAPjE,C;gGAUA,yB;MAAA,+C;MAAA,mC;QAOI,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAP  
hB,C;0EAUA,yB;MA4EA,6C;MAAA,oC;MAAA,gC;MA5EA,uC;QAOW,sB;;UAyES,Q;UAAA,0B;UAAhB,OAA  
gB,cAAhB,C;YAAgB,oC;YAAM,IAzEH,SAyEO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;UAC9C  
,qBAAO,I;;QA1EP,yB;O;KAPJ,C;kFAUA,yB;MAwJA,mD;MAAA,+C;MAAA,oC;MAxJA,uC;QAOW,qB;;UAUJ  
O,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAd,OAAC,cAAAd,C;YAAc,uB;YACV,cAAc,qBAAK,KAAL,C;YA

Cd,IAzJc,SAyJV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QA3JP,wB;O;KAPJ,C;IAUA,6B;MAKI,ICkOgD,qBAAU,CDIO1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,CAAL,C;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,0B;QAAhB,OAAGb,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,6DAAvB,C;O;KANV,C;6FASA,yB;MAAA,iE;MAY A,6C;MAAA,oC;MAAA,gC;MAZA,uC;QASW,Q;QAAA,+B;;UAYS,U;UAAA,4B;UAAhB,OAAGb,gBAAhB,C;YAAgB,sC;YACZ,aAbwB,SAaX,CAAU,oBAAV,C;YACb,IAAI,cAAJ,C;cACI,8BAAO,M;cAAP,gC;;UAGR,8BAAO,I;;;QAIbA,kC;QAAA,iB;UAAmC,MAAM,gCAAuB,sEAvB,C;SAAhD,OAAO,I;O;KATX,C;yGAYA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QASoB,Q;QAAA,0B;QAAhB,OAAGb,cAAhB,C;UAAgB,oC;UACZ,aAAa,UAAU,oBAAV,C;UACb,IAAI,cAAJ,C;YACI,OAAO,M;;QAGf,OAAO,I;O;KafX,C;IAkBA,mC;MAII,OckLgD,qBAAU,CDILnD,GAAe,IAAf,GAAyB,qBAAK,CAAL,C;K;wFAGpC,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAA,0B;QAAhB,OAAGb,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;O;KALX,C;mFAQA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,qBAAI,KAAJ,CAAtC,GAAcD,uBAAa,KAAb,E;O;KALjE,C;IAQA,uC;MAMI,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAc,qBAAI,KAAJ,CAAtC,GAAcD,I;K;0FAGjE,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIkB,gC;QAAA,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;wFAYA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;IAYA,4B;MAQI,ICsHgD,qBAAU,CDtH1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,2BAAL,C;K;0EAGX,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,uC;QAQkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,6DAAvB,C;O;KAZV,C;IAeA,kC;MAMI,OC4FgD,qBAAU,CD5FnD,GAAe,IAAf,GAAyB,qBAAK,mBAAS,CAAT,IAAL,C;K;sFAGpC,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAMkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KAVX,C;8EAaA,yB;MAAA,mC;MAAA,yC;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,ICODgD,qBAAU,CD1D1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;0FAGX,yB;MAAA,mC;MAAA,qD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,ICqCgD,qBAAU,CDrC1D,C;QACI,OAAO,I;MACX,OAAO,qBAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,8B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,yBAAvB,C;aACX,C;UAAK,4BAAK,CAAL,C;UAAAL,K;gBACQ,MAAM,gCAAyB,0CAAzB,C;;MAHIB,W;K;8EAOJ,yB;MAAA,6C;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAGb,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,wDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,6DAAvB,C;QAEIB,OAAO,4E;O;KafX,C;IAkBA,oC;MAII,OAAW,qBAAU,CAAd,GAAiB,qBAAK,CAAL,CAAJB,GAA8B,I;K;0FAGzC,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAGb,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YACIB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,+B;MIBzRI,IAAI,EkBiSI,KAAK,CIBjST,CAAJ,C;QACI,ckBgSc,wD;QIB/Rd,MAAM,gCAAyB,OAAQ,WAAjC,C;OkBgSV,OAAO,8BAAc,eAAF,CAAE,EAAa,gBAAb,CAAd,EAAoC,gBAApC,C;K;IAGX,+B;MIBrSI,IAAI,EkB6SI,KAAK,CIB7ST,CAAJ,C;QACI,ckB4Sc,wD;QIB3Sd,MAAM,gCAAyB,OAAQ,WAAjC,C;OkB4SV,OLhH6E,oBKgH1D,eAAF,CAAE,EAAa,gBAAb,CLhH0D,C;K;IKmHjF,kC;MIBjTI,IAAI,EkByTI,KAAK,CIBzTT,CAAJ,C;QACI,ckBwTc,wD;QIBvTd,MAAM,gCAAyB,OAAQ,WAAjC,C;OkBwTV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAIb,C;K;IAGX,mC;MIB7TI,IAAI,EkBqUI,KAAK,CIBrUT,CAAJ,C;QACI,ckBoUc,wD;QIBnUd,MAAM,gCAAyB,OAAQ,WAAjC,C;OkBoUV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAIb,C;K;2FAGX,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAAB,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAy,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;QACf,

OAAO,E;O;KATX,C;4FAYA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;U  
ACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OL5JoF,oBK4JnE,CL5JmE,EK4JhE,QAAQ,CA  
AR,IL5JgE,C;WK6J5F,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAAL,MA  
AK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,  
CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,KAAZ,EAAmB,gBAAnB,C;QACf,OAAO,  
E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAAL,MAAK,EAAL,MAAK,EAAL,M;Q  
AAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,E  
AAV,CAAL,C;YACI,OLvLqE,oBKuLpD,KLvLoD,C;WKwL7E,OAAO,E;O;KATX,C;8EAYA,yB;MAAA,yD;M  
AkFA,oC;MAIFA,uC;QAMW,kBAAS,oB;QAKFM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,  
KAAJ,C;UACd,IApF6B,SAoFzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QApFxC,OASFO,  
W;O;KA5FX,C;8EASA,yB;MAAA,yD;MAyEA,oC;MAZEa,uC;QAMW,kBAAS,oB;QAYEM,Q;QAAA,uB;QAAt  
B,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IA3E6B,SA2EzB,CAAU,oBAAV,CAAJ,C;YAAwB,WA  
AY,gBAAO,OAAP,C;;QA3ExC,OA6EO,WA7EqC,W;O;KANhD,C;4FASA,yB;MAAA,yD;MA+sBA  
,6C;MAAA,oC;MARuBA,uC;QAQW,kBAAGB,oB;QAouBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,  
C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA7sB/B,IAvBoC,SAuBhC,CAAU,OA  
AV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAvB/C,OAYBO,W;O;KAjCX,C;4FAWA,yB;MAAA,yD;  
MAWA,gC;MA+sBA,6C;MAAA,oC;MA1tBA,uC;QAQW,kBAAGB,oB;QAYtBV,gB;QADb,YAAY,C;QACC,0B;  
QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA7sB/B,IAZoC,SAY  
hC,CAAU,OA  
AV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAZ/C,OAcO,WAd4C,W;O;KARvD,C;g  
GAWA,yB;MAAA,gC;MA+sBA,6C;MAAA,oC;MA/sBA,oD;QAstBiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OA  
Aa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA7sB/B,IAAI,UAAU,OA  
AV,E  
AAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAE/C,OAAO,W;O;KAXX,C;oFAcA,yB;MAAA,yD;MAkB  
A,6C;MAAA,oC;MAAA,gC;MAIBA,uC;QAMW,kBAAY,oB;QAKBH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;U  
AAgB,oC;UAAM,IAAI,CAIBU,SakBT,CAAU,oBAAV,CAAL,C;YAAyB,WAAY,gBAAO,OAAP,C;;QAIB3D,O  
AmBO,W;O;KAzBX,C;oFASA,yB;MAAA,yD;MASA,6C;MAAA,oC;MAAA,gC;MATA,uC;QAMW,kBAAY,oB;  
QASH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CATU,SAST,CAAU,oBAAV,CAAL,C  
;YAAyB,WAAY,gBAAO,OAAP,C;;QAT3D,OA  
UO,WAVwC,W;O;KANnD,C;wFASA,yB;MAAA,6C;MAAA,oC  
;MAAA,gC;MAAA,oD;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAA  
U,oBAAV,CAAL,C;YAAyB,WAAY,gBAAO,OAAP,C;;QAC3D,OAAO,W;O;KAPX,C;kFAUA,yB;MAAA,oC;M  
AAA,oD;QAM0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAI,KAAJ,C;UACd,IAAI,UAAU,oBA  
AV,CAAJ,C;YAAwB,WAAY,gBAAO,OAAP,C;;QAExC,OAAO,W;O;KAVX,C;IAaA,sC;MAII,IAAI,OAAQ,UA  
AZ,C;QAAuB,OAAO,E;MAC9B,OAAO,yBAAY,OAAZ,C;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OA  
AO,E;MAC9B,OAAO,uBAAU,OA  
AV,C;K;IAGX,sC;MAOc,Q;MAHV,WA  
AmB,wBAAR,OAAQ,EAAwB,EAAx  
B,C;MACnB,IAAI,SAAQ,CAAZ,C;QAae,OAAO,E;MACtB,aAAa,mBAAc,IAAd,C;MACH,yB;MAAV,OAAU,c  
AAV,C;QAAU,mB;QACN,MAAO,gBAAO,qBAAI,CAAJ,CAAP,C;;MAEX,OAAO,M;K;4EAGX,yB;MAAA,8B;  
MAAA,uC;MAAA,qC;QAKY,Q;QAAR,OAA8B,MAAtB,2DAAsB,EAAM,OAAN,CAAE,W;O;KALjD,C;IAQA,+  
B;MIB7fI,IAAI,EkBqgBI,KAAK,CIBrgBT,CAAJ,C;QACI,ckBogBc,wD;QIBngBd,MAAM,gCAAYB,OAAQ,WA  
AjC,C;OkBogBV,OAAO,8BAAY,CAAZ,EAAiB,eAAF,CAAE,EAAa,gBAAb,CAAjB,C;K;IAGX,+B;MIBzgBI,IA  
AI,EkBihBI,KAAK,CIBjhBT,CAAJ,C;QACI,ckBghBc,wD;QIB/gBd,MAAM,gCAAYB,OAAQ,WAAjC,C;OkBgh  
BV,OLjV4F,oBKiv3E,CLjV2E,EkivtE,eAAF,CAAE,EAAa,gBAAb,CLjVsE,C;K;IKoVhG,kC;MIBrhBI,IAAI,Ek  
B6hBI,KAAK,CIB7hBT,CAAJ,C;QACI,ckB4hBc,wD;QIB3hBd,MAAM,gCAAYB,OAAQ,WAAjC,C;OkB4hBV,a  
AAa,gB;MACb,OAAO,8BAAY,SAAW,eAAF,CAAE,EAAa,MAAb,CAAX,IAAZ,EAA6C,MAA7C,C;K;IAGX,m  
C;MIBliBI,IAAI,EkB0iBI,KAAK,CIB1iBT,CAAJ,C;QACI,ckByiBc,wD;QIBxiBd,MAAM,gCAAYB,OAAQ,WAA  
jC,C;OkByiBV,aAAa,gB;MACb,OL9W6E,oBK8W5D,SAAW,eAAF,CAAE,EAAa,MAAb,CAAX,IL9W4D,C;K;2  
FKiXjF,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UA  
AU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAY,QAAQ,CAAR,IAAZ,EAAuB,gBAAvB,C;;QAGf,OA  
AO,8BAAY,CAAZ,EAAe,gBAAf,C;O;KAXX,C;4FAcA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAc,wB  
AAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAV,CAAL,C;YACI,OLvYqE,oBKuYpD,

QAAQ,CAAR,ILvYoD,C;;QK0Y7E,OAAO,S;O;KAXX,C;oFAcA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAAtB,iBAAc,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAAJ,EAAV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,KAAf,C;WAEf,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;O;KAVX,C;oFAaA,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAAtB,iBAAc,CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KAAJ,EAAV,CAAL,C;YACI,OL/ZoF,oBK+ZnE,CL/ZmE,EK+ZhE,KL/ZgE,C;WKia5F,OAAO,S;O;KAVX,C;IAaA,gC;MAII,OAAO,qBAAc,SAAd,CAAoB,U;K;kFAG/B,yB;MAAA,8B;MAAA,6C;MAAA,4B;QAKY,Q;QAAR,OAA8B,SAAtB,2DAAsB,CAAW,W;O;KAL7C,C;oFAQA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4EA,6C;MAAA,oC;MAAA,gC;MA5EA,uC;QAWI,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EAAc,EAAAd,C;QAC5B,kBAAY,mBAAoB,QAAPB,C;QAYEH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WA1E8C,SA0E/B,CAAU,oBAAV,C;UzB9EnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QyBIA,OA4EO,W;O;KAXFX,C;wFAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA6BA,6C;MAAA,oC;MAAA,gC;MA7BA,yC;QAWI,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EAAc,EAAAd,C;QAC5B,kBAAc,mBAAuB,QAAvB,C;QA2BL,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aA5BuC,WA4BnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QA5BhB,OA8BO,W;O;KA1CX,C;wFAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA8BA,6C;MAAA,oC;MAAA,gC;MA9BA,yD;QAU,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EAAc,EAAAd,C;QAC5B,kBAAc,mBAAoB,QAAPB,C;QA6BL,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aA9BoC,WA8BhC,CAAY,oBAAZ,CAAJ,EA9BiD,cA8BvB,CAAe,oBAAf,CAA1B,C;;QA9BhB,OAGCO,W;O;KA3CX,C;4FAcA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sD;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;4FAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAAO,W;O;KAbX,C;wFAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QASoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAe,UAAU,oBAAV,C;UzB9EnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAARb,C;;QyBgFA,OAAO,W;O;KAZX,C;4FAeA,yB;MAAA,uD;MAAA,0D;MAAA,yD;MAAA,uE;MAGBA,6C;MAAA,oC;MAAA,gC;MAhBA,2C;QAYI,aAAa,mBAA6D,cAAAtC,YAAmB,aAAP,gBAAO,EAAa,GAAb,CAAnB,CAAsC,EAAc,EAAAd,CAA7D,C;QAcG,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAbO,MAcP,aAAI,oBAAJ,EAAe,aAcF,CAAc,oBAAAd,CAAb,C;;QAdhB,OAAuB,M;O;KAb3B,C;+FAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,wD;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,oBAAJ,EAAa,cAAc,oBAAAd,CAAb,C;;QAEhB,OAAO,W;O;KAbX,C;IAGBA,iD;MAIiB,Q;MAAA,4B;MAAb,OAAa,cAAb,C;QAAa,iC;QACT,WAAy,WAAI,iBAAJ,C;;MAEhB,OAAO,W;K;IAGX,iC;MAII,OAAO,2BAAa,eAAc,YAAmB,eAAP,gBAAO,EAAa,GAAb,CAAnB,CAAd,CAAb,C;K;IAGX,8B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL,EAAP,C;UAAL,K;gBACa,wBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,qC;MAII,OAAO,2BAAa,iBAAGB,gBAAhB,CAAb,C;K;IAGX,6B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,iCAAK,CAAL,EAAN,C;UAAL,K;gBACQ,kCAAa,qBAAoB,YAAmB,eAAP,gBAAO,EAAa,GAAb,CAAnB,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;gFAOJ,yB;MAAA,+D;MA0CA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MA1CA,uC;QAMW,kBAAU,gB;QAwCD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAZC6B,SAyClB,CAAU,oBAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QA1ChB,OA4CO,W;O;KAIDX,C;8FASA,yB;MAAA,+D;MAeA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAfA,uC;QAYW,kBAAiB,gB;QAcR,gB;QADhB,YAAY,C;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WafO,C,SAezB,EAAU,cAAV,EAAU,sBAAV,WAAmB,oBAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAFX,C;oFAkBA,yB;MAAA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAW,UAAU,oBAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;gFAWA,yB;MAAA,wE;MAyBA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UA1BoD,WA0B1C,CAAY,oBAAZ,C;UzBrjBP,U;UADP,YyBujBe,WzBvjBH,WyBujBwB,GzBvjBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBqjBuC,gB;YAA5B,WzBpjBX,ayBojBgC,GzBpjBhC,EAAS,MAAT,C;YACA,e;;YAEA,c;

;UyBijBA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5BT,OA8BO,W;O;KAvcX,C;gFAYA,yB;MAAA,wE;MA8BA,6  
C;MAAA,oC;MAAA,+D;MAAA,gC;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,0B;QAAhB,OAAgB,cA  
AhB,C;UAAgB,oC;UACZ,UA/BiD,WA+BvC,CAAY,oBAAZ,C;UzBvkBP,U;UADP,YyBykBe,WzBzkBH,WyBy  
kBwB,GzBzkBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBukBuC,gB;YAA5B,WzBtkBX,ayBskBgC,GzBtkBhC,EAAS  
,MAAT,C;YACA,e;;YAEA,c;;UyBmkBA,iB;UACA,IAAK,WAjCyD,cAiCrD,CAAe,oBAAf,CAAJ,C;;QAJCT,OA  
mCO,W;O;KA7CX,C;oFAaA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAA,0B;  
QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;UzBrjBP,U;UADP,YyBujBe,WzBvjBH,  
WyBujBwB,GzBvjBxB,C;UACL,IAAI,aAAJ,C;YACH,ayBqjBuC,gB;YAA5B,WzBpjBX,ayBojBgC,GzBpjBhC,E  
AAS,MAAT,C;YACA,e;;YAEA,c;;UyBijBA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;O;KAdX,C;oF  
AiBA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAAhB,OAAgB,cAAh  
B,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;UzBvkBP,U;UADP,YyBykBe,WzBzkBH,WyBykBwB,GzBzkB  
xB,C;UACL,IAAI,aAAJ,C;YACH,ayBukBuC,gB;YAA5B,WzBtkBX,ayBskBgC,GzBtkBhC,EAAS,MAAT,C;YA  
CA,e;;YAEA,c;;UyBmkBA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;qFAkB  
A,yB;MAAA,6C;MAAA,oC;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAA  
gD,OAAgB,SAAhB,oBAAgB,C;O;MATxE,iDAUQ,mB;QAAuC,gCAAY,oBAAZ,C;O;MAV/C,gF;MAAA,yC;Q  
AQI,2D;O;KARJ,C;wEAcA,yB;MAAA,gE;MAYEA,6C;MAAA,oC;MAAA,gC;MAzEA,uC;QAOW,kBAAM,eAA  
a,gBAAb,C;QAUeA,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAy,WAXEmB,SAwEf,CAAU,iBA  
AV,CAAJ,C;;QAxehB,OAYEO,W;O;KAhFX,C;sFAUA,yB;MAAA,gE;MA+BA,6C;MAAA,oC;MAAA,gC;MA/B  
A,uC;QAOW,kBAaA,eAAa,gBAAb,C;QAgCP,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;U  
ACT,WAAy,WAjC0B,SAiCtB,EAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QAJChB,OAKCO,W;O  
;KAzCX,C;mGAUA,yB;MAAA,+D;MAUA,gC;MAoLA,6C;MAAA,oC;MA9LA,uC;QAOW,kBAAoB,gB;QA8Ld  
,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UApLsB,U;UAAA,cAVQ,SAUR,EAoLT,cApLS,  
EAoLT,sBApLS,WaOLA,iBApLA,W;YAA6C,6B;;QAVhF,OAWO,W;O;KAIBX,C;uGAUA,yB;MAAA,gC;MAo  
LA,6C;MAAA,oC;MApLA,oD;QA2LiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UApLsB  
,U;UAAA,yBAoLT,cApLS,EAoLT,sBApLS,WaOLA,iBApLA,W;YAA6C,6B;;QACHF,OAAO,W;O;KARX,C;0F  
AWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACC,0B;QAAb,O  
AAa,cAAb,C;UAAa,iC;UACT,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QACH  
B,OAAO,W;O;KAVX,C;qFAaA,yB;MAAA,+D;MAUA,gC;MA2IA,6C;MAAA,oC;MARJA,uC;QAOW,kBAaA,g  
B;QAKJJ,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UA1IK,U;UAAA,cARe,SAQf,CA0IQ,oBA1IR,W;  
YAAAsC,6B;;QAR3D,OASO,W;O;KAhBX,C;yFAUA,yB;MAAA,gC;MA2IA,6C;MAAA,oC;MA3IA,oD;QA+IoB,  
Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UA1IK,U;UAAA,wBA0IQ,oBA1IR,W;YAAAsC,6B;;QAC3D  
,OAAO,W;O;KANX,C;4EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAA,0B;QAAb,O  
AAa,cAAb,C;UAAa,iC;UACT,WAAy,WAAI,UAAU,iBAAV,CAAJ,C;;QACHB,OAAO,W;O;KAPX,C;IAe4B,4C;  
MAAA,mB;QAAE,iC;O;K;IAL9B,iC;MAKI,OAAO,qBAaiB,6BAAjB,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;M  
AAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,o  
BAAV,CAAL,C;YAAyB,OAAO,K;;QACtD,OAAO,I;O;KAPX,C;IAUA,2B;MAMI,OAAO,ECrwByC,qBAAU,C  
DqwBnD,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,  
cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;O;KAPX,C;4E  
AUA,qB;MAKI,OAAO,gB;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QADhB,YAA  
Y,C;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,qB;;QAC9  
C,OAAO,K;O;KANX,C;0EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAUoB,Q;QADhB,kBAAkB,  
O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C;;QACpC,  
OAAO,W;O;KAXX,C;wFACa,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAYoB,UAA8B,M;QAF9C,YA  
AY,C;QACZ,kBAAkB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,cAAc,WAAU,cAAV,EAAU,  
sBAAV,WAAmB,WAAAnB,EAAGC,oBAAhC,C;;QACpC,OAAO,W;O;KAbX,C;mFAGBA,yB;MAAA,uD;MAAA,  
oC;MAAA,gD;QAYoC,Q;QAHhC,YAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,  
UAAU,kCAAI,YAAJ,EAai,oBAAJ,SAAV,EAawB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;iGaiBA,yB;MAA  
A,uD;MAAA,oC;MAAA,gD;QAUI,YAAY,wB;QACZ,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,

UAAU,KAAV,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;gFAM  
BA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,o  
C;UAAM,OAAO,oBAAP,C;;O;KAJ1B,C;8FAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAOiB,UAA  
a,M;QAD1B,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,  
iBAAhB,C;;O;KAPvB,C;IAUA,2B;MAGI,OAAO,uB;K;4EAGX,yB;MAMA,uD;MAAA,oC;MANA,sC;QAGW,s  
B;;UAUP,ICz4BgD,qBAAU,CDy4B1D,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,qBAAK,CAAL,C;UACd,gBA  
AqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAdmB,QAcJ,CAAS,oBAAT,C;U  
ACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,qBAAK,CAAL,C;YACR,QAjBe,QAiBP,CAAS,cAAT,C;YACR  
,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QAvBP,yB;O;KAHJ,C;w  
FAMA,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAOI,ICz4BgD,qBAAU,CDy4B1D,C;UAAe,OAAO,I;QACtB,cAA  
c,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;YAAoB,OAAO,O;QAC3B,eA  
Ae,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,qBAAK,CAAL,C;UACR,QAAQ,SAAS,  
cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KApBX,  
C;4EAuBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MdznCA,iB;McyCA,sC;QAEiB,Q;QAFb,ICt6BgD,qBAAU,CD  
s6B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UA  
CI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdloCG,MAAO,KckoCO,QdloCP,EckoCiB,CdloCjB,C;;QcooC  
d,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;Md1pCA,iB;Mc0pCA,sC;QAEiB,Q;QAF  
b,IC57BgD,qBAAU,CD47B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QA  
Ab,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdnqCG,MAAO,KcmqCO,QdnqCP,Ec  
mqCiB,CdnqCjB,C;;QcqqCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MAAA,sC;Q  
AaiB,Q;QAFb,IC9BgD,qBAAU,CDg9B1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;Q  
ACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,CAAX,KA  
AJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;wFAsBA,yB;MAAA,oC;MAAA,uD;Md3rCA,iB;Mc2rCA  
,sC;QAaiB,Q;QAFb,ICt+BgD,qBAAU,CDs+B1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C  
;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdlsCG,MAAO,KcksC  
O,QdlsCP,EcksCiB,CdlsCjB,C;;QcosCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;Md1tCA,iB;  
Mc0tCA,sC;QAaiB,Q;QAFb,IC1/BgD,qBAAU,CD0/B1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,  
EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,WdjuCG,MAA  
O,KciuCO,QdjuCP,EciuCiB,CdjuCjB,C;;QcmuCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC;MAAA,uD;M  
AAA,sC;QAWiB,Q;QAFb,IC5gCgD,qBAAU,CD4gC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,E  
AAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,2BAAW,C  
AAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;  
MAAA,kD;QAaiB,Q;QAFb,ICliCgD,qBAAU,CDkiC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL  
,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,S  
AAQ,QAAR,EAakB,CAAIb,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;gGAs  
BA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICtjCgD,qBAAU,CDsjC1D,C;UAAe,OAAO,I;QACt  
B,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,E  
AAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIb,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB  
,OAAO,Q;O;KAjBX,C;IAoBA,iC;MAOiB,Q;MAFb,ICtkCgD,qBAAU,CDskC1D,C;QAAe,OAAO,I;MACTB,UAA  
U,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,C  
AAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UAAc,C;K;IAGX,iD;MAOiB,Q;  
MAFb,IC11CgD,qBAAU,CD01C1D,C;QAAe,OAAO,I;MACTB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU  
,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CA  
AjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAGI,OAAO,uB;K;4EAGX,yB;MAMA,uD;MAAA,o  
C;MANA,sC;QAGW,sB;;UAUP,ICtnCgD,qBAAU,CDsnC1D,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,qBAAK  
,CAAL,C;UACd,gBAAqB,wB;UACrB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eAdmB,QA  
cJ,CAAS,oBAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,qBAAK,CAAL,C;YACR,QAjBe,QAiBP,  
CAAS,cAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;Q

AvBP,yB;O;KAHJ,C;wFAMA,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAOI,ICtnCgD,qBAAU,CDsnC1D,C;UAAe ,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,gBAaQb,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAo B,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,qBAAK,CAAL, C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAG nB,OAAO,O;O;KApBX,C;4EAuBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MdlpCA,iB;MckpCA,sC;QAeiB,Q;QA Fb,ICnpCgD,qBAAU,CDmpC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;Q AAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,Wd3pCG,MAAO,Kc2pCO,Qd3pCP,E c2pCiB,Cd3pCjB,C;;Qc6pCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC;MAAA,uD;MdnrCA,iB; McmrCA,sC;QAeiB,Q;QAFb,ICzqCgD,qBAAU,CDyqC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iCAAK,CA AL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,Wd5rCG,M AAO,Kc4rCO,Qd5rCP,Ec4rCiB,Cd5rCjB,C;;Qc8rCd,OAAO,Q;O;KAnBX,C;4EAsBA,yB;MAAA,sE;MAAA,oC; MAAA,uD;MAAA,sC;QAaiB,Q;QAFb,IC7rCgD,qBAAU,CD6rC1D,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,iC AAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IA AI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAnBX,C;wFAsBA,yB;MAAA,oC;MAAA,u D;MdptCA,iB;McotCA,sC;QAaiB,Q;QAFb,ICntCgD,qBAAU,CDmtC1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,i CAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR, Wd3tCG,MAAO,Kc2tCO,Qd3tCP,Ec2tCiB,Cd3tCjB,C;;Qc6tCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB;MAAA,oC; MAAA,uD;MdnvCA,iB;McmvCA,sC;QAaiB,Q;QAFb,ICvuCgD,qBAAU,CDuuC1D,C;UAAe,OAAO,I;QACtB,eA Ae,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT ,C;UACR,Wd1vCG,MAAO,Kc0vCO,Qd1vCP,Ec0vCiB,Cd1vCjB,C;;Qc4vCd,OAAO,Q;O;KAjBX,C;wFAoBA,yB ;MAAA,oC;MAAA,uD;MAAA,sC;QAWiB,Q;QAFb,ICzvCgD,qBAAU,CDyvC1D,C;UAAe,OAAO,I;QACtB,eAA e,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C ;UACR,IAAI,2BAAW,CAAX,KAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;oFAoBA,yB;MAAA,sE; MAAA,oC;MAAA,uD;MAAA,kD;QAaiB,Q;QAFb,IC/wCgD,qBAAU,CD+wC1D,C;UAAe,MAAM,6B;QACrB,e AAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,QAAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,O AAO,Q;O;KAnBX,C;gGAsBA,yB;MAAA,oC;MAAA,uD;MAAA,kD;QAWiB,Q;QAFb,ICnyCgD,qBAAU,CDmy C1D,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,iCAAK,CAAL,EAAT,C;QACF,+B;QAAb,aAAU,CAAV,iB;UACI,Q AAQ,SAAS,iCAAK,CAAL,EAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAjBX,C;IAoBA,iC;MAOiB,Q;MAFb,ICnzCgD,qBAAU,CDmzC1D,C ;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CA AL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAGI,OAAO,4BAAc,UA Ad,C;K;IAGX,iD;MAOiB,Q;MAFb,ICv0CgD,qBAAU,CDu0C1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CA AL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,E AAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,4B;MAMIL,OCt1CgD,qBA AU,C;K;0EDy1C9D,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAAhB,OAAgB,cA AhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QACrD,OAAO,I;O;KAPX,C;8EA UA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAKmC,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB, oC;UAAM,OAAO,oBAAP,C;;QAARc,gB;O;KALJ,C;4FAQA,yB;MAAA,6B;MAAA,sC;MA/fA,6C;MAAA,oC;M AAA,gC;MA+fA,2BAQiB,yB;QAvGbjB,6C;QAAA,oC;QAAA,gC;eAugBiB,0B;UAAA,4B;YAAE,aAAe,c;YAhg BjB,gB;YADb,YAAY,C;YACC,0B;YAAb,OAAa,cAAb,C;cAAa,iC;cAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB ,iBAAhB,C;;YAggBmB,W;W;S;OAAzB,C;MARjB,oC;QAxfiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cA Ab,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C;;QAggBnB,gB;O;KARJ,C;8EAWA,yB; MAAA,4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICn4CgD,qBAAU,CDm4C1D,C;U ACI,MAAM,mCAA8B,uCAA9B,C;QACV,kBAakB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UAC I,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAEiB,OAAO,W;O;KAnBX,C;4FAsBA,yB;MAAA, 4F;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,ICz5CgD,qBAAU,CDy5C1D,C;UACI,MA AM,mCAA8B,uCAA9B,C;QACV,kBAakB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,

oBAAU,KAaV,EAAiB,wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;wGAsBA,y  
B;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgBqB,Q;QAHjB,IC/6CgD,qBAAU,CD+6C1D,C;UACI,OAA  
O,I;QACX,kBAaKB,qBAaK,CAAL,C;QACD,+B;QAAjB,iBAaC,CAAd,yB;UACI,cAAc,oBAAU,KAaV,EAAiB,  
wBAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAnBX,C;OFAsBA,yB;MAAA,uD;MAAA,oC;  
MAAA,gC;MAAA,uC;QAIbqB,Q;QAHjB,ICt8CgD,qBAAU,CDs8C1D,C;UACI,OAAO,I;QACX,kBAaKB,qBAA  
K,CAAL,C;QACD,+B;QAAjB,iBAaC,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,  
E;;QAEIB,OAAO,W;O;KApBX,C;uFAuBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAE0B,  
UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B,C;QACrB,kBAaK  
B,sBAaI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,kCAAI,cAAJ,EAAI,sBA  
AJ,WAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;O;KAnBX,C;qGAsBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;  
MAAA,gC;MAAA,uC;QAE0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCA  
A9B,C;QACrB,kBAaKB,sBAaI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,K  
AAV,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;iHAuBA,yB;M  
AAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAE0B,Q;QAFtB,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,O  
AAO,I;QACtB,kBAaKB,sBAaI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,K  
AAV,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;KApBX,C;mGAuBA,yB;  
MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAgB0B,UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,  
C;UAAe,OAAO,I;QACtB,kBAaKB,sBAaI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,  
oBAAU,kCAAI,cAAJ,EAAI,sBAaI,WAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;O;KApBX,C;wFAuBA,yB;  
MAAA,gD;MAAA,gE;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAgBoB,Q;QAHhB,ICvjDgD,qBAAU,CDu  
jD1D,C;UAAe,OAAO,OAAO,OAAP,C;QACgB,kBAaZB,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,af5  
wDO,W;Qe6wDP,kBAaKB,O;QACF,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,cAAc,UAAU,WAAV,EA  
AuB,oBAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KApBX,C;sGAuBA,yB;MAAA,gD;MAAA  
,gE;MAAA,mD;MAAA,oC;MAAA,gD;QAIbKB,gC;QAHd,IC/kDgD,qBAAU,CD+kD1D,C;UAAe,OAAO,OAAO,  
OAAP,C;QACgB,kBAaZB,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,afpyDO,W;QeqyDP,kBAaKB,O;Q  
ACJ,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,iCAA  
K,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4FAwBA,yB;MAAA,qD;MA  
AA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAgB0B,Q;QAHtB,ICtmDgD,qBAAU,CDsmD1D,C;UAAe,OAAO,W;  
QACtB,sBAaKB,qBAaK,CAAL,CAaIB,C;QACqC,kBAaXB,eAAgB,gBAAhB,C;QAAgC,sBAaI,0BAAJ,C;QA  
A7C,af5zDO,W;Qe6zDe,uB;QAAtB,iBAaC,CAAd,wB;UACI,gBAaC,oBAAU,0BAAV,EAAuB,iCAAK,KAAL,E  
AAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;MAAA,qD;MAAA,gE;M  
AAA,oC;MAAA,gC;MAAA,uC;QAIb0B,Q;QAHtB,IC9nDgD,qBAAU,CD8nD1D,C;UAAe,OAAO,W;QACtB,sB  
AAKB,qBAaK,CAAL,CAaIB,C;QACqC,kBAaXB,eAAgB,gBAAhB,C;QAAgC,sBAaI,0BAAJ,C;QAA7C,afp1D  
O,W;Qeq1De,uB;QAAtB,iBAaC,CAAd,wB;UACI,gBAaC,oBAAU,KAaV,EAAiB,0BAAjB,EAA8B,iCAAK,KA  
AL,EAA9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KArBX,C;0EAwBA,yB;MA9FA,gD;MAAA,  
gE;MAAA,6C;MAAA,oC;MAAA,gC;MA8FA,gD;QAcW,sB;;UA5FS,Q;UAHhB,ICvjDgD,qBAAU,CDujD1D,C;  
YAAe,qBAAO,OA+FH,OA/FG,C;YAAP,uB;WACuB,kBAaZB,eAAa,mBAAS,CAAT,IAAb,C;UAAiC,sBA8F3B,  
OA9F2B,C;UAA9C,af5wDO,W;Ue6wDP,kBA6FmB,O;UA5FH,0B;UAAhB,OAAGB,cAAhB,C;YAAgB,oC;YAC  
Z,cA2FwB,SA3FV,CAAU,WAAV,EAAuB,oBAAvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QA  
wFP,yB;O;KADJ,C;wFAiBA,yB;MAxFA,gD;MAAA,gE;MAAA,mD;MAAA,oC;MAwFA,gD;QAEW,6B;;UAtFO,  
gC;UAHd,IC/kDgD,qBAAU,CD+kD1D,C;YAAe,4BAAO,OAYFI,OAzFJ,C;YAAP,8B;WACuB,kBAaZB,eAAa,m  
BAAS,CAAT,IAAb,C;UAAiC,sBAwFpB,OAxFoB,C;UAA9C,afpyDO,W;UeqyDP,kBAuF0B,O;UAtfZ,6B;UAA  
A,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAqF+B,SArFjB,CAAU,KAaV,EAAiB,WAAjB,EAA8B,iCAAK,K  
AAL,EAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAKFP,gC;O;KAFJ,C;4EAkBA,yB;MAAA,6  
C;MAAA,oC;MAAA,gC;MAAA,sC;QAOoB,Q;QADhB,UAAe,C;QACC,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,  
oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KAVX,C;wFAaA,yB;MAAA,6C;MAAA,oC;MAA  
A,gC;MAAA,sC;QAOoB,Q;QADhB,UAAkB,G;QACF,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UACZ,OAAO,  
SAAS,oBAAT,C;;QAEX,OAAO,G;O;KAVX,C;4EAaA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB

,Q;QADhB,UAAoB,C;QACJ,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,OAAO,SAAS,oBAAT,C;;QAEX,  
OAAO,G;O;KAbX,C;4EAgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,UAAe,C;QA  
CC,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KAbX,  
C;4EAgBA,yB;MAAA,SASoB,gB;MATpB,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAUoB,Q;QADhB,Y;QACgB,0  
B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,cAAO,SAAS,oBAAT,CAAP,C;;QAEJ,OAAO,G;O;KAbX,C;4E  
AgBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;M7BppDA,6B;M6BopDA,sC;QAWoB,Q;QADhB,U7BppDmC,c6Bo  
pDnB,C7BppDmB,C;Q6BqpDnB,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,M7Bx9DiD,c6Bw9DjD,G7B  
x9D2D,KAAK,G6Bw9DzD,SAAS,oBAAT,C7Bx9DoE,KAAK,IAAf,C;;Q6B09DrD,OAAO,G;O;KAdX,C;4EaiB  
A,yB;MAAA,6C;MAAA,oC;MAAA,gC;MblqDA,+B;MakqDA,sC;QAWoB,Q;QADhB,UbjqDqC,eAAW,oBaiqD/  
B,CbjqD+B,CAAX,C;QakqDrB,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,Mbt+DmD,eas+DnD,Gbt+D8  
D,KAAK,Kas+D5D,SAAS,oBAAT,Cbt+DuE,KAAK,CAAhB,C;;Qaw+DvD,OAAO,G;O;KAdX,C;IAiBA,oC;MA  
WI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAGBI,OAAO,sBAAS,IAAT,EAAe,IAAf,E  
AAsC,IAAtC,EAAwD,SAAXD,C;K;IAcsB,oC;MAAE,OAAA,EAAG,W;K;IAXiC,0C;MAWI,OAAO,6BAAgB,IA  
AhB,EAAcB,sBAATB,C;K;IAGX,uD;MAGBI,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA8C,IAA9C,EAAgE,SA  
AhE,C;K;oFAGX,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAUoB,Q;QAFhB,Y  
AAy,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,  
C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO,cAAK,KAAL,EAAy,MAA  
Z,C;O;KAjBX,C;oFAoBA,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAUoB,Q;Q  
AFhB,YAAy,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAA  
V,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C;;;QAGf,OAAO,cAAK,KAAM,WA  
AX,EAAuB,MAAO,WAA9B,C;O;KAjBX,C;IAqCgD,6B;MAAE,OAAA,EAAG,W;K;IAjBrD,2D;MAGB4C,oB;Q  
AAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MACjF,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAqB,cAArB,EAAqC  
,eAArC,C;K;IAGX,sE;MAkBgD,oB;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MAQhE,Q;MAPrB,oBAAo  
B,IAApB,EAA0B,IAA1B,C;MACA,eAAe,SAAK,O;MACpB,qBAAqB,YAAW,IAAX,SAASB,WAAW,IAAX,KA  
AmB,CAAvB,GAA0B,CAA1B,GAAiC,CAAnD,K;MACrB,aAAa,iBAAa,cAAb,C;MACb,YAAy,C;MACZ,OAAg  
B,CAAT,qBAAiB,QAAxB,C;QACI,UAAU,QAAQ,IAAR,I;QACO,IAAI,MAAM,CAAN,IAAW,MAAM,QAArB,  
C;UAAiC,IAAI,cAAJ,C;YAAoB,e;;YAAc,K;;UAAa,U;QAAjG,qB;QACA,MAAO,WAAI,UAAU,8BAAy,KAaz,  
EAAmB,UAAAnB,CAAV,CAAJ,C;QACP,gBAAS,IAAT,I;;MAEJ,OAAO,M;K;IAoB6C,qC;MAAE,OAAA,EAAG,  
W;K;IAjB7D,iE;MAGBoD,oB;QAAA,OAAy,C;MAAG,8B;QAAA,iBAA0B,K;MACzF,OAAO,8BAAiB,IAAjB,E  
AAuB,IAAvB,EAA6B,cAA7B,EAA6C,uBAA7C,C;K;IAwByB,2F;MAAA,wB;QAC5B,UAAU,QAAQ,YAAR,I;Q  
ACV,iBAAqB,MAAM,CAAN,IAAW,MAAM,4BAArB,GAA6B,4BAA7B,GAAyC,G;QAD1D,OAEA,kBAAU,0C  
AAy,KAaz,EAAmB,UAAAnB,CAAV,C;O;K;IAxBR,gF;MAkBwD,sB;QAAA,SAAY,C;MAAG,8B;QAAA,iBAA  
0B,K;MAC7F,oBAAoB,IAApB,EAA0B,MAA1B,C;MACA,cAAc,KAAK,cAAJ,GAAoB,yBAApB,GAAiC,WAA  
Q,mBAAS,IAAT,GAAgB,CAAhB,IAAR,CAAI,EAAkE,MAAI,E,C;MACd,OAA4B,OAAb,aAAR,OAAQ,CAAa,  
EAAI,qDAAJ,C;K;IAOhC,kC;MAkBI,ad3hEO,MAAO,Kc2hEU,gBd3hEV,EcghEH,KAW2B,Od3hExB,C;Mc4hE  
d,WAAW,iBAAa,MAAb,C;MACX,aAAU,CAAV,MAAkB,MAAI,B,M;QACI,IAAK,WAdqB,GAcP,iCAAK,CAA  
L,EAdO,EAcE,YAdrB,KAcqB,YAAM,CAAN,EAdF,CACrB,C;;MAdT,OAgBO,I;K;wEAbX,yB;MAAA,gE;MAA  
A,oC;MdzHEA,iB;McyHEA,8C;QAQI,ad3hEO,MAAO,Kc2hEK,SAAK,Od3hEV,Ec2hEkB,KAAM,Od3hExB,C;Qc  
4hEd,WAAW,eAAa,MAAb,C;QACX,aAAU,CAAV,MAAkB,MAAI,B,M;UACI,IAAK,WAAI,UAAU,iCAAK,CA  
AL,EAAV,EAAmB,6BAAM,CAAN,EAAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAGBA,kC;MASW,sB;;QAAp,  
WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,qBAAO,W;UAAP,uB;SACd,aAAa,iBAAa,IAAb,  
C;QACb,iBAAc,CAAd,UAAcB,IAATB,U;UACI,MAAO,WAjBkB,GaiBJ,iCAAK,KAAL,EAjBI,EAiBS,iCAAK,Q  
AAQ,CAAR,IAAL,EAjBT,CAiBIB,C;;QAEX,qBAAO,M;;;MAnBP,yB;K;uFAGJ,yB;MAAA,qD;MAAA,gE;MAA  
A,oC;MAAA,uC;QAUI,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,OAAO,W;QACrB,aAAa,  
eAAa,IAAb,C;QACb,iBAAc,CAAd,UAAcB,IAATB,U;UACI,MAAO,WAAI,UAAU,iCAAK,KAAL,EAAV,EAAu  
B,iCAAK,QAAQ,CAAR,IAAL,EAAvB,CAAJ,C;;QAEX,OAAO,M;O;KAhBX,C;IAwBoB,8C;MAAA,mB;QAAE,  
OAAK,WAAW,eAAK,C;O;K;IAL3B,kC;MAIQ,wC;MAAA,S;QAAkB,OCniE0B,qBAAU,C;ODmiE1D,S;QAAiC,  
OAAO,W;MACxC,oCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,WAAW,eAAK,C;O;K;IAL3B,k



C;O;KATV,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;U  
AAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;mFA  
YA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,  
OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;IAYA,mC;MAMI,OAA  
W,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;IAGpC,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sB  
AAK,CAAL,C;K;IAGpC,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;IAGpC,mC;MA  
MI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;+FAGpC,gC;MAOoB,Q;MAAA,2B;MAAhB,OAA  
gB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,  
gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB  
,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAA  
M,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MA  
AhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;  
K;2FAGX,yB;MAkqGI,8D;MALqGJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBA2pGT,cAAR,iBAAQ,C;SA3pGhB,  
OAAO,OAAcS,sBAAI,KAAJ,CAAtC,GAAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MAGqGI,8D;MAhGqJ,iD;  
QAOe,oBAAS,C;QAAT,S;UAAc,gBAypGT,cAAR,iBAAQ,C;SAzpGhB,OAAO,OAAcS,sBAAI,KAAJ,CAAtC,G  
AAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MA8pGI,8D;MA9pGJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBAup  
GT,cAAR,iBAAQ,C;SAvpGhB,OAAO,OAAcS,sBAAI,KAAJ,CAAtC,GAAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAU  
A,yB;MA4pGI,8D;MA5pGJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBAqpGT,cAAR,iBAAQ,C;SArpGhB,OAAO,O  
AAcS,sBAAI,KAAJ,CAAtC,GAAAsD,aAAa,KAAb,C;O;KAPjE,C;IAUA,wC;MAQe,oBAAS,C;MAAT,S;QAAc,g  
BAknGT,gBAAR,iBAAQ,C;OAlnGhB,OAAO,OAAcS,sBAAI,KAAJ,CAAtC,GAAAsD,I;K;IAGjE,wC;MAQe,oBA  
AS,C;MAAT,S;QAAc,gBA+mGT,gBAAR,iBAAQ,C;OA/mGhB,OAAO,OAAcS,sBAAI,KAAJ,CAAtC,GAAAsD,I;  
K;IAGjE,wC;MAQe,oBAAS,C;MAAT,S;QAAc,gBA4mGT,gBAAR,iBAAQ,C;OA5mGhB,OAAO,OAAcS,sBAAI  
,KAAJ,CAAtC,GAAAsD,I;K;IAGjE,wC;MAQe,oBAAS,C;MAAT,S;QAAc,gBAymGT,gBAAR,iBAAQ,C;OAZmG  
hB,OAAO,OAAcS,sBAAI,KAAJ,CAAtC,GAAAsD,I;K;uFAGjE,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iB  
AAQ,EAAQ,OnCtdU,KmCsdIB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,  
OnBrdY,KmBqdpB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAOI,OAAe,QAAR,iBAAQ,EAAQ,OI  
CjhBc,KkCihBtB,C;O;KAPnB,C;iGAUA,yB;MAAA,sC;MnC5ZA,6B;MmC4ZA,0BAOGC,yB;QnCnahC,6B;emC  
magC,6B;UAAA,qB;YAAE,yBnCzZK,cmCyZK,EnCzZL,CmCyZL,C;W;S;OAAF,C;MAPhC,uC;QAOMB,kBAA  
R,iB;QAAQ,uB;;UtC40Bf,0D;YACI,IsC70B0B,UnCzZK,cHsuCjB,YAAK,KAAL,CGtuCiB,CmCyZL,CtC60B1B,  
C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QsCj1BP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MnBvZA,+B;M  
mBuZA,0BAOGC,yB;QnB9ZhC,+B;emB8ZgC,6B;UAAA,qB;YAAE,yBnBpZQ,emBoZE,EnBpZF,CmBoZR,C;W;  
S;OAAF,C;MAPhC,uC;QAOMB,kBAAR,iB;QAAQ,uB;;UtC80Bf,0D;YACI,IsC/0B0B,UnBpZQ,enBmuCpB,YAA  
K,KAAL,CmBnuCoB,CmBoZR,CtC+0B1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QsCn1BP,0B;O;KA  
PJ,C;iGAUA,yB;MAAA,sC;MpC9dA,+B;MoC8dA,0BAOGC,yB;QpCrehC,+B;eoCqegC,6B;UAAA,qB;YAAE,yB  
pC3dQ,eoC2dE,EpC3dF,CoC2dR,C;W;S;OAAF,C;MAPhC,uC;QAOMB,kBAAR,iB;QAAQ,uB;;UtCgyBf,0D;YA  
CI,IsCjyB0B,UpC3dQ,eF4vCpB,YAAK,KAAL,CE5vCoB,CoC2dR,CtCiyB1B,C;cACI,sBAAO,K;cAAP,wB;;UA  
GR,sBAAO,E;;;QsCryBP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;MIC3dA,iC;MkC2dA,0BAOGC,yB;QIClehC,iC;ek  
CkegC,6B;UAAA,qB;YAAE,yBICxdW,gBkCwdD,ElCxdC,CkCwdX,C;W;S;OAAF,C;MAPhC,uC;QAOMB,kBA  
AR,iB;QAAQ,uB;;UtCkyBf,0D;YACI,IsCnyB0B,UICxdW,qBJ2vCvB,YAAK,KAAL,CI3vCuB,CkCwdX,CtCmyB  
1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QsCvyBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCm5BA,  
0D;MAAA,+C;MGv1CA,6B;MmCocA,yBAO+B,yB;QnC3c/B,6B;emC2c+B,6B;UAAA,qB;YAAE,yBnCjCm,cmC  
icI,EnCjCJ,CmCicN,C;W;S;OAAF,C;MAP/B,uC;QAOMB,kBAAR,iB;QAAQ,sB;;UtCg5BD,Q;UAAA,OAAQ,SA  
AR,wBAAQ,CAAR,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,IsCj5ByB,UnCjCm,cHk1CjB,YAAK,KAAL,CGI  
1CiB,CmCicN,CtCi5BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QsCr5BP,yB;O;KAPJ,C;+FAUA,yB;  
MAAA,sC;MtCq5BA,0D;MAAA,+C;MmBp1CA,+B;MmB+bA,yBAO+B,yB;QnBtc/B,+B;emBsc+B,6B;UAAA,q  
B;YAAE,yBnB5bS,emB4bC,EnB5bD,CmB4bT,C;W;S;OAAF,C;MAP/B,uC;QAOMB,kBAAR,iB;QAAQ,sB;;UtC  
k5BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,IsCn5ByB,UnB5bS,en

B+0CpB,YAAK,KAAL,CmB/0CoB,CmB4bT,CtCm5BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QsCv  
5BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCu2BA,0D;MAAA,+C;ME72CA,+B;MoCsgBA,yBAO+B,yB;QpC7  
gB/B,+B;eoC6gB+B,6B;UAAA,qB;YAAE,yBpCngBS,eoCmgBC,EpCngBD,CoCmgBT,C;W;S;OAAF,C;MAP/B,  
uC;QAOMB,kBAAR,iB;QAAQ,sB;;UtCo2BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAc,cAAd,C;  
YAAc,uB;YACV,IsCr2ByB,UpCngBS,eFw2CpB,YAAK,KAAL,CEx2CoB,CoCmgBT,CtCq2BzB,C;cACI,qBAA  
O,K;cAAP,uB;;UAGR,qBAAO,E;;;QsCz2BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MtCy2BA,0D;MAAA,+C;MI  
52CA,iC;MkCmgBA,yBAO+B,yB;QIC1gB/B,iC;ekC0gB+B,6B;UAAA,qB;YAAE,yBlChgBY,gBkCggBF,ElChgB  
E,CkCggBZ,C;W;S;OAAF,C;MAP/B,uC;QAOMB,kBAAR,iB;QAAQ,sB;;UtCs2BD,Q;UAAA,OAAQ,SAAR,wB  
AAQ,CAAR,W;UAAAd,OAAc,cAAd,C;YAAc,uB;YACV,IsCv2ByB,UIChgBY,gBJu2CvB,YAAK,KAAL,Civ2Cu  
B,CkCggBZ,CtCu2BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QsC32BP,yB;O;KAPJ,C;+FAUA,yB;M  
AAA,4C;MnC5eA,6B;MmC4eA,4B;QAWI,OnC7emC,cmC6epB,KAAR,iBAAQ,CnC7eoB,C;O;KmCkevC,C;iFAc  
A,yB;MAAA,4C;MnB3eA,+B;MmB2eA,4B;QAWI,OnB5esC,emB4evB,KAAR,iBAAQ,CnB5euB,C;O;Kmbie1C,  
C;iFAcA,yB;MAAA,4C;MpCtjBA,+B;MoCsjBA,4B;QAWI,OpCvjBsC,eoCujBvB,KAAR,iBAAQ,CpCvjBuB,C;O  
;KoC4iB1C,C;iFAcA,yB;MAAA,4C;MlCvjBA,iC;MkCujBA,4B;QAWI,OICxjByC,gBkCwjB1B,KAAR,iBAAQ,C  
ICxjB0B,C;O;KkC6iB7C,C;iFAcA,yB;MAAA,+C;MAAA,iE;MA83FI,0D;MA93FJ,uC;QAWkB,Q;QAAA,OAAa,  
SAm3FX,YAn3FF,SAm3FN,QAAQ,CAn3FW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,  
KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;Kaf  
V,C;iFAkBA,yB;MAAA,+C;MAAA,iE;MAo3FI,0D;MAP3FJ,uC;QAWkB,Q;QAAA,OAAa,SAy2FX,YAz2FF,SA  
y2FN,QAAQ,CAz2FW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,U  
AAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KafV,C;iFAkBA,yB;MAAA  
,+C;MAAA,iE;MA02FI,0D;MA12FJ,uC;QAWkB,Q;QAAA,OAAa,SA+1FX,YA/1FF,SA+1FN,QAAQ,CA/1FW,C  
AAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;Y  
AAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KafV,C;iFAkBA,yB;MAAA,+C;MAAA,iE;MAg2FI,  
0D;MAh2FJ,uC;QAWkB,Q;QAAA,OAAa,SAq1FX,YAr1FF,SAq1FN,QAAQ,CAr1FW,CAAb,W;QAAd,OAAc,c  
AAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEn  
C,MAAM,gCAAuB,mDAAvB,C;O;KafV,C;+FAkBA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EA  
AY,OnC9sBM,KmC8sBIB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAA  
Y,OnB7sBQ,KmB6sBpB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAA  
Y,OpC1wBQ,KoC0wBpB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOI,OAAe,YAAR,iBAAQ,EAA  
Y,OCzwBU,KkCywBtB,C;O;KAPnB,C;IAUA,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAA  
P,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,k  
C;MAQI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAQI,OAAW,mB  
AAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,yB;MAAA,+C;MAkuFI,0D;MALuFJ,uC;Q  
ASkB,Q;QAAA,OAAa,SAytFX,YAZtFF,SAytFN,QAAQ,CAZtFW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UA  
CV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAbX,  
C;6FAGBA,yB;MAAA,+C;MA0tFI,0D;MA1tFJ,uC;QASkB,Q;QAAA,OAAa,SAitFX,YAjtFF,SAitFN,QAAQ,CAjt  
FW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ  
,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAbX,C;6FAGBA,yB;MAAA,+C;MAktFI,0D;MAItFJ,uC;QASkB,Q;Q  
AAA,OAAa,SAysFX,YAZsFF,SAysFN,QAAQ,CAZsFW,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc  
,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,OAAO,I;O;KAbX,C;6FAGB  
A,yB;MAAA,+C;MA0sFI,0D;MA1sFJ,uC;QASkB,Q;QAAA,OAAa,SAisFX,YAjsFF,SAisFN,QAAQ,CAjsFW,CA  
Ab,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YA  
AwB,OAAO,O;;QAEEnC,OAAO,I;O;KAbX,C;qFAGBA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBA  
AO,cAAP,C;O;KATX,C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,  
C;qFAYA,yB;MAAA,mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;qFAYA,yB;MAAA,  
mC;MAAA,gD;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;IAYA,sC;MAQI,IAAI,mBAAJ,C;QACI,M  
AAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAL,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC;MAQI,IAAI,mB  
AAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAL,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC;

MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,sC;MAQI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;iGAGX,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;iGAWA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;iGAWA,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;IAWA,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;IAGX,4C;MAOI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAO,sBAAI,MAAO,iBAAQ,cAAR,CAAX,C;K;qFAGX,yB;MAAA,gD;MnCh8BA,6B;MmCg8BA,4B;QAQI,OnC77BmC,cmC67BpB,OAAR,iBAAQ,CnC77BoB,C;O;KmCs7BvC,C;qFAUA,yB;MAAA,gD;MnB37BA,+B;MmB27BA,4B;QAQI,OnBx7BsC,emBw7BvB,OAAR,iBAAQ,CnBx7BuB,C;O;Kmbi7B1C,C;qFAUA,yB;MAAA,gD;MpClgCA,+B;MoCkgCA,4B;QAQI,OpC//BsC,eoC+/BvB,OAAR,iBAAQ,CpC//BuB,C;O;KoCw/B1C,C;qFAUA,yB;MAAA,gD;MIC//BA,iC;MkC+/BA,4B;QAQI,OIC5/ByC,gBkC4/B1B,OAAR,iBAAQ,CIC5/B0B,C;O;KkCq/B7C,C;qFAUA,yB;MAAA,kF;MAAA,iE;MAAA,wB;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAoB,I;QACpB,YAAY,K;QACI,2B;QAaHb,OAAGb,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,0D;O;KAIBX,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,0B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAqB,I;QACrB,YAAY,K;QACI,2B;QAaHb,OAAGb,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KAIBX,C;qFAqBA,yB;MAAA,kF;MAAA,iE;MAAA,4B;MAAA,8B;MAAA,uC;QASoB,UAST,M;QAXP,aAAsB,I;QACtB,YAAY,K;QACI,2B;QAaHb,OAAGb,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,4D;O;KAIBX,C;IAqBA,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,oC;MAMI,OAAW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;iGAGvC,gC;MASoB,Q;MAFhB,aAAoB,I;MACpB,YAAY,K;MACI,2B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAqB,I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAsB,I;MACtB,YAAY,K;MACI,2B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAsB,I;MACtB,YAAY,K;MACI,2B;MAAhB,OAAGb,cAAhB,C;QAAGb,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;IAGX,+B;MxBrhDI,IAAI,EwB+hDI,KAAK,CxB/hDT,CAAJ,C;QACI,cwB8hDc,sD;QxB7hDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB8hDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,+B;MxBniDI,IAAI,EwB6iDI,KAAK,CxB7iDT,CAAJ,C;QACI,cwB4iDc,sD;QxB3iDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB4iDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,+B;MxBjjDI,IAAI,EwB2jDI,KAAK,CxB3jDT,CAAJ,C;QACI,cwB0jDc,sD;QxBzjDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB0jDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,+B;MxBjDI,IAAI,EwBykDI,KAAK,CxBzkDT,CAAJ,C;QACI,cwBwkDc,

sD;QxBvkDd,MAAM,gCAAyB,OAAQ,WAAjC,C;OwBwkDV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EA  
AAc,CAAd,CAApB,C;K;IAGX,mC;MxB7kDI,IAAI,EwBulDI,KAAK,CxBvIDT,CAAJ,C;QACI,cwBslDc,sD;QxB  
rIDd,MAAM,gCAAyB,OAAQ,WAAjC,C;OwBslDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAA  
d,CAAhB,C;K;IAGX,mC;MxB3lDI,IAAI,EwBqmDI,KAAK,CxBrmDT,CAAJ,C;QACI,cwBomDc,sD;QxBnmDd,  
MAAM,gCAAyB,OAAQ,WAAjC,C;OwBomDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,C  
AAhB,C;K;IAGX,mC;MxBzmDI,IAAI,EwBmnDI,KAAK,CxBnnDT,CAAJ,C;QACI,cwBknDc,sD;QxBjnDd,MA  
AM,gCAAyB,OAAQ,WAAjC,C;OwBknDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAh  
B,C;K;IAGX,mC;MxBvnDI,IAAI,EwBioDI,KAAK,CxBjoDT,CAAJ,C;QACI,cwBgoDc,sD;QxB/nDd,MAAM,gC  
AAyB,OAAQ,WAAjC,C;OwBgoDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;  
mGAGX,yB;MAAA,4C;MAAA,qD;MAkqEI,8D;MAIqEJ,uC;QASI,iBAypEgB,cAAR,iBAAQ,CAzpEhB,WAA+B  
,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAA  
L,C;;QAGf,OAAO,W;O;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,qD;MAypEI,8D;MAzpEJ,uC;QASI,iBAgpEgB  
,cAAR,iBAAQ,CAhpEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,  
OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,qD;MAgp  
EI,8D;MAhpEJ,uC;QASI,iBAuoEgB,cAAR,iBAAQ,CAvoEhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sB  
AAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;mGAi  
BA,yB;MAAA,4C;MAAA,qD;MAuoEI,8D;MAvoEJ,uC;QASI,iBA8nEgB,cAAR,iBAAQ,CA9nEhB,WAA+B,CA  
A/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C  
;;QAGf,OAAO,W;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;Q  
ACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,U  
AAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEhB,OAAO,I;O;KAIBX,C;2FAqBA,yB;  
MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;  
UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAA  
I,IAAJ,C;YACL,WAAW,I;;QAEhB,OAAO,I;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,e  
AAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,  
IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEhB,OAAO  
,I;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAA  
b,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,C  
AAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEhB,OAAO,I;O;KAIBX,C;qFAqBA,yB;MAAA,+D;M  
AAA,uC;QASW,kBAAS,gB;QAgRA,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAhRa,SAgR  
T,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAhR1D,OAIRO,W;O;KA1RX,C;qFAYA,yB;MAA  
A,+D;MAAA,uC;QASW,kBAAS,gB;QAIrA,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAjRc,  
SAiRV,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAJr1D,OAKRO,W;O;KA3RX,C;qFAYA,yB;  
MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAKrA,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,  
IAIRc,SAkRV,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAIR1D,OAmRO,W;O;KA5RX,C;qFA  
YA,yB;MAAA,+D;MAAA,uC;QASW,kBAAS,gB;QAmRA,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;  
UAAM,IAAnRe,SAmRX,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QAnR1D,OAoRO,W;O;KA7R  
X,C;kGAYA,yB;MAAA,+D;MAAA,uC;QAWW,kBAAGB,gB;QAm5HV,gB;QADb,YAAY,C;QACC,2B;QAAb,O  
AAa,cAAb,C;UAAa,sB;UA11HT,IAzDsC,SAyDIC,EA01HkB,cA11HIB,EA01HkB,sBA11HIB,WA01H2B,IA11H  
3B,CAAJ,C;YAA2C,sBA01HZ,IA11HY,C;;QAZD/C,OA2DO,W;O;KATEx,C;mGAcA,yB;MAAA,+D;MAAA,uC;  
QAWW,kBAAGB,gB;QAK5HV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA11HT,IA5Du  
C,SA4DnC,EAs1HkB,cAt1HIB,EAs1HkB,sBA11HIB,WAs1H2B,IA11H3B,CAAJ,C;YAA2C,sBA11HZ,IA11HY,C;  
;QA5D/C,OA8DO,W;O;KAZEX,C;mGAcA,yB;MAAA,+D;MAAA,uC;QAWW,kBAAGB,gB;QAI5HV,gB;QADb,  
YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA11HT,IA/DuC,SA+DnC,EAK1HkB,cA11HIB,EAK1HkB,s  
BA11HIB,WAK1H2B,IA11H3B,CAAJ,C;YAA2C,sBAk1HZ,IA11HY,C;;QA/D/C,OAIEO,W;O;KA5EX,C;mGAcA,  
yB;MAAA,+D;MAAA,uC;QAWW,kBAAGB,gB;QAG5HV,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;  
UAAa,sB;UA90HT,IAIEwC,SAkEpC,EA80HkB,cA90HIB,EA80HkB,sBA90HIB,WA80H2B,IA90H3B,CAAJ,C;Y  
AA2C,sBA80HZ,IA90HY,C;;QAIe/C,OAoEO,W;O;KA/EX,C;uGAcA,6C;MAs2HiB,gB;MADb,YAAY,C;MACC,

2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA11HT,IAAI,WA01HkB,cA11HIB,EA01HkB,sBA11HIB,WA01H2B,IA11H3B,CAAJ,C;UAA2C,sBA01HZ,IA11HY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MAk2HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA11HT,IAAI,WAs1HkB,cAt1HIB,EAs1HkB,sBA11HIB,WAs1H2B,IA11H3B,CAAJ,C;UAA2C,sBA11HZ,IA11HY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MA81HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA11HT,IAAI,WAk1HkB,cA11HIB,EAk1HkB,sBA11HIB,WAk1H2B,IA11H3B,CAAJ,C;UAA2C,sBAk1HZ,IA11HY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MA01HiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA90HT,IAAI,WA80HkB,cA90HIB,EA80HkB,sBA90HIB,WA80H2B,IA90H3B,CAAJ,C;UAA2C,sBA80HZ,IA90HY,C;;MAE/C,OAAO,W;K;2FAGX,yB;MAAA,+D;MAAA,uC;QASW,kBAAY,gB;QAghD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAhDY,SAgDX,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAl,OAAJ,C;;QAhd3D,OaiDO,W;O;KA1DX,C;2FAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAY,gB;QaiDH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAjDa,SAiDZ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAl,OAAJ,C;;QAjD3D,OakDO,W;O;KA3DX,C;2FAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAY,gB;QakDH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAIDa,SAkDZ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAl,OAAJ,C;;QAID3D,OAmDO,W;O;KA5DX,C;2FAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAY,gB;QAmDH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAnDc,SAmDb,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAl,OAAJ,C;;QAnD3D,OAoDO,W;O;KA7DX,C;+FAYA,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAl,OAAJ,C;;MAC3D,OAAO,W;K;yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAl,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAl,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAl,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCvjEe,W;OgCwjEtC,OAA4D,SA0iDrD,cAAkB,cAAR,iBAAQ,EA1iDN,OAAQ,MA0iDF,EA1iDS,OAAQ,aAAR,GAAuB,CAAvB,IA0iDT,CAAIB,CA1iDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCjkEe,W;OgCkkEtC,OAA4D,SAgjDrD,eAAmB,cAAR,iBAAQ,EAhjDP,OAAQ,MAgjDD,EAhjDQ,OAAQ,aAAR,GAAuB,CAAvB,IAgjDR,CAAnB,CAhjDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhC3kEe,W;OgC4kEtC,OAA4D,UAsjDrD,eAAmB,cAAR,iBAAQ,EA1jDP,OAAQ,MA1jDD,EA1jDQ,OAAQ,aAAR,GAAuB,CAAvB,IA1jDR,CAAnB,CA1jDqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,OhCrlEe,W;OgCslEtC,OAA4D,UA4jDrD,gBAAoB,cAAR,iBAAQ,EA5jDR,OAAQ,MA4jDA,EA5jDO,OAAQ,aAAR,GAAuB,CAAvB,IA4jDP,CAApB,CA5jDqD,C;K;IAGhE,sC;MASKB,Q;MAHd,WAAMb,wBAAR,OAAQ,EAAMb,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAMb,iBAAgB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,IAAK,WAAl,sBAAl,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MASKB,Q;MAHd,WAAMb,wBAAR,OAAQ,EAAMb,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAMb,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,IAAK,WAAl,sBAAl,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MASKB,Q;MAHd,WAAMb,wBAAR,OAAQ,EAAMb,EAAXB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAMb,iBAAkB,IAAiB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QAAc,uB;QACV,IAAK,WAAl,sBAAl,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EAAMb,EAAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,eAAmB,aAAR,iBAAQ,EAAMb,EAAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,gBAAoB,

aAAR,iBAAQ,EA AW,OAAX,CAApB,C;K;IAGX,2C;MAMI,OAAO,cAAkB,cAAR,iBAAQ,EA AW,OAAX,CAAI  
B,C;K;IAGX,2C;MAMI,OAAO,eAAmB,cAAR,iBAAQ,EA AW,OAAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,eA  
AmB,aAAR,iBAAQ,EA AW,OAAX,CAAnB,C;K;IAGX,2C;MAMI,OAAO,gBAAoB,cAAR,iBAAQ,EA AW,OA  
X,CAApB,C;K;IAGX,+B;MAGBiB,Q;MxB7xB,IAAI,EwBuxEI,KA AK,CxBvxET,CAAJ,C;QACI,cwBsxEc,sD;Q  
xBrxEd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBsxEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,  
KA AK,cAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,  
C;MACnB,YAAY,C;MACZ,WAAW,iBAAGB,CAAhB,C;MACE,2B;MAAb,OAAa,cAAb,C;QA Aa,sB;QACT,IAA  
K,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;MxB7xEb,IA  
AI,EwB+yEI,KA AK,CxB/yET,CAAJ,C;QACI,cwB8yEc,sD;QxB7yEd,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB8  
yEV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KA AK,cAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,M  
AAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAj  
B,C;MACE,2B;MAAb,OAAa,cAAb,C;QA Aa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UA  
CI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;MxB70Eb,IAAI,EwBu0EI,KA AK,CxBv0ET,CAAJ,C;QACI,cwBs  
0Ec,sD;QxB70Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBs0EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MAC  
nB,IAAI,KA AK,cAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAA  
L,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACE,2B;MAAb,OAAa,cAAb,C;QA Aa,sB;Q  
ACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,+B;MAGBiB,Q;M  
xB72Eb,IAAI,EwB+1EI,KA AK,CxB/1ET,CAAJ,C;QACI,cwB81Ec,sD;QxB71Ed,MAAM,gCAAYB,OAAQ,WAAj  
C,C;OwB81EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KA AK,cAAT,C;QA Ae,OAAO,mB;MAC  
tB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBA  
AkB,CAAI,C;MACE,2B;MAAb,OAAa,cAAb,C;QA Aa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,  
CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,mC;MxB72EI,IAAI,EwBu3EI,KA AK,CxBv3ET,CAAJ,C;QACI,cwB  
s3Ec,sD;QxB73Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBs3EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MAC  
nB,WAAW,c;MACX,IAAI,KA AK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OA  
AO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAGB,CAAhB,C;MACX,iBAAc,OAAO,CAAP,IA  
Ad,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MxB14EI,IAAI,  
EwB44EI,KA AK,CxB54ET,CAAJ,C;QACI,cwB24Ec,sD;QxB14Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;OwB24E  
V,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KA AK,IAAT,C;QA Ae,OAAO,mB;  
MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iB  
AAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAA  
J,C;MACT,OAAO,I;K;IAGX,mC;MxBv5EI,IAAI,EwBi6EI,KA AK,CxBj6ET,CAAJ,C;QACI,cwBg6Ec,sD;QxB/5  
Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBg6EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;  
MACX,IAAI,KA AK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,O  
AAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAiB,CAAjB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IA  
A7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;IAGX,mC;MxB56EI,IAAI,EwBs7EI,KA  
AK,CxBt7ET,CAAJ,C;QACI,cwBq7Ec,sD;QxBp7Ed,MAAM,gCAAYB,OAAQ,WAAjC,C;OwBq7EV,IAAI,MAA  
K,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KA AK,IAAT,C;QA Ae,OAAO,mB;MACtB,IAAI,  
MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAkB,CAAI  
B,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,  
OAAO,I;K;mGAGX,yB;MAAA,4C;MAAA,gD;MA s2CI,8D;Mat2CJ,uC;QASI,iBA61CgB,cAAR,iBAAQ,CA71C  
hB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ  
,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;mGAIbA,yB;MAAA,4C;MAAA,gD;MA61CI,8D;MA71CJ,uC;QA  
SI,iBAo1CgB,cAAR,iBAAQ,CAP1ChB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,C  
AAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;mGAIbA,yB;MAAA,4C;MA  
AA,gD;MAo1CI,8D;MAP1CJ,uC;QASI,iBA20CgB,cAAR,iBAAQ,CA30ChB,WAA+B,CAA/B,U;UACI,IAAI,CA  
AC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;K  
AdX,C;mGAIbA,yB;MAAA,4C;MAAA,gD;MA20CI,8D;MA30CJ,uC;QASI,iBAk0CgB,cAAR,iBAAQ,CA10ChB,  
WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,C

AAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QA  
CE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI  
,IAAJ,C;;QAET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B  
;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,  
C;;QAET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAA  
b,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QA  
ET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAA  
a,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OA  
AO,I;O;KafX,C;uFAkBA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD  
;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;  
KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,  
gD;QAaY,QAAR,iBAAQ,EAAQ,SAAR,EAAMB,OAAAnB,C;O;KAbZ,C;uFAgBA,yB;MAAA,kD;MAAA,gD;QAa  
Y,QAAR,iBAAQ,EAAQ,SAAR,EAAMB,OAAAnB,C;O;KAbZ,C;uFAgBA,yB;MAAA,kD;MAAA,gD;QAaY,QAA  
R,iBAAQ,EAAQ,SAAR,EAAMB,OAAAnB,C;O;KAbZ,C;uFAgBA,yB;MAAA,kD;MAAA,gD;QAaY,QAAR,iBAA  
Q,EAAQ,SAAR,EAAMB,OAAAnB,C;O;KAbZ,C;IAgBA,gC;MAMI,IAAI,mBAAJ,C;QAaE,OAAO,W;MACtB,W  
AAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QAaE,OAAO,W;MACtB  
,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QAaE,OAAO,W;MA  
CtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QAaE,OAAO,W;  
MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;kGAGX,yB;MAAA,8D;MAAA,uC;MAAA,4B;Q  
AOI,OAAO,mBAAkB,cAAR,iBAAQ,CAAIb,C;O;KAPX,C;kGAUA,yB;MAAA,8D;MAAA,yC;MAAA,4B;QAOI,  
OAAO,oBAAmB,cAAR,iBAAQ,CAAnB,C;O;KAPX,C;mGAUA,yB;MAAA,8D;MAAA,yC;MAAA,4B;QAOI,O  
AAO,oBAAmB,cAAR,iBAAQ,CAAnB,C;O;KAPX,C;mGAUA,yB;MAAA,8D;MAAA,2C;MAAA,4B;QAOI,OA  
AO,qBAAoB,cAAR,iBAAQ,CAApB,C;O;KAPX,C;IAUA,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,+B;MAMI,sBA  
AQ,4BAAR,C;K;IAGJ,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,+B;MAMI,sBAAQ,4BAAR,C;K;IAGJ,uC;MAQI,a  
A8+BgB,gBAAR,iBAAQ,CA9+BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QA  
Cf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EA  
AU,IAAV,C;;K;IAIR,uC;MAQI,aAs+BgB,gBAAR,iBAAQ,CAt+BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,i  
BAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAA  
V,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aA89BgB,gBAAR,iBAAQ,CA99BhB,OAA2B,CA  
A3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CA  
AL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IAIR,uC;MAQI,aAs9BgB,gBAAR  
,iBAAQ,CA9BhB,OAA2B,CAA3B,M;QACI,QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAA  
K,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBAAK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;IA  
IR,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QApSI,UAAR,iBAAQ,C;Q;IAySZ,sC;MAMI,IAAI,iBAAO,CAAX  
,C;QACI,iB;QAtSI,UAAR,iBAAQ,C;Q;IA2SZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QAxSI,UAAR,iBAAQ  
,C;Q;IA6SZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QA1SI,UAAR,iBAAQ,C;Q;IA+SZ,6B;MAMoB,kBA+nB  
T,cAAU,iBvB58EO,QuB48EjB,C;MA/nBiB,mB;MAAxB,OAAiC,SrBv3F1B,WqBu3F0B,C;K;IAGrC,8B;MAMo  
B,kBAkoBT,eAAmB,UAAR,iBAAQ,CAAnB,C;MALoBiB,mB;MAAxB,OAAiC,SrBh4F1B,WqBg4F0B,C;K;IAGr  
C,8B;MAMoB,kBAqoBT,eAAW,iBvBx/EM,QuBw/EjB,C;MAroBiB,mB;MAAxB,OAAiC,UrBz4F1B,WqBy4F0B  
,C;K;IAGrC,8B;MAMoB,kBAwoBT,gBAAY,iBvB1/EK,QuB0/EjB,C;MAxoBiB,mB;MAAxB,OAAiC,UrB15F1B,  
WqBk5F0B,C;K;IAGrC,kC;MAMI,IAAI,mBAAJ,C;QAaE,OAAO,S;MACD,kBA0lBd,cA11BA,SA0lBU,QvB58E  
O,QuB48EjB,C;MA11BsB,mB;MAA7B,OrB55FO,W;K;IqB+5FX,kC;MAMI,IAAI,mBAAJ,C;QAaE,OAAO,S;M  
ACD,kBA4lBd,eAAmB,UA5lBnB,SA4lBW,QAAQ,CAAnB,C;MA5lBsB,mB;MAA7B,OrBt6FO,W;K;IqBy6FX,k  
C;MAMI,IAAI,mBAAJ,C;QAaE,OAAO,S;MACD,kBA8lBd,eA9lBA,SA8lBW,QvBx/EM,QuBw/EjB,C;MA9lBsB  
,mB;MAA7B,OrBh7FO,W;K;IqBm7FX,mC;MAMI,IAAI,mBAAJ,C;QAaE,OAAO,S;MACD,kBAgmBd,gBAhmB  
A,SAgmBY,QvB1/EK,QuB0/EjB,C;MAhmBsB,mB;MAA7B,OrB17FO,W;K;IqB67FX,4C;MAMI,IAAI,mBAAJ,C  
;QAaE,OAAO,S;MACD,kBAkjBd,cAljBA,SAkjBU,QvB58EO,QuB48EjB,C;MALjBsB,8B;MAA7B,OrBp8FO,W;  
K;IqBu8FX,4C;MAMI,IAAI,mBAAJ,C;QAaE,OAAO,S;MACD,kBAojBd,eAAmB,UApjBnB,SAojBW,QAAQ,C

AAAnB,C;MApjBsB,8B;MAA7B,OrB98FO,W;K;IqBi9FX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kB  
AsjBd,eAtjBA,SAsjBW,QvBx/EM,QuBw/EjB,C;MAtjBsB,8B;MAA7B,OrBx9FO,W;K;IqB29FX,6C;MAMI,IAAI,  
mBAAJ,C;QAAe,OAAO,S;MACD,kBAwjBd,gBAxjBA,SAwjBY,QvB1/EK,QuB0/EjB,C;MAxjBsB,8B;MAA7B,  
OrBl+FO,W;K;IqBq+FX,uC;MAQoB,kBAygBT,cAAU,iBvB58EO,QuB48EjB,C;MAzgBiB,mB;MAAxB,OAAiC,  
YrB7+F1B,WqB6+F0B,C;K;IAGrC,wC;MAQoB,kBA0gBT,eAAmB,UAAr,iBAAQ,CAAnB,C;MA1gBiB,mB;M  
AAxB,OAAiC,YrBx/F1B,WqBw/F0B,C;K;IAGrC,wC;MAQoB,kBA2gBT,eAAW,iBvBx/EM,QuBw/EjB,C;MA3g  
BiB,mB;MAAxB,OAAiC,YrBngG1B,WqBmgG0B,C;K;IAGrC,wC;MAQoB,kBA4gBT,gBAAY,iBvB1/EK,QuB0/  
EjB,C;MA5gBiB,mB;MAAxB,OAAiC,YrB9gG1B,WqB8gG0B,C;K;4FAGrC,qB;MAQI,OAAO,iB;K;0FAGX,qB;  
MAQI,OAAO,iB;K;4FA+BX,qB;MAQI,OAAO,iB;K;8FAGX,qB;MAQI,OAAO,iB;K;8FAGX,yB;MAAA,yC;MA  
AA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;4FAWA,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAU,S  
AAV,C;O;KARX,C;8FAWA,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;gGAWA,yB  
;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SAAZ,C;O;KARX,C;IAWA,2C;MASI,OAAy,gBAAL,SAAK,EA  
Ac,KAAc,C;K;IAGhB,2C;MASI,OAAy,gBAAL,SAAK,EAAC,KAAc,C;K;IAGhB,2C;MASI,OAAy,gBAAL,SA  
AK,EAAC,KAAc,C;K;IAGhB,2C;MASI,OAAy,gBAAL,SAAK,EAAC,KAAc,C;K;IAGhB,2C;MAOI,OAAqB,cA  
Ad,4CAAc,EAAC,oCAAd,C;K;IAGzB,2C;MAOI,OAAqB,cAAd,4CAAc,EAAC,oCAAd,C;K;IAGzB,2C;MAOI,O  
AAqB,cAAd,4CAAc,EAAC,oCAAd,C;K;IAGzB,2C;MAOI,OAAqB,cAAd,4CAAc,EAAC,oCAAd,C;K;IAGzB,sC;  
MAQI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAQI,OAAy,kBAA  
L,SAAK,C;K;IAGhB,sC;MAQI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGz  
B,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAMI,OAAqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAMI,OA  
AqB,gBAAd,4CAAc,C;K;IAGzB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAy,kBAAL,SAAK,  
C;K;IAGhB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAUI,OAAy,kBAAL,SAAK,C;K;IAGhB,sC;MAQ  
W,Q;MAAP,OAAO,sDAAmB,IAAnB,EAAYB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;MA  
AP,OAAO,sDAAmB,IAAnB,EAAYB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;MAAP,OAA  
O,sDAAmB,IAAnB,EAAYB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;IAGjD,sC;MAQW,Q;MAAP,OAAO,sDAA  
mB,IAAnB,EAAYB,GAAzB,EAA8B,GAA9B,2BAAsC,M;K;sFAGjD,yB;MvBxhFA,8C;MuBwhFA,kF;QAmB6D,  
iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvhF1H,UuBwhFA,iBvBxh  
FA,EuBwhFiB,WAAy,QvBxhF7B,EuBwhFsC,iBvBxhFtC,EuBwhFyD,UvBxhFzD,EuBwhFqE,QvBxhFrE,C;QuB  
yhFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MvBxhFA,8C;MuBwhFA,kF;QAmB+D,iC;UAAA,oBAAYB,C;QAA  
G,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvBvhF5H,UuBwhFA,iBvBxhFA,EuBwhFiB,WAAy,QvB  
xhF7B,EuBwhFsC,iBvBxhFtC,EuBwhFyD,UvBxhFzD,EuBwhFqE,QvBxhFrE,C;QuByhFA,OAAO,W;O;KArBX,  
C;wFAwBA,yB;MvBxnFA,8C;MuBwnFA,kF;QAmB+D,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QA  
AG,wB;UAAA,WAAgB,c;QvBvnF5H,UuBwnFA,iBvBxnFA,EuBwnFiB,WAAy,QvBxnF7B,EuBwnFsC,iBvBxnF  
tC,EuBwnFyD,UvBxnFzD,EuBwnFqE,QvBxnFrE,C;QuBynFA,OAAO,W;O;KArBX,C;wFAwBA,yB;MvBxnFA,8  
C;MuBwnFA,kF;QAmBiE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAAkB,C;QAAG,wB;UAAA,WAAgB,c;QvB  
vnF9H,UuBwnFA,iBvBxnFA,EuBwnFiB,WAAy,QvBxnF7B,EuBwnFsC,iBvBxnFtC,EuBwnFyD,UvBxnFzD,EuB  
wnFqE,QvBxnFrE,C;QuBynFA,OAAO,W;O;KArBX,C;kFAwBA,yB;MAAA,uC;MAAA,4B;QASI,OAAO,mBAA  
U,iBvB58EO,QuB48EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAmB,O  
AAR,iBAAQ,CAAnB,C;O;KATX,C;oFAYA,yB;MAAA,yC;MAAA,4B;QASI,OAAO,oBAAW,iBvBx/EM,QuBw/  
EjB,C;O;KATX,C;oFAYA,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAY,iBvB1/EK,QuB0/EjB,C;O;KATX,C;  
oFAYA,yB;MAAA,gD;MAAA,uC;MAAA,qC;QAWI,OAAO,mBAAkB,OAAR,iBAAQ,EAAO,OAAP,CAAI,C;  
O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,EAAO,OAAP  
,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,+C;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAmB,OAAR,iBAAQ,E  
AAO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,2C;MAAA,qC;QAWI,OAAO,qBAAoB,OA  
AR,iBAAQ,EAAO,OAAP,CAAP,C;O;KAXX,C;4FAcA,yB;MAAA,0D;MAAA,uC;MAAA,gD;QAaI,OAAO,mBA  
AkB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAI,C;O;KAbX,C;8FAgBA,yB;MAAA,0D;MAAA,yC;M  
AAA,gD;QAaI,OAAO,oBAAmB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAnB,C;O;KAbX,C;8FAgBA,  
yB;MAAA,0D;MAAA,yC;MAAA,gD;QAaI,OAAO,oBAAmB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CA  
AnB,C;O;KAbX,C;6FAgBA,yB;MAAA,0D;MAAA,2C;MAAA,gD;QAaI,OAAO,qBAAoB,YAAR,iBAAQ,EAAY,

SAAZ,EAAuB,OAAvB,CAApB,C;O;KAbX,C;IAGbA,sD;MAWyC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACHE,OAAR,iBAAQ,EAAK,OnCv8GoB,KmCu8GzB,EAAAsB,SAAtB,EAAiC,OAAjC,C;K;IAGZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACIE,OAAR,iBAAQ,EAAK,OnB38GsB,KmB28G3B,EAAuB,SAAvB,EAAkC,OAAIC,C;K;IAGZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACIE,OAAR,iBAAQ,EAAK,OpC7gHsB,KoC6gH3B,EAAuB,SAAvB,EAAkC,OAAIC,C;K;IAGZ,wD;MAW6C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACpE,OAAR,iBAAQ,EAAK,OICjhHwB,KkCihH7B,EAAwB,SAAxB,EAAmC,OAAnc,C;K;8FASR,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;8FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;kGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;kGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;mGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;mGAQA,yB;MAAA,8D;MAAA,4B;QAAQ,OAAQ,cAAR,iBAAQ,C;O;KAAhB,C;FAEJ,yB;MAAA,uC;MvBvoEA,iD;MuBuoEA,qC;QAOqB,4B;QAAA,gBAAU,OnC9jHM,K;QmC8jHjC,OAAO,mBvBzoEA,2BAxIK,gBAAW,SAAX,EAwIL,CuByoEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvBzoEA,iD;MuByoEA,qC;QAOI,OAAO,oBvB3oEA,qBuB2oEW,iBvB3oEX,EAxIK,mBuBmxEgB,OnB7jHO,KJ0yCvB,CAwIL,CuB2oEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvB3qEA,iD;MuB2qEA,qC;QAOsB,4B;QAAA,gBAAU,OpC1nHO,K;QoC0nHnC,OAAO,oBvB7qEA,2BAxIK,eAAY,SAAZ,EAwIL,CuB6qEA,C;O;KAPX,C;iFAUA,yB;MAAA,2C;MvB7qEA,iD;MuB6qEA,qC;QAOuB,4B;QAAA,gBAAU,OICznHQ,K;QkCynHrC,OAAO,qBvB/qEA,2BAxIK,gBAAa,SAAb,EAwIL,CuB+qEA,C;O;KAPX,C;IAUA,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OnCvmHX,K;;MmCwmHjC,OAAO,cAAU,MAAV,C;K;IAGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OnBxmHT,K;;MmBymHnC,OAAO,eAAW,MAAX,C;K;IAGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OpCvqHT,K;;MoCwqHnC,OAAO,eAAW,MAAX,C;K;IAGX,sC;MAQoB,UAAiB,M;MAFjC,YAAY,c;MACZ,aAAqB,UAAAR,iBAAQ,EAAO,iBAAO,QAAS,KAAhB,IAAP,C;MACL,0B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAU,OAAO,cAAP,EAAO,sBAAP,YAAkB,OICxqHP,K;;MkCyqHrC,OAAO,gBAAY,MAAZ,C;K;iFAGX,yB;MAAA,uC;MvB/tEA,iD;MuB+tEA,sC;QAOI,OAAO,mBvBjuEA,qBuBiuEU,iBvBjuEV,EuBiuEoB,QAAS,QvBjuE7B,CuBiuEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvBjuEA,iD;MuBiuEA,sC;QAOI,OAAO,oBvBnuEA,qBuBmuEW,iBvBnuEX,EuBmuEqB,QAAS,QvBnuE9B,CuBmuEA,C;O;KAPX,C;iFAUA,yB;MAAA,yC;MvBnwEA,iD;MuBmwEA,sC;QAOI,OAAO,oBvBrwEA,qBuBqwEW,iBvBrwEX,EuBqwEqB,QAAS,QvBrwE9B,CuBqwEA,C;O;KAPX,C;iFAUA,yB;MAAA,2C;MvBrwEA,iD;MuBqwEA,sC;QAOI,OAAO,qBvBvwEA,qBuBuwEY,iBvBvwEZ,EuBuwEsB,QAAS,QvBvwE/B,CuBuwEA,C;O;KAPX,C;IAUA,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAC,YAAU,SAAV,EAAGB,CAAhB,EAAmB,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAC,YAAU,SAAV,EAAGB,CAAhB,EAAmB,cAAnB,C;K;IAGIB,2B;MAQI,IAAI,iBAAO,CAAX,C;QAAC,YAAU,SAAV,EAAGB,CAAhB,EAAmB,cAAnB,C;K;IAGIB,+C;MAa0B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACzD,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAGJ,+C;MAa2B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC1D,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAGJ,+C;MAa2B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC1D,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAGJ,+C;MAa4B,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC3D,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,cAAtC,C;MACb,YAAU,SAAV,EAAGB,SAAhB,EAA2B,OAA3B,C;K;IAGJ,0D;MAaI,kBAAK,SAAL,EAAGB,OAAhB,C;MAh8CQ,WAAR,iBAAQ,EAi8CA,SAj8CA,EAi8CW,OAJ8CX,C;K;IAo8CZ,0D;MAaI,kBAAK,SAAL,EAAGB,OAAhB,C;MAj8CQ,WAAR,iBAAQ,EAk8CA,SAI8CA,EAk8CW,OAI8CX,C;K;IAq8CZ,0D;MAaI,kBAAK,SAAL,EAAGB,OAAhB,C;MAI8CQ,WAAR,iBAAQ,EAm8CA,SAn8CA,EAm8CW,OAn8CX,C;K;IAS8CZ,0D;MAaI,kBAAK,SAAL,EAAGB,OAAhB,

C;MAn8CQ,WAAR,iBAAQ,EAo8CA,SAp8CA,EAo8CW,OAp8CX,C;K;8FAu8CZ,qB;MAQI,OAAO,iBvB3jGiB,Q;K;4FuB8jG5B,qB;MAQI,OAAO,iBvBljGiB,Q;K;8FuBqjG5B,yB;MAAA,gD;MAAA,4B;QAQI,OAAe,OAAR,iBAAQ,C;O;KARnB,C;gGAWA,qB;MAQI,OAAO,iBvBlIgiB,Q;K;IuB2lGL,gD;MAAA,wB;QAAW,qCAAK,KAL,C;O;K;IANIC,iC;MAMI,OAAO,iBAAM,cAAN,EAAY,8BAAZ,C;K;IASY,kD;MAAA,wB;QAAW,qCAAK,KAAAL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASY,kD;MAAA,wB;QAAW,qCAAK,KAAL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASY,kD;MAAA,wB;QAAW,qCAAK,KAAL,C;O;K;IANIC,mC;MAMI,OAAO,iBAAM,cAAN,EAAY,gCAAZ,C;K;IASiB,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IANvC,iC;MAMI,OJnqIO,eAAW,+BIImqIA,gBJnqIA,GAAGB,kBIImqIV,8BJnqIU,CAAhB,CAX,C;K;gGIsqIX,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SvBppGM,QuBopGjB,C;O;KARX,C;IAiB2B,8C;MAAA,wB;QAAW,wBAAK,KAAL,C;O;K;IANtC,gC;MAMI,OHvrIO,cAAU,gCGurIA,gBHvrIA,GAAe,iBGurIT,6BHvrIS,CAAF,CAAV,C;K;8FG0rIX,yB;MAAA,uC;MAAA,4B;QAQI,OAAO,mBAAU,SvBppGO,QuBopGjB,C;O;KARX,C;IAiB4B,gD;MAAA,wB;QAAW,yBAAK,KAAL,C;O;K;IANvC,iC;MAMI,OF3sIO,eAAW,kBE2sIA,gBF3sIA,EAAGB,kBE2sIV,8BF3sIU,CAAhB,CAX,C;K;gGE8sIX,yB;MAAA,gD;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAgB,OAAL,SAAK,CAAhB,C;O;KARX,C;IAiB6B,kD;MAAA,wB;QAAW,0BAAK,KAAL,C;O;K;IANxk,cC;MAMI,OD/tIO,gBAAY,gCC+tIA,gBD/tIA,GAAiB,mBC+tIX,+BD/tIW,CAAjB,CAAZ,C;K;kGCKuIX,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SvBtsGK,QuBssGjB,C;O;KARX,C;MGAWA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAAyC,cAAIB,YAAY,cAAZ,CAAKB,EAAC,EAAD,CAAzC,C;QAsEG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAGB,yB;UArEO,MAsEP,aAAI,OAAJ,EAtEe,aAsEF,CAAC,OAAd,CAAb,C;;QAtEhB,OAaUB,M;O;Kaf3B,C;MGakBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA0C,cAAIB,YAAY,cAAZ,CAAKB,EAAC,EAAD,CAA1C,C;QAsEG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAGB,yB;UArEO,MAsEP,aAAI,OAAJ,EAtEe,aAsEF,CAAC,OAAd,CAAb,C;;QAtEhB,OAaUB,M;O;Kaf3B,C;kGakBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA0C,cAAIB,YAAY,cAAZ,CAAKB,EAAC,EAAD,CAA1C,C;QAsEG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAGB,yB;UArEO,MAsEP,aAAI,OAAJ,EAtEe,aAsEF,CAAC,OAAd,CAAb,C;;QAtEhB,OAaUB,M;O;Kaf3B,C;MGakBA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAcI,aAAa,mBAA2C,cAAIB,YAAY,cAAZ,CAAKB,EAAC,EAAD,CAA3C,C;QAsEG,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAGB,yB;UArEO,MAsEP,aAAI,OAAJ,EAtEe,aAsEF,CAAC,OAAd,CAAb,C;;QAtEhB,OAaUB,M;O;Kaf3B,C;uGakBA,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAaO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAaO,W;K;uGAGX,iD;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAaO,W;K;uFAGX,yB;MAAA,+D;MAoLA,gD;MApLA,uC;QASW,kBAAU,gB;QAKLD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAAGB,yB;UACZ,WAnL6B,SAmLIB,CAAU,OAaV,C;UACC,OAaZ,WAAy,EAAO,IAAP,C;;QApLhB,OAoLo,W;O;KA/LX,C;uFAYA,yB;MAAA,+D;MAsLA,gD;MatLA,uC;QASW,kBAAU,gB;QaOLd,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAAGB,yB;UACZ,WArL6B,SAqLIB,CAAU,OAaV,C;UACC,OAaZ,WAAy,EAAO,IAAP,C;;QAtLhB,OAwLo,W;O;KAjMX,C;uFAYA,yB;MAAA,+D;MAwLA,gD;MAxLA,uC;QASW,kBAAU,gB;QAsLD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAAGB,yB;UACZ,WAvL6B,SAuLIB,CAAU,OAaV,C;UACC,OAaZ,WAAy,EAAO,IAAP,C;;QAxLhB,OA0Lo,W;O;KAnMX,C;uFAYA,yB;MAAA,+D;MA0LA,gD;MA1LA,uC;QASW,kBAAU,gB;QAwLD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAAGB,yB;UACZ,WAzL6B,SAyLIB,CAAU,OAaV,C;UACC,OAaZ,WAAy,EAAO,IAAP,C;;QA1LhB,OA4Lo,W;O;KArMX,C;qGAYA,yB;MAAA,+D;MA4DA,gD;MA5DA,uC;QAYW,kBAAiB,gB;QA2DR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAGB,yB;UACZ,WA5DoC,SA4DzB,EAAU,cAAV,EAAU,sBAaV,WAAmB,OAAnB,C;UACC,OAaZ,WAAy,EAAO,IAAP,C;;QA7DhB,OA+DO,W;O;KA3EX,C;qGAeA,yB;MAAA,+D;MA+DA,gD;MA/DA,uC;QAYW,kBAAiB,gB;QA8DR,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAAGB,yB;UACZ,WA/DoC,SA+DzB,EAAU,cAAV,EAAU,sBAaV,WAAmB,OAAnB,C;UACC,OAaZ,WAAy,EAAO,IAAP,C;;QAhEhB,OAkEO,W;O;KA9EX,C;qGAeA,yB;MAAA,+D;MAkEA,gD;MAIEA,uC;QAYW,kBAAiB,gB;QAIER,gB;QADhB,YAAY,C;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAAGB,yB;UACZ,WAlEOC,SAkEzB,EAAU,cAAV,EAAU,sBAaV,WAAmB

,OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAnEhB,OAqEO,W;O;KAjFX,C;qGAeA,yB;MAAA,+D;MAqEA,gD;MArEA,uC;QAYW,kBAaIB,gB;QAOER,gB;QADhB,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WArEOC,SAqEzB,EAAU,cAAV,EAAU,sBAaV,WAAmB,OAAAnB,C;UACC,OAAZ,WAAy,EA AO,IAAP,C;;QAtEhB,OAWE,O,W;O;KApFX,C;yGAeA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YA AY,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAaV,WAAmB, OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,gD;MAAA ,oD;QAWoB,UACS,M;QAFzB,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAA U,cAAV,EAAU,sBAaV,WAAmB,OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX, C;yGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C ;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAaV,WAAmB,OAAAnB,C;UACC,OAAZ,WAAy,EAAO,IA AP,C;;QAEhB,OAAO,W;O;KafX,C;yGakBA,yB;MAAA,gD;MAAA,oD;QAWoB,UACS,M;QAFzB,YAAy,C;Q ACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,WAAU,cAAV,EAAU,sBAaV,WAAmB,OAAAnB ,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KafX,C;2FakBA,yB;MAAA,gD;MAAA,oD;QA OoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAA Y,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;2FACa,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAA hB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAE hB,OAAO,W;O;KAXX,C;2FACa,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;U AAagB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX, C;2FACa,yB;MAAA,gD;MAAA,oD;QAOoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAA W,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAXX,C;uFACa,yB;MAAA,w E;MA4HA,+D;MA5HA,yC;QAYW,kBAaU,oB;QA4HD,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;U ACZ,UA7HoD,WA6H1C,CAAY,OAAZ,C;U/B59IP,U;UADP,Y+B89Ie,W/B99IH,W+B89IwB,G/B99IxB,C;UAC L,IAAI,aAAJ,C;YACH,a+B49IuC,gB;YAA5B,W/B39IX,a+B29IgC,G/B39IhC,EAAS,MAAT,C;YACA,e;;YAEA, c;;U+Bw9IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA/HT,OaiIO,W;O;KA7IX,C;uFAeA,yB;MAAA,wE;MAiIA,+D; MAjIA,yC;QAYW,kBAaU,oB;QaiID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAlIqD,Wak I3C,CAAY,OAAZ,C;U/Bh/IP,U;UADP,Y+Bk/Ie,W/BI/IH,W+Bk/IwB,G/BI/IxB,C;UACL,IAAI,aAAJ,C;YACH,a+ Bg/IuC,gB;YAA5B,W/B/+IX,a+B++IgC,G/B/+IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B4+IA,iB;UACA,IAA K,WAAI,OAAJ,C;;QApIT,OAsIO,W;O;KAIJX,C;sFAeA,yB;MAAA,wE;MAsIA,+D;MATIA,yC;QAYW,kBAaU, oB;QAsID,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAvIqD,WAuI3C,CAAY,OAAZ,C;U/Bp gJP,U;UADP,Y+BsgJe,W/BtgJH,W+BsgJwB,G/BtgJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BogJuC,gB;YAA5B,W/ BngJX,a+BmgJgC,G/BngJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BggJA,iB;UACA,IAAK,WAAI,OAAJ,C;;Q AzIT,OA2IO,W;O;KAvJX,C;uFAeA,yB;MAAA,wE;MA2IA,+D;MA3IA,yC;QAYW,kBAaU,oB;QA2ID,Q;QAA A,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA5IsD,WA4I5C,CAAY,OAAZ,C;U/BxhJP,U;UADP,Y+B0 hJe,W/B1hJH,W+B0hJwB,G/B1hJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BwhJuC,gB;YAA5B,W/BvhJX,a+BuhJgC ,G/BvhJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BohJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9IT,OAqJO,W;O ;KA5JX,C;uFAeA,yB;MAAA,wE;MAgJA,+D;MAhJA,yD;QAaW,kBAaU,oB;QAqJD,Q;QAAA,2B;QAAhB,OA AgB,cAAhB,C;UAAgB,yB;UACZ,UajJiD,WaiJvC,CAAY,OAAZ,C;U/B7iJP,U;UADP,Y+B+iJe,W/B/iJH,W+B+ iJwB,G/B/iJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B6iJuC,gB;YAA5B,W/B5iJX,a+B4iJgC,G/B5iJhC,EAAS,MAAT ,C;YACA,e;;YAEA,c;;U+ByiJA,iB;UACA,IAAK,WAnJyD,cAmJrD,CAAE,OAaf,CAAJ,C;;QAnJT,OAqJO,W;O; KAIKX,C;uFAGBA,yB;MAAA,wE;MAqJA,+D;MArJA,yD;QAaW,kBAaU,oB;QAqJD,Q;QAAA,2B;QAAhB,OA AgB,cAAhB,C;UAAgB,yB;UACZ,UAtJiD,WAsJvC,CAAY,OAAZ,C;U/BlkJP,U;UADP,Y+BokJe,W/BpkJH,W+B okJwB,G/BpkJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkkJuC,gB;YAA5B,W/BjkJX,a+BikJgC,G/BjkJhC,EAAS,M AAT,C;YACA,e;;YAEA,c;;U+B8jJA,iB;UACA,IAAK,WaxJyD,cAwJrD,CAAE,OAaf,CAAJ,C;;QAxJT,OA0JO, W;O;KAvKX,C;uFAGBA,yB;MAAA,wE;MA0JA,+D;MA1JA,yD;QAaW,kBAaU,oB;QA0JD,Q;QAAA,2B;QAAh B,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UA3JiD,WA2JvC,CAAY,OAAZ,C;U/BvIJP,U;UADP,Y+BvIJe,W/BzIjH, W+BvIjwB,G/BzIjxB,C;UACL,IAAI,aAAJ,C;YACH,a+BulJuC,gB;YAA5B,W/BtIjX,a+BslJgC,G/BtIjHc,EAAS, MAAT,C;YACA,e;;YAEA,c;;U+BmlJA,iB;UACA,IAAK,WA7JyD,cA6JrD,CAAE,OAaf,CAAJ,C;;QA7JT,OA+J O,W;O;KA5KX,C;uFAGBA,yB;MAAA,wE;MA+JA,+D;MA/JA,yD;QAaW,kBAaU,oB;QA+JD,Q;QAAA,2B;QA

AhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAhKiD,WAgKvC,CAAY,OAAZ,C;U/B5mJP,U;UADP,Y+B8mJe,W/B9mJH,W+B8mJwB,G/B9mJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4mJuC,gB;YAA5B,W/B3mJX,a+B2mJgC,G/B3mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwmJA,iB;UACA,IAAK,WAlKyD,cAkKrD,CAAe,OAAf,CAAJ,C;;QAiKT,OAoKO,W;O;KAjLX,C;2FAgBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/B59IP,U;UADP,Y+B89Ie,W/B99IH,W+B89IwB,G/B99Ix B,C;UACL,IAAI,aAAJ,C;YACH,a+B49IuC,gB;YAA5B,W/B39IX,a+B29IgC,G/B39IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+Bw9IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/Bh/I P,U;UADP,Y+Bk/Ie,W/BI/IH,W+Bk/IwB,G/BI/IxB,C;UACL,IAAI,aAAJ,C;YACH,a+Bg/IuC,gB;YAA5B,W/B/+I X,a+B++IgC,G/B/+IhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B4+IA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET, OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UA AgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BpgJP,U;UADP,Y+BsgJe,W/BtgJH,W+BsgJwB,G/BtgJxB,C;UACL,I AAI,aAAJ,C;YACH,a+BogJuC,gB;YAA5B,W/BngJX,a+BmgJgC,G/BngJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;; U+BggJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;Q AYoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BxhJP,U;UADP,Y +B0hJe,W/B1hJH,W+B0hJwB,G/B1hJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BwhJuC,gB;YAA5B,W/BvhJX,a+Buh JgC,G/BvhJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BohJA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W ;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;U ACZ,UAAU,YAAY,OAAZ,C;U/B7iJP,U;UADP,Y+B+iJe,W/B/iJH,W+B+iJwB,G/B/iJxB,C;UACL,IAAI,aAAJ,C; YACH,a+B6iJuC,gB;YAA5B,W/B5iJX,a+B4iJgC,G/B5iJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+ByiJA,iB;UA CA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAao B,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BikJP,U;UADP,Y+Bok Je,W/BpkJH,W+BokJwB,G/BpkJxB,C;UACL,IAAI,aAAJ,C;YACH,a+BkkJuC,gB;YAA5B,W/BjkJX,a+BikJgC,G/ BjkJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+B8jJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OA AO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB ,yB;UACZ,UAAU,YAAY,OAAZ,C;U/BvIJP,U;UADP,Y+BvIJe,W/BzIjH,W+BvIjwB,G/BzIjxB,C;UACL,IAAI,a AAJ,C;YACH,a+BulJuC,gB;YAA5B,W/BtlJX,a+BslJgC,G/BtlJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BmlJA ,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE ;QAaoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U/B5mJP,U;UADP ,Y+B8mJe,W/B9mJH,W+B8mJwB,G/B9mJxB,C;UACL,IAAI,aAAJ,C;YACH,a+B4mJuC,gB;YAA5B,W/B3mJX, a+B2mJgC,G/B3mJhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U+BwmJA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CA AJ,C;;QAET,OAAO,W;O;KAIBX,C;+EAqBA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA ,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB ,OAwKO,W;O;KAILX,C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2 B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO, W;O;KAILX,C;8EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,O AAa,cAAb,C;UAAa,sB;UACT,WAAY,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAILX ,C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb, C;UAAa,sB;UACT,WAAY,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAILX,C;4FAaA,y B;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QAqDP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cA Ab,C;UAAa,sB;UACT,WAAY,WAtDwB,SAsDpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAt DhB,OAuDO,W;O;KAjEX,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QAWDP,gB;QAD b,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,WAZDwB,SAYDpB,EAAU,cAAV,EAAU, sBAAV,WAAmB,IAAnB,CAAJ,C;;QAZDhB,OA0DO,W;O;KApEX,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW, kBAaA,eAAa,cAAb,C;QA2DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAY,W A5DwB,SA4DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5DhB,OA6DO,W;O;KAvEX,C;4F AaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QA8DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OA Aa,cAAb,C;UAAa,sB;UACT,WAAY,WA/DwB,SA+DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,

C;;QA/DhB,OAgEO,W;O;KA1EX,C;iGAaA,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHb,OA AO,W;K;iGAGX,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT, WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHb,OAAO,W;K;iGAGX,6C;MAW iB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,WAAU,cAA V,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHb,OAAO,W;K;iGAGX,6C;MAWiB,UACiB,M;MAF9B,YAA Y,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,I AAnB,CAAJ,C;;MACHb,OAAO,W;K;mFAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAC T,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;mFAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa, cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;mFAGX,6C;MAQiB,Q;M AAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHb,OAAO,W;K;m FAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;; MACHb,OAAO,W;K;IAUiB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;IAU iB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;IAUiB,6C;MAAA,mB;QAAE, gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;IAUiB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI, OAAO,qBAAiB,8BAAjB,C;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM ,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;+EAGX,gC;MASoB,Q;MAAA,2B; MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD ,OAAO,I;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UA AU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAGB, cAAhB,C;QAAGB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;+EA GX,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,yB;MAAA,0C;MAAA,4B;QA SI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KAT nB,C;+EAYA,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,gC;MASoB,Q;MAA A,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD, OAAO,K;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OA AV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB ,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MASoB ,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;; MACrD,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,y B;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YA AY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MA C9C,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;Q AAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAY,C ;MACI,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,O AAO,K;K;iFAGX,yC;MAaoB,Q;MADhB,kBAaKB,O;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;iFAGX,yC;MAaoB,Q;MADhB,kBAaKB,O;MA CF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO ,W;K;iFAGX,yC;MAaoB,Q;MADhB,kBAaKB,O;MACF,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,cAA c,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;iFAGX,yC;MAaoB,Q;MADhB,kBAaKB,O;MACF,2B ;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K; +FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAaKB,O;MACF,2B;MAAhB,OAAGB,cAAhB,C;QA AgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;;MACpC,OAAO,W; K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAaKB,O;MACF,2B;MAAhB,OAAGB,cAAhB,C; QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;;MACpC,OAAO, W;K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAaKB,O;MACF,2B;MAAhB,OAAGB,cAAhB, C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;;MACpC,OAA O,W;K;+FAGX,yC;MAeoB,UAA8B,M;MAF9C,YAAY,C;MACZ,kBAaKB,O;MACF,2B;MAAhB,OAAGB,cAAh

B,C;QAAGB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAGC,OAAhC,C;;MACpC,OAAO,W;K;0FAGX,yB;MA1uDI,8D;MA0uDJ,gD;QAeoC,Q;QAHhC,YAtvDgB,cAAR,iBAAQ,C;QAuvDhB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MATvDI,8D;MASvDJ,gD;QAeoC,Q;QAHhC,YAlwDgB,cAAR,iBAAQ,C;QAmwDhB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MA1wDI,8D;MAkwDJ,gD;QAeoC,Q;QAHhC,YA9wDgB,cAAR,iBAAQ,C;QA+wDhB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;2FAoBA,yB;MA9wDI,8D;MA8wDJ,gD;QAeoC,Q;QAHhC,YA1xDgB,cAAR,iBAAQ,C;QA2xDhB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAjBX,C;yGAoBA,yB;MA1zDI,8D;MA0zDJ,gD;QAaI,YAv0DgB,cAAR,iBAAQ,C;QAw0DhB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAaJB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;yGAsBA,yB;MAx0DI,8D;MAw0DJ,gD;QAaI,YAr1DgB,cAAR,iBAAQ,C;QAs1DhB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAaJB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;yGAsBA,yB;MA11DI,8D;MAS1DJ,gD;QAaI,YAn2DgB,cAAR,iBAAQ,C;QAo2DhB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAaJB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;yGAsBA,yB;MAp2DI,8D;MAo2DJ,gD;QAaI,YAj3DgB,cAAR,iBAAQ,C;Qak3DhB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAaJB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;uFAsBA,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;uFAG1B,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;uFAG1B,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;K;qGAG1B,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;IAGvB,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;mFAGX,yB;MA9gEI,8D;MA8gEJ,sC;QAMW,sB;;UAuCP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jEgB,cAAR,iBAAQ,C;UA8jEhB,IAAI,cAAa,CAAJB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApDP,yB;O;KANJ,C;mFASA,yB;MA/gEI,8D;MA+gEJ,sC;QAMW,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA9kEgB,cAAR,iBAAQ,C;UA+kEhB,IAAI,cAAa,CAAJB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3DmB,QA2DJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9De,QA8DP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApEP,yB;O;KANJ,C;mFASA,yB;MAhhEI,8D;MAghEJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBAhEgB,cAAR,iBAAQ,C;UAgmEhB,IAAI,cAAa,CAAJB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3FmB,QA2FJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Fe,QA8FP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;QApGP,yB;O;KANJ,C;+FASA,yB;MALjEI,8D;MAkjEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,

C;QACd,gBA7jEgB,cA6jEA,SA7jER,QAAQ,C;QA8jEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MAnkEI,8D;MAMkEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA9kEgB,cA8kEA,SA9kER,QAAQ,C;QA+kEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MAplEI,8D;MAolEJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA7jEgB,cA+IEA,SA/IER,QAAQ,C;QAgmEhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;+FAyBA,yB;MAAA,sE;MATpEI,8D;MpBnwHJ,iB;MoBy5LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtqEG,cAAR,iBAAQ,C;QAsqEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBn6LG,MAAO,KoBm6LO,QpBn6LP,EoBm6LiB,CpBn6LjB,C;;QoBq6Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MARqEI,8D;MpB3wHJ,iB;MoBg7LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArrEG,cAAR,iBAAQ,C;QAqrEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB17LG,MAAO,KoB07LO,QpB17LP,EoB07LiB,CpB17LjB,C;;QoB47Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAprEI,8D;MpBnxHJ,iB;MoBu8LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OApS EG,cAAR,iBAAQ,C;QAosEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBj9LG,MAAO,KoBi9LO,QpBj9LP,EoBi9LiB,CpBj9LjB,C;;QoBm9Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAnsEI,8D;MpB3xHJ,iB;MoB89LA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAntEG,cAAR,iBAAQ,C;QAmtEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBx+LG,MAAO,KoBw+LO,QpBx+LP,EoBw+LiB,CpBx+LjB,C;;QoB0+Ld,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAIvEI,8D;MpB9wHJ,iB;MoBggMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlwEG,cAAR,iBAAQ,C;QakwEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB1gMG,MAAO,KoB0gMO,QpB1gMP,EoB0gMiB,CpB1gMjB,C;;QoB4gMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAjwEI,8D;MpBtxHJ,iB;MoBuhMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAJxEG,cAAR,iBAAQ,C;QAixEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBjiMG,MAAO,KoBiiMO,QpBjiMP,EoBiiMiB,CpBjiMjB,C;;QoBmiMd,OA AO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhxEI,8D;MpB9xHJ,iB;MoB8iMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhYEG,cAAR,iBAAQ,C;QAgYehB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBxjMG,MAAO,KoBwjMO,QpBxjMP,EoBwjMiB,CpBxjMjB,C;;QoB0jMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/xEI,8D;MpBtyHJ,iB;MoBqkMA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAYEG,cAAR,iBAAQ,C;QA+yEhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB/kMG,MAAO,KoB+kMO,QpB/kMP,EoB+kMiB,CpB/kMjB,C;;QoBilMd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA90EI,8D;MA80EJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA51EG,cAAR,iBAAQ,C;QA41EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA71EI,8D;MA61EJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA32EG,cAAR,iBAAQ,C;QA22EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;

KApBX,C;mFAuBA,yB;MAAA,sE;MA52EI,8D;MA42EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA13EG,cAAR,iBAAQ,C;QA03EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OA AO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA33EI,8D;MA23EJ,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MA AM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz4EG,cAAR,iBAAQ,C;QAY4EhB,aAAU,CAA V,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QA GnB,OAAO,Q;O;KApBX,C;8FAuBA,yB;MA16EI,8D;MpBnwHJ,iB;MoB6qMA,sC;QAcIB,Q;QAFb,IAAI,mBAA J,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAx7EG,cAAR,iBAAQ,C;QAw7EhB,a AAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBrrMG,MAAO,KoBqrMO,QpBrrMP,Eo BqrMiB,CpBrrMjB,C;;QoBurMd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAv7EI,8D;MpB3wHJ,iB;MoBksMA,sC;Q AcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr8EG,cA AR,iBAAQ,C;QAq8EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB1sMG,MA AO,KoB0sMO,QpB1sMP,EoB0sMiB,CpB1sMjB,C;;QoB4sMd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAp8EI,8D; MpBnxHJ,iB;MoButMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAA L,CAAT,C;QACF,OA19EG,cAAR,iBAAQ,C;QAk9EhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CA AT,C;UACR,WpB/tMG,MAAO,KoB+tMO,QpB/tMP,EoB+tMiB,CpB/tMjB,C;;QoBiuMd,OAAO,Q;O;KAlBX,C; +FAqBA,yB;MAj9EI,8D;MpB3xHJ,iB;MoB4uMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,e AAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/9EG,cAAR,iBAAQ,C;QA+9EhB,aAAU,CAAV,iB;UACI,QAAQ, SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpvMG,MAAO,KoBovMO,QpBpvMP,EoBovMiB,CpBpvMjB,C;;QoB svMd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA9/EI,8D;MpB9wHJ,iB;MoB4wMA,sC;QAcIB,Q;QAFb,IAAI,mBA AJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5gFG,cAAR,iBAAQ,C;QA4gFhB, aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpxMG,MAAO,KoBoxMO,QpBpxMP ,EoBoxMiB,CpBpxMjB,C;;QoBsxMd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA3gFI,8D;MpBtxHJ,iB;MoBiyMA,s C;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAZhF G,cAAR,iBAAQ,C;QAYhFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBzyMG, MAAO,KoByyMO,QpBzyMP,EoByyMiB,CpBzyMjB,C;;QoB2yMd,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MAxhFI, 8D;MpB9xHJ,iB;MoBszMA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,C AAL,CAAT,C;QACF,OAtiFG,cAAR,iBAAQ,C;QAsiFhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,C AAT,C;UACR,WpB9zMG,MAAO,KoB8zMO,QpB9zMP,EoB8zMiB,CpB9zMjB,C;;QoBg0Md,OAAO,Q;O;KAlB X,C;+FAqBA,yB;MAriFI,8D;MpBtyHJ,iB;MoB20MA,sC;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACt B,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAnjFG,cAAR,iBAAQ,C;QAmjFhB,aAAU,CAAV,iB;UACI,QA AQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBn1MG,MAAO,KoBm1MO,QpBn1MP,EoBm1MiB,CpBn1MjB,C; ;QoBq1Md,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA11FI,8D;MAk1FJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe, OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9IFG,cAAR,iBAAQ,C;QA8IFhB,aAAU,CAAV, iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGn B,OAAO,Q;O;KAlBX,C;+FAqBA,yB;MA1FI,8D;MA1FI,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I; QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3mFG,cAAR,iBAAQ,C;QA2mFhB,aAAU,CAAV,iB;UA CI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OA AO,Q;O;KAlBX,C;+FAqBA,yB;MA5mFI,8D;MA4mFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QA CtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxnFG,cAAR,iBAAQ,C;QAwnFhB,aAAU,CAAV,iB;UACI, QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO, Q;O;KAlBX,C;+FAqBA,yB;MAznFI,8D;MAynFJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,e AAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArFG,cAAR,iBAAQ,C;QAqoFhB,aAAU,CAAV,iB;UACI,QAAQ, SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;K AlBX,C;2FAqBA,yB;MAAA,sE;MATqFI,8D;MASqFJ,kD;QAcIB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QA CrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAprFG,cAAR,iBAAQ,C;QAorFhB,aAAU,CAAV,iB;UACI,Q AAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAaIB,CAAX,GAakC,CAAt C,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;0FAuBA,yB;MAAA,sE;MArrFI,8D;MAqrFJ,kD;QAcIB,Q;



K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;IAGX,2B;MAKI,OAAO,uB;K;mFAGX,yB;MA9gGI,8D;MA8gGJ,sC;QAMW,sB;;UAuCP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA7jGgB,cAAR,iBAAQ,C;UA8jGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3CmB,QA2CJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QA AQ,sBAAK,CAAL,C;YACR,QA9Ce,QA8CP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAA U,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApDP,yB;O;KANJ,C;mFASA,yB;MA/gGI,8D;MA+gGJ,sC;QAMW ,sB;;UAuDP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBA9kGgB,cAA R,iBAAQ,C;UA+kGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3DmB,QA2DJ,CAAS,O AAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9De,QA8DP,CAAS,CAA T,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApEP,yB;O; KANJ,C;mFASA,yB;MAhhGI,8D;MAghGJ,sC;QAMW,sB;;UAuEP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB; WACf,cAAc,sBAAK,CAAL,C;UACd,gBA/lGgB,cAAR,iBAAQ,C;UAgmGhB,IAAI,cAAa,CAAjB,C;YAAoB,qB AAO,O;YAAP,uB;WACpB,eA3EmB,QA2EJ,CAAS,OAAT,C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ ,sBAAK,CAAL,C;YACR,QA9Ee,QA8EP,CAAS,CAAT,C;YACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C; cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApFP,yB;O;KANJ,C;mFASA,yB;MAjhGI,8D;MAihGJ,sC;QAMW,sB;; UAuFP,IAAI,mBAAJ,C;YAAe,qBAAO,I;YAAP,uB;WACf,cAAc,sBAAK,CAAL,C;UACd,gBAhnGgB,cAAR,iB AAQ,C;UAinGhB,IAAI,cAAa,CAAjB,C;YAAoB,qBAAO,O;YAAP,uB;WACpB,eA3FmB,QA2FJ,CAAS,OAAT, C;UACf,aAAU,CAAV,OAAa,SAAb,M;YACI,QAAQ,sBAAK,CAAL,C;YACR,QA9Fe,QA8FP,CAAS,CAAT,C;Y ACR,IAAI,2BAAW,CAAX,KAAJ,C;cACI,UAAU,C;cACV,WAAW,C;;UAGnB,qBAAO,O;;;QApGP,yB;O;KANJ ,C;+FASA,yB;MALjGI,8D;MAkjGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;Q ACd,gBA7jGgB,cA6jGA,SA7jGR,QAAQ,C;QA8jGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,S AAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT ,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KatBX,C;+FA yBA,yB;MAnkGI,8D;MAmkGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd, gBA9kGgB,cA8kGA,SA9kGR,QAAQ,C;QA+kGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAA S,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C; UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KatBX,C;+FAyB A,yB;MAplGI,8D;MAoIGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBA /lGgB,cA+lGA,SA/lGR,QAAQ,C;QAgmGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OA AT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UAC R,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KatBX,C;+FAyBA,yB ;MArmGI,8D;MAqmGJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAhn GgB,cAgnGA,SAhnGR,QAAQ,C;QAinGhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAA T,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,I AAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KatBX,C;kFAyBA,yB;M AAA,sE;MATpGI,8D;MpB/iHJ,iB;MoBqsNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eA Ae,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAtqGG,cAAR,iBAAQ,C;QAsqGhB,aAAU,CAAV,iB;UACI,QAAQ,S AAS,sBAAK,CAAL,CAAT,C;UACR,WpB/sNG,MAAO,KoB+sNO,QpB/sNP,EoB+sNiB,CpB/sNjB,C;;QoBitNd, OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MARqGI,8D;MpBvjHJ,iB;MoB4tNA,sC;QAgBiB,Q;QAFb,IAAI, mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OArrGG,cAAR,iBAAQ,C;QA qrGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBtuNG,MAAO,KoBsuNO,QpBt uNP,EoBsuNiB,CpBtuNjB,C;;QoBwuNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAprGI,8D;MpB/jHJ,i B;MoBmvNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAA T,C;QACF,OAPsGG,cAAR,iBAAQ,C;QAosGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C; UACR,WpB7vNG,MAAO,KoB6vNO,QpB7vNP,EoB6vNiB,CpB7vNjB,C;;QoB+vNd,OAAO,Q;O;KApBX,C;mF AuBA,yB;MAAA,sE;MAAnsGI,8D;MpBvkHJ,iB;MoB0wNA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM ,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAntGG,cAAR,iBAAQ,C;QAmtGhB,aAAU,CAAV,iB; UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBpxNG,MAAO,KoBoxNO,QpBpxNP,EoBoxNiB,CpBpx

NjB,C;;QoBsxDnd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAIvGI,8D;MpB1jHJ,iB;MoB4yNA,sC;QAgB  
iB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAlwGG,c  
AAR,iBAAQ,C;QAKwGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBtzNG,M  
AAO,KoBsZNO,QpBtzNP,EoBsZNiB,CpBtzNjB,C;;QoBwzNd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;M  
AjwGI,8D;MpBlkHJ,iB;MoBm0NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SA  
S,sBAAK,CAAL,CAAT,C;QACF,OAjxGG,cAAR,iBAAQ,C;QAixGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sB  
AAK,CAAL,CAAT,C;UACR,WpB70NG,MAAO,KoB60NO,QpB70NP,EoB60NiB,CpB70NjB,C;;QoB+0Nd,OAA  
O,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MAhxGI,8D;MpB1kHJ,iB;MoB01NA,sC;QAgBiB,Q;QAFb,IAAI,mB  
AAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAhyGG,cAAR,iBAAQ,C;QAgY  
GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBp2NG,MAAO,KoBo2NO,QpBp  
2NP,EoBo2NiB,CpBp2NjB,C;;QoBs2Nd,OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA/xGI,8D;MpBlIHJ,i  
B;MoBi3NA,sC;QAgBiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAA  
T,C;QACF,OA/yGG,cAAR,iBAAQ,C;QA+yGhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;  
UACR,WpB33NG,MAAO,KoB23NO,QpB33NP,EoB23NiB,CpB33NjB,C;;QoB63Nd,OAAO,Q;O;KApBX,C;mF  
AuBA,yB;MAAA,sE;MA90GI,8D;MA80GJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe  
,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA51GG,cAAR,iBAAQ,C;QA41GhB,aAAU,CAAV,iB;UACI,QAAQ,SA  
AS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApB  
X,C;mFAuBA,yB;MAAA,sE;MA71GI,8D;MA61GJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACr  
B,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA32GG,cAAR,iBAAQ,C;QA22GhB,aAAU,CAAV,iB;UACI,QA  
AQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;  
O;KApBX,C;mFAuBA,yB;MAAA,sE;MA52GI,8D;MA42GJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,  
6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA13GG,cAAR,iBAAQ,C;QA03GhB,aAAU,CAAV,iB;  
UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,  
OAAO,Q;O;KApBX,C;mFAuBA,yB;MAAA,sE;MA33GI,8D;MA23GJ,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAA  
e,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAz4GG,cAAR,iBAAQ,C;QAY4GhB,aAAU,  
CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;  
;QAGnB,OAAO,Q;O;KApBX,C;8FAuBA,yB;MA16GI,8D;MpB/iHJ,iB;MoBy9NA,sC;QACiB,Q;QAFb,IAAI,mB  
AAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAx7GG,cAAR,iBAAQ,C;QAw7Gh  
B,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBj+NG,MAAO,KoBi+NO,QpBj+NP,  
EoBi+NiB,CpBj+NjB,C;;QoBm+Nd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAv7GI,8D;MpBvjHJ,iB;MoB8+NA,sC  
;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAr8GG,  
cAAR,iBAAQ,C;QAq8GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBt/NG,M  
AAO,KoBs/NO,QpBt/NP,EoBs/NiB,CpBt/NjB,C;;QoBw/Nd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAp8GI,8D;Mp  
B/jHJ,iB;MoBmgOA,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,C  
AAT,C;QACF,OAI9GG,cAAR,iBAAQ,C;QAk9GhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT  
,C;UACR,WpB3gOG,MAAO,KoB2gOO,QpB3gOP,EoB2gOiB,CpB3gOjB,C;;QoB6gOd,OAAO,Q;O;KAIBX,C;+  
FAqBA,yB;MAj9GI,8D;MpBvkHJ,iB;MoBwhOA,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eA  
Ae,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA/9GG,cAAR,iBAAQ,C;QA+9GhB,aAAU,CAAV,iB;UACI,QAAQ,S  
AAS,sBAAK,CAAL,CAAT,C;UACR,WpBhiOG,MAAO,KoBgiOO,QpBhiOP,EoBgiOiB,CpBhiOjB,C;;QoBkiOd,  
OAAO,Q;O;KAIBX,C;+FAqBA,yB;MA9/GI,8D;MpB1jHJ,iB;MoBwjOA,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UA  
Ae,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA5gHG,cAAR,iBAAQ,C;QA4gHhB,aAAU,C  
AAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBhkOG,MAAO,KoBgkOO,QpBhkOP,EoBgkOi  
B,CpBhkOjB,C;;QoBkkOd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MA3gHI,8D;MpBlkHJ,iB;MoB6kOA,sC;QACiB,  
Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAzhHG,cAAR,i  
BAAQ,C;QAYhHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpBrlOG,MAAO,Ko  
BqlOO,QpBrlOP,EoBqlOiB,CpBrlOjB,C;;QoBulOd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MAxhHI,8D;MpB1kHJ,i  
B;MoBkmOA,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;  
QACF,OAtiHG,cAAR,iBAAQ,C;QAsiHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UAC

R,WpB1mOG,MAAO,KoB0mOO,QpB1mOP,EoB0mOiB,CpB1mOjB,C;;QoB4mOd,OAAO,Q;O;KAIBX,C;+FAqBA,yB;MArIH,8D;MpBIIHJ,iB;MoBunOA,sC;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9jHG,cAAR,iBAAQ,C;QAmjHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,WpB/nOG,MAAO,KoB+nOO,QpB/nOP,EoB+nOiB,CpB/nOjB,C;;QoBioOd,OA AO,Q;O;KAIBX,C;+FAqBA,yB;MAIIHI,8D;MAkIHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACt B,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9IHG,cAAR,iBAAQ,C;QA8IHhB,aAAU,CAAV,iB;UACI,QA AQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q; O;KAIBX,C;+FAqBA,yB;MA/IHI,8D;MA+IHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAA e,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA3mHG,cAAR,iBAAQ,C;QA2mHhB,aAAU,CAAV,iB;UACI,QAAQ,S AAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIB BX,C;+FAqBA,yB;MA5mHI,8D;MA4mHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,S AAS,sBAAK,CAAL,CAAT,C;QACF,OAxnHG,cAAR,iBAAQ,C;QAwnHhB,aAAU,CAAV,iB;UACI,QAAQ,SAA S,sBAAK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX, C;+FAqBA,yB;MAznHI,8D;MAynHJ,sC;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,s BAAK,CAAL,CAAT,C;QACF,OAroHG,cAAR,iBAAQ,C;QAqoHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBA AK,CAAL,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;2F AqBA,yB;MAAA,sE;MATqHI,8D;MASqHJ,kD;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe ,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAprHG,cAAR,iBAAQ,C;QAorHhB,aAAU,CAAV,iB;UACI,QAAQ,SA AS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YAC I,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;0FAuBA,yB;MAAA,sE;MArrHI,8D;MAqrHJ,kD;QACiB,Q;QAFb,I AAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9sHG,cAAR,iBAAQ, C;QAmS HhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR, EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAA A,sE;MApsHI,8D;MAosHJ,kD;QACiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK, CAAL,CAAT,C;QACF,OAItHG,cAAR,iBAAQ,C;QAktHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAA L,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QA GnB,OAAO,Q;O;KApBX,C;2FAuBA,yB;MAAA,sE;MAntHI,8D;MAmtHJ,kD;QACiB,Q;QAFb,IAAI,mBAAJ,C; UAAe,MAAM,6B;QACrB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAjuHG,cAAR,iBAAQ,C;QAiuHhB,aA AU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB, CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KApBX,C;uGAuBA,yB;MALwHI,8D;MAkwHJ ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9 wHG,cAAR,iBAAQ,C;QA8wHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,U AAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C ;sGAqBA,yB;MA/wHI,8D;MA+wHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,s BAAK,CAAL,CAAT,C;QACF,OA3xHG,cAAR,iBAAQ,C;QA2xHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBA AK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAA W,C;;QAGnB,OAAO,Q;O;KAIBX,C;uGAqBA,yB;MA5xHI,8D;MA4xHJ,kD;QAYiB,Q;QAFb,IAAI,mBAAJ,C;U AAE,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OAxyHG,cAAR,iBAAQ,C;QAwyHhB,aAAU, CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW,SAAQ,QAAR,EAakB,CAAIB,CA AX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;uGAqBA,yB;MAzyHI,8D;MAyyHJ,kD; QAYiB,Q;QAFb,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,eAAe,SAAS,sBAAK,CAAL,CAAT,C;QACF,OA9zHG, cAAR,iBAAQ,C;QAqzHhB,aAAU,CAAV,iB;UACI,QAAQ,SAAS,sBAAK,CAAL,CAAT,C;UACR,IAAI,UAAW, SAAQ,QAAR,EAakB,CAAIB,CAAX,GAakC,CAAtC,C;YACI,WAAW,C;;QAGnB,OAAO,Q;O;KAIBX,C;IAqB A,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OA91HG,gBA AR,iBAAQ,C;MA81HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InC5mP8D,YmC4mP1D,GnC5 mP2E,KAAjB,EmC4mPpD,CnC5mPiF,KAA7B,CmC4mP1D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAG X,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MActB,UAAU,sBAAK,CAAL,C;MACG,OA92HG,gBA AR,iBAAQ,C;MAq2HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,InBnnP+D,amBmnP3D,GnBnn

P6E,KAAIB,EmBmnPrD,CnBnnPmF,KAA9B,CmBmnP3D,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX ,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA52HG,gBAA R,iBAAQ,C;MA42HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IpC1pP4E,0BoC0pPxE,GpC/6O 8B,KAAL,GAAiB,GA3O8B,EoC0pPIE,CpC/6OwB,KAAL,GAAiB,GA3O8B,CoC0pPxE,IAAJ,C;UAAa,MAAM, C;;MAEvB,OAAO,G;K;IAGX,iC;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CA AL,C;MACG,OAn3HG,gBAAR,iBAAQ,C;MAm3HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,I ICjqP6E,0BkCiqPzE,GIC77O8B,KAAL,GAAiB,KApO+B,EkCiqPnE,CIC77OwB,KAAL,GAAiB,KApO+B,CkCiq PzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K;IAGX,2C;MAK I,OAAO,4BAAc,UAAAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAAAd,C;K;IAGX,2C;MAKI,OAAO,4BAAc,UAA d,C;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OA17 HG,gBAAR,iBAAQ,C;MA07HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ, GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;M AFB,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAj8HG,gBAAR,iBAAQ,C;MAi 8HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX, GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,O AAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAx8HG,gBAAR,iBAAQ,C;MAw8HhB,aAAU,CAAV,iB;QAC I,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC, MAAM,C;;MAE9C,OAAO,G;K;IAGX,iD;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBA AK,CAAL,C;MACG,OA/8HG,gBAAR,iBAAQ,C;MA+8HhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;Q ACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G; K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;M ASI,OAAO,mB;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAA U,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAGB,c AAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;M ASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAA O,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI ,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;qFAGX,6B;MAOmC,Q;MAAA,2B;MAAhB,OA AgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAhB, OAAgB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MAAh B,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;qFAGJ,6B;MAOmC,Q;MAAA,2B;MA AhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;mGAGJ,6B;MAtrEiB,gB;MADb,YA AY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MA gSEnB,gB;K;mGAGJ,6B;MAtrEiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QA AO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAgSEnB,gB;K;mGAGJ,6B;MAtrEiB,gB;MADb,YAAY,C;MACC, 2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;MAgSEnB,gB;K;m GAGJ,6B;MAtrEiB,gB;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAA O,sBAAP,WAAgB,IAAhB,C;;MAgSEnB,gB;K;qFAGJ,yB;MAAA,4F;MA9qII,8D;MA8qIJ,uC;QAmBqB,Q;QAHj B,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAjsID,cAA R,iBAAQ,C;QAisIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB, OAAO,W;O;KAtBX,C;qFAyBA,yB;MAAA,4F;MA/rII,8D;MA+rII,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UA CI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAltID,cAAR,iBAAQ,C;QAktIhB,i BAAC,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C; qFAyBA,yB;MAAA,4F;MAhtII,8D;MAGtII,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+ BAA9B,C;QACV,kBAAkB,sBAAK,CAAL,C;QACD,OAnuID,cAAR,iBAAQ,C;QAmuIhB,iBAAc,CAAd,yB;UA CI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;qFAyBA,yB;MAAA, 4F;MAjuII,8D;MAiuII,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kB AAKB,sBAAK,CAAL,C;QACD,OAPvID,cAAR,iBAAQ,C;QAovIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAA V,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAtBX,C;mGayBA,yB;MAAA,4F;MAIxII,8D;MAKx

IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OArYID,cAAR,iBAAQ,C;QAqyIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGAYBA,yB;MAAA,4F;MAnyII,8D;MAmyIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OAtzID,cAAR,iBAAQ,C;QAszIhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGAYBA,yB;MAAA,4F;MAPzII,8D;MAozIJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OAv0ID,cAAR,iBAAQ,C;QAu0IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;mGAYBA,yB;MAAA,4F;MAR0II,8D;MAq0IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,sBAAK,CAAL,C;QACD,OAx1ID,cAAR,iBAAQ,C;QAw1IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;+GAYBA,yB;Mat3II,8D;MAS3IJ,uC;QakBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAaKB,sBAAK,CAAL,C;QACD,OAx4ID,cAAR,iBAAQ,C;QAw4IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAwBA,yB;Mat4II,8D;MAS4IJ,uC;QakBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAaKB,sBAAK,CAAL,C;QACD,OAx5ID,cAAR,iBAAQ,C;QAw5IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAwBA,yB;Mat5II,8D;MAS5IJ,uC;QakBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAaKB,sBAAK,CAAL,C;QACD,OAx6ID,cAAR,iBAAQ,C;QAw6IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;+GAwBA,yB;Mat6II,8D;MAS6IJ,uC;QakBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAaKB,sBAAK,CAAL,C;QACD,OAx7ID,cAAR,iBAAQ,C;QAw7IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KArBX,C;iGAwBA,yB;Mat9II,8D;MAS9IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAaKB,sBAAK,CAAL,C;QACD,OAz+ID,cAAR,iBAAQ,C;QAY+IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;iGAYBA,yB;MAv+II,8D;MAu+IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAaKB,sBAAK,CAAL,C;QACD,OAI/ID,cAAR,iBAAQ,C;QA0/IhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;iGAYBA,yB;MAX/II,8D;MAw/IJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAaKB,sBAAK,CAAL,C;QACD,OA3gJD,cAAR,iBAAQ,C;QA2gJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;iGAYBA,yB;MAzgJI,8D;MAygJJ,uC;QAmBqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAaKB,sBAAK,CAAL,C;QACD,OA5hJD,cAAR,iBAAQ,C;QA4hJhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA1jJI,8D;MA0jJJ,uC;QakB0B,UAEU,M;QAJhC,YA1kJgB,cAAR,iBAAQ,C;QA2kJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA3kJI,8D;MA2kJJ,uC;QakB0B,UAEU,M;QAJhC,YA3lJgB,cAAR,iBAAQ,C;QA4lJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;+FAyBA,yB;MAAA,4F;MA7mJI,8D;MA6mJJ,uC;QakB0B,UAEU,M;QAJhC,YA7nJgB,cAAR,iBAAQ,C;QA8nJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;6GAYBA,yB;MAAA,4F;MA9pJI,8D;MA8pJJ,uC;QakB0B,Q;QAFtB,YA9qJgB,cAAR,iBAAQ,C;QA+qJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KA AJ,CAAjB,EAA6B,WAA7B,

C;UACd,qB;;QAEJ,OAAO,W;O;KAvBX,C;6GA0BA,yB;MAAA,4F;MAhrJI,8D;MAgrJJ,uC;QakB0B,Q;QAFtB, YAhsJgB,cAAR,iBAAQ,C;QAisJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaK B,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,K AAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAvBX,C;6GA0BA,yB;MAAA,4F;MAIsJI,8D;M AksJJ,uC;QakB0B,Q;QAFtB,YAltJgB,cAAR,iBAAQ,C;QAmtJhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8 B,+BAA9B,C;QACrB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UA AU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAvBX,C;6GA0BA, yB;MAAA,4F;MAptJI,8D;MAotJJ,uC;QakB0B,Q;QAFtB,YApuJgB,cAAR,iBAAQ,C;QAquJhB,IAAI,QAAQ,CA AZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SA AS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,O AAO,W;O;KAvBX,C;yHA0BA,yB;MATwJI,8D;MASwJJ,uC;QaiB0B,Q;QAFtB,YArxJgB,cAAR,iBAAQ,C;QAsx JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS, CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OA AO,W;O;KAtBX,C;yHAYBA,yB;MAvxJI,8D;MAuxJJ,uC;QaiB0B,Q;QAFtB,YAtyJgB,cAAR,iBAAQ,C;QAuyJh B,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS, CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAA O,W;O;KAtBX,C;yHAYBA,yB;MAxyJI,8D;MAwyJJ,uC;QaiB0B,Q;QAFtB,YAvzJgB,cAAR,iBAAQ,C;QAwzJh B,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS, CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAA O,W;O;KAtBX,C;yHAYBA,yB;MAzzJI,8D;MAyzJJ,uC;QaiB0B,Q;QAFtB,YAx0JgB,cAAR,iBAAQ,C;QAY0JhB, IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,C AAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO, W;O;KAtBX,C;2GAYBA,yB;MA12JI,8D;MA02JJ,uC;QakB0B,UAEU,M;QAJhC,YA13JgB,cAAR,iBAAQ,C;QA 23JhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SA AS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O; KAtBX,C;2GAYBA,yB;MA33JI,8D;MA23JJ,uC;QakB0B,UAEU,M;QAJhC,YA34JgB,cAAR,iBAAQ,C;QA44Jh B,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS, CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAt BX,C;2GAYBA,yB;MA54JI,8D;MA44JJ,uC;QakB0B,UAEU,M;QAJhC,YA55JgB,cAAR,iBAAQ,C;QA65JhB,IA AI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAA hB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C ;2GAYBA,yB;MA75JI,8D;MA65JJ,uC;QakB0B,UAEU,M;QAJhC,YA76JgB,cAAR,iBAAQ,C;QA86JhB,IAAI,Q AAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKb,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C ;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAtBX,C;+F AyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP, C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBrRO,W;QqBstRP,kBAaKb,O;QACF,2 B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI, WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IA AI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C, arB9uRO,W;QqB+uRP,kBAaKb,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAA V,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;M AAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa, iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBvwRO,W;QqBwwRP,kBAaKb,O;QACF,2B;QAAhB,OAAgB,cA AhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAA O,M;O;KAtBX,C;+FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,O AAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBhyRO,W;QqBiyRP, kBAaKb,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;U ACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;6GAYBA,yB;MAAA,gD;MAAA,gE;MAIIKI,0D;M

AklKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,C  
AAP,IAAb,C;QAA+B,8B;QAA5C,arB1zRO,W;QqB2zRP,kBAakB,O;QACJ,OArmKE,YAAR,iBAAQ,C;QAqmK  
F,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA  
9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;MAAA,gE;MApm  
KI,0D;MAomKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,  
iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBp1RO,W;QqBq1RP,kBAakB,O;QACJ,OAvnKE,YAAR,iBAAQ,  
C;QAunKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sBAAK,K  
AAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;MAAA,  
gE;MATnKI,0D;MAsnKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAv  
B,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arB92RO,W;QqB+2RP,kBAakB,O;QACJ,OAZoKE,YAAR,i  
BAAQ,C;QAyoKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,sB  
AAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;6GA0BA,yB;MAAA,gD;  
MAAA,gE;MAxoKI,0D;MAwoKJ,gD;QAmBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QAC  
c,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,arBx4RO,W;QqBy4RP,kBAakB,O;QACJ,OA3pK  
E,YAAR,iBAAQ,C;QA2pKF,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,E  
AA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;mGA0BA,yB;M  
AAA,qD;MAAA,gE;MAAA,uC;QakB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,  
CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,cAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBl6RO,W;QqBm6Re,q  
B;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WA  
AI,aAAJ,C;;QAEX,OAAO,M;O;KATBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QakB0B,Q;QAHtB,I  
AAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;  
QAA+B,sBAAI,aAAJ,C;QAA5C,arB37RO,W;QqB47Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAA  
V,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KATBX,C;mGAyBA,yB;  
MAAA,qD;MAAA,gE;MAAA,uC;QakB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAA  
K,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arBp9RO,W;QqBq9Re,q  
B;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aAAV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WA  
AI,aAAJ,C;;QAEX,OAAO,M;O;KATBX,C;mGAyBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QakB0B,Q;QAHtB,I  
AAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,cAAIB,C;  
QAAgC,sBAAI,aAAJ,C;QAA7C,arB7+RO,W;QqB8+Re,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,aA  
AV,EAAuB,sBAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KATBX,C;iHAyBA,yB  
;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBA  
AK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,cAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,arBvgSO,W;QqBwgS  
e,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAaV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;  
UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QA  
mB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,  
eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,arBjiSO,W;QqBkiSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBA  
Ac,UAAU,KAaV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAA  
O,M;O;KAvBX,C;iHA0BA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,O  
AAO,W;QACtB,sBAakB,sBAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,cAAjB,C;QAA+B,sBAAI,aAAJ,C;  
QAA5C,arB3jSO,W;QqB4jSe,qB;QAAtB,iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAaV,EAAiB,aAAjB,EAA8B  
,sBAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iHA0BA,yB;MAAA,q  
D;MAAA,gE;MAAA,uC;QAmB0B,Q;QAHtB,IAAI,mBAAJ,C;UAAe,OAAO,W;QACtB,sBAakB,sBAAK,CAAL  
,CAAIB,C;QACqC,kBAAxB,eAAkB,cAAIB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,arBrlSO,W;QqBslSe,qB;QAAtB,  
iBAAc,CAAd,wB;UACI,gBAAc,UAAU,KAaV,EAAiB,aAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;UACd,MAAO  
,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAXZA,gD;MAAA,gE;MAwZA,gD;QAgBW,sB;;U  
AtZS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAYZH,OAZG,C;YAAP,uB;WACqB,kBAAvB,eAAa,iBAAO,  
CAAP,IAAb,C;UAA+B,sBAwZzB,OAxZyB,C;UAA5C,arBrTRO,W;UqBstRP,kBAuZmB,O;UAtZH,2B;UAAhB,O  
AAgB,cAAhB,C;YAAgB,yB;YACZ,cAqZwB,SArZV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,WAAI,W

AAJ,C;;UAEX,qBAAO,M;;;QAKZP,yB;O;KAhBJ,C;iFAMBA,yB;MAIZA,gD;MAAA,gE;MAkZA,gD;QAgBW,sB  
;;UAhZS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAmZH,OAnZG,C;YAAP,uB;WACqB,kBAAvB,eAAa,iBA  
AO,CAAP,IAAb,C;UAA+B,sBAkZzB,OAlZyB,C;UAA5C,arB9uRO,W;UqB+uRP,kBAiZmB,O;UAhZH,2B;UAA  
hB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cA+YwB,SA/YV,CAAU,WAAV,EAAuB,OAAvB,C;YACd,MAAO,W  
AAI,WAAJ,C;;UAEX,qBAAO,M;;;QA4YP,yB;O;KAhBJ,C;iFAMBA,yB;MA5YA,gD;MAAA,gE;MA4YA,gD;Q  
AgBW,sB;;UA1YS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OA6YH,OA7YG,C;YAAP,uB;WACqB,kBAAvB,  
eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA4YzB,OA5YyB,C;UAA5C,arBvwRO,W;UqBvwRP,kBA2YmB,O;UA  
1YH,2B;UAAhB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cAyYwB,SAzYV,CAAU,WAAV,EAAuB,OAAvB,C;YA  
Cd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAsYP,yB;O;KAhBJ,C;iFAMBA,yB;MATYA,gD;MAAA,gE;M  
AsYA,gD;QAgBW,sB;;UApYS,Q;UAHhB,IAAI,mBAAJ,C;YAAe,qBAAO,OAUyH,OAyYG,C;YAAP,uB;WACq  
B,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA5YzB,OA7YyB,C;UAA5C,arBhyRO,W;UqBiyRP,kBAqY  
mB,O;UApYH,2B;UAAhB,OAAgB,cAAhB,C;YAAgB,yB;YACZ,cAmYwB,SAnYV,CAAU,WAAV,EAAuB,OA  
AvB,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,qBAAO,M;;;QAgYP,yB;O;KAhBJ,C;+FAMBA,yB;MAhYA,gD;  
MAAA,gE;MAI1KI,0D;MAK9KJ,gD;QAIbW,6B;;UA9XO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OAIYI,OAj  
YJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBAgYIB,OAHykB,C;UAA5C,arB1zR  
O,W;UqB2zRP,kBA+X0B,O;UA9XZ,OArmKE,YAAR,iBAAQ,C;UAqmKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;  
YACI,cA6X+B,SA7XjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI  
,WAAJ,C;;UAEX,4BAAO,M;;;QA0XP,gC;O;KAjBJ,C;+FAoBA,yB;MA1XA,gD;MAAA,gE;MAPmKI,0D;MA89  
KJ,gD;QAIbW,6B;;UAxXO,gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OA2XI,OA3XJ,C;YAAP,8B;WACqB,kB  
AAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA0XIB,OA1XkB,C;UAA5C,arBp1RO,W;UqBq1RP,kBAyX0B,O  
;UAxXZ,OAvnKE,YAAR,iBAAQ,C;UAunKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAuX+B,SAvXjB,CA  
AU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,  
M;;;QAoXP,gC;O;KAjBJ,C;+FAoBA,yB;MAPXA,gD;MAAA,gE;MATnKI,0D;MA0+KJ,gD;QAIbW,6B;;UAIXO,  
gC;UAHd,IAAI,mBAAJ,C;YAAe,4BAAO,OAqXI,OAxXJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,iBAAO,CAAP,I  
AAb,C;UAA+B,sBAoXIB,OApxkB,C;UAA5C,arB92RO,W;UqB+2RP,kBAmX0B,O;UAIXZ,OAzoKE,YAAR,iB  
AAQ,C;UAyoKF,mB;UAAA,kB;UAAA,kB;UAAAd,0D;YACI,cAiX+B,SAjXjB,CAAU,KAAV,EAAiB,WAAjB,E  
AA8B,sBAAK,KAAL,CAA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QA8WP,gC;O;KAjBJ,C;+F  
AoBA,yB;MA9WA,gD;MAAA,gE;MAxoKI,0D;MA5/KJ,gD;QAIbW,6B;;UA5WO,gC;UAHd,IAAI,mBAAJ,C;Y  
AAe,4BAAO,OA+WI,OA/WJ,C;YAAP,8B;WACqB,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;UAA+B,sBA8WIB,  
OA9WkB,C;UAA5C,arBx4RO,W;UqBy4RP,kBA6W0B,O;UA5WZ,OA3pKE,YAAR,iBAAQ,C;UA2pKF,mB;UA  
AA,kB;UAAA,kB;UAAAd,0D;YACI,cA2W+B,SA3WjB,CAAU,KAAV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,C  
AA9B,C;YACd,MAAO,WAAI,WAAJ,C;;UAEX,4BAAO,M;;;QAwWP,gC;O;KAjBJ,C;mFAoBA,yB;MAAA,wB;  
MAAA,sC;QAUoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCvWsiD,  
SmCuWsjD,GnCvW2D,KAAK,GmCuWszD,SAAS,OAAT,CnCvWSoE,KAAX,IAAf,C;;QmCyxSrD,OAAO,G;O;  
KAbX,C;mFAGBA,yB;MAAA,wB;MAAA,sC;QAUoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAh  
B,C;UAAgB,yB;UACZ,MnCvXsiD,SmCuXsjD,GnCvX2D,KAAK,GmCuXszD,SAAS,OAAT,CnCvXSoE,KAAX,I  
AAf,C;;QmCyxSrD,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,wB;MAAA,sC;QAUoB,Q;QADhB,UAAgB,W;Q  
ACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCvySiD,SmCuySjD,GnCvy2D,KAAK,GmCuySzD,S  
AAS,OAAT,CnCvySoE,KAAX,IAAf,C;;QmCyySrD,OAAO,G;O;KAbX,C;mFAGBA,yB;MAAA,wB;MAAA,sC;Q  
AUoB,Q;QADhB,UAAgB,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCvzSiD,SmCuzSjD,G  
nCvz2D,KAAK,GmCuzszD,SAAS,OAAT,CnCvzSoE,KAAX,IAAf,C;;QmCyzSrD,OAAO,G;O;KAbX,C;8FAGB  
A,+B;MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,O  
AAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;  
QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;MAUoB,Q;MADhB,UAAkB,G;MA  
CF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;+FAGX,+B;  
MAUoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,  
C;;MAEX,OAAO,G;K;kFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;MAAhB,OAAgB,cAAhB,C;QAAg  
B,yB;QACZ,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;mFAGX,+B;MAYoB,Q;MADhB,UAAoB,C;MACJ,2B;



AAA,gE;MpB9mTA,iB;MoB8mTA,8C;QAWI,WpBnnTO,MAAO,KoBmnTG,cpBnnTH,EoBmnTS,KAAM,OpBn  
nTf,C;QoBonTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBA  
AK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA  
.gE;MpBjoTA,iB;MoBioTA,8C;QAWI,WpBtoTO,MAAO,KoBsoTG,cpBtoTH,EoBsoTS,KAAM,OpBtoTf,C;QoB  
uoTd,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL  
,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA.gE;MpBp  
pTA,iB;MoBopTA,8C;QAWI,WpBzpTO,MAAO,KoBypTG,cpBzpTH,EoBypTS,KAAM,OpBzpTf,C;QoB0pTd,W  
AAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,  
EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA.gE;MpBvqTA,iB;  
MoBuqTA,8C;QAWI,WpB5qTO,MAAO,KoB4qTG,cpB5qTH,EoB4qTS,KAAM,OpB5qTf,C;QoB6qTd,WAAW,e  
AAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,EAAm  
B,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAhBX,C;IAmBA,kC;MA8DoB,gB;MAHhB,gBAAgB,c;  
MACHB,WAAW,iBpBhvTJ,MAAO,KoBgvTsB,wBAnDzB,KAmDyB,EAAwB,EAAXB,CpBhvTtB,EoBgvTmD,S  
pBhvTnD,CoBgvTH,C;MACX,QAAQ,C;MACQ,OArDL,KAqDK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QA  
CZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAvDqB,GAuDP,uBAAK,UAAL,EAAK,kBAAL,UAvDO,  
EAuDI,OAvDJ,CAuDrB,C;;MAvDT,OAYDO,I;K;IAtdX,kC;MAuEoB,gB;MAHhB,gBAAgB,c;MACHB,WAAW,i  
BpBrwTJ,MAAO,KoBqwTsB,wBA5DzB,KA4DyB,EAAwB,EAAXB,CpBrwTtB,EoBqwTmD,SpBrwTnD,CoBqw  
TH,C;MACX,QAAQ,C;MACQ,OA9DL,KA8DK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,  
SAAT,C;UAAoB,K;QACpB,IAAK,WAhEqB,GAgEP,uBAAK,UAAL,EAAK,kBAAL,UAhEO,EAgEI,OAhEJ,CA  
gErB,C;;MAhET,OAKEO,I;K;IA/DX,kC;MAGFoB,gB;MAHhB,gBAAgB,c;MACHB,WAAW,iBpB1xTJ,MAAO,K  
oB0xTsB,wBArEzB,KAqEyB,EAAwB,EAAXB,CpB1xTtB,EoB0xTmD,SpB1xTnD,CoB0xTH,C;MACX,QAAQ,C  
;MACQ,OAvEL,KAuEK,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QA  
CpB,IAAK,WazEqB,GAYEP,uBAAK,UAAL,EAAK,kBAAL,UazEO,EAYEI,OazEJ,CAYErB,C;;MAzET,OA2E  
O,I;K;IAxEX,kC;MAYFoB,gB;MAHhB,gBAAgB,c;MACHB,WAAW,iBpB/yTJ,MAAO,KoB+yTsB,wBA9EzB,K  
A8EyB,EAAwB,EAAXB,CpB/yTtB,EoB+yTmD,SpB/yTnD,CoB+yTH,C;MACX,QAAQ,C;MACQ,OAhFL,KAgF  
K,W;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAlFqB,G  
AkFP,uBAAK,UAAL,EAAK,kBAAL,UAlFO,EAKFI,OAlFJ,CakFrB,C;;MAIFT,OAoFO,I;K;+EAjFX,yB;MAAA,  
kF;MAAA.gE;MpB1uTA,iB;MoB0uTA,8C;QacoB,UAEY,M;QAL5B,gBAAgB,c;QACHB,WAAW,epBhvTJ,MA  
AO,KoBgvTsB,wBAAN,KAAM,EAAwB,EAAXB,CpBhvTtB,EoBgvTmD,SpBhvTnD,CoBgvTH,C;QACX,QAAQ  
,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,W  
AAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;+EAq  
BA,yB;MAAA,kF;MAAA.gE;MpB/vTA,iB;MoB+vTA,8C;QacoB,UAEY,M;QAL5B,gBAAgB,c;QACHB,WAAW  
,epBrwTJ,MAAO,KoBqwTsB,wBAAN,KAAM,EAAwB,EAAXB,CpBrwTtB,EoBqwTmD,SpBrwTnD,CoBqwTH,  
C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;U  
ACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;  
KAIBX,C;+EAqBA,yB;MAAA,kF;MAAA.gE;MpBpxTA,iB;MoBoxTA,8C;QacoB,UAEY,M;QAL5B,gBAAgB,c;  
QACHB,WAAW,epB1xTJ,MAAO,KoB0xTsB,wBAAN,KAAM,EAAwB,EAAXB,CpB1xTtB,EoB0xTmD,SpB1xT  
nD,CoB0xTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,  
C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAARb,CAAJ,C;;QA  
ET,OAAO,I;O;KAIBX,C;8EAqBA,yB;MAAA,kF;MAAA.gE;MpBzyTA,iB;MoByyTA,8C;QacoB,UAEY,M;QAL  
5B,gBAAgB,c;QACHB,WAAW,epB/yTJ,MAAO,KoB+yTsB,wBAAN,KAAM,EAAwB,EAAXB,CpB/yTtB,EoB+y  
TmD,SpB/yTnD,CoB+yTH,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,K  
AAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,uBAAK,UAAL,EAAK,kBAAL,UAAV,EAAqB,OAARb,  
CAAJ,C;;QAET,OAAO,I;O;KAIBX,C;IAqBA,kC;MA2DI,WpBn3TO,MAAO,KoBm3TG,cpBn3TH,EoBi0TH,KA  
kDkB,KpBn3Tf,C;MoBo3Td,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAr  
DqB,GAqDP,sBAAK,CAAL,CArDO,EAAnB,KAqDqB,aAAM,CAAN,CArDF,CAqDrB,C;;MArDT,OAuDO,I;K;I  
ApDX,kC;MAkEI,WpBt4TO,MAAO,KoBs4TG,cpBt4TH,EoB60TH,KAYDkB,KpBt4Tf,C;MoBu4Td,WAAW,iBA  
Aa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5DqB,GA4DP,sBAAK,CAAL,CA5DO,EA

AnB,KA4DqB,aAAM,CAAN,CA5DF,CA4DrB,C;:MA5DT,OA8DO,I;K;IA3DX,kC;MAyEI,WpBz5TO,MAAO,K  
oBy5TG,cpBz5TH,EoBy1TH,KAgEkB,KpBz5Tf,C;MoB05Td,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MA  
AkB,IAAIB,M;QACI,IAAK,WAnEqB,GAmEP,sBAAK,CAAL,CAnEO,EAAAnB,KAmEqB,aAAM,CAAN,CAnEF,  
CAmErB,C;:MAnET,OAqEO,I;K;IALEX,kC;MAGFI,WpB56TO,MAAO,KoB46TG,cpB56TH,EoBq2TH,KAuEkB,  
KpB56Tf,C;MoB66Td,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1EqB,  
GA0EP,sBAAK,CAAL,CA1EO,EAAAnB,KA0EqB,aAAM,CAAN,CA1EF,CA0ErB,C;:MA1ET,OA4EO,I;K;+EAzE  
X,yB;MAAA,gE;MpB92TA,iB;MoB82TA,8C;QAWI,WpBn3TO,MAAO,KoBm3TG,cpBn3TH,EoBm3TS,KAAM,  
KpBn3Tf,C;QoBo3Td,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAA  
U,sBAAK,CAAL,CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;:QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;  
MAAA,gE;MpBj4TA,iB;MoBi4TA,8C;QAWI,WpBt4TO,MAAO,KoBs4TG,cpBt4TH,EoBs4TS,KAAM,KpBt4Tf,  
C;QoBu4Td,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,  
CAAL,CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;:QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;  
MpBp5TA,iB;MoBo5TA,8C;QAWI,WpBz5TO,MAAO,KoBy5TG,cpBz5TH,EoBy5TS,KAAM,KpBz5Tf,C;QoB0  
5Td,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,  
CAAV,EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;:QAET,OAAO,I;O;KAhBX,C;+EAmBA,yB;MAAA,gE;MpBv  
6TA,iB;MoBu6TA,8C;QAWI,WpB56TO,MAAO,KoB46TG,cpB56TH,EoB46TS,KAAM,KpB56Tf,C;QoB66Td,W  
AAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,CAAV,  
EAAmB,kBAAM,CAAN,CAAnB,CAAJ,C;:QAET,OAAO,I;O;KAhBX,C;IAmBA,2B;MAQoB,Q;MADhB,UAAg  
B,W;MACHb,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnCjnUiD,SmCinUjD,GnCjnU2D,KAAK,  
GmCinUzD,OnCjnUoE,KAAX,IAAf,C;:MmCmnUrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;MA  
CjB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnB5nUmD,UmB4nUnD,GnB5nU8D,KAAK,KmB4  
nU5D,OnB5nUuE,KAAX,CAAhB,C;:MmB8nUvD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACH  
B,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnC7oUiD,SmC6oUjD,GnC7oU2D,KAAK,GAAW,CD  
2O5C,SoCk6TxB,OpCl6TkC,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;:MmC+oUrD,OAAO,G;K;IAGX,2  
B;MAQoB,Q;MADhB,UAAgB,W;MACHB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,MnC3pUiD,S  
mC2pUjD,GnC3pU2D,KAAK,GAAW,CC4O5C,SkC+6TxB,OIC/6TkC,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,I  
AAf,C;:MmC6pUrD,OAAO,G;K;+EAGX,yB;MAAA,0C;MnC2TA,6B;MmCw2TA,4B;QAOI,OnCr2TmC,cmCq  
2TpB,IAAR,iBAAQ,CnCr2ToB,C;O;KmC81TvC,C;+EAUA,yB;MAAA,0C;MnBn2TA,+B;MmBm2TA,4B;QAOI,  
OnBh2TsC,emBg2TvB,IAAR,iBAAQ,CnBh2TuB,C;O;KmBy1T1C,C;+EAUA,yB;MAAA,sC;MnC53TA,6B;Mm  
C43TA,iBAOiB,yB;QpCz9Tb,6B;eoCy9Ta,c;UAAE,OpCh9ToB,coCg9TpB,EpCh9T8B,KAAL,GAAiB,GAAtB,C;  
S;OoCg9TtB,C;MAPjB,4B;QA7iBoB,Q;QADhB,UnCp0SmC,cmCo0SnB,CnCp0SmB,C;QmCq0SnB,2B;QAAhB,  
OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnCxoTiD,cmCwoTjD,GnCxoT2D,KAAK,GAAW,CD2O5C,coC65Sf,Op  
C75SyB,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;:QmC2rUrD,OAjjBO,G;O;KA0iBX,C;+EAUA,yB;MA  
AA,sC;MnCt4TA,6B;MmCs4TA,iBAOiB,yB;QlCl+Tb,6B;ekCk+Ta,c;UAAE,OICz9ToB,ckCy9TpB,EICz9T8B,K  
AAL,GAAiB,KAAtB,C;S;OkCy9TtB,C;MAPjB,4B;QApiBoB,Q;QADhB,UnCv1SmC,cmCu1SnB,CnCv1SmB,C;  
QmCw1SnB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,MnC3pTiD,cmC2pTjD,GnC3pT2D,KAAK,GAA  
W,CC4O5C,ckC+6Sf,OIC/6SyB,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;:QmCqsUrD,OAXiBO,G;O;KAi  
iBX,C;IC3vUA,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OA  
AgB,cAAhB,C;QAAGB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;:MACJ,OAAO,M;K;IAGX,  
kC;MAQoB,UACL,M;MAHX,aAAa,eAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QA  
AgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;:MACJ,OAAO,M;K;IAGX,mC;MAQoB,UACL  
,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,o  
BAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;:MACJ,OAAO,M;K;IAGX,oC;MAQoB,UACL,M;MAHX,aAAa,  
iBAAY,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,oBAAO,cAAP,EAA  
O,sBAAP,WAAkB,OAAIB,C;:MACJ,OAAO,M;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB  
,OAAgB,cAAhB,C;QAAGB,yB;QACZ,MpCAiD,SoCAjD,GpCA2D,KAAK,GoCAzD,OpCAoE,KAAX,IAAf,C;:M  
oCErD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB  
;QACZ,MpBXmD,UoBwND,GpBX8D,KAAK,KoBW5D,OpBXuE,KAAX,CAAhB,C;:MoBavD,OAAO,G;K;IAG

X,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MpC5BiD,SoC4  
BjD,GpC5B2D,KAAK,GAAW,CD2O5C,SqC/MxB,OrC+MkC,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;  
MoC8BrD,OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB  
,yB;QACZ,MpC1CiD,SoC0CjD,GpC1C2D,KAAK,GAAW,CC4O5C,SmClMxB,OnCkMkC,KAAL,GAAiB,KAAt  
B,CD5O4C,MAAX,IAAf,C;;MoC4CrD,OAAO,G;K;IC3GX,wB;MAMI,OrCuCkE,YqCvCvD,CrCuCwE,KAAjB,E  
qCvCiD,CrCuC+E,KAA7B,CqCvCvD,KAAJ,GAAZ,CAAZ,GAAmB,C;K;IAG9B,wB;MAMI,OrBsCmE,aqBtCxD  
,CrBsC0E,KAAiB,EqBtCnD,CrBsCiF,KAA9B,CqBtCxD,KAAJ,GAAZ,CAAZ,GAAmB,C;K;IAG9B,wB;MAMI,  
OtCkGf,0BsCLrE,CtCgP2B,KAAL,GAAiB,GA3O8B,EsCLhE,CtCgPsB,KAAL,GAAiB,GA3O8B,CsCLrE,KAAJ,  
GAAZ,CAAZ,GAAmB,C;K;IAG9B,wB;MAMI,OpClIf,0BoCjE,CpCwO2B,KAAL,GAAiB,KApO+B,EoCjE,Cp  
CwOsB,KAAL,GAAiB,KApO+B,CoCjE,KAAJ,GAAZ,CAAZ,GAAmB,C;K;mFAG9B,yB;MAAA,8C;MAAA,0  
B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8  
C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,y  
B;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C  
;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;  
O;KAPX,C;IAUA,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM  
,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,  
OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;M  
AOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,  
CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU  
,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,wB;MAMI,OrCjFkE,YqCiFvD  
,CrCjFwE,KAAjB,EqCiFiD,CrCjF+E,KAA7B,CqCiFvD,KAAJ,GAAZ,CAAZ,GAAmB,C;K;IAG9B,wB;MAMI,O  
rBIFmE,aqBkFxD,CrBIF0E,KAAiB,EqBkFnD,CrBIFiF,KAA9B,CqBkFxD,KAAJ,GAAZ,CAAZ,GAAmB,C;K;IA  
G9B,wB;MAMI,OtCnHgF,0BsCmHrE,CtCwH2B,KAAL,GAAiB,GA3O8B,EsCmHhE,CtCwHsB,KAAL,GAAiB,  
GA3O8B,CsCmHrE,KAAJ,GAAZ,CAAZ,GAAmB,C;K;IAG9B,wB;MAMI,OpCpHiF,0BoCoHtE,CpCgH2B,KAA  
L,GAAiB,KApO+B,EoCoHjE,CpCgHsB,KAAL,GAAiB,KApO+B,CoCoHtE,KAAJ,GAAZ,CAAZ,GAAmB,C;K;  
mFAG9B,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;  
O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAA  
T,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,  
EAAS,CAAT,CAAT,C;O;KAPX,C;mFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MA  
AM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;IAUA,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,  
cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;  
MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,  
C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MACA,uB;MAAV,OAAU,cAAV,C;QAAU,mB;Q  
AAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAOc,Q;MADV,UAAU,C;MAC  
A,uB;MAAV,OAAU,cAAV,C;QAAU,mB;QAAO,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K  
;gFC7OX,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;gFAYA,yB;MAAA,  
mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;IAYA,sC;;QASQ,OAAc,WAAP,MAAO,E  
AAS,SAAT,C;;QACHB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;IAOJ,sC;;QASQ,OAAc,YA  
AP,MAAO,EAAU,SAAV,C;;QACHB,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;4FAOJ,yB;M  
AAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;  
MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,  
OAAc,WAAP,MAAO,EAAS,SAAT,C;K;IAGIB,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,YAAP  
,MAAO,EAAU,SAAV,C;K;oFAGIB,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;  
MASI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;K;IAG9B,uC;MAMI,OAAO,2BvC4K4B,SuC5KnB,KvC4  
K6B,KAAL,GAAiB,GAAtB,CuC5K5B,C;K;IAGX,uC;MAMI,OAAO,2BvC6K8B,UAAW,oBuC7KhC,KvC6K2B,  
KAAK,CAAL,UAAW,CuC7K9B,C;K;IAGX,uC;MAMI,OAAO,2BtCwL8B,UAAW,oBsCxLhC,KtCwL2B,KAAK,  
CAAL,iBAAN,CsCxL9B,C;K;IAGX,uC;MAMY,Q;MAAD,cAAC,OtBqF4C,UsBrF5C,KtBqFkD,yBsBrFxC,EtBq  
FwC,CAAN,CsBrF7C,wBAA8B,2BAA9B,Q;MAAA,W;QAAqC,oCtCoPR,SsCpPiB,KtB6KlB,KhBuEW,QAAV,C

sCpPQ,C;OAA5C,a;K;IAGJ,uC;MAMI,OAAO,2BrCyI4B,SqCzInB,KrCyI6B,KAAL,GAAiB,KAAtB,CqCzI5B,C;K;IAGX,uC;MAMI,OAAO,2BrC0I8B,UAAW,oBqC1IhC,KrC0I2B,KAAK,CAAL,YAAN,CqC1I9B,C;K;IAGX,kC;MASI,OAAO,uCAAgB,yBvCmHY,SuCnHL,SvCmHM,KAAL,GAAiB,GAAtB,CuCnHZ,EvCmHY,SuCnHmB,EvCmHT,KAAL,GAAiB,GAAtB,CuCnHZ,EAA4C,EAA5C,C;K;IAG3B,kC;MASI,OAAO,uCAAgB,yBAAGB,SAAhB,EAA5B,EAAtB,EAA0B,EAA1B,C;K;IAG3B,kC;MASI,OAAO,wCAAiB,yBAAGB,SAAhB,EAA5B,EAAtB,M;K;IAG5B,kC;MASI,OAAO,uCAAgB,yBrCgFY,SqChFI,SrCgFM,KAAL,GAAiB,KAAtB,CqChFZ,ErCgFY,SqChFmB,ErCgFT,KAAL,GAAiB,KAAtB,CqChFZ,EAA4C,EAA5C,C;K;IAG3B,gC;MAMI,OAAO,uCAAgB,yBAAGB,cAAhB,EAA5B,eAAtB,EAA6B,CAAC,cAAD,IAA7B,C;K;IAG3B,gC;MAMI,OAAO,wCAAiB,yBAAGB,cAAhB,EAA5B,eAAtB,EAA8B,cAAD,aAA7B,C;K;IAG5B,iC;MAMI,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GAAY,CAAhB,GAAMB,IAAnB,GA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,iC;MAMI,oBAAoB,kBAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,wCAAiB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,cAAy,CAAhB,GAAMB,IAAnB,GAA8B,IAAD,aAA1D,C;K;IAG5B,iC;MAQI,IvC/OgF,0BuC+O5E,EvCjKc,KAAL,GAAiB,GA3O8B,EuC+OtE,6BAAM,UvCJsB,KAAL,GAAiB,GA3O8B,CuC+O5E,KAAJ,C;QAA2B,OAAO,iCAAU,M;MACHC,WvC6BuB,SuC7B5B,SvC6BsC,KAAL,GAAiB,GAAtB,C;MuC7BV,YAAK,W;MAA9B,OtCjD6D,oBAhJP,SAAU,CD8N7B,SuC7BV,EvC6BoB,KAAL,GAAiB,GAAtB,CC9N6B,MAAK,GDAK,KCAO,KAAZ,IAAf,CAGJO,C;K;IsCoDjE,iC;MAQI,ItC3OkE,YsC2O9D,EtC3O+E,KAAjB,EsC2OxD,4BAAK,UtC3OgF,KAA7B,CsC2O9D,KAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OtC7D6D,csC6DtD,StC7DsD,EAhJP,SsC6MtC,EtC7MgD,KAAK,GAAY,CsC6M5D,WtC7M4D,MAAZ,IAAf,CAGJO,C;K;IsCgEjE,iC;MAQI,ItB/OmE,asB+O/D,EtB/OiF,KAAIB,EsB+OzD,6BAAM,UtB/OiF,KAA9B,CsB+O/D,KAAJ,C;QAA2B,OAAO,kCAAW,M;MAC7C,OtBzE+D,iBsByExD,StBzEwD,EA7IP,UsBsNxC,EtBtNmD,KAAK,UAAy,ChByP/C,UAAW,oBAAL,CsCnCb,WtCmCsB,MAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB,CA6IO,C;K;IsB4EnE,iC;MAQI,IrC3QiF,0BqC2Q7E,ErCvCkC,KAAL,GAAiB,KApO+B,EqC2QvE,8BAAO,UrCvCqB,KAAL,GAAiB,KApO+B,CqC2Q7E,KAAJ,C;QAA4B,OAAO,iCAAU,M;MACjC,WrCNuB,SqCM5B,SrCnCsC,KAAL,GAAiB,KAAtB,C;MqCMV,YAAK,W;MAA9B,OtCrF6D,oBAhJP,SAAU,CC+N7B,SqCMV,ErCnOB,KAAAL,GAAiB,KAAtB,CD/N6B,MAAK,GCAK,KDAO,KAAZ,IAAf,CAGJO,C;K;IsCwFjE,kD;MAUI,OtCjRkE,YsCiRvD,StCjRwE,KAAjB,EsCiRhD,YtCjR6E,KAA7B,CsCiRvD,IAAJ,GAAY,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OtBtRmE,asBsRxD,StBtR0E,KAAIB,EsBsRjD,YtBtR+E,KAA9B,CsBsRxD,IAAJ,GAAY,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OvC3TgF,0BuC2TrE,SvChF2B,KAAL,GAAiB,GA3O8B,EuC2T9D,YvChFoB,KAAL,GAAiB,GA3O8B,CuC2TrE,IAAJ,GAAY,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OrChUiF,0BqCgUtE,SrC5F2B,KAAL,GAAiB,KApO+B,EqCgU/D,YrC5FoB,KAAL,GAAiB,KApO+B,CqCgUtE,IAAJ,GAAY,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OtCrUkE,YsCqUvD,StCrUwE,KAAjB,EsCqUhD,YtCrU6E,KAA7B,CsCqUvD,IAAJ,GAAY,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OtB1UmE,asB0UxD,StB1U0E,KAAIB,EsB0UjD,YtB1U+E,KAA9B,CsB0UxD,IAAJ,GAAY,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OvC/WgF,0BuC+WrE,SvCpI2B,KAAL,GAAiB,GA3O8B,EuC+W9D,YvCpIoB,KAAL,GAAiB,GA3O8B,CuC+WrE,IAAJ,GAAY,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OrCpXiF,0BqCoXtE,SrChJ2B,KAAL,GAAiB,KApO+B,EqCoX/D,YrChJoB,KAAL,GAAiB,KApO+B,CqCoXtE,IAAJ,GAAY,YAAzB,GAA2C,S;K;IAGtD,4D;MAUI,ItCzXkE,YsCyX9D,YtCzX+E,KAAjB,EsCyX/C,YtCzX4E,KAA7B,CsCyX9D,IAAJ,C;QAAiC,MAAM,gCAAYB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAZB,C;MACvC,ItC1XkE,YsC0X9D,StC1X+E,KAAjB,EsC0XvD,YtC1XoF,KAA7B,CsC0X9D,IAAJ,C;QAAyB,OAAO,Y;MACHC,ItC3XkE,YsC2X9D,StC3X+E,KAAjB,EsC2XvD,YtC3XoF,KAA7B,CsC2X9D,IAAJ,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,4D;MAUI,ItBjYmE,asBiY/D,YtBjYiF,KAAIB,EsBiYhD,YtBjY8E,KAA9B,CsBiY/D,IAAJ,C;QAAiC,MAAM,gCAAYB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAZB,C;MACvC,ItBiYmE,asBkY/D,StBiYiF,KAAIB,EsBkYxD,YtBiYsF,KAA9B,CsBkY/D,IAAJ,C;QAAyB,OAAO,Y;MACHC,ItBnYmE,asBmY/D,StBnYiF,KAAIB,EsBmYxD,YtBnYsF,KAA9B,CsBmY/D,IAAJ,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,4D;MAUI,IvCzagF,0BuCya5E,YvC9LkC,KAAL,GAAiB,GA3O8B,EuCya7D,YvC9LmB,KAAL,GAAiB,GA3O8B,CuCya5E,IAAJ,C;QAAiC,MAAM,gCAAYB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAZB,C;MACvC,IvC1agF,0BuC0a5E,SvC/LkC,KAAL,GAAiB,GA3O8B,EuC0arE,YvC/L2B,KAAL,GAAiB,GA3O8B,CuC0a5E,IAAJ,C;QAAyB,OAAO,Y;MACHC,IvC3agF,0BuC2a5E,SvChMkC,KAAL,GAAiB,GA3O8B,EuC2arE,YvChM2B,KAAL,GAAiB,GA3O8B,CuC2a5E,IAAJ,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,4D;MAUI,IrCjbiF,0BqCib7E,YrC7MkC,KA

AL,GAAiB,KApO+B,EqCib9D,YrC7MmB,KAAL,GAAiB,KApO+B,CqCib7E,IAAJ,C;QAAiC,MAAM,gCAAYB,  
oDAAiD,YAAjD,8BAAoF,YAApF,MAAZB,C;MACvC,IrClbiF,0BqCkb7E,SrC9MkC,KAAL,GAAiB,KApO+B,E  
qCkbtE,YrC9M2B,KAAL,GAAiB,KApO+B,CqCkb7E,IAAJ,C;QAAyB,OAAO,Y;MACHC,IrCnbiF,0BqCmb7E,Sr  
C/MkC,KAAL,GAAiB,KApO+B,EqCmbtE,YrC/M2B,KAAL,GAAiB,KApO+B,CqCmb7E,IAAJ,C;QAAyB,OAA  
O,Y;MACHC,OAAO,S;K;IAGX,uC;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,EAAe,KAAf,C  
;OAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAYB,4CAAyC,KAAzC,MAAZB,C;MAEvB,ItC9b8D,YsC8  
b9D,StC9b+E,KAAjB,EsC8bvD,KAAM,MtC9b8E,KAA7B,CsC8b9D,K;QAA4B,OAAN,KAAM,M;;QAC5B,ItC/b  
8D,YsC+b9D,StC/b+E,KAAjB,EsC+bvD,KAAM,atC/b8E,KAA7B,CsC+b9D,K;UAAmC,OAAN,KAAM,a;;UAC3  
B,gB;;MAHZ,W;K;IAOJ,uC;MAcW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAy,WAAL,SAAK,EAAgB,KAAhB,C;O  
AEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAYB,4CAAyC,KAAzC,MAAZB,C;MAEvB,ItB3c+D,asB2c/D  
,StB3ciF,KAAIB,EsB2cxD,KAAM,MtB3cgF,KAA9B,CsB2c/D,K;QAA4B,OAAN,KAAM,M;;QAC5B,ItB5c+D,as  
B4c/D,StB5ciF,KAAIB,EsB4cxD,KAAM,atB5cgF,KAA9B,CsB4c/D,K;UAAmC,OAAN,KAAM,a;;UAC3B,gB;;M  
AHZ,W;K;IC/fJ,2B;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,M  
vCoDiD,SuCPdJd,GvCoD2D,KAAK,GuCPdZD,OvCoDoE,KAAX,IAAf,C;;MuClDrD,OAAO,G;K;IAGX,2B;MA  
UoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MvBuCmD,UuBvCnD,Gv  
BuC8D,KAAK,KuBvC5D,OvBuCuE,KAAX,CAAhB,C;;MuBrCvD,OAAO,G;K;IAGX,2B;MAUoB,Q;MADhB,U  
AAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MvCoBiD,SuCPbJd,GvCoB2D,KAAK,GA  
AW,CD2O5C,SwC/PxB,OxC+PkC,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;;MuClBrD,OAAO,G;K;IAG  
X,2B;MAUoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MvClid,SuClJd  
,GvCl2D,KAAK,GAAW,CC4O5C,SsChPxB,OtCgPkC,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;;MuCFr  
D,OAAO,G;K;ICuCP,iD;MAAA,qE;MAAgB,4B;MANpB,uC;MAMI,Y;K;IACA,4D;MAAA,qE;MAAgC,wBA  
AM,OAAN,Q;MAPpC,uC;MAOI,Y;K;IACA,mE;MAAA,qE;MAAmD,6BAAM,OAAN,EAAe,KAAf,C;MARvD,u  
C;MAQI,Y;K;IACA,0D;MAAA,qE;MAAiC,wBAAM,KAAN,Q;MATrC,uC;MASI,Y;K;ICxGJ,gC;K;ICuBoC,w  
C;8BAAsC,O;K;CC0rE,6B;MASI,MAAM,yB;K;OAcYDV,sB;MASI,OAAO,I;K;ICnYf,wB;K;kCAEI,Y;MAA4B,sB;K;IAMhC,wB;K;kCAEI,Y;MAA4B,mC;K;IAMhC,yB;K;mCAEI,Y  
;MAA4B,uB;K;IAMhC,uB;K;iCAEI,Y;MAA4B,qB;K;IAMhC,wB;K;kCAEI,Y;MAA4B,sB;K;IAMhC,yB;K;mC  
AEI,Y;MAA4B,uB;K;IAMhC,0B;K;oCAEI,Y;MAA4B,wB;K;IAMhC,2B;K;qCAEI,Y;MAA4B,yB;K;ICtDM,oD  
;MAA2C,uB;MAAjB,gB;MAC5D,sBAAGC,InBkCU,I;MmBjC1C,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB,  
GAAiC,SAAS,I;MACzE,cAA4B,cAA5B,GAAqC,KnBgCK,ImBhC1C,GAAqD,mB;K;gDAErD,Y;MAAkC,qB;K;i  
DAEIC,Y;MACI,YAAy,W;MACZ,IAAI,UAAS,mBAAb,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3  
B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAa,OAAN,KAAM,C;K;IAQgB,mD;MAAyC,sB;MAAjB,gB;M  
ACzD,sBAAGC,I;MACHC,iBAAmC,YAAO,CAAX,GAAc,SAAS,IAAvB,GAAiC,SAAS,I;MACzE,cAA4B,cAAJ,  
GAAa,KAAb,GAAwB,mB;K;+CAEhD,Y;MAAkC,qB;K;+CAEIC,Y;MACI,YAAy,W;MACZ,IAAI,UAAS,mBA  
Ab,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAGV,4BAAQ,SAAR,I;;MAEJ,OAAO,  
K;K;IAQuB,oD;MAA4C,uB;MAAIB,gB;MAC5D,sBAAiC,I;MACjC,iBAAmC,uBAAO,CAAX,GAAc,sBAAS,IA  
AT,MAAd,GAAiC,sBAAS,IAAT,M;MACHC,cAA6B,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAEjD,Y;MAAkC,qB  
;K;iDAEIC,Y;MACI,YAAy,W;MACZ,IAAI,cAAS,mBAAT,CAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,  
6B;QAC3B,iBAAU,K;;QAGV,8BAAQ,SAAR,C;;MAEJ,OAAO,K;K;IC9DX,oD;MA6CA,uC;MAtCI,IAAI,SA  
Q,CAAZ,C;QAAe,MAAa,gCAAYB,wBAAZB,C;MAC5B,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAYB,wEAA  
zB,C;MAG5C,aAGyB,K;MAEzB,YAGuF,OAA/D,0BAA0B,KpBcR,IoBdlB,EAAc,YpBcpB,IoBdlB,EAAyD,IA  
AzD,CAA+D,C;MAEvF,YAGuB,I;K;yCAEvB,Y;MAAwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAAR,C  
;K;wCAExC,Y;MAMqC,OAAI,YAAO,CAAX,GAAc,aAAQ,SAATB,GAAgC,aAAQ,S;K;uCAE7E,iB;MACI,iDA  
A6B,kBAaA,KAAM,UAAAnB,KAC7B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ,KAA  
M,KAD/B,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,OAkC,UpBRG,IoBQR,UA  
AkB,SpBRV,IoBQR,KAAN,SAAQ,SAAR,I;K;yCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAc,oBAAE,UAAF  
,+BAAU,SAAV,eAAqB,SAAnC,GAA8C,oBAAE,UAAF,qCAAgB,SAAhB,gBAA4B,CAAC,SAAD,IAA5B,C;K;I  
AEhF,qC;MAAA,yC;K;kEACI,sC;MAQ2F,2BAAgB,UAAhB,EAA4B,QAA5B,EAAc,IAAtC,C;K;;IAT/F,iD;M  
AAA,gD;QAAA,+B;OAAA,yC;K;IAiBA,mD;MA6CA,sC;MAtCI,IAAI,SAAQ,CAAZ,C;QAAe,MAAa,gCAAYB,

wBAAzB,C;MAC5B,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAyB,wEAAzB,C;MAG5C,aAGwB,K;MAExB,YAGuB,0BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAEvB,YAGuB,I;K;wCAEvB,Y;MAAuC,kCAAuB,UAAvB,EAA8B,SAA9B,EAAoC,SAApC,C;K;uCAEvC,Y;MAMqC,OAAI,YAAO,CAAX,GAAc,aAAQ,SAAtB,GAAGC,aAAQ,S;K;sCAE7E,iB;MACI,gDAA4B,kBAaA,KAAM,UAAAnB,KAC5B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAAtC,IAA8C,cAAQ,KAAM,KADhC,CAA5B,C;K;wCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GA AwB,OAAM,MAAK,UAAAL,QAAa,SAAb,IAAN,SAA2B,SAA3B,I;K;wCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAgB,UAAf,qBAAU,SAAV,cAAqB,SAAnC,GAAGD,UAAf,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;K;IAEHF,oC;MAAA,wC;K;iEACI,sC;MAQwF,0BAaE,UAAf,EAA2B,QAA3B,EAAqC,IAArC,C;K;;IAT5F,gD ;MAAA,+C;QAAA,8B;OAAA,wC;K;;IAiBA,oD;MA6CA,uC;MAtCI,IAAI,gBAAJ,C;QAAgB,MAAa,gCAAyB,wBAAzB,C;MAC7B,IAAI,sCAAJ,C;QAA4B,MAAa,gCAAyB,yEAAzB,C;MAG7C,aAGyB,K;MAEzB,YAGwB,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAExB,YAGwB,I;K;yCAExB,Y;MAAwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAExC,Y;MAMqC,OAAI,uBAAO,CAAX,GAAc,2BAAQ,SAAR,KAA d,GAAGC,2BAAQ,SAAR,K;K;uCAErE,iB;MACI,iDAA6B,kBAaA,KAAM,UAAAnB,KAC7B,mBAAS,KAAM,MAA f,KAAwB,kBAAQ,KAAM,KAAd,CAAxB,IAA8C,kBAAQ,KAAM,KAAd,CADjB,CAA7B,C;K;yCAGJ,Y;MACI, OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,iCAAM,eAAW,8BAAW,EAAX,CAAX,CAAN,MAAoC,cAAU,6BA AU,EA AV,CAAV,CAApC,CAAN,MAAuE,cAAU,6BAAU,EA AV,CAAV,CAA vE,CAAIg,Q;K;yCAE7H,Y;MA AkC,OAAI,uBAAO,CAAX,GAAGB,UAAf,qBAAU,SAAV,yBAAqB,SAArB,WAA d,GAAGD,UAAf,2BAAgB,SA AhB,yBAA6B,SAAD,aAA5B,W;K;IAEHF,qC;MAAA,yC;K;kEACI,sC;MAQ4F,2BAAgB,UAAhB,EAA4B,QA A5B,EAAsC,IAAtC,C;K;;IAThG,iD;MAAA,gD;QAAA,+B;OAAA,yC;K;;;6CCIKa,iB;MAGkD,+BAAS,UAA T,UAAkB,wBAAS,iBAAT,M;K;oCAEpE,Y;MAKgC,oCAAQ,iBAAR,K;K;;I7CpBd,wC;MA sBIB,iC;MA tBsD,2BA AgB,KAAhB,EAAuB,YAAvB,EAAqC,CAArC,C;K;kFAC7B,Y;MAAQ,8B;K;yFACD,Y;MAAQ,6B;K;2CAExC,i B;MAA8C,qBAAS,KAAT,IAAkB,SAAS,S;K;kCAEzE,Y;MAKkC,oBAAQ,S;K;iCAE1C,iB;MACI,2CAAuB,kBA Aa,KAAM,UAAAnB,KACvB,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KADf,CAAvB,C;K;mCAGJ,Y;MACI,OA AI,cAAJ,GAAe,EAAf,GAAwB,OA AK,UwBkBS,IxBIBd,UAAkB,SwBkJ,IxBIBd,K;K;mCAE5B,Y;MAAkC,2 BAAE,UAAf,+BAAU,SAAV,C;K;IAEIC,+B;MAAA,mC;MACI,aAC8B,cAA Y,OAAf,CAAE,CAAZ,EAAwB,O AAF,CAAE,CAAxB,C;K;;IAFIC,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;;IASiB,uC;MA sBjB,gC;MA tBmD,0BA Ae,KAAf,EAAsB,YAA tB,EAAoC,CAApC,C;K;iFAC3B,Y;MAAQ,iB;K;wFACD,Y;MAAQ,gB;K;0CAEvC,iB;M AA6C,qBAAS,KAAT,IAAkB,SAAS,S;K;iCAExE,Y;MAKkC,oBAAQ,S;K;gCAE1C,iB;MACI,0CAAsB,kBAaA, KAAM,UAAAnB,KACtB,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KADhB,CAAtB,C;K;kCAGJ,Y;MACI,OA AI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAAL,QAAa,SAAb,I;K;kCAE5B,Y;MAAkC,OAAE,UAAf,qBAAU,S;K; IAE5C,8B;MAAA,kC;MACI,aAC6B,aAAS,CAAT,EAAY,CAAZ,C;K;;IAFjC,0C;MAAA,yC;QAAA,wB;OAAA, kC;K;;IASkB,wC;MA sBIB,iC;MA tBsD,2BAAgB,KAAhB,EAAuB,YAAvB,K;K;kFAC7B,Y;MAAQ,iB;K;yFACD ,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,kCAAS,KAAT,UAAkB,sBAAS,SAAT,M;K;kCAEH e,Y;MAKkC,kCAAQ, SAAR,K;K;iCAEIC,iB;MACI,2CAAuB,kBAaA,KAAM,UAAAnB,KACvB,mBAAS,KAAM,MAAf,KA AwB,kBAA Q,KAAM,KAAd,CADD,CAAvB,C;K;mCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,eAAW,8BA AW,EAAX,CAAX,CAAN,MAAoC,cAAU,6BAAU,EA AV,CAAV,CAApC,CAA8D,Q;K;mCAE1F,Y;MAAkC,O AAE,UAAf,qBAAU,SAAV,W;K;IAEIC,+B;MAAA,mC;MACI,aAC8B,qB;K;;IAFIC,2C;MAAA,0C;QAAA,yB; OAAA,mC;K;;I8C9EJ,gB;MAAA,oB;K;8BAII,Y;MAA0B,oB;K;;IAJ9B,4B;MAAA,2B;QAAA,U;OAAA,oB;K;I CEA,yC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,uC;MAAA,0C;O;MAII,kE;MAEA,wF;MAEA,oF;MAEA,wE; MAEA,kE;MAEA,oF;MAEA,sF;MAEA,8E;MAEA,wE;MAEA,sF;MAEA,uF;MAEA,iE;MAEA,6E;MAEA,iE;MA EA,2E;K;;IA5BA,8C;MAAA,6B;MAAA,sC;K;;IAEA,yD;MAAA,6B;MAAA,iD;K;;IAEA,uD;MAAA,6B;MAAA, +C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IAEA,8C;MAAA,6B;MAAA,sC;K;;IAEA,uD;MAAA,6B;MAAA,+C;K ;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,oD;MAAA,6B;MAAA,4C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IA EA,wD;MAAA,6B;MAAA,gD;K;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,6C;MAAA,6B;MAAA,qC;K;;IAEA ,mD;MAAA,6B;MAAA,2C;K;;IAEA,6C;MAAA,6B;MAAA,qC;K;;IAEA,kD;MAAA,6B;MAAA,0C;K;;IAhCJ,m C;MAAA,+oB;K;;IAAA,wC;MAAA,a;AAAA,O;UAAA,2C;aAAA,kB;UAAA,sD;aAAA,gB;UAAA,oD;aAAA,U;U AAA,8C;aAAA,O;UAAA,2C;aAAA,gB;UAAA,oD;aAAA,iB;UAAA,qD;aAAA,a;UAAA,iD;aAAA,U;UAAA,8C; aAAA,iB;UAAA,qD;aAAA,iB;UAAA,qD;aAAA,M;UAAA,0C;aAAA,Y;UAAA,gD;aAAA,M;UAAA,0C;aAAA,

W;UAAA,+C;gBAAA,uE;;K;;IAqCA,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAMI,0E;M  
AEA,0E;MAEA,4E;K;;IAJA,kD;MAAA,gC;MAAA,0C;K;;IAEA,kD;MAAA,gC;MAAA,0C;K;;IAEA,mD;MAAA  
,gC;MAAA,2C;K;;IAVJ,sC;MAAA,sI;K;;IAAA,2C;MAAA,a;AAAA,Q;UAAA,+C;aAAA,Q;UAAA,+C;aAAA,S;U  
AAA,gD;gBAAA,0E;;K;;IAwB8B,gC;MAAC,oC;K;;IAQE,0B;MAAC,qB;QAAA,iD;MAAA,kB;K;;IAEIC,sB;K;;I  
AMA,4B;K;;IC/EA,yB;K;;IAQA,6B;K;;ICnBA,mB;MAEI,UAAU,IAAI,C;MACd,OAAW,OAAO,CAAX,GAAc,G  
AAd,GAAuB,MAAM,CAAN,I;K;IAGIC,qB;MACI,UAAU,SAAL,CAAJ,C;MACV,OAAW,kBAAO,CAAX,GAAc,  
GAAAd,GAAuB,QAAM,CAAN,C;K;IAGIC,mC;MAEI,OAAO,IAAI,IAAI,CAAJ,EAAO,CAAP,IAAY,IAAI,CAAJ,  
EAAO,CAAP,CAAZ,IAAJ,EAA2B,CAA3B,C;K;IAGX,qC;MACI,OAAO,MAAI,MAAI,CAAJ,EAAO,CAAP,WA  
AY,MAAI,CAAJ,EAAO,CAAP,CAAZ,CAAJ,EAA2B,CAA3B,C;K;IAGX,qD;MAkBI,WAAO,CAAP,C;QAD2E,  
OAC3D,SAAS,GAAb,GAakB,GAAIB,GAA2B,MAAM,iBAAiB,GAAjB,EAA6B,KAAtB,EAA6B,IAA7B,CAAN,  
I;WACvC,WAAO,CAAP,C;QAF2E,OAE3D,SAAS,GAAb,GAakB,GAAIB,GAA2B,MAAM,iBAAiB,KAAjB,EA  
AwB,GAAxB,EAA6B,CAAC,IAAD,IAA7B,CAAN,I;;QAC/B,MAAa,gCAAYB,eAAzB,C;K;IAGzB,uD;MAkBI,s  
BAAO,CAAP,C;QAD+E,OAC/D,sBAAS,GAAT,MAAJ,GAakB,GAAIB,GAA2B,aAAM,mBAAiB,GAAjB,EAA6B,  
KAAtB,EAA6B,IAA7B,CAAN,C;WACvC,sBAAO,CAAP,C;QAF+E,OAE/D,sBAAS,GAAT,MAAJ,GAakB,G  
AAIB,GAA2B,QAAM,mBAAiB,KAAjB,EAAwB,GAAxB,EAA8B,IAAD,aAA7B,CAAN,C;;QAC/B,MAAa,gCA  
AyB,eAAzB,C;K;IC7DjB,kD;MAAA,8B;MACI,aAAY,C;K;oDACZ,Y;MAAYB,oBAAQ,gBAAI,O;K;iDACrC,Y;  
MAAgD,Q;MAA1B,IAAI,aAAQ,gBAAI,OAAhB,C;QAAA,OAA6B,iBAAI,iBAAJ,EAAI,yBAAJ,O;;QAAkB,MA  
AM,2BAAYB,UAAF,WAAvB,C;K;;IAPhF,oC;MAEI,IAD8D,IAC9D,S;QACI,UAA0B,K;QAF0B,2C;;QAAA,QA  
AM,IAAN,C;eASxD,c;YATwD,OAStC,qBAAqB,KAARb,C;eACIB,W;YAVwD,OAuzC,kBAakB,KAAIB,C;eAC  
f,Y;YAXwD,OAwxC,mBAAMB,KAAAnB,C;eAChB,W;YAZwD,OAYzC,kBAakB,KAAIB,C;eACf,U;YAbwD,O  
Aa1C,iBAAiB,KAAjB,C;eACd,W;YAdwD,OaczC,kBAakB,KAAIB,C;eACf,Y;YafwD,OAexC,mBAAMB,KAA  
nB,C;eAChB,a;YAhBwD,OAgBvC,oBAAoB,KAApB,C;kBACT,MAAM,6BAASB,2DAA+C,IAA/C,CAAtB,C;;K;  
IAIuC,2D;MAAA,kC;MAAS,0B;MAC9D,aAAY,C;K;2DACZ,Y;MAAYB,oBAAQ,kBAAM,O;K;+DACvC,Y;MA  
A2D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,  
MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJnF,qC;MACyD,oD;K;IAON,wD;MAAA,kC;MAAS,uB;MACxD,aAA  
Y,C;K;wDACZ,Y;MAAYB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB  
,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJhF,  
kC;MACmD,iD;K;IAOE,yD;MAAA,kC;MAAS,wB;MAC1D,aAAY,C;K;yDACZ,Y;MAAYB,oBAAQ,kBAAM,O;  
K;2DACvC,Y;MAAYD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yB  
AAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJf,mC;MACqD,kD;K;IAOF,wD;MAAA,kC;MAAS,  
uB;MACxD,aAAY,C;K;wDACZ,Y;MAAYB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ  
,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WA  
AvB,C;K;;IAJhF,kC;MACmD,iD;K;IAOF,uD;MAAA,kC;MAAS,sB;MACTd,aAAY,C;K;uDACZ,Y;MAAYB,oBA  
AQ,kBAAM,O;K;uDACvC,Y;MAAUd,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iB  
AAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJ/E,iC;MACiD,gD;K;IAOI,yD;MAA  
A,kC;MAAS,wB;MAC1D,aAAY,C;K;yDACZ,Y;MAAYB,oBAAQ,kBAAM,O;K;2DACvC,Y;MAAYD,Q;MAA9B  
,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB  
,UAAF,WAAvB,C;K;;IAJf,mC;MACqD,kD;K;IAOE,0D;MAAA,kC;MAAS,yB;MAC5D,aAAY,C;K;0DACZ,Y;  
MAAYB,oBAAQ,kBAAM,O;K;6DACvC,Y;MAA0D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB  
,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJf,oC;MACuD,mD;K;I  
AOJ,wD;MAAA,kC;MAAS,uB;MACxD,aAAY,C;K;wDACZ,Y;MAAYB,oBAAQ,kBAAM,O;K;yDACvC,Y;MA  
AwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,  
MAAM,2BAAYB,UAAF,WAAvB,C;K;;IAJhF,kC;MACmD,iD;K;IAOpB,gC;MAAC,wB;K;;IAEHc,+B;MAC8C,  
MAAM,mC;K;IAEPd,8C;MAEI,IAAI,qBAAJ,C;QACI,OAAO,C5ByIiF,W4BzIrE,U5ByIqE,E4BzIzD,Q5ByIyD,C  
;;Q4BvIxF,OAAS,CAAY,qBAASB,UAAtB,EAakC,QAAIC,C;;K;IAI7B,2C;MAEI,IAAI,KAAY,kBAAhB,C;QAG  
I,KAAY,mBAakB,QAAIB,C;;QAEH,QAAT,SAA+C,CAAI,IAAJ,C,KAaiC,EAakB,O;;K;IAIVd,sC;MAGwB,Q;  
MADpB,gBAAgB,IAAhB,KAAgB,E;MACI,IAAI,OCnGkB,ODmGT,OAAT,EAAqB,WAArB,CAAJ,C;QACHb,O  
AAI,aAAJ,GAAmB,KAAM,WAAzB,GAAyC,I;;QAEzC,c;;MAHJ,wB;MAKA,kBAakB,K;MACIB,iBAAiB,W;M

ACjB,OAAO,S;K;IAIa,sB;MAAC,U;K;iCACrB,iB;MACI,OAAO,mCAAsB,WAAK,KAAM,E;K;mCAG5C,Y;MA  
CI,OAAO,M;K;mCAGX,Y;MACI,OAAuC,oBAAnB,UAA5B,IAAe,EAAa,CAAmB,C;K;OCAG3C,iB;MACI,OAA  
R,IAAI,EAAW,GAAN,K;K;kCAGL,Y;MAEI,OAAO,M;K;+DAIf,gB;MAEI,YAAY,MAAY,IAAK,OAAjB,C;M  
ACZ,sBAAU,IAAV,a;QACI,UAAU,KAAK,CAAL,C;QACV,IAAI,oBAAJ,C;UACI,MAAM,CAAN,IAAW,EAAS,  
MAAM,MAAK,GAAL,C;;UAE1B,MAAM,CAAN,IAAW,G;;;MAGnB,OAAO,EAAS,OAAO,OAAM,EAAN,EA  
AgB,KAAhB,C;K;IAG3B,2B;MAMW,WAAO,S;MAIBd,YAAY,MAAY,IAAK,OAAjB,C;MACZ,sBAAU,IAAV,  
a;QACI,UAAU,KAAK,CAAL,C;QACV,IAAI,oBAAJ,C;UACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GA  
AL,C;;UAE1B,MAAM,CAAN,IAAW,G;;;MA YnB,OATO,EAAS,OAAO,OAAM,EAAN,EAAGb,KAAhB,C;K;IA  
Y3B,oC;MAWI,WAAqB,S;MACrB,IAAI,qBAAmB,CAAY,OAAd,KAA2B,SAAhD,C;QAJCA,YAAY,MAKCM,I  
AICW,OAAjB,C;QACZ,sBAiCkB,IAjCIB,a;UACI,UAGCc,IAhCJ,CAAK,CAAL,C;UACV,IAAI,oBAAJ,C;YACI,  
MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;YAE1B,MAAM,CAAN,IAAW,G;;;QA4Bf,OAzBG,EA  
S,OAAO,OAAM,EAAN,EAAGb,KAAhB,C;;QA2BnB,WAAW,C;QACX,OBAAU,IAAV,e;UACY,IAAoB,I;UAA  
5B,eAAQ,QAAoB,OAAPB,IAAQ,CAAH,GAAG,CAAY,OAAPB,oCAAR,K;;QAEJ,aAAa,IAAjB,CAAC,YAAgB,  
CAAH,IAAG,C;QE3FjB,IF4FyB,CE5FhB,OAAL,KAAkB,SAAtB,C;UF4F4B,ME3FxB,UF2FqB,CE3FF,O;SF4Fn  
B,OAAO,C;QACP,OBAAU,IAAV,e;UAE0B,YACX,M;UAFX,YAAU,IAAQ,CAAH,GAAG,C;UACI,SAAJ,KAAI  
,O;UAAtB,aAAU,CAAV,kB;YACI,OAAO,aAAP,EAAO,qBAAP,YAAiB,MAAI,CAAJ,C;;QAGzB,OAAO,M;;K;  
IAIf,OB;MACgC,WAAS,c;MAAT,YAAhC,EAAE,MAAM,KAAiD,CAA3C,SAA2C,C;MAWrD,eAAiB,I;MAXW,  
OAYrB,K;K;IAVX,uB;MAC6B,WAAS,W;MAAT,YAAsB,IAA/C,WAA+C,CAAnC,EAAE,MAAM,KAAK,CAA  
C,SAAD,CAAsB,C;MAQ/C,eAAiB,I;MARQ,OASIB,K;K;IAPX,uB;MAC6B,WAAS,W;MAAT,YAA7B,EAAE,M  
AAM,KAA2C,CAArC,SAAqC,C;MAK/C,eAAiB,I;MALQ,OAMIB,K;K;2DAJX,uB;MAGI,eAAiB,I;MACjB,OA  
AO,K;K;kEG9MX,yB;MAAA,OB;MAAA,uB;QASI,OAAoB,OAAb,ItD0Q+B,KAAAL,GAAiB,KsD1Q9B,C;O;KA  
TxB,C;ICIqC,2C;MAAC,8C;MACIC,eAAsB,C;MACtB,wBAA+B,C;MAC/B,gBAA6B,I;MAC7B,mBAAsC,I;MA  
CtC,qBAAyC,I;MAEzC,yBAAGD,yBAAmB,Q;MAEnE,sBAAGD,I;K;wFAFhD,Y;MAAA,6B;K;OCAIA,Y;MAEY  
,kBADR,M;MAAA,U;MAAA,2C;QAAA,e;;QAES,gBADD,2CAAQ,yCAAR,gDAAwD,IAAxD,6BAAiE,I;QACz  
D,sB1CwEd,S;Q0C1EF,S1C2EG,S;;M0C3EH,a;K;iDAIJ,kB;MACI,kBAAC,IAAd,C;MACiC,oB;MCuBrB,Q;MAD  
R,IDtBsB,MCsBtB,W;QADJ,mBACiB,I;;QADjB,mBAEY,QDvBc,MCuBd,+D;;MDvBZ,yC;MACA,2BAAmC,M  
AAO,kBAA1C,C;MAGA,OAAO,IAAP,C;Q1CoCY,gB0CnCH,S;;QACD,iBAAiB,8B;QAGjB,IAAI,OBAAJ,C;UA  
CI,qBAAC,e;;UAEd,oBAAQ,OB;UACR,wBAAy,kB;;UAIZ,cAAc,oB;UACd,IAAI,YAAY,yBAAhB,C;YAAqC,M  
;UACrC,kBAAgB,O;UACHB,qBAAmB,I;;UAEnB,kBAAgB,I;UACHB,qBAAmB,S;;QAGvB,gC;QAEA,IAAI,wC  
AAJ,C;UAEI,YAAU,U;;UAGV,U;UAAA,OC;YETHB,8BDgDQ,WAAO,qBAAP,CChDR,C;YFSgB,a;;YAAA,a;U  
AAA,mB;YAEK,UEpBrB,oBDgDQ,WD5B+B,eC4B/B,CChDR,C;WFqBqB,M;;K;mDAMhB,Y;MACI,kBAAkB,  
mB;MACIB,IAAI,uBAAuB,gBAAgB,IAA3C,C;QACI,uCAAQ,yCAAR,EAAmC,wCAA+B,WAA/B,C;OAEvC,sB  
AAoB,mC;K;;IAM5B,iC;MAAA,qC;K;gGAEQ,Y;M7C0DyC,MAAM,6B6C1DjC,uC7C0D+D,WAA9B,C;K;yD6  
CxDnD,kB;M7CwD6C,MAAM,6B6CvDzC,uC7CuDuE,WAA9B,C;K;+C6CpDnD,Y;MAAkC,8C;K;;IARtC,6C;  
MAAA,4C;QAAA,2B;OAAA,qC;K;IGyDA,mG;IAAA,yH;IAAA,6F;MAKW,kC;MAAS,4C;K;IALpB,sEAMQ,Y;  
MACI,Q;MAAA,sC;QAAiB,U;OACjB,OAAO,oB;K;IARnB,6G;sJAJA,iC;MAGBU,OAAK,SAAL,CAAiB,UAAj  
B,EAA6B,KAA7B,C;K;wJAEV,2C;MAiBU,OAAK,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,KAAvC,C;K  
;wJAEV,kD;MAKU,OAAK,SAAL,CAAiB,QAAjB,EAA2B,KAA3B,EAAkC,UAAIC,EAA8C,KAA9C,C;K;IAGC6  
C,oG;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,kBAAjB,C;O;K;IA/BZ,6D;MA0BI,IAAS,SAAY,OAAjB,IAA2  
B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,UAAjB,EAA6B,IAA7B,C;;QA8D0B,Q;QAhE9B,4DAImD,0DAJnD,E  
AgE8B,qBA5DS,UA4DT,qCAhE9B,C;;K;IAwCmD,wH;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,gBAAjB,EA  
A2B,kBAA3B,C;O;K;IAhCZ,yE;MA2BI,IAAS,SAAY,OAAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,Q  
AAjB,EAA2B,UAA3B,EAAuC,IAAvC,C;;QA0B0B,Q;QA5B9B,4DAImD,sEAJnD,EA4B8B,qBAxBs,UAwBT,q  
CA5B9B,C;;K;IASJ,gC;MAWK,kBAAD,M;MAAA,kBAAC,qEAAD,4DAA2C,S;K;6CAG/C,yB;MAAA,mG;MA  
AA,yH;MAAA,6F;QAKW,kC;QAAS,4C;O;MALpB,sEAMQ,Y;QACI,Q;QAAA,sC;UAAiB,U;SACjB,OAAO,oB;  
O;MARnB,6G;MAAA,oC;QAKkC,Q;QAA9B,mEAA8B,oEAA9B,C;O;KALJ,C;IFC7HA,a;MAC6C,OAAA,MAA  
a,YAAW,CAAX,C;K;ICM3B,iC;;MAA6E,Q;MAAA,+BAAS,I;sCAAIB,O,2DAAA,O;;;K;;;;IAC/F,2B;MAAA,  
iD;MAAuB,oBAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,sC;MAAA,iD;MAAuC,oBAAK,OAAL,EAAC,IA

Ad,C;MAAvC,Y;K;IACA,oC;MAAA,iD;MAAwC,oBAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAI+B,mC;;  
MAA6E,Q;MAAA,+BAAS,I;sCAAIB,O,2DAAA,O;;;K;IACnG,+B;MAAA,mD;MAAuB,sBAAK,IAAL,EA  
AW,IAAX,C;MAAvB,Y;K;IACA,0C;MAAA,mD;MAAuC,sBAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,w  
C;MAAA,mD;MAAwC,sBAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAGsC,0C;MAA0D,qBAAU,OAAV,EA  
AmB,KAAhB,C;;K;;IACHG,sC;MAAA,0D;MAAuB,6BAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,iD;MA  
AA,0D;MAAuC,6BAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,+C;MAAA,0D;MAAwC,6BAAK,SAAL,EA  
AGB,KAAhB,C;MAAxC,Y;K;IAG8C,kD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACxG,8C;MAAA,kE  
;MAAuB,qCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,yD;MAAA,kE;MAAuC,qCAAK,OAAL,EAAC,IAA  
d,C;MAAvC,Y;K;IACA,uD;MAAA,kE;MAAwC,qCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG2C,+C;M  
AA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACrG,2C;MAAA,+D;MAAuB,kCAAK,IAAL,EAAW,IAAX,C;M  
AAvB,Y;K;IACA,sD;MAAA,+D;MAAuC,kCAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,oD;MAAA,+D;M  
AAwC,kCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG+C,4C;8BAAwD,O;;K;;IACvG,+C;MAAA,mE;MA  
AuB,sCAAK,IAAL,C;MAAvB,Y;K;IAGqD,yD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC/G,qD;MA  
AA,yE;MAAuB,4CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,gE;MAAA,yE;MAAuC,4CAAK,OAAL,EA  
AC,IAAd,C;MAAvC,Y;K;IACA,8D;MAAA,yE;MAAwC,4CAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAGm  
D,uD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC7G,mD;MAAA,uE;MAAuB,0CAAK,IAAL,EAAW,I  
AAX,C;MAAvB,Y;K;IACA,8D;MAAA,uE;MAAuC,0CAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,4D;MA  
AA,uE;MAAwC,0CAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAI2C,wC;sCAAG,E,O;;K;;IAC3G,2C;MAAA,+  
D;MAAuB,kCAAK,IAAL,C;MAAvB,Y;K;IAI0C,uC;8BAAwD,O;;K;;IACIG,0C;MAAA,8D;MAAuB,iCAAK,IA  
AL,C;MAAvB,Y;K;IAGwC,qC;8BAAwD,O;;K;;IACHG,wC;MAAA,4D;MAAuB,+BAAK,IAAL,C;MAAvB,Y;K;I  
AIJ,wC;MACmD,mBAAM,OAAN,EAAC,KAAC,C;;K;;IAC/C,oC;MAAA,wD;MAAuB,sBAAK,IAAL,Q;MAAvB,  
Y;K;IACA,+C;MAAA,wD;MAAGC,2BAAK,OAAL,EAAC,IAAd,C;MAAhC,Y;K;IACA,+C;MAAA,wD;MAAiD,I  
AAY,I;MAAZB,2BAAa,SAAR,OAAQ,CAAb,EAAYB,sDAAZB,C;MAApC,Y;K;IAG4C,yC;8BAAwD,O;;K;;IACp  
G,4C;MAAA,gE;MAAuB,mCAAK,IAAL,C;MAAvB,Y;K;IAIyC,sC;8BAAwD,O;;K;;IACjG,yC;MAAA,6D;MAA  
uB,gCAAK,IAAL,C;MAAvB,Y;K;IAGkD,sD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC5G,kD;MAA  
A,sE;MAAuB,yCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,6D;MAAA,sE;MAAuC,yCAAK,OAAL,EAAC  
IAAd,C;MAAvC,Y;K;IACA,2D;MAAA,sE;MAAwC,yCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG0D,8  
D;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACpH,0D;MAAA,8E;MAAuB,iDAAK,IAAL,EAAW,IAAX,  
C;MAAvB,Y;K;IACA,qE;MAAA,8E;MAAuC,iDAAK,OAAL,EAAC,IAAd,C;MAAvC,Y;K;IACA,mE;MAAA,8E;  
MAAwC,iDAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;6FCIGJ,yB;MAEI,OAAG,GAAG,CAAC,QAAD,C;K;m  
FAGV,oB;MAEI,OAAG,GAAG,GAAG,G;K;6ETVN,a;MAK8C,cAAvC,C;K;6EChP,Y;MAG+C,S;K;IA6B/C,2B;M  
AG4D,0BAAe,WAAf,C;K;IAE5D,mC;MAIwF,0BAAe,WAAf,C;K;IAExF,mC;MAKwE,0BAAe,WAAf,C;K;IAG  
xE,4B;MAI8D,Q;MAH1D,aAAkB,GAAL,O;MACtB,aAAkB,GAAL,O;MACtB,YAAiB,C;MACjB,OOAO,QAQ,  
MAAR,IAAkB,QAQ,MAAJ,C;QAAyC,IAAI,KAAJ,IAAa,IAAI,YAAJ,EAAL,oBAAJ,O;;MACtD,OOAO,G;K;I  
AIX,wD;MAMuC,Q;MALnC,aAAa,MAAO,OAAM,CAAN,EAAS,OAAT,C;MA0BpB,IAzBc,MAyBL,OAAL,KA  
AkB,SAAtB,C;QAZbS,MA0BIB,UA1BU,MA0BS,O;OAZbV,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAAd,C  
;QACI,gBAAGB,O;QACHB,OOAO,QAQ,OAAC,C;UAAwB,OOAO,YAAP,EAAL,oBAAP,UAAkB,Y;;OAE9C,  
OOAO,M;K;IAGX,gD;MAKoB,UAAmB,M;MAJnC,aAAa,KAAM,Q;MACnB,MAAO,OAAP,IAAiB,UAAW,K;  
MAc5B,IAbc,KAAI,OAAL,KAkB,SAAtB,C;QAbqB,MACjB,UAdU,KAcS,O;OAbvB,YAAiB,KAAM,O;MACP,  
4B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAY,OOAO,cAAP,EAAL,oBAAP,YAAkB,O;;MAC9C,OOAO,M;  
K;IAGX,yD;MAEoB,UAGB,M;MADhC,YAAY,U;MACI,4B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAY,IA  
AI,cAAJ,EAAL,sBAAJ,YAAe,O;;MAC3C,OOAO,G;K;oFAGX,oB;MACI,IAAI,IAAK,OAAL,KAkB,SAAtB,C;  
QACI,YAAc,IAAK,O;Q;0EAI3B,wB;MAA+D,OOAA,MAAa,QAAL,GAAP,EAAY,OOAZ,C;K;IS/F5E,mC;MA  
OI,kBAAKB,MAAa,eAAc,SAAd,C;MAC/B,iBAAiB,MAAa,eAAc,IAAd,C;MAC9B,OOAW,gBAAE,UAAAnB,GA  
A+B,SAA/B,GAAYC,CAAC,S;K;0ECUrD,2B;MAKyE,OOAA,MAAa,gBAAE,IAAf,C;K;4EAYbTF,2B;MAKsE,O  
AAA,MAAa,eAAc,IAAd,C;K;kEAGnF,qB;MACgD,OOAA,MAAa,KAAC,UAAAS,GAAT,EAAC,IAAd,C;K;wEAC  
hC,qB;MAAQ,OAAC,SAAY,a;K;0EACxB,qB;MAAQ,OAAC,SAAY,c;K;IC3D5D,0D;MAGI,OOAO,I;K;ICHX,s  
C;MAMsD,OOAA,SAAY,UAAAS,WAAW,KAAX,CAAT,C;K;ItDKIE,uC;Mf2nBW,Q;MAAA,IernBgB,KfqNBZ,I



A,WAAgB,gB;QAC/H,UAAU,SAAV,EAAyC,WAAzC,EAA+E,iBAA/E,EAakG,UAAIG,EAA8G,QAA9G,C;QACA,OOAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAJF,EAAoG,UAApG,EAAgH,QAaHh,C;QACA,OOAO,W;O;KArBX,C;wFAwBA,yB;MAAA,8C;MAAA,kF;QAmBsE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAgB,gB;QACnI,UAAU,SAAV,EAA2C,WAA3C,EAAmF,iBAAnF,EAAgS,UAAtG,EAAkH,QAAlH,C;QACA,OOAO,W;O;KArBX,C;uFAwBA,yB;MAAA,8C;MAAA,kF;QAmBwE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAgB,gB;QACrI,UAAU,SAAV,EAA4C,WAA5C,EAAqF,iBAArF,EAAwG,UAAxG,EAAoH,QAAPh,C;QACA,OOAO,W;O;KArBX,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAgB,gB;QACvI,UAAU,SAAV,EAA6C,WAA7C,EAAuF,iBAAvF,EAA0G,UAA1G,EAAhH,QAAtH,C;QACA,OOAO,W;O;KArBX,C;yFAwBA,yB;MAAA,8C;MAAA,kF;QAmBoE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAgB,gB;QACjI,UAAU,SAAV,EAA0C,WAA1C,EAAiF,iBAAJF,EAAoG,UAApG,EAAgH,QAaHh,C;QACA,OOAO,W;O;KArBX,C;oFAwBA,qB;MAOI,OAAY,SAAY,Q;K;oFAG5B,qB;MAOI,OAAY,SAAY,Q;K;oFAG5B,qB;MAOI,OAAY,SAAY,Q;K;IA G5B,8B;MAMW,WAAS,W;MAAT,YAA2B,SAAY,Q;MwC17B9C,eAAiB,I;MxCk7BjB,OwCj7BO,K;K;qFxC07B X,qB;MAOI,OAAY,SAAY,Q;K;qFAG5B,qB;MAOI,OAAY,SAAY,Q;K;IAG5B,8B;MAMW,WAAS,c;MAAT,YA A8B,SAAY,Q;MwC/8BjD,eAAiB,I;MxC+8BjB,OwC98BO,K;K;IxCi9BX,8B;MAMW,WAAS,W;MAAT,YAA2B, SAAY,Q;MwCx9B9C,eAAiB,I;MxCw9BjB,OwCv9BO,K;K;IxCo9BX,uC;MD5oCI,IAAI,ECspCI,WAAW,CDtpC f,CAAJ,C;QACI,cCqpCoB,0C;QDppCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCqpCV,OOAO,SAAS,SAAT,EA Ae,cAAU,OAAY,CAAF,C;K;IAGX,uC;MD1pCI,IAAI,ECqCI,WAAW,CDpqCf,CAAJ,C;QACI,cCmqCoB,0C;Q D1qCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCmqCV,OOAO,SAAS,SAAT,EAAe,eAAW,OAAX,CAAF,C;K;IA GX,uC;MDxqCI,IAAI,ECkrCI,WAAW,CDlrCf,CAAJ,C;QACI,cCirCoB,0C;QDhrCpB,MAAM,gCAAYB,OAAQ, WAAjC,C;OCirCV,OOAO,SAAS,SAAT,EAAe,eAAS,OAAT,CAAF,C;K;IAGX,uC;MDtrCI,IAAI,ECgsCI,WAA W,CDhsCf,CAAJ,C;QACI,cC+rCoB,0C;QD9rCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OC+rCH,WAAS,W;MA AT,YAAsB,gBAAGB,SAAhB,EAAhB,OAAtB,K;MwChhC7B,eAAiB,I;MxCghCjB,OwC/gCO,K;K;IxCkhCX,uC; MDpsCI,IAAI,EC8sCI,WAAW,CD9sCf,CAAJ,C;QACI,cC6sCoB,0C;QD5sCpB,MAAM,gCAAYB,OAAQ,WAAj C,C;OC6sCV,OOAO,SAAS,SAAT,EAAe,iBAAW,OAAX,CAAF,C;K;IAGX,uC;MDltCI,IAAI,EC4tCI,WAAW,C D5tCf,CAAJ,C;QACI,cC2tCoB,0C;QD1tCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OC2tCV,OOAO,SAAS,SAAT, EAAe,iBAAY,OAAY,CAAF,C;K;IAGX,uC;MDhuCI,IAAI,EC0uCI,WAAW,CD1uCf,CAAJ,C;QACI,cCyCoB,0C ;QDxuCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCyuCH,WAAS,c;MAAT,YAAYB,gBAAGB,SAAhB,EAAhB,OA AtB,EAA+B,KAA/B,C;MwC1jChC,eAAiB,I;MxC0jCjB,OwCzjCO,K;K;IxC4jCX,uC;MD9uCI,IAAI,ECwvCI,W AAW,CDxvCf,CAAJ,C;QACI,cCuvCoB,0C;QDtvCpB,MAAM,gCAAYB,OAAQ,WAAjC,C;OCuvCH,WAAS,W; MAAT,YAAsB,SAAS,SAAT,EAAe,iBAAU,OAAY,CAAF,C;MwCxc7B,eAAiB,I;MxCwkCjB,OwCvkCO,K;K;I xC0kCX,uC;MD5vCI,IAAI,ECuwCI,WAAW,CDvwCf,CAAJ,C;QACI,cCswCoB,0C;QDrwCpB,MAAM,gCAAYB ,OAAQ,WAAjC,C;OCswCV,OOAO,gBAAGB,SAAhB,EAAhB,OAAtB,EAA+B,IAA/B,C;K;IAGX,sD;MAWI,oC AAa,2BAakB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB, C;K;IAG5B,sD;MAUI,oCAAa,2BAakB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAakB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oCAAa,2BAakB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACN,WAAS,W;MAAT,YAA2B,SAAY,OAAM,SAAN,EAAi B,OAAjB,C;MwC9pC9C,eAAiB,I;MxC8pCjB,OwC7pCO,K;K;IxCgqCX,sD;MAUI,oCAAa,2BAakB,SAaIB,EA A6B,OAA7B,EAAc,gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;K;IAG5B,sD;MAUI,oC AAa,2BAakB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,OAAY,SAAY,OAAM,SAAN,EAAiB,OAAjB, C;K;IAG5B,uD;MAUI,oCAAa,2BAakB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACN,WAAS,c;MAAT,Y AA8B,SAAY,OAAM,SAAN,EAAiB,OAAjB,C;MwCxsCjD,eAAiB,I;MxCwsCjB,OwCvsCO,K;K;IxCo0sCX,uD;M AUI,oCAAa,2BAakB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACN,WAAS,W;MAAT,YAA2B,SAAY,OA AM,SAAN,EAAiB,OAAjB,C;MwCttC9C,eAAiB,I;MxCstCjB,OwCrtCO,K;K;IxCwtCX,wD;MAWgD,yB;QAAA,

YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/E,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;M  
ACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAAzB,C;K;IAGrB,wD;MAWgD,yB;QAAA,YAAiB,C;MAAG  
,uB;QAAA,UAAe,gB;MAC/E,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,MAA  
K,OAAL,EAAC,SAAd,EAAYB,OAAzB,C;K;IAGrB,wD;MAWkD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe  
,gB;MACjF,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,S  
AAd,EAAYB,OAAzB,C;K;IAGrB,wD;MAW8C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC7E,oCA  
AA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OA  
AzB,C;K;IAGrB,wD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MAC/E,oCAAA,2BAAkB,SA  
AlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAAzB,C;K;IAGrB,  
wD;MAWkD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACjF,oCAAA,2BAAkB,SAAlB,EAA6B,OAA  
7B,EAAc,gBAAtC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAAzB,C;K;IAGrB,wD;MAWoD,yB;  
QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,gB;MACnF,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,gBAA  
tC,C;MACR,SAAY,MAAK,OAAL,EAAC,SAAd,EAAYB,OAAzB,C;K;IAGrB,yD;MAWsD,yB;QAAA,YAAiB,C;  
MAAG,uB;QAAA,UAAe,gB;MACrF,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,  
MAAK,OAAL,EAAC,SAAd,EAAYB,OAAzB,C;K;IAGrB,yD;MAWgD,yB;QAAA,YAAiB,C;MAAG,uB;QAA  
A,UAAe,gB;MAC/E,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACR,SAAY,MAAK,OAAL  
,EAAC,SAAd,EAAYB,OAAzB,C;K;iFAGrB,8B;MAKI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C;K;iFAG5B,  
yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,eAAY,OAAZ,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;  
MAxIA,qC;QAKI,OAwIO,gCAxIK,gBAAa,OAAb,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QA  
KI,OAwIO,gCAxIK,gBAAW,OAAx,EAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gC  
AxIK,mBAAY,OAAZ,CAwIL,C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,kBAAa,  
OAAb,EAwIL,C;O;KA7IX,C;gFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,kBAAC,OAAd,EAwIL,  
C;O;KA7IX,C;iFAQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,sBAAE,OAaf,CAwIL,C;O;KA7IX,C;iF  
AQA,yB;MAwIA,iD;MAxIA,qC;QAKI,OAwIO,gCAxIK,mBAAY,OAAZ,CAwIL,C;O;KA7IX,C;IAQA,sC;MAKI  
,OAAO,oBAAoB,SAAPB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO  
,QAAS,KAahB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,mBAAwB,U  
AAL,SAAK,EAAO,mBAAO,QAAS,KAahB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;IAGX,s  
C;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAahB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,  
EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAAPB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBA  
AwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAahB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAjE,C;K;I  
AGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAahB,IAAP,CAAxB,EAAsD,SAAK,O  
AA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAAPB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAA  
O,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAahB,IAAP,CAAxB,EAAsD,SAAK,OAA3D,EAAiE,QAAj  
E,C;K;iFAGX,+B;MAKI,OAAy,SAAY,QAAO,QAAP,C;K;iFAG5B,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBA  
AqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EA  
A2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;  
O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFA  
QA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,i  
D;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;Q  
AKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qB  
AAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;8FAQA,8B;MAKI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C;  
K;IAoBL,2B;MAAsB,OAAA,CAAe,iBAAU,CAAV,C;K;IAP/C,2B;MAOI,IAAI,mBAAO,CAAX,C;QAwQY,eAx  
QO,WAwQP,C;Q;IANhB,2B;MAQI,IAAI,mBAAO,CAAX,C;QAAC,UAAU,SAAV,C;K;IAGIB,wC;MAQI,IAAI,  
mBAAO,CAAX,C;QAAC,cAAc,SAAd,EAAoB,UAApB,C;K;IAGIB,gD;MAewD,yB;QAAA,YAAiB,C;MAAG,uB  
;QAAA,UAAe,gB;MACvF,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,gBAAC,SAAd,E  
AAoB,SAAPB,EAA+B,OAA/B,EAawC,cAAxC,C;K;IAGJ,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U  
AAe,gB;MACHe,oCAAA,2BAAkB,SAAlB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SA  
AT,EAAoB,OAApB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAakC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,U

AAe,gB;MACjE,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAAPB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAagC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UA Ae,gB;MAC/D,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB,OAAPB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UA Ae,gB;MACHe,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,gBAAc,SAAd,EAA8C,SA A9C,EAAyD,OAazD,EAAkE,cAAIE,C;K;IAGJ,gD;MAakC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UA Ae,gB;M ACjE,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB ,OAAPB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAamC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UA Ae,gB;M ACIE,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB ,OAAPB,C;MACvB,KAAT,QAAS,C;K;IAGb,gD;MAaiC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UA Ae,gB;M AChE,oCAAA,2BAAkB,SAaIB,EAA6B,OAA7B,EAAc,gBAAtC,C;MACb,eAAoB,SAAY,UAAS,SAAT,EAAoB ,OAAPB,C;MACvB,KAAT,QAAS,C;K;iFAGb,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,M AAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;iF AGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAOI,SA AY,MAAK,UAAL,C;K;IAGhB,yC;MAMI,IAAI,mBAAO,CAAX,C;QAAC,gBAAc,SAAd,EAAoB,UAAPB,C;K;I AGIB,+D;MAa0E,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UA Ae,gB;MACzG,oCAAA,2BAAkB,SAaIB,EAA6B, OAA7B,EAAc,gBAAtC,C;MACb,gBAAc,SAAd,EAAoB,SAAPB,EAA+B,OAA/B,EAAwC,UAAXC,C;K;IAGJ, mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K ;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,S AAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM, MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAOH,kD;MAAA,wB;QAAW,q CAAK,KAAL,E;O;K;IAJIC,oC;MAII,OAAO,iBAAM,gBAAN,EAAY,gCAAZ,C;K;IuDnpEX,oB;MAAA,wB;MA EI,6B;MACA,gC;MAKuB,UAAT,MAAS,EAAT,MAAS,EAAT,M;MAFV,eAAe,kE;MACf,iBAaIB,eAAS,GAAT, C;MACE,sBAAT,QAAS,C;MAAT,mB;MAAA,kB;MAAA,kB;MAAV,8C;QACI,WAAW,oBAAS,CAAT,CzC2Bu B,IyC3BIC,IAA+B,C;MAInC,qBAAqB,48C;MACrB,WAAW,mBAAmB,cAAAnB,EAAmC,UAAAnC,EAA+C,IAA/ C,C;MACX,YAAY,eAAS,IAAK,OAAAL,GAAY,CAAZ,IAAT,C;MACZ,0BAAU,IAAV,e;QACI,MAAM,MAAI,C AAJ,IAAN,IAAe,MAAM,GAAN,IAAW,KAAC,GAAL,CAAX,I;MAEnB,yBAAoB,K;MAGpB,oBAAoB,m/D;M ACpB,4BAAuB,mBAAmB,aAAAnB,EAAkC,UAAIC,EAA8C,IAA9C,C;K;IAvB/B,gC;MAAA,+B;QAAA,c;OAA A,wB;K;IA2BA,qC;MAKkB,IAJP,I;MACH,WAAO,EAAP,C;QA Ae,W;WACf,WAAO,IAAP,C;QAAGB,OAAI,C AAC,KAAO,CAAR,MAAc,CAaIB,GAAqB,QAAS,CAA9B,GAAqC,OAAS,E;QAEID,QAAM,KAAC,CAAX,C; eACI,C;YAAK,eAAS,E;YAAd,K;eACA,C;YAAK,OAAC,QAAS,CAAV,GAAiB,E;YAAtB,K;kBACQ,cAAS,E;Y AHrB,K;MAJR,W;K;IAYJ,qC;MAII,SAAS,SzCRiC,I;MyCUIC,YAAY,kBAAkB,sBAAS,kBAA3B,EAA8C,EA A9C,C;MACZ,YAAY,sBAAS,kBAAT,CAA2B,KAA3B,C;MACZ,WAAW,sBAAS,qBAAT,CAA8B,KAA9B,C;M ACX,YAAY,kBAAkB,IAaIB,EAAwB,KAAC,KAAL,IAAxB,C;MAEZ,OAAW,UAAS,EAAb,GAAYC,mDAAzC, GAAoD,K;K;IAG/D,8D;MAKiB,UAIE,M;MARf,aAAa,eAAS,YAAT,C;MACb,YAAY,C;MACZ,UAAU,C;MAC V,YAAY,C;MACC,yB;MAAb,OAAa,cAAb,C;QAAa,iC;QACT,aAAa,WAAW,IzCxBc,IyCwBzB,C;QACb,MAA M,MAAQ,CAAC,SAAW,EAAZ,KAAsB,K;QACpC,IAAI,SAAS,EAAb,C;UACI,OAAO,cAAP,EAAO,sBAAP,Y AAKB,G;UACIB,MAAM,C;UACN,QAAQ,C;UAER,gBAAS,CAAT,I;MAGR,OAAO,M;K;ICIEX,+B;MAII,eA Ae,CAAC,iBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAF,C;QAAkB,M;MACIB,mBAAmB,2B; MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,sBAAK,KAAL,C;QACV,sBAAK,KAAL,EAAc,sBAAK, YAAL,CAAd,C;QACA,sBAAK,YAAL,EAAqB,GAAR,C;QACA,mC;K;IrDbR,wB;MAOI,OAAW,oBAAK,CAA L,MAAJ,GAAY,CAAZ,GAAmB,C;K;mFAG9B,yB;MAkBA,iB;MAiBA,uB;QAMI,OAKBO,MAAO,KAIBC,CAK BD,EAIBY,CAkBZ,C;O;KAXBIB,C;mFASA,yB;MASA,iB;MATA,uB;QAMI,OASO,MAAO,KATC,CASD,EATY ,CASZ,C;O;KAFiB,C;mFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;K ANIB,C;mFASA,gB;MAMI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;K;mFAG9B,yB;MAAA,iB; MAAA,uB;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;mFAWA,yB;MAAA,iB;MAAA,uB; QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;IAWA,2B;MAOI,OAAO,SAAM,CAAN,EAAS, SAAM,CAAN,EAAS,CAAT,CAAT,C;K;mFAGX,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAAM,CAA

N,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAAO,KAA  
M,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB;MAAA,0B;QAMI,OAAO,MAA  
O,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KANIB,C;mFASA,mB;MAMW,UAAe,CAPeX,iBAoEc,CAPeD  
,MAAJ,GAoEe,CAPeF,GAoEkB,C;MAAzB,OAAa,CAPeF,iBAAK,GAAL,MAAJ,GAoEM,CAPeN,GAAMb,G;K;  
mFAuE9B,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KARI  
B,C;mFAWA,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KA  
RIB,C;IAWA,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAA  
M,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,  
KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAxHV,MAAO,KAwHe,GAxHf,EAwHoB,CxHpB,C;;MAyHd,O  
AAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,M  
AIIV,MAAO,KAkIe,GAlIf,EAKIoB,CAlIpB,C;;MAMId,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MAC  
V,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA5IV,MAAO,KA4Ie,GA5If,EA4IoB,CA5IpB,C;;MA6I  
d,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAu  
B,UAAM,G;QAAZ,MA7IN,oBA6IuB,CA7IvB,MAAJ,GAAY,GAAZ,GA6I2B,C;;MACIC,OAAO,G;K;IAGX,4B;  
MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA9IV,MAAO,KA8Ie,  
GA9If,EA8IoB,CA9IpB,C;;MA+Id,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB  
;QAAU,QAAA,KAAV,M;QAAiB,MA/IV,MAAO,KA+Ie,GA/If,EA+IoB,CA/IpB,C;;MAGJd,OAAO,G;K;IAGX,w  
B;MAOI,OAAW,oBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMb,C;K;mFAG9B,yB;MAkBA,iB;MAIBA,uB;QAM  
I,OAkBO,MAAO,KAIBC,CakBD,EAIBY,CakBZ,C;O;KAXBIB,C;mFASA,yB;MASA,iB;MATA,uB;QAMI,OAS  
O,MAAO,KATC,CASD,EATY,CASZ,C;O;KafIB,C;mFASA,yB;MAAA,iB;MAAA,uB;QAMI,OAAO,MAAO,K  
AAI,CAAJ,EAAO,CAAP,C;O;KANIB,C;mFASA,gB;MAMI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAA  
mB,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;mF  
AWA,yB;MAAA,iB;MAAA,uB;QAQI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,C;O;KARIB,C;IAWA,2B;MA  
OI,OAAO,SAAM,CAAN,EAAS,SAAM,CAAN,EAAS,CAAT,CAAT,C;K;mFAGX,yB;MAAA,iB;MAAA,0B;QA  
MI,OAAO,MAAO,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB;MAAA  
,0B;QAMI,OAAO,MAAO,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KANIB,C;mFASA,yB;MAAA,iB  
;MAAA,0B;QAMI,OAAO,MAAO,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KANIB,C;mFASA,mB;MAM  
W,UAAe,CAPeX,iBAoEc,CAPeD,MAAJ,GAoEe,CAPeF,GAoEkB,C;MAAzB,OAAa,CAPeF,iBAAK,GAAL,MA  
AJ,GAoEM,CAPeN,GAAMb,G;K;mFAuE9B,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,EAA  
O,CAAP,EAAU,CAAV,C;O;KARIB,C;mFAWA,yB;MAAA,iB;MAAA,0B;QAQI,OAAO,MAAO,KAAI,CAAJ,E  
AAO,CAAP,EAAU,CAAV,C;O;KARIB,C;IAWA,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QA  
AU,QAAA,KAAV,M;QAAiB,MAAM,SAAM,GAAN,EAAW,CAAX,C;;MACvB,OAAO,G;K;IAGX,4B;MAMc,Q  
;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MAxHV,MAAO,KAwHe,GAxH  
f,EAwHoB,CxHpB,C;;MAyHd,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;  
QAAU,QAAA,KAAV,M;QAAiB,MAIIV,MAAO,KAkIe,GAlIf,EAKIoB,CAlIpB,C;;MAMId,OAAO,G;K;IAGX,4B  
;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA5IV,MAAO,KA4I  
e,GA5If,EA4IoB,CA5IpB,C;;MA6Id,OAAO,G;K;IAGX,4B;MAMc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,  
gB;QAAU,QAAA,KAAV,M;QAAuB,UAAM,G;QAAZ,MA7IN,oBA6IuB,CA7IvB,MAAJ,GAAY,GAAZ,GA6I2B  
,C;;MACIC,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,UAAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,  
M;QAAiB,MA9IV,MAAO,KA8Ie,GA9If,EA8IoB,CA9IpB,C;;MA+Id,OAAO,G;K;IAGX,4B;MAQc,Q;MADV,U  
AAU,C;MACV,wBAAU,KAAV,gB;QAAU,QAAA,KAAV,M;QAAiB,MA/IV,MAAO,KA+Ie,GA/If,EA+IoB,CA/I  
pB,C;;MAGJd,OAAO,G;K;IsDvaX,iB;MAAA,qB;MAEI,0BAA0B,gBACTb,EADsB,EACd,IADc,EACN,IADM,EA  
CE,IADF,EACU,IADV,EACkB,IADIB,EAC0B,IAD1B,EACkC,IADIC,EAC0C,IAD1C,EACkD,IADID,EAC0D,I  
AD1D,EACkE,IADIE,EAC0E,IAD1E,EACkF,IADIF,EAC0F,IAD1F,EACkG,IADIG,EAC0G,IAD1G,EACkH,IAD  
IH,EAC0H,IAD1H,EACkI,IADII,EAETb,IAFsB,EAEd,IAFc,EAEN,IAFM,EAEE,IAFF,EAEU,IAFV,EAEB,IAFI  
B,EAEOB,IAF1B,EAekC,IAFIC,EAEOC,IAF1C,EAekD,KAFID,EAEOD,KAF1D,EAekE,KAFIE,EAEOE,KAF1E,  
EAekF,KAFIF,EAEOF,KAF1F,EAekG,KAFIG,EAEOG,KAF1G,E;K;;IAF9B,6B;MAAA,4B;QAAA,W;OAAA,qB  
;K;IAQA,0C;MAKI,aAAa,C;MACb,UAAU,KAAM,OAAN,GAaA,CAAb,I;MACV,aAAa,E;MACb,YAAY,C;MA

CZ,OAAO,UAAU,GAAjB,C;QACI,SAAS,CAAC,SAAS,GAAT,IAAD,IAAiB,CAAjB,I;QACT,QAAQ,MAAM,M  
AAN,C;QACR,IAAI,SAAS,KAAb,C;UACI,SAAS,SAAS,CAAT,I;aACR,IAAI,WAAU,KAAc,C;UACD,OAAO,M  
;UAEP,MAAM,SAAS,CAAT,I;;MAEd,OAAO,UAAc,SAAS,KAAb,GAAoB,CAApB,GAA2B,CAArC,K;K;IAG  
X,mC;MAKI,SAAS,S3CCiC,I;M2CA1C,YAAY,kBAAkB,mBAAM,mBAAxB,EAAoC,EAApC,C;MACZ,WAAW  
,KAAK,mBAAM,mBAAN,CAAiB,KAAjB,CAAL,I;MACX,OAAW,OAAO,EAAX,GAAe,IAAf,GAAyB,E;K;IAG  
pC,gC;MAII,OAAO,6BAAoB,C;K;IC7C/B,kB;MAAA,sB;MAEI,6B;MACA,8B;MACA,gC;MAKuB,UAAT,MAA  
S,EAAT,MAAS,EAAT,M;MAFV,eAAe,kE;MACf,iBAAiB,eAAS,GAAT,C;MACE,sBAAT,QAAS,C;MAAT,mB;  
MAAA,kB;MAAA,kB;MAAV,8C;QACI,WAAW,oBAAS,CAAT,C5C0BuB,I4C1BIC,IAA+B,C;;MAInC,qBAAq  
B,sW;MACrB,WAAW,mBAAmB,cAAAnB,EAAmC,UAAAnC,EAA+C,GAA/C,C;MACX,YAAY,eAAS,IAAK,OAA  
d,C;MACZ,0BAAU,IAAV,e;QACI,IAAI,QAAK,CAAT,C;UAAAY,MAAM,GAAN,IAAW,KAAK,GAAL,C;;UACI  
B,MAAM,GAAN,IAAW,MAAM,MAAI,CAAJ,IAAN,IAAe,KAAK,GAAL,CAAf,I;;MAEpB,yBAAoB,K;MAGpB  
,kBAAkB,0U;MACIB,0BAAqB,mBAAmB,WAAAnB,EAAgC,UAAhC,EAA4C,GAA5C,C;MAGrB,oBAAoB,i8B;  
MACpB,4BAAuB,mBAAmB,aAAAnB,EAakC,UAAIC,EAA8C,GAA9C,C;K;;IA7B/B,8B;MAAA,6B;QAAA,Y;O  
AAA,sB;K;IAiCA,iC;MAII,OAAO,6BAAmB,C;K;IAG9B,oC;MAIW,wCAAmB,C;MAAnB,U;QAA6B,wB5CRM  
,a4CQN,C;OAApC,W;K;IAGJ,oC;MAIW,wCAAmB,C;MAAnB,U;QAA6B,wB5CfM,a4CeN,C;OAApC,W;K;IAG  
J,kC;MAQI,SAAS,S5C1BiC,I;M4C2B1C,YAAY,kBAAkB,oBAAO,kBAAzB,EAA4C,EAA5C,C;MAEZ,iBAAiB,  
oBAAO,kBAAP,CAAyB,KAAzB,C;MACjB,eAAe,aAAa,oBAAO,mBAAP,CAA0B,KAA1B,CAAb,GAAgD,CAA  
hD,I;MACf,WAAW,oBAAO,qBAAP,CAA4B,KAA5B,C;MAEX,IAAI,KAAK,QAAT,C;QACI,OAAO,C;OAGX,k  
BAAkB,OAAS,C;MAE3B,IAAI,gBA Ae,CAAnB,C;QACI,YAAY,C;QACZ,gBAAgB,U;QACbB,aAAU,CAAV,O  
AAa,CAAb,M;UACI,yBAAc,QAAS,KAAV,GAAqB,GAAIC,K;UACA,IAAI,YAAY,EAAhB,C;YACI,OAAO,C;  
WAEX,gBAAS,CAAT,I;UACA,yBAAc,QAAS,KAAV,GAAqB,GAAIC,K;UACA,IAAI,YAAY,EAAhB,C;YACI,  
OAAO,C;WAEX,gBAAS,CAAT,I;;QAEJ,OAAO,C;OAGX,IAAI,QAAQ,CAAZ,C;QACI,OAAO,W;OAGX,eAAg  
B,KAAK,UAAL,I;MACHb,cAAgB,QAAQ,EA AZ,GAAkB,WAAW,CAA7B,GAAoC,Q;MACHd,OAAQ,SAAU,I  
AAI,OAAJ,IAAV,CAAD,GAA2B,C;K;ICnGtC,0B;MAAA,8B;MACI,+BAA+B,gBAC3B,GAD2B,EACnB,GADm  
B,EACX,GADW,EACH,GADG,EACK,GADL,EACa,GADb,EACqB,GADrB,EAC6B,IAD7B,EACqC,IADrC,EA  
C6C,IAD7C,EACqD,IADrD,EAC6D,IAD7D,EACqE,IADrE,EAC6E,IAD7E,EACqF,IADrF,EAC6F,KAD7F,EAC  
qG,KADrG,EAC6G,KAD7G,EACqH,KADrH,EAC6H,KAD7H,E;MAG/B,gCAAgC,gBAC5B,CAD4B,EACzB,C  
ADyB,EACtB,CADsB,EACnB,CADmB,EACHB,CADgB,EACb,CADa,EACV,CADU,EACP,EADO,EACH,CAD  
G,EACA,EADA,EACI,CADJ,EACO,CADP,EACU,EADV,EACc,EADd,EACKB,EADiB,EACsB,CADtB,EACyB,  
CADzB,EAC4B,CAD5B,EAC+B,CAD/B,EACkC,CADIC,E;K;;IAJpC,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;IA  
SA,qC;MACI,YAAY,kBAAkB,4BAAe,wBAAjC,EAakD,SAAIID,C;MACZ,OAAO,SAAS,CAAT,IAAc,aAAO,4B  
AAe,wBAAf,CAA+B,KAA/B,IAAwC,4BAAe,yBAAf,CAAgC,KAAhC,CAAxC,IAAP,C;K;ICXzB,qC;MACI,OA  
Ae,IAAR,8BAAgB,IAAhB,KACY,IAAR,8BAAgB,IADpB,C;K;ICCX,wC;M5CiBW,Q;MAAA,I4CXgB,K5CWZ,I  
AAS,CAAT,I4CXY,K5CWE,IAAS,2BAA3B,C;QAAA,OAAsC,qB4CXtB,K5CWsB,C;;Q4CXb,MAAM,8BAA0B,  
mCAAyB,gBAAzB,MAA1B,C;;MAAtC,W;K;ICRJ,sC;MAEI,WAAW,ShDkC+B,I;MgDhC1C,IAAY,GAAR,oBA  
AgB,GAAhB,KAAkC,GAAR,oBAAgB,GAA1C,CAAJ,C;QACI,OAA8B,OAAtB,KAAK,CAAC,OAAO,CAAP,IA  
AD,IAAa,CAAb,IAAL,KAAsB,C;OAGIC,IAAY,IAAR,oBAAgB,IAAhB,KAAkC,IAAR,oBAAgB,IAA1C,CAAJ,  
C;QACI,OAAO,S;OAEX,OAAO,wB;K;ICPX,wC;MxCqTe,WwC7SY,KxC6SZ,IAAS,C;MAAT,S;QAAc,OwC7S  
F,KxC6SE,IAqgHT,gBAAR,iBAAQ,C;OArgHT,U;MAAA,S;QAAA,SAAsC,sBwC7StB,KxC6SsB,C;;QwC7Sb,M  
AAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCsTe,WwC9SY,KxC8SZ,IAAS,C;MAAT,  
S;QAAc,OwC9SF,KxC8SE,IAigHT,gBAAR,iBAAQ,C;OajgHT,U;MAAA,S;QAAA,SAAsC,sBwC9StB,KxC8Ss  
B,C;;QwC9Sb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCuTe,WwC/SY,KxC+SZ  
,IAAS,C;MAAT,S;QAAc,OwC/SF,KxC+SE,IA6/GT,gBAAR,iBAAQ,C;OA7/GT,U;MAAA,S;QAAA,SAAsC,sBw  
C/StB,KxC+SsB,C;;QwC/Sb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MxCwTe,Ww  
ChTY,KxCgTZ,IAAS,C;MAAT,S;QAAc,OwChTF,KxCgTE,IAy/GT,gBAAR,iBAAQ,C;OAz/GT,U;MAAA,S;QA  
AA,SAAsC,sBwChTtB,KxCgTsB,C;;QwChTb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IASO,  
6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;s  
DAC9C,mB;MAAgD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC5D,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAyB,

SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MACvC,OxCsrBO,UwCtrBA,gBxCsrBR,QAAQ,EwCtrBoB,O3EgOF,KmCsdIB,C;K;yDwCprBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MACvC,OxCy6BO,cwCz6BA,gBxCy6BR,QA AQ,EwCz6BwB,O3E2NN,KmC8sBIB,C;K;;IwC/7BnB,6B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAiD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC7D,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAYB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OxCqqBO,UwCrqBA,gBxCqqBR,QAAQ,EwCrqBoB,O3DgNA,KmBqdpB,C;K;yDwCnqBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OxCw5BO,cwCx5BA,gBxCw5BR,QAAQ,EwCx5BwB,O3D2MJ,KmB6sBpB,C;K;;IwC96BnB,6B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAiD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC7D,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAYB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OxCopBO,UwCppBA,gBxCopBR,QA AQ,EwCppBoB,O5EkIA,KoCkhBpB,C;K;yDwClpBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OxCu4BO,cwCv4BA,gBxCu4BR,QAAQ,EwCv4BwB,O5E6HJ,KoC0wBpB,C;K;;IwC75BnB,8B;MAMI,4C;K;IA2BO,6C;MAAA,8B;MAAS,uB;K;8FACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAkD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC9D,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAYB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,OAAO,E;MACzC,OxCmoBO,UwCnoBA,gBxCmoBR,QAAQ,EwCnoBoB,O1EkHE,KkCihBtB,C;K;yDwCjoBX,mB;MAES,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,OAAO,E;MACzC,OxCs3BO,cwCt3BA,gBxCs3BR,QAAQ,EwCt3BwB,O1E6GF,KkCywBtB,C;K;;IwC54BnB,8B;MAMI,4C;K;ICtIJ,qC;MAI I,SAAS,SID+BiC,I;MkD9B1C,OAAa,CAAN,gBAAc,EAAd,KACU,EAAN,gBAAc,EADIB,KAEl,OAAM,GAFV,KAGI,KAAK,IAAL,KACC,OAAM,IAAN,KACS,IAAN,gBAAc,IADjB,KAEG,OAAM,IAFT,IAGG,OAAM,IAHT,IAIG,OAAM,IAJT,IAKG,OAAM,IALT,IAMG,OAAM,KAPV,CAHJ,C;K;;;mCCTP,gB;;K;;ICAJ,wB;K;;IAIA,wB;K;;IAIA,wB;K;;IAKiC,uB;MAAC,oB;QAAA,OAA0B,E;MAA1B,gB;K;;IAEIC,kB;K;;IAqCqC,sB;MAAC,gB;K;;IAGCN,4B;MAAC,sB;K;;IAEjC,uB;K;;IA8DmC,4B;MAAC,kB;K;;IAEpC,oB;K;;ICpJA,oB;K;;IAIA,wB;K;;oF7DLA,qB;MAKqE,uCoChTb,E;K;iGpCK/C,yB;MAAA,kD;MAAA,4B;QAQsE,mBAAY,SAAZ,C;O;KARtE,C;IAUA,iC;MAGI,OAAsB,UAAy,QAAvB,KAAmC,SAA9C,GACe,UAAy,UAD3B,GAGI,gBAAGB,UAAhB,C;K;IAGR,qC;MAEI,YoC1B2C,E;MpC2B3C,eAAe,UAAW,W;MAC1B,OAAO,QAAS,UAAhB,C;QACU,KAAY,MAAK,QAAS,OAAo,C;MACtB,OAAO,K;K;IAGX,8C;MAQc,Q;MANV,IAAI,KAAM,OAAN,GAAa,UAAW,KAA5B,C;QACI,OAAO,gBAAGB,UAAhB,C;OAEX,eAAe,UAAW,W;MAC1B,YAAy,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,MAAM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;;MAE9B,IAAI,QAAQ,KAAM,OAAIB,C;QACI,MAAM,KAAN,IAAe,I;OAEhB,OAAO,K;K;IAIX,yB;MAG6C,sBAAY,OAAZ,E;K;wGAE7C,yB;MAAA,+D;MAAA,gC;QAI0B,gBAAf,gB;QAAqB,aJW5B,W;QIXA,OJYO,SIZoC,Q;O;KAJ/C,C;yGAOA,yB;MAAA,4E;MAAA,gE;MAAA,0C;QAIL,qBAaqB,QAArB,C;QAC8B,gBAAvB,eAAa,QAAb,C;QAA6B,aJGpC,W;QIHA,OJIO,SIJ4C,Q;O;KALvD,C;IASA,wB;MAG2C,oBAAU,OAAV,E;K;sGAE3C,yB;MAAA,uE;MAAA,gC;QAI8B,gBAAnB,oB;QAAyB,aJVhC,W;QIUA,OJTO,SISwC,Q;O;KAJnD,C;wGAOA,yB;MAAA,wE;MAAA,0C;QAIsC,gBAA3B,mBAAiB,QAAjB,C;QAAiC,aJJBxC,W;QIiBA,OJhBO,SIgBgD,Q;O;KAJ3D,C;IAQA,qB;MAIuD,oBAAU,IAAV,E;K;sGAEvD,yB;MAAA,wE;MAAA,gC;QAIiC,gBAAtB,oB;QAA4B,aJ/BnC,W;QI+BA,OJ9BO,SI8B2C,Q;O;KAJtD,C;uGAOA,yB;MAAA,uE;MAAA,0C;QAIyC,gBAA9B,mBAAoB,QAApB,C;QAAoC,aJtC3C,W;QIsCA,OJrCO,SIqCmD,Q;O;KAJ9D,C;IAQA,mC;MAOqB,Q;MAAA,kC;MAAjB,iBAAC,CAAd,yB;QACI,sBAAK,KAAL,EAAC,KAAd,C;;K;IAIR,+B;MAMuD,sBAAQ,4BAAR,C;K;IAEvD,6B;MAIwE,kBAAhB,0B;MAAwB,uB;MAAxB,OJJE7C,W;K;IImEX,4B;MAQI,gBAAGB,SAAhB,EAAsB,cAAtB,C;K;IAGJ,2C;MAQI,gBAAGB,SAAhB,EAAsB,UAAtB,C;K;IAGJ,2C;MACI,IAAI,IAAK,KAAL,IAAa,CAAJB,C;QAAoB,M;MAEpB,YAAy,YAAy,IAAZ,C;MACZ,gBAAC,KAAd,EAAqB,UAArB,C;MAEA,aAAU,CAAV,MAAkB,KAAM,OAAxB,M;QACI,iBAAK,CAAL,EAAU,MAAM,CAAN,CAAV,C;K;IAIR,uC;MACI,OAAO,gBAAkB,IAAIB,O;K;IAGX,iF;MAII,oCAAA,2BAAkB,UAAIB,EAAB8B,QAA9B,EAAwC,MAAO,OAA/C,C;MACb,gBAAGB,WAAW,UAAx,I;MACHB,oCAAA,2BAAkB,iBAAIB,EAAqC,oBAAoB,SAApB,IAArC,EAaoE,WAAy,OAAhF,C;MAEb,IAAI,WAAkB,QAAO,WAAp,CAAIB,IAAyC,WA

AkB,QAAO,MAAP,CAA/D,C;QACI,eAAsB,MAAY,UAAS,UAAT,EAAqB,QAArB,C;QACtB,WAAy,KAAI,QA  
AJ,EAAc,iBAAd,C;;QAExB,IAAI,WAAW,WAAx,IAA0B,qBAAqB,UAAAnD,C;UACI,iBAAc,CAAd,UAAAsB,SA  
AtB,U;YACI,YAAy,oBAAoB,KAApB,IAAZ,IAAyC,OAAO,aAAa,KAAb,IAAP,C;;;UAG7C,mBAAc,YAAy,CA  
AZ,IAAd,aAAmC,CAAnC,Y;YACI,YAAy,oBAAoB,OAAPB,IAAZ,IAAyC,OAAO,aAAa,OAAb,IAAP,C;;;K;8G  
AMzD,qB;MAEgF,gB;K;kGAeHf,yB;MAAA,4D;MAAA,4B;QAC8E,OAAK,aAAL,SAAK,C;O;KADnF,C;sGAI  
A,gC;MAEI,OAAI,SAAJ,GAEL,SAFJ,GAIL,SN83BoB,Q;K;IM13B5B,mC;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB  
;OAEJ,OAAO,K;K;IAGX,mC;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;OAEJ,OAAO,K;K;IAIX,mC;MAIqD,mB;K  
;IAErD,wC;MPzNI,IAAI,EOgOI,YAAy,CPhOhB,CAAJ,C;QACI,cO+NqB,gC;QP9NrB,MAAM,gCAAYB,OAAQ,  
WAAjC,C;Q;IOiOd,8C;MAAoE,Y;K;I8D1PV,qC;MAAiC,6B;K;uDAlvF,mB;MACI,qB;MACA,eAAe,e;MACf,O  
AAO,QAAS,UAAhB,C;QACI,IAAI,OAAA,QAAS,OAAT,EAAmB,OAAnB,CAAJ,C;UACI,QAAS,S;UACT,OAA  
O,I;;MAGf,OAAO,K;K;yDAGX,oB;MAGoB,Q;MAFhB,qB;MACA,eAAe,K;MACC,0B;MAAhB,OAAgB,cAAhB  
,C;QAAgB,yB;QACZ,IAAI,eAAI,OAAJ,CAAJ,C;UAAkB,WAAW,I;;MAEjC,OAAO,Q;K;IAKuC,sE;MAAA,qB;  
QAAE,OAAM,gBAAN,mB;O;K;4DAFpD,oB;MAEY,Q;MADR,qB;MACA,OAAoC,YAA5B,iEAA4B,EAAU,oD  
AAV,C;K;IAKU,sE;MAAA,qB;QAAE,QAAO,gBAAP,mB;O;K;4DAFpD,oB;MAEY,Q;MADR,qB;MACA,OAAo  
C,YAA5B,iEAA4B,EAAU,oDAAV,C;K;gDAGx,C,Y;MACI,qB;MACA,eAAe,IAAK,W;MACpB,OAAO,QAAS,U  
AAhB,C;QACI,QAAS,O;QACT,QAAS,S;;K;iDAIjB,Y;MAE8B,OAAA,IAAK,U;K;yDAGnC,Y;K;;IC3CgD,+B;M  
AAiC,oC;MACjF,gBAA8B,C;K;8CAM9B,mB;MAMI,qB;MACA,iBAAI,SAAJ,EAAU,OAAV,C;MACA,OAAO,I  
;K;mDAGX,2B;MAMc,UACF,M;MANR,oCAAA,4BAAmB,KAAAnB,EAA0B,SAAI1B,C;MAEb,qB;MACA,aAAa,  
K;MACb,cAAc,K;MACJ,0B;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,kBAAI,eAAJ,EAAI,uBAAJ,WAAc,CA  
Ad,C;QACA,UAAU,I;;MAEd,OAAO,O;K;0CAGX,Y;MACI,qB;MACA,yBAAY,CAAZ,EAAe,SAAf,C;K;IAKiB,  
gE;MAAA,qB;QAAE,OAAM,gBAAN,mB;O;K;sDAFvB,oB;MACI,qB;MACA,OAAO,kBAAU,8CAAV,C;K;IAK  
U,gE;MAAA,qB;QAAE,QAAO,gBAAP,mB;O;K;sDAFvB,oB;MACI,qB;MACA,OAAO,kBAAU,8CAAV,C;K;6C  
AIX,Y;MAAQd,iD;K;mDAErD,mB;MAAoD,0BAAQ,OAAR,KAAoB,C;K;kDAExE,mB;MACqB,Q;MAAA,6B;  
MAAjB,iBAAc,CAAd,yB;QACI,IAAI,wBAAI,KAAJ,GAAC,OAAd,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;  
sDAGX,mB;MACI,iBAAc,sBAAd,WAA+B,CAA/B,U;QACI,IAAI,wBAAI,KAAJ,GAAC,OAAd,CAAJ,C;UACI,O  
AAO,K;;MAGf,OAAO,E;K;iDAGX,Y;MAA6D,iCAAA,CAAb,C;K;yDAC7D,iB;MAAuE,sDAAiB,KAAjB,C;K;o  
DAGvE,8B;MAA4E,uCAAQ,IAAR,EAAc,SAAd,EAAyB,OAAzB,C;K;wDAE5E,8B;MAII,eAAe,0BAAa,SAAb,  
C;MACf,YAAO,UAAU,SAAV,I;MnEuDX,iBAAc,CAAd,UAAAsB,KAAtB,U;QmEtDiB,e;QACA,iB;;K;2CAIjB,iB  
;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,oCA  
Aa,uBAAc,IAAd,EAAoB,KAApB,C;K;6CAGxB,Y;MAG+B,OAAA,oCAAA,yBAAGB,IAAhB,C;K;IAG5C,kD;M  
AAA,oB;MACI,eAcSb,C;MACtB,cAIqB,E;K;yDAErB,Y;MAAkC,sBAAQ,gB;K;sDAE1C,Y;MAEW,Q;MADP,I  
AAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,eAAO,mBAAP,EAAO,2BAAP,O;MACA,OAAO,wBAAI,WA  
AJ,C;K;wDAGX,Y;MtE5CJ,IAAI,EsE6CU,gBAAQ,EtE7CIB,CAAJ,C;QACI,csE4CwB,sE;QtE3CxB,MAAM,6BA  
AsB,OAAQ,WAA9B,C;OsE6CF,6BAAS,WAAAT,C;MACA,eAAQ,W;MACR,cAAO,E;K;;IAOqB,6D;MAHpC,oB;  
MAGmD,wD;MAG3C,oCAAA,4BAAmB,KAAAnB,EAA0B,WAAyB,KAAAnD,C;MACb,eAAa,K;K;iEAGjB,Y;MA  
AsC,sBAAQ,C;K;+DAE9C,Y;MAAGC,mB;K;8DAEHc,Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MA  
E1B,eAAO,mCAAP,EAAO,YAAP,C;MACA,OAAO,wBAAI,WAAJ,C;K;mEAGX,Y;MAAoC,sBAAQ,CAAR,I;K  
;+DAEpC,mB;MACI,wBAAI,YAAJ,EAAW,OAAX,C;MACA,mC;MACA,cAAO,E;K;+DAGX,mB;MtEIFJ,IAAI,  
EsEmFU,gBAAQ,EtEnFIB,CAAJ,C;QACI,csEkFwB,4E;QtEjFxB,MAAM,6BAAsB,OAAQ,WAA9B,C;OsEkFF,w  
BAAI,WAAJ,EAAU,OAAV,C;K;;IAIgb,+D;MAAuF,8B;MAAtF,kB;MAA0C,4B;MAC/D,eAAyB,C;MAGrB,oC  
AAa,2BAAkB,gBAAlB,EAA6B,OAA7B,EAAcS,WAAK,KAA3C,C;MACb,eAAa,UAAU,gBAAV,I;K;wDAGjB,  
0B;MACI,oCAAA,4BAAmB,KAAAnB,EAA0B,YAA1B,C;MAEb,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OA  
AvB,C;MACL,mC;K;wDAGJ,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,wBAAK,mB  
AAY,KAAZ,IAAL,C;K;6DAGX,iB;MACI,oCAAA,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,aAAa,WAAK,kB  
AAS,mBAAY,KAAZ,IAAT,C;MACIB,mC;MACA,OAAO,M;K;wDAGX,0B;MACI,oCAAA,2BAAkB,KAAIB,EA  
AyB,YAAzB,C;MAEb,OAAO,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OAAvB,C;K;mGAGO,Y;MAAQ,mB  
;K;2DAE/B,Y;MAA+C,WAAK,iB;K;;ICxMN,8B;MAAiC,sB;MAwCnF,uBAAoC,I;MA+CpC,yBAA6C,I;K;IAIF  
R,oD;MAAC,wB;MAGlC,gBAAqB,K;K;iFAHa,Y;MAAA,yB;K;uGAKZ,Y;MAAQ,oB;K;8DAE9B,oB;MAKI,eA

Ae,IAAK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;K;wDAGX,Y;MAA+B,iEAAc,IAAd,C;K;wDAC/B,Y;MAAkC,iEAAc,IAAd,C;K;sDACIC,iB;MAA4C,+DAAY,IAAZ,EAakB,KAaIB,C;K;;IAIB5C,8E;MAAA,wE;MAAsC,2CAAK,KAAM,IAAX,EAagB,KAAM,MAAtB,C;MAAtC,Y;K;IASBJ,+C;MACsE,6B;K;mEACIE,mB;MAAmD,kCAAc,OAAAd,C;K;iEAEnD,mB;MAAiD,gCAAY,OAAZ,C;K;;yCAIrD,Y;MACI,YAAQ,Q;K;IAOQ,+F;MAAA,sD;MAAs,6B;K;uFACb,mB;MAAwC,MAAM,qCAA8B,8BAA9B,C;K;mFAC9C,Y;MACI,4BAAwB,Q;K;4FAG5B,mB;MAAsD,sDAAY,OAAZ,C;K;IAI3C,oH;MAAA,kD;K;4GACH,Y;MAAkC,OAAA,0BAAc,U;K;yGACHD,Y;MAAyB,OAAA,0BAAc,OAAO,I;K;2GAC9C,Y;MAAwB,0BAAc,S;K;;sFAL9C,Y;MACI,oBAAoB,oCAAQ,W;MAC5B,6G;K;0FAOJ,mB;MACI,qB;MACA,IAAI,+CAAY,OAAZ,CAAJ,C;QACI,4BAAwB,cAAO,OAAP,C;QACxB,OAAO,I;OAEX,OAAO,K;K;oIAGY,Y;MAAQ,OAAA,4BAAwB,K;K;4FAEvD,Y;MAAsC,4BAAwB,iB;K;;0FA9B1E,Y;MACI,IAAI,4BAAJ,C;QACI,6F;OA+BJ,OAAO,mC;K;kDAKf,gB;MAEyB,Q;MADrB,qB;MACqB,OAAA,I9E8Q2D,QAAQ,W;M8E9QxF,OAAqB,cAArB,C;QAAqB,wB;QAAf,U9EiMsD,U;Q8EjMjD,Y9E8MiD,Y;Q8E7MxD,iBAAI,GAAJ,EAAS,KAAT,C;;K;IAQc,iG;MAAA,sD;MAAS,oC;K;yFACf,mB;MAAwC,MAAM,qCAA8B,gCAA9B,C;K;qFAC9C,Y;MAAuB,4BAAwB,Q;K;8FAE/C,mB;MAAsD,wDAAc,OAAAd,C;K;IAI3C,sH;MAAA,kD;K;8GACH,Y;MAAkC,OAAA,0BAAc,U;K;2GACHD,Y;MAAyB,OAAA,0BAAc,OAAO,M;K;6GAC9C,Y;MAAwB,0BAAc,S;K;;wFAL9C,Y;MACI,oBAAoB,oCAAQ,W;MAC5B,+G;K;sIAOmB,Y;MAAQ,OAAA,4BAAwB,K;K;8FAEvD,Y;MAAsC,4BAAwB,iB;K;;4FAnB1E,Y;MACI,IAAI,8BAAJ,C;QACI,iG;OAoBJ,OAAO,qC;K;gDAGf,e;MACI,qB;MACA,WAAW,YAAQ,W;MACnB,OAAO,IAAK,UAAZ,C;QACI,YAAY,IAAK,O;QACjB,QAAQ,KAAM,I;QACd,IAAI,YAAO,CAAP,CAAJ,C;UACI,YAAY,KAAM,M;UACIB,IAAK,S;UACL,OAAO,K;;MAGf,OAAO,I;K;kDAIX,Y;K;;IC3I+C,8B;MAAiC,oC;K;0CAEHf,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAsB,OAAO,K;MAC7B,OAAO,mCAAY,mBAAU,IAAV,EAagB,KAaHb,C;K;4CAGvB,Y;MAG+B,OAAA,mCAAY,2BAakB,IAaIB,C;K;;ICbT,0B;MAAuD,8B;MAAIC,4B;MACvD,4BAakC,K;K;gCAkBiC,Y;MAEI,qB;MACA,4BAaA,I;MACb,OAAO,I;K;qCAGX,Y;K;iDAGA,uB;K;iFAG8B,Y;MAAQ,OAAA,oBAAm,O;K;sCAC5C,iB;MACyC,Q;MAAA,oCAAM,0BAAW,KAAX,CAAN,4D;K;sCACzC,0B;MAIW,IAaA,I;MAHpB,qB;MACA,0BAAW,KAAX,C;MAEoB,gBAAb,qBAAM,KAAN,C;MAAqB,qC;MAA5B,OAAO,CAaA,OtE8BjB,SsE9BI,2D;K;oCAGX,mB;MACI,qB;MACM,oBAAy,MAAK,OAAL,C;MACIB,qC;MACA,OAAO,I;K;sCAGX,0B;MACI,qB;MACM,oBAAy,QAAO,mCAAoB,KAAPB,CAAP,EAAMC,CAAnC,EAAsC,OAAtC,C;MACIB,qC;K;yCAGJ,oB;MACI,qB;MACA,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAE/B,uBAAA,oBxEioDoB,QMjrD0C,YkEgDrD,QIEhDqD,CNirD1C,C;MwEhoDpB,qC;MACA,OAAO,I;K;yCAGX,2B;MACI,qB;MACA,mCAAoB,KAAPB,C;MAEA,IAAI,UAAS,SAAb,C;QAAMB,OAAO,oBAAO,QAAP,C;MAC1B,IAAI,QAAS,UAAb,C;QAawB,OAAO,K;MAE3B,IADE,KACf,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,KAEF,O;QAAK,uBIE7DqD,YkE6D7C,QIE7D6C,CNirD1C,QwEpnD6B,oBxEonD7B,C;;QwEnnDR,uBAAoC,cAA5B,oBAA4B,EA AV,CAAU,EAAP,KA AO,CAAY,QIE9DE,YkE8DK,QIE9DL,CkE8DF,EAA4C,cAAN,oBAAM,EAAY,KA AZ,EAAMB,SAAnB,CAA5C,C;;MAG5D,qC;MACA,OAAO,I;K;2CAGX,iB;MACI,qB;MACA,0BAAW,KAAX,C;MACA,qC;MACA,OAAW,UAAS,sBAAb,GACG,oBAAy,MADf,GAGG,oBAAy,QAAO,KAAP,EAAC,CAAd,CAaIB,CAAmC,CAAnC,C;K;uCAGR,mB;MAEkB,Q;MADd,qB;MACc,2B;MAAd,mD;QACI,IAAI,4BAAM,KAAN,GAAGB,OAaHb,CAAJ,C;UACU,oBAAy,QAAO,KAAP,EAAC,CAAd,C;UACIB,qC;UACA,OAAO,I;;MAGf,OAAO,K;K;8CAGX,8B;MACI,qB;MACA,qC;MACM,oBAAy,QAAO,SAAP,EAakB,UAAU,SAAV,IAaIB,C;K;gCAGtB,Y;MACI,qB;MACA,uB9BhHuC,E;M8BiHvC,qC;K;wCAIJ,mB;MAA+C,OAAM,QAAN,oBAAM,EA AQ,OAAR,C;K;4CAErD,mB;MAAmD,OAAM,YAAN,oBAAM,EAAY,OAAZ,C;K;mCAEzD,Y;MAA0B,uBAAc,oBAAd,C;K;0CAE1B,iB;MAGe,UAGL,MAHK,EAMO,M;MAPIB,IAAI,KAAM,OAAN,GAAa,SAAjB,C;QACI,OAAO,2D;OAGc,gBAAxB,eAAK,SAAL,IAAK,gBAAL,yB;MxEuwBL,UAAU,SAAV,EwEvwBsC,KxEuwBtC,EAD+F,CAC/F,EADoH,CACpH,EADuI,gBACvI,C;MwErwBI,IAAI,KAAM,OAAN,GAAa,SAAjB,C;QACI,MAAM,SAAN,IAAc,6E;OAGIB,OAAO,K;K;kCAGX,Y;MACI,OAAO,EAAS,MAAM,MAAK,oBAAL,C;K;yCAI1B,Y;MACI,IAAI,yBAAJ,C;QAAGB,MAAM,oC;K;+CAG1B,iB;MACI,oCAAa,kCAAyB,SAAzB,C;MADoB,Y;K;wDAIrC,iB;MACI,oCAAa,mCAA0B,SAa1B,C;MAD6B,Y;K;;IAI19C,+B;MAAA,mD;MAG8B,sB9BRa,E8BQb,C;MAH9B,Y;K;IAKA,kD;MAAA,mD;MAIKD,sB9BdP,E8BcO,C;MAJID,Y;K;IAMA,2C;MAAA,mD;MAGqD,sBIENa,YkEMR,QIENQ,CkEmB,C;MAHrD,Y;K;ICrBJ,0C;MACI,IAAI,6BAAJ,C;QACU,KAAY,MAAK,UAAAL,C;;QAEIB,UAAU,KA AV,EAAwC,CAAxC,EAaID,cAAN,KAAM,CAAJD,EAA4D,eAAW,UAAAX,CAA5D,C;;K;IAMiB,kD;MAAA,uB;QA

AgB,OAAA,kBAAW,SAAQ,CAAR,EAaw,CAAX,C;O;K;IAFPD,4C;MACI,IAAI,6BAAJ,C;QACI,iBAaiB,gC;Q  
ACX,KAAY,MAAK,UAAAL,C;;QAEIB,UAAU,KAAV,EAawC,CAAxC,EAaiD,cAAN,KAAM,CAAjD,EAA4D,  
UAA5D,C;;K;IAIR,gE;MACI,IAAI,aAAY,UAAU,CAAV,IAAZ,CAAJ,C;QACI,UAAU,KAAV,EAawC,SAAxC,  
EAAmD,UAAU,CAAV,IAAnD,EAAgE,UAAhE,C;Q;IAMiB,gC;MAAgB,OAAE,iBAAF,CAAE,EAAU,CAAV,C;  
K;IAF3C,0B;MACI,IAAI,6BAAJ,C;QACI,iBAaiB,gB;QACX,KAAY,MAAK,UAAAL,C;;QAEIB,UAAU,KAAV,E  
AAwC,CAAxC,EAaiD,cAAN,KAAM,CAAjD,EAA4D,cAA5D,C;;K;;IAaa,kD;MAAoB,QAAC,IAAM,CAAP,KA  
Aa,IAAM,CAAnB,K;K;IARzC,uC;MACI,sC;QAAiC,OAAjC,yB;OACA,4BAA4B,K;MAE5B,YAAyE;MAGZ,iB  
AAc,CAAd,UAAaB,GAAtB,U;QAAiC,KAAY,MAAK,KAAL,C;MAC7C,iBAaiB,kC;MACX,KAAY,MAAK,UA  
AL,C;MACiB,mBAAc,CAAd,YAAaB,KAAM,OAA5B,Y;QACI,QAAQ,MAAM,UAAQ,CAAR,IAAN,C;QACR,Q  
AAQ,MAAM,OAAAN,C;QACR,IAAI,CAAC,IAAM,CAAP,OAAc,IAAM,CAApB,KAA0B,KAAC,CAAnC,C;UA  
AsC,OAAO,K;;MAEjD,4BAA4B,I;MAC5B,OAAO,I;K;IAIX,2D;MACI,aAAa,gBAAmB,KAAM,OAAzB,O;MAC  
b,aAAa,YAAU,KAAV,EAaiB,MAAjB,EAAYB,KAAzB,EAAGC,YAAhC,EAA8C,UAA9C,C;MACb,IAAI,WAA  
W,KAAf,C;QACI,aAAU,KAAV,OAAiB,YAAjB,M;UAA+B,MAAM,CAAN,IAAW,OAAO,CAAP,C;Q;IAIID,4D;  
MAEI,IAAI,UAAAS,GAAb,C;QACI,OAAO,K;OAGX,aAAa,CAAC,QAAQ,GAAR,IAAD,IAAgB,CAAhB,I;MACb  
,WAAW,YAAU,KAAV,EAaiB,MAAjB,EAAYB,KAAzB,EAAGC,MAAhC,EAawC,UAAxC,C;MACX,YAAy,Y  
AAU,KAAV,EAaiB,MAAjB,EAAYB,SAAS,CAAT,IAAZB,EAAGC,GAAR,C,EAA0C,UAA1C,C;MAEZ,aAAiB,S  
AAS,MAAb,GAAqB,KAArB,GAAgC,M;MAG7C,gBAAGB,K;MACHb,iBAaiB,SAAS,CAAT,I;MACjB,aAAU,K  
AAV,OAAiB,GAAjB,M;QAEQ,iBAaA,MAAb,IAAuB,cAAc,GAAR,C;UACI,gBAAGB,KAAK,SAAL,C;UACHb  
,iBAaiB,MAAM,UAAAN,C;UAEjB,IAAI,UAAW,SAAQ,SAAR,EAAMB,UAAAnB,CAAX,IAA6C,CAAjD,C;YACI  
,OAAO,CAAP,IAAY,S;YACZ,6B;;YAEA,OAAO,CAAP,IAAY,U;YACZ,+B;;eAGR,iBAaA,MAAb,C;UACI,OA  
AO,CAAP,IAAY,KAAK,SAAL,C;UACZ,6B;;UAGA,OAAO,CAAP,IAAY,MAAM,UAAAN,C;UACZ,+B;;;MAMZ  
,OAAO,M;K;ICrGX,4C;MAMoB,UACM,M;MAHtB,IAAI,iBAAJ,C;QAAkB,OAAO,C;MACzB,aAAa,C;MACb,  
wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAEQ,oB;UAAmB,U;;UACnB,I1BFiC,MAAa,Y0BEnC,O1BFm  
C,C0BE9C,C;YAAwD,iCAAhC,OAAgC,C;iBAExD,uC;YAAmC,2BAAR,OAAQ,C;eACnC,wC;YAAmC,2BAAR  
,OAAQ,C;eACnC,sC;YAAmC,2BAAR,OAAQ,C;eACnC,uC;YAAmC,2BAAR,OAAQ,C;;YAEA,kBAAR,OAAQ,  
C;;QATvC,wB;QAYa,SAAS,MAAK,MAAL,QAAc,WAAAd,I;;MAEb,OAAO,M;K;;ICTP,uC;MAAA,2C;K;2DAC  
I,0B;MAA2D,sBAAU,MAAV,C;K;gEAE3D,iB;MAA6C,Q;MAAA,wEAAqB,C;K;;IAHtE,mD;MAAA,kD;QAA  
A,iC;OAAA,2C;K;;MC0BA,iC;MAKA,8B;MA6CA,0BAAMe,I;;IAzEnE,kC;MAAA,oB;MAA+B,8C;K;2CAE3B,  
mB;MAAYD,MAAM,qCAA8B,iCAA9B,C;K;uCAC/D,Y;MACI,WAAa,Q;K;uDAGjB,mB;MAAgE,OAAA,WAAa  
,uBAAc,OAAAd,C;K;0CAE7E,Y;MAAwE,OAAA,iCAAY,W;K;qDAEpF,mB;MACI,IAAI,iBAAS,OAAAT,CAAJ,C;  
QACI,WAAa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;OAEX,OAAO,K;K;wFAGY,Y;MAAQ,OAAA,WAAa,K;K;;  
8BA6ChD,Y;MACI,0BAAY,Q;K;0CAIhB,e;MAAmD,OAAA,0BAAY,gBAAS,GAAT,C;K;4CAE/D,iB;MAAmE,  
gBAAZ,0B;MAAY,c;;QvE+mDnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;SACrB,2B;  
QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAAM,IuE/mDmD,uBAAS,gBvE+mD9C,OuE/mDwD,MAAV,QvE+mD  
5D,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;MuEhnDgD,iB;K;kFAInD,Y;MACI,IAAI,+BAAJ,C;QACI,0  
BAAW,qB;OAEf,OAAO,sC;K;uCAGf,Y;MAAgF,iC;K;kCAEHf,e;MAA+C,OAAA,0BAAY,WAAI,GAAJ,C;K;o  
CAE3D,sB;MAAgD,OAAA,0BAAY,aAAI,GAAJ,EAAS,KAAT,C;K;qCAE5D,e;MAAYC,OAAA,0BAAY,cAAO,  
GAAP,C;K;+EAEvB,Y;MAAQ,OAAA,0BAAY,K;K;;IA5DID,0C;MAAA,iD;MAAuD,8B;MAvC3D,mB;MAwCQ  
,8BAAmB,W;MACnB,2BAAGB,WAAy,S;MAFhC,Y;K;IAKA,+B;MAAA,iD;MAGuB,aAAK,kEAAL,Q;MAHvB  
,Y;K;IAKA,4D;MAAA,iD;MAQ8D,qB;M7EpC9D,IAAI,E6EsCQ,mBAAMB,C7EtC3B,CAAJ,C;QACI,c6EqCgC,  
+C;Q7EpChC,MAAM,gCAAYB,OAAQ,WAAjC,C;OAFV,IAAI,E6EuCQ,cAAc,C7EvCtB,CAAJ,C;QACI,gB6EsC  
2B,yC;Q7ErC3B,MAAM,gCAAYB,SAAQ,WAAjC,C;O6E0BV,Y;K;IAcA,gD;MAAA,iD;MAA2C,eAAK,eAAL,E  
AAsB,GAAtB,Q;MAA3C,Y;K;IAGA,yC;MAAA,iD;MAG8C,qB;MAC1C,KAAK,gBAAO,QAAP,C;MAJT,Y;K;I  
AqCJ,4B;MAK8E,gBAAnE,aAAmB,gEAAAnB,C;MAA2E,wB;MAAIF,O1EvCO,S;K;;M2EjEP,uB;;kCAyCA,mB;  
MACI,UAAU.gBAAI,aAAI,OAAJ,EAaA,IAAb,C;MACd,OAAO,W;K;8BAGX,Y;MACI,gBAAI,Q;K;uCAOR,mB  
;MAA6D,OAAA,gBAAI,mBAAY,OAAZ,C;K;gCAEjE,Y;MAAYC,OAAA,gBAAI,U;K;iCAE7C,Y;MAAqD,OAA  
A,gBAAI,KAAK,W;K;qCAE9D,mB;MAAkD,OAAA,gBAAI,cAAO,OAAP,CAAJ,Q;K;+EAEpB,Y;MAAQ,OAA  
A,gBAAI,K;K;;IA5D1C,6B;MAAA,iD;MAGoB,8B;MAZxB,mB;MAAQ,oBAAM,gB;MAJV,Y;K;IAOA,yC;MAA

A,iD;MAG2C,8B;MAnB/C,mB;MAoBQ,oBAAM,eAAgB,QAAS,KAAzB,C;MACN,qBAAO,QAAP,C;MALJ,Y;K;IAQA,4D;MAAA,iD;MAQ2D,8B;MAhC/D,mB;MAiCQ,oBAAM,eAAgB,eAAhB,EAAiC,UAAjC,C;MATV,Y;K;IAYA,gD;MAAA,iD;MAA2C,eAAK,eAAL,EAAzB,GAAtB,Q;MAA3C,Y;K;IAEA,oC;MAAA,iD;MAM0C,8B;MA5C9C,mB;MA6CQ,oBAAW,G;MAPf,Y;K;IAMCJ,+B;MAKuC,gBAA5B,eAAQ,eAAR,C;MAAoC,6B;MAA3C,O3ENO,S;K;I4EzD6B,uC;MAAC,kC;MAErC,oBAAkC,kB;MACiC,sBAAyB,C;K;2EAHY,Y;MAAA,8B;K;2FAGrC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;gDAGA,sB;MACi,eAAe,aAAS,qBAAy,GAAZ,C;MACxB,mBAAM B,6BAAsB,QAAtB,C;MACnB,IAAI,oBAAJ,C;QAEI,kBAAW,QAAX,IAAuB,mCAAY,GAAZ,EAAiB,KAAjB,C;QAEvB,IAAI,6BAAJ,C;UAEI,YAA+B,Y;UAC/B,IAAI,aAAS,gBAAO,KAAM,IAAb,EAakB,GAAIB,CAAb,C;YACI,OAAO,KAAM,gBAAS,KAAT,C;;YAEb,kBAAW,QAAX,IAAuB,CAAQ,KAAR,EAAe,mCAAY,GAAZ,EA AiB,KAAjB,CAAf,C;YACvB,6B;YACA,OAAO,I;;;UAIX,YAAuC,Y;UACvC,cAAkB,wBAAN,KAAM,EAAiB,G AAjB,C;UACIB,IAAI,eAAJ,C;YACI,OAAO,OAAM,gBAAS,KAAT,C;WAEX,KAAy,MAAK,mCAAY,GAAZ,E AAiB,KAAjB,CAAL,C;;;MAG1B,6B;MAEA,OAAO,I;K;iDAGX,e;MAEuB,Q;MADnB,eAAe,aAAS,qBAAy,GAAZ,C;MACL,oCAAsB,QAAtB,C;MAAA,iB;QAAmC,OAAO,I;OAA7D,mBAAM B,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;QAChC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAakB,GAAIB,CAAb,C;U5BzDR,O4B0D6B,iB5B1D vB,C4B0DmC,Q5B1DnC,C;U4B2DM,6B;UACA,OAAO,KAAM,M;;;UAEb,OAAO,I;;;QAGX,YAAuC,Y;QACvC,8BAAc,KAAd,iB;UACI,cAAy,MAAM,KAAN,C;UACZ,IAAI,aAAS,gBAAO,GAAP,EAAY,OAAM,IAAI B,CAA b,C;YACI,IAAI,KAAM,OAAN,KAAc,CAAIB,C;cACU,KAAN,UAA2B,C;c5BtE/C,O4BwEqC,iB5BxE/B,C4BwE 2C,Q5BxE3C,C;;;c4B2EoB,KAAy,QAAO,KAAP,EAAC,CAAd,C;;;YAEtB,6B;YAEA,OAAO,OAAM,M;;;MAIzB, OAAO,I;K;0CAGX,Y;MACI,oBAAa,kB;MACb,YAAO,C;K;mDAGX,e;MAAyC,uBAAS,GAAT,S;K;8CAEzC,e; MAA+B,Q;MAAA,+BAAS,GAAT,8B;K;+CAE/B,e;MACuB,Q;MAAA,oCAAsB,aAAS,qBAAy,GAAZ,CAA/B,C ;MAAA,iB;QAAoD,OAAO,I;OAA9E,mBAAM B,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;QAChC,IAAI,aAAS ,gBAAO,KAAM,IAAb,EAakB,GAAIB,CAAb,C;UACI,OAAO,K;;;UAEP,OAAO,I;;;QAGX,YAAuC,Y;QACvC,O AAa,wBAAN,KAAM,EAAiB,GAAjB,C;;K;uDaiR,0B;MACI,sB;;Q7F+nCY,Q;QAAhB,iD;UAAgB,cAAhB,e;U AAsB,I6F/nCK,aAAS,gB7F+nCA,O6F/nCa,IAAb,M7F+nCd,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I ;M6FhoCH,yB;K;IAIO,8E;MAAA,wD;MACH,aAAy,E;MAEZ,YAA0B,MAAa,MAAK,qCAAL,C;MACvC,gBA Ae,E;MAEf,oBAA4B,I;MAC5B,eAAc,K;MACd,iBAAgB,E;MACHb,iBAAqC,I;K;yEAER,C;Y;MACI,IAAI,6BAA wB,YAA5B,C;QACI,gBAAqB,iBAAqD,O;QAC1E,IAAI,4DAAC,SAIIB,C;UACI,OAAO,C;OAGf,IAAI,yDAAa, SAAK,OAAtB,C;QACI,oBAAe,2CAAW,UAAK,aAAL,CAAX,C;QACf,eAAU,iC;QACV,iBAAy,C;QACZ,OAA O,C;;QAEp,oBAAe,I;QACf,OAAO,C;;K;mEAI,f,Y;MACI,IAAI,eAAS,EAAb,C;QACI,aAAQ,oB;MACZ,OAAO,e AAS,C;K;gEAGpB,Y;MAEoB,Q;MADhB,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACN,IAAI,YAAJ,C;QAC Z,yBAAqD,cAArD,C;;QAEa,OAAb,iB;;MAHJ,oB;MAKA,iBAAiB,S;MACjB,aAAQ,E;MACR,OAAO,S;K;kEAG X,Y;M/E/CR,I+EgDyB,c/EhDrB,QA AJ,C;QACI,cAhByB,0B;QAIzBzB,MAAM,6BAAsB,OAAQ,WAA9B,C;O+E+ CE,6BAAyB,cAAO,6BAAy,IAAnB,C;MACzB,iBAAy,I;MAEZ,uC;K;;6CAtdZ,Y;MAEI,2D;K;4DAyDJ,oB;MA CI,mBAAM B,kBAAW,QAAX,C;MACnB,OAAW,iBAAiB,SAArB,GAAgC,IAAhC,GAA0C,Y;K;;;wCCtKrD,Y; MACI,aAAR,MAAM,OAAe,CAAP,IAAO,C;MAEb,OAAO,KAAP,IAAgB,C;M7BXpB,O6BYqB,M7Bzf,C6BYu B,K7BzvB,C;M6BaF,OAAO,M;K;;ICNuB,qC;MAAC,kC;MAEnC,oBAAkC,kB;MACiC,sBAAyB,C;K;yEAHU,Y ;MAAA,8B;K;yFAGnC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;iDAWA,e;MACI,IAAI,0BAAJ,C;QAAoB,OAA O,K;MAC3B,OAAO,kBAAW,GAAX,MAAoB,S;K;4CAG/B,e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B, YAAy,kBAAW,GAAX,C;MACZ,OAAW,UAAU,SAArB,GAAgC,KAAhC,GAA2D,I;K;8CAI/D,S;MjFVA,IAAI ,EiFWQ,uBjFXR,CAAJ,C;QACI,cAda,qB;QAEb,MAAM,gCAAYB,OAAQ,WAAjC,C;OiFUN,eAAe,kBAAW,GA AX,C;MACf,kBAAW,GAAX,IAAkB,K;MAEIB,IAAI,aAAa,SAAjB,C;QACI,6B;QAEA,OAAO,I;;QAGP,OAAO, Q;;K;+CAIf,e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAAy,kBAAW,GAAX,C;MACZ,IAAI,UAAU,S AAd,C;Q9BnDJ,O8BoDyB,iB9BpDnB,C8BoD+B,G9BpD/B,C;Q8BqDE,6B;QAEA,OAAO,K;;QAGP,OAAO,I;;K ;wCAkf,Y;MACI,oBAAa,kB;MACb,YAAO,C;K;IAKA,0E;MAAA,oD;MACH,cAAkC,MAAa,MAAK,mCAAL,C ;MAC/C,kBAA4B,qBAAL,WAAK,C;MAC5B,iBAA+B,I;K;iEAE/B,Y;MAAkC,OAAA,eAAS,U;K;8DAE3C,Y;M AIuB,gB;MAHnB,UAAU,eAAS,O;MACnB,iBAAU,G;MAES,+E;MAAnB,OAAO,iD;K;gEAGX,Y;MAEkC,UAA 9B,M;MAAA,oC;MAA8B,YAAa,c;MjFchD,uB;MAeP,IAfoB,KAehB,QA AJ,C;QACI,cAhByB,0B;QAIzBzB,MAA M,6BAAsB,OAAQ,WAA9B,C;;QAEEN,sBAnBgB,K;;MiFde,oBAAO,sFAAP,C;K;;2CAjBnC,Y;MACI,yD;K;IAqB

kD,0F;MAAA,8B;MAAA,oD;K;kHAC9B,Y;MAAQ,uB;K;oHACN,Y;MAAQ,6CAAuB,gBAAvB,C;K;2EAE9B,o  
B;MAAwC,OAAA,2BAAuB,aAAI,gBAAJ,EAAS,QAAT,C;K;qEAE/D,Y;MAA+B,OAAA,mCAAY,uBAAC,IAAd  
,C;K;qEAC3C,Y;MAAkC,OAAA,mCAAY,uBAAC,IAAd,C;K;mEAC9C,iB;MAA4C,OAAA,mCAAY,qBAAY,IA  
AZ,EAakB,KAAlB,C;K;;gDAR5D,e;MAAsD,iE;K;;;MCItD,sBAOsC,I;MA6CtC,yB;MAOA,4BAakC,K;;IArIE,s  
D;MAZpC,oB;MAYyD,0CAAqC,GAARc,EAA0C,KAA1C,C;MACrD,oBAAuC,I;MACvC,oBAAuC,I;K;wDAEv  
C,oB;MACI,WAAmB,iB;MACnB,OAAa,mEAAS,QAAT,C;K;;IAIrB,wC;MAAA,oB;MAA+B,8C;K;IAE3B,sD;M  
AAA,oB;MACI,cACsC,I;MAEtC,cACsC,I;MAGIC,cAAO,iC;K;6DAIX,Y;MACI,OAAO,gBAAS,I;K;0DAGpB,Y;  
MAEI,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MAEtB,cAAc,0B;MACd,cAAO,O;MACa,gBAAb,OAAQ,a;;M  
AAf,c/E0DS,S+E1DoB,KAAO,iC/E0DzC,GAAqB,SAArB,GAA+B,I;M+EzD1B,OAAO,O;K;4DAGX,Y;MIFwBR  
,IAAI,EkFvBc,eAAQ,IIFuBtB,CAAJ,C;QACI,cAdW,e;QAEX,MAAM,6BAAsB,OAAQ,WAA9B,C;OkFxBE,WA  
Ac,iB;MAGP,oCAAP,0BAAO,C;MACP,gCAAI,cAAO,0BAAO,IAAd,C;MAEJ,cAAO,I;K;;iDAIf,mB;MAAyD,M  
AAM,qCAA8B,iCAA9B,C;K;6CAC/D,Y;MACI,WAAmB,Q;K;6DAGvB,mB;MAAgE,OAAA,WAAmB,uBAAC,  
OAAAd,C;K;gDAEnF,Y;MAAwE,qD;K;2DAExE,mB;MACI,qB;MACA,IAAI,iBAAS,OAAT,CAAJ,C;QACI,WAA  
mB,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;OAEX,OAAO,K;K;8FAGY,Y;MAAQ,OAAA,WAAmB,K;K;sDAEI  
D,Y;MAAsC,WAAmB,iB;K;;iDAa7D,qB;MIFrBA,IAAI,EkF0BM,0BAAQ,IAAR,IAAgB,0BAAQ,IIF1B9B,CAAJ  
,C;QACI,cAdW,e;QAEX,MAAM,6BAAsB,OAAQ,WAA9B,C;OkF0BN,YAAy,mB;MACZ,IAAI,SAAS,IAAb,C;  
QACI,sBAAO,S;QACP,yBAAO,S;QACP,yBAAO,S;;QAGK,YAAa,KAAM,a;QIFIBhC,uB;QAEp,IAfoB,KAhB,  
QAAJ,C;UACI,gBAhByB,0B;UAIbZB,MAAM,6BAAsB,SAAQ,WAA9B,C;;UAEN,sBAnBgB,K;;QkFkBZ,+B;Q  
AEA,yBAAO,K;QACP,yBAAO,K;QAEp,qBAAa,S;QACb,qBAAa,S;;K;+CAIrB,qB;MAII,IAAI,SAAK,aAL,KA  
Ac,SAAlB,C;QAEI,sBAAO,I;;QAEp,IAAI,wBAAS,SAAb,C;UAEI,sBAAO,sB;SAEX,qDAAc,sB;QACd,qDAAc,s  
B;;MAEIB,yBAAO,I;MACP,yBAAO,I;K;oCA8CX,Y;MAEI,qB;MACA,4BAAa,I;MACb,OAAO,I;K;oCAGX,Y;  
MACI,qB;MACA,kBAAl,Q;MACJ,sBAAO,I;K;gDASX,e;MAAmD,OAAA,kBAAl,mBAAY,GAAZ,C;K;kDAEv  
D,iB;MACiC,Q;MAAA,0B;MAAA,iB;QAAQ,OAAO,K;OAA5C,WAA6B,I;;QAEzB,IAAI,OAAA,IAAK,MAAL,  
EAAc,KAAAd,CAAJ,C;UACI,OAAO,I;SAEX,OAAO,cAAA,IAAK,aAAL,C;;MACF,iBAAS,mBAAT,C;MACT,O  
AAO,K;K;6CAIX,Y;MAAoF,uC;K;wCAEpF,e;MAAmD,Q;MAAJ,QAAl,OAAl,kBAAl,WAAI,GAAJ,CAAJ,6B;  
K;0CAE/C,sB;MACI,qB;MAEA,UAAU,kBAAl,WAAI,GAAJ,C;MACd,IAAI,OAAO,IAAX,C;QACI,eAAe,mCA  
AW,GAAx,EAAGB,KAAhB,C;QACf,kBAAl,aAAl,GAAJ,EAAS,QAAT,C;QACK,wBAAT,QAAS,C;QACT,OA  
AO,I;;QAEp,OAAO,GAAI,gBAAS,KAAT,C;;K;2CAInB,e;MACI,qB;MAEA,YAAy,kBAAl,cAAO,GAAP,C;MA  
ChB,IAAI,SAAS,IAAb,C;QACU,sBAAN,KAAM,C;QACN,OAAO,KAAM,M;OAEjB,OAAO,I;K;qFAGmB,Y;M  
AAQ,OAAA,kBAAl,K;K;6CAE1C,Y;MACI,IAAI,yBAAJ,C;QAAgB,MAAM,oC;K;;IANg1B,mC;MAAA,uD;MA  
GuB,qB;MA9J3B,yB;MA+JQ,sBAAM,gB;MAJV,Y;K;IAOA,iD;MAAA,uD;MAAoD,qB;MAIKxD,yB;MAoKc,Q;  
MAAN,sBAAM,+D;MAFV,Y;K;IAKA,kE;MAAA,uD;MAQ8D,eAAM,eAAN,EAuB,UAAvB,Q;MA/KIE,yB;M  
AgLQ,sBAAM,gB;MATV,Y;K;IAYA,sD;MAAA,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IA  
EA,+C;MAAA,uD;MAG2C,qB;MAxL/C,yB;MAyLQ,sBAAM,gB;MACN,KAak,gBAAO,QAAP,C;MALT,Y;K;I  
A6EJ,kC;MAKwD,gBAA7C,qBAAYB,eAAzB,C;MAAqD,wB;MAA5D,O/EjMO,S;K;;;oCgFvCP,Y;MAEK,Q;MA  
A8B,CAA9B,2EAA8B,S;MAC/B,OAAO,I;K;6CAGX,Y;MAA+C,gBAAl,iB;K;;IAhCnD,wC;MAAA,uD;MAAmD  
,eAAM,GAAN,Q;MAPvD,yB;MAOI,Y;K;IAEA,qC;MAAA,uD;MAGuB,eAAM,oBAAN,Q;MAZ3B,yB;MASI,Y;  
K;IAKA,+C;MAAA,uD;MAG8C,eAAM,oBAAN,Q;MAjBID,yB;MAkBQ,qBAAO,QAAP,C;MAJJ,Y;K;IAOA,kE;  
MAAA,uD;MAQ8D,eAAM,qBAAsB,eAAtB,EAuC,UAAvC,CAAN,Q;MA7BIE,yB;MAqBI,Y;K;IAUA,sD;MA  
AA,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IAGBJ,qC;MAKMD,gBAAxC,mBAAC,qBAAd,C  
;MAAgD,6B;MAAvD,OhFoBO,S;K;;;kFiFzEX,uB;MAQI,OAAO,O;K;ICXX,sB;K;mCACI,Y;MACI,mBAAM,IA  
AN,C;K;2CAGJ,mB;MACI,mBAAM,OAAN,C;MACA,c;K;iCAKJ,Y;K;;IAKuB,oC;MAA8B,qB;MAA7B,gC;K;2  
CACxB,mB;MAEI,oBA+DyC,OA/Dd,OA+Dc,C;MA9DzC,iBAAa,OAAM,aAAN,C;K;;IAIrB,8B;MAEoC,qB;K;i  
DACHc,mB;MACI,OAAQ,KAAI,OAAJ,C;K;mDAGZ,mB;MACI,OAAQ,KAAI,OAAJ,C;K;2CAGZ,Y;MACI,OA  
AQ,KAAI,EAaj,C;K;;IAIhB,0B;MAEqC,qB;MACjC,cAAa,E;K;6CAEb,mB;MACI,eAoCyC,OApCxB,OAoCwB,  
C;K;qCAjC7C,Y;MACI,cAAS,E;K;;IAIjB,sC;MAE4C,yB;K;yDACxC,mB;MACI,QAwByC,OAxB1B,OAxB0B,C  
;MAvBzC,QAAQ,CxEqJoF,awErJhE,IxEqJgE,EwErJ1D,CxEqJ0D,C;MwEpJ5F,IAAI,KAak,CAAT,C;QACI,4BA  
AU,CxE+J0E,WwE/J9D,CxE+J8D,EwE/J3D,CxE+J2D,C;QwE9JpF,Y;QACA,IAAI,CxE0JiE,WwE1JrD,IAAI,CA

AJ,IxE0JqD,C;OwExJzE,4BAAU,C;K;iDAGd,Y;MACI,OAAQ,KAAI,WAAJ,C;MACR,cAAS,E;K;;;IAWjB,yB;M  
ACiD,cAAa,KAAb,C;K;IAEjD,mB;MAEI,MAAO,U;K;IAGX,4B;MAEI,MAAO,iBAAQ,OAAR,C;K;IAGX,wB;  
MAEI,MAAO,eAAM,OAAN,C;K;IAGX,kB;MACqC,MAAM,qCAA8B,sCAA9B,C;K;IAE3C,wB;MAC4C,MAA  
M,qCAA8B,4CAA9B,C;K;ICIGID,mD;MACI,0B;MASA,gBAA2B,a;K;2FAFvB,Y;MAAQ,OAAA,eAAS,Q;K;oD  
AIrB,kB;MACI,UAAU,IAAK,S;MAEX,YAAQ,2CAAR,C;QACI,gBAAc,MAAO,M;WAEzB,YAAQ,yBAAR,C;Q  
ACI,gBAAc,yC;QACd,eAAS,oBAAW,MAAX,C;;QAEI,MAAM,6BAAsB,iBAAtB,C;K;4CAItB,Y;MAOW,Q;M  
ALP,IAAI,kBAAW,2CAAf,C;QACI,gBAAS,yB;QACT,OAAO,yB;OAEX,aAAa,IAAK,S;MAEd,eAAW,yCAAX,  
C;QAAsB,gC;WACtB,0C;QAA4B,MAAM,MAAO,U;;QACjC,a;MAHZ,W;K;;IA7BJ,gD;MAAA,0D;MACyD,6B  
AAK,QAAL,EAAe,2CAAf,C;MADzD,Y;K;;;;ICRA,2C;MAAA,+D;MAAuB,iC;MAF3B,iC;MAEI,Y;K;IACA,sD  
;MAAA,+D;MAAuC,6BAAM,OAAN,Q;MAH3C,iC;MAGI,Y;K;IACA,6D;MAAA,+D;MAAmD,kCAAM,OAAN,  
EAAe,KAAf,C;MAJvD,iC;MAII,Y;K;IACA,oD;MAAA,+D;MAAiC,6BAAM,KAAAN,Q;MALrC,iC;MAKI,Y;K;Ix  
C4CJ,yE;MASI,sC;MAAA,4C;K;IATJ,iGAWY,Y;MAAQ,2B;KAXpB,E;IAAA,0DAaQ,kB;MACI,wBAAW,MAA  
X,C;K;IADz,sF;IyC5C2E,0C;M1CkKhE,Q;MADP,e0ChKA,M1CgKA,C;MACO,Q0CjKP,M1CiKO,+D;M0ChKX,  
W;K;;+FCuHA,gB;MACI,aAAa,IAAb,MAAa,E;MACb,KAAK,MAAL,C;MACA,OAAO,M;K;wFC3HX,yB;MAA  
A,uD;MAAA,wC;QAWqG,OAAC,cAAL,SAAK,EAAiB,IAAjB,EAAuB,IAAvB,C;O;KAX1G,C;wFAaA,yB;MAA  
A,uD;MAAA,wC;QAWoG,OAAC,cAAL,SAAK,EAAiB,IAAjB,EAAuB,IAAvB,C;O;KAXzG,C;8ECbA,yB;MAA  
A,6C;MAAA,sC;QAOyD,OAAC,SAAL,SAAK,EAAY,QAAs,C;O;KAP9D,C;8EASA,yB;MAAA,6C;MAAA,wC;  
QAWkE,OAAC,SAAL,SAAK,EAAa,UAb,S;O;KAXvE,C;oFAaA,yB;MAAA,mD;MAAA,wC;QAWqE,OAAC,  
YAAL,SAAK,EAAGB,UAAhB,S;O;KAX1E,C;kFCZI,yB;MAAA,iD;MAAA,4B;QAAs,OAAC,WAAL,SAAK,C;  
O;KAApB,C;wFAYA,yB;MAAA,uD;MAAA,4B;QAAs,OAAC,cAAL,SAAK,C;O;KAApB,C;IC5BJ,gC;MAAoE,  
gCAAqB,OAAR,C;K;IAEIC,uC;MAAC,wB;K;iDAC/B,iB;MACI,eAAQ,KAAAR,C;K;8CAGJ,Y;MAAyC,iCAAuB  
,cAAvB,M;K;;ICCO,6C;MAAA,8B;MAAS,uB;K;8FACIC,Y;MAAQ,OAAA,gBAAY,O;K;mDAE3C,iB;MACI,IA  
DoC,KACpC,IAAG,CAAH,IADoC,KACpC,IAAM,sBAAN,C;QAD8B,OACX,gBAAY,MAAK,KAAL,C;;QACvB  
,MAAM,8BAA0B,WAAQ,KAAAR,6BAAMc,sBAANc,MAA1B,C;K;;IARtB,8B;MAGoD,4C;K;wECFpD,yB;MA  
AA,uC;MAAA,4B;QAOSc,MAAL,SAAK,C;O;KAPtC,C;kFASA,yB;MAAA,iD;MAAA,kC;QAWuD,OAAC,WA  
AL,SAAK,EAAc,IAAd,C;O;KAX5D,C;+ECfA,qB;MAI8C,gB;K;iFAE9C,qB;MAIsE,OAAC,S;K;kFAE3E,qB;MA  
MyE,gB;K;IAEzE,6B;MAiBa,UAPF,M;MAFP,QAAC,S;MAGV,cAAK,UAAL,U;QACI,mBAAK,UAAL,G;;QACJ  
,I/CzBqC,MAAa,Y+CyBvC,C/CzBuC,C+CyBID,C;UAC6B,8BAAZB,CAAyB,C;;UAGN,UAAIB,uDAAKB,Y;;MA  
P3B,a;K;IC9BJ,2B;MAEI,MAAM,yBAAqB,OAAR,C;K;IAGV,sB;MAEI,MAAM,uBAAMb,cAANb,C;K;IAGV,2  
B;MAEI,MAAM,6BAAsB,OAATB,C;K;IAGV,iC;MAEI,MAAM,4CAAqC,uBAAqB,YAArB,8BAARc,C;K;ICIBV  
,8B;MC8CW,kB1GqBiD,oB;M0GM9C,Q;MAAA,OAAC,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,s  
BAAM,CAAN,C;QACV,kBAAKb,sBAAY,GAAs,C;QAKFiD,U;QAJFnE,W1GuKJ,a0GvKgB,G1GuKhB,EyG1Oo  
B,CCmEkC,uBAAuB,CAAC,WAAY,mBAAY,GAAs,CAiFhD,GDpJrC,CCoJqC,GAA6B,UajFjC,WaifiC,6DDp  
JnD,IAAM,CAAN,IzG0OpB,C;;MyG1OA,OCqEO,W;K;;;ICjCX,qB;MAK0B,Q;MADtB,UAAmB,E;MACnB,wB  
AAsB,KAAtB,gB;QAAsB,aAAA,KAAtB,M;QAAK,IAAC,0BAAD,EAAO,2B;QACR,IAAI,IAAJ,IAAY,K;;MAE  
hB,OAAO,G;K;IAGX,+B;MAMgB,Q;MADZ,WAA0B,MAAa,MAAK,KAAL,C;MACvC,wBAAY,IAAZ,gB;QAA  
Y,UAAA,IAAZ,M;QACI,IAAU,KAAy,gBAAE,GAaf,CAAtB,C;UACI,UAAK,GAAL,IAAY,MAAM,GAAN,C;;  
MAGpB,OAAO,S;K;qEC5DX,yB;MAAA,iB;MAAA,oB;QAOKd,OAAA,MAAW,KAAI,CAAJ,C;O;KAP7D,C;qE  
ASA,yB;MAAA,iB;MAAA,oB;QAOKd,OAAA,MAAW,KAAI,CAAJ,C;O;KAP7D,C;qEASA,yB;MAAA,iB;MA  
AA,oB;QAOKd,OAAA,MAAW,KAAI,CAAJ,C;O;KAP7D,C;uEASA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,  
MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAA  
L,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;yEA  
WA,yB;MAAA,iB;MAAA,uB;QAKb+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;O;KAIB1E,C;uEAoBA,y  
B;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;uEAYA,yB;MAAA,iB;MAAA,  
oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,  
MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAA  
N,C;O;KAZ/D,C;yEAcA,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;O;KAZ/D,C;yEAc  
A,yB;MAAA,iB;MAAA,oB;QAaoD,OAAA,MAAW,OAAM,CAAN,C;O;KAb/D,C;yEAEa,yB;MAAA,iB;MAAA,

uB;QAS+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;O;KATIE,C;uEAWA,yB;MAAA,iB;MAAA,oB;QA  
QmD,OAAA,MAAW,MAAK,CAAL,C;O;KAR9D,C;qEAU,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MAAW,  
KAAI,CAAJ,C;O;KAV7D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAcO,D,OAAA,MAAW,OAAM,CAAN,C;O;KAD  
/D,C;IAgBA,sB;MAcI,IAAI,QAAQ,GAAR,IAAe,SAAQ,GAA3B,C;QAAgC,OAAO,wCAAO,I;MAC9C,OAAO,I  
AAW,KAAI,CAAJ,CAAX,GAAoB,IAAW,KAAI,IAAJ,C;K;mEAG1C,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,  
MAAW,KAAI,CAAJ,C;O;KAX5D,C;yEAaA,yB;MAAA,iB;MAAA,oB;QAOoD,OAAA,MAAW,OAAM,CAAN,  
C;O;KAP/D,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOmD,OAAA,MAAW,MAAK,CAAL,C;O;KAP9D,C;uEASA  
,yB;MAAA,iB;MAAA,oB;QAgBmD,OAAA,MAAW,OAAM,CAAN,C;O;KAhB9D,C;uEakBA,yB;MAAA,iB;M  
AAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAUoD,OA  
AA,MAAW,OAAM,CAAN,C;O;KAV/D,C;+EAYA,yB;MAAA,iB;MAAA,oB;QAUuD,OAAA,MAAW,OAAM,C  
AAN,C;O;KAVIE,C;IAYA,kB;MAQI,IAAI,IAAI,GAAJ,KAAW,GAAf,C;QACI,OAAO,IAAW,OAAM,CAAN,C;  
OAEtB,YAzBgD,MAAW,OAYBzC,CAzByC,C;MA0B3D,OAAW,QAAQ,CAAR,KAAa,GAAxB,GAA6B,KAA7B  
,GAtC+C,MAAW,MAcCb,CAtCa,C;K;qEAyC9D,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MAAW,KAAI,CAAJ  
,C;O;KAV7D,C;uEAYA,yB;MAAA,iB;MAAA,oB;QAWmD,OAAA,MAAW,MAAK,CAAL,C;O;KAX9D,C;wEA  
cA,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPxE,C;wEASA,yB;MA  
AA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPxE,C;qEAWA,yB;MAAA,iB;M  
AAA,+B;QAayD,OAAA,MAAW,KAAI,SAAJ,EAAU,CAAV,C;O;KAbpE,C;uEAeA,yB;MAAA,iB;MAAA,+B;Q  
AOsD,OAAA,MAAW,KAAI,SAAJ,EAAU,CAAZ,C;O;KAPjE,C;iGAmBsD,yB;MAAA,iB;MAAA,4B;QAAQ,OA  
AA,MAAW,KAAI,SAAJ,C;O;KAAnB,C;+EAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,MAAK,SAAL  
,C;O;KAAnB,C;IFAE7C,yB;MAAA,6C;MAAA,kC;QAK8D,OAAK,SAAL,SAAK,EAAC,IAAd,C;O;KALnE,C;IA  
kBqC,4B;MACjC,gBAAO,CAAP,C;QADyC,OACrB,QAAP,CAAC,SAAM,C;WACpB,IAAK,QAAL,SAAK,CAA  
L,IAAgB,cAAQ,wCAAO,kBAA/B,C;QAFyC,OAeW,S;WACpD,kBAAQ,wCAAO,UAAf,C;QAHyC,OAGb,YAA  
Y,SAAL,SAAK,C;;QAHc,OAI5B,OAAL,SAAK,CAAL,GAAgB,S;K;IAG5B,2B;MAKI,IAAK,QAAL,SAAK,CA  
AL,IAAgB,cAAQ,wCAAO,kBAA/B,C;QADwC,OACY,S;WACpD,kBAAQ,GAAR,C;QAFwC,OAeZB,wCAAO,  
U;;QACP,WAAc,UAAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAc,CAAd,GAAqB,EAAxC,E;QAHgB,OhDhb  
6B,MAAa,gBAae,IAAf,C;;K;IgdSbtF,6B;MAKI,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAAO,kBAA/B,C;  
QAD0C,OACU,S;WACpD,kBAAQ,GAAR,C;QAF0C,OAe3B,CAAC,wCAAO,U;;QACR,WAAc,UAAAL,SAAK,C  
AAL,yBAAuB,YAAO,CAAX,GAAc,EAAd,GAAsB,CAAZ,C,E;QAHkB,OhD1b2B,MAAa,gBAae,IAAf,C;;K;Igd  
ictF,oC;MAUI,IAAK,QAAL,SAAK,CAAL,IAAmB,QA AH,EAAG,CAAnB,C;QADuD,OACzB,wCAAO,I;WACrC  
,WAAM,SAAN,C;QAFuD,OAeZC,E;WACd,SAAK,SAAL,C;QAHuD,OAGrC,OAAL,SAAK,C;;QAHqC,OAI1B,  
SAAL,SAAK,C;K;IAIjC,+B;MAYI,uB;QAAW,MAAM,gCAAYB,yBAAzB,C;WACjB,gBAAO,UAAp,C;QAFyC,  
OAEjB,U;WACxB,gBAAO,WAAp,C;QAHyC,OAGjB,W;;QAHiB,OAIv,YAAvB,IAAW,OAAM,SAAN,CAAY,  
C;K;IAGnC,gC;MAYI,uB;QAAW,MAAM,gCAAYB,yBAAzB,C;WACjB,oD;QAF2C,+B;WAG3C,oD;QAH2C,+B  
;;QAAA,OAIz,uBAAvB,IAAW,OAAM,SAAN,CAAY,C;K;uEASnC,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,  
MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY  
,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;yEASA  
,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,  
oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MA  
A8B,MAAZ,CAAY,C;O;KAT/E,C;2EAWA,yB;MAAA,iB;MAAA,uB;QAKB4D,OAAA,MAA6C,OAA1B,CAA0  
B,EAAZ,CAAY,C;O;KAIBzG,C;yEAoBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O  
;KAV/E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB;  
MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;  
QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAca,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+  
B,OAAZ,CAAY,C;O;KAZjF,C;2EAca,yB;MAAA,iB;MAAA,oB;QAakD,OAAA,MAA+B,OAAZ,CAAY,C;O;K  
AbjF,C;2EAeA,yB;MAAA,iB;MAAA,uB;QAS4D,OAAA,MAA6C,OAA1B,CAA0B,EAAZ,CAAY,C;O;KATzG,C  
;yEAWA,yB;MAAA,iB;MAAA,oB;QAQiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAR/E,C;uEAWA,yB;MAAA,iB  
;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAcKd,O  
AAA,MAA+B,OAAZ,CAAY,C;O;KAdjF,C;uEAgaB,yB;MAAA,mC;MAAA,0B;QAc6D,OAAmC,IAA7B,CAA6

B,EAAZ,IAAY,C;O;KAdhG,C;qEAgBA,yB;MAAA,iB;MAAA,oB;QAW+C,OAAA,MAA6B,KAAZ,CAAY,C;O;  
KAX5E,C;2EAaA,yB;MAAA,iB;MAAA,oB;QAOKD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAPjF,C;yEASA,yB;  
MAAA,iB;MAAA,oB;QAOiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAP/E,C;yEASA,yB;MAAA,iB;MAAA,oB;Q  
AgBiD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAhBhF,C;yEakBA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA  
8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAUkD,OAAA,MAA+B,OAAZ,CAAY,C;O;  
KAVjF,C;iFAYA,yB;MA3gBA,iB;MA2gBA,oB;QAUqD,OA3gBE,MAAW,OA2gBF,CA3gBE,C;O;KAigBIE,C;2  
EAYA,yB;MAAA,uC;MAAA,oB;QAQkD,OAAoB,MAAZ,CAAY,C;O;KARtE,C;uEAWA,yB;MAAA,iB;MAAA,  
oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,M  
AA8B,MAAZ,CAAY,C;O;KAX/E,C;wEAeA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EA  
AO,CAAP,C;O;KAPrE,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,  
C;O;KAPrE,C;sEAYA,yB;MAAA,iB;MAAA,+B;QAasD,OAAA,MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;O;K  
AbpG,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAOoD,OAAA,MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAPIG,  
C;kGAmBoD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAgC,KAAZ,SAAY,C;O;KAAxC,C;gFAaT,yB;MAAA  
,iB;MAAA,4B;QAAQ,OAAA,MAAiC,MAAZ,SAAY,C;O;KAAzC,C;gFAE3C,yB;MAAA,6C;MAAA,kC;QAO8D  
,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;O;KAPxG,C;iFASA,yB;MAAA,6C;MAAA,kC;QAK4D,OAA0C,SAArC  
,SAAqC,EAAZ,IAAY,C;O;KALtG,C;oFAQA,yB;MAAA,iD;MAAA,4B;QAYmD,OAAW,WAAZ,SAAW,C;O;K  
AZ9D,C;sFAcA,yB;MAAA,mD;MAAA,4B;QAYqD,OAAW,YAAX,SAAW,C;O;KAZhE,C;IAoBA,kB;MAUqC,  
OAAI,IAAI,CAAR,GAAY,CAAC,CAAD,OAAM,CAAIB,GAA0B,C;K;wEAE/D,yB;MAAA,iB;MAAA,uB;QAK  
oD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAL/D,C;wEAOA,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA  
,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAL/D,C;mGAiBgD,yB;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C  
;O;KAAR,C;IAShB,+B;MAC5B,gBAAO,CAAP,C;QADoC,OACxB,E;WACZ,gBAAO,CAAP,C;QAFoC,OAExB,  
C;;QAFwB,OAG5B,C;K;IAKZ,kB;MASuC,OAAI,eAAI,CAAR,GAAY,CAAD,aAAX,GAAmB,C;K;wEAE1D,gB;  
MAKuD,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAmB,C;K;wEAE1E,gB;MAKuD,OAAI,kBAAK,CAAL,  
MAAJ,GAAY,CAAZ,GAAmB,C;K;mGAYxB,yB;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;O;KAAR,C;IA  
SjB,+B;MAC7B,2BAAO,CAAP,C;QADqC,OACzB,E;WACZ,2BAAO,CAAP,C;QAFqC,OAEzB,C;;QAFyB,OAG  
7B,C;K;IC1kCZ,4B;MAI4C,qBAAQ,S;K;IAEpD,4B;MAI2C,qBAAQ,S;K;IAEnD,+B;MAGiD,qBAAQ,wCAAQ,k  
BAAf,IAAoC,cAAQ,wCAAQ,kB;K;IAEpG,iC;MAGgD,qBAAQ,uCAAM,kBAAd,IAAmC,cAAQ,uCAAM,kB;K;I  
AEjG,6B;MAG+C,QAAC,qBAAD,IAAiB,CAAC,kB;K;IAEjE,+B;MAG8C,QAAC,uBAAD,IAAiB,CAAC,kB;K;I  
AGhE,iC;MAOI,QAAQ,S;MACR,IAAI,CAAC,IAAM,UAAp,KAAAsB,CAAE,KAAK,CAAP,GAAC,UAApC,K;M  
ACJ,IAAI,CAAC,IAAM,SAAP,KAAAsB,CAAE,KAAK,CAAP,GAAC,SAAPC,K;MACJ,IAAI,CAAC,IAAM,SAAP  
,KAAAsB,CAAE,KAAK,CAAP,GAAC,SAAPC,K;MACJ,IAAI,CAAC,IAAM,QAAP,KAAAsB,CAAE,KAAK,CAAP,  
GAAC,QAAPC,K;MACJ,IAAI,CAAC,IAAM,KAAP,KAAAsB,CAAE,KAAK,EAA7B,K;MACJ,OAAO,C;K;kGAG  
X,yB;MAAA,iB;MAAA,4B;QAM2D,OAAA,MAAO,OAAM,SAAN,C;O;KANIE,C;IAQA,0C;MAOI,YATuD,MA  
AO,OAS9B,EAAf,aAAQ,CAAC,SAAD,IAAR,CAAe,CAT8B,CAS9D,I;K;IAEJ,sC;MAOI,OAAI,cAAQ,CAAZ,G  
AAe,CAAf,GAAsB,CAAE,IAAI,EAAJ,GAIB+B,MAAO,iB;K;IAoBIE,qC;MAQI,oBAAS,CAAC,SAAD,IAAT,C;  
K;IAEJ,yC;MAaI,oBAAI,QAAJ,GAaIB,cAAK,EAAL,GAAqB,Q;K;IAG1C,0C;MAaI,oBAAI,EAAJ,GAaOB,QA  
ApB,GAaIC,cAAK,Q;K;IAG1C,mC;MAMI,OAAK,ajDhEmD,uBiDgEnD,CAAL,GAA0B,ajDjE6B,sBiDiE7B,CA  
A1B,I;K;IAEJ,2C;MAMU,WAAW,SjDxEuC,c;MiDyEpD,e;QADJ,OACS,KA7E8C,MAAO,OjDGP,sBiDHO,CA6  
ErD,I;;QADT,OA5EuD,MAAO,OA8EID,IA9EkD,C;;K;IAiFIE,4C;MAMU,UAAU,SjDpFuC,a;MiDqFnD,c;QADJ,  
OACS,KAAqB,sBjDpF0B,uBiDoF1B,CAArB,I;;QADT,OAEgB,sBAAJ,GAAI,C;K;IAGpB,wC;MAOU,WAAW,S  
jD/FuC,c;MiDgGpD,e;QAAK,UAAAS,kBjDjGqC,sBiDiGrC,C;QADIB,OjDjG4C,MAAa,KAAK,UAAAS,GAAT,EiD  
kGvB,CjDlGuB,C;;QiDmGID,aAAa,kBAAL,IAAK,C;QAFzB,OjDjG4C,MAAa,KAAK,UiDmG7C,CjDnG6C,EA  
Ac,MAAd,C;;K;liDsGIE,uC;MAOU,UAAU,SjD5GuC,a;MiD6GnD,c;QAAK,WAAa,iBjD5GkC,uBiD4GIC,C;QA  
DtB,OjD7G4C,MAAa,KAAK,UiD8GhD,CjD9GgD,EAAc,IAAd,C;;QiD+GID,YAAS,iBAAJ,GAAI,C;QAFrB,OjD  
7G4C,MAAa,KAAK,UAAAS,KAAT,EiD+GrB,CjD/GqB,C;;K;liDkHIE,2C;MAaI,IAAI,CAAC,WAAa,EAAc,MAA  
qB,CAAzB,C;QACI,UAAU,SjD/HyC,a;QiDgInD,WAAW,SjD/HyC,c;QiDgIpD,aAAa,GAAI,IAAI,QAAR,GAaQb  
,IAAK,MAAK,CAAC,QAAD,IAAL,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GAAI,MAAK,CAAC,QAAD,I  
AAL,C;QACxC,OAAW,CAAC,WAAa,EAAc,MAAqB,CAAhC,GjDpIwC,MAAa,KAAK,UiDollB,MjDpIkB,EiDo



,QAAhE,EAA0E,mCAA1E,C;MAEIB,kBACiB,wBAAoB,KAApB,EAAiE,OAAjE,EAA0E,kCAA1E,C;MAEjB,m  
BACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAEIB,sBACqB,wBAAoB,KAApB,EAAkE,W  
AAIE,EAA+E,sCAA/E,C;MAErB,yBACwB,wBAAoB,KAApB,EAAqE,cAArE,EAAqF,yCAArF,C;MAExB,sBAC  
qB,wBAAoB,WAApB,EAAwE,WAAxE,EAAqF,sCAArF,C;MAErB,sBACqB,wBAAoB,SAApB,EAAeE,WAAtE,  
EAAmF,sCAAnF,C;MAErB,uBACsB,wBAAoB,UAApB,EAAwE,YAAxE,EAAfF,uCAAtF,C;MAEtB,qBACoB,w  
BAAoB,UAApB,EAAeE,UAAtE,EAAkF,qCAAlF,C;MAEpB,sBACqB,wBAAoB,KAApB,EAAkE,WAAIE,EAA+  
E,sCAA/E,C;MAErB,uBACsB,wBAAoB,YAApB,EAA0E,YAA1E,EAAwF,uCAAxF,C;MAEtB,wBACuB,wBAA  
oB,YAApB,EAA2E,aAA3E,EAA0F,wCAA1F,C;K;IAMkB,qE;MAAA,qB;QAAE,OtE/DD,OsE+DU,EAAT,KAAi  
B,UAAjB,IAAkC,EAAy,OAAf,KAA0B,a;O;K;+CAJpG,iB;MAE2B,Q;MAAhB,U;MAAA,KAAgB,OAAhB,eAA  
gB,CAAI,KAAJ,CAAhB,U;QAAA,a;QACH,aAAa,wBAAoB,QAApB,EAA+D,kBAA/D,EACoB,mDADpB,C;QA  
EG,eAAhB,UAAqC,M;QAHIC,SAIH,M;MAJJ,a;K;IA7D+E,8C;MAAE,6B;K;IAGO,iD;MAAE,0B;K;IAME,kD;  
MAAE,8B;K;IAGZ,+C;MAAE,6B;K;IAGC,gD;MAAE,6B;K;IAGR,8C;MAAE,6B;K;IAGI,gD;MAAE,6B;K;IAG  
C,iD;MAAE,6B;K;IAGH,gD;MAAE,yB;K;IAGD,iD;MAAE,6B;K;IAGM,oD;MAAE,mC;K;IAGO,uD;MAAE,gC;  
K;IAGL,oD;MAAE,6B;K;IAGJ,oD;MAAE,6B;K;IAGE,qD;MAAE,8B;K;IAGR,mD;MAAE,4B;K;IAGJ,oD;MAA  
E,6B;K;IAGQ,qD;MAAE,8B;K;IAGC,sD;MAAE,+B;K;;IA5DvH,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;;ICCA,  
2B;MAEW,Q;MAAA,IAAI,KAAy,SAAQ,MAAR,CAAhB,C;QACH,kBAAW,MAAX,C;;QAEA,kBAAW,MAAX  
,C;;MAHJ,W;K;IAOJ,8B;MAC4E,QAAM,QAAS,OAAf,C;aACxE,C;UADwE,OACnE,WAAW,SAAS,CAAT,CA  
AX,C;aACL,C;UAFwE,OAEnE,+B;gBAFmE,OAGhE,iB;;K;IAGZ,oC;MAEU,IAAN,I;MAAA,QvEhB0C,OuEgB3  
B,CAAF,C;aACI,Q;UAA6B,OAAjB,8BAAiB,Y;UAA7B,K;aACA,Q;UAAy,OAAI,CAAY,C9DbhC,G8DamC,CA  
Af,MAAkC,CAAtC,GAAyC,8BAAiB,SAA1D,GAAwE,8BAAiB,Y;UAArG,K;aACA,S;UAA8B,OAAjB,8BAAiB,  
a;UAA9B,K;aACA,U;UAA+B,OAAjB,8BAAiB,eAAgB,CAAY,OAA5B,C;UAA/B,K;gBAGQ,6B;YAAc,OAAj  
B,8BAAiB,kB;eACtC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAo  
C,OAAjB,8BAAiB,gB;eACpC,yB;YAAkC,OAAjB,8BAAiB,c;eACiC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;  
YAAoC,OAAjB,8BAAiB,gB;eACpC,4B;YAAqC,OAAjB,8BAAiB,iB;eACrC,6B;;eACA,sB;YAAkC,OAAjB,8B  
AAiB,W;;YAE9B,kBAAkB,MAAA,gBAaE,CAAf,CAAkB,Y;YAE7C,oBAAgB,MAAhB,C;cAAiD,OAAjB,8BAAiB  
,S;iBACjD,oBAAgB,KAAhB,C;cAAgD,OAAjB,8BAAiB,e;;cAE5C,cAA0B,W;cAC1B,kBAAW,OAAX,C;;;UAx  
BxB,K;;MAAA,W;K;IAGCJ,4B;MAMW,Q;MAJP,IAAI,WAAW,MAAf,C;QAA6B,OAAs,8BAAiB,Y;OAErD,eA  
AsB,MAAY,W;MAE3B,IAAI,gBAAJ,C;QACH,IAAI,QAAS,SAAT,QAAs,C;UACI,aAAa,qBAaiB,MAAJB,C;UA  
Cb,oBAAAsB,M;UACtB,a;;UAES,OAAT,QAAS,S;;;QAGb,4BAAiB,MAAJB,C;;MATJ,W;K;ICrCJ,0B;MAIL,sBAA  
Y,C;K;qEAChB,4B;MAIkE,iBAAy,KAAZ,C;K;2EAEIE,qB;MAI8D,gB;K;ICIDb,2C;MAC7C,qBAAwC,Q;K;iDA  
ExC,Y;MACmB,Q;MAAA,yB;MAAA,iB;QAAe,MAAM,6BAAsB,0CAAtB,C;OAApC,eAAe,I;MACf,qBAAC,I;M  
ACd,OAAs,QAAS,W;K;;;ICLa,kD;MADrC,e;MACsC,0B;MAAyB,gB;MAD/D,iB;MAAA,uB;K;IAAA,mC;MA  
AA,sC;O;MAEI,qEAGW,CAHX,EAGc,IAHd,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,iFAGiB,CAHj  
B,EAGoB,IAHpB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,+EAGgB,CAHhB,EAGmB,IAHnB,C;MA  
KA,yEAGa,CAHb,EAGgB,IAHhB,C;MAKA,iFAGiB,CAHjB,EAGoB,IAHpB,C;MAKA,6EAGe,CAHf,EAGkB,I  
AHIB,C;MAKA,6FAGuB,CAHvB,EAG0B,IAH1B,C;MAKA,yFAGqB,CAHrB,EAGwB,IAHxB,C;MAKA,4EAGc  
,EAHd,EAGkB,IAHIB,C;MAKA,0EAGa,EAHb,EAGiB,IAHjB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;M  
AKA,8EAGe,EAHf,EAGmB,IAHnB,C;MAKA,wFAGoB,EAHpB,EAGwB,IAHxB,C;MAKA,gEAGQ,EAHR,EA  
GY,IAHZ,C;MAKA,8DAGO,EAHP,EAGW,IAHX,C;MAKA,wEAGY,EAHZ,EAGgB,IAHhB,C;MAKA,oEAGU,  
EAHV,EAGc,IAHd,C;MAKA,kFAGiB,EAHjB,EAGqB,IAHrB,C;MAKA,oFAGkB,EAHIB,EAGsB,IAHtB,C;MA  
KA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,4FAGsB,EAHtB,EAG0B,IAH1B,C;MAKA,oFAGkB,EAHIB,EA  
GsB,IAHtB,C;MAKA,wEAGY,EAHZ,EAGgB,IAHhB,C;MAKA,gFAGgB,EAHhB,EAGoB,IAHpB,C;MAKA,gF  
AGgB,EAHhB,EAGoB,IAHpB,C;MAKA,0EAGa,EAHb,EAGiB,IAHjB,C;MAKA,oGAG0B,EAH1B,EAG8B,IAH  
9B,C;MAKA,gGAGwB,EAHxB,EAG4B,IAH5B,C;MAUA,oC;K;;IA3JA,+C;MAAA,yB;MAAA,uC;K;;IAKA,qD;  
MAAA,yB;MAAA,6C;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,oD;MA  
AA,yB;MAAA,4C;K;;IAKA,iD;MAAA,yB;MAAA,yC;K;;IAKA,qD;MAAA,yB;MAAA,6C;K;;IAKA,mD;MAAA  
,yB;MAAA,2C;K;;IAKA,2D;MAAA,yB;MAAA,mD;K;;IAKA,yD;MAAA,yB;MAAA,iD;K;;IAKA,kD;MAAA,yB  
;MAAA,0C;K;;IAKA,iD;MAAA,yB;MAAA,yC;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,mD;MAAA,yB;M

AAA,2C;K;;IAKA,wD;MAAA,yB;MAAA,gD;K;;IAKA,4C;MAAA,yB;MAAA,oC;K;;IAKA,2C;MAAA,yB;MAA  
A,mC;K;;IAKA,gD;MAAA,yB;MAAA,wC;K;;IAKA,8C;MAAA,yB;MAAA,sC;K;;IAKA,qD;MAAA,yB;MAAA,  
6C;K;;IAKA,sD;MAAA,yB;MAAA,8C;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,0D;MAAA,yB;MAAA,kD;  
K;;IAKA,sD;MAAA,yB;MAAA,8C;K;;IAKA,gD;MAAA,yB;MAAA,wC;K;;IAKA,oD;MAAA,yB;MAAA,4C;K;;  
IAKA,oD;MAAA,yB;MAAA,4C;K;;IAKA,iD;MAAA,yB;MAAA,yC;K;;IAKA,8D;MAAA,yB;MAAA,sD;K;;IAK  
A,4D;MAAA,yB;MAAA,oD;K;8CAKA,gB;MAG2D,OAAK,iBAAL,IAAK,CAAL,KAA2B,IAAK,c;K;IAE3F,kC;  
MAAA,sC;K;uDACL,oB;MAEQ,IADE,QACF,IAAG,CAAH,IADE,QACF,IAAM,EAAN,C;QADJ,OACgB,sBAAS  
,QAAT,C;WACZ,IAFE,QAEF,IAAG,EAAH,IAFE,QAEF,IAAO,EAAP,C;QAFJ,OAEiB,sBAAS,WAAW,CAAX,I  
AAT,C;;QACL,MAAM,gCAAYB,eAAY,QAAZ,qBAaZB,C;K;;IAL1B,8C;MAAA,yB;MAAA,6C;QAAA,4B;OA  
AA,sC;K;;IA7JJ,+B;MAAA,+yC;K;;IAAA,oC;MAAA,a;AAAA,Y;UAAA,4C;aAAA,kB;UAAA,kD;aAAA,kB;UA  
AA,kD;aAAA,kB;UAAA,kD;aAAA,iB;UAAA,iD;aAAA,c;UAAA,8C;aAAA,kB;UAAA,kD;aAAA,gB;UAAA,gD;  
aAAA,wB;UAAA,wD;aAAA,sB;UAAA,sD;aAAA,e;UAAA,+C;aAAA,c;UAAA,8C;aAAA,iB;UAAA,iD;aAAA,g  
B;UAAA,gD;aAAA,qB;UAAA,qD;aAAA,S;UAAA,yC;aAAA,Q;UAAA,wC;aAAA,a;UAAA,6C;aAAA,W;UAAA  
,2C;aAAA,kB;UAAA,kD;aAAA,mB;UAAA,mD;aAAA,iB;UAAA,iD;aAAA,uB;UAAA,uD;aAAA,mB;UAAA,m  
D;aAAA,a;UAAA,6C;aAAA,iB;UAAA,iD;aAAA,iB;UAAA,iD;aAAA,c;UAAA,8C;aAAA,2B;UAAA,2D;aAAA,y  
B;UAAA,yD;gBAAA,6D;;K;;ICKiD,2C;uBAA+B,O;;K;;IAC5E,8C;MAAA,kE;MAAuB,qCAAK,IAAL,C;MAAv  
B,Y;K;ICD8B,gC;MAe9B,gBAAiC,YAAY,SAAhB,GAA2B,OAA3B,GAAwC,E;K;uFAGjE,Y;MAAQ,OAAO,aA  
AY,O;K;yCAE/B,iB;MACW,gBAAP,a;MpGoGG,Q;MAAA,IoGpGc,KpGoGV,IAAS,CAAT,IoGpGU,KpGoGI,IA  
AS,2BAA3B,C;QAAA,OAAc,qBoGpGxB,KpGoGwB,C;;QoGpGf,MAAM,8BAA0B,mCAAYB,WAAZB,MAA1  
B,C;;MAAhC,W;K;kDAEJ,gC;MAAgF,OAAA,azGiMY,WyGjMK,UzGiML,EyGjMiB,QzGiMjB,C;K;6CyG/L5F,i  
B;MACI,qCAAU,KAAV,C;MACA,OAAO,I;K;6CAGX,iB;MACI,iBAAgB,SAAN,KAAM,C;MACHB,OAAO,I;K;  
6CAGX,uC;MACI,OAAA,IAAK,qBAAY,wBAAS,MAArB,EAA6B,UAA7B,EAAyC,QAAzC,C;K;sCAET,Y;MA  
ayB,UAEK,M;MAL1B,eAAe,E;MACf,YAAY,aAAO,OAAP,GAAgB,CAAhB,I;MACZ,OAAO,SAAS,CAAhB,C;  
QACI,UAAU,0BAAO,YAAP,EAAO,oBAAP,Q;QACV,IAAQ,eAAJ,GAAL,CAAJ,IAAwB,SAAS,CAArC,C;UACI  
,WAAW,0BAAO,cAAP,EAAO,sBAAP,U;UACX,IAAS,gBAAL,IAAK,CAAT,C;YACI,WAAW,+BAAW,iBAAX,  
wBAAkB,gBAAiB,C;;YAEX,WAAW,+BAAW,gBAAX,wBAAiB,iBAAjB,C;;UAGf,gCAAY,GAAZ,C;;MAGR,  
gBAAS,Q;MACT,OAAO,I;K;6CAGX,iB;MAOI,iBAAgB,SAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,iB;MAQ  
I,iBAAU,K;MACV,OAAO,I;K;6CAGX,iB;MAQI,iBAAgB,eAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,iB;MA  
C2C,2BAAO,KAAP,C;K;6CAE3C,iB;MAOI,gBAAA,IAAK,SAAL,IAAe,wBAAS,MAAxB,C;MACA,OAAO,I;K;  
uCAGX,Y;MAU6B,kB;K;qDAE7B,2B;K;8CAcA,kB;MAO0C,OAAA,IAAY,SAAY,SAAQ,MAAR,C;K;8CAEIE,  
8B;MAQ2D,OAAA,IAAY,SAAY,SAAQ,MAAR,EAAgB,UAAhB,C;K;kDAEnF,kB;MAQ8C,OAAA,IAAY,SAA  
Y,aAAY,MAAZ,C;K;kDAEIE,8B;MASI,IAAI,MnGuGwC,YAAU,CmGvGID,IAAoB,aAAa,CAArC,C;QAAwC,O  
AAO,E;MAC/C,OAAO,IAAY,SAAY,aAAY,MAAZ,EAAoB,UAApB,C;K;4CAGnC,wB;MAWI,oCAAA,4BAAm  
B,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,azGmB+E,WyGnB9D,CzGmB8D,EyGnB3D,KzGmB2D,CyGnB/E,  
YAA6B,KAA7B,IAAqC,azGgB2B,WyGhBV,KzGgBU,C;MyGfzE,OAAO,I;K;6CAGX,wB;MAQI,oCAAA,4BAA  
mB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,azGK+E,WyGL9D,CzGK8D,EyGL3D,KzGK2D,CyGL/E,uBAA6  
B,kBAA7B,IAAqC,azGE2B,WyGFV,KzGEU,C;MyGDzE,OAAO,I;K;6CAGX,wB;MAUI,oCAAA,4BAAmB,KAA  
nB,EAA0B,WAA1B,C;MAEb,gBAAS,azGX+E,WyGW9D,CzGX8D,EyGW3D,KzGX2D,CyGW/E,GAAmC,eAA  
N,KAAM,CAAnC,GAAsD,azGdU,WyGcO,KzGdP,C;MyGezE,OAAO,I;K;6CAGX,wB;MAAI,oCAAA,4BAAmB,  
KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,azG9B+E,WyG8B9D,CzG9B8D,EyG8B3D,KzG9B2D,CyG8B/E,GA  
AmC,SAAN,KAAM,CAAnC,GAAgD,azGjCgB,WyGiCC,KzGjCD,C;MyGkCzE,OAAO,I;K;6CAGX,wB;MAWI,  
oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,azG/C+E,WyG+C9D,CzG/C8D,EyG+C3D,KzG/C2  
D,CyG+C/E,GAAmC,SAAN,KAAM,CAAnC,GAAgD,azGIDgB,WyGkDC,KzGIDD,C;MyGmDzE,OAAO,I;K;6C  
AGX,wB;MACuD,2BAAO,KAAP,EAAC,KAAD,C;K;6CAEvD,wB;MAUI,oCAAA,4BAAmB,KAAAnB,EAA0B,W  
AA1B,C;MAEb,eAAe,wBAAS,M;MACxB,gBAAC,IAAK,SzGnEqE,WyGmEpD,CzGnEoD,EyGmEjD,KzGnEiD,  
CyGmEIE,GAAkC,QAAIC,GAA6C,IAAK,SzGtES,WyGsEQ,KzGtER,C;MyGuEzE,OAAO,I;K;gDAGX,qB;MAC  
I,IAAI,YAAY,CAAhB,C;QACI,MAAM,gCAAYB,0BAAuB,SAAvB,MAAZB,C;OAGV,IAAI,aAAa,WAAjB,C;Q  
ACI,gBAAS,azG1F2E,WyG0F1D,CzG1F0D,EyG0FvD,SzG1FuD,C;;QyG4FpF,aAAU,WAAV,MAAuB,SAAvB,

M;UACI,qCAAU,CAAV,C;;;K;gDAKZ,sB;MAQI,oCAAA,4BAAmB,UAAAnB,EAA+B,WAA/B,C;MAEb,OAAO,azG/GkE,WyG+GjD,UzG/GiD,C;K;gDyGkH7E,gC;MAQI,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,WAAzC,C;MAEb,OAAO,azGzHiF,WyGyHhE,UzGzHgE,EyGyHpD,QzGzHoD,C;K;yCyG4H5F,Y;K;uCAcA,Y;MAAkC,oB;K;oCAEIC,Y;MAOI,gBAAS,E;MACT,OAAO,I;K;0CAGX,wB;MAQI,oCAAA,2BAAkB,KAAIB,EAAyB,WAAzB,C;MAEb,gBAAS,azGjK+E,WyGiK9D,CzGjK8D,EyGiK3D,KzGjK2D,CyGiK/E,uBAA6B,kBAA7B,IAAqC,azGpK2B,WyGoKV,QAAQ,CAAR,IzGpKU,C;K;+CyGuK7E,uC;MAYI,yBAAkB,UAAIB,EAA8B,QAA9B,EAAwC,WAAxC,C;MAEA,gBAAc,IAAK,SzGILqE,WyGkLpD,CzGILoD,EyGkLjD,UzGILiD,CyGkL1E,GAAuC,KAAvC,GAA+C,IAAK,SzGrLO,WyGqLU,QzGrLV,C;MyGsLzE,OAAO,I;K;kDAGX,wC;MACI,IAAI,aAAa,CAAb,IAAkB,aAAa,MAAnC,C;QACI,MAAM,8BAA0B,iBAAc,UAAAd,kBAAmC,MAA7D,C;OAEV,IAAI,aAAa,QAAB,C;QACI,MAAM,gCAAyB,gBAAa,UAAAb,qBAAqC,QAArC,MAAzB,C;Q;+CAId,iB;MAYI,oCAAA,2BAAkB,KAAIB,EAAyB,WAAzB,C;MAEb,gBAAS,azG7M+E,WyG6M9D,CzG7M8D,EyG6M3D,KzG7M2D,CyG6M/E,GAA6B,azGhNmC,WyGgNIB,QAAQ,CAAR,IzGhNkB,C;MyGiNzE,OAAO,I;K;kDAGX,gC;MAWI,yBAAkB,UAAIB,EAA8B,QAA9B,EAAwC,WAAxC,C;MAEA,gBAAS,azG9N+E,WyG8N9D,CzG9N8D,EyG8N3D,UzG9N2D,CyG8N/E,GAAkC,azGjO8B,WyGiOb,QzGjOa,C;MyGkOzE,OAAO,I;K;kDAGX,gE;MAC+C,iC;QAAA,oBAAyB,C;MAAG,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,IAAK,O;MAKIF,IACf,I;MALhB,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,WAAzC,C;MACb,oCAAA,4BAAmB,iBAAnB,EAAc,oBAAoB,QAAPB,GAAB+A,B,UAA/B,IAAtC,EAAiF,WAAy,OAA7F,C;MAEb,eAAe,iB;MACf,iBAAc,UAAAd,UAA+B,QAA/B,U;QACI,YAAy,eAAZ,EAAy,uBAAZ,UAA0B,yBAAO,KAAP,C;;K;kDAIIC,uC;MAcI,iBAAgB,iBAAN,KAAM,EAAe,UAAf,EAA2B,QAA3B,C;MACHB,OAAO,I;K;kDAGX,uC;MAYI,gBAAgB,KAAM,W;MACTB,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,SAAU,OAAAnD,C;MAEb,iBAAU,SzG3R8E,WyG2R1D,UzG3R0D,EyG2R9C,QzG3R8C,C;MyG4RxF,OAAO,I;K;kDAGX,8C;MAgBI,oCAAA,4BAAmB,KAAAnB,EAA0B,IAAK,OAA/B,C;MAEb,gBAAS,azGjT+E,WyGiT9D,CzGjT8D,EyGiT3D,KzGjT2D,CyGiT/E,GAAmC,iBAAN,KAAM,EAAe,UAAf,EAA2B,QAA3B,CAAnC,GAA0E,azGpTV,WyGoT2B,KzGpT3B,C;MyGqTzE,OAAO,I;K;kDAGX,8C;MAgBI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAgB,KAAM,W;MACTB,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,SAAU,OAAAnD,C;MAEb,gBAAS,azG1U+E,WyG0U9D,CzG1U8D,EyG0U3D,KzG1U2D,CyG0U/E,GAA6B,SzG1UkD,WyG0U9B,UzG1U8B,EyG0UIB,QzG1UkB,CyG0U/E,GAAyE,azG7UT,WyG6U0B,KzG7U1B,C;MyG8UzE,OAAO,I;K;;IAliBX,6C;MAAA,uD;MAKoC,2B;MALpC,Y;K;IAQA,8C;MAAA,uD;MAC4C,0BAAK,OAAQ,WAAb,C;MAD5C,Y;K;IAGA,qC;MAAA,uD;MACuB,0BAAK,EAAL,C;MADvB,Y;K;2EA4hBJ,qB;MAOgE,OAAA,SAAK,Q;K;uEAeErE,mC;MAQ+E,SAAK,aAAI,KAAJ,EAAW,KAAX,C;K;+EAepF,kD;MAaI,OAAA,SAAK,kBAAS,UAAAT,EAAqB,QAArB,EAA+B,KAA/B,C;K;+EAET,4B;MAY6E,OAAA,SAAK,kBAAS,KAAAT,C;K;qFAEIF,2C;MAWoG,OAAA,SAAK,qBAAY,UAAZ,EAAwB,QAAxB,C;K;uFAEzG,2E;MAe2E,iC;QAAA,oBAAyB,C;MAAG,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MAC7I,SAAK,qBAAY,WAAZ,EAAyB,iBAAzB,EAA4C,UAA5C,EAAwD,QAAxD,C;K;qFAET,kD;MAeI,OAAA,SAAK,qBAAY,KAAZ,EAAMB,UAAAnB,EAA+B,QAA/B,C;K;uFAET,kD;MAaI,OAAA,SAAK,qBAAY,KAAZ,EAAMB,UAAAnB,EAA+B,QAA/B,C;K;qFAET,yD;MAiBI,OAAA,SAAK,qBAAY,KAAZ,EAAMB,KAAAnB,EAA0B,UAA1B,EAAc,QAATC,C;K;uFAET,yD;MAiBI,OAAA,SAAK,qBAAY,KAAZ,EAAMB,KAAAnB,EAA0B,UAA1B,EAAc,QAATC,C;K;qF1GhsBT,qB;MAMoD,OA6BW,8BAAY,cAfrB,YAAy,CAAZ,C;K;yFAZtD,qB;MAYsD,OAeS,8BAAY,cAfrB,YAAy,CAAZ,C;K;iFAEtD,qB;MAaoD,OAAW,8BAAY,c;K;qFAE3E,yB;MAAA,uD;MAAA,4B;QAMoD,+B;O;KANpD,C;IAQA,kC;MAYI,gBAiB2D,8BAAY,c;MAhBvE,OAAW,SAAU,OAAV,GAAmB,CAAvB,GAA0B,SAI1B,GAAoC,qBAAU,CAAV,C;K;iFAG/C,qB;MAaoD,OAAW,8BAAY,c;K;IAE3E,kC;MAU+C,mC;K;IAE/C,oC;MAGoD,QAAQ,cAAA,sCAAK,mBAAL,EAAyB,sCAAK,mBAA9B,CAAR,6B;K;IAEpD,mC;MAGmD,QAAQ,cAAA,sCAAK,kBAAL,EAAwB,sCAAK,kBAA7B,CAAR,6B;K;IAO/C,iC;MAAQ,OAAA,oCAAA,iBAAQ,2BAAR,C;K;IAEzB,8B;MAOI,IAAI,YAAO,GAAX,C;QACI,OAAO,I;OAEX,OAAO,gCAA8C,mD;K;IAGzD,6B;MAUI,IAAIL,CAAQ,kBAAK,GAAL,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,CAAR,6BAAxB,C;QACI,OAAO,I;OAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;OAEX,OAAO,uB;K;IAGX,oC;MAUI,IAAI,CAAQ,kBAAK,GAAL,CAAR,iCAAoB,CAAQ,kBAAK,EAAL,CAAR,6BAApB,IAAwC,CAAQ,kBAAK,EAAL,CAAR,6BAA5C,C;QACI,OAAO,I;OAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;OAGX,OAAO,0BAAiB,uB;K;IAG5B,4B;MASI,IAAI,CAAQ,kBAAK,EAAL,CAAR,6BAAJ,C;QACI,OAAO,I;OAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;OAEX,OAAO,sB;K;I

AGX,gC;MAUI,IAAI,CAAQ,kBAAK,EAAL,CAAR,6BAAJ,C;QACI,OAAO,I;OAEX,IAAI,YAAO,GAAX,C;QA  
CI,OAAO,K;OAEX,OAAO,0B;K;IAGX,gC;MAUI,IAAI,CAAQ,kBAAK,GAAL,CAAR,6BAAJ,C;QACI,OAAO,I  
;OAEX,IAAI,YAAO,GAAX,C;QACI,OAAO,K;OAEX,OAAO,0B;K;IAGX,gC;MASI,IAAI,YAAO,GAAX,C;QA  
CI,OAAO,K;OAEX,OAAO,gCAAoD,yD;K;IAG/D,iC;MAUI,OAAO,aAAQ,EAAR,IAAoB,CAAQ,mBAAU,GAA  
V,CAAR,6B;K;IAG/B,iC;MAMiD,kC;K;iF2GtPjD,yB;MAAA,+C;MAAA,4B;QAMuD,OAAK,UAAAL,SAAK,C;O  
;KAN5D,C;IAQA,gC;MAMiD,4B;MAAA,S;QAAGB,cAAA,S1G4LC,c0G5LD,EAAoB,MAApB,C;OAAhB,W;K;I  
AEjD,6B;MAI0C,Q;MAAA,yDAaKB,kBAaKB,SAaIB,C;K;IAE5D,oC;MAKoD,Q;MAAA,yCAAa,KAAb,oBAA  
uB,kBAaKB,SAaIB,C;K;IAG3E,8B;MAI4C,Q;MAAA,0DAAmB,kBAaKB,SAaIB,C;K;IAE/D,qC;MAKsD,Q;M  
AAA,0CAAc,KAAoB,BAAwB,kBAaKB,SAaIB,C;K;IAE9E,0B;MAIwC,Q;MAAA,wDAaIB,kBAaKB,SAaIB,C;  
K;IAEzD,mC;MAKkD,Q;MAAA,wCAAY,KAAZ,oBAAsB,kBAaKB,SAaIB,C;K;IAExE,2B;MAI0C,Q;MAAA,y  
DAaKB,kBAaKB,SAaIB,C;K;IAE5D,oC;MAKoD,Q;MAAA,yCAAa,KAAb,oBAAuB,kBAaKB,SAaIB,C;K;IAE  
3E,6B;MAIyF,kBAA1C,CAAO,S;MACID,IAAO,QpHeD,WoHfC,CAAH,IAAc,CAAM,kBAApB,KpHeE,WoHf6  
B,KAAM,GAAN,IAaKB,kBAajD,CAAJ,C;QACI,4B;MAFsC,OpHiBnC,W;K;6EoHZX,yB;MAAA,6C;MAAA,4  
B;QAKmD,0B;O;KALnD,C;IAOA,mC;MAIgG,kBAA1C,CAAO,S;MAAR,OACjD,EAAK,QpH2BgB,WoH3BhB,  
CAAH,IAAc,CAAM,kBAApB,KpH2BmB,WoH3BY,KAAM,GAAN,IAaKB,kBAajD,CAAF,CpH2BO,GAAqB,  
WAArB,GAA+B,I;K;yFoHxB1C,yB;MAAA,yD;MAAA,4B;QAK0D,gC;O;KAL1D,C;IFAoA,yB;MAAA,6C;MA  
AA,mC;QAO6D,OAAa,SAAR,SAAQ,EAAS,KAAT,C;O;KAP1E,C;iFASA,yB;MAAA,6C;MAAA,mC;QAO8D,O  
AAa,SAAR,SAAQ,EAAS,KAAT,C;O;KAP3E,C;IASA,sC;MAMqD,OAAA,SAAY,UAAS,WAAW,KAAX,CAAT  
,C;K;IAEjE,4B;MAAsC,QAAM,S1G4EsB,c0G5E5B,C;aACIC,K;aAAA,M;aAAA,M;UADkC,OACT,I;gBADS,O  
AE1B,K;;K;IAGZ,2B;MAKI,IAAI,EAAU,CAAV,sBAaA,EAAb,CAAJ,C;QACI,MAAM,gCAAYB,WAAQ,KAAR  
,kCAAZB,C;OAEV,OAAO,K;K;IAGX,8B;MAA2D,Q;MACvD,YAAQ,EAAR,IAAe,QAAQ,EAaVb,C;QAA8B,c  
AAO,E;WACrC,YAAQ,EAAR,IAAe,QAAQ,EAaVb,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,YAAQ,E  
AAR,IAAe,QAAQ,GAaVb,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,WAAO,GAAP,C;QAAMb,S;WACn  
B,YAAQ,KAAR,IAAoB,QAAQ,KAA5B,C;QAAwC,cAAO,KAAP,GAaKB,EAaIB,I;WACx,C,YAAQ,KAAR,IA  
AoB,QAAQ,KAA5B,C;QAAwC,cAAO,KAAP,GAaKB,EAaIB,I;QAC3B,sBAAL,IAAK,C;Mph9CN,a;MoHuCg  
D,OAQ/C,WAAJ,GAAiB,EAajB,GAAYB,E;K;ICIJG,2C;MAHPc,e;MAGqC,kB;MAHrC,iB;MAAA,uB;K;IAAA,  
kC;MAAA,qC;O;MAII,qEACY,GADZ,C;MAEA,iEAIU,GAJV,C;K;;IAFA,+C;MAAA,wB;MAAA,uC;K;;IAEA,6  
C;MAAA,wB;MAAA,qC;K;;IANJ,8B;MAAA,mF;K;;IAAA,mC;MAAA,a;aAAA,a;UAAA,4C;aAAA,W;UAAA,0  
C;gBAAA,4D;;K;;IAawG,4B;MAAE,OAAA,EAAG,M;K;IAA7G,qC;MAAqE,iCAAa,EAAb,EAA0B,OAA1B,0B  
AAmC,cAAnC,C;K;IAQIC,2B;MAAC,kB;K;;sCALpC,Y;MAKoC,iB;K;wCALpC,iB;MAAA,sBAKoC,qCALpC,C  
;K;oCAAA,Y;MAAA,OAKoC,iDALpC,M;K;oCAAA,Y;MAAA,c;MAKoC,sD;MALpC,a;K;kCAAA,iB;MAAA,2I  
AKoC,sCALpC,G;K;IAqB0B,iC;MA8PtB,6B;MArPA,eACoC,O;MACpC,eACsD,QAAR,OAAQ,C;MACtD,uBAA  
oC,WAAO,OAAP,EAaWb,QAAR,OAAQ,EAQ,IAAR,CAAxB,C;MACpC,6BAA2C,I;MAI3C,oCAAKD,I;K;0C  
AHID,Y;MAClQ;MAAA,U;MAAA,gD;QAAA,a;;QAA8D,gBAaVc,WAAO,YAAP,EAaWb,QAAR,YAAQ,EA  
Q,IAAR,CAAxB,C;QAA8C,6BrHmCnE,S;QqHnCF,SrHoCG,S;;MqHpCH,a;K;iDAGJ,Y;MAClQ;MAAA,U;MA  
AA,uD;QAAA,a;;QrHVG,gB;QqHWC,IAAY,aAAR,YAAQ,EAaW,EAAX,CAAR,IAAmC,WAAW,YAAQ,EAAS  
,EAAT,CAAvC,C;UAAA,eACI,oB;;UAEA,OAAO,WAAO,MAA2B,UAAf,YAAR,YAAQ,qBAAU,EAaV,EAaE,  
qBAAQ,EAAR,EAa3B,MAAP,EAa2D,QAAR,YAAQ,EAQ,IAAR,CAA3D,C;QACb,4B;QAAO,oCrH0BP,S;Q  
qH/BF,SrHgCG,S;;MqHhCH,a;K;sCAQJ,iB;MAEkB,MAAd,oBAAc,C;MACd,YAAY,oBAAc,MAAK,KAAM,W  
AAX,C;MAC1B,OAAO,iBAaIB,KAAM,MAAN,KAAe,CAAhC,IAAqC,oBAAc,UAAAd,KAA2B,KAAM,O;K;8C  
AGjF,iB;MAEkB,MAAd,oBAAc,C;MACd,OAAO,oBAAc,MAAK,KAAM,WAAW,C;K;wCAGzB,wB;MAGI,IAA  
I,QAAQ,CAAR,IAAa,QAAQ,KAAM,OAA/B,C;QACI,MAAM,8BAA0B,0BAAuB,KAAvB,wBAA8C,KAAM,OA  
A9E,C;OAEV,cAAc,0B;MACd,oBAAoB,K;MACpB,OAAO,OAAQ,MAAK,KAAM,WAAW,C;K;mCAGnB,6B;M  
AS4C,0B;QAAA,aAAKB,C;MAC1D,IAAI,aAAa,CAAb,IAaKB,aAAa,KAAM,OAAzC,C;QACI,MAAM,8BAA0B  
,gCAA6B,UAA7B,wBAAyD,KAAM,OAAzF,C;OAEV,OAAqB,SAAd,oBAAc,EAAS,KAAM,WAAf,EAa2B,UA  
A3B,EAaUC,oBAAvC,C;K;IAeG,6E;MAAA,mB;QAAE,+BAAK,aAAL,EAAY,kBAAZ,C;O;K;IAA2B,uC;MAA  
W,OAAA,KAAM,O;K;sCAZ1E,6B;MAQ+C,0B;QAAA,aAAKB,C;MAC7D,IAAI,aAAa,CAAb,IAaKB,aAAa,KA  
AM,OAAzC,C;QACI,MAAM,8BAA0B,gCAA6B,UAA7B,wBAAyD,KAAM,OAAzF,C;OAEV,OAAO,mBAAiB,

6CAAjB,EAA8C,sBAA9C,C;K;0CAGX,iB;MAMI,OAA2B,SAA3B,iCAA2B,EAAS,KAAM,WAAf,EAA2B,CAA  
3B,EAA8B,oBAA9B,C;K;sCAE/B,wB;MAGI,IAAI,QAAQ,CAAR,IAAa,QAAQ,KAAM,OAA/B,C;QACI,MAAM  
,8BAA0B,0BAAuB,KAAvB,wBAA8C,KAAM,OAA9E,C;OAEV,OAA2B,SAAPB,0BAAoB,EAAS,KAAM,WAA  
f,EAA2B,KAA3B,EAAkC,oBAAIC,C;K;IA4BL,mD;MAAA,qB;QAAE,2BAAoB,EAAPB,EAAwB,mBAAxB,C;O  
;K;sCAxB5B,8B;MAqBI,IAAI,CAAa,YAAZ,WAAy,EAAS,EAAT,CAAb,IAA+B,CAAa,YAAZ,WAAy,EAAS,E  
AAT,CAAhD,C;QACI,OAAO,KAAM,W3G2E4E,S2G3EnD,oB3G2EmD,E2G3EpC,W3G2EoC,C;O2GzE7F,OAA  
O,qBAAQ,KAAR,EAAe,iCAAf,C;K;sCAGX,4B;MAMI,YAAy,kBAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAAmB  
,OAAO,KAAM,W;MAEHc,gBAAgB,C;MACHb,aAAa,KAAM,O;MACnB,SAAS,mBAAc,MAAd,C;;QAEL,iBA  
AiB,oB;QACjB,EAAG,gBAAO,KAAP,EAAC,SAAd,EAAY,UAAW,MAAM,MAA1C,C;QACH,EAAG,gBAAO,  
UAAU,UAAV,CAAP,C;QACH,YAAy,UAAW,MAAM,aAAjB,GAAgC,CAAhC,I;QACZ,QAAQ,UAAW,O;;MA  
Cd,oBAAy,MAAZ,IAAsB,aAAtB,C;MAET,IAAI,YAAy,MAAhB,C;QACI,EAAG,gBAAO,KAAP,EAAC,SAAd,  
EAAYB,MAAZB,C;OAGP,OAAO,EAAG,W;K;2CAGd,8B;MA0BgB,Q;MALZ,IAAI,CAAa,YAAZ,WAAy,EAAS  
,EAAT,CAAb,IAA+B,CAAa,YAAZ,WAAy,EAAS,EAAT,CAAhD,C;QACI,uBAA+B,QAAR,YAAQ,EAAQ,GA  
AR,C;QAC/B,OAAO,KAAM,W3GoB4E,S2GpBnD,WAAO,YAAP,EAAGB,gBAAhB,C3GoBmD,E2GpBhB,W3G  
oBgB,C;O2GjBjF,yBAAK,KAAL,C;MAAA,iB;QAAe,OAAO,KAAM,W;OAAxC,YAAy,I;MCoLo,gBAAhB,sB;  
MDjLc,yBrG2LgF,0BqG3LzD,CrG2LyD,EqG3LhD,WAAM,MrG2L0C,CAAkC,WqG3LIH,C;MACA,yBAAO,uC  
AAP,C;MACA,yBrGyLgF,0BqGzLnD,WAAM,KAAZ,GAAmB,CAAnB,IrGyLyD,EqGzL7B,YrGyL6B,CAAkC,  
WqGzLIH,C;MAHJ,OrHIJG,SsHoUqC,W;K;oCD3K5C,wB;MAO6C,qB;QAAA,QAAa,C;MAMxC,Q;MALd,wBA  
AwB,KAAxB,C;MrHrIG,SqHsIW,qBAAQ,KAAR,C;MAAd,cAAuC,UAAO,CAAb,GAAgB,EAAhB,GAA2B,OA  
AH,EAAG,EAAK,QAAQ,CAAR,IAAL,C;MAC9D,ahI3JgD,gB;MgI4JhD,gBAAgB,C;MAEF,yB;MAAd,OAAC,  
AAAd,C;QAAC,uB;QACV,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,EAAuB,KAAM,MAAM,MAAnC,CAA  
0C,WAApD,C;QACP,YAAy,KAAM,MAAM,aAAZ,GAA2B,CAA3B,I;;MAEHb,MAAO,WAAU,mBAAN,KAA  
M,EAAY,SAAZ,EAAuB,KAAM,OAA7B,CAAqC,WAA/C,C;MACP,OAAO,M;K;IAGBS,yI;MAAA,wC;MAAA,6  
B;MAAA,yB;MAAA,0C;MAAA,oC;MAAA,0C;MAAA,yB;MAAA,6B;MAAA,8B;MAAA,8B;MAAA,kC;K;;;gE  
AAA,Y;;;iCACA,mCAAK,wBAAL,C;CACZ,IAAI,4BAAiB,6BAAS,CAA9B,C;gBACI,gB;gCAAA,iCAAM,wB  
AAM,WAAZ,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBADJ,gB;;cAEI,M;;qCAGY,C;sCACC,C;CAEjB,gB;;sC  
ACqB,+B;CACjB,gB;8BAAA,iCrGuI4E,mBqGvItE,wBrGuIsE,EqGvItD,oBrGuIsD,EqGvI3C,qBAAW,MAAM,Mr  
GuI0B,CAAkC,WqGvI9G,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,uBAAy,qBAAW,MAAM,aAAjB,GAAgC,  
CAAhC,I;cACZ,mBAAQ,qBAAW,O;cAJvB,KAKS,qDALt,EAKS,qBALt,OAKyB,2BAAQ,CAAR,IALzB,KAK  
sC,gBALtC,S;gBAAA,gB;;cAAA,gB;;cAOA,gB;8BAAA,iCrGkIgf,mBqGII1E,wBrGkI0E,EqGII1D,oBrGkI0D,E  
qGII/C,wBAAM,OrGkIyC,CAAkC,WqGIIH,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAhBA,OAgBA,a;,,,,,;K;I  
AjBY,sF;MAAA,yD;uBAAA,6H;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;8CAbpB,wB;MAUuD,qB;QAAA,QAAa,C  
;MACHe,wBAAwB,KAAxB,C;MAEA,OAAO,SAAS,gDAAT,C;K;+BAsBX,Y;MAMyC,OAAA,oBAAc,W;K;IAE  
vD,2B;MAAA,+B;MAmBI,uBAA4B,WAAO,uBAAP,EAaIC,GAAjC,C;MAC5B,2BAAgC,WAAO,SAAP,EAao  
B,GAApB,C;MAGhC,iCAAsC,WAAO,KAAP,EAaIB,GAAjB,C;K;oDatBtC,mB;MAIwD,oBAAM,oBAAO,OAA  
P,CAAN,C;K;+CAExD,mB;MAIoD,OAAA,O3GnEyC,S2GmEnB,oB3GnEmB,E2GmEJ,M3GnEI,C;K;0D2GqE7F  
,mB;MAI+D,OAAA,O3GzE8B,S2GyER,wB3GzEQ,E2GyEW,M3GzEX,C;K;gE2G8E7F,mB;MAAGe,OAAA,O3  
G9E6B,S2G8EP,8B3G9EO,E2G8EkB,M3G9EIB,C;K;;I2GwDjG,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;;IA5PA,  
4C;MAAA,+C;MACkE,kBAAK,OAAL,EAAC,MAAM,MAAN,CAAd,C;MADIE,Y;K;IAGA,sC;MAAA,+C;MAC  
6C,kBAAK,OAAL,EAAC,UAAAd,C;MAD7C,Y;K;IA4RO,kG;MAAA,kC;MAAA,8C;MAAA,kC;MAAA,kC;MAC  
H,uBAA+B,a;MAI/B,sF;MAOA,sBAA0C,I;K;+FAX1C,Y;MAAA,2B;K;+FAEI,Y;MAAQ,qBAAA,kBN/R8C,CM  
+RxC,CN/RwC,CM+R9C,C;K;gGAEZ,Y;MAAA,4B;K;IAY2B,oG;MAAA,kC;MAAS,uB;K;mJACG,Y;MAAQ,O  
AAA,kBAAM,O;K;wGACrC,iB;MAAuC,Q;MAAA,eAAA,kBN/SG,CM+SG,KN/SH,CM+SH,mBAAgB,E;K;;qG  
AJnE,Y;MACI,IAAI,2BAAJ,C;QACI,yH;OAKJ,OAAO,kC;K;4CAGf,Y;MACI,OAAy,SAAZ,wBAAy,EAAS,kB  
AAT,EAAoB,kBAAM,UAAV,GAAqB,kBAAM,MAAN,GAAc,CAAd,IAArB,GAA0C,kBAAM,aAAN,GAAqB,C  
AArB,IAA1D,EAAkF,wBAAIF,C;K;IArB4B,oE;MAAA,kC;MAA+B,6B;K;mHACHd,Y;MAAQ,OAAA,kBAAM,  
O;K;IACqC,4E;MAAA,qB;QAAE,yBAAK,EAAL,C;O;K;qEAA5E,Y;MAAiD,OAAqB,OAAb,aAAR,oBAAQ,CA  
Aa,EAAL,iEAAJ,CAAiB,W;K;wEACvF,iB;MAA4C,Q;MAAA,eAAA,kBNpSU,CMoSJ,KNpSI,CMoSv,YAAoB,o

BAApB,O;K;;;IAdxD,uD;MACI,sBAaIB,I;MACjB,YAAy,eAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAAmB,OAA  
O,I;MACIB,YAAy,aAAA,KAAM,MAAN,EAAa,sBAAY,CAAZ,IAAb,C;MAEZ,mE;K;IA8BJ,iD;MAM+B,UAK  
O,M;MATIC,YAAy,C;MACZ,aAAa,mBAAc,WAAY,OAA1B,C;MAEb,OAAO,QAAQ,WAAY,OAA3B,C;QACI,  
WAAW,wBAAY,YAAZ,EAAy,oBAAZ,Q;QACX,IAAI,SAAQ,EAAZ,C;UACI,IAAI,UAAS,WAAY,OAAzB,C;Y  
ACI,MAAM,gCAAYB,mCAAzB,C;UAEV,MAAO,gBAAO,wBAAY,cAAZ,EAAy,sBAAZ,UAAP,C;eACJ,IAAI,  
SAAQ,EAAZ,C;UACH,IAAI,UAAS,WAAY,OAAzB,C;YACI,MAAM,gCAAYB,kCAAzB,C;UAEV,IAAI,uBAA  
Y,KAAZ,MAAsB,GAA1B,C;YACI,MAAM,gCAAYB,4DAAzB,C;UAEV,IAAI,EAAuB,kBAAK,EAAL,CAAvB,0  
CAAY,KAAZ,EAAJ,C;YACI,MAAM,gCAAYB,mCAAzB,C;UAEV,eAA2B,eAAZ,WAAY,EAae,KAaf,EAAsB,  
KAAM,YAAy,KAAxC,C;UAC3B,iBAAwD,MAAvC,W3GhKmE,W2GgK7C,K3GhK6C,E2GgKtC,Q3GhKsC,C2  
GgK5B,C;UAExD,IAAI,cAAc,KAAM,YAAy,KAAP,C;YACI,MAAM,8BAA0B,sBAAmB,UAAAnB,oBAA1B,C;  
UAEV,MAAO,gBAAO,KAAM,YAAN,aAAkB,UAAIB,CAAP,C;UACP,QAAQ,Q;UAER,MAAO,gBAAO,IAAP,  
C;;;MAGf,OAAO,MAAO,W;K;IAGIB,2D;MAEI,YAAy,aAAa,CAAb,I;MACZ,iBAaIB,qBAAK,UAAI,IAAmB,  
E;MAGpC,OAAO,QAAQ,gBAAR,IAAkB,CAAE,kBAAK,EAAL,CAAF,wCAAK,KAAL,EAAzB,C;QACI,oBAAo  
B,CAAC,aAAa,EAAb,IAAD,KAAqB,qBAAK,KAAL,IAAc,EAAnc,K;QACpB,IAAqB,CAAjB,qCAAYB,UAA7B  
,C;UACI,aAAa,a;UACb,qB;UAEA,K;;;MAGR,OAAO,K;K;I3GxZX,yB;MAQiB,Q;MADb,aAAa,E;MACb,wBAA  
a,KAAb,gB;QAAa,WAAb,UAAa,KAAb,O;QACI,8BAAU,IAAV,C;MAEJ,OAAO,M;K;IAGX,yC;MAa+B,Q;MA  
H3B,IAAI,SAAS,CAAT,IAAc,SAAS,CAAvB,IAA4B,CAAA,KAAM,OAAN,GAAa,MAAb,QAAsB,MAAtD,C;Q  
ACI,MAAM,8BAA0B,WAAS,KAAM,OAaf,kBAA+B,MAA/B,kBAAGD,MAA1E,C;MACV,aAAa,E;MACc,gBA  
AS,MAAT,I;MAA3B,iBAAc,MAAd,wB;QACI,8BAAU,MAAM,KAAN,CAAV,C;MAEJ,OAAO,M;K;IAGX,mC;  
MAOiB,Q;MADb,aAAa,E;MACb,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QACI,8BAAU,IAAV,C;MA  
EJ,OAAO,M;K;IAGX,2D;MAY2C,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MACjF,oCAAa,4  
BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,SAAK,OAA9C,C;MACb,aAAa,E;MACb,iBAAc,UAAAd,UAA+B,QAA  
/B,U;QACI,8BAAU,UAAK,KAAL,CAAV,C;MAEJ,OAAO,M;K;IASkB,gD;MAAA,qB;QAAE,+CAAI,EAAJ,E;  
O;K;IAN/B,kC;MAMI,OAAO,kBAAU,gBAAV,EAakB,+BAAIB,C;K;IAiBiC,oE;MAAA,qB;QAAE,+CAAI,qBA  
Aa,EAAb,IAAJ,E;O;K;IAd9C,wD;MAYqC,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;MAC3E,  
oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,gBAAzC,C;MACb,OAAO,kBAAU,WAAW,UAAAX,IAAV,E  
AAiC,2CAAjC,C;K;IAGX,mC;MAQI,OAAO,WAAW,SAAX,EAAiB,CAAjB,EAAoB,gBAAPB,EAA0B,KAA1B,  
C;K;IAGX,mF;MAeI,0B;QAAA,aAAkB,C;MACIB,wB;QAAA,WAAgB,SAAK,O;MACrB,sC;QAAA,yBAakC,K  
;MAEIC,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,SAAK,OAA9C,C;MACb,OAAO,WAAW,SAAX,E  
AAiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;IAGX,sC;MAQI,OAAO,WAAW,SAAX,EAAiB,CAAjB,E  
AAoB,gBAAPB,EAA4B,KAA5B,C;K;IAGX,sF;MAeI,0B;QAAA,aAAkB,C;MACIB,wB;QAAA,WAAgB,SAAK,  
O;MACrB,sC;QAAA,yBAakC,K;MAEIC,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,gBAAzC,C;MACb  
,OAAO,WAAW,SAAX,EAAiB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;uFAGX,qB;MAMwD,OAAA,SA  
AY,c;K;mFAEpE,qB;MAWsD,OAAA,SAAY,c;K;uFAEIE,qB;MAMwD,OAAA,SAAY,c;K;mFAEpE,qB;MAWsD  
,OAAA,SAAY,c;K;yFAEIE,qC;MACoF,OAAA,SAAY,SAAQ,GAAR,EAAa,SAAb,C;K;iGAehG,qC;MACwF,OA  
AA,SAAY,aAAY,GAAZ,EAAiB,SAAjB,C;K;+FAEpG,kC;MACiF,OAAA,SAAY,YAAW,CAAX,EAAC,QAAAd,C  
;K;2FAE7F,wB;MACgE,OAAA,SAAY,UAAS,CAAT,C;K;iFAE5E,iC;MACqE,OAAA,SAAY,WAAU,UAAV,C;  
K;mFAEjF,2C;MACoF,OAAA,SAAY,WAAU,UAAV,EAAAsB,QAAtB,C;K;4EAehG,0B;MAGuD,OAAA,SAAY,  
QAAO,GAAP,C;K;wEAEnE,4B;MAGgE,OAAA,SAAY,OAAM,KAAN,C;K;yFAK5E,2C;MACyF,OAAA,SAAY,  
SAAQ,OAAR,EAAiB,WAAjB,C;K;IAErG,iD;MAOkD,0B;QAAA,aAAsB,K;MACpE,IAAI,UAAJ,C;QACI,SAAS  
,SAAK,O;QACd,SAAS,KAAM,O;QACf,UTGG,MAAO,KSHM,ETGN,ESHU,ETGV,C;QSFV,IAAI,QAAO,CAA  
X,C;UAAc,OAAO,KAAC,EAAL,I;QACrB,iBAAc,CAAd,UAAAsB,GAAtB,U;UACI,eAAe,qBAAK,KAAL,C;UAC  
f,gBAAGB,iBAAM,KAAN,C;UAEhB,IAAI,aAAY,SAAhB,C;YACI,WAAoB,cAAT,QAAS,C;YACpB,YAAsB,cA  
AV,SAAU,C;YAEtB,IAAI,aAAY,SAAhB,C;cACwB,kBAAT,Q;cAAX,WDIO2C,gCAAY,cAfrB,YAAy,CAAZ,C;  
cCkPZ,kBAAV,S;cAAZ,YDnO2C,gCAAY,cAfrB,YAAy,CAAZ,C;cCoPIC,IAAI,aAAY,SAAhB,C;gBACI,OAAG  
B,iBAAT,QAAS,EAAU,SAAV,C;QAKhC,OAAO,KAAC,EAAL,I;QAEP,OAAO,4BAAU,KAAV,C;K;IAIf,4C;  
MAOqF,oCAAKB,KAAIB,C;K;IAErF,wD;MASI,OAAW,UAAJ,GACE,4BAAL,SAAK,EAA4B,KAA5B,CADF,G  
AGE,kBAAL,SAAK,EAakB,KAAIB,C;K;IAIkD,oD;MAAU,OAAE,UAAF,CAAE,EAAU,CAAV,EAA0B,IAA1B

,C;K;;IAIvE,+C;MAAQ,oC;K;2F6G/SZ,oC;MACiF,O7G2Me,kB6G3ME,oBAAH,EAAG,C7G2MF,E6G3Mc,S7G2Md,C;K;mG6GzMhG,oC;MACqF,O7G2Me,sB6G3MM,oBAAH,EAAG,C7G2MN,E6G3MkB,S7G2MIB,C;K;I6GzMpG,mD;MAIoD,0B;QAAA,aAAsB,K;MACtE,IAAI,CAAC,UAAAL,C;QACI,O7GsMqF,qB6GtM7D,M7GsM6D,E6GtMrD,C7GsMqD,C;;Q6GpMrF,OAAO,yBAAC,CAAd,EAAiB,MAAjB,EAAYB,CAAzB,EAA4B,MAAO,OAAnc,EAA2C,UAA3C,C;K;IAGf,iE;MAIqE,0B;QAAA,aAAsB,K;MACvF,IAAI,CAAC,UAAAL,C;QACI,O7G2LqF,qB6G3L7D,M7G2L6D,E6G3LrD,U7G2LqD,C;;Q6GzLrF,OAAO,yBAAC,UAAAd,EAA0B,MAA1B,EAAkC,CAAIC,EAAqC,MAAO,OAA5C,EAAoD,UAApD,C;K;IAGf,iD;MAIkD,0B;QAAA,aAAsB,K;MACpE,IAAI,CAAC,UAAAL,C;QACI,O7GmLoE,mB6GnL9C,M7GmL8C,C;;Q6GjLpE,OAAO,yBAAC,mBAAS,MAAO,OAAhB,IAAd,EAAcC,MAAtC,EAA8C,CAA9C,EAAiD,MAAO,OAAxD,EAAgE,UAAhE,C;K;IAGf,mC;MAGI,aACa,S7G0L2D,O6G1LhD,K7G0LgD,C;M6GzLxE,OAAO,kBAaKB,MAAO,OAAp,KAAe,C;K;IAG5C,4B;MAKoD,gCAAU,C;M AAV,U;QAAuB,kBAAR,yB;QAAQ,c;;UpH2nDvD,U;UADhB,IAAI,OCAAsB,qBAA1B,C;YAAqC,aAAO,I;YAA P,e;WACrB,+B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YAAM,IAAI,CoH3nD4D,aAAT,qBpH2nDxC,OoH3nD wC,CAAS,CpH2nDhE,C;cAAYB,aAAO,K;cAAP,e;;UAC/C,aAAO,I;;;QoH5nDgE,iB;OAAvB,W;K;IAEpD,gD;M ASiD,0B;QAAA,aAAsB,K;MAOx C,Q;MAN3B,IAAI,iBAAJ,C;QAAkB,OAAO,a;MACzB,IAAI,aAAJ,C;QAAM B,OAAO,K;MAC1B,IAAI,CAAC,UAAAL,C;QAAiB,OAAO,kBAAQ,KAAR,C;MAExB,IAAI,SAAK,OAAL,KAAe, KAAM,OAazB,C;QAAiC,OAAO,K;MAEb,OAAL,SAAK,O;MAA3B,iBAAC,CAAd,wB;QACI,eAAe,qBAAK,K AAL,C;QACf,gBAAgB,iBAAM,KAAAN,C;QACHB,IAAI,CAAU,SAAT,QAAS,EAAO,SAAP,EAakB,UAAIB,CA Ad,C;UACI,OAAO,K;;MAIf,OAAO,I;K;IAIX,sF;MACkH,0B;QAAA,aAAsB,K;MACpI,oCAAKB,UAAIB,EAA8 B,KAA9B,EAAqC,WAArC,EAAkD,MAAID,EAA0D,UAA1D,C;K;IAGJ,+B;MAYI,OvGmMmD,mBAAS,CuGn M5D,G7GwH4F,oB6GxHzD,C7GwHyD,E6GxHtD,C7GwHsD,CAvC9B,c6GjFrC,G7GqHoD,oB6GrHZ,C7GqHY, C6GrH7E,GAAyE,S;K;IAG7E,iC;MASI,OvGuLmD,mBAAS,CuGvL5D,G7G4G4F,oB6G5GzD,C7G4GyD,E6G5 GtD,C7G4GsD,CAlB9B,c6G1FrC,G7GyGoD,oB6GzGZ,C7GyGY,C6GzG7E,GAAyE,S;K;IAG7E,8B;MAOiB,IA AN,I;M1H/FP,IAAI,E0H8FI,KAAK,C1H9FT,CAAJ,C;QACI,c0H6Fc,oD;Q1H5Fd,MAAM,gCAAyB,OAAQ,WA AjC,C;O0H6FH,QAAM,CAAN,C;aACH,C;UAAK,S;UAAAL,K;aACA,C;UAAU,OAAL,SAAK,W;UAAV,K;gBAE L,aAAa,E;UACb,IAAI,EvGgKoC,qBAAU,CuGhK9C,CAAJ,C;YACI,QAAQ,SAAK,W;YACb,YAAy,C;YACZ,O AAO,IAAP,C;cACI,IAAI,CAAC,QAAU,CAAX,MAAiB,CAArB,C;gBACI,UAAU,C;eAEd,QAAQ,UAAW,C;cA CnB,IAAI,UAAAS,CAAb,C;gBACI,K;eAEJ,KAAK,C;;UAGb,OAAO,M;;MANbF,W;K;IAwBJ,4D;MAOqE,0B;QA AA,aAAsB,K;MACvF,O7GkFiG,kB6GIFnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB,KA AhB,GAA2B,IAA1D,C7GkFmF,E6GIFIB,6BAAM,iCAAwB,QAAXB,C7GkFY,C;K;I6GhFrG,4D;MAM+D,0B;Q AAA,aAAsB,K;MACjF,O7GyEiG,kB6GzEnF,WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UA AJ,GAAgB,KAAhB,GAA2B,IAApE,C7GyEmF,E6GzEA,oBAAR,OAAQ,C7GyEA,C;K;I6GvErG,iE;MAC0E,0B; QAAA,aAAsB,K;MAC5F,O7GqEiG,kB6GrEnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAmC,UAAJ,GAAgB, IAAhB,GAA0B,GAAzD,C7GqEmF,E6GrEpB,6BAAM,iCAAwB,QAAXB,C7GqEc,C;K;I6GnErG,iE;MACoE,0B; QAAA,aAAsB,K;MACtF,O7GiEiG,kB6GjEnF,WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,U AAJ,GAAgB,IAAhB,GAA0B,GAAnE,C7GiEmF,E6GjEF,oBAAR,OAAQ,C7GiEE,C;K;I8G7OrG,kD;MAEI,IAAI ,gBAAJ,C;QAAsB,MAAM,6BAAyB,qCAAKC,QAAQ,CAAR,IAAIC,CAAzB,C;MAC5B,OAAO,CAAC,IAAD,I; K;IAGX,iF;MAQI,IAAI,EAAS,KAAT,oBAAiB,KAAjB,KAA2B,SAAS,QAAXC,C;QACI,OAAO,UAAU,CAAV,E AAa,KAAb,EAAoB,gBAApB,C;OAEX,UAAU,kBAAO,KAAP,C5GwBgC,I;M4GvB1C,IAAI,EAAQ,KAAR,kBA AgB,KAAhB,CAAJ,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAO,SAAW,CA AC,OAAS,IAAV,KAAqB,EAAhC,IAAwC,MAAQ,I;K;IAG3D,yE;MAQI,IAAI,SAAU,EAAV,MAAKB,CAAIB,IA AuB,SAAS,QAAP,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAy,KAAa,CAA P,KAAO,C;MACzB,IAAI,SAAU,GAAV,MAAKB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,g BAApB,C;OAEX,OAAQ,SAAU,CAAX,GAAkB,KAAIB,GAA4B,I;K;IAGvC,yE;MASI,IAAI,SAAS,QAAb,C;QA CI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,YAAy,KAAa,CAAP,KAAO,C;MACzB,IAAI ,SAAU,EAAV,MAAiB,CAArB,C;QACI,IAAI,SAAU,GAAV,MAAKB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EA Aa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,EAAV,MAAiB,EAAR,C;QACH,IAAI,SAAU,GAAV,MAAK B,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,GAAV,MAAKB ,GAAtB,C;QACH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SAAQ,CAAR,UAAa,Q

AAjB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAiB,CAAX,QAAQ,C  
AAR,IAAW,C;MAC7B,IAAI,SAAU,GA AV,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAo  
B,gBAApB,C;OAGX,OAAQ,SAAU,EAX,GAAoB,SAAU,CAA9B,GAAqC,KAArC,GAA+C,O;K;IAG1D,yE;M  
ASI,IAAI,SAAS,QAAb,C;QACI,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGJ,YAAY,KAAa,CAAP,K  
AAO,C;MACzB,IAAI,SAAU,EAAV,MAAiB,CAArB,C;QACI,IAAI,SAAU,GA AV,KAAkB,GAAtB,C;UAEI,OA  
AO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,EAAV,MAAiB,CAArB,C;QACH,IAA  
I,SAAU,GA AV,MAAkB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,  
SAAU,EAAV,IAAgB,CAApB,C;QACH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;aACJ,IAAI,SA  
AU,GA AV,MAAkB,GAAtB,C;QACH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SA  
AQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAi  
B,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,GA AV,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,  
EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAAV,EA  
Aa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,GA AV,  
MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAQ,SAAU,EAA  
X,GAAoB,SAAU,EAA9B,GAAuC,SAAU,CAAjD,GA AWd,KAAxD,GA AKe,O;K;;;IAmB7E,oE;MAkB0B,UAGJ,  
MAHI,EAKJ,MALI,EAMJ,MANI,EASJ,MATI,EAUJ,MAVI,EA WJ,MAXI,EA gBA,MahBA,EAiBA,MAjBA,EA  
kBA,MAIBA,EAoBA,MApBA,EAqBA,OArBA,EAsBA,OA tBA,EAuBA,O;M3H9JtB,IAAI,E2HgII,cAAc,CAAd,I  
AAmB,YAAY,MAAO,OAAtC,IAAgD,cAAc,Q3HhIIE,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,  
WAAjC,C;O2HgIV,YAAY,cAAU,CAAC,WAAW,UAX,IAAD,IAA0B,CAA1B,IAAV,C;MACZ,gBAAgB,C;M  
AChB,gBAAgB,U;MAEhB,OAAO,YAAY,QAAnB,C;QACI,WAAW,mBAAO,gBAAP,EAAO,wBAAP,Q5G1H2  
B,I;Q4G4HIC,WAAO,GAAP,C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAA0B,OAAL,IAAK,C;eAC9B,WAAO,  
IAAP,C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAA4C,OAAR,QAAS,CAAV,GAAGB,GAAM,C;UAC5C,MA  
AM,kBAAN,EAAM,0BAAN,YAA+C,OAAXB,OAAS,EAAV,GAAMB,GAAM,C;eAEnD,WAAO,KAAP,IAAiB,  
QAAQ,KAAzB,C;UACI,MAAM,kBAAN,EAAM,0BAAN,YAA6C,OAAtB,QAAS,EAAV,GA AiB,GAAM,C;UA  
C7C,MAAM,kBAAN,EAAM,0BAAN,YAAuD,OAAB,QAAS,CAAV,GA AiB,EAAIB,GAA2B,GAAM,C;UACvD  
,MAAM,kBAAN,EAAM,0BAAN,YAA+C,OAAXB,OAAS,EAAV,GAAMB,GAAM,C;;UAG/C,gBAAgB,uBA Au  
B,MAAvB,EAA+B,IAA/B,EAAqC,SAAR,C,EAAGD,QA AhD,EAA0D,gBAA1D,C;UAC hB,IAAI,aAAa,CAAjB,C;  
YACI,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,Y  
AAqB,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;;YAErB,MAA  
M,kBAAN,EAAM,0BAAN,YAAkD,0AA3B,aAAc,EAAf,GAAsB,GAAM,C;YACID,MAAM,mBAAN,EAAM,2B  
AAN,aAA6D,OAAR,C,aAAc,EAAf,GA AuB,EAAxB,GA AiC,GAAM,C;YAC7D,MAAM,mBAAN,EAAM,2BAAN,  
aAA4D,OAAP,C,aAAc,CAAF,GAAsB,EAAvB,GAAGC,GAAM,C;YAC5D,MAAM,mBAAN,EAAM,2BAAN,aAA  
oD,0AA7B,YAAc,EAAf,GA AwB,GAAM,C;YACpD,6B;;;MAMhB,OA AW,KAAM,OAAN,KAAc,SA AiB,GAA  
6B,KAA7B,GAA8C,UAAN,KAAM,EAAO,SAAP,C;K;;IAQzD,mE;MAiByB,Q;M3H9LrB,IAAI,E2HwLI,cAAc,C  
AAd,IAAmB,YAAY,KAAM,OAAR,C,IAA6C,cAAc,Q3HxL/D,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,O  
AAQ,WAAjC,C;O2HwLV,gBAAgB,U;MACHB,oBAAoB,sB;MAEpB,OAAO,YAAY,QAAnB,C;QACI,WAAW,K  
AAMB,CAAb,gBAAa,EAAb,wBAAa,O;QAE1B,YAAQ,CAAR,C;UACI,aAAc,gBAAY,OAAL,IAAK,CAAZ,C;a  
ACIB,YAAS,CAAT,KAAc,EAAd,C;UACI,WAAW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC  
,EAAiD,gBAAjD,C;UACX,IAAI,QAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,IAAD,I  
AAb,K;;YAEA,aAAc,gBAAY,OAAL,IAAK,CAAZ,C;YACd,wBAAa,CAAb,I;;eAGR,YAAS,CAAT,KAAc,EAAd  
,C;UACI,aAAW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IAAI,  
UAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,MAAD,IAAb,K;;YAEA,aAAc,gBAAY,O  
AAL,MAAK,CAAZ,C;YACd,wBAAa,CAAb,I;;eAGR,YAAS,CAAT,KAAc,EAAd,C;UACI,aAAW,eAAe,KAAf,E  
AAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IAAI,UAAQ,CAAZ,C;YACI,aAAc,gB  
AAO,gBAAP,C;YACd,yBAAa,CAAC,MAAD,IAAb,K;;YAEA,WAAW,MAAD,GAAQ,KAAr,IAAqB,EAAR,B,G  
AA2B,K;YACtC,UAAW,SAAS,IAAV,GAAoB,K;YAC9B,aAAc,gBAAY,OAAL,IAAK,CAAZ,C;YACd,aAAc,gB  
AAW,OA AJ,GA AI,CAAX,C;YACd,wBAAa,CAAb,I;;;UAIJ,UAAU,CAAV,EAAa,SAAb,EAAwB,gBAAXB,C;U  
ACA,aAAc,gBAAO,gBAAP,C;;;MAK1B,OAAO,aAAc,W;K;ICtQzB,uC;MAU2D,OAAwB,CAAXB,2BAAwB,mB

AAS,SAAT,C;K;IAEnF,oC;MAKI,OAAQ,OAAW,mBAAL,SAAK,CAAX,C;K;IAGZ,6C;MAMI,IAAI,cAAS,SAAb,C;QACI,iBAAsB,SAAY,Y;QACIC,IAAI,kBAAJ,C;UACS,SAAL,eAA+B,iBAAc,SAAd,E;;UAE/B,UAAW,WAAI,SAAJ,C;;Q;IAUnB,6C;MAC4B,UAAjB,M;MAAP,OAAO,WAAiB,OAAZ,SAAY,YAAjB,4CAA+D,W;K;IAI9E,iC;MACI,gBAAqB,sB;MACrB,iBAAsB,E;MACtB,kBAA+B,E;MAC/B,uBAAiC,C;K;uDAEjC,qB;MACc,qBA AV,SAAU,EAAC,EAAd,EAakB,EAaIB,C;MACV,OAAO,aAAO,W;K;gDAGIB,qB;MAA6D,gBAAR,c;MAAQ,c;;QI14IY7C,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UAAsB,IAAc,O0I5IY+B,cI14IY7C,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;M0I7IY8C,iB;K;sDAErD,wC;MACI,KAAK,qBAAL,SAAK,EAAC,MAAd,EAAsB,SAAtB,CAAL,C;QAAyC,M;MAEzC,YAAY,SAAK,M;MACjB,OAAO,aAAP,C;QACI,KAAM,qB AAN,KAAM,EAAC,MAAd,EAAsB,aAAtB,CAAN,C;UAA8C,M;QAC9C,QAAQ,KAAM,M;;K;sDAItB,wC;MASgB,IAAiB,IAAjB,EA2BE,M;MANCd,aAAO,gBAAO,MAAP,CAAe,gBAAO,SAAP,C;MACtB,gBAAgB,SAAK,W ;MACrB,IAAI,eAAQ,SAAR,CAAJ,C;QACI,aAAO,gBAAO,kCAAP,CAA2C,gBAAO,SAAP,CAAkB,gBAAO,KA AP,C;QACpE,OAAO,K;OAEH,cAAY,MAAK,SAAL,C;MAEpB,YAAY,CAAiB,OAAZ,SAAY,MAAjB,2D;MACZ,IAAI,aAAJ,C;QzHyBG,SyHxBwB,WAAN,KAAM,EAQ,SAAR,C;QAAvB,iBAAoD,KAAK,CAAT,GAAY,C AAZ,GAAMB,KAAe,gBAaf,I;QACnE,IAAI,eAAc,CAAlB,C;UAAqB,aAAO,gBAAO,SAAP,CAAkB,gBAAO,IA AP,C;QAC9C,IAAI,ezG8MoC,YAAU,CyG9MID,C;UACI,kBAAW,K;UACX,uBAAgB,U;;UAEhB,QAAQ,wBAA iB,KAAjB,EAawB,UAAxB,C;;QAEZ,IAAI,MzGgNuC,UAAAS,CyGhNpD,C;UAEuB,U;UAAA,IAAI,eAAc,CAAl B,C;YAAA,SAAQ,B,C;;Y1Gq+BpC,U;YADhB,YAAY,C;YACI,oB0Gr+B+C,S1Gq+B/C,C;YAAhB,OAAgB,gBA AhB,C;cAAGB,sC;cAAM,I0Gr+BgE,U1Gq+BiD,oB0Gr+BkD,MAAK,E1Gq+BrE,C;gBAawB,qB;;Y0Gr+Bf,SA A4B,I1Gs+BpD,K0Gt+BoD,I;;UAA/C,yB;U5GorCC,kB;UADb,YAAY,C;UACC,S4GmrCK,aAAN,KAAM,C5GmrC L,W;UAAb,OAAa,gBAAb,C;YAAa,wB;Y4GlrCG,I5GkrCU,oBAAMB,cAAnB,EAAMB,sBAAnB,U4GlrCN,gBA AJ,C;cAA2B,aAAO,uB;YACIC,aAAO,gB5GirCgC,I4GjrChC,CAAa,gBAAO,IAAP,C;;;UAGxB,aAAO,gBAAO,K AAP,CAAc,gBAAO,IAAP,C;;;QAGzB,aAAO,gBAAO,SAAP,CAAkB,gBAAO,IAAP,C;;MAG7B,iBAAiB,mC;M ACjB,IpIuHoD,CoIvHhD,UpIuHiD,UoIvHrD,C;QACI,uBAAuB,SAAS,M;QACtB,8B;QAAV,OAAU,gBAAV,C;U AAU,qB;UACJ,qBAAF,CAAE,EAAC,gBAAd,EAAGC,cAAhC,C;;OAGV,OAAO,I;K;yDAGX,6B;MAIwB,Q;MA HpB,mBAAwB,C;MACxB,gBAAqB,C;MACrB,mBAAwB,C;MACJ,OxHyIjB,MAAO,KwHzIgB,eAAS,OAAT,G AAKB,oBAAlB,IxHyIhB,EwHzIiD,KAAM,OAAN,GA Ae,UAAf,IxHyIjD,C;MwHzIV,eAAY,CAAZ,oB;QACI,QA AQ,iBAAY,iBAAN,KAAM,CAAN,GAakB,GAAIB,IAAN,C;QACR,IAAI,MAAK,2BAakB,iBAAT,eAAS,CAA T,GAaqB,GAARb,IAAT,CAAT,C;UAA6C,K;QAC7C,IAAI,MAAK,EAAT,C;UACI,8BAAGB,CAAhB,I;UACA,e AAe,S;UACf,YAAY,G;;MAGpB,IAAI,gBAAgB,CAApB,C;QAAuB,OAAO,K;MAC9B,OAAO,eAAe,CAAf,IAA oB,iBAAY,iBAAN,KAAM,CAAN,IAAmB,YAAnB,GAakC,CAAIC,KAAN,MAA+C,EAAIE,C;QACI,8BAAGB, CAAhB,I;MAGJ,OAAa,YAAN,KAAM,EAAS,YAAT,CAAN,IAA+B,cAAW,eAAe,CAAf,IAAX,uCAA/B,C;K;;y HC/H+C,Y;MAAQ,W;K;IAEtE,gD;MACKB,UAMP,M;MANO,IAAI,aAAY,CAAhB,C;QACV,Y;;QAEA,UxBsY8 C,MAAW,KwBtY/C,IxBsY+C,EwBtYtC,QxBsYsC,C;QwBrYzD,OAAA,IAAO,OxB2UmC,MAAW,KwB3UpC,K xB2UoC,CwB3UxC,GAAa,GAAnB,CAAP,GAaIC,GAajC,GxBwV2C,MAAW,MwBxVV,KxBwVU,C;;MwB5V 1D,kB;MAMO,IxByUuC,MAAW,KwBzU1C,OxByU0C,CwBzU9C,GA Ae,MAAnB,C;QAEmC,SAAY9B,OAAAY,S AAQ,QAAR,C;;QAGpB,exBoU0C,MAAW,KwBpUIC,OxBoUkC,C;QwBnUrD,qBAA8B,QAAAY,axBgRC,MAA W,MAvCV,MAAW,OwBzOU,QxByOV,CAuCD,CwBhRA,GAawB,QAAPC,C;QAC1C,SAAI,UAAU,CAAd,GA AiB,MAAG,cAAPB,GAAY,c;;MAP7C,a;K;IAWJ,6C;MACI,OAAa,KAAY,gBAAe,OAAf,EAawB,MAAK,4BA A2B,QAA3B,CAAL,EAAXB,C;K;ICtBQ,4C;MAFrC,e;MAEsC,0B;MAFtC,iB;MAAA,uB;K;IAAA,mC;MAAA,sC ;O;MAGI,uEAGY,GAHZ,C;MAIA,yEAGa,MAHb,C;MAIA,yEAGa,SAHb,C;MAIA,+DAGQ,KAHR,C;MAIA,+D AGQ,MAHR,C;MAIA,2DAGM,MAHN,C;MAIA,yDAGK,OAHL,C;K;;IAxBA,gD;MAAA,yB;MAAA,wC;K;;IAI A,iD;MAAA,yB;MAAA,yC;K;;IAIA,iD;MAAA,yB;MAAA,yC;K;;IAIA,4C;MAAA,yB;MAAA,oC;K;;IAIA,4C;M AAA,yB;MAAA,oC;K;;IAIA,0C;MAAA,yB;MAAA,kC;K;;IAIA,yC;MAAA,yB;MAAA,iC;K;;IA3BJ,+B;MAAA, 4Q;K;;IAAA,oC;MAAA,a;aAAA,a;UAAA,6C;aAAA,c;UAAA,8C;aAAA,c;UAAA,8C;aAAA,S;UAAA,yC;aAAA, S;UAAA,yC;aAAA,O;UAAA,uC;aAAA,M;UAAA,sC;gBAAA,6D;;K;;IAiCA,4D;MAGW,Q;MADP,0BAA2C,iB AAjB,UAAW,cAAM,EA AU,UAAW,cAArB,C;MAEvC,0BAAsB,CAAtB,C;QAA2B,gBAAS,UAAW,cAAX,GAAMB,UAAW,cAAvC,C;; QACnB,Y;MAHZ,W;K;IAOJ,oE;MAGW,Q;MADP,0BAA2C,iBAAjB,UAAW,cAAM,EA AU,UAAW,cAArB,C;M

AEvC,0BAAsB,CAAtB,C;QAA2B,sBAA8C,uBAArC,UAAW,cAAX,GAAMb,UAAW,cAAO,CAA9C,C;WAC3B,0BAAsB,CAAtB,C;QAA2B,iBAA8C,uBAArC,UAAW,cAAX,GAAMb,UAAW,cAAO,CAA9C,C;;QACnB,Y;MAHZ,W;K;IAOJ,8D;MAGW,Q;MADP,0BAA2C,iBAAjB,UAAW,cAAM,EAAU,UAAW,cAArB,C;MAEvC,0BAAsB,CAAtB,C;QACI,YAAkD,uBAArC,UAAW,cAAX,GAAMb,UAAW,cAAO,C;QACID,aAAa,eAAQ,KAAR,C;QAET,sBAAS,KAAT,GAakB,KAAIB,E;UAA2B,a;AC3B,uBAAQ,CAAR,C;;;aAIR,0BAAsB,CAAtB,C;QAA2B,iBAA8C,uBAArC,UAAW,cAAX,GAAMb,UAAW,cAAO,CAA9C,C;;QACnB,Y;MAXZ,W;K;ICrDJ,+B;MAAA,mC;MAUuB,wB;MALf,aAAR,OAAO,OAAQ,KAAI,WAAy,IAAG,OAAO,SAAX,IAAwB,CAAC,CAAC,OAAO,SAAS,K;MADpE,sBAGQ,MAHR,GAIQ,iBAAa,OAAb,CAJR,GAMQ,qBAAW,OAAx,IAAA,4GACO,+B;K;4CAIf,Y;MAAmC,OAAA,mBAAa,U;K;;;IAfpD,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAwB2B,+B;MAAC,sB;K;IAEW,+D;MAAA,0C;MAAS,mB;MACxC,iBAAgB,yBAAQ,S;K;8DACxB,Y;M5HyEG,Q4HxEC,8BAAQ,QAAO,cAAP,C;MAAyB,c7IZIC,EAAI,CAAJ,C;M6IY2C,Y7IuF3C,EAAI,CAAJ,C;M6IvFC,OAA4D,aAAR,OAAQ,qCAAR,aAAiD,aAN,KAAm,yCAAjD,C;K;;qCAH5D,Y;MAAmC,md;K;sCAMnC,Y;MAAkC,qC;K;;IAKF,4C;MAAiC,4E;MAAhC,8B;K;2CACjC,Y;MAA8B,OAAA,gBAAy,M;K;+CAC1C,Y;MAAkC,2C;K;;IAGtC,6B;MAAA,iC;MAEoC,4E;K;uCAChC,Y;MAA8B,OAAe,U;K;2CAC7C,Y;MAAkC,+B;K;;;IAJtC,yC;MAAA,wC;QAAA,uB;OAAA,iC;K;IC1CA,gD;MAQ+B,kBAApB,wBAAc,IAAd,C;MAA0B,I7HgEjC,a;M6HhEA,O7HiEO,W;K;I6H9DX,gD;MAQqD,kBAA1B,gBAAhB,sCAAgB,EAAc,IAAd,EAAoB,IAApB,C;MAAiC,sB7HoEID,W6HpEkD,C;MAAxD,O7HqEO,W;K;I8HzFX,yC;MAEkD,8B;MAAA,OCGN,aDHwB,yBAAa,QAAb,mCCGxB,C/G+xBgC,sB;K;I8GhyB5E,2C;M/IggIW,kBAAy,gB;MAoGH,Q;MAAhB,wB+I7IIqB,U/I6IIRB,gB;QAAgB,c+I7IIK,U/I6IIRB,M;QAAAsB,IAAI,C+I7IIkB,sB/I6IIP,O+I7IIO,C/I6IItB,C;UAAyB,WAAy,WAAI,OAAJ,C;;M+I7II3D,qB/I8IIO,W;M+I7IIP,IzIgNwD,CyIhNpD,czIgNqD,UyIhNzD,C;Q9GgKuC,U;Q8G/JnC,qB9G+JyD,OAAtB,+B8G/Jd,mB9G+Jc,uBAAsB,CAAo,W;QsGkO7C,kBAAhB,sB;QQ/XC,0C;QACA,IAAI,E9G8QoC,0BAAU,C8G9Q9C,CAAJ,C;UACI,2BAAO,GAAP,C;SAEW,sCAAa,GAAb,C;QALnB,sB9H4DG,WsHoUqC,W;QQzXxC,OAAO,I;OAGX,OAAO,K;K;IAGX,8C;MAOmB,c;;Q/Ii3YC,Q;QAAhB,wB+Ij3YI,U/Ii3YJ,gB;UAAgB,c+Ij3YZ,U/Ii3YJ,M;UAAsB,I+Ij3YD,sB/Ii3Ye,O+Ij3Yf,C/Ii3YC,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;;M+II3YP,e;QACI,kBAA6B,MAAX,UAAW,C;Q9GyIM,U;Q8GxIb,a9GwImC,OAAtB,+B8GxIvB,mB9GwIuB,uBAAAsB,CAAo,W;Q8GxIX,kBC/BjB,aD+BDD,MC/BC,C/Gg1C6C,uBAAzB,CAAyB,C;QbnmB9E,kBAAS,gB;QA2FA,U;QAAA,+B;QAAhB,OAAgB,gBAAhB,C;UAAgB,6B;UAAm,I2HzyB4C,4B3HyyB9B,S2HzyB8B,C3HyyB5C,C;YAAwB,WAAy,WAAI,SAAJ,C;;Q2HzyBtD,sBAAmF,e3H0yBhF,W2H1yBgF,EAAa,GAAb,C;QACnF,OAAO,I;OAGX,OAAO,K;K;IEnCP,iC;MAAQ,8BAAY,IAAK,UAAjB,IAA8B,uBAAy,IAAK,mB;K;IAOvD,oC;MAAQ,8BAAY,IAAK,a;K;ICZ7B,4B;MAGI,OAAO,yBAAP,C;QACI,sBAAY,mCAAZ,C;;K;IAIR,uC;MAOI,sBAAY,sCAAgB,gBAAe,IAAf,CAA5B,C;MACA,OAAO,S;K;ICbP,4B;MAAQ,mB;K;IACR,mC;MACI,eAAO,K;K;IAKX,4B;MAAQ,mB;K;IACR,mC;MACI,eAAO,K;K;IHCof,sJ;MAEyC,qB;QAAA,QAakB,I;MAAM,qB;QAAA,QAakB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,yB;QAAA,YAAsB,I;MAAM,kC;QAAA,qBAA+B,I;MAAM,qC;QAAA,wBAaK,C;MAAO,+C;QAAA,kCAA4C,K;MAAO,4C;QAAA,+BAAyC,K;MACtT,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iCAAF,IAAuC,+B;MACvC,EAAE,8BAAF,IAAoC,4B;MACpC,OAAO,C;K;+GAw0BX,wD;MAEwC,6B;QAAA,gBAAyB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/I,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6EA6CX,4B;MAE6D,iBAAy,KAAZ,C;K;6EAE7D,mC;MAEoE,UAAy,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAE8D,iBAAy,KAAZ,C;K;6EAE9D,mC;MAEqE,UAAy,KAAZ,IAAqB,K;K;6EAuB1F,4B;MAEqE,iBAAy,KAAZ,C;K;6EAErE,mC;MAE4E,UAAy,KAAZ,IAAqB,K;K;6EAuBjG,4B;MAE+D,iBAAy,KAAZ,C;K;6EAE/D,mC;MAEsE,UAAy,KAAZ,IAAqB,K;K;6EAuB3F,4B;MAEgE,iBAAy,KAAZ,C;K;6EAEhE,mC;MAEuE,UAAy,KAAZ,IAAqB,K;K;6EAuB5F,4B;MAE6D,iBAAy,KAAZ,C;K;6EAE7D,mC;MAEoE,UAAy,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAE8D,iBAAy,KAAZ,C;K;6EAE9D,mC;MAEqE,UAAy,KAAZ,IAAqB,K;K;6EAuB1F,4B;MAEiE,iBAAy,KAAZ,C;K;6EAEjE,mC;MAEwE,UAAy,KAAZ,IAAqB,K;K;6EAuB7F,4B;MAEkE,iBAAy,KAAZ,C;K;6EAEIE,mC;MAEyE,UAAy,KAAZ,IAAqB,K;K;6GC3oC9F,wD;MAEqC,6B;QAAA,gBAA+B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpJ,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IA

Ae,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;mIAiCX,+B;MAEgD,mC;QAAA,sBAAgC,K;MAC5E,QAAQ,E;MACR,EAAE,qBAAF,IAA2B,mB;MAC3B,OAAO,C;K;4EC9CX,4B;MAEgE,iBAAY,KAAZ,C;K;4EAqChE,4B;MAEyE,iBAAY,KAAZ,C;K;4EaiBzE,4B;MAEmE,iBAAY,KAAZ,C;K;4EayYnE,4B;MAE0E,iBAAY,KAAZ,C;K;oIC7a1E,4H;MAE8C,qB;QAAA,QAAiB,E;MAAI,6B;QAAA,gBAAgC,E;MAAW,iC;QAAA,oBAA2D,E;MAAW,iC;QAAA,oBAA2D,E;MAAW,qC;QAAA,wBAmJvJ,U;OAnJqO,+B;QAAA,kBAmJrO,U;OAnJ6S,4B;QAAA,eAA+B,S;MAC3a,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,eAAF,IAAqB,a;MACrB,EAAE,mBAAF,IAAyB,iB;MACzB,EAAE,mBAAF,IAAyB,iB;MACzB,EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,cAAF,IAAoB,Y;MACpB,OAAO,C;K;wIAYX,mC;MAEgD,2B;QAAA,cAAuB,E;MAAI,0B;QAAA,aAAsB,E;MAC7F,QAAQ,E;MACR,EAAE,aAAF,IAAmB,W;MACnB,EAAE,YAAF,IAAkB,U;MACIB,OAAO,C;K;8HakEX,+D;MAEqG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;4HAwBX,iE;MAE0C,4B;QAAA,eAAwB,E;MAAI,wB;QAAA,WAAyB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;sGAUqE,qB;MAAQ,OAAW,U;K;sGAEnB,qB;MAAQ,OAAW,U;K;4GAehB,qB;MAAQ,OAAc,a;K;wGAS1B,qB;MAAQ,OAAy,W;K;0HAEX,qB;MAAQ,OAAqB,oB;K;kGASnD,qB;MAAQ,OAAAS,Q;K;oGAehB,qB;MAAQ,OAAU,S;K;sGAejB,qB;MAAQ,OAAW,U;K;wHAEV,qB;MAAQ,OAAoB,mB;K;wHAE5B,qB;MAAQ,OAAoB,mB;K;kHAE/B,qB;MAAQ,OAAiB,gB;K;kHAEzB,qB;MAAQ,OAAiB,gB;K;oHASd,qB;MAAQ,OAAkB,iB;K;oHAE1B,qB;MAAQ,OAAkB,iB;K;oHAE1B,qB;MAAQ,OAAkB,iB;K;wIAehB,qB;MAAQ,OAA4B,2B;K;4FC1MnI,uD;MAE8B,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHJ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;kGAuBX,sE;MAEiC,6B;QAAA,gBAA8B,I;MAAM,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvL,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;kGA8DX,8U;MAEiC,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3wB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wGAgDX,kQ;MAEoC,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAe,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7IB,QAA

Q,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;kGAsCX,I;MAEiC,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,yB;QAAA,YAAkB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAE,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACr2B,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;kGA2BX,0E;MAEiC,oB;QAAA,OAAgB,E;MAAI,2B;QAAA,cAAwB,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAE,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtM,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wGAmDX,4S;MAEoC,mB;QAAA,MAAE,E;MAAI,oB;QAAA,OAAgB,E;MAAI,wB;QAAA,WAAiB,C;MAAG,sB;QAAA,SAAmB,K;MAAO,2B;QAAA,cAAwB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAE,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjtB,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;8GAuBX,6D;MAEuC,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAE,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7K,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wECnbX,4B;MAEyE,iBAAY,KAAZ,C;K;wEAEzE,2B;MAEGG,iBAAY,IAAZ,C;K;wEAwBhG,oC;MAE+F,UAA Y,KAAZ,IAAqB,M;K;wEAmFpH,2B;MAEqE,iBAAY,IAAZ,C;K;wEAErE,kC;MAE2E,UAA Y,IAAZ,IAAoB,K;K;wEAssC/F,4B;MAEyE,iBAAY,KAAZ,C;K;wEA0BzE,4B;MAEyE,iBAAY,KAAZ,C;K;wEAsBzE,4B;MAEuE,iB

AAy,KAAZ,C;K;wEAyBvE,4B;MAE6E,iBAAY,KAAZ,C;K;2FA4C7E,gD;MAEiC,qB;QAAA,QAAiD,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACIK,QAAQ,E;MACR,EA AE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q; MACHB,OAAO,C;K;uEA+UX,4B;MAEuE,iBAAY,KAAZ,C;K;wEAEvE,2B;MAE6F,iBAAY,IAAZ,C;K;wEAqN 7F,4B;MAEyE,iBAAY,KAAZ,C;K;wEAEzE,oC;MAE2F,UAA Y,KAAZ,IAAqB,M;K;+FAuehH,wD;MAEmC,6B; QAAA,gBAA8B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;M ACjJ,QAAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MA CIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;uGAuIX,mB;MAEuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E; MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+HAyCX,iB;MAEmD,qB;QAAA,QAAkB,I;MACjE,QAAQ,E;M ACR,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;+FA0MX,sE;MAEmC,oB;QAAA,OAAgB,I;MAAM,wB;QAAA, WA0+G4B,S;OA1+GwB,kB;QAAA,KAAc,E;MAAI,wB;QAAA,WAAoB,I;MAAM,sB;QAAA,SAAkB,S;MAAW, uB;QAAA,UAAoB,I;MAAM,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAgB,I;MACnP,QAAQ,E;MACR,EAAE, MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,IAAF,IAAU,E;MACV,EAAE,UAAF,IAAgB,Q;M AChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,I AAY,I;MACZ,OAAO,C;K;qIagDX,iB;MAEsD,qB;QAAA,QAAkB,I;MACpE,QAAQ,E;MACR,EAAE,OAAF,IA Aa,K;MACb,OAAO,C;K;+GakBX,qB;MAE2C,yB;QAAA,YAAmB,S;MAC1D,QAAQ,E;MACR,EAAE,SAAF,IA Ae,S;MACf,OAAO,C;K;wEakCX,4B;MAEqF,iBAAY,KAAZ,C;K;yFAgCrF,4V;MAEgC,4B;QAAA,eAA8B,I;M AAM,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAA gB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAA A,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO, uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB, K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAA A,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MA AO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAc,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K; MAAO,wB;QAAA,WAAqB,K;MAC9yB,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,SAAF,IAAe,O ;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IA Ac,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,S AAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf ,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE, gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B ,kB;MACIB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B, EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB, U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wEAwEX,2B;MAE+D,iBAAY,IAAZ,C;K;iGA2D/D,gD; MAEoC,qB;QAAA,QAAc,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WA AqB,K;MACII,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB ,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;qGA2BX,yD;MAEsC,sB;QAAA,SAAkB,E;MAAI,sB;Q AAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC5 J,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EA AE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6GAuBX,oD;MAE0C,yB;QAAA,YA AsB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE, UAAF,IAAgB,Q;MACHB,OAAO,C;K;2FAoFX,kF;MAEiC,uB;QAAA,UAAmB,E;MAAI,wB;QAAA,WAAoB,E; MAAI,sB;QAAA,SAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,I;MAAM,uB;QAAA,UAAoB,K; MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjN,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MA Cf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IA Aa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,O AAO,C;K;iHAyBX,0D;MAEqE,sB;QAAA,SAAc,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K; MAAO,wB;QAAA,WAAqB,K;MACzK,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;M

ACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wEAmXX,4B;MAEkE,iBAAY,KAAZ,C;K;wEAEIE,2B;MAEoE,iBAAY,IAAZ,C;K;wEAUpE,4B;MAEsE,iBAA Y,KAAZ,C;K;wEAEtE,2B;MAEwE,iBAAY,IAAZ,C;K;wEAaxE,4B;MAE+D,iBAAY,KAAZ,C;K;wEAE/D,2B;M AEiE,iBAAY,IAAZ,C;K;mGA0CjE,8G;MAEqC,gC;QAAA,mBAooF8C,M;OApoFe,gC;QAAA,mBAmpFT,S;OA npFyE,oC;QAAA,uBA8pFjE,S;OA9pF6I,2B;QAAA,cAAoB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,6B;QAAA,g BAYqFIO,K;OAXqFvE,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB, EAAE,sBAAF,IAA4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eA AF,IAAqB,a;MACrB,OAAO,C;K;+FAwCX,mF;MAEmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,E;MAAI ,2B;QAAA,cAAuB,E;MAAI,sB;QAAA,SAAY,C,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;M AAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACxQ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MA CZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF, IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,O AAO,C;K;6FA4BX,2B;MAEkC,+B;QAAA,kBAA4B,K;MAC1D,QAAQ,E;MACR,EAAE,iBAAF,IAAuB,e;MAC vB,OAAO,C;K;2FA2DX,iE;MAEiC,wB;QAAA,WAAqB,K;MAAO,oB;QAAA,OAAe,C;MAAG,sB;QAAA,SAAk B,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E; MACR,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SA AAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;yFA8FX,6B;M AEgC,oB;QAAA,OA+7E6C,S;OA/7EL,2B;QAAA,cCl2He,M;ODm2HnF,QAAQ,E;MACR,EAAE,MAAF,IAAY,I ;MACZ,EAAE,aAAF,IAAmB,W;MACnB,OAAO,C;K;wEAoDX,0B;MAE+D,iBAAY,GAAZ,C;K;wEAE/D,iC;M AEqE,UAAAY,GAAY,IAAmB,K;K;+FAoDxF,oF;MAEmC,mB;QAAA,MAAe,I;MAAM,wB;QAAA,WAAoB,I;MA AM,wB;QAAA,WAAoB,I;MAAM,mB;QAAA,MAAe,E;MAAI,2B;QAAA,cAAwB,I;MAAM,uB;QAAA,UAAoB, K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvO,QAAQ,E;MACR,EAAE,KAAF,IAAW,G ;MACX,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,KAAF,IAAW,G;MACX,EAA E,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB, Q;MACHb,OAAO,C;K;iFAwNX,yC;MAE4B,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QA AA,WAAqB,K;MACtG,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,U AAF,IAAgB,Q;MACHb,OAAO,C;K;6FAwBX,iD;MAEkC,sB;QAAA,SAAe,I;MAAM,uB;QAAA,UAAoB,K;MA AO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd, EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;uGA SX,mB;MAEuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GA YX,kC;MAE0C,uB;QAAA,UAAoB,K;MAAO,oB;QAAA,OAAiB,K;MAAO,uB;QAAA,UAAoB,K;MAC7G,QAA Q,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K ;wEAkEX,4B;MAE6D,iBAAY,KAAZ,C;K;wEAU7D,4B;MAEsE,iBAAY,KAAZ,C;K;wEAEtE,2B;MAEwE,iBA AY,IAAZ,C;K;uGAsCxE,oH;MAEuC,yB;QAAA,YAAsB,K;MAAO,0B;QAAA,aAAuB,S;MAAW,6B;QAAA,gB AA0B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,iC;QAAA,oBAA8B,S;MAAW,qC;QAAA,wBAAkC,S;MAAW,+ B;QAAA,kBAAkC,S;MAC1R,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB ,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,mBAAF,IAAYB,iB;MACzB,EAAE,uBAAF,I AA6B,qB;MAC7B,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;mGAgFX,oB;MAEqC,wB;QAAA,WAAqB,K;M ACtD,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wEA+MX,2B;MAEiE,iBAAY,IAAZ,C;K;2 GAKcJ,E,c;MAEyC,kB;QAAA,KAAgB,S;MACrD,QAAQ,E;MACR,EAAE,IAAF,IAAU,E;MACV,OAAO,C;K;2F AuMX,gB;MAGI,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;wEAgBX,4B;MAEiE,iBAAY,KA AZ,C;K;wEAEjE,oC;MAE4E,iBAAY,aAAZ,C;K;wEAuT5E,4B;MAEmE,iBAAY,KAAZ,C;K;uFA2CnE,sB;MAE +B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAC9F, QAAQ,E;MACR,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EA AE,GAAF,IAAS,C;MACT,OAAO,C;K;qFA0CX,+B;MAE8B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAA K,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAAkB,G;MACtG,QAAQ,E;MACR,EAAE,GAAF,IAAS,C;MACT,EA AE,GAAF,IAAS,C;MACT,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,OAAO,C;K;wEAOX,4B; MAEmE,iBAAY,KAAZ,C;K;yFAiHnE,oB;MAEgC,wB;QAAA,WAY2B+C,M;OAX2B3E,QAAQ,E;MACR,EAAE

,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6FAeX,+B;MAEkC,oB;QAAA,OAAgB,S;MAAW,mB;QAAA,MAAe,S;M  
AAW,wB;QAAA,WAq1BR,M;OAp1B3E,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,KA AF,IAAW,G  
;MACX,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6GAwCX,yD;MAE0C,qB;QAAA,QAAiB,E;MAAI,uB;QA  
AA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACp  
K,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAA  
E,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;yGAiCX,mC;MAEwC,qB;QAAA,QA2  
wByD,Q;OA3wBK,sB;QAAA,SA2wBL,Q;OA3wBoE,wB;QAAA,WA4vBtF,M;OA3vB3E,QAAQ,E;MACR,EAA  
E,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;2FAYX,2B;  
MAEiC,mB;QAAA,MAuwB0C,Q;OAvvBJ,0B;QAAA,aAAsB,S;MACzF,QAAQ,E;MACR,EAAE,KA AF,IAAW,  
G;MACX,EAAE,YAAF,IAAkB,U;MACIB,OAAO,C;K;+GAYX,0B;MAE2C,uB;QAAA,UaqvBgC,Q;OArvBU,q  
B;QAAA,QAqvBV,Q;OApvBvE,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,OA  
AO,C;K;wEAgCX,4B;MAE+D,iBAA,Y,KA AZ,C;K;qFAyaY,qB;MAAQ,OAAU,S;K;6FAEd,qB;MAAQ,OAAc,a;  
K;uFAEzB,qB;MAAQ,OAAW,U;K;iFASxB,qB;MAAQ,OAAG,E;K;iFAEX,qB;MAAQ,OAAQ,O;K;uFAEb,qB;M  
AAQ,OAAW,U;K;uFAS3B,qB;MAAQ,OAAW,U;K;mFAErB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OAAU  
,S;K;yFAShB,qB;MAAQ,OAAY,W;K;uFAErB,qB;MAAQ,OAAW,U;K;+FAEf,qB;MAAQ,OAAe,c;K;uFAE3B,q  
B;MAAQ,OAAW,U;K;uFAEnB,qB;MAAQ,OAAW,U;K;mFASrB,qB;MAAQ,OAAS,Q;K;iFAEiB,qB;MAAQ,OA  
AQ,O;K;6EAEiB,qB;MAAQ,OAAM,K;K;uFAET,qB;MAAQ,OAAW,U;K;qFASiB,qB;MAAQ,OAAU,S;K;qFAEi  
B,qB;MAAQ,OAAU,S;K;6EASR,qB;MAAQ,OAAM,K;K;mFAEX,qB;MAAQ,OAAS,Q;K;+EAEnB,qB;MAAQ,O  
AAO,M;K;+EAS/B,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mFAEf,qB;MAAQ,OAAS,Q;K;mFAS  
hB,qB;MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;mFASd,qB;MAAQ,  
OAAQ,O;K;+EAEiB,qB;MAAQ,OAAM,K;K;+EAEb,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mF  
AEf,qB;MAAQ,OAAS,Q;K;6EASd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,  
OAAS,Q;K;2FAEb,qB;MAAQ,OAAa,Y;K;6FAEpB,qB;MAAQ,OAAc,a;K;mFAE3B,qB;MAAQ,OAAS,Q;K;6EA  
S1B,qB;MAAQ,OAAM,K;K;6EAEd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;+EASjB,qB;MAAQ,  
OAAO,M;K;mFAEb,qB;MAAQ,OAAS,Q;K;+EASrB,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;iFA  
SjB,qB;MAAQ,OAAO,M;K;6FAER,qB;MAAQ,OAAc,a;K;qFAE1B,qB;MAAQ,OAAU,S;K;iFASb,qB;MAAQ,O  
AAO,M;K;uFAEZ,qB;MAAQ,OAAU,S;K;yFAS9B,qB;MAAQ,OAAY,W;K;+EAE1B,qB;MAAQ,OAAM,K;K;qF  
AEX,qB;MAAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;+EASrB,qB;MAAQ,OAAO,M;K;6FAER,qB;MAA  
Q,OAAc,a;K;qFAS1B,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;+EASX,qB;MAAQ,OAAO,M;K;  
mFAEb,qB;MAAQ,OAAS,Q;K;iFASnB,qB;MAAQ,OAAO,M;K;qFAEZ,qB;MAAQ,OAAU,S;K;mFAEnB,qB;M  
AAQ,OAAS,Q;K;kFASJ,qB;MAAQ,OAAQ,O;K;oFAEf,qB;MAAQ,OAAS,Q;K;8EAEpB,qB;MAAQ,OAAM,K;K  
;oFAEV,qB;MAAQ,OAAU,S;K;mFASzC,qB;MAAQ,OAAS,Q;K;mFAEjB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;M  
AAQ,OAAU,S;K;qFAEiB,qB;MAAQ,OAAU,S;K;wIEx+M7E,wM;MAEiD,qB;QAAA,QAakB,I;MAAM,sB;QAA  
A,SAAmB,I;MAAM,2B;QAAA,cAAwB,I;MAAM,yB;QAAA,YAAsB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;  
QAAA,aAAuB,I;MAAM,sB;QAAA,SAAmB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,  
gC;QAAA,mBAA6B,I;MAAM,+B;QAAA,kBAA4B,I;MAAM,gC;QAAA,mBAA6B,I;MAAM,uB;QAAA,UAAoB  
,I;MAAM,4B;QAAA,eAAyB,I;MAAM,wB;QAAA,WAAqB,I;MAAM,uB;QAAA,UAAoB,I;MACrF,QAAQ,E;MA  
CR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,  
IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QAAF,IAAc,M;MACd  
,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iB  
AAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;  
MACpB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wHAsDX,wM;MAEyC,qB;Q  
AAA,QAAqB,S;MAAW,sB;QAAA,SAAsB,S;MAAW,2B;QAAA,cAA4B,S;MAAW,yB;QAAA,YAA0B,S;MAA  
W,0B;QAAA,aAA6B,S;MAAW,0B;QAAA,aAA6B,S;MAAW,sB;QAAA,SAAuB,S;MAAW,0B;QAAA,aAA0B,S;  
MAAW,0B;QAAA,aAA0B,S;MAAW,gC;QAAA,mBAAoC,S;MAAW,+B;QAAA,kBAAmC,S;MAAW,gC;QAAA  
,mBAAoC,S;MAAW,uB;QAAA,UAAwB,S;MAAW,4B;QAAA,eAA4B,S;MAAW,wB;QAAA,WAAoB,S;MAAW  
,uB;QAAA,UAAmB,S;MACtnB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,E  
AAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,I

AAkB,U;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;sHAYX,kN;MAEwC,wB;QAAA,WAA4C,S;MAAW,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MAC9IB,QA AQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAA E,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAA kB,U;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,S AAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MA Cf,OAAO,C;K;0HAsDX,wM;MAE0C,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cA AuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QA AA,SAAkB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW ,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAw B,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACziB,QAAQ,E;MACR,EAAE,OAAF,IAAa ,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAA E,YAAF,IAAkB,U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB, U;MACIB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB, EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,I AAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;gHAYDX,wM;MAEqC,qB;QAAA,QAAc,S;MAAW,s B;QAAA,SA Ae,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MA AAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,0B;QAAA,aAAmB ,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;Q AAA,UAAmB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MA CxhB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UA AF,IAAgB,Q;MACHb,OAAO,C;K;sIAoBX,gD;MAEgD,qB;QAAA,QAAiB,I;MAAM,uB;QAAA,UAAoB,K;MA AO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb, EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;wHA wCX,wB;MAEyC,qB;QAAA,QAAiB,K;MAAO,qB;QAAA,QAAiB,K;MAC9E,QAAQ,E;MACR,EAAE,OAAF,IA Aa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;KgAYBX,oB;MAE8B,mB;QAAA,MAAe,S;MAAW,mB;Q AAA,MAAe,S;MACnE,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO, C;K;oHAYX,kC;MAEuC,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,mB;QAAA,MAAe,S;MAA W,mB;QAAA,MAAe,S;MACpI,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EA AE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gGAYX,oB;MAE6B,mB;QAAA,MAAY ,S;MAAW,mB;QAAA,MAAY,S;MAC5D,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW, G;MACX,OAAO,C;K;kHAYX,kC;MAEsC,qB;QAAA,QAAc,S;MAAW,qB;QAAA,QAAc,S;MAAW,mB;QAAA, MAAY,S;MAAW,mB;QAAA,MAAY,S;MACvH,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IA Aa,K;MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gIAeX,wB;MAE6C,q B;QAAA,QAAkB,S;MAAW,qB;QAAA,QAAkB,S;MACxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAA

E,OAAF,IAAa,K;MACb,OAAO,C;K;oIAeX,wB;MAE+C,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MA  
CxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;4FAKX,Y;MAGI,  
QAAQ,E;MACR,OAAO,C;K;oFAKX,Y;MAGI,QAAQ,E;MACR,OAAO,C;K;8FAKX,Y;MAGI,QAAQ,E;MACR,  
OAAO,C;K;kGASX,oB;MAE8B,wB;QAAA,WAAkC,S;MAC5D,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MAC  
hB,OAAO,C;K;4FAUmE,qB;MAAQ,OAAO,M;K;8FAEd,qB;MAAQ,OAAQ,O;K;4FASrB,qB;MAAQ,OAAO,M;  
K;0GAER,qB;MAAQ,OAAc,a;K;8FAE7B,qB;MAAQ,OAAO,M;K;gGAEd,qB;MAAQ,OAAQ,O;K;8FASjB,qB;M  
AAQ,OAAO,M;K;gHAEL,qB;MAAQ,OAAiB,gB;K;wGASrC,qB;MAAQ,OAAa,Y;K;0GAEPB,qB;MAAQ,OAAc  
,a;K;wGAEvB,qB;MAAQ,OAAa,Y;K;oFCroB7F,4B;MAE6E,iBAAY,KAAZ,C;K;iGASnB,qB;MAAQ,OAAAS,Q;  
K;6FAEnB,qB;MAAQ,OAAO,M;K;+FAEd,qB;MAAQ,OAAQ,O;K;iGASF,qB;MAAQ,OAAU,S;K;+FAEnB,qB;  
MAAQ,OAAAS,Q;K;mGAS3B,qB;MAAQ,OAAW,U;K;mGAEnB,qB;MAAQ,OAAW,U;K;6GC1D/E,mb;MAEmC,  
yB;QAAA,YAAkB,C;MAAG,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,wB;QAAA,WAAmB,G;  
MAAI,kC;QAAA,qBAA6B,G;MAAI,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,  
C;MAAG,2B;QAAA,cAAuB,E;MAAI,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UA  
AgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAA  
A,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,w  
B;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K  
;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,g  
BAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,  
8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAGB,I;MAAM,sB;QAAA,SAAc,C;  
MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACl/B,QAAQ,E;M  
ACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,  
IAAgB,Q;MAChB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MAC  
b,EAAE,OAAF,IAAa,K;MACb,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,I  
AAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QA  
AF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,E  
AAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O  
;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,  
EAAE,gBAAF,IAAsB,c;MACTB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,  
IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACTB,EAAE,oBAAF,IAA0B,kB;  
MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,  
IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;6GC1BX,0C;MAEwC,oB;QAAA,OAAiB,I;MAA  
M,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MACpI,QAAQ,E;MACR,E  
AAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;M  
ACf,OAAO,C;K;4EAmIX,4B;MAEKe,iBAAY,KAAZ,C;K;4EAEIE,qC;MAE2E,UAYY,KAAZ,IAAqB,O;K;4EAI  
BhG,4B;MAEuE,iBAAY,KAAZ,C;K;4EAEvE,qC;MAE+E,UAYY,KAAZ,IAAqB,O;K;4EAIpG,4B;MAEoE,iBAAY,KAAZ,C;K;2EA  
EpE,qC;MAE4E,UAYY,KAAZ,IAAqB,O;K;4EAKcJG,4B;MAE6E,iBAAY,KAAZ,C;K;4EAE7E,qC;MAEqF,UAY  
Y,KAAZ,IAAqB,O;K;4EAgP1G,4B;MAEqE,iBAAY,KAAZ,C;K;4EAErE,qC;MAE6E,UAYY,KAAZ,IAAqB,O;K  
;uFJ57BIG,+H;MAE8B,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAAmB,S;MAAW,oB;QAAA,OAAgB,S;MAA  
W,wB;QAAA,WAAoB,S;MAAW,8B;QAAA,iBAA0B,S;MAAW,oB;QAAA,OAAqB,S;MAAW,2B;QAAA,cAAm  
C,S;MAAW,qB;QAAA,QAAuB,S;MAAW,wB;QAAA,WAA6B,S;MAAW,yB;QAAA,YAAqB,S;MAAW,yB;QA  
AA,YAAsB,S;MAAW,wB;QAAA,WAAe,S;MAC5Z,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,  
IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,gBAAF,IAAsB,c;MACT  
B,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,OAAF,IAAa,K;MACb,EAAE,UAAF,IA  
AgB,Q;MAChB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,QAAF,IAAc,Q;MACd,O  
AAO,C;K;yFA0CX,uC;MAE+B,sB;QAAA,SAAiB,G;MAAK,0B;QAAA,aAAsB,I;MAAM,uB;QAAA,UAAmB,S;  
MAChG,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACIB,EAAE,SAAF,IAAe,O;  
MACf,OAAO,C;K;qFAUgD,qB;MAAQ,OAAG,E;K;mFAEX,qB;MAAQ,OAAQ,O;K;iFAEjB,qB;MAAQ,OAAO,

M;K;mFAEd,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;mFAEIB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;qFASF,qB;MAAQ,OAAG,E;K;yFAER,qB;MAAQ,OAAW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;qFAEd,qB;MAAQ,OAAQ,O;K;yFAEb,qB;MAAQ,OAAW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qFAEjB,qB;MAAQ,OAAS,Q;K;uFAEjB,qB;MAAQ,OAAS,Q;K;mGAEV,qB;MAAQ,OAAgB,e;K;iGAEzB,qB;MAAQ,OAAe,c;K;qFAE9B,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;yFASzB,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAAc,a;K;uFAE1B,qB;MAAQ,OAAU,S;K;iFAErB,qB;MAAQ,OAAO,M;K;iFASD,qB;MAAQ,OAAO,M;K;iGAER,qB;MAAQ,OAAc,a;K;uFAE1B,qB;MAAQ,OAAU,S;K;yFAS9B,qB;MAAQ,OAAU,S;K;yFAEjB,qB;MAAQ,OAAW,U;K;qFAErB,qB;MAAQ,OAAS,Q;K;yFAEf,qB;MAAQ,OAAW,U;K;+FAEhB,qB;MAAQ,OAAc,a;K;qGAEnB,qB;MAAQ,OAAiB,gB;K;qFAS3B,qB;MAAQ,OAAS,Q;K;mFAEIB,qB;MAAQ,OAAQ,O;K;uFAEf,qB;MAAQ,OAAS,Q;K;mFASxB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;yFAEZ,qB;MAAQ,OAAU,S;K;qFAEpB,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qGAET,qB;MAAQ,OAAiB,gB;K;+FKnR/F,gB;MAEkC,oB;QAAA,OAAgB,E;MAC9C,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;+FAiBX,8B;MAEkC,4B;QAAA,eAAqB,S;MAAW,oB;QAAA,OAAgB,E;MAC9E,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;0EAUX,4B;MAE6D,iBAA Y,KAAZ,C;K;+GC6B7D,sJ;MAEsC,mB;QAAA,MA4GuD,M;OA5GG,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,E;MAAI,mB;QAAA,MAAe,E;MAAI,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,uB;QAAA,UAAmB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,sB;QAAA,SAAmB,K;MAAO,oB;QAAA,OAAa,I;MAAM,uB;QAAA,UAAc,E;MAC/gB,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,QAAF,IAAc,M;MACd,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAWX,+B;MAEsE,oB;QAAA,OAAgB,S;MACIF,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;qHASX,e;MAEyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;mHAyBX,+D;MAEqE,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;iGAUwE,qB;MAAQ,OAAU,S;K;6FAEnB,qB;MAAQ,OAAS,Q;K;+FAEhB,qB;MAAQ,OAAU,S;K;2FASvB,qB;MAAQ,OAAO,M;K;yFAEhB,qB;MAAQ,OAAM,K;K;yFAEd,qB;MAAQ,OAAM,K;K;yGCrJ3F,uB;MAEsC,qB;QAAA,QAAiB,S;MAAW,oB;QAAA,ORy9MW,S;OQx9MzE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;6HAuCX,mF;MAEqD,oB;QAAA,OAAa,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAA2C,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/S,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;uGA2DX,qC;MAEqC,mC;QAAA,sBAAgC,K;MAAO,oB;QAAA,OA4UD,Q;OA3UvE,QAAQ,E;MACR,EAAE,qBAAF,IAA2B,mB;MAC3B,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;yGAmBX,yC;MAEsC,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHH,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;yGAsBX,2B;MAGI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+FA8BX,sE;MAEoD,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAqB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpL,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6GAuBX,0D;MAE2D,sB;QAAA,SAAkB,M;MAAQ,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/J,

QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,  
YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;2GAaX,qC;MAE4D,sB;QAAA,SAAkB,S;  
MAAW,uB;QAAA,UAA0B,S;MAC/G,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,QAAF,IAAc,M;  
MACd,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;uHAuCX,mF;MAE6C,oB;QAAA,OAAa,S;MAAW,sB;QAAA,S  
AAkB,S;MAAW,2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAAmD,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;Q  
AAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpT,QAAQ,E;MACR,EAAE,M  
AAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MA  
Cd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IA  
AgB,Q;MAChB,OAAO,C;K;qGA+BX,6D;MAEoC,4B;QAAA,eAAyB,K;MAAO,4B;QAAA,eAAyB,K;MAAO,0B  
;QAAA,aAAuB,K;MAAO,yB;QAAA,YAAqB,S;MACnJ,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAA  
E,cAAF,IAAoB,Y;MACpB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,WAAF,IAAiB,S;MACjB,OAAO,C;K;yGAKB  
X,4C;MAEsC,oB;QAAA,OAAgB,S;MAAW,uB;QAAA,UAAoB,S;MAAW,wB;QAAA,WAAsB,S;MAAW,uB;QA  
AA,UAA8B,S;MAC3J,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,EAAE,UAA  
F,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+FAkCmE,qB;MAAQ,OAAa,Y;K;6FAEtB,qB;MA  
AQ,OAAy,W;K;+FAEnB,qB;MAAQ,OAAa,Y;K;6FAEtB,qB;MAAQ,OAAy,W;K;6FAEpB,qB;MAAQ,OAAy,  
W;K;6FAStC,qB;MAAQ,OAAy,W;K;6FAEpB,qB;MAAQ,OAAy,W;K;uFAEvB,qB;MAAQ,OAAS,Q;K;qFAEn  
B,qB;MAAQ,OAAO,M;K;uFASX,qB;MAAQ,OAAS,Q;K;yFAEjB,qB;MAAQ,OAAS,Q;K;qGAEX,qB;MAAQ,O  
AAe,c;K;iFAEhC,qB;MAAQ,OAAM,K;K;iGCharE,0E;MAEoC,gC;QAAA,mBAA6B,K;MAAO,sB;QAAA,SAAk  
B,C;MAAG,qB;QAAA,QAAiB,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA  
,WAAqB,K;MAC3L,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,QAAF,IAAc,M;MACd,EAAE,  
OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MA  
ChB,OAAO,C;K;mFAU8E,qB;MAAQ,OAAG,E;K;+FAEL,qB;MAAQ,OAAC,a;K;iFAE7B,qB;MAAQ,OAAO,M;  
K;yFAEX,qB;MAAQ,OAAW,U;K;+EAEvB,qB;MAAQ,OAAO,M;K;+EAEf,qB;MAAQ,OAAO,M;K;oErJlvG,yB  
;MAAA,kF;MAAA,0B;MAAA,uB;QaaI,IAAI,OAAO,CAAP,IAA8B,OAAO,KAAzC,C;UACI,MAAM,8BAAyB,  
wBAAqB,IAA9C,C;SAEV,OAAy,OAAL,IAAK,C;O;KAhBhB,C;0EAwCiC,qB;MAAQ,OAAA,SAAK,I;K;IsIpB  
V,6B;MAAC,qB;QAAA,8C;MAAA,kB;K;IACjC,2C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,yC;MAAA,4C;O;  
MAKI,0E;MAEA,sE;K;;IAFA,kD;MAAA,+B;MAAA,0C;K;;IAEA,gD;MAAA,+B;MAAA,wC;K;;IAPJ,qC;MAA  
A,yF;K;;IAAA,0C;MAAA,a;aAAA,S;UAAA,+C;aAAA,O;UAAA,6C;gBAAA,8D;;K;;;IAyBmC,sC;MACnC,8B;K  
;;IAMqC,sC;MACrC,8B;K;;IC1DJ,iC;K;;ICMA,4B;K;;IA6BA,gD;K;;IC5BA,qC;K;;IA4BA,+B;K;;ICRqC,uC;MA  
CjC,uB;QAAA,UAAsB,E;MACTB,qB;QAAA,+C;MADA,sB;MACA,kB;K;IAEA,4C;MAAA,e;MAAA,iB;MAAA,  
uB;K;IAAA,0C;MAAA,6C;O;MAKI,4E;MAGA,wE;K;;IAHA,mD;MAAA,gC;MAAA,2C;K;;IAGA,iD;MAAA,gC  
;MAAA,yC;K;;IARJ,sC;MAAA,2F;K;;IAAA,2C;MAAA,a;aAAA,S;UAAA,gD;aAAA,O;UAAA,8C;gBAAA,+D;;  
K;;;IAyByB,4B;MACzB,8B;K;;IC/C4C,8B;K;kDAI5C,mB;MAA6D,c;;QpJ2rD7C,Q;QADhB,IAAI,mCAAsB,cAA  
1B,C;UAAqC,aAAO,K;UAAP,e;SACrB,sB;QAaHb,OAAgB,cAAhB,C;UAAgB,2B;UAAM,IoJ3rD6C,OpJ2rD/B,  
SoJ3rD+B,UpJ2rD7C,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;;MoJ5rDsD,iB;K;uDAE7D,oB;MACa,c;;Qp  
JmqDG,Q;QADhB,IAAI,coJlqDA,QpJkqDA,iBoJlqDA,QpJkqDsB,UAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,O  
oJnqDZ,QpJmqDY,W;QAaHb,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CoJnqDP,oBpJmqDkB,OoJnqDIB,Cp  
JmqDG,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;;MoJpqDH,iB;K;2CAEJ,Y;MAAkC,qBAAQ,C;K;IAEqB,q  
E;MAAA,qB;QAC3D,OAAI,OAAO,uBAAX,GAAiB,mBAAjB,GAA6C,SAAH,EAAG,C;O;K;4CADjD,Y;MAAk  
C,4BAAa,IAAb,EAAMB,GAAAnB,EAAwB,GAAxB,kBAA6B,wCAA7B,C;K;2CAIIC,Y;MAI4C,uBAAgB,IAAhB,  
C;K;mDAE5C,iB;MAI4D,yBAAgB,IAAhB,EAAsB,KAAtB,C;K;;IC/BhE,8B;MAAA,e;MAAA,iB;MAAA,uB;K;I  
AAA,4B;MAAA,+B;O;MACI,4C;MACA,kD;MACA,0C;MACA,8C;K;;IAHA,mC;MAAA,kB;MAAA,2B;K;;IAC  
A,sC;MAAA,kB;MAAA,8B;K;;IACA,kC;MAAA,kB;MAAA,0B;K;;IACA,oC;MAAA,kB;MAAA,4B;K;;IAJJ,wB;  
MAAA,sH;K;;IAAA,6B;MAAA,a;aAAA,O;UAAA,gC;aAAA,U;UAAA,mC;aAAA,M;UAAA,+B;aAAA,Q;UAAA  
,iC;gBAAA,6D;;K;;IAOA,4B;MAKI,mD;MACA,2BAA4B,I;K;yCAE5B,Y;MAEiB,IAAN,I;M3JUX,IAAI,E2JXQ,  
mD3JWR,CAAJ,C;QACI,cAda,qB;Qaeb,MAAM,gCAAYB,OAAQ,WAAjC,C;O2JZC,QAAM,oBAAN,M;aACH,  
M;UAAc,Y;UAAAd,K;aACA,O;UAAe,W;UAAf,K;gBACQ,wC;UAHL,K;;MAAP,W;K;sCAOJ,Y;MAIW,Q;MAHP  
,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACTB,mD;MAEA,OAAO,2F;K;4DAGX,Y;MACI,iD;MACA,kB;M

ACA,OAAO,kD;K;+CAeX,iB;MAII,2BAAY,K;MACZ,gD;K;sCAGJ,Y;MAII,+C;K;;iCjDkC,wB;MAoFtC,oC;MA  
pFgE,6B;K;sCAIhE,Y;MAAuC,0C;K;2CAEvC,mB;MAAwD,uB;;QtJkU3C,Q;QADb,YAAAY,C;QACC,sB;QAAb,  
OAAa,cAAb,C;UAAa,sB;UACT,IsJnUmE,OtJmUrD,IsJnUqD,UtJmUnE,C;YACI,sBAAO,K;YAAP,wB;WACJ,qB  
;;QAEJ,sBAAO,E;;;MsJvUiD,0B;K;+CAExD,mB;MAA4D,sB;;QtJ2V5D,eAAoB,0BAAa,SAAb,C;QACpB,OAAO  
,QAAS,cAAhB,C;UACI,IsJ7VsE,OtJ6VxD,QAAS,WsJ7V+C,UtJ6VtE,C;YACI,qBAAO,QAAS,Y;YAAhB,uB;;Q  
AGR,qBAAO,E;;;MsJwqD,yB;K;0CAE5D,Y;MAA+C,+CAAiB,CAAjB,C;K;kDAE/C,iB;MAAyD,+CAAiB,KA  
AjB,C;K;6CAEzD,8B;MAA8D,gCAAQ,IAAR,EAAc,SAAd,EAAyB,OAAzB,C;K;IAEIC,wD;MAAgF,uB;MAA/E  
,kB;MAAmC,4B;MAC5D,eAAyB,C;MAGrB,+DAAkB,gBAAiB,EAA6B,OAA7B,EAAcC,WAAK,KAA3C,C;MA  
CA,eAAa,UAAU,gBAAV,I;K;iDAGjB,iB;MACI,+DAAkB,KAAiB,EAAyB,YAAzB,C;MAEA,OAAO,wBAAK,m  
BAAY,KAAZ,IAAL,C;K;4FAGY,Y;MAAQ,mB;K;;oCAGnC,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;  
MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,2DAAc,IAAd,EAAoB,KAApB,C;K;sCAGX,Y;MAG  
+B,oEAAgB,IAAhB,C;K;IAE/B,2C;MAAA,oB;MACI,eACsB,C;K;kDAEtB,Y;MAAkC,sBAAQ,gB;K;+CAE1C,Y  
;MAEe,gB;MADX,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACX,iE;MAAX,OAAO,+B;K;;IAO0B,sD;MAHz  
C,oB;MAGwD,iD;MAGhD,gEAAmB,KAAhB,EAA0B,WAAkB,KAA5C,C;MACA,eAAa,K;K;0DAGjB,Y;MAAs  
C,sBAAQ,C;K;wDAE9C,Y;MAAgC,mB;K;uDAEhC,Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MAC  
1B,OAAO,yBAAI,mCAAJ,EAAI,YAAJ,E;K;4DAGX,Y;MAAoC,sBAAQ,CAAR,I;K;;IAGxC,kC;MAAA,sC;K;iE  
ACI,uB;MACI,IAAI,QAAQ,CAAR,IAAa,SAAS,IAA1B,C;QACI,MAAM,8BAA0B,YAAS,KAAT,gBAAuB,IAAj  
D,C;Q;kEAIId,uB;MACI,IAAI,QAAQ,CAAR,IAAa,QAAQ,IAAzB,C;QACI,MAAM,8BAA0B,YAAS,KAAT,gBA  
AuB,IAAjD,C;Q;iEAIId,oC;MACI,IAAI,YAAAY,CAAZ,IAAiB,UAAU,IAA/B,C;QACI,MAAM,8BAA0B,gBAAa,S  
AAb,mBAAkC,OAAIC,gBAAkD,IAA5E,C;OAEV,IAAI,YAAAY,OAAhB,C;QACI,MAAM,gCAAYB,gBAAa,SA  
Ab,oBAAmC,OAA5D,C;Q;kEAIId,sC;MACI,IAAI,aAAa,CAAb,IAAkB,WAAW,IAAjC,C;QACI,MAAM,8BAA0B,i  
BAAc,UAAAd,oBAAqC,QAArC,gBAAsD,IAAhF,C;OAEV,IAAI,aAAa,QAAjB,C;QACI,MAAM,gCAAYB,iBAAC,  
UAAAd,qBAAsC,QAA/D,C;Q;+DAId,a;MAEc,UACsB,M;MAFhC,iBA Ae,C;MACL,mB;MAAV,OAAU,cAAV,C;  
QAAU,mB;QACN,aAAW,MAAK,UAAAL,SAAiB,6DAAiB,CAAIC,K;;MAEf,OAAO,U;K;6DAGX,oB;MAIiB,Q;  
MAHb,IAAI,CAAE,KAAF,KAAU,KAAM,KAApB,C;QAA0B,OAAO,K;MAEjC,oBAAoB,KAAM,W;MACb,mB  
;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,gBAAgB,aAAc,O;QAC9B,IAAI,cAAQ,SAAR,CAAJ,C;UACI,OAAO,K;  
;MAGf,OAAO,I;K;;IAjDf,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;;iCnFwC,uB;MAyHxC,mC;MAzCA,uBAC6B,I  
;MAmC7B,yBACsC,I;K;8CAnHtC,e;MACI,OAAO,6BAAc,GAAd,S;K;gDAGX,iB;MAAwE,gBAAR,Y;MAAQ,c;  
;QvJkrDxD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAP,e;SACrB,2B;QAAhB,OAAgB,cAAh  
B,C;UAAgB,yB;UAAM,IuJlrDwD,OvJkrD1C,OuJlrD6C,MAAH,QvJkrDxD,C;YAAwB,aAAO,I;YAAP,e;;QAC9  
C,aAAO,K;;MuJnrDyD,iB;K;kDAEhE,iB;MAEI,IAAI,gCAAJ,C;QAA+B,OAAO,K;MACtC,UAAU,KAAM,I;MA  
ChB,YAAAY,KAAM,M;MpKiNO,Q;MoKhNzB,epKgN4C,CAAnB,mDAAmB,YoKhNzB,GpKgNyB,C;MoK9M5C  
,IAAI,eAAS,QAAT,CAAJ,C;QACI,OAAO,K;OAIP,6B;MAAA,W;QpK0NqB,U;QoK1ND,UpK0NoB,CAAnB,uD  
AAmB,oBoK1NP,GpK0NO,C;OoK1N5C,W;QACI,OAAO,K;OAGX,OAAO,I;K;mCAIX,iB;MAMI,IAAI,UAAU,I  
AAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAyB,OAAO,K;MAChC,IAAI,cAAQ,KAAM,KAAiB,C;QA  
AwB,OAAO,K;MAEV,gBAAAd,KAAM,Q;MAAQ,c;;QvJ6nDT,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,a  
AAO,I;UAAP,e;SACrB,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CuJ7nDK,2BvJ6nDM,OuJ7nDN  
,CvJ6nDT,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MuJ9nDH,iB;K;sCAGJ,e;MAAwC,Q;MAAA,4CAAc,  
GAAd,8B;K;qCAGxC,Y;MAK+B,OAAQ,SAAR,YAAQ,C;K;oCAEvC,Y;MAAkC,qBAAQ,C;K;mFACnB,Y;MA  
AQ,OAAA,YAAQ,K;K;IAWnB,0E;MAAA,wC;MAAS,sB;K;8EACb,mB;MAASD,+CAAY,OAAZ,C;K;IAI3C,sG;  
MAAA,kD;K;8FACH,Y;MAAkC,OAAA,0BAAc,U;K;2FACHD,Y;MAAyB,OAAA,0BAAc,OAAO,I;K;;wEAJtD,  
Y;MACI,oBAAoB,6BAAQ,W;MAC5B,+F;K;sHAMmB,Y;MAAQ,OAAA,qBAAiB,K;K;;mFAB5D,Y;MACI,IAAI  
,4BAAJ,C;QACI,+E;OAcJ,OAAO,mC;K;IAOWD,uD;MAAA,qB;QAAE,2CAAS,EAAT,C;O;K;qCAAzE,Y;MAAk  
C,OAAQ,eAAR,YAAQ,EAAa,IAAb,EAAmB,GAAnB,EAAwB,GAAXB,kBAA6B,iCAA7B,C;K;+CAE1C,iB;MA  
AuD,+BAAS,KAAM,IAAf,IAAsB,GAAtB,GAA4B,wBAAS,KAAM,MAAf,C;K;+CAEnF,a;MAAwC,OAAI,MA  
AM,IAAV,GAAgB,YAAhB,GAAoC,SAAF,CAAE,C;K;IAWtD,4E;MAAA,wC;MAAS,6B;K;gFACf,mB;MAAsE,  
iDAAc,OAAAd,C;K;IAI3D,wG;MAAA,kD;K;gGACH,Y;MAAkC,OAAA,0BAAc,U;K;6FACHD,Y;MAAyB,OAAA  
,0BAAc,OAAO,M;K;;0EAJtD,Y;MACI,oBAAoB,6BAAQ,W;MAC5B,iG;K;wHAMmB,Y;MAAQ,OAAA,qBAAi

B,K;K;;qFAB5D,Y;MACI,IAAI,8BAAJ,C;QACI,mF;OAcJ,OAAO,qC;K;oDAMf,e;MAA8D,gBAAR,Y;MAAQ,sB  
;;QvJiJ9C,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IuJjJsD,OvJiJxC,OuJjJ2C,IAAH,MvJiJtD,  
C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MuJlJ+C,yB;K;IAEtD,iC;MAAA,qC;K;4DAEI,a;MAAiE,g  
C;MAAX,OAAU,CAAC,kBAAN,CAAM,0DAAmB,CAApB,KAA4B,oBAAjC,CAAiC,8DAAqB,CAAjD,C;K;4D  
AChE,a;MAAyD,OAAU,SAAL,CAAO,IAAF,mBAAL,CAAY,MAAP,C;K;0DACnE,oB;MACI,IAAI,gCAAJ,C;Q  
AA+B,OAAO,K;MACtC,OAAO,OAAA,CAAE,IAAF,EAAS,KAAM,IAAf,KAAsB,OAAA,CAAE,MAAF,EAAW  
,KAAM,MAAjB,C;K;;;IANrC,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;;IChIqC,uB;MAkBrC,mC;MAIB+D,6B;K;  
mCAE/D,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAsB,OAAO,K;MAC7B,  
OAAO,sDAAU,IAAV,EAAGB,KAAhB,C;K;qCAGX,Y;MAG+B,qEAakB,IAAIB,C;K;IAE/B,iC;MAAA,qC;K;gE  
ACI,a;MAEoB,Q;MADhB,iBAae,C;MACC,mB;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACC,U;QAAb,2BAAa  
,yEAAuB,CAApC,K;;MAEJ,OAAO,U;K;wDAGX,oB;MACI,IAAI,CAAE,KAAF,KAAU,KAAM,KAAPB,C;QAA  
0B,OAAO,K;MACjC,OAAO,CtK4O5G,qBsK5OxG,KtK4OwF,C;K;;;IsKvPrH,6C;MAAA,4C;QAAA,2B;OAAA,q  
C;K;;;MCghBA,kC;MA9hBA,cAAwB,C;MACxB,yB;MAEA,sBAAYB,C;;kFAAzB,Y;MAAA,0B;K,OAAA,gB;M  
AAA,0B;K;4CA8BA,uB;MAOI,IAAI,cAAc,CAAlB,C;QAAqB,MAAM,6BAAsB,mBAAtB,C;MAC3B,IAAI,eAA  
e,kBAAY,OAA/B,C;QAAqC,M;MACrC,IAAI,uBAAGB,qDAAPB,C;QACI,qBAAc,gBAAYB,gBAAZ,WAAZ,EA  
Ac,EAAd,CAAZB,O;QACd,M;OAGJ,kBAakB,uDAAY,kBAAY,OAAxB,EAA8B,WAA9B,C;MACIB,oBAAa,W  
AAb,C;K;0CAGJ,uB;MAII,kBAakB,gBAAMB,WAAAnB,O;M9J20BtB,U8J10BI,kB9J00BJ,E8J10ByB,W9J00BzB  
,E8J10BsC,C9J00BtC,E8J10ByC,W9J00BzC,E8J10B+C,kBAAY,O9J00B3D,C;MAAA,U8Jz0BI,kB9Jy0BJ,E8Jz0  
ByB,W9Jy0BzB,E8Jz0BsC,kBAAY,OAAZ,GAAMB,WAAAnB,I9Jy0BtC,E8Jz0B+D,C9Jy0B/D,E8Jz0BkE,W9Jy0  
BIE,C;M8Jx0BI,cAAO,C;MACP,qBAAc,W;K;yCAGIB,yB;MAGW,Q;MAAP,OAAO,2BAAY,aAAZ,4D;K;yCAG  
X,iB;MAA2C,OAAI,SAAS,kBAAY,OAAZB,GAA+B,QAAQ,kBAAY,OAApB,IAA/B,GAA6D,K;K;yCAEXG,iB;  
MAA2C,OAAI,QAAQ,CAAZ,GAAe,QAAQ,kBAAY,OAApB,IAAf,GAA6C,K;K;2CAEXF,iB;MACoD,0BAAY,c  
AAO,KAAP,IAAZ,C;K;yCAEPd,iB;MAA2C,OAAI,UAAqB,cAAZ,kBAAY,CAAZB,GAAoC,CAAPC,GAA2C,Q  
AAQ,CAAR,I;K;yCAEtF,iB;MAA2C,OAAI,UAAAS,CAAb,GAA4B,cAAZ,kBAAY,CAA5B,GAA2C,QAAQ,CAA  
R,I;K;mCAEtF,Y;MAAkC,qBAAQ,C;K;iCAE1C,Y;MAGwB,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;;  
QAnBIC,Q;QAmBa,OAnBb,2BAmBkG,WAnBlG,4D;;K;uCAqBX,Y;MAG+B,Q;MAAA,IAAI,cAAJ,C;QAAA,O  
AAe,I;QAxBnC,U;QAwBoB,OAxBpB,6BAwByD,WAxBzD,gE;;MAwBoB,W;K;gCAE/B,Y;MAGuB,IAAI,cAAJ  
,C;QAAe,MAAM,2BAAuB,sBAAvB,C;;QA7BjC,Q;QA6BY,OA7BZ,2BAQyC,mBAAY,cAqB0D,sBArB1D,IAA  
Z,CARzC,4D;;K;sCA+BX,Y;MAG8B,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;QAICIC,U;QAKcMB,OAlCnB,6B  
AQyC,mBAAY,cA0BiB,sBA1BjB,IAAZ,CARzC,gE;;MAkCmB,W;K;0CAE9B,mB;MAII,sBAae,YAAO,CAAP,I  
AAf,C;MAEA,cAAO,mBAAY,WAAZ,C;MACP,mBAAY,WAAZ,IAAoB,O;MACpB,wBAAQ,CAAR,I;K;yCAGJ  
,mB;MAII,sBAae,YAAO,CAAP,IAAf,C;MAEA,mBA7CgD,mBAAY,cA6CIC,SA7CkC,IAAZ,CA6ChD,IAAmC,  
O;MACnC,wBAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MA7Dd,Q;M  
A+DP,cA/DO,2BA+DmB,WA/DnB,4D;MAGeP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;M  
ACP,wBAAQ,CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,OAAI,cAAJ,GAAe,IAAf,GAAYB,kB;K;sCAE9D,  
Y;MAII,IAAI,cAAJ,C;QAAe,MAAM,2BAAuB,sBAAvB,C;MAErB,wBAzEgD,mBAAY,cAyEtB,sBAzEsB,IAAZ  
,C;MARzC,Q;MAkFP,cAlFO,2BAkFmB,iBAIfnB,4D;MAmFP,mBAAY,iBAAZ,IAAiC,I;MACjC,wBAAQ,CAA  
R,I;MACA,OAAO,O;K;4CAGX,Y;MAGoC,OAAI,cAAJ,GAAe,IAAf,GAAYB,iB;K;qCAE7D,mB;MAEI,mBAAQ  
,OAAr,C;MACA,OAAO,I;K;uCAGX,0B;MACI,oCAAA,4BAAMB,KAAAnB,EAA0B,SAA1B,C;MAEb,IAAI,UAA  
S,SAAb,C;QACI,mBAAQ,OAAr,C;QACA,M;aACG,IAAI,UAAAS,CAAb,C;QACH,oBAAS,OAAT,C;QACA,M;O  
AGJ,sBAae,YAAO,CAAP,IAAf,C;MA2BA,oBAjIgd,mBAAY,cAiI1B,KAjI0B,IAAZ,C;MAmIhD,IAAI,QAAS,S  
AAD,GAAQ,CAAR,IAAE,CAA3B,C;QAEI,+BAA+B,mBAAY,aAAZ,C;QAC/B,sBAAsB,mBAAY,WAAZ,C;QA  
EtB,IAAI,4BAA4B,WAAhC,C;UACI,mBAAY,eAAZ,IAA+B,mBAAY,WAAZ,C;U9JgrB3C,U8J/qBY,kB9J+qBZ,  
E8J/qBiC,kB9J+qBjC,E8J/qB8C,W9J+qB9C,E8J/qBoD,cAAO,CAAP,I9J+qBpD,E8J/qB8D,2BAA2B,CAA3B,I9J  
+qB9D,C;;UAAA,U8J7qBY,kB9J6qBZ,E8J7qBiC,kB9J6qBjC,E8J7qB8C,cAAO,CAAP,I9J6qB9C,E8J7qBwD,W9  
J6qBxD,E8J7qB8D,kBAAY,O9J6qB1E,C;U8J5qBY,mBAAY,kBAAY,OAAZ,GAAMB,CAAnB,IAAZ,IAAoC,mB  
AAY,CAAZ,C;U9J4qBhD,U8J3qBY,kB9J2qBZ,E8J3qBiC,kB9J2qBjC,E8J3qB8C,C9J2qB9C,E8J3qBiD,C9J2qBj  
D,E8J3qBoD,2BAA2B,CAA3B,I9J2qBpD,C;;Q8JxqBQ,mBAAY,wBAAZ,IAAwC,O;QACxC,cAAO,e;;QAGP,W

ArJ4C,mBAAY,cAqJ/B,SArJ+B,IAAZ,C;QAUJ5C,IAAI,gBAAGB,IAApB,C;U9JkqBR,U8JjqBY,kB9JiqBZ,E8JjqBiC,kB9JiqBjC,E8JjqB8C,gBAAGB,CAAhB,I9JiqB9C,E8JjqBiE,a9JiqBjE,E8JjqBgF,I9JiqBhF,C;;UAAA,U8J/pBY,kB9J+pBZ,E8J/pBiC,kB9J+pBjC,E8J/pB8C,C9J+pB9C,E8J/pBiD,C9J+pBjD,E8J/pBoD,I9J+pBpD,C;U8J9pBY,mBAAY,CAAZ,IAAiB,mBAAY,kBAAY,OAAZ,GAAMB,CAAnB,IAAZ,C;U9J8pB7B,U8J7pBY,kB9J6pBZ,E8J7pBiC,kB9J6pBjC,E8J7pB8C,gBAAGB,CAAhB,I9J6pB9C,E8J7pBiE,a9J6pBjE,E8J7pBgF,kBAAY,OAAZ,GAAMB,CAAnB,I9J6pBhF,C;;Q8J1pBQ,mBAAY,aAAZ,IAA6B,O;;MAEjC,wBAAQ,CAAR,I;K;oDAGJ,mC;MAGkD,UAlxB,M;MANtB,eAAe,QAAS,W;MAEsB,OAAZ,kBAAY,O;MAA9C,iBAAc,aAAd,wB;QACI,IAAI,CAAC,QAAAS,UAAAd,C;UAAyB,K;QACzB,mBAAY,KAAZ,IAAqB,QAAS,O;;MAEZ,oB;MAAtB,mBAAc,CAAd,8B;QACI,IAAI,CAAC,QAAAS,UAAAd,C;UAAyB,K;QACzB,mBAAY,OAAZ,IAAqB,QAAS,O;;MAGIC,wBAAQ,QAAS,KAAjB,I;K;OCAGJ,oB;MACI,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAC/B,sBA Ae,IAAK,KAAL,GAAY,QAAS,KAArB,IAAf,C;MACA,8BatLgD,mBAAY,cAsLvB,SAtLuB,IAAZ,CAsLhD,EAA4C,QAA5C,C;MACA,OAAO,I;K;OCAGX,2B;MACI,oCAAa,4BAAMB,KAAnB,EAA0B,SAA1B,C;MAEb,IAAI,QAAS,UAAb,C;QACI,OAAO,K;aACJ,IAAI,UAAS,SAAb,C;QACH,OAAO,oBAAO,QAAP,C;OAGX,sBA Ae,IAAK,KAAL,GAAY,QAAS,KAArB,IAAf,C;MAEA,WArMgD,mBAAY,cAqMnC,SArMmC,IAAZ,C;MAsMhD,oBatMgD,mBAAY,cAsM1B,KAtM0B,IAAZ,C;MAuMhD,mBAAMB,QAAS,K;MAE5B,IAAI,QAAS,SAAD,GAAQ,CAAR,IAAe,CAA3B,C;QAGI,kBAAkB,cAAO,YAAP,I;QAEiB,IAAI,iBAAiB,WAArB,C;UACI,IAAI,eAAe,CAAnB,C;Y9J0mBZ,U8JzmBgB,kB9JymBhB,E8JzmBqC,kB9JymBrC,E8JzmBkD,W9JymBiD,E8JzmB+D,W9JymB/D,E8JzmBqE,a9JymBrE,C;;Y8JvmbgB,4BA Ae,kBAAY,OAA3B,I;YACA,sBAAsB,gBAAGB,WAAhB,I;YACtB,kBAAkB,kBAAY,OAAZ,GAAMB,WAAAnB,I;YAEiB,IAAI,eAAe,eAAnB,C;c9JmmBhB,U8JlmBoB,kB9JkmBpB,E8JlmByC,kB9JkmBzC,E8JlmBsD,W9JkmBtD,E8JlmBmE,W9JkmBnE,E8JlmByE,a9JkmBzE,C;;cAAA,U8JhmBoB,kB9JgmBpB,E8JhmByC,kB9JgmBzC,E8JhmBsD,W9JgmBtD,E8JhmBmE,W9JgmBnE,E8JhmByE,cAAO,WAAP,I9JgmBzE,C;cAAA,U8J/lBoB,kB9J+lBpB,E8J/lByC,kB9J+lBzC,E8J/lBsD,C9J+lBtD,E8J/lByD,cAAO,WAAP,I9J+lBzD,E8J/lB6E,a9J+lB7E,C;;;UAAA,U8J3lBY,kB9J2lBZ,E8J3lBiC,kB9J2lBjC,E8J3lB8C,W9J2lB9C,E8J3lB2D,W9J2lB3D,E8J3lBiE,kBAAY,O9J2lB7E,C;U8J1lBY,IAAI,gBAAGB,aAApB,C;Y9J0lBZ,U8JzlBgB,kB9JylBhB,E8JzlBqC,kB9JylBrC,E8JzlBkD,kBAAY,OAAZ,GAAMB,YAAnB,I9JylBiD,E8JzlBmF,C9JylBnF,E8JzlBsF,a9JylBtF,C;;YAAA,U8JvlBgB,kB9JulBhB,E8JvlBqC,kB9JulBrC,E8JvlBkD,kBAAY,OAAZ,GAAMB,YAAnB,I9JulBiD,E8JvlBmF,C9JulBnF,E8JvlBsF,Y9JulBtF,C;YAAA,U8JtlBgB,kB9JslBhB,E8JtlBqC,kB9JslBrC,E8JtlBkD,C9JslBiD,E8JtlBqD,Y9JslBrD,E8JtlBmE,a9JslBnE,C;;Q8JnlBQ,cAAO,W;QACP,8BA AuB,mBAAY,gBAAGB,YAAhB,IAAZ,CAA vB,EAAkE,QAAIE,C;;QAIA,2BAA2B,gBAAGB,YAAhB,I;QAE3B,IAAI,gBAAGB,IAApB,C;UACI,IAAI,QAAO,YAAP,SA AuB,kBAAY,OAA vC,C;Y9J2kBZ,U8J1kBgB,kB9J0kBhB,E8J1kBqC,kB9J0kBBrC,E8J1kBkD,oB9J0kBID,E8J1kBwE,a9J0kBxE,E8J1kBuF,I9J0kBvF,C;;Y8JxkBgB,IAAI,wBA AwB,kBAAY,OAAx C,C;c9JwkBhB,U8JvkBoB,kB9JukBpB,E8JvkByC,kB9JukBzC,E8JvkBsD,uBAAuB,kBAAY,OAA nC,I9JukBtD,E8JvkB+F,a9JukB/F,E8JvkB8G,I9JukB9G,C;;c8JrkBoB,mBAAMB,OAAO,YAAP,GAAsB,kBAAY,OAAIC,I;c9JqkBVc,U8JpkBoB,kB9JokBpB,E8JpkByC,kB9JokBzC,E8JpkBsD,C9JokBtD,E8JpkByD,OAAO,YAAP,I9JokBzD,E8JpkB8E,I9JokB9E,C;cAAA,U8JnkBoB,kB9JmkBpB,E8JnkByC,kB9JmkBzC,E8JnkBsD,oB9JmkBtD,E8JnkB4E,a9JmkB5E,E8JnkB2F,OAAO,YAAP,I9JmkB3F,C;;;UAAA,U8J/jBY,kB9J+jBZ,E8J/jBiC,kB9J+jBjC,E8J/jB8C,Y9J+jB9C,E8J/jB4D,C9J+jB5D,E8J/jB+D,I9J+jB/D,C;U8J9jBY,IAAI,wBA AwB,kBAAY,OAAx C,C;Y9J8jBZ,U8J7jBgB,kB9J6jBhB,E8J7jBqC,kB9J6jBrC,E8J7jBkD,uBAAuB,kBAAY,OAA nC,I9J6jBiD,E8J7jB2F,a9J6jB3F,E8J7jB0G,kBAAY,O9J6jBiH,C;;YAAA,U8J3jBgB,kB9J2jBhB,E8J3jBqC,kB9J2jBrC,E8J3jBkD,C9J2jBiD,E8J3jBqD,kBAAY,OAAZ,GAAMB,YAAnB,I9J2jBrD,E8J3jBsF,kBAAY,O9J2jBiG,C;YAAA,U8J1jBgB,kB9J0jBhB,E8J1jBqC,kB9J0jBrC,E8J1jBkD,oB9J0jBiD,E8J1jBwE,a9J0jBxE,E8J1jBuF,kBAAY,OAAZ,GAAMB,YAAnB,I9J0jBvF,C;;Q8JvjBQ,8BA AuB,aAA vB,EAA sC,QAA tC,C;;MAGJ,OAAO,I;K;uCAGX,iB;MACI,oCAAa,2BA AkB,KAAIB,EAA yB,SA AzB,C;MAjRN,Q;MAmRP,OAnRO,2BA QyC,mBAAY,cA2Q3B,KA3Q2B,IAAZ,CARzC,4D;K;uCA sRX,0B;MACI,oCAAa,2BA AkB,KAAIB,EAA yB,SA AzB,C;MAEb,oBA jRgD,mBAAY,cAiR1B,KAjR0B,IAAZ,C;MARzC,Q;MA0RP,iBA IRO,2BA 0RsB,aA1RtB,4D;MA2RP,mBAAY,aAAZ,IAA6B,O;MAE7B,OAAO,U;K;OCAGX,mB;MAAoD,0BAAQ,OAAR,MAAoB,E;K;yCAExE,mB;MAIsB,IAIA,IAJA,EAIuB,M;MAPzC,WA3RgD,mBAAY,cA2RnC,SA3RmC,IAAZ,C;MA6RhD,IAAI,cAAO,IAAX,C;QACI,iBA Ac,WAA d,UAA yB,IAAzB,U;UACI,IAAI,gBA Aw,mBAAY,KAAZ,CAAX,CAAJ,C;YAAmC,OAAO,QAAQ,WAAR,I;;aE3C,IAAI,eAAQ,IAAZ,C;QACW,kB;QAAuB,SAAZ,kBAAY,O;QAARc,q

D;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,WAAR,I;;QAE9C,mBAAc,CAAd,YAAsB,IAAtB,Y;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,kBAAY,OAAPB,GAA2B,WAA3B,I;;OAIID,OAAO,E;K;6CAGX,mB;MAIsC,UAOJ,MAPI,EAOa,M;MAV/C,WA9SgD,mBAAY,cA8SnC,SA9SmC,IAAZ,C;MAgThD,IAAI,cAAO,IAAX,C;QACKc,kB;QAA9B,iBAAc,OAAO,CAAP,IAAd,yB;UACI,IAAI,gBAAW,mBAAY,KAAZ,CAAX,CAAJ,C;YAAmC,OAAO,QAAQ,WAAR,I;;aAE3C,IAAI,cAAO,IAAX,C;QACH,mBAAc,OAAO,CAAP,IAAd,aAA8B,CAA9B,Y;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,kBAAY,OAAPB,GAA2B,WAA3B,I;;QAEpB,uBAAZ,kBAAY,C;QAAiB,oB;QAA3C,wD;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,WAAR,I;;OAIID,OAAO,E;K;wCAGX,mB;MACI,YAAY,mBAAQ,OAAR,C;MACZ,IAAI,UAAS,EAAb,C;QAAiB,OAAO,K;MACxB,sBAAS,KAAT,C;MACA,OAAO,I;K;4CAGX,iB;MACI,oCAaA,2BAaKB,KAAiB,EAAYB,SAAZB,C;MAEb,IAAI,UAAS,sBAAb,C;QACI,OAAO,iB;aACJ,IAAI,UAAS,CAAb,C;QACH,OAAO,kB;OAGX,oBAhVgD,mBAAY,cAgV1B,KAhV0B,IAAZ,C;MARzC,Q;MAyVP,cAzVO,2BAyVmB,aAzVnB,4D;MA2VP,IAAI,QAAQ,aAAS,CAArB,C;QAEI,IAAI,iBAAiB,WAAR,B,C;U9JoeR,U8JneY,kB9JmeZ,E8JneiC,kB9JmejC,E8Jne8C,cAAO,CAAP,I9Jme9C,E8JnewD,W9JmexD,E8Jne8D,a9Jme9D,C;;UAAA,U8JjeY,kB9JieZ,E8JjeiC,kB9JiejC,E8Jje8C,C9Jie9C,E8JjeiD,C9JiejD,E8JjeoD,a9JjepD,C;U8JheY,mBAAY,CAAZ,IAAiB,mBAAY,kBAAY,OAAZ,GAAmB,CAAnB,IAAZ,C;U9Jge7B,U8J/dY,kB9J+dZ,E8J/diC,kB9J+djC,E8J/d8C,cAAO,CAAP,I9J+d9C,E8J/dwD,W9J+dxD,E8J/d8D,kBAAY,OAAZ,GAAmB,CAAnB,I9J+d9D,C;;Q8J5dQ,mBAAY,WAAZ,IAAoB,I;QACpB,cAAO,mBAAY,WAAZ,C;;QAGP,wBAjW4C,mBAAY,cAiW1B,sBAjWkB,IAAZ,C;QAmW5C,IAAI,iBAAiB,iBAArB,C;U9JsdR,U8JrdY,kB9JqdZ,E8JrdiC,kB9JqjC,E8Jrd8C,a9Jqd9C,E8Jrd6D,gBAAGB,CAAhB,I9Jqd7D,E8JrdgF,oBAAoB,CAAPB,I9JqdhF,C;;UAAA,U8JndY,kB9JmdZ,E8JndiC,kB9JmdjC,E8Jnd8C,a9Jmd9C,E8Jnd6D,gBAAGB,CAAhB,I9Jmd7D,E8JndgF,kBAAY,O9Jmd5F,C;U8JldY,mBAAY,kBAAY,OAAZ,GAAmB,CAAnB,IAAZ,IAAoC,mBAAY,CAAZ,C;U9JkdhD,U8JjdY,kB9JidZ,E8JjdiC,kB9JidjC,E8Jjd8C,C9Jid9C,E8JjdiD,C9JidjD,E8JjdoD,oBAAoB,CAAPB,I9JidpD,C;;Q8J9cQ,mBAAY,iBAAZ,IAAiC,I;;MAErC,wBAAQ,CAAR,I;MAEA,OAAO,O;K;6CAGX,oB;MAAKe,0B;;QAa5C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kB7K6wOnB,YAAQ,C;S6K7wOX,W;UACI,yBAAO,K;UAAAP,2B;SAEJ,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;QA2XhD,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAc,WAAAd,UAAyB,IAAZB,U;YACI,cAAc,mBAAY,KAAZ,C;YAGd,IAjBsE,CAAU,wBAiBIE,0EAjBkE,CAiBhF,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAY,EAAK,IAAL,EAAW,OAAZ,EAoB,IAAPB,C;;UAGE,oB;UAAuB,SAAZ,kBAAY,O;UAArC,uD;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA/BsE,CAAU,wBA+BIE,kFA/BkE,CA+BhF,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAY,OAAZ,C;UAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA5CsE,CAAU,wBA4CIE,kFA5CkE,CA4ChF,C;cACI,mBAAY,OAAZ,IAAuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;cAEV,WAAW,I;;;QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;QAEY,yBAAO,Q;;MAvDuD,6B;K;6CAEIE,oB;MAAKe,0B;;QAW5C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kB7K6wOnB,YAAQ,C;S6K7wOX,W;UACI,yBAAO,K;UAAAP,2B;SAEJ,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;QA2XhD,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAc,WAAAd,UAAyB,IAAZB,U;YACI,cAAc,mBAAY,KAAZ,C;YAGd,IAf+E,wBAejE,0EAfiE,CAe/E,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAY,EAAK,IAAL,EAAW,OAAZ,EAoB,IAAPB,C;;UAGE,oB;UAAuB,SAAZ,kBAAY,O;UAArC,uD;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA7B+E,wBA6BjE,kFA7BiE,CA6B/E,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAY,OAAZ,C;UAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA1C+E,wBA0CjE,kFA1CiE,CA0C/E,C;cACI,mBAAY,OAAZ,IAAuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;cAEV,WAAW,I;;;QAIvB,IAAI,QAAJ,C;UACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;QAEY,yBAAO,Q;;MArDuD,6B;K;2CAEIE,qB;MASSB,IAII,IAJJ,EAKM,MALN,EAaA,MAbA,EAuB,MAbvB,EAKBI,MAIBJ,EAmBM,MAAnBN,EA+BI,M;MAvCb,aAAL,IAAK,U;MAAL,Y;QAA8B,SAAZ,kB7K6wOnB,YAAQ,C;O6K7wOX,W;QACI,OAAO,K;MAEX,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;MA2XhD,cAAc,W;MACd,eAAe,K;MAEf,IAAI,cAAO,IAAX,C;QACI,iBAAc,WAAAd,UAAyB,IAAZB,U;UACI,cAAc,mBAAY,KAAZ,C;UAGd,IAAI,UAAU,0EAAV,CAAJ,C;YACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,O;;YAEzB,WAAW,I;;QAGP,O

AAZ,kBAAY,EA AK,IAAL,EA AW,OA AX,EA AoB,IA ApB,C;;QAGE,oB;QAAuB,SA AZ,kBAAY,O;QAARc,uD;  
UACI,gBAAc,mBAAY,OA AZ,C;UACd,mBAAY,OA AZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,  
mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,S;;YAEzB,WAAW,I;;QAGnB,UAAU,mBAAY,OA AZ,C;QAEV,mBA  
Ac,CAAd,YAAsB,IAAtB,Y;UACI,gBAAc,mBAAY,OA AZ,C;UACd,mBAAY,OA AZ,IAAqB,I;UAGrB,IAAI,UA  
AU,kFAAV,CAAJ,C;YACI,mBAAY,OA AZ,IAAuB,S;YACvB,UAAU,mBAAY,OA AZ,C;;YAEV,WAAW,I;;;M  
AIvB,IAAI,QA AJ,C;QACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;MAEX,OAAO,Q;K;iCAGX,Y;MACI,WA7a  
gD,mBAAY,cA6anC,SA7amC,IAAZ,C;MA8ahD,IAAI,cAAO,IAAX,C;QACgB,OA AZ,kBAAY,EA AK,IAAL,EA  
AW,WAAW,EA AiB,IAA jB,C;;QACT,IvKtS6C,CAAC,cuKsS9C,C;UACS,OA AZ,kBAAY,EA AK,IAAL,EA AW,  
WAAW,EA AiB,kBAAY,OA A7B,C;UACA,OA AZ,kBAAY,EA AK,IAAL,EA AW,CAAX,EA Ac,IAAd,C;;MAEhB,  
cAAO,C;MACP,YAAO,C;K;2CAGX,iB;MAGe,IAAC,IAAD,EA cJ,M;MAfP,WACW,eAAC,OAAI,KAAM,OAA  
N,IAAc,SAAlB,GAAwB,KAAxB,GAAmC,aAAa,KAAb,EA AoB,SA ApB,CA ApC,uB;MAEX,WA7bgD,mBAAY,  
cA6bnC,SA7bmC,IAAZ,C;MA8bhD,IAAI,cAAO,IAAX,C;Q9J2XJ,U8J1XQ,kB9J0XR,E8J1X6B,I9J0X7B,EAD+  
F,CAC/F,E8J1XgD,W9J0XhD,E8J1XiE,I9J0XjE,C;;Q8JzXW,IvKtT6C,CAAC,cuKsT9C,C;U9JyXX,U8JxXQ,kB9J  
wXR,E8JxX6B,I9JwX7B,E8JxXuD,C9JwXvD,E8JxXuE,W9JwXvE,E8JxXwF,kBAAY,O9JwXpG,C;UAAA,U8Jv  
XQ,kB9JuXR,E8JvX6B,I9JuX7B,E8JvXuD,kBAAY,OA AZ,GAAmB,WAA nB,I9JuXvD,E8JvX6F,C9JuX7F,E8Jv  
X2G,I9JuX3G,C;;M8JrXI,IAAI,IAAK,OA AL,GAAY,SA AhB,C;QACI,KA AK,SA AL,IAAa,I;OAIjB,OAAO,qD;K;  
mCAGX,Y;MAEI,OAAO,qBAAQ,gBA AmB,SA AnB,OA AR,C;K;+CAGX,iB;MAC0D,4BAAQ,KAAR,C;K;+CA  
C1D,Y;MAA0C,qB;K;IAE1C,gC;MAAA,oC;MACI,0BpHriBuC,E;MoHsiBvC,sBA AiC,U;MACjC,4BAAuC,E;K;  
yDAEvC,oC;MAEI,kBA AkB,eAAe,eAAgB,CAA/B,K;MACIB,IAAI,eAAc,WAA d,QAA4B,CA AhC,C;QACI,cAA  
c,W;MACIB,IAAI,eAAc,UAA d,QAA6B,CAA jC,C;QACI,cAAkB,cAAc,UAAIB,GAAgC,UAAhC,GAAmD,U;MA  
CrE,OAAO,W;K;;IAZf,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;qDAgBA,qB;MAEI,WAVEgD,mBAAY,cAuenC,S  
AvenC,IAAZ,C;MAwehD,WAAe,kBA Aa,cAAO,IAAxB,GAA8B,WAA9B,GAAwC,cAAO,kBAAY,OA AnB,I;M  
ACnD,UAAU,IAAV,EA AgB,cAAhB,C;K;;IA5iBJ,iD;MAAA,oD;MAGwC,+B;MApB5C,sB;MAqBsB,Q;MACV,  
wBA AmB,CA AnB,C;QAAwB,4D;WACxB,sBA AkB,CAAIB,C;QAAuB,uBA Aa,eAAb,O;;QACf,MAAM,gCAAY  
B,uBA AoB,eAA7C,C;MAHIB,0B;MAJJ,Y;K;IAWA,kC;MAAA,oD;MAGoB,+B;MA/BxB,sB;MAGCQ,sBA Ac,qD  
;MAJIB,Y;K;IAOA,4C;MAAA,oD;MAG2C,+B;MATc/C,sB;MAuCCQ,sBxJrB8D,YwJqBhD,QxJrBgD,C;MwJsB9D  
,aAAO,mBAAY,O;MACnB,IAAI,mB7K+qPD,YAAQ,C6K/qPX,C;QAA2B,sBA Ac,qD;MAN7C,Y;K;IC5BJ,4B;M  
AMoB,Q;M9KghqBA,U;MADhB,UAAe,C;MACf,uD;QAAgB,cAAhB,iB;QACI,YAAgB,O8KlHqBiB,O9KkhqBjC  
,I;;M8KlHqBJ,aAAa,iB9KohqBN,G8KphqBM,C;MACb,wBA AgB,SA AhB,gB;QAAgB,gBAAA,SA AhB,M;QAC  
W,SAAP,MAAO,EAAO,SAAP,C;;MAEX,OAAO,M;K;IAGX,0B;MASiB,Q;MAFb,YAA Y,iBA Aa,gBA Ab,C;MA  
CZ,YAA Y,iBA Aa,gBA Ab,C;MACZ,wBA Aa,SA Ab,gB;QAAa,WAAA,SA Ab,M;QACI,KAAM,WAAI,IAAK,MA  
AT,C;QACN,KAAM,WAAI,IAAK,OA AT,C;;MAEV,OAAO,UAAS,KAAT,C;K;gGAGX,qB;MAWW,4B;MAAA,  
U;QAAqB,OAAL,S9K0qPhB,YAAQ,C;O8K1qPf,W;K;oFAGJ,mC;MAUI,O9K6pPO,qBAAQ,C8K7pPf,GAAe,cA  
Af,GAAmC,S;K;IAGvC,iD;MAMI,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,qBAAgB,aAAhB,IAAi  
C,SAAK,OAAL,KAAa,KAAM,OA AxD,C;QAA8D,OAAO,K;MAErE,4C;QACI,SAAS,UAAK,CAAL,C;QACT,S  
AAS,MAAM,CAAN,C;QAET,IAAI,OAAO,EAAX,C;UACI,Q;eACG,IAAI,cAAc,UAAIB,C;UACH,OAAO,K;SAI  
P,0BAAsB,kBAAtB,C;UAA4C,IAAI,CAAI,kBA AH,EAAG,EA AkB,EA AIB,CAAR,C;YAA+B,OAAO,K;eACIF,8  
BAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EA Ac,EA Ad,CAAR,C;YAA2B,OAAO,K;eAC9E,+BAAsB  
,uBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EA Ac,EA Ad,CAAR,C;YAA2B,OAAO,K;eAC9E,6BAAsB,qBAAt  
B,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EA Ac,EA Ad,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAsB,sBAAtB,C;U  
AA4C,IAAI,CAAI,cAAH,EAAG,EA Ac,EA Ad,CAAR,C;YAA2B,OAAO,K;eAC9E,+BAAsB,uBAAtB,C;UAA4C,  
IAAI,CAAI,cAAH,EAAG,EA Ac,EA Ad,CAAR,C;YAA2B,OAAO,K;eAC9E,gCAAsB,wBAAtB,C;UAA4C,IAAI,  
CAAI,cAAH,EAAG,EA Ac,EA Ad,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,c  
AAH,EAAG,EA Ac,EA Ad,CAAR,C;YAA2B,OAAO,K;eAC9E,iCAAsB,yBAAtB,C;UAA4C,IAAI,CAAI,cAAH,E  
AAG,EA Ac,EA Ad,CAAR,C;YAA2B,OAAO,K;eAE9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBA AH,EAAG,  
EA Ac,EA Ad,CAAR,C;YAA2B,OAAO,K;eAC9E,sCAAsB,8BAAtB,C;UAA4C,IAAI,CAAI,gBA AH,EAAG,EA Ac,  
EA Ad,CAAR,C;YAA2B,OAAO,K;eAC9E,oCAAsB,4BAAtB,C;UAA4C,IAAI,CAAI,gBA AH,EAAG,EA Ac,EA A  
d,CAAR,C;YAA2B,OAAO,K;eAC9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBA AH,EAAG,EA Ac,EA Ad,CA

AR,C;YAA2B,OAAO,K;eAEtE,IAAI,YAAM,EAAN,CAAJ,C;UAAc,OAAO,K;;MAIrC,OAAO,I;K;IAGX,4C;MA  
KI,IAAI,iBAAJ,C;QAAkB,OAAO,M;MACzB,aAAa,CAAK,eAAL,gBAAK,EAAa,SAAb,CAAL,GAA6C,CAA7C,  
QAAiD,CAAjD,I;MvC6SkB,kBAAxB,mBuC5SY,MvC4SZ,C;MuC3SH,oDxK5BgD,gBwK4BhD,C;MADJ,07JnC  
O,WsH+U6C,W;K;IuCvSxD,mE;MAEI,IAAY,SAAR,0BAAJ,C;QACI,MAAO,gBAAO,OAAP,C;QACP,M;OAEJ,  
SAAU,WAAI,SAAJ,C;MACV,MAAO,gBAAO,EAAP,C;MAEP,4C;QACI,IAAI,MAAK,CAAT,C;UACI,MAAO,g  
BAAO,IAAP,C;SAEX,cAAc,UAAK,CAAL,C;QAEV,IADE,OACF,S;UAAmB,MAAO,gBAAO,MAAP,C;aAC1B,  
mBAFE,OAEF,E;UAA2B,4BAAR,OAAQ,EAA4B,MAA5B,EAAoC,SAAP,C;aAC3B,uBAHE,OAGF,E;UAAm  
B,MAAO,gBA Ae,gBAAR,OAAQ,CAAf,C;aAC1B,wBAJE,OAI F,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CA  
Af,C;aAC1B,sBALE,OAKF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAf,C;aAC1B,uBANE,OAMF,E;UAA  
mB,MAAO,gBA Ae,gBAAR,OAAQ,CAAf,C;aAC1B,wBAPE,OAO F,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,  
CAAf,C;aAC1B,yBARE,OAQF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAf,C;aAC1B,uBATE,OASF,E;UA  
AmB,MAAO,gBA Ae,gBAAR,OAAQ,CAAf,C;aAC1B,0BAVE,OAUF,E;UAAmB,MAAO,gBA Ae,gBAAR,OAA  
Q,CAAf,C;aAE1B,kBAZE,OAYF,c;UAAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAf,C;aAC1B,kBA bE,OAaF,e;U  
AAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAf,C;aAC1B,kBA dE,OAcF,a;UAAmB,MAAO,gBA Ae,kBAAR,OAA  
Q,CAAf,C;aAC1B,kBAfE,OAeF,c;UAAmB,MAAO,gBA Ae,kBAAR,OAAQ,CAAf,C;;UAEP,MAAO,gBAAO,OA  
AQ,WAAf,C;;MAIIC,MAAO,gBAAO,EAAP,C;MACP,SAAU,kBAAmB,iBAAV,SAAU,CAAnB,C;K;ICpJd,uC;  
MAIqD,+CAAwC,iBAAO,CAA/C,IAAoD,mC;K;IAEzG,4D;MAWQ,kBADE,SACF,O;QADJ,OACc,S;WACV,kB  
AFE,SAEF,c;QAEQ,yCAAwB,MAAO,KAAP,GAAC,CAAT,C;UAJZ,OAIuD,S;;UAJvD,OAK6B,mBAAL,SAAK  
,CAAT,GAA+B,sBAA/B,GAAgD,S;;QALpE,OAOGb,oCAAJ,GAA0C,sBAA1C,GAA2D,mB;K;IAG3E,gD;MAW  
Q,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c;QAFJ,OAE8B,mBAAL,SAAK,CAAT,GAA+B,sBAA  
/B,GAAgD,S;;QAFrE,OA GgB,oCAAJ,GAA0C,sBAA1C,GAA2D,mB;K;IAG3E,kD;MAKI,OAAI,oCAAJ,GAA0C  
,sBAA1C,GAA2D,oB;K;IAE/D,kD;MAKI,OAAI,oCAAJ,GAA0C,oBAA1C,GAA2D,iB;K;IzKnD/D,yB;MAAA,6  
B;K;sCACI,Y;MAAkC,Y;K;0CACIC,Y;MAAsC,Y;K;wCACtC,Y;MAAgC,Q;K;4CACChC,Y;MAAoC,S;K;mCACp  
C,Y;MAA+B,MAAM,6B;K;uCACrC,Y;MAAmC,MAAM,6B;K;;IAN7C,qC;MAAA,oC;QAAA,mB;OAAA,6B;K;  
IASA,qB;MAAA,yB;MACI,+C;K;iCAEA,iB;MAA4C,qCAAoB,KAAM,U;K;mCACtE,Y;MAA+B,Q;K;mCAC/B,  
Y;MAAkC,W;K;iFAEX,Y;MAAQ,Q;K;kCAC/B,Y;MAAkC,W;K;yCACIC,mB;MAAmD,Y;K;8CACnD,oB;MAA  
mE,OAAA,QAAS,U;K;sCAE5E,iB;MAAwC,MAAM,8BAA0B,iDAA8C,KAA9C,MAA1B,C;K;wCAC9C,mB;M  
AA8C,S;K;4CAC9C,mB;MAAkD,S;K;mCAEID,Y;MAA6C,kC;K;uCAC7C,Y;MAAqD,kC;K;+CACrD,iB;MACI,  
IAAI,UAAS,CAAb,C;QAAgB,MAAM,8BAA0B,YAAS,KAAnC,C;MACtB,OAAO,2B;K;0CAGX,8B;MACI,IAAI  
,cAAa,CAAb,IAAkB,YAAW,CAAjC,C;QAAoC,OAAO,I;MAC3C,MAAM,8BAA0B,gBAAa,SAAb,mBAAkC,O  
AA5D,C;K;wCAGV,Y;MAAiC,8B;K;;IA5BrC,iC;MAAA,gC;QAAA,e;OAAA,yB;K;IA+BA,iC;MAA8D,6BAAk  
B,SAAlB,EAAoC,KAApC,C;K;IAE5B,8C;MAAC,oB;MAA0B,0B;K;yFACIC,Y;MAAQ,OAAA,WAAO,O;K;0C  
ACtC,Y;MAAkC,OAAA,WNqqP3B,YAAQ,C;K;iDMpqPf,mB;MAA6C,OAAO,SAAP,WAAO,EAAS,OAAT,C;K  
;sDACpD,oB;MAAsE,c;;Qc4nDtD,Q;QADhB,IAAI,cd3nDyD,Qc2nDzD,iBd3nDyD,Qc2nDnC,UAA1B,C;UAAqC  
,aAAO,I;UAAP,e;SACrB,Od5nD6C,Qc4nD7C,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,Cd5nDkD  
,oBc4nDvC,Od5nDuC,Cc4nDtD,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;Md7nDsD,iB;K;2CAC7D,Y;MA  
AuC,OAAO,qBAAP,WAAO,C;K;0CAC9C,Y;MAC+C,gBAAP,W;MAAA,OAAwB,cAAxB,GegKpC,SfhKoC,Gek  
KpC,SN83BoB,Q;K;;IT7hC5B,qB;MAIsC,8B;K;IAEtC,4B;MAIqD,OAAI,QAAS,OAAT,GAAgB,CAAPB,GAAg  
C,OAAT,QAAS,CAAhC,GAA8C,W;K;mFAEnG,yB;MAAA,qD;MAAA,mB;QAK0C,kB;O;KAL1C,C;+FAOA,y  
B;MAAA,+D;MAAA,mB;QAMwD,uB;O;KANxD,C;2FAQA,yB;MAAA,+D;MAAA,mB;QAMoD,uB;O;KANpD,  
C;IAQA,mC;MAKI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAXB,GAAyC,iBAAU,sBAAkB,QAAIB,E  
AAwC,IAAxC,CAAV,C;K;IAE7C,iC;MAKI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAXB,GAAyC,iB  
AAU,sBAAkB,QAAIB,EAAwC,IAAxC,CAAV,C;K;IAE7C,gC;MAI2D,OAAI,eAAJ,GAAqB,OAAO,OAAP,CAA  
rB,GAA0C,W;K;IAErG,mC;MAImE,OAAS,cAAT,QAAS,C;K;gFAE5E,yB;MAAa,gE;MAbA,6B;QAYBI,WAAW  
,eAduE,IAcvE,C;QWCX,iBAAc,CAAd,UXfkF,IWefU,U;UXA6B,eAf2D,IAevD,CWCtB,KXDsb,CAAJ,C;;QAFyC  
,OAgB/D,I;O;KA3BX,C;8FAaA,yB;MAAA,gE;MAAA,6B;QAYI,WAAW,eAAa,IAAb,C;QWCX,iBAAc,CAAd,U  
XAO,IWAP,U;UXA6B,eAAI,KWCtB,KXDsb,CAAJ,C;;QAC7B,OAAO,I;O;KAdX,C;wFAiBA,yB;Me1FA,+D;M  
f0FA,gC;QetF0B,gBAAf,gB;QfsGkB,aW3FzB,W;QX2FA,OW1FO,SIZoC,Q;O;KfsF/C,C;yFAwBA,yB;Me3GA,4

E;MAAA,gE;Mf2GA,0C;QevGI,qBf2HyB,Qe3HzB,C;QAC8B,gBAAvB,ef0HkB,Qe1HIB,C;Qf0H4B,aWvHnC,W;  
QXuHA,OWtHO,SIJ4C,Q;O;KfsGvD,C;IAiCl,mC;MAAQ,uBAAg,iBAAO,CAAP,IAAH,C;K;IAQR,qC;MAAQ,  
OAAA,SAAK,KAAL,GAAY,CAAZ,I;K;4FAEZ,qB;MAK4D,QAAC,mB;K;kGAE7D,qB;MAWI,OAAO,qBAAgB  
,SAAK,U;K;sFAGhC,yB;MAAA,qD;MAAA,4B;QAKgE,uCAAQ,W;O;KALxE,C;sFAOA,yB;MAAA,qD;MAAA,  
4B;QAKoD,uCAAQ,W;O;KAL5D,C;sFAOA,mC;MASI,OAAI,mBAAJ,GAAe,cAAf,GAAmC,S;K;4FAGvC,+B;  
MAQoH,OAAA,SAAK,qBAAy,QAaz,C;K;IAGzH,uC;MAK+E,kBAAhB,0B;MAAwB,+B;MAAxB,OW5MpD,  
W;K;IX+MX,yC;MAAkD,QAAM,cAAN,C;aAC9C,C;UAD8C,OACzC,W;aACL,C;UAF8C,OAEzC,OAAO,sBAA  
K,CAAL,CAAP,C;gBAFyC,OAGtC,S;;K;IAGZ,8D;MagBkE,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;M  
ACjG,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAE  
X,OAAO,OAAO,IAAd,C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,U  
AAU,cAAc,MAAd,EAAsB,OAAtB,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI  
,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,  
K;K;IAGX,4E;MAe8E,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MAC7G,WAAW,cAAX,EAAiB,SAAjB,  
EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAA  
W,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,UAAW,SAAQ,MAAR,EAAgB,  
OAAhB,C;QAErB,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,  
OAAO,MAAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;kGAGX,yB;MAAA,8  
D;MAAA,4D;MAAsBqC,8D;QAAA,qB;UAAE,qBAAc,iBAAS,EAAT,CAAd,EAA4B,WAA5B,C;S;O;MAtBvC,+D  
;QakBI,yB;UAAA,YAAiB,C;QACjB,uB;UAAA,UAAe,c;QAGf,+BAAa,SAAb,EAAwB,OAAxB,EAAiC,oCAAjC  
,C;O;KAtBJ,C;IA6BA,mE;MAmBoC,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACnE,WAAW,cAAX,E  
AAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,  
C;QACI,UAAW,GAAY,GAAN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,WAAW,MAAX,C  
;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,M  
AAM,CAAN,I;;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;IAGX,8C;MAMQ,gBAAy,OA  
AZ,C;QAAuB,MAAM,gCAAyB,gBAAa,SAAb,mCAAkD,OAAID,OAAzB,C;WAC7B,gBAAy,CAAZ,C;QAAiB,  
MAAM,8BAA0B,gBAAa,SAAb,yBAA1B,C;WACvB,cAAU,IAAV,C;QAAkB,MAAM,8BAA0B,cAAW,OAAx,g  
CAA2C,IAA3C,OAA1B,C;K;IAChC,8B;MAEoC,MAAM,wBAAoB,8BAApB,C;K;IAE1C,8B;MAEoC,MAAM,w  
BAAoB,8BAApB,C;K;;;wF2Gjb1C,yB;M1GgCA,wE;M0GhCA,uC;QAmBW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,  
OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,  
C;UACIB,W1GuKJ,a0GvKgB,G1GuKhB,E0GrMyC,SA8BIB,CAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA  
+B,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAAnE,C1GuKvB,C;;Q0GrMA,OAGCO,W;O;KAnDX,C;4FAsBA,  
6C;MAwBc,Q;MAAA,OAAA,SAAK,iB;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;Q  
ACV,kBAAkB,sBAAY,GAAZ,C;QACIB,W1GuKJ,a0GvKgB,G1GuKhB,E0GvKuB,UAAU,GAAV,EAAe,WAAf,  
EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAAy,mBAAY,GAAZ,CAAnE,C1GuKvB,C;;M0GrKA,OAAO,W;K;  
iFAGX,yB;MAAA,gB;MAAA,8B;M1GtBA,wE;M0GsBA,6D;QAnCW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAA  
K,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;U  
A8BwE,U;UA7B1F,W1GuKJ,a0GvKgB,G1GuKhB,E0G1IkC,UA7BD,GA6BC,EA7BoB,uBAAuB,CAAC,WAAy  
,mBAAY,GAAZ,CA6BzC,GAAW,qBA7B3B,GA6B2B,EA7BT,CA6BS,CAAX,GAA6C,UA7BxD,WA6BwD,6D  
AA5D,EA7BiB,CA6BjB,C1G0IIC,C;;Q0G3IA,OA1BO,W;O;KAGX,C;kFA0BA,yB;MAAA,gB;MAAA,8B;MAA  
A,0E;QAICc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,k  
BA6DQ,WA7DU,WAAy,GAAZ,C;UA6DuF,U;UAAjG,W1G2GZ,a0GvKgB,G1GuKhB,E0G3GiD,UA5DhB,GA4  
DgB,EA5DK,uBAAuB,CA4DjE,WA5D8E,mBAAY,GAAZ,CA4D1B,GAAW,qBA5D1C,GA4D0C,EA5DxB,CA4  
DwB,CAAX,GAA6C,UA5DvE,WA4DuE,6DAA5D,EA5DE,CA4DF,C1G2GjD,C;;Q0G5GA,OACY,W;O;KA7Bh  
B,C;iFAgCA,yB;MAAA,gB;MAAA,8B;M1GhFA,wE;M0GgFA,qD;QA7FW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,  
OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,  
C;UAKfID,U;UAjFnE,W1GuKJ,a0GvKgB,G1GuKhB,E0GtFgC,UajFsB,uBAAuB,CAAC,WAAy,mBAAY,GAA  
Z,CAiFhD,kBAA6B,UajFjC,WaiFiC,6DAAvC,EAjFmB,CAiFnB,C1GsFhC,C;;Q0GvFA,OA9EO,W;O;KA6DX,  
C;oFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAtFc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;

UACN,UAAU,sBAAM,CAAN,C;UACV,kBA2GQ,WA3GU,WAAY,GAAZ,C;UA2GgE,U;UAA1E,W1G6DZ,a0GvKgB,G1GuKhB,E0G7D+C,UA1GO,uBAAuB,CA0GjE,WA1G8E,mBAAy,GAAZ,CA0GjC,kBAA6B,UA1GhD,WA0GgD,6DAAvC,EA1GI,CA0GJ,C1G6D/C,C;;Q0G9DA,OACY,W;O;KAvBhB,C;qFA0BA,yB;MAAA,gB;MAAA,8B;M1G9HA,wE;M0G8HA,uC;QA3IW,kB1GqBiD,oB;Q0GM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAy,GAAZ,C;UACC,oB;UAKIc,U;UAAjC,IAlIkD,uBAAuB,CAAC,WAAY,mBAAy,GAAZ,CAkItF,C;YADA,mBAjI+C,C;;YAiI/C,mBACKB,UAlIw,GAKIX,EAAe,UAlIc,WAKID,6DAAf,EAlI6B,CAkI7B,C;;UAlIIB,W1GuKJ,a0GvKgB,G1GuKhB,mB;;Q0GvCA,OA9HO,W;O;KA2GX,C;sFAwBA,yB;MAAA,gB;MAAA,8B;MAAA,oD;QAxIc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA6JQ,WA7JU,WAAY,GAAZ,C;UACC,oB;UA8Jc,U;UAAjC,IA9JkD,uBAAuB,CA4JjE,WA5J8E,mBAAy,GAAZ,CA8Jf,C;YADA,mBA7J+C,C;;YA6J/C,mBACKB,UA9JW,GA8JX,EAAe,UA9JC,WA8JD,6DAAf,EA9J6B,CA8J7B,C;;UAFV,W1GWZ,a0GvKgB,G1GuKhB,mB;;Q0GXa,OAAy,W;O;KAvBhB,C;IA6BA,6C;MARkC,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBA+KG,WA/Ke,WAAY,GAAZ,C;QA2GgE,U;QAoE/E,W1GPP,a0GvKgB,G1GuKhB,E0GomC,CA9KmB,uBAAuB,CA8KtE,WA9KmF,mBAAy,GAAZ,CA0GjC,GAoErC,CAPeQc,GAA6B,UA1GhD,WA0GgD,6DAoEnD,IAAM,CAAN,I1GPnC,C;;M0GOA,OAAO,W;K;I+DnPOB,oC;MAAC,kB;MAAuB,kB;K;;wCAN7D,Y;MAMsC,iB;K;wCANtC,Y;MAM6D,iB;K;0CAN7D,wB;MAAA,wBAMsC,qCANtC,EAM6D,qCAN7D,C;K;sCAA,Y;MAAA,OAMsC,mDANtC,IAM6D,wCAN7D,O;K;sCAA,Y;MAAA,c;MAMsC,sD;MAAuB,sD;MAN7D,a;K;oCAA,iB;MAAA,4IAMsC,sCANtC,IAM6D,sCAN7D,I;K;wFpKEA,yB;MAAA,kC;MAAA,4C;MAAA,kD;QAMuF,wC;O;MANvF,4CAOI,Y;QAAuC,8B;O;MAP3C,8E;MAAA,2B;QAMuF,2C;O;KANvF,C;IACsC,2C;MAAC,wC;K;0CACnC,Y;MAAqD,4BAAiB,wBAAjB,C;K;;IAIzD,yC;MAI4D,OAAI,oCAAJ,GAA2B,SAAK,KAAhC,GAA0C,I;K;IAEtG,uD;MAI0E,OAAI,oCAAJ,GAA2B,SAAK,KAAhC,GAA0C,S;K;IAGpH,8B;MAMoB,Q;MADhB,aAAa,gB;MACG,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACL,OAAP,MAAO,EAAO,OAAP,C;;MAEX,OAAO,M;K;IAGX,4B;MAUiB,Q;MAHb,mBAAmB,mCAAwB,EAAxB,C;MACnB,YAAy,iBAAa,YAAb,C;MACZ,YAAy,iBAAa,YAAb,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;wFUxDX,qB;MAKqE,gB;K;IAErE,iC;MAMoE,4BAAiB,SAAjB,C;K;uFAEpE,gC;MAKI,OAAgB,mBAAhB,C;QAAgB,8B;QAAM,UAAU,OAAV,C;;K;IAMY,oC;MAAC,0B;MACnC,eAAoB,C;K;yCACpB,Y;MAAwC,OAAA,eAAS,U;K;sCACjD,Y;MAA6E,Q;MAAhC,wBAAa,oBAAmB,mBAAnB,EAAmB,2BAAnB,QAAb,EAA0C,eAAS,OAAAnD,C;K;;sF2J5BjD,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAUiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;KAVjC,C;wFAyA,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAWiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;KAXjC,C;sFAaA,+C;MAQI,SAAK,aAAI,QAAS,aAAb,EAAmB,KAAAnB,C;K;ICnCT,8C;MAUI,IAAI,wCAAJ,C;QACI,OAAO,SAAK,4BAAqB,GAARb,C;MAET,4B;M3KoTI,Q;MALX,YAAy,oB2K/Sa,G3K+Sb,C;MACZ,IAAI,iBAAiB,CAAC,4B2KhTG,G3KgTH,CAAtB,C;Q2KhTgC,MAAM,2BAAuB,wCAAvB,C;;Q3KoTIC,2BAAO,sE;;M2KpTX,+B;K;IAGJ,8C;MAUQ,kBADE,SACf,kB;QADJ,OACkC,YAAT,SAAK,IAAI,EAAy,YAAZ,C;;QADIC,OAEY,uBAAmB,SAAnB,EAAyB,YAAzB,C;K;IAGhB,gD;MAWQ,kBADE,SACf,yB;QADJ,OACyC,cAAT,SAAK,IAAI,EAAy,YAAZ,C;;QADzC,OAEY,8BAA0B,SAAI1B,EAAgC,YAAhC,C;K;;;;IAc0B,4C;MAAC,wB;MAAoC,0B;K;qEAApC,Y;MAAA,yB;K;0CACvC,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K;4CACHD,Y;MAA+B,OAAI,SAAJ,QAAI,C;K;4CACnC,Y;MAAkC,OAAA,QAAI,W;K;0FACf,Y;MAAQ,OAAA,QAAI,K;K;2CACnC,Y;MAAkC,OAAA,QAAI,U;K;qDACtC,e;MAA4C,OAAA,QAAI,mBAAy,GAAZ,C;K;uDACHD,iB;MAAgE,OAAA,QAAI,qBAAc,KAAAd,C;K;6CACpE,e;MAA+B,OAAA,QAAI,WAAI,GAAJ,C;K;0FACT,Y;MAAQ,OAAA,QAAI,K;K;4FACH,Y;MAAQ,OAAA,QAAI,O;K;6FACJ,Y;MAAQ,OAAA,QAAI,Q;K;8DAEvD,e;MAAmD,gBAAJ,Q;MAAI,4B;M3K4PxC,Q;MALX,YAAy,oB2KvPyD,G3KuPzD,C;MACZ,IAAI,iBAAiB,CAAC,4B2KxP+C,G3KwP/C,CAAtB,C;QACI,2B2KzPwE,mB;;Q3K4PxE,2BAAO,sE;;M2K5PoC,+B;K;;IAGN,mD;MAAC,wB;MAA2C,0B;K;4EAA3C,Y;MAAA,yB;K;iDAC1C,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K;mDACHD,Y;MAA+B,OAAI,SAAJ,QAAI,C;K;mDACnC,Y;MAAkC,OAAA,QAAI,W;K;iGACf,Y;MAAQ,OAAA,QAAI,K;K;kDACnC,Y;MAAkC,OAAA,QAAI,U;K;4DACtC,e;MAA4C,OAAA,QAAI,mBAAy,GAAZ,C;K;8DACHD,iB;MAAgE,OAAA,QAAI,qBAAc,KAAAd,C;K;oDACpE,e;MAA+B,OAAA,QAAI,WAAI,GAAJ,C;K;iGACf,Y;MAAQ,OAAA,QAAI,K;K;mGACH,Y;MAAQ,OAAA,QAAI,O;K;oGACU,Y;MAAQ,OAAA,QAAI,

Q;K;sDAE5E,sB;MAAyC,OAAA,QAAI,aAAI,GAAJ,EAAS,KAAT,C;K;uDAC7C,e;MAAkC,OAAA,QAAI,cAA  
O,GAAP,C;K;yDACtC,gB;MAA2C,QAAI,gBAAO,IAAP,C;K;gDAC/C,Y;MAAUb,QAAI,Q;K;qEAE3B,e;MAAm  
D,gBAAJ,Q;MAAI,4B;M3KuOxC,Q;MALX,YAAY,oB2KIOyD,G3KkOzD,C;MACZ,IAAI,iBAAiB,CAAC,4B2K  
nO+C,G3KmO/C,CAAtB,C;QACI,2B2KpOwE,mB;;Q3KuOxE,2BAAO,sE;;M2KvOoC,+B;K;;I3KvFnD,oB;MAA  
A,wB;MACI,8C;K;gCAEA,iB;MAA4C,oCAAsB,KAAM,U;K;kCACxE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K  
;gFAEX,Y;MAAQ,Q;K;iCAC/B,Y;MAAkC,W;K;2CAEIC,e;MAA+C,Y;K;6CAC/C,iB;MAAsD,Y;K;mCACtD,e;  
MAAwC,W;K;mFACY,Y;MAAQ,6B;K;gFAC/B,Y;MAAQ,6B;K;kFACI,Y;MAAQ,8B;K;uCAEjD,Y;MAAiC,6B;  
K;;IAjBrC,gC;MAAA,+B;QAAA,c;OAAA,wB;K;IAoBA,oB;MAMuE,Q;MAA7B,OAA6B,uE;K;IAEvE,wB;MAA  
I,OAAI,KAAM,OAAAN,GAAa,CAAjB,GAA0B,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAIB,CAAd,CA  
AN,CAA1B,GAA6E,U;K;kFAEjF,yB;MAAA,oD;MAAA,mB;QAO8C,iB;O;KAP9C,C;8FASA,yB;MAAA,wE;M  
AAA,mB;QAQ4D,2B;O;KAR5D,C;IAUA,+B;MAYiD,gBAA7C,qBAAoB,YAAY,KAAM,OAAIB,CAApB,C;MA  
AqD,wB;MAArD,OUJO,S;K;wFVMX,yB;MAAA,4D;MAAA,mB;QAOsD,qB;O;KAPtD,C;IASA,4B;MAM8G,gB  
AAvC,eAAc,YAAY,KAAM,OAAIB,CAAd,C;MAA+C,wB;MAA/C,OUrB5D,S;K;4FVuBX,yB;MAAA,wE;MAA  
A,mB;QAK8D,2B;O;KAL9D,C;IAOA,8B;MAU+E,OAAAM,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAI  
B,CAAd,CAAN,C;K;sFAErF,yB;MchBA,wE;MdgBA,gC;QcZiC,gBAAtB,oB;Qd8BiB,aU7DxB,W;QV6DA,OU5  
DO,SI8B2C,Q;O;KdYtD,C;uFA0BA,yB;McnCA,uE;MdmCA,0C;Qc/ByC,gBAA9B,mBdqDiB,QcrDjB,C;QdqD2B  
,aU3FIC,W;QV2FA,OU1FO,SIqCmD,Q;O;Kd+B9D,C;4FAoCA,qB;MAK+D,QAAC,mB;K;kGAeH,e,qB;MAWI,O  
AAO,qBAAgB,mB;K;sFAG3B,yB;MAAA,oD;MAAA,4B;QAM2D,uCAAQ,U;O;KANnE,C;sFAQA,mC;MASI,O  
AAI,mBAAJ,GAAe,cAAf,GAAMC,S;K;yFAEvC,yB;MAyBA,kC;MAAA,8B;MAzBA,iC;QAAGCiC,Q;QAxB2E,O  
AwBxD,CAAnB,wDAAmB,oBAxB0E,GAwBpE,C;O;KAhCpD,C;+EAUA,yB;MAAA,kC;MAAA,8B;MAAA,iC;  
QAKiC,Q;QAA7B,OAAgD,CAAnB,wDAAmB,YAAI,GAAJ,C;O;KALpD,C;+EAOA,iC;MAKI,sBAAI,GAAJ,EA  
AS,KAAT,C;K;4FAGJ,yB;MAAA,kC;MAAA,8B;MAAA,iC;QAOiC,Q;QAA7B,OAAgD,CAAnB,wDAAmB,oBA  
AY,GAAZ,C;O;KAPpD,C;gGASA,4B;MASsG,OAAA,SAAK,qBAAc,KAAd,C;K;kFAG3G,yB;MAAA,gD;MAA  
A,8B;MAAA,iC;QASiC,Q;QAA7B,OAAuD,CAA1B,+DAA0B,eAAO,GAAP,C;O;KAT3D,C;6FAWA,qB;MAWo  
E,oB;K;6FAEpE,qB;MAWoE,sB;K;kFAEpE,yB;MAAA,6B;MAAA,4B;QAIgE,qBAAK,aAAL,EAAU,eAAV,C;O;  
KAJhE,C;2FAMA,wC;MAMiF,Q;MAAA,mCAAI,GAAJ,oBAAy,c;K;uGAG7F,yB;MAAA,gB;MAAA,8B;MAA  
A,+C;QAMe,Q;QALX,YAAY,oBAAI,GAAJ,C;QACZ,IAAI,iBAAiB,CAAC,4BAAY,GAAZ,CAAtB,C;UACI,OA  
AO,c;;UAGP,OAAO,sE;;O;KANf,C;IAUA,oC;MAUkD,uCAAqB,GAARb,C;K;sFAEID,wC;MAUW,Q;MADP,YA  
AY,oBAAI,GAAJ,C;MACL,IAAI,aAAJ,C;QACH,aAAa,c;QACb,sBAAI,GAAJ,EAAS,MAAT,C;QACA,a;;QAEA  
,Y;;MALJ,W;K;wFASJ,qB;MAMwF,OAAA,iBAAQ,W;K;wFAEHg,qB;MAMgH,OAAA,iBAAQ,W;K;4FAEXH,6  
C;Maq1BoB,Q;MAAA,Obh1BT,iBag1BS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Qbh1Ba,Wai1Bb,aAAgB,O  
bj1Be,Iai1B/B,Ebj1BsC,Sai1BZ,CAAE,OAAf,CAA1B,C;;Mbj1BhB,OAA6B,W;K;wFAGjC,6C;Ma60BoB,Q;MAA  
A,Obr0BT,iBaq0BS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;Qbr0Ba,Was0Bb,abt0B0B,Sas0BtB,CAAY,OAAZ  
,CAAJ,EAAYC,Obt0BC,Mas0B1C,C;;Mbt0BhB,OAA6B,W;K;IAGjC,kC;MAIyB,Q;MAArB,wBAAqB,KAARb,g  
B;QAAqB,aAAA,KAARb,M;QAAK,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;IAIR,oC;  
MAIyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,  
GAAJ,EAAS,KAAT,C;;K;IAIR,oC;MAIyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,  
yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;wFAIR,yB;MAAA,0D;MAAA,uE;MAAA,uC;QAS  
W,kBAAY,mBAAoB,YAAY,cAAZ,CAApB,C;Qa8xBH,Q;QAAA,Obh1BT,iBag1BS,W;QAAhB,OAAgB,cAAhB,  
C;UAAgB,yB;Ubh1Ba,Wai1Bb,aAAgB,Obj1Be,Iai1B/B,Eb/xB2C,Sa+xBjB,CAAE,OAAf,CAA1B,C;;Qb/xBhB,O  
AID6B,W;O;KAYCjC,C;oFAYA,yB;MAAA,0D;MAAA,uE;MAAA,uC;QAYW,kBAAU,mBAAoB,YAAY,cAAZ,  
CAApB,C;Qa+wBD,Q;QAAA,Obr0BT,iBaq0BS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;Ubr0Ba,Was0Bb,abh  
xByC,SagxBrc,CAAY,OAAZ,CAAJ,EAAYC,Obt0BC,Mas0B1C,C;;QbhxBhB,OAtD6B,W;O;KA0CjC,C;0FAeA,y  
B;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3FsE,QAAQ,W;QA2F5F,OAAc,cAAAd,C;  
UAAc,uB;UACV,IAAI,UAAU,KAAM,IAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAAr  
B,C;;QAGf,OAAO,M;O;KAbX,C;8FAGBA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,  
SA3GsE,QAAQ,W;QA2G5F,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,MAAhB,CAAJ,C;YACI,MA  
AO,aAAI,KAAM,IAAV,EAAe,KAAM,MAArB,C;;QAGf,OAAO,M;O;KAbX,C;yFAiBA,6C;MAOoB,Q;MAAA,

OAAA,SA3HoE,QAAQ,W;MA2H5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGpB,OAAO,W;K;qFAGX,yB;MAAA,wE;MAAA,uC;QAOW,kBAAS,oB;QAfA,Q;QAAA,OA3HoE,iBAAQ,W;QA2H5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAcmC,SAdb,C,CAAU,OAAV,CAAJ,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;QAapB,OAVO,W;O;KAGX,C;+FAUA,6C;MAOoB,Q;MAAA,OAAA,SAPJoE,QAAQ,W;MAoJ5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,CAAC,UAAU,OAAV,CAAL,C;UACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGpB,OAAO,W;K;2FAGX,yB;MAAA,wE;MAAA,uC;QAOW,kBAAY,oB;QAfH,Q;QAAA,OAjJoE,iBAAQ,W;QAoJ5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,CackC,SAJc,CAAU,OAAV,CAAL,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;QAapB,OAVO,W;O;KAGX,C;IAUA,0B;MAQqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAACK,iB;YAAL,K;eACA,C;YAACK,aAAU,8BAAJ,GAaKB,sBAaK,CAAL,CAAIB,GAA+B,oBAAW,OAahD,C;YAAL,K;kBACQ,0BAAM,qBAAoB,YAAY,cAAZ,CAApB,CAAN,C;Y AHL,K;;QAAP,W;OAMJ,OAAoC,oBAA7B,mBAAM,oBAAN,CAA6B,C;K;IAGxC,yC;MAIwB,SAApB,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAM6D,QAAM,gBAAN,C;aACzD,C;UADyD,OACpD,U;aACL,C;UAFyD,OAEPD,MAAM,UAAK,CAAL,CAAN,C;gBAFoD,OAGjD,mBAAM,qBAAoB,YAAY,gBAAZ,CAApB,CAAN,C;;K;IAGZ,yC;MAIwB,OAAPB,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAM4D,OAA6B,oBAA7B,mBAAM,oBAAN,CAA6B,C;K;IAEzF,yC;MAIwB,SAApB,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAMqD,QAAM,cAAN,C;aACjD,C;UADiD,OAC5C,U;aACL,C;UAFiD,OC/X8B,uB;gBd+X9B,OAGzC,uB;;K;IAGZ,iC;MAMmE,4BAAC,SAAd,C;K;IAEnE,yC;MAKI,WAAoB,0B;MAApB,kB;K;IAEJ,kC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAAoB,MAAM,IAAN,C;;QAAqC,kBAAPB,qBAAC,SAAd,C;QAA4B,wBAAS,UAAT,EAAqB,WAArB,C;QAAjE,OUhiBO,W;;MVgiBP,W;K;IAEJ,mC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,MAAN,KAAM,C;;QAAiC,kBAAPB,qBAAC,SAAd,C;QAA4B,4B;QAAAnE,OUziBO,W;;MVyiBP,W;K;IAEJ,mC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,QAAN,KAAM,C;;QAAiC,kBAAPB,qBAAC,SAAd,C;QAA4B,0B;QAAAnE,OUljBO,W;;MVkjBP,W;K;IAEJ,mC;MAOWB,kBAAPB,qBAAC,SAAd,C;MAA4B,4B;MAA5B,OAA4C,oBU3jBrC,WV2jBqC,C;K;IAEHd,iC;MAOWB,kBAAPB,qBAAC,SAAd,C;MAA4B,+B;MAA5B,OUpkBO,W;K;0FVukBX,2B;MAKI,sBAAI,IAAK,MAAT,EAAgB,IAAK,OAARb,C;K;4FAGJ,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,0B;MAKI,yBAAO,GAAP,C;K;IAGJ,kC;MAOWB,kBAAF,aAAL,SAAK,C;MAASCL,6B;MATCA,OAA+C,oBUtnBxC,WVsnBwC,C;K;IAEnD,mC;MAQwB,kBAAF,aAAL,SAAK,C;MAqCK,YAAL,gBAAK,O;MArCV,OAAgD,oBUhoBzC,WVgoByC,C;K;IAEPD,mC;MAQwB,kBAAF,aAAL,SAAK,C;MAoCK,YAAL,gBAAK,O;MApCV,OAAgD,oBU1oBzC,WV0oByC,C;K;IAEPD,mC;MAQwB,kBAAF,aAAL,SAAK,C;MAMCK,YAAL,gBAAK,O;MANCV,OAAgD,oBUppBzC,WVopByC,C;K;4FAEPD,0B;MAMI,uBAAO,GAAP,C;K;8FAGJ,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;IAUA,wC;MACsD,QAAM,cAAN,C;aACID,C;UADkD,OAC7C,U;aACL,C;UAFkD,gB;gBAAA,OAG1C,S;;K;oF4KtwBZ,yB;MAAA,8D;MAAA,8B;MAAA,qC;QAUIC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,eAAO,OAAP,C;O;KAV/D,C;wFAYA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAV,C;O;KAT/D,C;wFAWA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAV,C;O;KAT/D,C;4FAWA,8B;MAKI,SAAK,WAAI,OAAJ,C;K;4FAGT,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O;KALT,C;4FAQA,yB;MAAA,gD;MAAA,sC;QAKS,OAAL,SAAK,EAAO,QAAP,C;O;KALT,C;8FAQA,8B;MAKI,SAAK,cAAO,OAAP,C;K;8FAGT,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;IAQA,qC;MAIU,IAIe,I;MAHjB,kBADE,QACF,c;QAAiB,OAAO,yBAAO,QAAP,C;;QAEpB,aAAsB,K;QACT,0B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,oBAAI,IAAJ,CAAJ,C;YAAe,SAAS,I;;QAC5B,OAAO,M;;K;IAKnB,uC;MAKiB,Q;MADb,aAAsB,K;MACT,0B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,oBAAI,IAAJ,CAAJ,C;UAAe,SAAS,I;;MAE5B,OAAO,M;K;IAGX,uC;MAII,OAAO,yBAAgB,OAAT,QAAS,cAAhB,C;K;IAGX,0C;MAIW,iBAAMb,gCAAT,QAAS,EAAgC,SAAhC,C;MAIHG,Q;MAKH7B,OAIH2D,CAA9B,sEAA8B,o

BAAU,UAAV,C;K;IAqH/D,0C;MAIL,UAAmB,8BAAT,QAAS,C;MACnB,O7K0EwD,C6K1EjD,G7K0EkD,U6K1EID,IAAoB,4BAAU,GAAV,C;K;IAG/B,0C;MAIL,OnLqoPO,EmLroPA,QnL6jPA,YAAQ,CAwER,CmLroPA,IAAyB,4BAAmB,8BAAT,QAAS,CAAnB,C;K;IAGpC,0C;MAIW,iBAAmB,gCAAT,QAAS,EAAGC,SAAhC,C;MA7HG,Q;MA6H7B,OA7H2D,CAA9B,sEAA8B,oBAAU,UAAV,C;K;IAGI/D,0C;MAIL,InLunPO,EmLvnPH,QnL+iPG,YAAQ,CAwER,CmLvnPP,C;QACI,OAAO,4BAAmB,8BAAT,QAAS,CAAnB,C;;QAEP,OAAO,wB;K;IAGf,0C;MAIL,UAAmB,8BAAT,QAAS,C;MACnB,I7K0CwD,C6K1CpD,G7K0CqD,U6K1CzD,C;QACI,OAAO,4BAAU,GAAV,C;;QAEP,OAAO,wB;K;IAGf,kC;MACI,a7KmCwD,CAAC,mB;M6KICzD,iB;MACA,OAAO,M;K;IAIX,2C;MAKkF,gCAAc,SAAd,EAAYB,IAAZB,C;K;IAEIF,2C;MAKkF,gCAAc,SAAd,EAAYB,KAAZB,C;K;IAEIF,sE;MACI,iBAAa,KAAb,C;MIKIjgB,kBkKmJX,oB;MACD,OAAO,qBAAP,C;QACI,IAAI,UAAU,kBAAV,6BAAJ,C;UACI,oB;UACA,WAAS,I;SAGrB,OAAO,Q;K;oFAIX,4B;MAM6D,kCAAS,KAAT,C;K;IAE7D,gC;MAKiD,IAAI,mBAAJ,C;QAAe,MAAM,2BAAuB,gBAAvB,C;;QAARb,OAAmE,2BAAS,CAAT,C;K;IAEPH,sC;MAKwD,OAAI,mBAAJ,GAAe,IAAf,GAAyB,2BAAS,CAAT,C;K;IAEjF,+B;MAKgD,IAAI,mBAAJ,C;QAAe,MAAM,2BAAuB,gBAAvB,C;;QAARb,OAAmE,2BAAS,2BAAT,C;K;IAEnH,qC;MAKuD,OAAI,mBAAJ,GAAe,IAAf,GAAyB,2BAAS,2BAAT,C;K;IAEHf,2C;MAK8E,kCAAc,SAAd,EAAYB,IAAZB,C;K;IAE9E,2C;MAK8E,kCAAc,SAAd,EAAYB,KAAZB,C;K;IAE9E,wE;MAEgB,UAGS,MAHT,EAcy,MAZ,EAc6B,M;MAfzC,IAAI,uCAAJ,C;QACI,OAAoC,cAA5B,sEAA4B,EAAC,SAAd,EAAYB,uBAAZB,C;MAExC,iBAAsB,C;MACD,oC;MAArB,qBAAkB,CAAlB,mC;QACI,cAAc,sBAAK,SAAL,C;QACd,IAAI,UAAU,OAAV,MAAsB,uBAA1B,C;UACI,Q;QAEJ,IAAI,eAAc,SAAlB,C;UACI,sBAAK,UAAI,EAAMB,OAAAnB,C;QAEJ,+B;;MAEJ,IAAI,aAAa,cAAjB,C;QACwB,oC;QAAiB,mB;QAARc,oE;UACI,2BAAS,WAAT,C;QAEJ,OAAO,I;;QAEP,OAAO,K;;K;IChS+B,wC;MAAkC,uB;MAAjC,0B;K;4FACpB,Y;MAAQ,OAAA,eAAS,K;K;iDACxC,iB;MAAkC,mCAAS,0BAAoB,KAApB,CAAT,C;K;;IAGT,gC;MAAyC,8B;MAAxC,0B;K;oFACH,Y;MAAQ,OAAA,eAAS,K;K;yCACxC,iB;MAAkC,mCAAS,0BAAoB,KAApB,CAAT,C;K;mCAEIC,Y;MAAuB,eAAS,Q;K;8CACHC,iB;MAAuC,OAAA,eAAS,kBAAS,0BAAoB,KAApB,CAAT,C;K;yCAEHd,0B;MAA8C,OAAA,eAAS,aAAI,0BAAoB,KAApB,CAAJ,EAAGC,OAAhC,C;K;yCACvD,0B;MACI,eAAS,aAAI,2BAAqB,KAArB,CAAJ,EAAiC,OAAjC,C;K;;IAIjB,+C;MACoB,Q;MAAA,kC;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAA2B,8BAAy,KAAZ,I;;QAAuB,MAAM,8BAA0B,mBAAgB,KAAhB,2BAA0C,gBAAG,2BAAH,CAA1C,OAA1B,C;K;IAE5D,gD;MACoB,Q;MAAA,qB;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAAsB,iBAAO,KAAp,I;;QAAkB,MAAM,8BAA0B,oBAAiB,KAAjB,2BAA2C,gBAAG,cAAH,CAA3C,OAA1B,C;K;IAGID,+B;MAK+C,gCAAqB,SAArB,C;K;IAE/C,iC;MAM6D,wBAAa,SAAb,C;K;;IvKpC7D,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;IwKY8G,wC;MAAA,mB;QAAE,kBAAS,aAAT,C;O;K;IAThH,yB;MASqG,oCAAS,sBAAT,C;K;8FAErG,yB;MAAA,kD;MxKdA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;MwKiB2I,qD;QAAA,mB;UAAE,gBAAS,qBAAT,C;S;O;MAH7I,gC;QAGkI,kCAAS,mCAAT,C;O;KAHII,C;IAKA,2B;MAQI,eAAe,6B;MACf,oBAA0B,+BAAN,KAAM,EAAwC,QAAxC,EAA+D,QAA/D,C;MAC1B,OAAO,Q;K;8FAGX,yB;MAAA,kD;MAAA,gC;QAGkI,gBAAS,aAAT,C;O;KAHII,C;IAGB0C,yB;K;+CAoBtC,kC;MAOI,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MACID,OAAO,sBAAS,QAAS,WAAlB,e;K;+CAGX,kC;MAQqD,6BAAS,QAAS,WAAlB,e;K;;;;IAezD,mC;MAA2C,wB;MACvC,eAAoB,C;MACpB,mBAA4B,I;MAC5B,sBAAyC,I;MACzC,gBAAoC,I;K;gDAEP,C,Y;MACI,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eACI,C;YAAA,K;eACA,C;YACI,IAAI,kCAAe,UAAAnB,C;cACI,eAAQ,C;cACR,OAAO,I;;cAEP,sBAAe,I;;YALvB,K;eAOA,C;YAAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;kBAC/B,MAAM,yB;;QAGIB,eAAQ,C;QACR,WAAW,4B;QACX,gBAAW,I;QACX,IxH/FR,oBDgDQ,WyH+CY,kBzH/CZ,CChDR,C;;K;6CwHmGA,Y;MACU,IASe,I;MATrB,QAAM,YAAN,C;aACI,C;aAAA,C;UAAsC,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,kCAAe,O;aAE1B,C;UACI,eAAQ,C;UACR,aACa,mF;UACb,mBAAy,I;UACZ,OAAO,M;gBAEH,MAAM,yB;;K;uDAItB,Y;MACI,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;;QAA8B,OAAO,W;K;2DAG/D,Y;MAA4C,QAAM,YAAN,C;aACxC,C;UADwC,OAC1B,6B;aACd,C;UAFwC,OAExB,6BAAsB,sBAAtB,C;gBAFwB,OAGhC,6BAAsB,uCAAoC,YAA1D,C;;K;IAOqC,4E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;oDALR,+B;MACI,mBAAy,K;MACZ,eAAQ,C;MACR,OAA6C,0CAAtC,c;K;IAUsC,+E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;yDANR,kC;MACI,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,M;MACzB,sBAAe,Q;MACf,eAAQ,C;MACR,OAA6C,6CAAtC,c;K;2DAMX,kB;MzHjBO,Q;MADP,eyHoBI,MzHpBJ,C;MACO,QyHmBH,MzHnBG,+D;MyHoBH,eAAQ,C;K;kGAIR,Y;MAAQ,0C;K;;IxK1LhB,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,g

F;sFAAA,yB;MAAA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;MAAA,2B;QAQuF,2C;O;KARvF,C;IAiBgE,+C;MAAA,mB;QAAE,sB;O;K;IALIE,kC;MAKuD,OAAkB,2CAAT,+BAAS,E;K;IAEzE,8B;MAK6D,OAAI,Qb2rPtD,YAAQ,Ca3rP0C,GAAwB,eAAxB,GAAsD,WAAT,QAAS,C;K;IAEnH,yB;MAG8C,kC;K;IAE9C,yB;MAAA,6B;K;uCACI,Y;MAA6C,kC;K;2CAC7C,a;MAA4B,kC;K;2CAC5B,a;MAA4B,kC;K;;IAHhC,qC;MAAA,oC;QAAA,mB;OAAA,6B;K;oFAMA,yB;MAAA,2D;MAAA,4B;QAM4D,uCAAQ,e;O;KANpE,C;IAGB4F,mH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wD;MAAA,kC;K;;;kDAAA,Y;;;;cACxF,eAAe,uBAAa,W;cAC5B,IAAI,QAAS,UAAb,C;gBACI,gB;gCAAA,sCAAS,QAAT,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAEA,gB;gCAAA,sCAAS,iCAAT,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;;;;cAJJ,W;;cAAA,W;;;;;;;K;IADwF,gE;MAAA,yD;uBAAA,uG;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAP5F,4C;MAOmF,gBAAS,uCAAT,C;K;IAGBb,4B;MAAE,OAAA,EAAG,W;K;IAP3E,8B;MAO8D,4BAAQ,cAAR,C;K;IAUQ,8B;MAAE,OAAA,EAAG,W;K;IAR3E,8B;MAQ8D,4BAAQ,gBAAR,C;K;IAM1B,8B;MAAE,S;K;IAJtC,wC;MAEgB,Q;MADZ,IAAI,8CAAJ,C;QACI,OAA4C,CAApC,2EAAoC,kBAAQ,QAAR,C;OAEhD,OAAO,uBAAmB,SAAnB,EAAYB,gBAAzB,EAAiC,QAAjC,C;K;IAGX,4B;MAYiB,Q;MAFb,YAAY,gB;MACZ,YAAY,gB;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAl,IAAK,MAAT,C;QACN,KAAM,WAAl,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;IAGX,+B;MAQqD,6BAAS,4BAAT,C;K;IAW0B,+G;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,0C;MAAA,4C;MAAA,0B;MAAA,kC;K;;;mDAAA,Y;;;;kCAC9D,0C;cACb,gB;;;;cAAA,IAAO,iBPYFkD,UOzFzD,C;gBAAA,gB;;;cACI,QAAQ,yBAAO,iBAAQ,iBAAO,KAAf,C;cACf,WAAkB,WAAP,iBAAO,C;cACIB,YAAgB,IAAI,iBAAO,KAAf,GAAqB,iBAAO,aAAI,CAAJ,EAAO,IAAP,CAA5B,GAA8C,I;cAC1D,gB;8BAAA,iCAAM,KAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAJJ,gB;;cAMJ,W;;;;;;;K;IAR+E,4D;MAAA,yD;uBAAA,mG;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAT/E,uC;MASmE,gBAAY,kCAAZ,C;K;IAkBhC,0D;MAE/B,wB;QAAA,WAAgC,I;MADhC,0B;MACA,0B;MACA,4B;K;IAGuC,0E;MAAA,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;oEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,MAAmB,sCAAvB,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;MAGR,iBAAY,C;K;8DAGhB,Y;MASW,Q;MARP,IAAI,mBAAa,EAajB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,a;MACb,gBAAW,I;MACX,iBAAY,E;MAEZ,OAAO,yE;K;iEAGX,Y;MACI,IAAI,mBAAa,EAajB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAhC5B,Y;MAAuC,yD;K;;IA2C3C,qD;MAAY,0B;MAAmC,gC;K;IACJ,gF;MAAA,0D;MACnC,gBAAe,oCAAS,W;K;iEACxB,Y;MACI,OAAO,6CAAY,aAAS,OAAR,C;K;oEAGX,Y;MACI,OAAO,aAAS,U;K;;8CAPxB,Y;MAAuC,4D;K;qDAWvC,oB;MACI,OAAO,uBAA4B,eAA5B,EAA5C,kBAAAtC,EAAmD,QAAAnD,C;K;;IAUf,4D;MAAY,0B;MAAmC,gC;K;IACJ,8F;MAAA,wE;MACnC,gBAAe,2CAAS,W;MACxB,aAAY,C;K;wEACZ,Y;MAC0C,Q;MAAtC,OAAO,oDAAY,oBAAmB,iBAAnB,EAAmB,yBAAnB,QA AZ,EAAyC,aAAS,OAAD,C;K;2EAGX,Y;MACI,OAAO,aAAS,U;K;;qDARxB,Y;MAAuC,mE;K;;IAkB3C,oC;MAAY,0B;K;IAC6C,wE;MACjD,gBAAe,gCAAS,W;MACxB,aAAY,C;K;6DACZ,Y;MAC2C,Q;MAAvC,OAAO,iBAAa,oBAAmB,iBAAnB,EAAmB,yBAAnB,QAAb,EAA0C,aAAS,OAAnD,C;K;gEAGX,Y;MACI,OAAO,aAAS,U;K;;0CARxB,Y;MAAqD,wD;K;;IAmBzD,0D;MACI,4B;MACA,4B;MACA,4B;K;IAEuC,sE;MAAA,gD;MACnC,iBAAgB,gCAAU,W;MAC1B,iBAAgB,gCAAU,W;K;4DAC1B,Y;MACI,OAAO,sCAAU,cAAU,OAAPB,EAA4B,cAAU,OAAtC,C;K;+DAGX,Y;MACI,OAAO,cAAU,UAAV,IAAuB,cAAU,U;K;;yCARhD,Y;MAAuC,uD;K;;IAC3C,6D;MACI,0B;MACA,gC;MACA,0B;K;IAEuC,4E;MAAA,sD;MACnC,gBAAe,kCAAS,W;MACxB,oBAAiC,I;K;+DAEjC,Y;MACI,IAAI,CAAC,2BAAL,C;QACI,MAAM,6B;MACV,OAAO,gCAAE,O;K;kEAG1B,Y;MACI,OA AO,2B;K;+EAGX,Y;MACQ,Q;MAAJ,IAAI,iEAA2B,KAA/B,C;QACI,oBAAe,I;MAEnB,OAAO,yBAAP,C;QACI ,IAAI,CAAC,aAAS,UAAAd,C;UACI,OAAO,K;;UAEP,cAAc,aAAS,O;UACvB,uBAAuB,wCAAS,2CAAY,OAAZ, CAAT,C;UACvB,IAAI,gBAAiB,UAArB,C;YACI,oBAAe,gB;YACf,OAAO,I;;MAInB,OAAO,I;K;;4CA9Bf,Y;M A AuC,0D;K;;IAoC9B,6I;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,4C;MAAA,kD;MAAA,gD;MAAA,wB;MAA A,yB;MAAA,kC;K;;;yDAAA,Y;;;;kBAGyC,I;cAFIC,C;cACI,sD;cAAhB,gB;;;;cAAA,KAAgB,yBAAhB,C;gBAA AA,gB;;cAAgB,oC;cACZ,aAAa,6BAAU,oBAAmB,uBAAnB,EAAmB,+BAAnB,QAAV,EAAuC,OAAvC,C;cAC b,gB;8BAAA,sCAAS,4BAAS,MAAT,CAAT,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;cAIJ,W;;;;;;;K;I ANS,0F;MAAA,yD;uBAAA,iI;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IADb,wD;MACI,gBAAS,kDAAT,C;K;;;IAo ByB,qD;MACzB,0B;MACA,8B;MACA,0B;MC3TA,IAAI,ED+TQ,qBAAc,CC/TtB,CAAJ,C;QACI,cD8T2B,+CA A4C,iB;QC7TvE,MAAM,gCAAyB,OAAQ,WAAjC,C;OAFV,IAAI,EDgUQ,mBAAyC,CChUpB,CAAJ,C;QACI,gB

D+TyB,6CAA0C,e;QC9TnE,MAAM,gCAAYB,SAAQ,WAAjC,C;OAFV,IAAI,EDiUQ,mBAAY,iBCjUpB,CAAJ,C;QACI,gBDgUkC,0DAAuD,eAAvD,WAAmE,iB;QC/TrG,MAAM,gCAAYB,SAAQ,WAAjC,C;Q;sFDkUa,Y;MAAQ,yBAAW,iBAAX,I;K;yCAE/B,a;MAAYC,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAY,eAAZ,EAAsB,oBAAa,CAAb,IAAtB,EAAsC,eAAtC,C;K;yCAC9E,a;MAAYC,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,gBAAY,eAAZ,EAAsB,iBAAtB,EAakC,oBAAa,CAAb,IAAIC,C;K;IAEzC,8D;MAAA,wC;MAEtB,gBAAe,2BAAS,W;MACxB,gBAAe,C;K;0DAEf,Y;MAEI,OAAO,gBAAW,kCAAX,IAAYB,aAAS,UAAzC,C;QACI,aAAS,O;QACT,qC;;K;2DAIR,Y;MACI,a;MACA,OAAQ,gBAAW,gCAAZ,IAAYB,aAAS,U;K;wDAG7C,Y;MACI,a;MACA,IAAI,iBAAY,gCAAhB,C;QACI,MAAM,6B;MACV,qC;MACA,OAAO,aAAS,O;K;;qCAvBxB,Y;MAA0B,mD;K;;IAgCA,uC;MAC1B,0B;MACA,oB;MC3WA,IAAI,ED+WQ,gBAAS,CC/WjB,CAAJ,C;QACI,cD8WsB,yCAAsC,YAAtC,M;QC7WtB,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;0CDgXV,a;MAAYC,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAY,eAAZ,EAAsB,CAAtB,EAAYB,YAAzB,C;K;0CAC9E,a;MAAYC,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,iBAAa,eAAb,EAAuB,CAAvB,C;K;IAE5B,gE;MACnC,YAAW,yB;MACX,gBAAe,4BAAS,W;K;yDAExB,Y;MACI,IAAI,cAAQ,CAAZ,C;QACI,MAAM,6B;MACV,6B;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,OAAO,YAAO,CAAP,IAAY,aAAS,U;K;;sCAZpC,Y;MAAuC,oD;K;;IAsB3C,gD;MACI,0B;MACA,4B;K;IAEuC,0E;MAAA,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;oEAEnB,Y;MACI,IAAI,aAAS,UAAb,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,CAAJ,C;UACI,iBAAY,C;UACZ,gBAAW,I;UACX,M;UAGR,iBAAY,C;K;8DAGhB,Y;MAMiB,Q;MALb,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aCa,gF;MAGb,gBAAW,I;MACX,iBAAY,E;MACZ,OAAO,M;K;iEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAIC5B,Y;MAAuC,yD;K;;IA2Cb,uC;MAC1B,0B;MACA,oB;MC5bA,IAAI,ED+bQ,gBAAS,CC/bjB,CAAJ,C;QACI,cD8bsB,yCAAsC,YAAtC,M;QC7btB,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;0CDgcV,a;MItXO,SJsXmC,eAAQ,CAAR,I;MAAD,OAA4B,KAAK,CAAT,GAAy,yBAAZ,GAAuC,iBAAa,eAAb,EAAuB,EAAvB,C;K;0CACxG,a;MIvXO,SJuXmC,eAAQ,CAAR,I;MAAD,OAA4B,KAAK,CAAT,GAAy,yBAAZ,GAAuC,gBAAY,eAAZ,EAAsB,YAAtB,EAA6B,EAA7B,C;K;IAEjE,gE;MACnC,gBAAe,4BAAS,W;MACxB,YAAW,yB;K;2DAEX,Y;MAEI,OAAO,YAAO,CAAP,IAAY,aAAS,UAA5B,C;QACI,aAAS,O;QACT,6B;;K;yDAIR,Y;MACI,a;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,a;MACA,OAAO,aAAS,U;K;;sCAnBxB,Y;MAAuC,oD;K;;IA6B3C,gD;MACI,0B;MACA,4B;K;IAGuC,0E;MAAA,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;gEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;MAGR,iBAAY,C;K;8DAGhB,Y;MAMqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,aCa,gF;QACb,gBAAW,I;QACX,iBAAY,C;QACZ,OAAO,M;OAEX,OAAO,aAAS,O;K;iEAGpB,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,a;MACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;K;;2CAIC1C,Y;MAAuC,yD;K;;IAuCN,+C;MAAC,sB;MAAiC,gC;K;0CACnE,Y;MAAuC,4BAAiB,aAAO,WAAxB,EAAoC,kBAApC,C;K;;IAGP,+C;MAAuE,2B;MAAtE,sB;MAAiC,gC;MACIE,kBAAuB,c;K;6CAEvB,Y;MACI,OAAO,aAAO,UAA d,C;QACI,WAAW,aAAO,O;QACIB,UAAU,mBAAY,IAAZ,C;QAEV,IAAI,eAAS,WAAI,GAAJ,CAAb,C;UACI,mBAAQ,IAAR,C;UACA,M;;MAIR,W;K;;IAKgC,0D;MAAC,wC;MAAuC,kC;K;IACrC,0E;MAAA,oD;MACnC,gBAAmB,I;MACnB,iBAAqB,E;K;oEAErB,Y;MACI,gBAAe,mBAAa,EAAjB,GAAqB,+CAArB,GAA4C,2CAAa,4BAAb,C;MACvD,iBAAgB,qBAAJ,GAAsB,CAAtB,GAA6B,C;K;8DAG7C,Y;MAMiB,Q;MALb,IAAI,iBAAY,CAAhB,C;QACI,iB;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,8D;MAEb,iBAAY,E;MACZ,OAAO,M;K;iEAGX,Y;MACI,IAAI,iBAAY,CAAhB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAxB5B,Y;MAAuC,yD;K;;IA6B3C,kC;MAWI,OAAW,iDAAJ,GAAwC,SAAxC,GAakD,4BAAwB,SAAxB,C;K;IAelB,uD;MAAA,qB;QAAE,6B;O;K;IAX7C,wC;MAWI,OAA2D,cAApD,sBAakB,YAAIB,EAAGC,qCAAhC,CAAoD,C;K;IAqBrC,iD;MAAA,mB;QAAE,mB;O;K;IAlB5B,gD;MAeI,OAAI,YAAJ,GACI,2BADJ,GAGI,sBAakB,+BAAIB,EAA4B,YAA5B,C;K;IAER,wD;MAcI,6BAakB,YAAIB,EAAGC,YAAhC,C;K;ILxpBJ,oB;MAAA,wB;MACI,8C;K;gCAEA,iB;MAA4C,oCAAmB,KAAM,U;K;kCACrE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;gFAEX,Y;MAAQ,Q;K;iCAC/B,Y;MAAkC,W;K;wCACIC,mB;MAAmD,Y;K;6CACnD,oB;MAAmE,OAAA,QAAS,U;K;kCAE5E,Y;MAA6C,kC;K;uCAE7C,Y;MAAiC,6B;K;;IAdrC,gC;MAAA,+B;QAAA,c;OAAA,wB;K;IAkBA,oB;MAIoC,6B;K;IAEpC,2B;MAMmD,OAAI,QAAS,OAAT,GAAgB,CAApB,GAAgC,MAAT,QAAS,CAAhC,GAA6C,U;K;IFAEhG,yB;MAAA,mD;MAAA,mB;QAKwC,iB;O;KALxC,C;6FAOA,yB;MAAA,uE;MAAA,mB;QAQsD,2B;O;KARtD,C;IA

UA,kC;MAKiE,OAAS,aAAT,QAAS,EAAa,qBAAc,YAAY,QAAS,OAArB,CAAd,CAAb,C;K;uFAE1E,yB;MAA  
A,2D;MAAA,mB;QAGgD,qB;O;KAHhD,C;IAKA,+B;MAC2D,OAAS,aAAT,QAAS,EAAa,eAAQ,YAAY,QAAS,  
OAArB,CAAR,CAAb,C;K;2FAEpE,yB;MAAA,uE;MAAA,mB;QAMwD,2B;O;KANxD,C;IAQA,iC;MAKME,OA  
AS,aAAT,QAAS,EAAa,qBAAc,YAAY,QAAS,OAArB,CAAd,CAAb,C;K;IAE5E,+B;MAMyD,OAAI,eAAJ,GAA  
qB,MAAM,OAAN,CAArB,GAAyC,U;K;IAEIG,kC;MAQI,OAAgB,gBAAT,QAAS,EAAgB,sBAAhB,C;K;sFAGp  
B,yB;MavBA,uE;MbuBA,gC;QanB8B,gBAANb,oB;QbqCiB,aS/CxB,W;QT+CA,OS9CO,SISwC,Q;O;KbmBnD,C;  
wFA0BA,yB;Ma1CA,wE;Mb0CA,0C;QatCsC,gBAA3B,mBb4DiB,Qa5DjB,C;Qb4D2B,aS7E1C,W;QT6EA,OS5E  
O,SIGBgD,Q;O;KbsC3D,C;sFA+BA,yB;MAAA,mD;MAAA,4B;QAEkD,uCAAQ,U;O;KAF1D,C;IAIA,wC;MAAg  
D,QAAM,cAAN,C;aAC5C,C;UAD4C,OACvC,U;aACL,C;UAF4C,OAEvC,MAAM,oBAAW,OAAjB,C;gBAFuC,  
OAGpC,S;;K;IKnKZ,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;IyKLA,yC;MxK4BI,IAAI,Ew  
K3BI,OAAO,CAAP,IAAY,OAAO,CxK2BvB,CAAJ,C;QACI,cwK3BI,aAAJ,GACI,yEADJ,GAGI,8C;QxKyBJ,M  
AAM,gCAAyB,OAAQ,WAAjC,C;Q;IwKnBM,mI;MAAA,mB;QAAE,wBAAiB,gCAAjB,EAA6B,YAA7B,EAAM  
C,YAAnC,EAAyC,sBAAzC,EAAyD,mBAAzD,C;O;K;IAFtB,gF;MACI,oBAAoB,IAApB,EAA0B,IAA1B,C;MAC  
A,oCAAgB,6EAAhB,C;K;IAKyB,yL;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wC;MAAA,gD;MA  
AA,sD;MAAA,4D;MAAA,wB;MAAA,0B;MAAA,uB;MAAA,0B;MAAA,wB;MAAA,qB;MAAA,4B;MAAA,kC;  
K;;;2DAAA,Y;;;cACrB,4BAAiC,eAAL,uBAAK,EAAa,IAAb,C;+BACvB,0BAAO,uBAAP,I;cACV,IAAI,kBAA  
O,CAAX,C;oCACiB,iBAAa,qBAAb,C;kCACF,C;gBACD,6C;gBAAV,iB;;;sCAaa,gBAAc,qBAAd,C;gBACH,+C;  
gBAAV,gB;;;cAAA,KAAU,2BAAV,C;gBAAA,gB;;;cAAU,kC;cACN,mBAAO,WAAI,GAAJ,C;cACP,IAAI,m  
BAAO,SAAX,C;gBACI,IAAI,mBAAO,KAAP,GAAC,uBAAiB,C;kBAA0B,sBAAS,mBAAO,kBAAuB,uBAAvB,  
C;kBAA8B,gB;;;kBAAxE,gB;;;gBADJ,gB;;;cAGI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAA  
U,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;cAAA,Q;cACA,mBAAO,qBAAy,uBAAZ,C;cAJX,gB;;;cAFJ,gB;  
;cASA,IAAI,iCAAJ,C;gBACI,gB;;;gBADJ,iB;;;cACI,IAAO,mBAAO,KAAd,IAAqB,uBAArB,C;gBAAA,gB;;;c  
ACI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAAU,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;  
cAAA,Q;cACA,mBAAO,qBAAy,uBAAZ,C;cAFX,gB;;;cAIA,IhL4K4C,CgL5KxC,mBhL4KyC,UgL5K7C,C;gB  
AAyB,iB;gCAAA,iCAAM,mBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;gBAAzB,iB;;;cAjCR,W;;cA4BI,iB;;;  
cA1BJ,iB;;;cAGI,KAAU,yBAAV,C;gBAAA,iB;;;6BAAU,sB;cACN,IAAI,kBAAO,CAAX,C;gBAAgB,oCAAQ,C  
AAR,I;gBAAW,iB;;;gBAA3B,iB;;;cACA,iBAAO,WAAI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAANb,C  
;gBACI,iB;gCAAA,iCAAM,iBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;gBADJ,iB;;;cAEI,IAAI,8BAAJ,C;gB  
AAiB,iBAAO,Q;gBAAa,oBAAS,iBAAU,uBAAV,C;cAC9C,kBAAO,c;cAHX,iB;;;cAHJ,iB;;;cASA,IhL+LgD,Cg  
L/L5C,iBhL+L6C,UgL/LjD,C;gBACI,IAAI,qCAAkB,iBAAO,KAAP,KAAe,uBAArC,C;kBAA2C,iB;kCAAA,iCA  
AM,iBAAN,O;sBAAA,2C;2BAAA,yB;kBAAA,Q;kBAA3C,iB;;;gBADJ,iB;;;cAdJ,W;;cAcI,iB;;;cAZJ,iB;;;cAk  
CJ,W;;;K;IARCyB,sI;MAAA,yD;uBAAA,6K;YAAA,S;iBAAA,Q;iBAAA,uB;O;K;IAF7B,6E;MACI,IAAI,  
CAAC,QAAS,UAAAd,C;QAAyB,OAAO,2B;MAChC,OAAO,WAAkB,0EAAiB,C;K;IAwCwB,6B;MAA8B,uB;MA  
A7B,kB;MAChC,mBAA6B,C;MAC7B,eAAyB,C;K;2CAEzB,8B;MACI,+DAAkB,SAAlB,EAA6B,OAA7B,EAAs  
C,WAAK,KAA3C,C;MACa,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;K;0CAGjB,iB;MACI,+DAAkB,KAAiB,E  
AAyB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAy,KAAZ,IAAL,C;K;qFAGY,Y;MAAQ,mB;K;IASR,wC;MAAq  
D,uB;MAApD,sB;MxKrDxB,IAAI,EwKuDQ,cAAc,CxKvDtB,CAAJ,C;QACI,cwKsD2B,wE;QxKrD3B,MAAM,g  
CAAyB,OAAQ,WAAjC,C;OAFV,IAAI,EwKwDQ,cAAc,aAAO,OxKxD7B,CAAJ,C;QACI,gBwKuDqC,wFAA+E  
,aAAO,O;QxKtD3H,MAAM,gCAAyB,SAAQ,WAAjC,C;OwK2DV,kBAAuB,aAAO,O;MAC9B,oBAA8B,C;MAE  
9B,sBAAyB,U;K;kFAAzB,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;uCAGA,iB;MAGW,Q;MAFP,+DAAkB,KA  
AlB,EAAyB,SAAzB,C;MAEA,OAAO,sBAAGmC,CAnG5B,iBAmG6B,GAnGV,KAmGU,IAAD,IAAa,eAnGhD,4  
D;K;kCAGX,Y;MAAe,qBAAQ,e;K;IAEgB,4D;MAAA,sC;MAAS,2B;MAC5C,eAAoB,oB;MACpB,eAAoB,4B;K;  
8DAEpB,Y;MAKgB,Q;MAJZ,IAAI,iBAAS,CAAb,C;QACI,W;;QAGA,mBAAQ,sCAAQ,YAAP,4DAAR,C;QAC  
A,eAoFkC,CAPf1B,YAoF2B,GAPfB,CAoFa,IAAD,IAAa,+B;QANf/C,mC;;K;;oCAXZ,Y;MAAuC,kD;K;2CAGv  
C,iB;MAGiE,UAQ1C,MAR0C,EAe1C,MAf0C,EAqBtD,M;MAiBP,aACQ,KAAM,OAAN,GAAa,IAAK,KAAtB,G  
AAkC,UAAN,KAAM,EAAO,IAAK,KAAZ,CAAI,GAAyD,kD;MAE7D,WAAW,IAAK,K;MAEHb,WAAW,C;M  
ACX,UAAU,iB;MAEV,OAAO,OAAO,IAAP,IAAe,MAAM,eAA5B,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,  
gE;QACf,mB;QACA,iB;;MAGJ,MAAM,C;MACN,OAAO,OAAO,IAAd,C;QACI,OAAO,IAAP,IAAe,wBAAO,G

AAP,gE;QACf,mB;QACA,iB;;MAEJ,IAAI,MAAO,OAAP,GAAc,IAAK,KAAvB,C;QAA6B,OAAO,IAAK,KAAZ,IAAoB,I;MAEjD,OAAO,uD;K;mCAGX,Y;MACI,OAAO,qBAAQ,gBAAa,SAAb,OAAR,C;K;4CAGX,uB;MAKI,kBAaO,d,eAAjC,mBAAY,mBAAa,CAAzB,IAA8B,CAA9B,IAAiC,EAAa,WAAb,C;MACpD,gBAaO,b,sBAAc,C AAIB,GAA4B,UAAP,aAAO,EAAO,WAAP,CAA5B,GAAqD,qBAAQ,gBAAa,WAAb,OAAR,C;MACrE,OAAO,eAAW,SAAX,EAA5B,SAAtB,C;K;qCAGX,mB;MAII,IAAI,aAAJ,C;QACI,MAAM,6BAAsB,qBAAtB,C;OAGV,cA6B0C,CA7BnCi,BA6BoC,GA7BjB,SA6BiB,IAAD,IAAa,eA7BvD,IAAmC,O;MACnC,6B;K;+CAGJ,a;MxKhJA,IAAI,EwKoJQ,KAAK,CxKpJb,CAAJ,C;QACI,cwKmJkB,wC;QxKIJIB,MAAM,gCAAyB,OAAQ,WAAjC,C;OAFV,IAAI,EwKqJQ,KAAK,SxKrJb,CAAJ,C;QACI,gBwKoJqB,wEAA8D,S;QxKnJnF,MAAM,gCAAyB,SAAQ,WAAjC,C;OwKqJN,IAAI,IAAI,CAAR,C;QACI,YAAy,iB;QACZ,UAgBsC,CAhB5B,KAgB6B,GAhBf,CAgBe,IAAD,IAAa,e;QAdnD,IAAI,QAAQ,GAAZ,C;UACW,OAAP,aAAO,EAAK,IAAL,EAAW,KAAX,EAAkB,eAAIB,C;UACA,OAAP,aAAO,EAAK,IAAL,EAAW,CAAX,EAAc,GAAd,C;;UAEA,OAAP,aAAO,EAAK,IAAL,EAAW,KAA X,EAAkB,GAAIB,C;;QAGX,oBAAa,G;QACb,wBAAQ,CAAR,I;Q;qCAKR,wB;MAC8C,QAAC,YAAO,CAAP,IAAD,IAAa,e;K;;IA9G3D,0C;MAAA,oD;MAA6B,uBAAK,gBAAMb,QAAnB,OAAL,EAAMC,CAAnC,C;MAA7B,Y;K;ICvFJ,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OrL+B4E,0BqL/BrE,kBAAM,CAAN,CrL0Q2B,KAAL,GA AiB,GA3O8B,EqL/B1D,KrL0QgB,KAAL,GAAiB,GA3O8B,CqL/BrE,IAAP,C;UACI,a;;QACJ,OrL6B4E,0BqL7Br E,kBAAM,CAAN,CrLwQ2B,KAAL,GAAiB,GA3O8B,EqL7B1D,KrLwQgB,KAAL,GAAiB,GA3O8B,CqL7BrE,IA AP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,uC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CA AJ,C;QACI,UAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,UAAU,KAAV,EAAiB,IAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OnLM6E,0B mLNtE,kBAAM,CAAN,CnL0O2B,KAAL,GAAiB,KApO+B,EmLN3D,KnL0OgB,KAAL,GAAiB,KApO+B,CmL NtE,IAAP,C;UACI,a;;QACJ,OnLI6E,0BmLJtE,kBAAM,CAAN,CnLwO2B,KAAL,GAAiB,KApO+B,EmLJ3D,Kn LwOgB,KAAL,GAAiB,KApO+B,CmLJtE,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM, CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;M ACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OpLn8D,YoLmBvD,kBAAM,CAAN,CpLnBwE,KAAjB,EoLmB5C,KpLnByE,K AA7B,CoLmBvD,IAAP,C;UACI,a;;QACJ,OpLrB8D,YoLqBvD,kBAAM,CAAN,CpLrBwE,KAAjB,EoLqB5C,Kp LrByE,KAA7B,CoLqBvD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UAC V,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAA O,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IA AI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MACR ,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OpK5C+D,aoK4CxD,kBAAM,CAAN,CpK5C0E,KAAIB,EoK4C7C,KpK5C2E,KAA9B,CoK4CxD, IAAP,C;UACI,a;;QACJ,OpK9C+D,aoK8CxD,kBAAM,CAAN,CpK9C0E,KAAIB,EoK8C7C,KpK9C2E,KAA9B,C oK8CxD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN, EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C; K;IAGX,yC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IA AP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ, C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAwB,KAAxB,C;K;IAKR,gD;MAI6E,UAAU,KAAV,EAAiB,SAAjB,E AA4B,UAAU,CAAV,IAA5B,C;K;IAC7E,gD;MAC6E,YAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA 5B,C;K;IAC7E,gD;MAC6E,YAAU,KAAV,EAAiB,SAAjB,EAA4B,UAAU,CAAV,IAA5B,C;K;IAC7E,gD;MAC6

E, YAAU, KAAV, EAAiB, SAAjB, EAA4B, UAAU, CAAV, IAA5B, C; K; IvK9I7E, 0C; MF0BI, IAAI, EEjBI, SAAU, OAAV, GAAiB, CFiBrB, CAAJ, C; QACI, cAda, qB; QAeb, MAAM, gCAAyB, OAAQ, WAAjC, C; OEIBV, OAAO, oBAAoB, CAAPB, EAAuB, CAAvB, EAA0B, SAA1B, C; K; IAGX, 8C; MACe, Q; MAAX, wBAAW, SAAX, gB; QAAW, SAAA, SAAX, M; QACI, SAAS, GAAG, CAAH, C; QACT, SAAS, GAAG, CAAH, C; QACT, WAAW, cAAc, EAAAd, EAAkB, EAAIB, C; QACX, IAAI, SAAQ, CAAZ, C; UAAe, OAAO, I; MAE1B, OAAO, C; K; sGAGX, yB; MAAA, 8D; MAAA, iC; QASI, OAAO, cAAc, SAAS, CAAT, CAAd, EAA2B, SAAS, CAAT, CAA3B, C; O; KATX, C; sGAYA, sC; MASi, OAAO, UAAW, SAAQ, SAAS, CAAT, CAAR, EAAqB, SAAS, CAAT, CAARb, C; K; IAAtB, 6B; MAWY, Q; MALR, IAAI, MAAM, CAAV, C; QAAa, OAAO, C; MACpB, IAAI, SAAJ, C; QAae, OAAO, E; MACtB, IAAI, SAAJ, C; QAae, OAAO, C; MAGtB, OAA8B, iBAAtB, mDAAb, EAAU, CAAV, C; K; IAaZ, 6C; MAAA, uB; QAAU, 2BAAoB, CAAPB, EAAuB, CAAvB, EA0B, iBAA1B, C; O; K; IA VhC, 8B; MF7CI, IAAI, EEsDI, SAAU, OAAV, GAAiB, CFtDrB, CAAJ, C; QACI, cAda, qB; QAeb, MAAM, gCAAyB, OAAQ, WAAjC, C; OEqDV, OAAO, eAAW, 2BAAX, C; K; 0FAIX, yB; MAAA, sC; MAAA, oC; MAAA, uBAOe, yB; QArEf, 8D; eAqEe, 4B; UAAA, uB; YAAU, eAAsB, gB; YAAtB, OA5Dd, cAAc, SA4DgB, CA5DhB, CAAd, EAA2B, SA4DM, CA5DN, CAA3B, C; W; S; OA4DI, C; MAPf, 2B; QAOI, sBAAW, 0BAAX, C; O; KAPJ, C; 0FASA, yB; MAAA, oC; MAQe, gE; QAAA, uB; UAAU, iBAAsB, kB; UAAtB, eAAkC, gB; UAAIC, OA1Dd, UAAW, SAAQ, SA0DW, CA1DX, CAAR, EAAqB, SA0DC, CA1DD, CAARb, C; S; O; MakDtB, uC; QAQI, sBAAW, sCAAX, C; O; KARJ, C; 4GAUA, yB; MAAA, sC; MAAA, oC; MAAA, iCAOe, yB; QAxFf, 8D; eAwFe, 4B; UAAA, uB; YAAU, eAAsB, gB; YAAtB, OA/Ed, cAAc, SA+EgB, CA/EhB, CAAd, EAA2B, SA+EM, CA/EN, CAA3B, C; W; S; OA+EI, C; MAPf, 2B; QAOI, sBAAW, oCAAX, C; O; KAPJ, C; 8GASA, yB; MAAA, oC; MAUe, 0E; QAAA, uB; UAAU, iBAAsB, kB; UAAtB, eAAkC, gB; UAAIC, OA/Ed, UAAW, SAAQ, SA+EW, CA/EX, CAAR, EAAqB, SA+EC, CA/ED, CAARb, C; S; O; MAqEtB, uC; QAUI, sBAAW, gDAAX, C; O; KAVJ, C; kFAYA, yB; MAAA, sC; MAAA, oC; MAAA, oBAQe, yB; QA9Gf, 8D; eA8Ge, yC; UAAA, uB; YACP, sBAAsB, WAAY, SAAQ, CAAR, EAAW, CAAX, C; YACIC, Q; YAAA, IAAI, oBAAmB, CAAvB, C; cAAA, OAA0B, e; cAAqB, eAAsB, gB; cAArE, OA vGG, cAAc, SAuG8C, CA vG9C, CAAd, EAA2B, SAuGoC, CA vGpC, CA A3B, C; YAsGH, W; W; S; OADO, C; MARf, sC; QAQI, sBAAW, kCAAX, C; O; KARJ, C; oFAaA, yB; MAAA, oC; MAQe, 0E; QAAA, uB; UACP, sBAAsB, WAAY, SAAQ, CAAR, EAAW, CAAX, C; UACIC, Q; UAAA, IAAI, oBAAmB, CAAvB, C; YAAA, OAA0B, e; YAAqB, iBAAsB, kB; YAAtB, eAAkC, gB; YAAjF, OA xGG, UAAW, SAAQ, SAwGyC, CAxGzC, CAAR, EAAqB, SAwG+B, CAxG/B, CAARb, C; UAUgD, W; S; O; MATR, kD; QAQI, sBAAW, 8CAAX, C; O; KARJ, C; sGAaA, yB; MAAA, sC; MAAA, oC; MAAA, 8BAQe, yB; QAxIf, 8D; eAwIe, mD; UAAA, uB; YACP, sBAAsB, qBAAsB, SAAQ, CAAR, EAAW, CAAX, C; YAC5C, Q; YAAA, IAAI, oBAAmB, CAAvB, C; cAAA, OAA0B, e; cAAqB, eAAsB, gB; cAArE, OAjIG, cAAc, SAiI8C, CAjI9C, CAAd, EAA2B, SAiIoC, CAjIpC, CAA3B, C; YAgIH, W; W; S; OADO, C; MARf, sC; QAQI, sBAAW, 4CAAX, C; O; KARJ, C; wGAaA, yB; MAAA, oC; MAQe, 8F; QAAA, uB; UACP, sBAAsB, qBAAsB, SAAQ, CAAR, EAAW, CAAX, C; UAC5C, Q; UAAA, IAAI, oBAAmB, CAAvB, C; YAAA, OAA0B, e; YAAqB, iBAAsB, kB; YAAtB, eAAkC, gB; YAAjF, OAII, UAAW, SAAQ, SAKIyC, CAIIzC, CAAR, EAAqB, SAKI+B, CAII/B, CAARb, C; UAIId, W; S; O; MATR, kD; QAQI, sBAAW, wDAAX, C; O; KARJ, C; kGAcA, yB; MAAA, oC; MAOe, wE; QAAA, uB; UACP, sBAAsB, mBAAoB, SAAQ, CAAR, EAAW, CAAX, C; UAAIC, OACI, oBAAmB, CAAvB, GAA0B, eAA1B, GA A+C, mBAAW, CAAX, EAAc, CAAd, C; S; O; MATvD, wC; QAOI, sBAAW, 4CAAX, C; O; KAPJ, C; IAmBe, oD; MAAA, uB; QACP, sBAAsB, SAAU, SAAQ, CAAR, EAAW, CAAX, C; QAaHc, OACI, oBAAmB, CAAvB, GAA0B, eAA1B, GAA+C, kBAAW, SAAQ, CAAR, EAAW, CAAX, C; O; K; IATIE, uC; MAOI, sBAAW, kCAAX, C; K; IAYc, wE; MAAA, uB; QACV, sBAAsB, mBAAoB, SAAQ, CAAR, EAAW, CAAX, C; QAA1C, OACI, oBAAmB, CAAvB, GAA0B, eAA1B, GAA+C, kBAAW, SAAQ, CAAR, EAAW, CAAX, C; O; K; IATIE, +C; MAOI, sBAAc, 4CAAd, C; K; IAaW, +C; MAAA, uB; QAEH, UAAM, CAAN, C; UADJ, OACe, C; aACX, c; UAFJ, OAEiB, E; aACb, c; UAHJ, OAGiB, C; UAHjB, OAIY, kBAAW, SAAQ, CAAR, EAAW, CAAX, C; O; K; IAZ/B, gC; MAOI, sBAAW, 6BAAX, C; K; 4FASJ, yB; MAAA, 4D; MAAA, wD; MAAA, mB; QAOqE, kBAAW, cAAAX, C; O; KAPrE, C; IAGBe, 8C; MAAA, uB; QAEH, UAAM, CAAN, C; UADJ, OACe, C; aACX, c; UAFJ, OAEiB, C; aACb, c; UAHJ, OAGiB, E; UAHjB, OAIY, kBAAW, SAAQ, CAAR, EAAW, CAAX, C; O; K; IAZ/B, +B; MAOI, sBAAW, 4BAAX, C; K; 0FASJ, yB; MAAA, 4D; MAAA, sD; MAAA, mB; QAOoE, iBAAU, cAAV, C; O; KAPpE, C; IASA, wB; MAK4F, Q; MAA7B, OAA6B, 4F; K; IAE5F, wB; MAK4F, Q; MAA7B, OAA6B, 4F; K; IAE5F, gC; MAM+D, IAEJ, IAFI, EAGJ, M; MAFvD, kBAD2D, SAC3D, sB; QADqD, OAC5B, SAAK, W; WAC9B, WAF2D, SAE3D, wC; QAFqD, OAEe, 4F; WACvD, WAH2D, SAG3D, wC; QAHqD, OAGE, gG; QAHF, OAI7C, uBAAmB, SAA nB, C; K; IAiuB, wC; MAAC, 4B; K; 2CACHc, gB; MAAwC, OAAA, eAAW, SAAQ, CAAR, EAAW, CAAX, C; K; 4CACn

D,Y;MACgC,sB;K;;IAGpC,kC;MAAA,sC;K;+CACI,gB;MAAoE,OAAE,iBAAF,CAAE,EAAU,CAAV,C;K;gDAC  
tE,Y;MAC8C,2C;K;;IAHID,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;IAMA,kC;MAAA,sC;K;+CACI,gB;MAAoE,  
OAAE,iBAAF,CAAE,EAAU,CAAV,C;K;gDACtE,Y;MAC8C,2C;K;;IAHID,8C;MAAA,6C;QAAA,4B;OAAA,sC  
;K;8EwKjTA,4B;MAUI,OAAK,iBAAL,SAAK,EAAU,KAAV,C;K;ICTT,iC;K;;oDA2DI,0C;MAiB+D,oB;QAAA  
,2C;aAjB/D,kG;K;;IAoBJ,uC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,qC;MAAA,wC;O;MASI,4E;MAMA,8E;M  
AOA,4E;MAOA,kE;K;;IApBA,mD;MAAA,2B;MAAA,2C;K;;IAMA,oD;MAAA,2B;MAAA,4C;K;;IAOA,mD;M  
AAA,2B;MAAA,2C;K;;IAOA,8C;MAAA,2B;MAAA,sC;K;;IA7BJ,iC;MAAA,+K;K;;IAAA,sC;MAAA,a;AAAA,c;  
UAAA,gD;aAAA,e;UAAA,iD;aAAA,c;UAAA,gD;aAAA,S;UAAA,2C;gBAAA,oE;;K;;oFAqCA,mB;K;,,,,,,,,,,,,;  
;;I5HiBiD,gD;MAAA,oB;QACzC,WAAW,sBAAmB,YAAF,CAAE,CAAnB,C;QACX,cAAM,IAAN,C;QADA,OA  
EA,IAAK,a;O;K;;;IAthb,+B;K;;iFAUA,yB;MAAA,4B;MAAA,mC;QAMI,6BDgDQ,WChDkB,KDgDIB,CChDR,  
C;O;KANJ,C;2GAQA,yB;MAAA,4B;MDgDQ,kD;MChDR,uC;QAOI,6BDgDQ,WAAO,cChDW,SDgDX,CAAP,C  
ChDR,C;O;KAPJ,C;+FAUA,yB;MAAA,kC;MAAA,mD;MAAA,yE;QASI,sC;QAAA,4C;O;MATJ,iGAWY,Y;QA  
AQ,2B;OAXpB,E;MAAA,0DAaQ,kB;QACI,wBAAW,MAAX,C;O;MAdZ,sF;MAAA,sC;QASI,0D;O;KATJ,C;IAi  
BA,gD;MAaI,4BAA0D,YAAzC,wCAA6B,UAA7B,CAAyC,CAA1D,EAAyE,yBAAzE,C;K;IAEJ,4D;MAcI,4BAA  
oE,YAAAnD,0CAA6B,QAA7B,EAAuC,UAAvC,CAAmD,CAApE,EAAmF,yBAAAnF,C;K;IAEJ,+C;MAU6C,YAAz  
C,wCAA6B,UAA7B,CAAyC,CAtEzC,oBDgDQ,WcBsD,kBDtBtD,CChDR,C;K;IAyEJ,2D;MAWuD,YAAAnD,0C  
AA6B,QAA7B,EAAuC,UAAvC,CAAmD,CAPFnD,oBDgDQ,WCoCgE,kBDpChE,CChDR,C;K;IAuFJ,+C;MAYI,  
OAA6C,8BAAtC,c;K;8EAZX,yB;MAAA,oE;MAAA,6E;MAYiD,gD;QAAA,oB;UACzC,WAAW,sBAAmB,YAA  
F,CAAE,CAAnB,C;UACX,cAAM,IAAN,C;UADA,OAEA,IAAK,a;S;O;MAfb,sC;QAYW,mBAAAsC,8BAAtC,6B;  
QAAP,OAAO,kD;O;KAZX,C;qGA0BI,yB;MAAA,2D;MAAA,mB;QACI,MAAM,6BAAoB,0BAApB,C;O;KADV  
,C;;M6HzIA,yC;;IAAA,uC;MAAA,2C;K;;;IAAA,mD;MAAA,kD;QAAA,iC;OAAA,2C;K;+EAKBA,wB;K;oDAaA  
,e;MAK2C,IAAI,IAAJ,EAGK,M;MAL5C,IAAI,+CAAJ,C;QAEI,OAAW,GAAl,kBAAS,IAAK,IAAd,CAAR,GAA  
4B,cAAI,OAAJ,GAAl,iBAAQ,IAAR,CAAJ,yCAA5B,GAAyD,I;OAGpE,OAAW,8CAA4B,GAAhC,GAAqC,8EA  
ArC,GAAoD,I;K;yDAI/D,e;MAGI,IAAI,+CAAJ,C;QACI,OAAW,GAAl,kBAAS,IAAK,IAAd,CAAJ,IAA0B,GAA  
LiBAAQ,IAAR,CAAJ,QAA9B,GAAyD,mCAAzD,GAAoF,I;OAE/F,OAAW,8CAA4B,GAAhC,GAAqC,mCAArC  
,GAAgE,I;K;;;ICtChD,oD;MACf,cAAc,GAAl,kBAAS,OAAQ,IAAjB,C;MACIB,IAAI,YAAY,mCAAhB,C;QAD  
A,OACuC,O;;QAEnc,kBAAkB,oBAAQ,yCAAR,C;QACIB,IAAI,mBAAJ,C;UAJJ,OAI6B,oBAAgB,OAAhB,EA  
AyB,OAAzB,C;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,O  
AAhB,EAAyB,WAAzB,CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAAzB,OAAtB,CAAhB,EAAgD,WAAhD,C;;  
K;8CAdxB,mB;MAKI,OAAI,YAAY,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,4BAAx,C;K;  
;;;;qDAiCZ,e;MAEyB,Q;MADrB,OACI,OAAA,IAAK,IAAL,EAAy,GAAZ,CAAJ,GAAqB,0EAArB,GAAoC,I;K;  
sDAExC,8B;MACI,iBAAU,OAAV,EAAmB,IAAnB,C;K;0DAEJ,e;MACI,OAAI,OAAA,IAAK,IAAL,EAAy,GAA  
Z,CAAJ,GAAqB,mCAArB,GAAgD,I;K;;;IC1DP,8C;MAAC,wB;K;kFAAA,Y;MAAA,yB;K;;IAiCe,wD;MAEjE,k  
C;MAEA,4BAAqC,mDAAJ,GAAkD,OAAQ,qBAA1D,GAA0E,O;K;4DAE3G,mB;MAA6C,+BAAS,OAAT,C;K;6  
DAC7C,e;MAA8C,eAAQ,IAAR,IAAgB,8BAaE,G;K;;IAGjF,+C;MAW2C,IAAI,IAAJ,EAGV,M;MAL7B,IAAI,+  
CAAJ,C;QAEI,OAAW,GAAl,kBAAS,SAAK,IAAd,CAAR,GAA4B,cAAI,OAAJ,GAAl,iBAAQ,SAAR,CAAJ,yC  
AA5B,GAAyD,I;OAGpE,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mFAAtB,GAAqC,I;K;IAGhD,6C;MAUI,I  
AAI,+CAAJ,C;QACI,OAAW,GAAl,kBAAS,SAAK,IAAd,CAAJ,IAA0B,GAAl,iBAAQ,SAAR,CAAJ,QAA9B,GA  
AyD,mCAAzD,GAAoF,S;OAE/F,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mCAAtB,GAAiD,S;K;IAG5D,iC;  
MAAA,qC;MAKI,4B;K;oDACA,Y;MAAiC,0C;K;kDAEjC,e;MAAyD,W;K;mDACzD,8B;MAA4E,c;K;mDAC5E,  
mB;MAAwE,c;K;uDACxE,e;MAA8D,W;K;+CAC9D,Y;MAAsC,Q;K;+CACtC,Y;MAAyC,8B;K;;;IAb7C,6C;MA  
AA,4C;QAAA,2B;OAAA,qC;K;IAqB8B,wC;MAC1B,kB;MACA,wB;K;4CAGA,e;MAGQ,Q;MAFJ,UAAU,I;MA  
CV,OAAO,IAAP,C;QACI,YAAA,GAAl,UAAJ,aAAy,GAAZ,W;UAAwB,W;SACxB,WAAW,GAAl,O;QACf,IA  
AI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,iBAAK,GAAL,C;;K;6CAKnB,8B;MACI,iBAAU,WAAK,cAAK,O  
AAL,EAAc,SAAd,CAAf,EAAyC,cAAzC,C;K;iDAEJ,e;UAGW,I;MAFP,+BAAQ,GAAR,U;QAAoB,OAAO,W;O  
AC3B,cAAc,WAAK,kBAAS,GAAT,C;MAEf,gBAAy,WAAZ,C;QAAoB,W;WACpB,gBAAy,mCAAZ,C;QAAq  
C,qB;;QAC7B,2BAAgB,OAAhB,EAAyB,cAAzB,C;MAHZ,W;K;uCAOJ,Y;MAIc,IAAI,IAAJ,Q;MAHV,UAAU,I;  
MACV,WAAW,C;MACX,OAAO,IAAP,C;QACU,uBAAI,OAAJ,GAAl,OAAJ,gC;QAAA,mB;UAAgC,OAAO,I;S

AA7C,MAAM,M;QACN,mB;;K;2CAIR,mB;MACI,+BAAI,OAAQ,IAAZ,GAAoB,OAAPB,C;K;8CAEJ,mB;MAQ  
4B,Q;MAPxB,UAAU,O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAI,UAAb,CAAL,C;UAA4B,OA  
AO,K;QACnC,WAAW,GAAI,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,gBAAS,0EAAT,C;;;K;uC  
AKnB,iB;MACI,gBAAS,KAAT,KAakB,yCAA4B,KAAM,SAAN,KAAGB,aAA5C,IAAsD,KAAM,eAAY,IAAZ,C  
AA9E,C;K;yCAEJ,Y;MAA+B,OAAK,SAAL,WAAK,CAAL,GAA0B,SAAR,cAAQ,CAA1B,I;K;IAGZ,uD;MACX  
,OAAI,G3JyHoC,YAAU,C2JzHID,GAAmB,OAAQ,WAA3B,GAA6C,GAAF,UAAQ,O;K;yCAF3D,Y;MACI,aAA  
M,kBAAK,EAAL,EAAS,+BAAT,CAAN,GAEI,G;K;IAMO,8E;MAAA,6B;QAAyB,Q;QAAT,iBAAS,sBAAT,EA  
AS,8BAAT,UAAoB,O;QAAQ,W;O;K;+CAJ3D,Y;MAOsB,Q;MANIB,QAAQ,a;MACR,eAAe,gBAA+B,CAA/B,O  
;MACf,gBAAY,CAAZ,C;MACA,kBAAK,kBAAL,EAAW,oDAAX,C;M9KtFJ,IAAI,E8KuFM,YAAS,C9KvFf,CA  
AJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;O8KuFN,OAAO,+BAAW,qDAAX,C;K;IAGa,8  
C;MACpB,kD;MADqB,wB;K;IACrB,gD;MAAA,oD;MACI,4B;K;;;IADJ,4D;MAAA,2D;QAAA,0C;OAAA,oD;K;  
yDAIA,Y;MAA0C,gBAAT,a;M5Lm9YrB,Q;MADhB,kB4Ll9YmD,mC;M5Lm9YnD,wBAAGB,SAAhB,gB;QAAg  
B,cAAA,SAAhB,M;QAAsB,cAAwB,yBAAa,OAAb,C;;M4Ln9YT,O5Lo9Y9B,W;K;;;I6LtoZX,oE;MA4BI,MAA  
M,wBAAoB,sEAAPB,C;K;8GA5BV,yB;MAAA,2D;MAAA,sC;QA4BI,MAAM,6BAAoB,sEAAPB,C;O;KA5BV,  
C;IA0CoC,mC;MAAQ,4D;K;IAE5C,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAK0C,oG;  
MAAqB,gF;MAAW,4E;K;;IAAhC,+D;MAAA,gC;MAAA,uD;K;;IAAqB,qD;MAAA,gC;MAAA,6C;K;;IAAW,m  
D;MAAA,gC;MAAA,2C;K;;IAL1E,sC;MAAA,sJ;K;;IAAA,2C;MAAA,a;aaaa,qB;UAAA,4D;aAAA,W;UAAA,k  
D;aAAA,S;UAAA,gD;gBAAA,qF;;K;;6ECnDA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAA  
uB,KAAS,C;O;KAHvF,C;2EAKA,yB;MAAA,0B;MAAA,mC;QAGqD,OAAgC,OAA1B,SAAL,GAAsB,KAAS,C;  
O;KAHrF,C;6EAKA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;O;KAHvF,C;6  
EAKA,yB;MAAA,0B;MAAA,4B;QAGqC,OAAqB,OAAP,CAAR,SA Ae,C;O;KAH1D,C;+EAMA,yB;MAAA,4B;  
MAAA,mC;QAGyD,OAAiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;6EAKA,yB;MAAA,4B;MAAA,mC;  
QAGwD,OAAgC,QAA1B,SAAL,GAAsB,KAAS,C;O;KAHxF,C;+EAKA,yB;MAAA,4B;MAAA,mC;QAGyD,OA  
AiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;+EAKA,yB;MAAA,4B;MAAA,4B;QAGuC,OAAqB,QAAP,C  
AAR,SA Ae,C;O;KAH5D,C;ICpCA,qC;K;;ICAA,mB;K;;IAOA,iB;K;;IAOA,2C;K;;IAOA,wB;K;;IAQA,0B;K;;IA  
OA,sB;K;;IAOA,4B;K;;IAOA,6C;K;;IA+BuC,wE;MAEnC,uB;QAAA,UAAsB,E;MACtB,qB;QAAA,8B;MACA,2  
B;QAAA,qE;MACA,yB;QAAA,YAAqB,E;MAJrB,sB;MACA,sB;MACA,kB;MACA,8B;MACA,0B;K;;IAGJ,iD;  
MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,+C;MAAA,kD;O;MAKI,wG;MACA,wG;MACA,8F;K;;IAFA,iE;MAAA  
,qC;MAAA,yD;K;;IACA,iE;MAAA,qC;MAAA,yD;K;;IACA,4D;MAAA,qC;MAAA,oD;K;;IAPJ,2C;MAAA,6K;K  
;;IAAA,gD;MAAA,a;aaaa,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAAA,a;UAAA,yD;gBAAA,6E;;K;;IAUA,wB;K  
;;ICjGA,qB;MAAA,yB;K;0CAII,Y;MAO6D,uB;K;2HAE7D,yB;MAAA,+D;MAAA,kC;MAAA,0F;MAAA,6F;MA  
AA,4E;QAUI,wC;QAAS,2C;O;MAVb,mEAWQ,wC;QAA6E,sBAAS,QAAT,EAAMB,QAANB,EAA6B,QAA7B,C  
;O;MAXrF,oG;MAAA,yC;QAUI,wDAA+B,YAA/B,C;O;KAVJ,C;uHAcA,yB;MAAA,+D;MAAA,kC;MAAA,wF;  
MAAA,yF;MAAA,0E;QAeI,wC;QAAS,2C;O;MADB,kEAeQ,wC;QAAuF,6BAAS,QAAT,EAAMB,QAANB,EAA6  
B,QAA7B,C;O;MAf/F,kG;MAAA,yC;QAeI,sDAA+B,YAA/B,C;O;KADJ,C;;;IA3BJ,iC;MAAA,gC;QAAA,e;OAA  
A,yB;K;IAGDiC,sB;MAC7B,eAAwB,I;K;4CAExB,6B;MACW,Q;MAAA,mB;MAAA,iB;QAAS,MAAM,6BAAsB  
,cAAY,QAAS,aAArB,uCAAtB,C;OAAtB,OAAO,I;K;4CAGX,oC;MACI,eAAa,K;K;;;kDC9CjB,6B;;K;;;iEA+  
CA,6B;;K;;ICrDuC,0C;MACvC,uBAAoB,Y;K;wDAEPB,wC;MAM6F,W;K;uDAE7F,wC;K;oDAMA,6B;MACI,O  
AAO,oB;K;oDAGX,oC;MACI,eAAe,IAAK,gB;MACpB,IAAI,CAAC,0BAAa,QAAb,EAAuB,QAAvB,EAAiC,KA  
AjC,CAAL,C;QACI,M;OAEJ,uBAAa,K;MACb,yBAAY,QAAZ,EAAsB,QAAtB,EAAgC,KAAhC,C;K;;4EC9BR,  
wC;MAqBI,OAAO,e;K;4EAGX,+C;MAuBI,cAAI,KA AJ,C;K;4EAIJ,wC;MAMBI,OAAO,cAAI,OAAJ,C;K;4EAG  
X,+C;MAqBI,cAAI,OAAJ,EAAa,KAAb,C;K;IC/FJ,kB;MA6PI,4B;K;+BAtoA,Y;MAOiC,6BAAS,EAAT,C;K;uC  
AEjC,iB;MAW2C,4BAAQ,CAAR,EA AW,KAAX,C;K;uC AE3C,uB;MAakB,Q;MAHd,iBAAiB,IAAjB,EA AuB,K  
AAvB,C;MACA,QAAQ,QAAQ,IAAR,I;MACR,IAAI,IAAI,CAAJ,IAAS,MAAK,WAAIB,C;QACc,IAAI,MAAM,  
CAAC,CAAD,IAAN,OAAY,CAAhB,C;UACN,eAAe,SAAS,CAAT,C;UACf,6BAAS,QAAT,C;;UA EA,K;;YAEI,  
WAAW,cAAU,KA AK,C;YAC1B,IAAI,OAAO,C;;UACN,gBAAO,CAAP,IAAY,CAAZ,GAAgB,CAAhB,SAAqB,  
CAArB,C;UACT,Q;;QATJ,c;QAWA,OAAO,OAAO,GAAP,I;;QAEP,OAAO,IAAP,C;UACI,YAAU,c;UACV,IAA  
W,IAAP,qBAakB,KAAtB,C;YAA6B,OAAO,K;;K;gCAKhD,Y;MAOmC,OAAU,oBAAV,cAAU,CAAS,WAAI,E

AAJ,CAAnB,yBAA6B,cAA7B,E;K;wCAEnC,iB;MAW8C,iCAAY,KAAZ,C;K;wCAE9C,uB;MAiBkB,Q;MAPd,m  
BAAiB,IAAjB,EAAuB,KAAvB,C;MACA,QAAQ,eAAQ,IAAR,C;MACR,IAAI,eAAI,CAAR,C;QACI,O;QACA,I  
AAI,aAAO,CAAD,aAAN,GAAY,CAAZ,CAAJ,C;UACI,WAAW,CAAE,Q;UACb,YAAa,qBAAO,EAAP,CAAW,  
Q;UAEpB,aAAQ,CAAR,C;YACI,eAAe,SAAS,IAAT,C;YAEf,OAAMb,oBAAnB,sBAAS,QAAT,CAAmB,CAAn  
B,iB;iBAEJ,cAAS,CAAT,C;YAEI,OAAU,oBAAV,cAAU,CAAV,iB;;YAEA,iBA Ae,SAAS,KAAT,C;YACf,OAA  
mB,oBAAnB,sBAAS,UAAT,CAAmB,CAAS,WAAI,EAAJ,CAA5B,KAAiD,oBAAV,cAAU,CAAV,iBAAvC,C;;U  
AXR,U;;UAeA,K;;YAEI,WAAW,eAAW,oBAAK,CAAL,C;YACtB,IAAI,YAAO,CAAP,C;;UACC,sBAAO,CAAP  
,MAAY,+BAAI,CAAJ,EAAZ,eAAqB,CAArB,C;UACT,MAAM,C;;QAEV,OAAO,SAAO,GAAP,C;;QAEp,OAA  
O,IAAP,C;UACI,YAAU,e;UACV,IAAW,IAAP,0CAAkB,KAAiB,CAAJ,C;YAA6B,OAAO,K;;K;mCAKhD,Y;M  
AKyC,6BAAS,CAAT,MAAe,C;K;kCAExD,Y;MAKuC,uBAAGb,sBAAS,EAAT,CAAhB,EAA8B,sBAAS,EAAT,  
CAA9B,C;K;0CAEvC,iB;MASoD,+BAAW,GAAX,EAAgB,KAAhB,C;K;0CAEpD,uB;MAcY,Q;MAFR,mBAAiB  
,IAAjB,EAAuB,KAAvB,C;MACA,WAAW,QAAQ,I;MACX,IAAS,WAAI,IAAK,CAAL,IAA0B,SAAL,IAAK,CA  
A1B,IAA8C,SAAN,KAAM,CAAD,C;QACJ,SAAS,qBAAGb,QAAQ,CAAR,GAAY,OAAO,CAAnC,C;QACT,cA  
AO,EAAP,GAAY,E;;QAEZ,cAAO,oBA Ae,I;;MAJ1B,Y;MAMA,OAAW,KAAK,KAAT,GAAsB,SAAN,KAAM,C  
AAiB,GAAsC,C;K;iCAGjD,Y;MAKqC,6BAAS,EAAT,IAA0B,Q;K;IAWK,oF;MAAA,mB;QAAE,uBAAa,iBAAB,  
sBAAqC,eAArC,+BAAqE,aAAM,OAA3E,M;O;K;iDATtE,qC;MvLjLA,IAAI,EUl0LqB,CAAb,8BAAgB,KAAM,  
OvL1L9B,GuL0LiD,CAAX,0BAAc,KAAM,OvL1L1D,GuL0LsC,KvL1LtC,CAAJ,C;QACI,cuLyLgE,kDvLzLID,E  
;QACd,MAAM,gCAAyB,OAAQ,WAAjC,C;OAFV,IAAI,EUl2LQ,aAAa,OvL3LrB,CAAJ,C;QACI,gBuL0LgC,mF  
;QvLzLhC,MAAM,gCAAyB,SAAQ,WAAjC,C;OuL2LN,YAAY,CAAC,UAAU,SAAV,IAAD,IAAwB,CAAxB,I;  
MAEZ,mBAAe,SAAf,C;MPLzEJ,iBAAc,CAAd,UoL0EW,KpL1EX,U;QoL2EQ,QAAQ,c;QACR,MAAM,UAAN,I  
AAoB,OAAF,CAAE,C;QACpB,MAAM,aAAW,CAAX,IAAN,IAAgC,OAAV,CAAE,KAAK,CAAG,C;QACHC,M  
AAM,aAAW,CAAX,IAAN,IAAiC,OAAx,CAAE,KAAK,EAAl,C;QACjC,MAAM,aAAW,CAAX,IAAN,IAAiC,O  
AAX,CAAE,KAAK,EAAl,C;QACjC,0BAAy,CAAZ,I;;MAGJ,gBAAGb,UAAU,UAAV,I;MACHB,SAAS,sBAAS,  
YAAY,CAAZ,IAAT,C;MACT,aAAU,CAAV,MAAkB,SAAlB,M;QACI,MAAM,aAAW,CAAX,IAAN,IAAqC,OA  
Af,EAAG,MAAK,IAAI,CAAJ,IAAL,CAAY,C;;MAGzC,OAAO,K;K;yCACX,uD;MAvB4C,yB;QAAA,YAAiB,C;  
MAAG,uB;QAAA,UAAe,KAAM,O;aARf,0H;K;yCAiCA,iB;MAOyD,8BAAU,KAAV,EAAiB,CAAJB,EAAoB,  
KAAM,OAA1B,C;K;yCAEzD,gB;MAKkD,8BAAU,cAAU,IAAV,CAAV,C;K;IAGiD,0B;MAAA,8B;MAO2B,iB;  
MACvB,uBAAoC,uB;K;IAEpC,qC;MAAA,yC;MACI,4B;K;wDAEA,Y;MAAiC,mC;K;;IAHrC,iD;MAAA,gD;Q  
AAA,+B;OAAA,yC;K;8CAMA,Y;MAAkC,8C;K;gDAEIC,oB;MAA4C,OAAA,oBAAc,kBAAS,QAAT,C;K;uCAC  
ID,Y;MAA8B,OAAA,oBAAc,U;K;+CAC5C,iB;MAAwC,OAAA,oBAAc,iBAAQ,KAAR,C;K;+CACtD,uB;MAA  
mD,OAAA,oBAAc,iBAAQ,IAAR,EAAC,KAAd,C;K;wCAEjE,Y;MAAgC,OAAA,oBAAc,W;K;gDAC9C,iB;MAA  
2C,OAAA,oBAAc,kBAAS,KAAT,C;K;gDACzD,uB;MAAuD,OAAA,oBAAc,kBAAS,IAAT,EAAe,KAAf,C;K;2C  
AErE,Y;MAAsC,OAAA,oBAAc,c;K;0CAEpD,Y;MAAoC,OAAA,oBAAc,a;K;kDACID,iB;MAAiD,OAAA,oBAA  
c,oBAAW,KAAx,C;K;kDAC/D,uB;MAA+D,OAAA,oBAAc,oBAAW,IAAX,EAAiB,KAAjB,C;K;yCAE7E,Y;MA  
AkC,OAAA,oBAAc,Y;K;iDAEhD,iB;MAAsD,OAAA,oBAAc,mBAAU,KAAV,C;K;iDACpE,gB;MAA+C,OAAA  
,oBAAc,mBAAU,IAAV,C;K;yDAC7D,qC;MACI,OAAA,oBAAc,mBAAU,KAAV,EAAiB,SAAJB,EAA4B,OAA5  
B,C;K;;IAtCtB,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;;IA0CJ,wB;MAAuC,yBAAa,IAAb,EAAMB,IAAK,IAAI,E  
AA5B,C;K;IAEvC,wB;MAAwC,yBAAa,IAAK,QAAlB,EAA2B,IAAK,YAAI,EAAJ,CAAQ,QAAX,C;K;IAGxC,  
mC;MAUI,IAAA,KAAM,UAAN,C;QAAMb,MAAM,gCAAyB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAA  
N,GAAa,UAAb,C;QAF8C,OAeHb,0BAAQ,KAAM,MAAd,EAAqB,KAAM,KAAN,GAAa,CAAb,IAArB,C;WAC  
9B,IAAA,KAAM,MAAN,GAAC,WAAAd,C;QAH8C,OAGf,0BAAQ,KAAM,MAAN,GAAC,CAAd,IAAR,EAAYB,  
KAAM,KAA/B,IAAuC,CAAvC,I;;QAHe,OAIc,mB;K;IAGZ,oC;MAUI,IAAA,KAAM,UAAN,C;QAAMb,MAA  
M,gCAAyB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,+C;QAFiD,OAElB,2BAAS,KAAM,MAAf,EAA5  
B,KAAM,KAAN,yBAAa,CAAb,EAAtB,C;WAC/B,IAAA,KAAM,MAAN,+C;QAHiD,OAGjB,2BAAS,KAAM,M  
AAN,8BAAC,CAAd,EAAT,EAA0B,KAAM,KAAhC,0BAAwC,CAAxC,E;;QAHiB,OAIzC,oB;K;IAOZ,yB;MAAy  
C,YjFrTkB,MAAO,OiFqTpB,KjFrToB,CiFqTzB,I;K;IAEzC,4C;MAEI,OAAA,SAAK,KAAK,EAAL,GAAU,QAA  
f,GAAYC,CAAX,CAAC,QAAD,IAAW,KAAI,E;K;IAEjD,uC;MvLtVI,IAAI,EUlsVuD,QAAQ,IvLtV/D,CAAJ,C;  
QACI,cuLqVuE,+B;QvLpVvE,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;IuLqVd,yC;MvLvVI,IAAI,EUluVyD,sBA

AQ,IAAR,KvLvVzD,CAAJ,C;QACI,cuLsVyE,+B;QvLrVzE,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;IuLsVd,yC;MvLxVI,IAAI,EuLwV6D,QAAQ,IvLxVrE,CAAJ,C;QACI,cuLuV6E,+B;QvLtV7E,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;IuLwVd,yC;MAAyD,oCAA0B,IAA1B,qBAAiC,KAAjC,kB;K;ICrXzD,6B;MAOqC,OnMmYE,SmMnYF,mBnMmYE,C;K;ImMjYvC,sC;MASgD,6BAAS,WAAT,EAAa,KAAb,C;K;IAEhD,4C;MAUI,qBAAqB,IAArB,EAA2B,KAA3B,C;MAEA,iBAAiB,InMqQgB,KmMrQhB,GAAiB,W;MACiC,kBAAkB,KnMoQe,KmMpQf,GAAB,W;MAEpC,mBAAmB,0BAAQ,UAAR,EAAoB,WAApB,IAAqC,W;MACxM,OnMsWmC,SmMtW5B,YnMsW4B,C;K;ImMnWvC,sC;MAWI,IAAA,KAAM,UAAN,C;QAAMB,MAAM,gCAAyB,uCAAoC,KAA7D,C;;QACzB,InMGkE,YmMHIE,KAAM,KnMG6E,KAAjB,EmMHRd,4BAAK,UnMG6E,KAA7B,CmMHIE,K;UAFiD,OAEiB,sBAAS,KAAM,MAAf,EnMqBsB,SmMrBA,KAAM,KnMqBI,KAAK,GAAW,CmMrBb,WnMqBa,MAAX,IAAf,CmMrBtB,C;;UAC/B,InMEkE,YmMFIE,KAAM,MnME6E,KAAjB,EmMFpD,4BAAK,UnME4E,KAA7B,CmMFIE,K;YAHiD,OnMuBI,SmMpBrB,sBnMiCsB,SmMjCb,KAAM,MnMiCiB,KAAK,GAAY,CmMjC1B,WnMiC0B,MAAZ,IAAf,CmMjCtB,EAA2B,KAAM,KAAjC,CnMoB+B,KAAK,GAAW,CmMpBN,WnMoBM,MAAX,IAAf,C;;YmMvBJ,OAIzC,mB;;;K;IAGZ,8B;MAOuC,OnL0VG,Uml1VH,oBnL0VG,C;K;ImLxV1C,uC;MASmD,8BAAU,2BAAV,EAAe,KAAf,C;K;IAEnD,6C;MAUI,sBAAsB,IAAtB,EAA4B,KAA5B,C;MAEA,iBAAiB,InLwNkB,KmLxNIB,8B;MACjB,kBAAkB,KnLuNiB,KmLvNjB,8B;MAEiB,mBAAmB,2BAAS,UAAT,EAAqB,WAArB,+B;MACnB,OnL6TsC,Uml7T/B,YnL6T+B,C;K;ImL1T1C,uC;MAWI,IAAA,KAAM,UAAN,C;QAAMB,MAAM,gCAAyB,uCAAoC,KAA7D,C;;QACzB,InL7CmE,amL6CnE,KAAM,KnL7C+E,KAAiB,EmL6CtD,6BAAM,UnL7C8E,KAA9B,CmL6CnE,K;UAFoD,OAEpB,uBAAU,KAAM,MAAhB,EnLhCuB,UmlgCA,KAAM,KnLhCK,KAAK,KAAW,ChBsQ7C,UAAW,oBAAL,CmMtOyB,WnMsOzB,MAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,CmLgCvB,C;;UACHc,InL9CmE,amL8CnE,KAAM,MnL9C+E,KAAiB,EmL8CrD,6BAAM,UnL9C6E,KAA9B,CmL8CnE,K;YAHoD,OnL9BG,UmlIcTb,uBnLpBuB,UmlObb,KAAM,MnLpBkB,KAAK,UAAY,ChByP/C,UAAW,oBAAL,CmMrOc,WnMqOd,MAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB,CmLoBvB,EAA4B,KAAM,KAAIC,CnLjCiC,KAAK,KAAW,ChBsQ7C,UAAW,oBAAL,CmMrOgC,WnMqOhC,MAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,C;;YmL8BH,OAI5C,oB;;;K;IAGZ,sC;MAQI,4BAAU,KhK4+FH,QgK5+FP,C;MACA,OAAO,K;K;IAGX,uC;MAKsD,OhK2iG3C,egK3iG2C,4BAAU,IAAV,ChK2iG3C,C;K;IgKziGX,4D;MAOgD,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,KAAM,K;MACrF,4BAAU,KhKy9FH,QgKz9FP,EAA+B,SAA/B,EAA0C,OAA1C,C;MACA,OAAO,K;K;IAIX,2C;MxLrHI,IAAI,EX2B8D,YmM0FD,KnM1FkB,KAAjB,EmM0FO,InM1FsB,KAA7B,CmM0FD,IxLrH7D,CAAJ,C;QACI,cwLoH6E,+B;QxLnH7E,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;IwLoHd,4C;MxLrHI,IAAI,EKmc+D,amLmFC,KnLnFiB,KAAiB,EmLmFS,InLnFqB,KAA9B,CmLmFC,IxLtHhE,CAAJ,C;QACI,cwLqHgF,+B;QxLpHhF,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;IyLpBc,6C;MASCxB,oC;MA/BA,iB;MANA,Y;MACA,Y;MACA,Y;MACA,Y;MACA,Y;MACA,sB;MzLYA,IAAI,EyLLQ,CAAC,WAAK,QAAL,GAAU,QAAV,GAAe,QAaf,GAAoB,QAARb,MAA2B,CzLKnC,CAAJ,C;QACI,cyLNwC,wD;QzLOxC,MAAM,gCAAyB,OAAQ,WAAjC,C;OGoHV,iBAAc,CAAd,UsLxHW,EtLwHX,U;QsLxHiB,c;;K;qCAGjB,Y;MAGI,QAAQ,Q;MACR,IAAI,IAAO,MAAO,C;MACiB,WAAI,Q;MACJ,WAAI,Q;MACJ,WAAI,Q;MACJ,SAAS,Q;MACT,WAAI,E;MACJ,IAAK,IAAO,KAAM,CAAd,GAAsB,EAAtB,GAA8B,MAAO,C;MACzC,WAAI,C;MACJ,gCAAU,MAAV,I;MACA,OAAO,IAAI,aAAJ,I;K;8CAGX,oB;MACI,OAAU,cAAV,cAAU,EAAC,QAAd,C;K;IAEd,kC;MAAA,sC;MACI,4B;K;;;IADJ,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;;IA7BA,gD;MAAA,sD;MACQ,yBAAK,KAAL,EAAy,KAAZ,EAAmB,CAAnB,EAAsB,CAAtB,EAA+B,CAAN,KAAzB,EAAuC,SAAU,EAAX,GAAoB,UAAW,CAArE,C;MADR,Y;K;ICbiD,8C;MACjD,4B;MACA,0C;K;oEADA,Y;MAAA,2B;K;2EACA,Y;MAAA,kC;K;uCAGA,iB;MACI,OAAO,0CAAgC,kBAaA,KAAM,UAAAnB,KAC/B,mBAAS,KAAM,MAAf,KAawB,0BAAgB,KAAM,aAAtB,CADO,CAAhC,C;K;yCAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,MAAW,SAAN,UAAM,CAAX,QAAqC,SAAb,iBAaA,CAArC,I;K;yCAGIC,Y;MAAkC,OAAE,UAaf,qBAAU,iB;K;;IAGhd,kC;MAM6E,2BAAgB,SAAhB,EAAsB,IAAtB,C;K;;;ODAYzE,iB;MAA2C,qCAAiB,UAAjB,EAAwB,KAAxB,KAAkC,8BAAiB,KAAjB,EAAwB,iBAAXB,C;K;iDAC7E,Y;MAAkC,QAAC,8BAAiB,UAAjB,EAAwB,iBAAXB,C;K;;IAcR,gD;MAI3B,gBAAqB,K;MACrB,uBAA4B,Y;K;0FACD,Y;MAAQ,oB;K;iGACD,Y;MAAQ,2B;K;2DAE1C,gB;MAA+D,YAAK,C;K;mDAEpE,iB;MAAgD,gBAAS,aAAT,IAAmB,SAAS,oB;K;0CAC5E,Y;MAAkC,SAAE,iBAAU,oBAAZ,C;K;yCAEIC,iB;MACI,OAAO,4CAA+B,kBAaA,KAAM,UAAAnB,KAC9B,kBAAU,KAAM,SAAhB,IAA0B,yBAAiB,KAAM,gBADnB,CAAB,C;K;2CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAaf,GAAuB,MAAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAC,C

AAvC,I;K;2CAGIC,Y;MAAkC,OAAE,aAAF,qBAAW,oB;K;;IAGjD,oC;MAOqF,6BAAkB,SAAlB,EAAwB,IAAx  
B,C;K;IAQvD,+C;MAI1B,gBAAqB,K;MACrB,uBAA4B,Y;K;yFACF,Y;MAAQ,oB;K;gGACD,Y;MAAQ,2B;K;0  
DAEzC,gB;MAA6D,YAAK,C;K;kDAEIE,iB;MAA+C,gBAAS,aAAT,IAAmB,SAAS,oB;K;yCAC3E,Y;MAAkC,S  
AAE,iBAAU,oBAAZ,C;K;wCAEIC,iB;MACI,OAAO,2CAA8B,kBAaA,KAAM,UAAAnB,KAC7B,kBAAU,KAAM  
,SAAhB,IAA0B,yBAAiB,KAAM,gBADpB,CAA9B,C;K;0CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAAf,GAAuB,M  
AAy,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAC,CAAvC,I;K;0CAGIC,Y;MAAkC,OAAE,aAAF,qBAAW,oB;K;;  
IAGjD,oC;MAOkF,4BAAiB,SAAjB,EAAuB,IAAvB,C;K;oFAGIF,8B;MAQI,0BAAmB,2BAAS,OAAT,C;K;IAGv  
B,+C;MACI,IAAI,CAAC,UAAAL,C;QAAiB,MAAM,gCAAyB,iCAA8B,IAA9B,iBAAzB,C;K;IC5I3B,gC;MACw,  
Q;MADP,IAAI,CAAC,6BAAW,KAAX,CAAL,C;QAAwB,MAAM,uBAAmB,sC/EjBzC,oB+EiByC,CAAnB,C;O  
AC9B,OAAO,sD;K;IAMX,oC;MAAkC,Q;MAA9B,OAAW,6BAAW,KAAX,CAAJ,GAAuB,sDAAvB,GAAuC,I;K;  
;;;;;ICvBhB,yC;MA2B9B,uC;MA1BA,wB;MAIA,gB;M5LQA,IAAI,E4LDS,iBAAY,IAAb,MAAuB,iBAAvB,C5L  
CR,CAAJ,C;QACI,c4LDQ,iBAAY,IAAhB,GACI,8CADJ,GAGI,sCAA0B,aAA1B,qC;Q5LDR,MAAM,gCAAyB,  
OAAQ,WAAjC,C;Q;yC4LKV,Y;MAAwC,Q;MAAA,oB;MACpC,iB;QAD8B,OACtB,G;WACR,oD;QAF8B,OAE  
F,SAAL,SAAK,C;WAC5B,6C;QAH8B,OAGd,iBAAK,SAAL,C;WACHB,8C;QAJ8B,OAIb,kBAAM,SAAN,C;;Q  
AJa,mC;K;IAOIC,qC;MAAA,yC;MACI,YAGqC,oBAAgB,IAAhB,EAAsB,IAAtB,C;K;iGAQJ,Y;MAAQ,gB;K;4D  
AEzC,gB;MAOI,8DAAqC,IAArC,C;K;gEAEJ,gB;MAMI,uDAA8B,IAA9B,C;K;4DAEJ,gB;MAMI,wDAA+B,IA  
A/B,C;K;;;IArCR,iD;MAAA,gD;QAAA,+B;OAAA,yC;K;;2CArCJ,Y;MAWI,oB;K;2CAXJ,Y;MAeI,gB;K;6CAfJ,0  
B;MAAA,2BAWI,8CAXJ,EAeI,kCAfJ,C;K;yCAA,Y;MAAA,c;MAWI,yD;MAIA,qD;MAfJ,a;K;uCAA,iB;MA  
AA,4IAWI,4CAXJ,IAeI,oCAfJ,I;K;ICLA,kC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,gC;MAAA,mC;O;MAyI,4  
D;MAKA,8C;MAKA,gD;K;;IAVA,2C;MAAA,sB;MAAA,mC;K;;IAKA,oC;MAAA,sB;MAAA,4B;K;;IAKA,qC;  
MAAA,sB;MAAA,6B;K;;IAtBJ,4B;MAAA,mG;K;;IAAA,iC;MAAA,a;aAAA,W;UAAA,wC;aAAA,I;UAAA,iC;a  
AAA,K;UAAA,kC;gBAAA,6D;;K;;6ECA,yB;MAAA,4F;MAAA,2B;QASI,MAAM,mCAA8B,0EAA9B,C;O;KA  
TV,C;ICkCA,+D;MAAw,Q;MAAP,OAAO,8CAA0,KAAP,EAAC,UAAAd,EAA0B,QAA1B,oC;K;IAGX,kC;MAIiB  
,Q;MAAb,wBAAa,KAAb,gB;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;mFAGX,qB;M  
AGwD,gCAA0,EAAP,C;K;qFAExD,4B;MAG4E,OAAA,yBAAO,KAAP,CALpB,gBAAO,EAAP,C;K;qFAOxD,4  
B;MAGmE,OAAA,yBAAO,KAAP,CAVX,gBAAO,EAAP,C;K;IAxD,wD;MAEQ,sB;QAAqB,yBAAO,UAAU,O  
AAV,CAAP,C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAAmB,yBAAO,kBAAP,C;;QACX,yBAAe,S  
AAR,OAAQ,CAAF,C;K;IjL7EhB,+B;MAY6B,kBAAIB,QAAQ,SAAR,EAAC,EAAd,C;MACH,IX0EE,WW1EE,G  
AAK,CAAT,C;QAAY,MAAM,gCAAyB,oEAAzB,C;MADtB,OX4EO,W;K;IWvEX,wC;MAGBW,Q;MAAA,qCA  
AiB,KAAjB,C;MAAA,iB;QAA2B,MAAM,gCAAyB,8BAAO,SAAP,4CAA+C,KAAxE,C;OAAxC,OAAO,I;K;IA  
GX,qC;MAY6B,kBAAIB,QAAQ,SAAR,EAAC,EAAd,C;MAAP,OXmEqB,WWnEa,IAAM,CXmEjC,GAAqB,WA  
ArB,GAA+B,I;K;IWhE1C,8C;MAGBI,WAAW,KAAX,C;MAC4B,kBAArB,QAAQ,SAAR,EAAC,KAAd,C;MAAP  
,OX+CqB,WW/CgB,IAAM,CX+CpC,GAAqB,WAArB,GAA+B,I;K;IW5C1C,gC;MAWI,IAAY,CAAR,8BAAW,C  
AAf,C;QACI,OAAO,YAAM,SAAN,C;OAEX,MAAM,gCAAyB,SAAM,SAAN,4BAAzB,C;K;IAGV,yC;MAKBW,  
Q;MANP,IAAI,EAU,CAAV,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAyB,oBAAiB,KAAjB,4CAAzB,C;OAE  
V,IAAI,YAAO,CAAP,IAAY,aAAQ,KAAxB,C;QACI,MAAM,gCAAyB,WAAQ,SAAR,mDAAwD,KAAjF,C;OA  
EH,IAAI,YAAO,EAAX,C;QACH,mBAAM,SAAN,C;;QAEA,0BAAM,SAAN,IAAa,EAAb,C;;MAHJ,W;K;IAuFJ,  
8B;MAWsC,+B;K;0EAEtC,4B;MAM8D,OAAK,oBAAL,SAAK,CAAL,GAAkB,K;K;IAEHf,gD;MAQoC,0B;QA  
AA,aAAsB,K;MACtD,IAAI,cAAQ,KAAZ,C;QAAmB,OAAO,I;MAC1B,IAAI,CAAC,UAAAL,C;QAAiB,OAAO,K;  
MAExB,gBAAqB,cAAL,SAAK,C;MACrB,iBAAuB,cAAN,KAAM,C;MAEHb,yBAAa,U;MAAb,U;QAA2B,OFr  
MyB,oBEqMzB,SFrMyB,CAAY,cAfrB,YAAY,CAAZ,CEoNhB,KFrMyB,oBEqMI,UFrMJ,CAAY,cAfrB,YAAY,  
CAAZ,C;OEOID,W;K;IAGJ,gC;MAGyC,QAAQ,cAAA,sCAAK,cAAL,EAAoB,sCAAK,cAAzB,CAAR,6B;K;Ik  
L3OzC,6C;MAc6B,4B;QAAA,eAAuB,G;MACHd,wCAAsB,EAAtB,EAA0B,YAA1B,C;K;IAEJ,mE;MAKwC,yB;  
QAAA,YAAoB,E;MAAI,4B;QAAA,eAAuB,G;MhMGnF,IAAI,CmBwR+C,CAAC,Q6K1R5C,Y7K0R4C,CnBxRp  
D,C;QACI,cgMHiC,wC;QhMIjC,MAAM,gCAAyB,OAAQ,WAAjC,C;OgMHV,cAAY,gB;MAEC,yBAAS,mBAA  
S,YAAA,SAAU,OAAV,EAAM,OAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAAkB,SAAlB,C;MA0E9D,gBAA  
gB,iBA1ET,OA0ES,C;M1Lg7CT,kBAAoB,gB;MAoSd,gB;MADb,YAAY,C;MACC,00L9xDN,O1L8xDM,W;kB  
AAb,OAAa,cAAb,C;QAAa,sB;QA1RsB,U;QAAA,cA0RT,oBAAmB,cAAnB,EAAM,sBAAnB,U;Q0L/sDIB,kB;;

YAHA,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q1LktDG,I0LitDH,C;UAC5C,a;;UAEA,4B;UA9E+B,uB;;Y9 KgHzB,kC;YAAA,wBZ6qDyC,IY7qDzC,C;YAAA,qB;YAAA,oB;YAAA,oB;YAAAd,gE;cACI,I8KjHkD,CAAI,aA AH,U9KiHrC,YZ4qDqC,IY5qDrC,YAAK,OAAL,E8KjHqC,CAAG,C9KiHtD,C;gBACI,sBAAO,O;gBAAP,wB;;Y AGR,sBAAO,E;;;U8KrHH,iD;UAGI,gCAA2B,EAA3B,C;YAHJ,2BAGqC,I;IBACjC,IAAK,a1LyxD0C,I0LzxD1C, gBAAYB,uBAAZB,CAAL,C;YAJJ,2B1L6xDmD,IOjmDsB,WmLxLI,0BAAuC,mBAAvC,InLwLJ,C;;YmL5LzE,2 BAKY,I;;UAYeR,iE7LJD,yB6LIC,4B1L+sD+C,I;;QA1RpB,8B;UAA6C,6B;;M0LpgDhF,OAIFK,S1Lo7CE,W0Lp 7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAvET,+B;MAeyC,gCAAc,EAAd,C;K;IAEzC,6 C;MAGgC,yB;QAAA,YAAoB,E;MAM3C,Q;MALL,cAAY,gB;M1LurBL,kBAAS,gB;MA2FA,U;MAAA,S0LhxB M,O1LgxBN,W;MAAhB,OAAgB,gBAAhB,C;QAAgB,2B;QAAM,Ia3hB6B,CAAC,Qb2hBhB,Oa3hBgB,Cb2hB9 B,C;UAAwB,WAAy,WAAI,OAAJ,C;;M0L9wBrD,kB1L+wBE,W;MAMrBA,oBAAM,iBAAa,qCAAwB,EAAXB, CAAb,C;MAuEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;QAAa,wB;QACT,aAAY,uBAAc,IAAd,E;;M0L5gDhB,s BAAsB,CAGjB,oB1L0gDE,a0L1gDF,CAHiB,mBAGf,C;MAEP,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAMB, OAAM,KAAZB,CAAT,I;MAAT,wBAAiD,kBAAkB,SAAIB,C;MAMc9D,gBAAgB,iBAnCT,OAmCS,C;M1Lg7C T,oBAAoB,gB;MAoSd,kB;MADb,YAAY,C;MACC,S0LvvdN,O1LuvDM,W;MAAb,OAAa,gBAAb,C;QAAa,0B; QA1RsB,U;QAAA,cA0RT,oBAAMB,cAAnB,EAAMB,sBAAnB,U;Q0L/sDIB,kB;Q1Lq7C2B,c0Lx7C3B,CAAC,Y AAS,CAAT,IAAc,qBAAf,KAA4C,Q1LktDG,M0LitDH,C1Lw7CjB,G0Lv7C3B,I1Lu7C2B,G0Lr7C3B,oBAxCmG ,Q1LuvDpD,M0LvvdD,kBAwCnG,Y7LJD,yB6LIC,4B1L+sD+C,MA1RpB,U;UAA6C,+B;;M0L79ChF,OA0CK, S1Lo7CE,a0Lp7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAjCI,8C;MAAA,qB;QAEg,IAA G,QAAH,EAAG,CAAH,C;UAEQ,IAAA,EAAG,OAAH,GAAY,cAAO,OAAAnB,C;YAHZ,OAGyC,c;;YAHZC,OAI oB,E;;UAJpB,OAoy,iBAAS,E;O;K;IAfjC,0C;MAKgC,sB;QAAA,SAAiB,M;MAC7C,OAYK,eAXA,OADL,uBA CK,EAAl,4BAAJ,CAWA,EAAa,IAAb,C;K;IAET,gC;MAAwC,uB;;Q9KmDtB,gC;QAAA,gC;QAAA,mB;QAAA, kB;QAAA,kB;QAAd,0D;UACI,I8KpD+C,CAAI,aAAH,U9KoDIC,iCAAK,KAAL,E8KpDkC,CAAG,C9KoDnD,C; YACI,sBAAO,K;YAAP,wB;;QAGR,sBAAO,E;;;Mf3CA,4B;M6Lb6B,OAA8C,OAAM,EAAY,GAAC,gBAAd,GA A0B,E;K;IAGpF,wC;MAAkB,W;K;IAC9B,oD;MAAA,uB;QAAkB,wBAAS,I;O;K;IAFvC,mC;MACI,IAAA,M7K kMgD,YAAU,C6KIM1D,C;QAD4C,OACxB,wB;;QADwB,OAEP,cK;K;mBAGZ,yB;M1L86CA,+D;MAoSA,wE ;M0LitDA,sF;QAKI,gBAAgB,2B;Q1Lg7CT,kBAAoB,gB;QAoSd,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,c AAb,C;UAAa,sB;UA1RsB,U;UAAA,cA0RT,oBAAMB,cAAnB,EAAMB,sBAAnB,U;U0L/sDIB,kB;U1Lq7C2B,c0 Lx7C3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,Q1LktDG,I0LitDH,C1Lw7CjB,G0Lv7C3B,I1Lu7C2B,G0Lr 7C3B,sC1L+sD+C,I0L/sD/C,a7LJD,yB6LIC,4B1L+sD+C,IA1RpB,U;YAA6C,6B;;Q0Lz7ChF,OAMK,S1Lo7CE, W0Lp7CF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;O;KAbT,C;6EvEkSA,0B;MAGmE,OAAA,S AAK,gBAAO,GAAP,C;K;qFAExE,yB;MAAA,yD;MAAA,gC;QAO2B,gBAAhB,oB;QAAsB,atHrU7B,W;QsHqU A,OtHpUO,SsHoUqC,W;O;KAPhD,C;uFAUA,yB;MAAA,iE;MAAA,0C;QAQmC,gBAAXB,mBAAc,QAAd,C;QA A8B,atHhVrC,W;QsHgVA,OtH/UO,SsH+U6C,W;O;KARxD,C;IAWA,oC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;Q AAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;IAGX,oC;MAIiB,Q;MAAb,wBAAa,KAAb,gB ;QAAa,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;qFAGX,qB;MAG8D,gCAAO,EAAP,C;K;qF AE9D,4B;MAGkF,OAAA,yBAAO,KAAP,CALpB,gBAAO,EAAP,C;K;qFAO9D,4B;MAG4E,OAAA,yBAAO,KA AP,CAVd,gBAAO,EAAP,C;K;qFAY9D,4B;MAGyE,OAAA,yBAAO,KAAP,CAFX,gBAAO,EAAP,C;K;qFAiB9D ,4B;MAG8E,OAAA,yBAAO,KAAP,CAPhB,gBAAO,EAAP,C;K;qFAsB9D,4B;MAGyE,OAAA,yBAAO,KAAP, CAzBX,gBAAO,EAAP,C;K;qFA2B9D,4B;MAG4E,OAAA,yBAAO,KAAP,CA9Bd,gBAAO,EAAP,C;K;I9H/a9D, iC;MAK0C,iCAAqB,EAAR,B,C;K;IAE1C,0C;MAQmB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QA A2B,OAAO,I;OAA5C,UAAU,I;MACV,IAAI,MAAM,sCAAK,UAAx,IAAwB,MAAM,sCAAK,UAAvC,C;QAAk D,OAAO,I;MACzD,OAAW,OAAJ,GAAL,C;K;IAGf,kC;MAK4C,kCAAsB,EAATB,C;K;IAE5C,2C;MAQmB,Q;M AAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;OAA5C,UAAU,I;MACV,IAAI,MAAM,uCAA M,UAAZ,IAAYB,MAAM,uCAAM,UAAzC,C;QAAoD,OAAO,I;MAC3D,OAAW,QAAJ,GAAL,C;K;IAGf,gC;MA KwC,gCAAOB,EAAPB,C;K;IAExC,yC;MAQI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,C AAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAgB,qBAAK,CAAL,C;MACHB,IAAI,YAAY, EAAbB,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,EAAB,C;UACI,a AAa,I;UACb,QAAQ,W;eACL,IAAI,cAAa,EAAB,C;UACH,aAAa,K;UACb,QAAQ,W;;UAER,OAAO,I;;QAEX,Q

AAQ,C;QACR,aAAa,K;QACb,QAAQ,W;;MAIZ,uBAAuB,S;MAEvB,qBAaQb,gB;MACrB,aAAa,C;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,qBAaK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IAAI,SAAS,cAAb,C;UACI,IAAI,mBAaKb,gBAAtB,C;YACI,iBAaiB,QAAQ,KAAR,I;YAEjB,IAAI,SAAS,cAAb,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,6BAAU,KAAV,C;QAEA,IAAI,UAA S,QAAQ,KAAR,IAAT,CAAJ,C;UAA4B,OAAO,I;QAEnC,kBAAU,KAAV,I;;MAGJ,OAAW,UAAJ,GAAgB,MAAhB,GAA4B,CAAC,MAAD,I;K;IAGvC,iC;MAK0C,iCAAqB,EAArB,C;K;IAE1C,0C;MAQI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAgB,qBAaK,CAAL,C;MACHb,IAAI,YAAY,EAAbB,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,EAAjB,C;UACI,aAAa,I;UACb,gC;eACG,IAAI,cAAa,EAAjB,C;UACH,aAAa,K;UACb,6B;;UAEA,OAAO,I;;QAEX,QAAQ,C;QACR,aAAa,K;QACb,6B;;MAIJ,2C;MAEA,qBAaQb,gB;MACrB,e;MACA,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,qBAaK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IAAI,uBAAS,cAAT,KAJ,C;UACI,IAAI,uBAaKb,gBAaIB,CAAJ,C;YACI,iBAaiB,8BAAQ,KAAR,E;YAEjB,IAAI,uBAAS,cAAT,KAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,6CAAU,KAAV,E;QAEA,IAAI,uBAAS,8BAAQ,KAAR,EAAT,KAJ,C;UAA4B,OAAO,I;QAEnC,6CAAU,KAAV,E;;MAGJ,OAAW,UAAJ,GAAgB,MAAhB,GAA6B,MAAD,a;K;IAIvC,kC;MAAyD,MAAM,0BAAsB,6BAA0B,KAA1B,MAAtB,C;K;uEwBhI/D,yB;MAAA,oC;MAAA,uC;QAI,iBAaiB,C;QACjB,eAAe,mBAAS,CAAT,I;QACf,iBAaiB,K;QAEjB,OAAO,cAAc,QAAR,C;UACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;UAC7C,YAAY,UAAU,iCAAK,KAAL,EA AV,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;QAIZ,OAAO,8BAAY,UAAZ,EA AwB,WAAW,CAAX,IAAxB,C;O;KAZBX,C;yEA4BA,yB;MAAA,8B;MA5BA,oC;MA4BA,uC;QAIK,Q;QAA sB,kBAAtB,2D;QA5BD,iBAaiB,C;QACjB,eAAe,qBAAS,CAAT,I;QACf,iBAaiB,K;QAEjB,OAAO,cAAc,QAAR,B,C;UACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;UAC7C,YAsBwB,SAtBZ,CAAU,mCAAK,KAAL,EA AV,C;UAEZ,IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;QAWZ,OAPo,gCAAY,UAAZ,EA AwB,WAAW,CAAX,IAAxB,CAOGC,W;O;KAJ3C,C;iFAMA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EA AV,CAAL,C;YACI,OAAO,8BAAY,KAAZ,EA AmB,gBAAnB,C;QAEf,OAAO,E;O;KARX,C;mFAWA,yB;MAAA,8B;MAXA,mD;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,oB;;UAXJ,kC;UAAA,qBAAL,WAAK,C;UAAL,qB;UAAA,oB;UAAA,oB;UAAAd,0D;YACI,IAAI,CAUyB,SAVxB,CAAU,mCAAK,KAAL,EA AV,CAAL,C;cACI,mBAAO,gCAAY,KAAZ,EA AmB,kBAAnB,C;cAAP,qB;aAER,mBAAO,E;;QAOP,OAA4C,2B;O;KAJhD,C;6EAMA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,CAAC,UAAU,iCAAK,KAAL,EA AV,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EA Ae,QAAQ,CAAR,IAAf,C;;QAEf,OAAO,E;O;KARX,C;+EAWA,yB;MAAA,8B;MAXA,mD;MAAA,+C;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,kB;;UAXT,U;UAAA,SAAa,SAAR,YAAL,WAAK,CAAQ,CAAb,W;UAAAd,OAAc,gBAAd,C;YAAc,yB;YACV,IAAI,CAUuB,SAVtB,CAAU,mCAAK,KAAL,EA AV,CAAL,C;cACI,iBAAO,gCAAY,CAAZ,EA Ae,QAAQ,CAAR,IAAf,C;cAAP,mB;;UAER,iBAAO,E;;QAOP,OAA0C,yB;O;KAJ9C,C;IAMA,kC;MAhEI,iBAaiB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAaiB,K;MAEjB,OAAO,cAAc,QAAR,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YA6DgE,4BA7D1C,iCAAK,KAAL,EA6D0C,E;QA3DhE,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;MAkDiD,OA9CtD,8BAAY,UAAZ,EA AwB,WAAW,CAAX,IAAxB,C;K;IAGDX,kC;MAzCK,Q;MAAsB,kBAAtB,2D;MA5BD,iBAaiB,C;MACjB,eAAe,qBAAS,CAAT,I;MACf,iBAaiB,K;MAEjB,OAAO,cAAc,QAAR,B,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YAkEoD,4BAIE9B,mCAAK,KAAL,EAK8B,E;QAHEpD,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;MAuDqC,OAnD1C,gCAAY,UAAZ,EA AwB,WAAW,CAAX,IAAxB,CAOGC,W;K;IA8C3C,uC;MAGsE,oB;;QA3C/C,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CA0CsE,4BA1C3D,iCAAK,KAAL,EA0C2D,EA1C1E,C;YACI,mBAAO,8BAAY,KAAZ,EA AmB,gBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;MAuC2D,uB;K;IAEtE,uC;MAICK,Q;MAAsB,kBAAtB,2D;MAAs

B,oB;;QAXJ,kC;QAAA,wBAAL,WAAK,C;QAAL,qB;QAAA,oB;QAAA,oB;QAAd,0D;UACI,IAAI,CA+C0D,4B  
A/C/C,mCAAK,KAAL,EA+C+C,EA/C9D,C;YACI,mBAAO,gCAAY,KAAZ,EAAMb,kBAAnB,C;YAAP,qB;;QA  
ER,mBAAO,E;;;MA4C+C,OArCV,2B;K;IAuChD,qC;MAGoE,kB;;QApCID,Q;QAAA,OAAa,WAAR,yBAAQ,CA  
Ab,W;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,CAMcKE,4BAnCvD,iCAAK,KAAL,EAmCuD,EAnCtE,C;Y  
ACI,iBAAO,8BAAy,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAGCyD,qB;K;IAEpE,  
qC;MA3BK,Q;MAAsB,kBAAtB,2D;MAAsB,kB;;QAXT,U;QAAA,SAAa,WAAR,eAAL,WAAK,CAAQ,CAAb,W  
;QAAd,OAAc,gBAAd,C;UAAc,yB;UACV,IAAI,CAwCsD,4BAxC3C,mCAAK,KAAL,EAwC2C,EAxC1D,C;YAC  
I,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAqC6C,OA9BV,yB;K;IA  
gC9C,2B;MA9FI,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAArB,C;  
QACI,YAAgB,CAAC,UAAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,mCAAsB,iCAAK,KAAL,EAAtB,E;QAEA,IAA  
I,CAAC,UAAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,  
C;YACI,K;;YAEA,sBAAY,CAAZ,I;;;MAGf+B,OA5EpC,8BAAy,UAAZ,EAawB,WAAW,CAAX,IAAxB,C;K;y  
EA8EX,yB;MAAA,8B;MAAA,qC;MAAA,4B;QAI2C,Q;QAAD,OAAuB,KAAtB,2DAAsB,CAAO,W;O;KAJxE,C  
;IAMA,gC;MAGoD,oB;;QA1E7B,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,wBAA  
W,iCAAK,KAAL,EAAX,EAaj,C;YACI,mBAAO,8BAAy,KAAZ,EAAMb,gBAAnB,C;YAAP,qB;;QAER,mBAA  
O,E;;;MAsEyC,uB;K;mFAEpD,yB;MAAA,8B;MAAA,+C;MAAA,4B;QAIgD,Q;QAAD,OAAuB,UAAAtB,2DAAs  
B,CAAY,W;O;KAJIF,C;IAMA,8B;MAGkD,kB;;QApEhC,Q;QAAA,OAAa,WAAR,yBAAQ,CAAb,W;QAAd,OA  
Ac,cAAd,C;UAAc,uB;UACV,IAAI,wBAAW,iCAAK,KAAL,EAAX,EAaj,C;YACI,iBAAO,8BAAy,CAAZ,EAA  
e,QAAQ,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAGEuC,qB;K;+EAEID,yB;MAAA,8B;MAAA,2C;MAA  
A,4B;QAI8C,Q;QAAD,OAAuB,QAAtB,2DAAsB,CAAU,W;O;KAJ9E,C;IAMA,8C;MAU8C,uB;QAAA,UAAgB,  
E;MAO5C,Q;MANd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAazB,C;MACV,IAAI,U  
AAU,SAAK,OAAAnB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EAAe,SAAK,OAApB,C;MAEhB,SAAS,mB  
AAc,MAAd,C;MACK,gBAAS,SAAK,OAAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAp,C;MACP,E  
AAG,gBAAO,SAAP,C;MACH,OAAO,E;K;IAGX,gD;MASwC,uB;QAAA,UAAgB,E;MACnD,Q;MAAD,OAAuB,  
SAAAtB,6DAAsB,EAAS,MAAT,EAAiB,OAAjB,CAA0B,W;K;IAErD,4C;MAU4C,uB;QAAA,UAAgB,E;MAQ1C,  
Q;MAPd,IAAI,SAAS,CAAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAazB,C;MACV,IAAI,UAAU,SA  
K,OAAAnB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EAAe,SAAK,OAApB,C;MAEhB,SAAS,mBAAC,MAA  
d,C;MACT,EAAG,gBAAO,SAAP,C;MACW,gBAAS,SAAK,OAAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBA  
AO,OAAp,C;MACP,OAAO,E;K;IAGX,8C;MASsC,uB;QAAA,UAAgB,E;MACjD,Q;MAAD,OAAuB,OAAtB,6D  
AAsB,EAAO,MAAP,EAAe,OAaf,CAAwB,W;K;2FAEnD,qB;MAWI,OAAO,qBAAgB,SAAK,OAAL,KAAe,C;K  
;+EAG1C,qB;MAMoD,4BAAU,C;K;sFAE9D,qB;MAMuD,0BAAS,C;K;mFAMhE,yB;MAAA,2C;MAAA,4B;QA  
MuD,QAAC,kB;O;KANxD,C;yFAQA,yB;MAAA,2C;MAAA,4B;QAWI,OAAO,qBAAqB,QAAL,SAAK,C;O;KA  
XhC,C;IAiB4D,+C;MAAA,kC;MAAS,uB;MACjE,eAAoB,C;K;gDAEpB,Y;MAA2C,gB;MAAA,iE;MAAJ,4C;K;  
+CAEvC,Y;MAAyC,sBAAQ,yB;K;;IARrD,+B;MAG4D,4C;K;+EAQ5D,qB;MAE8C,uCAAQ,E;K;+EAEtD,mC;M  
ASI,OA5DgD,qBAAU,CA4D1D,GAAe,cAAf,GAAMC,S;K;6EAEvC,yB;MAAA,2C;MAAA,0C;QASI,OAAI,kBA  
AJ,GAAe,cAAf,GAAMC,S;O;KATvC,C;IAeI,mC;MAAQ,uBAAG,mBAAS,CAAT,IAAH,C;K;IAMR,qC;MAAQ,  
OAAA,SAAK,OAAL,GAAc,CAAd,I;K;IAEZ,8C;MAIuB,Q;MAAA,0BAAS,CAAT,I;MAAnB,OAAgB,CAAT,8B  
ACgB,gBAAZ,qBAAK,KAAL,CAAY,CADhB,IAEoB,eAAhB,qBAAK,QAAQ,CAAR,IAAL,CAAgB,C;K;IAG/B,  
uC;MAGuD,ONpKyC,oBMoK/B,KAAM,MNpKyB,EMoKIB,KAAM,aAAN,GAAqB,CAArB,INpKkB,C;K;IMsK  
hG,yC;MAGqE,qCAAY,KAAM,MAAIB,EAAYB,KAAM,aAAN,GAAqB,CAArB,IAAzB,C;K;uFAErE,iC;MAS2E  
,2BAAy,KAAZ,EAAMb,GAAAnB,C;K;mFAE3E,2C;MAO0D,wB;QAAA,WAAgB,gB;MAAkB,OAAA,8BAAy,U  
AAZ,EAAwB,QAAXB,CAAKC,W;K;IAE9H,uC;MAG6D,OAAA,8BAAy,KAAM,MAAIB,EAAYB,KAAM,aAAN  
,GAAqB,CAArB,IAAzB,CAAd,W;K;IAE9G,sE;MAImD,qC;QAAA,wBAAGC,S;MAC/E,YAAy,sBAAQ,SAAR,  
C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GN1M4F,oBM0M/B,CN1M+B,EM0M5B,KN1M4B,C;K;IM  
6MhG,wE;MAIqD,qC;QAAA,wBAAGC,S;MACjF,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GAA  
wB,qBAAxB,GNnN4F,oBMmN/B,CNnN+B,EMmN5B,KNnN4B,C;K;IMsNhG,qE;MAIkD,qC;QAAA,wBAAGC,  
S;MAC9E,YAAy,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GN5N4F,oBM4N/B,QAA  
Q,CAAR,IN5N+B,EM4NpB,gBN5NoB,C;K;IM+NhG,uE;MAIoD,qC;QAAA,wBAAGC,S;MACHF,YAAy,sBAAQ

,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GNrO4F,oBMqO/B,QAAQ,SAAU,OAAIB,INrO+B,EMqOL,gBNrOK,C;K;IMwOhG,0E;MAIuD,qC;QAAA,wBAAgC,S;MACnF,YAAy,0BAAY,SAAZ,C;MACZ,OA AW,UAAS,EAAPB,GAAwB,qBAAxB,GN9O4F,oBM8O/B,CN9O+B,EM8O5B,KN9O4B,C;K;IMiPhG,4E;MAIy D,qC;QAAA,wBAAgC,S;MACrF,YAAy,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,G NvP4F,oBMuP/B,CNvP+B,EMuP5B,KNvP4B,C;K;IM0PhG,yE;MAIsD,qC;QAAA,wBAAgC,S;MACIF,YAAy,0 BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GNhQ4F,oBMgQ/B,QAAQ,CAAR,INhQ+B,E MgQpB,gBNhQoB,C;K;IMmQhG,2E;MAIwD,qC;QAAA,wBAAgC,S;MACpF,YAAy,0BAAY,SAAZ,C;MACZ, OAAW,UAAS,EAAPB,GAAwB,qBAAxB,GNzQ4F,oBMyQ/B,QAAQ,SAAU,OAAIB,INzQ+B,EMyQL,gBNzQK ,C;K;IM4QhG,oE;MAOI,IAAI,WAAW,UAaf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAakD,UAAID,OAA1 B,C;MACV,SAAS,sB;MACT,EAAG,qBAAY,SAAZ,EAakB,CAAIb,EAAqB,UAArB,C;MACH,EAAG,gBAAO, WAAP,C;MACH,EAAG,qBAAY,SAAZ,EAakB,QAAIB,EAA4B,gBAA5B,C;MACH,OAAO,E;K;yFAGX,yB;M AAA,8B;MAAA,qD;MAAA,+D;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,UAAb,EAAYB,QAAzB,EAA mC,WAAnc,CAAGD,W;O;KAP3E,C;IASA,uD;MAOI,+BAAa,KAAM,MAAnB,EAA0B,KAAM,aAN,GAAqB, CAArB,IAA1B,EAakD,WAAID,C;K;yFAEJ,yB;MAAA,8B;MAAA,qD;MAAA,gD;QAOK,Q;QAAD,OAAuB,aA AtB,2DAAsB,EAAa,KAAb,EAaOb,WAApB,CAAIc,W;O;KAP5D,C;IASA,sD;MASI,IAAI,WAAW,UAaf,C;QA CI,MAAM,8BAA0B,gBAAa,QAAb,oCAakD,UAAID,OAA1B,C;MAEV,IAAI,aAAY,UAAhB,C;QACI,OAAy,m BAAL,SAAK,EAAY,CAAZ,EAae,gBAaf,C;MAEHb,SAAS,mBAAC,oBAAU,QAAV,GAAqB,UAArB,KAAc,C; MACT,EAAG,qBAAY,SAAZ,EAakB,CAAIb,EAAqB,UAArB,C;MACH,EAAG,qBAAY,SAAZ,EAakB,QAAIB, EAA4B,gBAA5B,C;MACH,OAAO,E;K;uFAGX,yB;MAAA,8B;MAAA,mD;MAAA,kD;QASK,Q;QAAD,OAAuB ,YAAAtB,2DAAsB,EAAY,UAAZ,EAawB,QAAxB,CAAKC,W;O;KAT7D,C;IAWA,yC;MAKqE,8BAAY,KAAM, MAAIB,EAAYB,KAAM,aAN,GAAqB,CAArB,IAAZB,C;K;uFAErE,yB;MAAA,8B;MAAA,mD;MAAA,mC;QA OK,Q;QAAD,OAAuB,YAAAtB,2DAAsB,EAAY,KAaz,CAAmB,W;O;KAP9C,C;IASA,yC;MAKI,IAAI,wBAAW, MAAX,CAAJ,C;QACI,OAAO,8BAAY,MAAO,OAAAnB,EAA2B,gBAA3B,C;OAEX,OAAO,8BAAY,CAAZ,EAa e,gBAaf,C;K;IAGX,2C;MAKI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,ON3XyE,oBM2XxD,MAAO,ON3XiD,C;O M6X7E,OAAO,S;K;IAGX,yC;MAKI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OAAO,8BAAY,CAAZ,EAae,mBAAS ,MAAO,OAAhB,IAaf,C;OAEX,OAAO,8BAAY,CAAZ,EAae,gBAaf,C;K;IAGX,2C;MAKI,IAAI,sBAAS,MAAT ,CAAJ,C;QACI,ON9YwF,oBM8YvE,CN9YuE,EM8YpE,mBAAS,MAAO,OAAhB,IN9YoE,C;OMgZ5F,OAAO,S; K;IAGX,sD;MAMI,IAAK,qBAAU,MAAO,OAAp,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAA X,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OAAO,8BAAY,MAAO,OAAAnB,EAA2B,mBAAS,MAAO,O AAhB,IAA3B,C;OAEX,OAAO,8BAAY,CAAZ,EAae,gBAaf,C;K;IAGX,wD;MAMI,IAAK,qBAAU,MAAO,OA AP,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C; QACI,ONTawF,oBMsavE,MAAO,ONtagE,EMsaxD,mBAAS,MAAO,OAAhB,INTawD,C;OMwa5F,OAAO,S;K;IA GX,mD;MAKmf,oCAakB,SAAIb,EAA6B,SAA7B,C;K;IAEnF,mD;MAKuE,sCAakB,SAAIb,EAA6B,SAA7B,C ;K;IAEvE,iF;MAIsE,qC;QAAA,wBAAgC,S;MACIG,YAAy,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EA Ab,C;QAAA,OAAiB,qB;;QA5JvB,U;QA4JM,OA5JgB,aAAtB,+DAAsB,EA4JyC,CA5JzC,EA4J4C,KA5J5C,EA4J mD,WA5JnD,CAAGD,W;;MA4JvE,W;K;IAGJ,mF;MAIwE,qC;QAAA,wBAAgC,S;MACpG,YAAy,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QArKvB,U;QAqKM,OArKgB,aAAtB,+DAAsB, EAqKyC,CArKzC,EAqK4C,KArK5C,EAqKmD,WArKnD,CAAGD,W;;MAqKvE,W;K;IAGJ,gF;MAIqE,qC;QAA A,wBAAgC,S;MACjG,YAAy,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA A2B,iBAAa,QAAQ,CAAR,I;QAAb,eAAwB,gB;QA9K1E,U;QA8KM,OA9KgB,aAAtB,+DAAsB,EAAa,UAAb,E AAYB,QAAzB,EA8K4D,WA9K5D,CAAGD,W;;MA8KvE,W;K;IAGJ,kF;MAIuE,qC;QAAA,wBAAgC,S;MACnG, YAAy,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,SA AU,OAAIB,I;QAAb,eAAuC,gB;QAvLzF,U;QAuLM,OAvLgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAAzB,E AuL2E,WAvL3E,CAAGD,W;;MAuLvE,W;K;IAGJ,oF;MAI2E,qC;QAAA,wBAAgC,S;MACvG,YAAy,0BAAY,S AAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,SAAU,OAAIB,I;QA Ab,eAAuC,gB;QAhMzF,U;QAgMM,OAHMgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAAzB,EAgM2E,WAhM 3E,CAAGD,W;;MAGMvE,W;K;IAGJ,sF;MAIyE,qC;QAAA,wBAAgC,S;MACrG,YAAy,0BAAY,SAAZ,C;MACL ,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,CAAR,I;QAAb,eAAwB,gB;QAZM1

E,U;QAyMM,OAzMgB,aAAtB,+DAAsB,EAAa,UAAb,EAyB,QAazB,EAyM4D,WazM5D,CAAgD,W;;MAyM  
vE,W;K;IAGJ,qF;MAI0E,qC;QAAA,wBAAGC,S;MACtG,YAAY,0BAAy,SAAZ,C;MACL,Q;MAAA,IAAI,UAA  
S,EAAb,C;QAAA,OAAiB,qB;;QAINvB,U;QAKNM,OAINgB,aAAtB,+DAAsB,EakNyC,CAINzC,EakN4C,KAIN  
5C,EakNmD,WAINnD,CAAgD,W;;MAkNvE,W;K;IAGJ,uF;MAI4E,qC;QAAA,wBAAGC,S;MACxG,YAAY,0B  
AAy,SAAZ,C;MACL,Q;MAAA,IAAI,UAAAS,EAAb,C;QAAA,OAAiB,qB;;QA3NvB,U;QA2NM,OA3NgB,aAAtB  
,+DAAsB,EA2NyC,CA3NzC,EA2N4C,KA3N5C,EA2NmD,WA3NnD,CAAgD,W;;MA2NvE,W;K;+EAOJ,yC;MA  
QoF,OAAA,KAAM,iBAAQ,SAAR,EAAC,WAAd,C;K;+EAE1F,uC;MAOI,OAAA,KAAM,iBAAQ,SAAR,EAAC,S  
AAd,C;K;yFAEV,yC;MAMyF,OAAA,KAAM,sBAaA,SAAb,EAAMb,WAAnB,C;K;+FAE/F,yB;MAAA,oC;MAA  
A,gC;MAAA,uC;QAeW,Q;QAAA,IApe4C,mBAAS,CAoerD,C;uBAAkB,oBAAU,iCAAK,CAAL,EAAY,E;UAA  
A,YNljBoD,oBMkjBrB,CNljBqB,C;UMkjBtE,OLrjBwD,2BAAL,GAakB,K;;UKqjBrE,OAAyD,S;QAAhE,W;O;K  
AfJ,C;IGakBA,yB;MAAA,oC;MAAA,uC;QAeI,OatfmD,mBAAS,CAsf5D,GAAyB,UAAU,iCAAK,CAAL,EA  
V,CAAMb,WAAnB,GNpkBoD,oBMokBV,CNpkBU,CMokB7E,GAA2E,S;O;Kaf/E,C;+EAmBA,4B;MAIsE,OA  
AA,KAAM,iBAAQ,SAAR,C;K;IAE5E,0F;MAKI,IAAK,cAAc,CAaf,IAAsB,aAAa,CAAnC,IAA0C,cAAa,SAAK,  
OoAL,GAac,MAAd,IAAb,CAA1C,IAAiF,eAAc,KAAM,OAAN,GAae,MAAf,IAAd,CAArF,C;QACI,OAAO,K;  
OAGX,iBAAc,CAAd,UAAASB,MAAtB,U;QACI,IAAI,CAA0B,SAazB,qBAAK,aAAa,KAAb,IAAL,CAAYB,EA  
O,iBAAM,cAAc,KAAd,IAAN,CAAP,EAAMc,UAAnc,CAA9B,C;UACI,OAAO,K;;MAEf,OAAO,I;K;IAGX,mD;  
MAG+C,0B;QAAA,aAAsB,K;MACjE,OAAA,SAAK,OoAL,GAac,CAAd,IAA2B,SAAR,qBAAK,CAAL,CAAQ,  
EAAO,IAAP,EAAa,UAAb,C;K;IAE/B,iD;MAG6C,0B;QAAA,aAAsB,K;MAC/D,OAAA,SAAK,OoAL,GAac,C  
AAd,IAAMc,SAAhB,qBAAK,2BAAL,CAAGB,EAAO,IAAP,EAAa,UAAb,C;K;IAEvC,qD;MAGyD,0B;QAAA,a  
AAsB,K;MAC3E,IAAI,CAAC,UAAD,IAAe,6BAaf,IAAiC,0BAArC,C;QACI,OAAy,WAAL,SAAK,EAAW,MA  
AX,C;;QAEZ,OAAO,6BAakB,CAAIb,EAaqB,MAArB,EAA6B,CAA7B,EAAGC,MAAO,OAAvC,EAA+C,UAA/  
C,C;K;IAGf,iE;MAG0E,0B;QAAA,aAAsB,K;MAC5F,IAAI,CAAC,UAAD,IAAe,6BAaf,IAAiC,0BAArC,C;QAC  
I,OAAy,aAAL,SAAK,EAAW,MAAX,EAAMb,UAAnc,C;;QAEZ,OAAO,6BAakB,UAAIB,EAA8B,MAA9B,EA  
AsC,CAAtC,EAAyC,MAAO,OAAhD,EAAwD,UAAxD,C;K;IAGf,mD;MAGuD,0B;QAAA,aAAsB,K;MACzE,IA  
AI,CAAC,UAAD,IAAe,6BAaf,IAAiC,0BAArC,C;QACI,OAAy,SAAL,SAAK,EAAS,MAAT,C;;QAEZ,OAAO,6  
BAakB,mBAAS,MAAO,OAAhB,IAAIB,EAA0C,MAA1C,EAakD,CAAID,EAAqD,MAAO,OAA5D,EAAoE,U  
ApE,C;K;IAMf,wD;MAQ8D,0B;QAAA,aAAsB,K;MACHf,qBfjnBO,MAAO,KeinBa,SAAK,OfjnBIB,EinB0B,K  
AAM,OfjnBhC,C;MemnBd,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA8B,SAAR,qBAAK,CAAL,CAAQ,EAAO,iB  
AAM,CAAN,CAAP,EAA8B,UAA9B,CAArC,C;QACI,a;;MAEJ,IAAS,mBAAL,SAAK,EAAMb,IAAI,CAAJ,IAA  
nB,CAAL,IAAwC,mBAAN,KAAM,EAAMb,IAAI,CAAJ,IAAnB,CAA5C,C;QACI,a;OAEJ,OAAO,8BAAy,CAA  
Z,EAAe,CAAF,CAAKB,W;K;IAG7B,wD;MAQ8D,0B;QAAA,aAAsB,K;MACHf,iBAAiB,SAAK,O;MACtB,kBAA  
kB,KAAM,O;MACxB,qBfxoBO,MAAO,KewoBa,UfxoBb,EewoByB,WfxoBzB,C;Me0oBd,QAAQ,C;MACR,OA  
AO,IAAI,cAAJ,IAA+C,SAazB,qBAAK,aAAa,CAAb,GAaiB,CAAjB,IAAL,CAAYB,EAAO,iBAAM,cAAc,CAA  
d,GAakB,CAAIb,IAAN,CAAP,EAAGD,UAAhD,CAAtD,C;QACI,a;;MAEJ,IAAS,mBAAL,SAAK,EAAMb,aAAa  
,CAAb,GAaiB,CAAjB,IAAnB,CAAL,IAAQD,mBAAN,KAAM,EAAMb,cAAc,CAAd,GAakB,CAAIb,IAAnB,C  
AAzD,C;QACI,a;OAEJ,OAAO,8BAAy,aAAa,CAAb,IAAZ,EAA4B,UAA5B,CAAwC,W;K;IAMnD,8D;MAQqD,  
0B;QAAA,aAakB,C;MAAG,0B;QAAA,aAAsB,K;MAMnE,UAAkB,M;MAL3C,IAAI,CAAC,UAAD,IAAe,KAA  
M,OAAN,KAAC,CAA7B,IAAKC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,ONjtBwF,kB6G3ME,oBvG  
45BrE,IuG55BqE,C7G2MF,EMitB7D,UNjtB6D,C;OMotBnE,uBAAX,UAAW,EAAC,CAAd,C;MAAKB,oC;kBAA  
3C,gD;QACI,kBAakB,qBAAI,KAAJ,C;QACR,c;;UjCikXE,U;UAAhB,4BiCjkXQ,KjCikXR,kB;YAAgB,cAAhB,  
UiCjkXQ,KjCikXR,S;YAAASB,IiCjkXC,SAAH,UjCikXgB,oBiCjkXhB,CAAG,0BjCikXD,C;CAAwB,aAAO,I;cAA  
P,e;;UAC9C,aAAO,K;;QiCkXH,e;UACI,OAAO,K;;MAEf,OAAO,E;K;IAGX,KE;MASyD,0B;QAAA,aAakB,2B;  
MAAW,0B;QAAA,aAAsB,K;MACxG,IAAI,CAAC,UAAD,IAAe,KAAM,OAAN,KAAC,CAA7B,IAAKC,6BAAtC  
,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,ONruB4F,sB6G3MM,oBvGg7BzE,IuGh7ByE,C7G2MN,EMquB7D,U  
NruB6D,C;mBMyuBhG,iBAAyB,eAAX,UAAW,EAAa,2BAAb,CAAzB,WAAwD,CAAxD,U;QACI,kBAakB,qB  
AAI,KAAJ,C;QACR,c;;UjCyIXE,Q;UAAhB,wBiCziXQ,KjCyIXR,gB;YAAgB,cAAhB,UiCziXQ,KjCyIXR,O;YA  
ASB,IiCziXC,SAAH,UjCyIXgB,oBiCziXhB,CAAG,0BjCyIXD,C;CAAwB,aAAO,I;cAAP,e;;UAC9C,aAAO,K;;Qi  
C1iXH,e;UACI,OAAO,K;;MAGf,OAAO,E;K;IAIX,8E;MAA2G,oB;QAAA,OAAGB,K;MAOrG,UAKA,M;MAXI

B,cAAkB,CAAC,IAAL,GACV,aAAW,gBAAX,UAAW,EAAc,CAAd,CAAX,EAAc,eAAT,QAAS,EAAa,gBAAb,CAAtC,CADU,GAGV,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAAmD,gBAAT,QAAS,EAAc,CAAd,CAAnD,C;MAEJ,IAAI,iCAAkB,yBAAtB,C;QACkB,yB;QAAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAU,cAAN,KAAM,EAAc,CAAd,EAAiB,SAAjB,EAAuB,KAAvB,EAA8B,KAAM,OAApC,EAA4C,UAA5C,CAAV,C;YACI,OAAO,K;;;QAGD,2B;QAAd,OAAc,gBAAd,C;UAAc,2B;UACV,IAAU,kBAAN,KAAM,EAAkB,CAAIB,EAAqB,SAArB,EAA2B,OAA3B,EAAkC,KAAM,OAAxC,EAAgD,UAAhD,CAAV,C;YACI,OAAO,O;;;MAGnB,OAAO,E;K;IAGX,qE;MAUsB,UAMA,M;MAfIB,IAAI,CAAC,UAAD,IAAe,OAAQ,KAAR,KAAgB,CAAnC,C;QACI,aAAqB,UAR,OAAQ,C;QACrB,YAAgB,CAAC,IAAL,GAAW,sBAAQ,MAAR,EAAgB,UAAhB,CAAX,GAA4C,0BAAY,MAAZ,EAAoB,UAApB,C;QACxD,OAAW,QAAQ,CAAZ,GAAe,IAAf,GAAYB,UAAAS,MAAT,C;OAGpC,cAAkB,CAAC,IAAL,GAAW,aAAW,gBAAX,UAAW,EAAc,CAAd,CAAX,EAA6B,gBAA7B,CAAX,GAAoD,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAA0C,CAA1C,C;MAEIE,IAAI,6BAAJ,C;QACkB,yB;oBAAd,OAAc,cAAd,C;UAAc,yB;UACmB,sB;;Yb7sBrB,U;YAAA,SA6sBa,Ob7sBb,W;YAAhB,OAAgB,gBAAhB,C;cAAGB,2B;cAAM,Ia6sBgC,cb7sBIB,Oa6sBkB,EAAc,CAAd,sBb7sBIB,Oa6sBmD,OAAjC,ab7sBhC,C;gBAAwB,qBAAO,O;gBAAP,uB;;YAC9C,qBAAO,I;;;Ua4sBC,uC;UACA,IAAI,sBAAJ,C;YACI,OAAO,YAAS,cAAT,C;;;QAGD,2B;oBAAd,OAAc,gBAAd,C;UAAc,2B;UACmB,wB;;YbntBrB,U;YAAA,SamtBa,ObntBb,W;YAAhB,OAAgB,gBAAhB,C;cAAGB,6B;cAAM,IamtBgC,kBbntBIB,SamtBkB,EAAkB,CAAIB,sBbntBIB,SamtBuD,OAArC,abntBhC,C;gBAAwB,uBAAO,S;gBAAP,uB;;YAC9C,uBAAO,I;;;UaktBC,2C;UACA,IAAI,wBAAJ,C;YACI,OAAO,YAAS,gBAAT,C;;;MAlnB,OAAO,I;K;IAGX,iE;MAY+D,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACtG,4BAAU,OAAV,EAAmB,UAAAnB,EAA+B,UAA/B,EAAkD,KAAID,C;K;IAEJ,mE;MAYmE,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACIH,4BAAU,OAAV,EAAmB,UAAAnB,EAA+B,UAA/B,EAAkD,IAAID,C;K;IAEJ,KE;MAWgE,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvG,gB;MAAA,8CAAU,OAAV,EAAmB,UAAAnB,EAA+B,UAA/B,EAAkD,KAAID,mDAAmE,E;K;IAEvE,sE;MAYoE,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnH,gB;MAAA,8CAAU,OAAV,EAAmB,UAAAnB,EAA+B,UAA/B,EAAkD,IAAID,mDAaKE,E;K;IAKtE,6D;MAM4C,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACnF,OAAW,cAAc,gCAAzB,GACI,sBAAW,mBAAAY,IAAZ,CAAX,EAA8B,UAA9B,EAA0C,UAA1C,CADJ,GNz2B4F,kB6G3ME,oBvGujC5E,IuGvjC4E,C7G2MF,EM42BpE,UN52BoE,C;K;IM+2BhG,+D;MAQgD,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvF,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,gBAA5B,EAAoC,UAApC,CADJ,GNx3B4F,kBM23B1E,MN33B0E,EM23BIE,UN33BkE,C;K;IM83BhG,iE;MAQgD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MAC/F,OAAW,cAAc,gCAAzB,GACI,0BAAe,mBAAAY,IAAZ,CAAf,EAAkC,UAAiC,EAA8C,UAA9C,CADJ,GNp4BgG,sB6G3MM,oBvGklChF,IuGllCgF,C7G2MN,EMu4BpE,UNv4BoE,C;K;IM04BpG,mE;MAQoD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnG,OAAW,cAAc,gCAAzB,GACI,sBAAQ,MAAR,EAAgB,UAAhB,EAA4B,CAA5B,EAA+B,UAA/B,EAAkD,IAAID,CADJ,GNn5BgG,sBMs5B1E,MNt5B0E,EMs5BIE,UNt5BkE,C;K;IMy5BpG,mD;MAM+D,0B;QAAA,aAAsB,K;MACjF,OAAI,yBAAJ,GACI,sBAAQ,KAAR,UAA4B,UAA5B,KAA2C,CAD/C,GAGI,sBAAQ,KAAR,EAAe,CAAf,EAAkB,gBAAIB,EAA0B,UAA1B,KAAyC,C;K;IAIjD,kD;MAMsD,0B;QAAA,aAAsB,K;MACxE,6BAAQ,IAAR,UAA2B,UAA3B,KAA0C,C;K;kFAE9C,4B;MAI0E,OAAA,KAAM,yBAAGB,SAAhB,C;K;IAM3C,yE;MACjC,oB;MACA,8B;MACA,oB;MACA,kC;K;IAG8C,sF;MAAA,gE;MAC1C,iBAAqB,E;MACrB,yBAAwC,WAAx,yCAAW,EAAS,CAAT,EAAY,oCAAM,OAAIB,C;MACxC,uBAA2B,sB;MAC3B,gBAA0B,I;MAC1B,eAAmB,C;K;0EAEnB,Y;MACI,IAAI,uBAAkB,CAAtB,C;QACI,iBAAy,C;QACZ,gBAAW,I;;QAEX,IAAI,4CAAQ,CAAR,IAAa,uDAaA,yCAA1B,IAAmC,uBAAkB,yCAAM,OAA/D,C;UACI,gBAAW,qCAAyB,iBAAN,yCAAM,CAAzB,C;UACX,uBAAkB,E;;UAEIB,YAAkB,iDAAN,yCAAM,EAAa,oBAAb,C;UACIB,IAAI,SAAS,IAAb,C;YACI,gBAAW,qCAAyB,iBAAN,yCAAM,CAAzB,C;YACX,uBAAkB,E;;YAEIB,IAAK,QAAiB,KAAjB,aAAL,EAAY,SAAU,KAAV,a;YACZ,gBAAW,gCAAwB,KAAxB,C;YACX,yBAAoB,QAAQ,MAAR,I;YACpB,uBAAkB,0BAAwB,WAAU,CAAd,GAAiB,CAAjB,GAAwB,CAA5C,K;;;QAG1B,iBAAy,C;;K;oEAIpB,Y;MAKiB,Q;MAJb,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,mE;MAEb,gBAAW,I;MACX,iBAAy,E;MACZ,OAAO,M;K;uEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;iDA9C5B,Y;MAA8C,+D;K;;IaGEU,0E;MAAA,0C;QhB1mCjD,SgB2mCH,sBAAW,kBAAX,EAAuB,YAAvB,EAAkD,kBAAID,C;QAAA,OAAwE,KAAK,CAAT,GAAY,IAAZ,GAAsB,OAAM,CAAN,C;O;K;IADlG,iF;MAUkE,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,a

AAxB,K;MAAO,qB;QAAA,QAAa,C;MAC7H,wBAAwB,KAAxB,C;MAEA,OAAO,4BAAwB,SAAXB,EAA8B,U  
AA9B,EAA0C,KAA1C,EAAiD,gDAAjD,C;K;IAwBiD,gF;MAAA,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0  
B,YAA1B,EAAqD,kBAArD,EAAwE,KAAxE,aAAxF,GAAG,UAAH,EAAe,WAAO,OAAtB,CAAtF,O;O;K;IAIB9  
E,mF;MAC0E,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAxB,K;MAAO,qB;QAAA,QAAa,C;MACrI,wBAAwB,  
KAAxB,C;MACA,qBAAGC,OAAX,UAAW,C;MAEhC,OAAO,4BAAwB,SAAXB,EAA8B,UAA9B,EAA0C,KAA  
1C,EAAiD,sDAAjD,C;K;IAIX,wC;MnBlTCl,IAAI,EmBmtCl,SAAS,CnBntCb,CAAJ,C;QACl,cmBktCkB,8C;QnBj  
tClB,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;ImBkuCgE,sD;MAAA,qB;QAAE,yCAAU,EAAV,C;O;K;IAZhF,mE;  
MAWmE,0B;QAAA,aAAxB,K;MAAO,qB;QAAA,QAAa,C;MACzG,OAAeE,OAAtE,+BAAkB,UAAIB,UAA2C,  
UAA3C,EAA+D,KAA/D,CAAsE,EAAI,iCAAJ,C;K;IAE1E,yD;MAWyD,0B;QAAA,aAAxB,K;MAAO,qB;QAAA,  
QAAa,C;MAC/F,IAAI,UAAW,OAAX,KAAmB,CAAvB,C;QACl,gBAAGB,WAAW,CAAX,C;QACHB,IAAI,EAA  
C,SAh/BuC,YAAU,CAg/BID,CAAJ,C;UACl,OAAO,mBAAM,SAAN,EAAiB,UAAjB,EAA6B,KAA7B,C;UAI2E,  
kBAAb,cAAtE,+BAAkB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;Mb80tE,kBAAM,iBAAa,qCAAw  
B,EAAxB,CAAb,C;MAuEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WaTgF,uBbsTIE,IatT  
kE,CbsThF,C;;MatThB,ObuTO,W;K;Ia5SmE,wD;MAAA,qB;QAAE,yCAAU,EAAV,C;O;K;IARhF,qE;MAOiE,0  
B;QAAA,aAAxB,K;MAAO,qB;QAAA,QAAa,C;MACvG,OAAeE,OAAtE,6BAAkB,UAAIB,UAA2C,UAA3C,EA  
A+D,KAA/D,CAAsE,EAAI,mCAAJ,C;K;IAE1E,2D;MAOuD,0B;QAAA,aAAxB,K;MAAO,qB;QAAA,QAAa,C;  
MAC7F,IAAI,UAAW,OAAX,KAAmB,CAAvB,C;QACl,OAAO,mBAAoB,oBAAd,WAAW,CAAX,CAAc,CAAp  
B,EAAgC,UAAhC,EAA4C,KAA5C,C;OAG+E,kBAAb,cAAtE,6BAAkB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/  
D,CAAsE,C;MbqNtE,kBAAM,iBAAa,qCAAwB,EAAxB,CAAb,C;MAuEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;  
QAAa,sB;QACT,WAAy,Wa7RgF,uBb6RlE,Ia7RkE,Cb6RhF,C;;Ma7RhB,Ob8RO,W;K;Ia3RX,0D;MASI,wBAAw  
B,KAAxB,C;MAEA,oBAAoB,C;MACpB,gBAAGB,sBAAQ,SAAR,EAAmB,aAAnB,EAAkC,UAAIC,C;MACHB,I  
AAI,cAAa,EAAb,IAAmB,UAAAS,CAAhC,C;QACl,OAAO,OAAO,SAAK,WAAZ,C;OAGX,gBAAGB,QAAQ,C;M  
ACxB,aAAa,iBAAsB,SAAJ,GAAqB,eAAN,KAAm,EAAa,EAAb,CAArB,GAA2C,EAA7D,C;;QAET,MAAO,WA  
36B6E,8BA26B/D,aA36B+D,EA26BhD,SA36BgD,CAAKC,WA26B/G,C;QACP,gBAAGB,YAAy,SAAU,OAAtB,  
I;QAEhB,IAAI,aAAa,MAAO,KAAP,MAAe,QAAQ,CAAR,IAAf,CAAjB,C;UAA2C,K;QAC3C,YAAy,sBAAQ,S  
AAR,EAAmB,aAAnB,EAAkC,UAAIC,C;;MACP,sBAAa,EAAb,C;MAET,MAAO,WAI7BiF,8BAK7BnE,aAI7Bm  
E,EAk7BpD,gBAI7BoD,CAAKC,Wak7BnH,C;MACP,OAAO,M;K;2EAGX,mC;MAOmD,qB;QAAA,QAAa,C;M  
AAmB,OAAA,KAAm,eAAM,SAAN,EAAy,KAAZ,C;K;+FAEzF,mC;MAU6D,qB;QAAA,QAAa,C;MAAuB,OA  
AA,KAAm,yBAAGB,SAAhB,EAAxB,KAAtB,C;K;IAEvG,iC;MAK2D,mCAAGB,MAAhB,EAAwB,IAAxB,EAA8  
B,IAA9B,E;K;IAE3D,0B;MAKgD,OAAe,UAAf,uBAAE,C;K;IAqB/D,uD;MAQsB,Q;MAPIB,IAAI,iCAAKB,yBA  
AtB,C;QACl,OAAy,SAAL,SAAK,EAAO,KAAP,EAA2B,IAA3B,C;OAGhB,IAAI,cAAS,KAAb,C;QAAoB,OAA  
O,I;MAC3B,IAAI,qBAAGB,aAAhB,IAAiC,SAAK,OAAL,KAAe,KAAm,OAA1D,C;QAAkE,OAAO,K;MAEvD,u  
B;MAAIB,aAAU,CAAV,gB;QACl,IAAI,CAAS,SAAR,qBAAK,CAAL,CAAQ,EAAO,iBAAM,CAAN,CAAP,EA  
A8B,IAA9B,CAAb,C;UACl,OAAO,K;;MAIf,OAAO,I;K;IAGX,6C;MAQsB,Q;MAPIB,IAAI,iCAAKB,yBAAtB,C;  
QACl,OAAO,kBAAQ,KAAR,C;OAGX,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,qBAAGB,aAAhB,I  
AAiC,SAAK,OAAL,KAAe,KAAm,OAA1D,C;QAAkE,OAAO,K;MAEvD,uB;MAAIB,aAAU,CAAV,gB;QACl,I  
AAI,qBAAK,CAAL,MAAW,iBAAM,CAAN,CAAf,C;UACl,OAAO,K;;MAIf,OAAO,I;K;IAGX,oC;MAU+C,QA  
AM,SAAN,C;aAC3C,M;UAD2C,OACjC,I;aACV,O;UAF2C,OAehC,K;gBACH,MAAM,gCAAYB,mDAAGD,SA  
AzE,C;;K;IAGIB,0C;MAUsD,QAAM,SAAN,C;aACID,M;UADkD,OACxC,I;aACV,O;UAFkD,OAevC,K;gBAFu  
C,OAG1C,I;;K;I8Kr8CZ,sB;MAAA,0B;MAII,aAC+B,e;MAC/B,cACgC,e;MACHC,WAC6B,e;MAC7B,YAC8B,e;  
MAC9B,eACiC,e;MACjC,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,eAC  
iC,gB;MACjC,iBACmC,gB;MACnC,qBAEuC,gB;MACvC,sBAEWc,gB;MACxC,kBACoC,gB;MACpC,cACgC,g  
B;MACHC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,YAC8B,gB;MAC9B,aAC+B,iB;M  
AC/B,aAC+B,iB;MAC/B,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,uBACyC,iB;MACzC,  
wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,cACgC,iB;MACHC,oBACsC,iB;MACTC,cACgC,iB;MACHC,gBACKC  
,iB;MACIC,aAC+B,iB;MAC/B,mBACqC,iB;MACrC,YAC8B,iB;MAC9B,UAC4B,iB;MAC5B,mBACqC,iB;MAC  
rC,gBACKC,iB;MACIC,mBACqC,iB;MACrC,sBACwC,iB;MAExC,sBAGwC,gB;MAExC,uBAGyC,gB;K;;;IA7F7  
C,kC;MAAA,iC;QAAA,gB;OAAA,0B;K;;;2FCuE0C,Y;MAAQ,oCAAa,IAAb,C;K;IAiBpB,yC;MAAQB,kB;K;

mIAC3C,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;mIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;qIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;gDAEnD,Y;MAMoC,OAAA,UAAM,YAAy,iBAAQ,CAAR,EAAW,UAAM,YAAy,KAA7B,C;K;;;6EhEjH9D,yB;MAAA,iD;MAAA,4B;QAI4C,kBAAM,SAAN,C;O;KAJ5C,C;+EAMA,yB;MAAA,gD;MAAA,oC;QAI+D,kBAAM,SAAN,EAAy,MAAZ,C;O;KAJ/D,C;+EAMA,yB;MAAA,oC;MAAA,qC;QAIqE,sBAAM,SAAN,EAAy,OAAZ,C;O;KAJrE,C;IiY4B,4B;MAMbxB,gC;MANb6C,0B;MAW7B,UAEA,MAFA,EAGA,M;MALZ,IiIjC8D,IjIiC9D,C;QACI,IAAI,kBAAJ,C;UACQ,mB;UAAJ,IAAI,sEAAiB,SAAtB,EAAJ,C;YAAqC,MAAM,sBAAiB,YAAF,+CAAf,C;;UAEvC,qB;UAAJ,IAAI,0EAAuB,UAAvB,EAAJ,C;YAAuC,MAAM,sBAAiB,YAAF,gDAAf,C;UACzC,qB;UAAJ,IAAI,kEAA+B,mBAA/B,CAAJ,C;YAAwD,MAAM,sBAAiB,YAAF,mCAAf,C;;Q;mFAZID,Y;MAAQ,kCAAa,CAAb,C;K;+FACU,Y;MAAQ,OAAA,eAAS,QAAT,GAAqB,C;K;qCACvE,Y;MAA0B,QADwB,eAAS,QAAT,GAAqB,CAC7C,MAAQ,B,C;K;sCAC/C,Y;MAA2B,QAFuB,eAAS,QAAT,GAAqB,CAE5C,MAAQ,B,C;K;yFACxB,Y;MAAQ,OAAI,kBAAJ,mF;K;IAAhC,8B;MAAA,kC;MACI,YAC4B,gB;MAE5B,gBACgC,iBAAiB,UAAjB,C;MACHC,4BAAsC,uC;K;mDAEtC,yC;MAGI,2BAAoB,KAApB,EAA2B,UAA3B,EAAuC,UAAvC,C;K;iJAM8B,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,sD;O;KAAR,C;iJAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,sD;O;KAAR,C;iJAU E,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,sD;O;KAAR,C;mJAKF,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAKH,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;mJAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,uD;O;KAAR,C;yIAKR,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAKH,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;yIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,kD;O;KAAR,C;qIAKL,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;qIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;qIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,gD;O;KAAR,C;mIAKJ,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;mIAIC,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;mIAUE,yB;MAAA,6C;MAAA,iD;MAAA,4B;QAAQ,+C;O;KAAR,C;uDAK9B,iB;MAK+C,OAAM,WAAN,KAAM,yC;K;uDAErD,iB;MAKgD,OAAM,aAAN,KAAM,yC;K;uDAEtD,iB;MAKsD,OAAM,aAAN,KAAM,yC;K;wDAGxD,iB;MAKgD,OAAM,WAAN,KAAM,0C;K;wDAEtD,iB;MAKiD,OAAM,aAAN,KAAM,0C;K;wDAEvD,iB;MASmD,OAAM,aAAN,KAAM,0C;K;wDAGzD,iB;MAKgD,OAAM,WAAN,KAAM,0C;K;wDAEtD,iB;MAKiD,OAAM,aAAN,KAAM,0C;K;wDAEvD,iB;MASmD,OAAM,aAAN,KAAM,0C;K;mDAGzD,iB;MAK2C,OAAM,WAAN,KAAM,qC;K;mDAEjD,iB;MAK4C,OAAM,aAAN,KAAM,qC;K;mDAEID,iB;MAS8C,OAAM,aAAN,KAAM,qC;K;mDAGpD,iB;MAK2C,OAAM,WAAN,KAAM,qC;K;mDAEjD,iB;MAK4C,OAAM,aAAN,KAAM,qC;K;mDAEID,iB;MAS8C,OAAM,aAAN,KAAM,qC;K;iDAGpD,iB;MAKyC,OAAM,WAAN,KAAM,mC;K;iDAE/C,iB;MAK0C,OAAM,aAAN,KAAM,mC;K;iDAEHd,iB;MAS4C,OAAM,aAAN,KAAM,mC;K;gDAGID,iB;MAKwC,OAAM,WAAN,KAAM,kC;K;gDAE9C,iB;MAKyC,OAAM,aAAN,KAAM,kC;K;gDAE/C,iB;MAS2C,OAAM,aAAN,KAAM,kC;K;iDAEjD,iB;;QAY4C,OACxC,cAAc,KAAAd,EAAiC,KAAjC,C;;QACF,+C;UACE,MAAM,6BAAyB,sCAA mC,KAA nC,OAAzB,EAA sE,CAA tE,C;;UAHkC,O;;K;0DAM5C,iB;;QAMqD,OACjD,cAAc,KAAAd,EAAiC,IAA jC,C;;QACF,+C;UACE,MAAM,6BAAyB,0CAAuC,KAAvC,OAAzB,EAA0E,CAA1E,C;;UAH2C,O;;K;uDAMrD,iB;;QAWmD,OAC/C,cAAc,KAAAd,EAAiC,KAAjC,C;;QACF,+C;UAFiD,OAG/C,I;;UAH+C,O;;K;gEAMnD,iB;;QAK4D,OACxD,cAAc,KAAAd,EAAiC,IAA jC,C;;QACF,+C;UAF0D,OAGxD,I;;UAHwD,O;;K;;IA/XhE,0C;MAAA,yC;QAAA,wB;OAAA,kC;K;oCAwYA,Y;MAC6C,kBAAy,YAAD,aAAX,EAZZK,eAAS,QAAT,GAAqB,CayZ1B,C;K;qCAE7C,iB;MAiBW,Q;MATH,IAAA,IAAK,aAAL,C;QACI,IAAI,KAAM,WAAN,IAAqB,IAAK,WAA L,KAAkB,KAAM,WAAxB,gBAAoC,CAA7D,C;UACI,OAAO,I;;UAEP,MAAM,gCAAyB,2EAAzB,C;WAE d,IAAA,KAAM,aAAN,C;QAAsB,OAAO,K;MAI7B,KA7a0C,eAAS,QAAT,GAAqB,CA6a/D,OAA0B,KA7agB,WAAS

,QAAT,GAAqB,CA6a/D,E;QACI,aAAa,IAAK,QAAL,KAAa,KAAM,QAAnB,C;QAET,uB;UACI,iCAA0B,MAA1 B,C;;UAEA,kCAA2B,MAA3B,C;aAGZ,IAAA,IAAK,eAAL,C;QACI,mCAAqB,IAAK,QAA1B,EAACi,KAAM,Q AAvc,C;;QAEA,mCAAqB,KAAM,QAA3B,EAAC,IAAK,QAAvc,C;MAbR,W;K;gDAiBJ,kC;MAGW,Q;MAFP, kBAakB,cAAc,UAAAd,C;MACIB,mBAAmB,eAAa,WAAb,C;MACZ,IAAI,8EAAsC,mBAAtC,CAAJ,C;QACH,yB AAYB,oBAAa,cAAc,WAAAd,CAAb,C;QACzB,uBAAgB,cAAc,YAAAd,MAA8B,kBAA9B,CAAhB,C;;QAEA,wBA A8B,WAAb,YAAa,yBAAsB,UAAAtB,CAA9B,C;;MAJJ,W;K;sCAQJ,iB;MAMuD,wBAAS,KAAD,aAAR,C;K;uCA EvD,iB;MAQe,UAUJ,M;MAXP,IAAI,iBAAJ,C;QAEQ,cAAS,CAAT,C;UAAc,MAAM,gCAAYB,mEAAzB,C;aAC pB,YAAQ,CAAR,C;UAAa,W;;UACL,OAAC,IAAD,a;QAHZ,W;OAMJ,IAAI,UAAS,CAAb,C;QAAgB,OAAO,qC ;MAEvB,YAAAY,Y;MACZ,aAAa,mCAAQ,KAAR,E;MACN,IAAI,kBAAJ,C;QACH,IAAI,yEAAJ,C;UAEI,yBAAg B,MAAhB,C;;UAEA,IAAI,sCAAS,KAAT,IAAkB,KAAIB,CAAJ,C;YACI,mCAA0B,MAA1B,C;;YAEA,aAAa,cA Ac,KAAAd,C;YACb,eAAe,eAAQ,cAAc,MAAd,CAAR,C;YACf,mBAAmB,oCAAS,KAAT,E;YACnB,kBAakB,iB AAe,cAAc,sCAAW,KAAX,EAAd,CAAf,C;YACIB,IAAI,4CAAe,KAAf,IAAwB,MAAxB,KAAkC,gBAAgB,YAA hB,gBAAgC,CAAtE,C;cACI,0BAA6B,WAAZ,WAAy,EAAS,8BAAa,UAAb,CAAT,CAA7B,C;;cAEA,SAAI,YA AM,WAAN,KAAM,CAAN,EAAMB,WAAN,KAAM,CAAnB,IAA0B,CAA9B,GAAiC,yCAAjC,GAA+C,qD;;;;;Q AK3D,IAAI,sCAAS,KAAT,IAAkB,KAAIB,CAAJ,C;UACI,0BAAwB,WAAP,MAAO,EAAS,8BAAa,UAAb,CAA T,CAAxB,C;;UAEA,SAAI,YAAM,WAAN,KAAM,CAAN,EAAMB,WAAN,KAAM,CAAnB,IAA0B,CAA9B,GA AiC,yCAAjC,GAA+C,qD;;;MAvBvD,a;K;uCA4BJ,iB;MASI,eAAqB,WAAN,KAAM,C;MACrB,IAAa,QAAT,KA AuB,KAA3B,C;QACI,OAAO,mBAAM,QAAN,C;OAGX,WAAW,kB;MACX,aAAa,sBAAS,IAAT,IAAiB,K;MA C9B,OAAc,aAAP,MAAO,EAAW,IAAX,C;K;qCAGIB,iB;MAQe,Q;MADX,IAAI,UAAS,CAAb,C;QAEQ,sB;UA AgB,gD;aAChB,sB;UAAgB,4D;;UACR,MAAM,gCAAYB,4DAAzB,C;QAHIB,W;OAMJ,IAAI,kBAAJ,C;QACI,O AAO,gBAAgB,qCAAQ,KAAR,EAhB,C;;QAEp,IAAI,iBAAJ,C;UACI,OAAO,mBAAa,WAAN,KAAM,CAAb,C ;QAEX,aAAa,qCAAQ,KAAR,E;QAEb,IAAI,kEAAgC,mBAAhC,CAAJ,C;UACI,UAAU,cAAc,sBAAS,oCAAS,K AAT,EAAT,CAAd,0BAA0C,KAA1C,E;UACV,OAAO,gBAAgB,cAAc,MAAd,MAAwB,GAAxB,CAAhB,C;SAE X,OAAO,iBAAiB,MAAjB,C;;K;qCAIf,iB;MAOI,eAAqB,WAAN,KAAM,C;MACrB,IAAa,QAAT,KAAuB,KAAv B,IAAgC,aAAY,CAAhD,C;QACI,OAAO,iBAAI,QA AJ,C;OAGX,WAAW,kB;MACX,aAAa,sBAAS,IAAT,IAAiB ,K;MAC9B,OAAc,aAAP,MAAO,EAAW,IAAX,C;K;oCAGIB,iB;MAEI,kBAakB,SAAM,IAAK,cAAX,EAAwB,K AAM,cAA9B,C;MACIB,OAAO,IAAK,kBAAS,WAAT,CAAL,GAA6B,KAAM,kBAAS,WAAT,C;K;oCAG9C,Y; MACmC,oCAAW,C;K;oCAE9C,Y;MACmC,oCAAW,C;K;oCAE9C,Y;MACmC,+BAAY,yCAAS,WAArB,KAAi C,wBAAY,qDAAa,WAAzB,C;K;kCAEpE,Y;MACiC,QAAC,iB;K;yFAGC,Y;MAAQ,OAAI,iBAAJ,GAAMB,IAA D,aAAlB,GAA6B,I;K;yCAExE,iB;MACI,kBAakB,IAAK,WAAL,KAAkB,KAAM,WAAxB,C;MACIB,IAAI,yBA Ac,CAAd,IAAMB,CAAA,WAAy,QAAZ,GAAwB,CAAxB,MAA6B,CAApD,C;QACI,OAAO,IAAK,WAAS,iBA AU,KAAM,WAAhB,C;MAEzB,QAAQ,CA11BsC,eAAS,QAAT,GAAqB,CA01B3D,KAAyB,KA11Ba,WAAS,QAA T,GAAqB,CA01B3D,K;MACR,OAAW,iBAAJ,GAakB,CAAC,CAAD,IAAiB,GAA0B,C;K;uHAMrC,kB;MAeI,O AAO,OAAO,gBAAP,EAAoB,mBAAPB,EAAoC,qBAAPC,EAAsD,qBAAtD,EAAwE,yBAAxE,C;K;uHAGX,kB; MAcI,OAAO,OAAO,iBAAP,EAAqB,qBAArB,EAAuC,qBAAvC,EAAYD,yBAAzD,C;K;uHAGX,kB;MAaI,OAA O,OAAO,mBAAP,EAAuB,qBAAvB,EAAyC,yBAAzC,C;K;uHAGX,kB;MAYI,OAAO,OAAO,mBAAP,EAAuB,y BAAvB,C;K;0FAKP,Y;MAAQ,OAAI,iBAAJ,GAakB,CAAI,GA0B,6CAAe,EAAf,EAAMB,Q;K;4FAIrD,Y;M AAQ,OAAI,iBAAJ,GAakB,CAAI,GA0B,+CAAiB,EAAjB,EAAqB,Q;K;4FAIvD,Y;MAAQ,OAAI,iBAAJ,GA AkB,CAAI,GA0B,+CAAiB,EAAjB,EAAqB,Q;K;gGAIvD,Y;MACI,sB;QADI,OACY,C;WACHB,wB;QAFI,OA EY,cAAc,wCAAQ,IAAR,EAAd,CAA6B,Q;;QAFzC,OAGK,wCAAQ,UAAR,EAAuB,Q;K;0CAMxC,gB;MAQiB, UAAN,M;MAAM,sB;MACT,iBAAA,yCAAS,WAAT,E;QAA4B,SAAP,wCAAO,kB;WAC5B,iBAAA,qDAAa,W AAb,E;QAAgC,SAAP,wCAAO,kB;;QAG5B,6BAAoB,YAAM,WAA1B,EAAsC,kBAAtC,EAAMd,IAAnD,C;;MA LR,a;K;wCAUJ,gB;MAUiB,UAAN,M;MAAM,sB;MACT,iBAAA,yCAAS,WAAT,E;;WACA,iBAAA,qDAAa,W AAb,E;;;QACQ,+BAAoB,YAApB,EAA2B,kBAA3B,EAAwC,IAAxC,C;MAHZ,a;K;uCAOJ,gB;MAUI,OAAa,WA Ab,oBAAO,IAAP,CAAA,4BAAyD,Q;K;kFAKhD,Y;MAAQ,6D;K;mFAKP,Y;MAAQ,8D;K;qFAKN,Y;MAAQ,gE ;K;qFAKR,Y;MAAQ,gE;K;0FAKH,Y;MAAQ,qE;K;0FAKR,Y;MAAQ,qE;K;yFAKT,Y;MAAQ,oE;K;uFASrC,Y; MAAQ,2D;K;wFAQR,Y;MAAQ,4D;K;0FAQR,Y;MAAQ,8D;K;0FAQR,Y;MAAQ,8D;K;+FAQR,Y;MACI,OAA W,uBAAgB,eAApB,GAAgC,YAAhC,GAA2C,4D;K;+FAAtD,Y;MAAQ,mE;K;8FAYR,Y;MAEW,Q;MADP,YAA

Y,Y;MAER,uB;QAAe,Y;WACf,8C;;WACA,+C;;;QACQ,qBAAc,KAAc,C;MAJZ,W;K;2CAUR,Y;MASuC,8B;K;4CAEvC,Y;MASwC,+B;K;kCAExC,Y;MAuBwC,Q;MAAA,sB;MACpC,qB;QAD8B,OACxB,I;WACN,iBAAA,yCAAS,WAAT,E;QAF8B,OAET,U;WACrB,iBAAA,qDAAa,WAAb,E;QAH8B,OAGL,W;;QAErB,iBAAiB,iB;Q6HzhBF,gBAAhB,sB;Q7H2hBK,e;UAAgB,yBAAO,EAAP,C;QACF,YAAAd,kB;QA9RD,WAAO,iB;QAAP,YAAoB,oB;QAApB,cAAoC,sB;QAApC,cAAAsD,sB;QAAiD,kBAAwE,0B;QAs/D,0B;QAPJ,cAAc,iB;QACd,eAAe,UAAAS,C;QACxB,iBAAiB,YAAW,C;QAC5B,iBAAiB,YAAW,CAAX,IAAgB,gBAAe,C;QACbD,iBAAiB,C;QACjB,IAAI,OAAJ,C;UACI,yBAAO,IAAP,CAAa,gBAAO,GAAP,C;UACb,+B;SAEJ,IAAI,aAAa,YAAy,cAAc,UAA1B,CAAb,CAAJ,C;UACI,IAAI,6DAAe,CAAnB,C;YAAsB,yBAAO,EAAP,C;UACtB,yBAAO,KAAP,CAAc,gBAAO,GAAP,C;SAEIB,IAAI,eAAe,eAAe,YAAy,OAA3B,CAAf,CAAJ,C;UACI,IAAI,6DAAe,CAAnB,C;YAAsB,yBAAO,EAAP,C;UACtB,yBAAO,OAAP,CAAgB,gBAAO,GAAP,C;SAEpB,IAAI,UAAJ,C;UACI,IAAI,6DAAe,CAAnB,C;YAAsB,yBAAO,EAAP,C;UAEIB,gBAAW,CAAX,IAAgB,OAAhB,IAA2B,QAA3B,IAAuC,UAAvC,C;YACI,mCAAiB,OAAjB,EAA0B,WAA1B,EAAuC,CAAvC,EAA0C,GAA1C,EAA2D,KAA3D,C;eACJ,mBAAe,OAAf,C;YACI,mCAAiB,cAAc,OAAAd,IAAjB,EAA0C,cAAc,OAAxD,EAAmE,CAAnE,EAAsE,IAAtE,EAAwF,KAAxF,C;eACJ,mBAAe,IAAf,C;YACI,mCAAiB,cAAc,IAAd,IAAjB,EAAsC,cAAc,IAApD,EAA2D,CAA3D,EAA8D,IAA9D,EAAGf,KAAhF,C;;YAEA,yBAAO,WAAP,CAAoB,gBAAO,IAAP,C;SAGhC,IAAI,cAAc,aAAa,CAA/B,C;UAAkC,yBAAO,CAAP,EAAU,EAAY,CAAe,gBAAO,EAAP,C;QAvC/B,OOx1B3B,SsHoUqC,W;;K;4C7HikB5C,yE;MACI,yBAAO,KAAP,C;MACA,IAAI,eAAc,CAAIB,C;QACI,yBAAO,EAAP,C;QACA,iBAAuC,WAAtB,UAAW,WAAW,EAAS,cAAT,EAAYB,EAazB,C;QACR,sB;;UsB5zBzB,Q;UAAA,OAAQ,WAAAR,etB4zBc,UsB5zBd,CAAQ,C,AAR,W;UAAAd,OAAc,cAAAd,C;YAAc,uB;YACV,ItB2zBiD,UsB3zBnC,YtB2zBU,UsB3zBV,YAAK,KAAAL,EtB2zBmC,MAAM,EsB3zBvD,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QtBuzBC,oBAAoB,qBAAuC,CAAvC,I;QAEhB,KAAc,SAAD,IAAc,gBAAgB,CAA9B,C;UAAmC,8BAAY,UAAZ,EAAwB,CAAxB,EAA2B,aAA3B,C;;UAC3B,8BAAY,UAAZ,EAAwB,CAAxB,EAA2B,CAAC,CAAC,gBAAgB,CAAhB,IAAD,IAAsB,CAAtB,IAAD,IAA4B,CAA5B,IAA3B,C;OAGhB,yBAAO,IAAP,C;K;0CAGJ,0B;MAGBwC,wB;QAAA,WAAgB,C;MIn9BxD,IAAI,EJo9BQ,YAAy,CIp9BpB,CAAJ,C;QACI,cJm9ByB,oD;QII9BzB,MAAM,gCAAYB,OAAQ,WAAjC,C;OJm9BN,aAAa,sBAAS,IAAT,C;MACb,IAAW,WAAP,MAAO,CAAX,C;QAAyB,OAAO,MAAO,W;MACvC,OAAO,sBAAsB,MAAtB,EAAuC,eAAT,QAAS,EAAa,EAAb,CAAvC,IAAgE,UAAAL,IAAK,C;K;qCAI3E,Y;M6HvmBuB,gBAAhB,sB;M7HqnBH,IAAI,iBAAJ,C;QAAkB,yBAAO,EAAP,C;MACIB,yBAAO,IAAP,C;MAC4B,YAAAd,kB;MAXWP,YAAO,kB;MAAP,cAAqB,sB;MAArB,cAAuC,sB;MAAvC,kBAAYD,0B;MAYW5D,cACY,K;MACZ,IAAI,iBAAJ,C;QAEI,wB;OAEJ,eAAe,oB;MACf,iBAAiB,YAAW,CAAX,IAAgB,gBAAe,C;MACHd,iBAAiB,YAAW,C,AAX,KAAiB,cAAc,QAA/B,C;MACjB,IAAI,QAAJ,C;QACI,yBAAO,OAAP,CAAc,gBAAO,EAAP,C;OAEIB,IAAI,UAAJ,C;QACI,yBAAO,OAAP,CAAgB,gBAAO,EAAP,C;OAEpB,IAAI,eAAe,CAAC,QAAD,IAAa,CAAC,UAA7B,CAAJ,C;QACI,mCAAiB,OAAjB,EAA0B,WAA1B,EAAuC,CAAvC,EAA0C,GAA1C,EAA2D,IAA3D,C;OApBuB,OOx7B5B,SsHoUqC,W;K;;;kC7H5YhD,Y;MAAA,c;MAuBiD,2D;MAvBjD,a;K;gCAAA,iB;MAAA,2IAuBiD,gDAvBjD,G;K;IA8hCA,qC;MAIW,Q;MAAA,IAAI,6DAAJ,C;QACH,uBAAgB,4BAAiC,oBAAAL,SAAK,CAAjC,EAA2C,IAA3C,yCAAhB,C;;QAES,oBAAT,8BAAS,EAAY,IAAX,C;MAHb,W;K;IAMJ,uC;MAII,kBAAkB,4BAA4B,SAA5B,0CAAiE,IAAjE,C;MACIB,IAAa,WAAD,aAAR,yDAAsB,WAAtB,CAAJ,C;QACI,OAAO,gBAAgB,4BAA4B,SAA5B,EAAkC,IAAIC,yCAAhB,C;;QAEp,aAAa,sBAAoB,SAAPB,EAA0B,IAA1B,0C;QACb,OAAO,iBAAwB,WAAP,MAAO,yBAAsB,UAAtB,CAAxB,C;;K;IAIf,uC;MAAW,Q;MAHP,gBAAgB,oBAAoB,SAAPB,EAA0B,IAA1B,yC;MiviChB,IAAI,CJwiCI,CAAW,QAAV,SAAU,CiXiCnB,C;QACI,cJuiC0B,+B;QItiC1B,MAAM,gCAAYB,OAAQ,WAAjC,C;OJuiCV,YAAsB,YAAV,SAAU,C;MACf,IAAI,sEAAqB,SAArB,CAAJ,C;QACH,uBAAgB,KAAhB,C;;QAEA,aAAwE,YAA3D,oBAAoB,SAAPB,EAA0B,IAA1B,0CAA2D,C;QACxE,kCAA2B,MAA3B,C;;MAJJ,W;K;IAgBuB,oC;MAAQ,oE;K;IAOP,sC;MAAQ,sE;K;IAWN,sC;MAAQ,sE;K;IAQV,qC;MAAQ,qE;K;IAOP,uC;MAAQ,uE;K;IAWN,uC;MAAQ,uE;K;IAQX,qC;MAAQ,qE;K;IAOP,uC;MAAQ,uE;K;IAWN,uC;MAAQ,uE;K;IAQhB,gC;MAAQ,gE;K;IAOP,kC;MAAQ,kE;K;IAWN,kC;MAAQ,kE;K;IAQX,gC;MAAQ,gE;K;IAOP,kC;MAAQ,kE;K;IAWN,kC;MAAQ,kE;K;IAQb,8B;MAAQ,8D;K;IAOP,gC;MAAQ,gE;K;IAWN,gC;MAAQ,gE;K;IAQZ,6B;MAAQ,6D;K;IAOP,+B;MAAQ,+D;K;IAWN,+B;MAAQ,+D;K;yEAG/B,+B;MAIqE,8BAAW,SAAX,C;K;2EAERe,+B;MAUwE,8BAAW,SAAX,C;K;IAIxE,yC;MACI,aAAa,KAAM,O;MACnB,IAAI,WAAU,CAAd,C;QAAiB,MAAM,gCAAYB,qBAAzB,C;MACvB,YAAy,C;MACZ,aAAa,gCAAS,K;MACtB,qBAAqB,U;MACrB,QA

AM,iBAAM,KAAN,CAAN,C;aACI,E;aAAA,E;UAAy,qB;UAAZ,K;;MAEJ,cAAc,QAAQ,C;MACTB,iBAAiB,WA  
AiB,aAN,KAAM,EAAW,EAAX,C;MAE9B,cAAU,KAAY,C;QACI,MAAM,gCAAYB,eAAzB,C;WACV,qBAA  
M,KAAN,MAAgB,EAAhB,C;QACI,IAAI,mCAAW,MAAf,C;UAAuB,MAAM,+B;QAC7B,sBAAsB,K;QACTB,sB  
AAsB,K;QACTB,eAA8B,I;QAC9B,OAAO,QAAQ,MAAf,C;UACI,IAAI,iBAAM,KAAN,MAAgB,EAAPB,C;YAC  
I,IAAI,mBAAMB,mCAAW,MAAIC,C;cAA0C,MAAM,+B;YACHD,kBAaKB,I;YACIB,Q;WAEkB,iBAaE,K;UA+  
EjD,QAHgC,U;UAIhC,Y;YAAO,eAhFqB,KAgFjB,O;YAAJ,S;cAAc,SAAU,YAhFH,KAgFG,YAAK,CAAL,E;cA  
AV,OAhFqC,CAAM,kBAAK,EAAL,CAAN,qCAaKB,2C;;;YAgFnC,a;;UAhF7B,gBAAGB,KiBvICgE,WjBmqCIF,  
UiBnqCkF,EjBwqCrF,CiBxqCqF,C;UjBwlChF,IAAI,SuBrhCgC,YAAU,CvBqhC9C,C;YAAyB,MAAM,+B;UAC/  
B,gBAAS,SAAU,OAAAnB,I;UACqB,cAAU,K;UsBzrCpC,U;UAAA,IAAI,WAAS,CAAT,IAAc,WAAS,iBtByrCP,K  
sBzrCO,CAA3B,C;YAAA,StByrCoB,KsBzrCkB,YAAI,OAAJ,C;;YtByrCO,MAAM,gCAAYB,qCAAzB,C;;UAA9  
C,qB;UACA,qB;UACA,WAAW,sBAAsB,QAAtB,EAAGC,eAAhC,C;UACX,IAAI,YAAy,IAAZ,IAAoB,yBAAy,I  
AAZ,MAAxB,C;YAA0C,MAAM,gCAAYB,yCAAzB,C;UACHD,WAAW,I;UACX,eAAyB,WAAV,SAAU,EAAQ,  
EAAR,C;UACzB,IAAI,+CAAGC,WAAW,CAA/C,C;YACI,YAAy,SiBjmCgE,WjBimC5C,CiBjmC4C,EjBimCzC,  
QiBjmCyC,C;YjBkmC5E,4BAA2C,aAAjC,0BAA0B,KAA1B,CAAiC,EAAW,IAAX,CAA3C,C;YACA,4BAAMd,  
aAAX,SAA9B,SiBtmCmD,WjBsmC/B,QiBtmC+B,CjBsmCrB,CAAW,EAAW,IAAX,CAAnD,C;;YAEA,4BAA+C  
,aAArC,0BAA0B,SAA1B,CAAqC,EAAW,IAAX,CAA/C,C;;;aAIZ,c;QACI,MAAM,+B;;QACV,IAAM,cAAN,KA  
AM,EAAC,KAAAd,EAAqB,cAArB,EAAqC,CAArC,EQ/xCH,MAAO,KR+xCmD,SAAS,KAAT,IQ/xCnD,ER+xCm  
E,cAAe,OQ/xCIF,CR+xCJ,EAA4G,IAA5G,CAAN,C;UACI,SAAS,gCAAS,S;;UAIIB,iBAA8B,I;UAC9B,iBAAiB,  
K;UACjB,kBAaKB,CAAC,O;UACnB,IAAI,WAAW,iBAAM,KAAN,MAAgB,EAA3B,IAAwC,QAAN,KAAM,C  
AAN,KAAgB,EAAtD,C;YACI,cAAc,I;YACd,IAAI,oCAAW,uBAAX,EAAW,MAAX,CAAJ,C;cAAyB,MAAM,g  
CAAYB,yCAAzB,C;WAEnc,OAAO,QAAQ,MAAf,C;YACI,IAAI,cAAc,WAAIB,C;cA8CZ,UA7CwC,K;cA8CxC,Y  
;gBAAO,mBA9CiB,KA8Cb,O;gBAAJ,W;kBAAc,SA9C4B,UA8CIB,YA9CP,KA8CO,YAAK,GAAL,EA9CkC,M  
AAM,E;;;gBA8Cd,iB;;cA9CzB,QA+CT,G;aA7CK,aAAa,I;YACS,mBAaE,K;YA0CjD,UAHGC,Y;YAIhC,Y;cAA  
O,mBA3CqB,KA2CjB,O;cAAJ,W;gBAAc,WAAU,YA3CH,KA2CG,YAAK,GAAL,E;gBAAV,SA3CqC,CAAM,k  
BAAK,EAAL,CAAN,uCAaKB,oBAAM,E;;;cA2CzC,iB;;YA3C7B,kBAAGB,KiB5nCGE,WjBmqCIF,YiBnqCkF,Ej  
BwqCrF,GiBxqCqF,C;YjB6nChF,IAAI,WuB1jCgC,YAAU,CvB0jC9C,C;cAAyB,MAAM,+B;YAC/B,gBAAS,WA  
AU,OAAAnB,I;YACqB,mBAaE,K;YAUChD,UAHGc,Y;YAIhC,Y;cAAO,mBAxCoB,KAwChB,O;cAAJ,W;gBAAC,  
WAAU,YAxCJ,KAwCI,YAAK,GAAL,E;gBAAV,SAxCoC,CAAM,kBAAK,GAAL,CAAN,mC;;;cAwChB,iB;;YA  
xC7B,eAAe,KiB/nCiE,WjBmqCIF,YiBnqCkF,EjBwqCrF,GiBxqCqF,C;YjBgoChF,gBAAS,QAAS,OAAIB,I;YAC  
A,aAAW,wBAAwB,QAAXB,C;YACX,IAAI,cAAy,IAAZ,IAAoB,2BAAy,MAAZ,MAAxB,C;cAA0C,MAAM,gC  
AAyB,yCAAzB,C;YACHD,aAAW,M;YACX,iBAAYB,WAAV,WAAU,EAAQ,EAAR,C;YACzB,IAAI,aAAW,CA  
Af,C;cACI,cAAy,WiBtoCgE,WjBsoC5C,CiBtoC4C,EjBsoCzC,UiBtoCyC,C;cjBuoC5E,4BAAYB,aAAT,OAAO,  
AAM,CAAS,EAAW,MAAX,CAAzB,C;cACA,4BAAMd,aAAX,SAA9B,WiB3oCmD,WjB2oC/B,UiB3oC+B,CjB  
2oCrB,CAAW,EAAW,MAAX,CAAnD,C;cACA,IAAI,QAAQ,MAAZ,C;gBAAoB,MAAM,gCAAYB,mCAAzB,C;;  
cAE1B,4BAA6B,aAAT,OAAY,WAAU,CAAS,EAAW,MAAX,CAA7B,C;;;MAKhB,OAAW,UAAJ,GAAiB,MA  
AD,aAAhB,GAA6B,M;K;IAIxC,0C;MACI,aAAa,KAAM,O;MACnB,iBAAiB,C;MACjB,IAAI,SAAS,CAAT,IAA  
c,YAAy,IAAZ,mBAAM,CAAN,EAaIB,C;QAAoC,+B;OACHC,YAAC,SAAS,UAAT,IAAD,IAAwB,E;MAAxB,S  
;QAA4D,gBAA7B,yBAaKB,iBAAN,KAAM,CAAIB,C;QAA6B,c;;UU4ThD,U;UADhB,IAAI,wCAAsB,mBAA1B  
,C;YAAqC,aAAO,I;YAAP,e;WACrB,6B;UAAhB,OAAgB,gBAAhB,C;YAAgB,2B;YAAM,IAAI,CV5T4C,CAAa,  
kBAAK,EAAL,CAAb,oCU4TjC,OV5TiC,EU4ThD,C;cAAyB,aAAO,K;cAAP,e;;UAC/C,aAAO,I;;;QV7TyD,iB;O  
AAhE,S;QAEI,OAAW,iBAAM,CAAN,MAAY,EAhB,sD;OAGX,OAAiB,WAAN,KAAM,EAAW,GAAX,CAAV  
,GAAyC,OAAR,QAAN,KAAM,EAAC,CAAL,CAAQ,CAAzC,GAA6D,OAAAN,KAAM,C;K;IAKxE,0D;MAII,QA  
HgC,U;MAIhC,OAAO,IAAI,gBAAJ,IAJqC,SAIvB,CAAU,iCAAK,CAAL,EAAY,CAArB,C;QAAyC,a;;MAJzC,O  
iBnqC4F,oBjBmqCIF,UiBnqCkF,EjBwqCrF,CiBxqCqF,C;K;IjBqqChG,qD;MACI,QAAQ,U;MACR,OAAO,IAAI,  
gBAAJ,IAAc,UAAU,iCAAK,CAAL,EAAY,CAArB,C;QAAyC,a;;MACzC,OAAO,C;K;;;IAMBX,8B;MAA+C,q  
CAAQ,OAAR,E;K;IAC/C,+B;MAAGD,2CAAS,OAAT,E;K;IAEHd,sC;MAAiD,oBAAS,sBAAGB,CAAhB,CAAT,  
C;K;IACjD,wC;MAAMd,oBAAU,uBAAiB,CAAJB,CAAD,yBAAuB,CAAvB,EAAT,C;K;IACnD,oD;MAAoE,oB  
AAU,sBAAGB,CAAhB,CAAD,yBAAsB,iBAAtB,EAAT,C;K;IACPc,0C;MACI,IAAI,sEAAqB,SAArB,CAAJ,C;Q

AAA,OACI,gBAAGB,KAAhB,C;;QADJ,OAGI,iBAAiB,cAAc,KAAAd,CAAjB,C;;K;IAGR,4C;MACI,IAAI,kEAAg  
C,mBAAhC,CAAJ,C;QAAA,OACI,gBAAGB,cAAc,MAAd,CAAhB,C;;QADJ,OAGI,iBAAwB,WAAP,MAAO,yB  
AAsB,UAAAtB,CAAxB,C;;K;IuMI3CR,8B;MAEGD,QAAM,SAAN,M;aAC5C,a;UAD4C,OACHB,I;aAC5B,c;UAF4  
C,OAEf,I;aAC7B,c;UAH4C,OAGf,I;aAC7B,S;UAJ4C,OAIpB,G;aACxB,S;UAL4C,OAKpB,G;aACxB,O;UAN4C,  
OAMtB,G;aACtB,M;UAP4C,OAovB,G;gBnMuEwB,MAAM,6BAA8B,CmMtEnE,mBAAGB,SnMsEmD,YAA9B,  
C;;K;ImMnEvD,4C;MACwE,QAAM,SAAN,C;aACpE,I;UADoE,6C;aAEpE,I;UAFoE,8C;aAGpE,I;UAHoE,8C;aA  
IpE,G;UAJoE,yC;aAKpE,G;UALoE,yC;aAMpE,G;UANoE,uC;aAOpE,G;UAPoE,sC;gBAQ5D,MAAM,gCAAyB,  
uCAAoC,SAA7D,C;;K;IAGIB,yD;MAGQ,KAAc,eAAD,C;QAEQ,IADE,OACF,Q;UAHZ,sC;;UAIoB,MAAM,gC  
AAyB,4EAAqD,OAARd,CAAZB,C;;QAIIB,QAAM,OAAN,C;eACI,E;YATZ,uC;eAUyE,YAVZ,yC;eAWY,E;YA  
XZ,yC;kBAYoB,MAAM,gCAAyB,yDAaKc,OAAlC,CAAZB,C;;K;IC5F9B,4B;K;;MC4BI,kC;;IAXA,gC;MAAA  
,oC;MAM0B,2BAAc,iC;K;8CACpC,Y;MAAKc,OAAA,iCAAoB,W;K;6CADhC,Y;MAAA,yC;K;;IAN1B,4C;MA  
AA,2C;QAAA,0B;OAAA,oC;K;IAWA,gC;MAAA,oC;K;;IAAA,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;;IAKJ,o  
B;K;qCAcI,oB;MAK8D,4BAAiB,IAAjB,EAAuB,QAavB,C;K;sCAE9D,oB;MAK+D,wBAAM,QAAD,aAAL,C;K  
;sCAG/D,Y;MAMqC,QAAC,iBAAa,a;K;yCAEnD,Y;MAMwC,OAAA,iBAAa,a;K;;4EAIzD,yB;MAAA,4C;MAA  
A,mC;QAQuE,MAAM,WAAM,0BAAN,C;O;KAR7E,C;mFAUA,yB;MAAA,4C;MAAA,mC;QAQsE,MAAM,WA  
AM,0BAAN,C;O;KAR5E,C;IAY8B,4C;MAAiD,mB;MAAhD,gB;MAAoB,4B;K;4CAC/C,Y;MAAsC,OAAA,SAA  
K,aAAL,cAAoB,eAApB,C;K;6CAEtC,oB;MAAKD,4BAAiB,SAAjB,EAAuB,4BAAa,QAAb,CAAvB,C;K;;IChGV  
,sC;MAAC,gB;K;IAOf,4E;MAA8G,mB;MAA7G,4B;MAA6B,8B;MAAGD,sB;K;+DACpG,Y;MAAsC,OAAgC,aA  
A/B,iBAAW,OAAX,UAAoB,gBAApB,CAA+B,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,AAA9D,C;K;gEACtC,o  
B;MAAKD,+CAAA,gBAAb,EAAwB,iBAAxB,EAAoC,0BAAS,QAAT,CAApC,C;K;;+CAGtD,Y;MAAmC,+CAAA  
,WAAb,EAAqB,IAArB,EAA2B,gCAAS,KAApC,C;K;;IAUO,wC;MAAC,gB;K;IAOf,gF;MAAKH,mB;MAAjH,4B  
;MAA+B,8B;MAAKD,sB;K;mEAC1G,Y;MAAsC,OAAgC,AAA/B,iBAAW,OAAX,GAAoB,gBAAW,EAAW,iBA  
AW,KAAtB,CAAhC,cAA8D,AAA9D,C;K;oEACtC,oB;MAAKD,mDAaE,gBAAf,EAA0B,iBAA1B,EAAc,0BAA  
S,QAAT,CAAtC,C;K;;iDAGtD,Y;MAAmC,mDAaE,WAAf,EAAuB,IAAvB,EAA6B,gCAAS,KAAtC,C;K;;IAGvC  
,0B;MAGB8B,yE;MAC1B,mB;K;oCAEA,Y;MAA4B,qB;K;iDAE5B,oB;MAWc,Q;MADV,gBAAGB,QAAS,gBAA  
O,SAAP,C;MACf,IAAI,gDAA+B,4CAAnC,C;QAEN,iBAAiB,mBAAU,SAAV,C;QACjB,IAAI,mBAAY,SAAZ,g  
BAAyB,CAAZB,IAA8B,mBAAY,UAAZ,eAAyB,CAA3D,C;UAA8D,gBAAS,QAAT,C;QAC9D,iB;;QAEA,YAA  
Y,QAAS,kBAAS,SAAT,C;QAErB,mBAAiB,4BAAU,K;QAC3B,IAAI,sDAA+B,kDAAnC,C;UAAgE,gBAAS,QA  
AT,C;QACrD,8BAAX,YAAW,C;;MAVf,qB;K;0CAcJ,oB;MACI,MAAM,6BAAsB,iDAA+C,cAA/C,qCAA0E,QA  
A1E,MAAtB,C;K;;qFC7Fd,yB;MAAA,yC;MAAA,wB;QA2BI,WAAW,8B;QAhB6B,KAIbxC,E;QAJBA,OakBO,I  
AAK,a;O;KA7BhB,C;uFAeA,4B;MAYI,WAAW,mB;MACX,O;MACA,OAAO,IAAK,a;K;IAYe,qC;MAAC,kB;M  
AAc,wB;K;;sCAR9C,Y;MAQgC,iB;K;sCARhC,Y;MAQ8C,oB;K;wCAR9C,2B;MAAA,sBAQgC,qCARhC,EAQ8  
C,8CAR9C,C;K;oCAAA,Y;MAAA,OAQgC,iDARhC,IAQ8C,8CAR9C,O;K;oCAAA,Y;MAAA,c;MAQgC,sD;MA  
Ac,yD;MAR9C,a;K;kCAAA,iB;MAAA,4IAQgC,sCARhC,IAQ8C,4CAR9C,I;K;iGAUA,yB;MAAA,yC;MAGBA,8  
C;MAhBA,wB;QA6BI,WAAW,8B;QACX,aAjB8C,KAIbJc,E;QAJbB,OakBO,oBAAW,MAAX,EAAmB,IAAK,a  
AAxB,C;O;KA/BX,C;mGAgBA,yB;MAAA,8C;MAAA,mC;QAaI,WAAW,mB;QACX,aAAa,O;QACb,OAAO,oB  
AAW,MAAX,EAAmB,IAAK,aAAxB,C;O;KafX,C;IxJZA,2E;MASI,sC;MAAA,4C;K;IATJ,mGAWY,Y;MAAQ,2  
B;KAXpB,E;IAAA,4DAaQ,kB;MACI,wBAAW,MAAX,C;K;IAdZ,wF;IyJewC,sC;MACpC,0B;K;;IAGJ,kC;MAUI  
,OAA2C,CAA3C,2BAA6B,uBAA7B,EAAoC,KAApC,CAA2C,e;K;IAE/C,8B;K;kDAuBI,4B;MASI,MAAM,qCA  
A8B,8CAA9B,C;K;;IAa4B,8C;MAGtC,6B;MAEmD,UAMX,M;MAPxC,kBACmD,mE;MAEnD,eAC0B,K;MAE1  
B,cACwC,kE;MAExC,gBACmC,gB;K;iGAG/B,Y;MAAQ,0C;K;0DAEZ,kB;MACI,cAAyI,I;MACZ,gBAAc,M;K;I  
AGsE,iG;MAAA,uB;QAExE,Q;QAAZ,qCAAY,8D;QACZ,sCAAA,a;QAFb,OAGA,yB;O;K;2DAJJ,+B;MAAKD,O  
AAsC,wDAAtC,c;K;IAOyE,uH;MAAA,uB;QAExG,Q;QAaf,iBAAe,8F;QACf,eAAK,2B;QAA6B,mC;QrMjGtB,g  
BAAT,Q;QqMsG0D,kB;QAJzD,sBAAsB,SAAK,W;QAC3B,IAAI,eAAa,eAAjB,C;UAEL,iC;UACA,mBAAY,oCA  
AwB,eAAxB,EAAyC,kEAAzC,C;;UAGZ,mBAAY,kE;;QAEhB,oBAAa,e;QAZjB,OAcA,yB;O;K;6DAfJ,0C;MAA  
qF,OAAc,qEAAAtC,c;K;IAqBzB,mI;MAAA,qB;QACxD,yCAAGB,uB;QAGhB,qCAAY,Y;QACZ,uCAAc,E;QACI  
B,W;O;K;iEATA,iC;MAGwB,wCAAA,mCAAb,EAAoC,kFAApC,C;K;mDAQxB,Y;MAMuB,UADC,MACD,EAI  
H,MAJG,EAAK,M;MAjBxB,OAAO,IAAP,C;QAEI,aAAa,IAAK,S;QACF,SAAL,IAAK,O;QAAL,mB;UACyB,gB

AArB,0D;U1JxBhB,U;UADP,yB;U0JyBe,O1JxBR,sF;S0JuBC,WAAW,M;QAGX,IAAI,mDAAoB,MAApB,QAAJ  
,C;;YAliB,SAAT,exJxJV,CwJwJuD,IxJxJvD,EwJwJ6D,YxJxJ7D,EwJwJoE,IxJxJpE,EAA8C,KAA9C,C;;YwJyJQ,  
gC;cACE,IzJzJhB,oBDgDQ,WAAO,c0JyG0B,C1JzG1B,CAAP,CChDR,C;cyJ0JgB,Q;;cALI,O;;UAAAR,c;UAQA,I  
AAI,MAAM,yBAAV,C;YACI,IzJvKhB,oBDgDQ,W0JuHoB,0E1JvHpB,CChDR,C;;UyJ0KY,gBAAC,gB;UACd,I  
AAK,oBAAW,MAAX,C;;K;;0EC1MrB,4B;MAoKI,QAhKK,SAGKG,GAhKoB,KAGKpB,I;MACR,IAAI,CAjKC,  
SAiKD,GAjKwB,KAiKxB,IAAiB,CAAjB,IAAsB,eAjKE,KAiKF,MAjKrB,SAiKL,C;QAA6C,a;OAJK7C,OAKKO,  
C;K;kEAhKX,yB;MAAA,0B;MAAA,mC;QA2KI,QAnKK,SAmKG,GAnKe,K;QAAvB,OAAgC,OAoKzB,KApKg  
B,KAOkX,GAAW,CAAC,CAAC,IAPKF,KAOkC,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,  
EAAID,KApKyB,C;O;KARpC,C;4EAUA,4B;MAoJI,QAhJK,SAGJG,GAhJoB,KAGJpB,I;MACR,IAAI,CAjJC,SAI  
JD,GAjJwB,KAiJxB,IAAiB,CAAjB,IAAsB,eAjJE,KAiJF,MAjJrB,SAiJL,C;QAA6C,a;OAJ7C,OAKJO,C;K;kEAhJ  
X,yB;MAAA,4B;MAAA,mC;QA2JI,QAnJK,SAmJG,GAnJe,K;QAAvB,OAAgC,QAoJzB,KApJgB,KAOjX,GAA  
W,CAAC,CAAC,IAPJF,KAOjC,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApJyB,  
C;O;KARpC,C;4EAUA,4B;MAoII,QAhIK,SAGIG,GAhIc,KAGId,I;MACR,IAAI,CAjIC,SAiID,GAjIb,KAiIIB,IA  
AiB,CAAjB,IAAsB,eAjIJ,KAiII,MAjIrB,SAiIL,C;QAA6C,a;OAJ7C,OAKIO,C;K;kEAhIX,4B;MA2II,QAnIK,SA  
mIG,GAnIS,K;MAAjB,OAoIO,KApIU,KAOIL,GAAW,CAAC,CAAC,IAPIR,KAOIO,KAAmB,KAAK,CAAC,CA  
AD,IAAL,CAAnB,CAAD,KAAkC,EAAID,K;K;4EAIIX,yB;MAqMA,0B;MArMA,mC;QAIkB,kBAAT,oBAAL,S  
AAK,C;QAqML,QAAQ,gBArMe,KAQmf,C;QACR,IAAI,gBAtMmB,KAsMnB,eAAiB,CAAjB,IAAsB,mBAtMH,  
KAsMG,GAAa,WAAb,CAA1B,C;UAA6C,W;SATM7C,OAuMO,C;O;KA3MX,C;kEAMA,4B;MAGNI,QAxMK,o  
BAAL,SAAK,CAwMG,QAxMU,KAwMV,C;MAxMR,OAyMO,MAzMW,KAYMN,KAAa,MAzMP,KAYMO,CA  
AD,KAAmB,KAAm,CAAD,aAAL,CAAnB,CAAD,YAAkC,EAAIC,CAAX,CAAL,C;K;4EAvmX,4B;MAoGI,QA  
hGK,SAGGG,GAhGoB,KAGGpB,I;MACR,IAAI,CAjGC,SAiGD,GAjGwB,KAiGxB,IAAiB,CAAjB,IAAsB,eAjGE  
,KAIgf,MAjGrB,SAiGL,C;QAA6C,a;OAJG7C,OAKGO,C;K;kEAhGX,yB;MAAA,0B;MAAA,mC;QA2GI,QAnG  
K,SAmGG,GAnGe,K;QAAvB,OAAgC,OAoGzB,KApGgB,KAOGX,GAAW,CAAC,CAAC,IAPGF,KAOGC,KAA  
mB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApGyB,C;O;KARpC,C;4EAUA,4B;MAoFI,Q  
AhFK,SAGFG,GAhFoB,KAGFpB,I;MACR,IAAI,CAjFC,SAiFD,GAjFwB,KAiFxB,IAAiB,CAAjB,IAAsB,eAjFE,  
KAIFF,MAjFrB,SAiFL,C;QAA6C,a;OAJF7C,OAKFO,C;K;kEAhFX,yB;MAAA,4B;MAAA,mC;QA2FI,QAnFK,S  
AmFG,GAnFe,K;QAAvB,OAAgC,QAoFzB,KApFgB,KAOFX,GAAW,CAAC,CAAC,IAPFF,KAOFC,KAAmB,KAA  
AK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApFyB,C;O;KARpC,C;4EAUA,4B;MAoEI,QAhEK,S  
AGEG,GAhEc,KAGEd,I;MACR,IAAI,CAjEC,SAiED,GAjEkB,KAiEIB,IAAiB,CAAjB,IAAsB,eAjEJ,KAiEI,MAjE  
rB,SAiEL,C;QAA6C,a;OAJE7C,OAKEO,C;K;kEAhEX,4B;MA2EI,QAnEK,SAmEG,GAnES,K;MAAjB,OAoEO,K  
ApEU,KAOEL,GAAW,CAAC,CAAC,IAPER,KAOEO,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAA  
kC,EAAID,K;K;4EAIEX,yB;MAqIA,0B;MArIA,mC;QAIkB,kBAAT,oBAAL,SAAK,C;QAqIL,QAAQ,gBArIe,K  
qIf,C;QACR,IAAI,gBAtImB,KAsInB,eAAiB,CAAjB,IAAsB,mBAtIH,KAsIG,GAAa,WAAb,CAA1B,C;UAA6C,  
W;SATI7C,OAuIO,C;O;KA3IX,C;kEAMA,4B;MAGJI,QAxIK,oBAAL,SAAK,CAwIG,QAxIU,KAwIV,C;MAxIR,  
OAyIO,MAzIW,KAYIN,KAAa,MAZIP,KAYIO,CAAD,KAAmB,KAAm,CAAD,aAAL,CAAnB,CAAD,YAAkC,E  
AAIC,CAAX,CAAL,C;K;2EAvmX,4B;MAoCI,QAhCA,SAGCQ,GAhCY,KAGCZ,I;MACR,IAAI,CAjCJ,SAiCI,GA  
jCgB,KAiChB,IAAiB,CAAjB,IAAsB,eAjCN,KAiCM,MAjC1B,SAiCA,C;QAA6C,a;OAJC7C,OAKCO,C;K;iEAhC  
X,yB;MAAA,0B;MAAA,mC;QA2CI,QAnCA,SAmCQ,GAnCO,K;QAaf,OAAwB,OAoCjB,KApCQ,KAOCH,GA  
AW,CAAC,CAAC,IAPCV,KAOCS,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApCi  
B,C;O;KAR5B,C;4EAUA,4B;MAoBI,QAhBA,SAGBQ,GAhBY,KAGBZ,I;MACR,IAAI,CAjBJ,SAiBI,GAjBgB,K  
AiBhB,IAAiB,CAAjB,IAAsB,eAjBN,KAiBM,MAjB1B,SAiBA,C;QAA6C,a;OAJB7C,OAKBO,C;K;mEAhBX,yB;  
MAAA,4B;MAAA,mC;QA2BI,QAnBA,SAmBQ,GAnBO,K;QAaf,OAAwB,QAoBjB,KApBQ,KAOBH,GAAW,C  
AAC,CAAC,IAPBV,KAOBS,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,KApBiB,C;O  
;KAR5B,C;4EAUA,4B;MAII,QAAQ,YAAO,KAAP,I;MACR,IAAI,aAAS,KAAI,IAAiB,CAAjB,IAAsB,eAAI,KA  
AJ,MAAa,SAAvC,C;QAA6C,a;OAC7C,OAAO,C;K;mEAGX,4B;MAQI,QAAQ,YAAO,K;MACf,OAAO,KAAK,  
QAAW,CAAC,CAAC,IAAM,KAAP,KAAmB,KAAK,CAAC,CAAD,IAAL,CAAnB,CAAD,KAAkC,EAAID,K;K;  
4EAGX,yB;MAGEA,0B;MAhEA,mC;QAIkB,kBAAT,oBAAL,SAAK,C;QAGEL,QAAQ,gBAhEe,KAGef,C;QACR  
,IAAI,gBAjEmB,KAiEnB,eAAiB,CAAjB,IAAsB,mBAjEH,KAiEG,GAAa,WAAb,CAA1B,C;UAA6C,W;SAJE7C,



C;K;IAGoC,qC;MACHc,qBAAsC,W;MACTc,gBAA2B,iC;K;uFAGvB,Y;MAMW,Q;MALP,IAAI,kBAAW,iCAAF ,C;QACI,gBAAS,mC;QACT,qBAAC,I;OAGIB,OAAO,gF;K;6CAGf,Y;MAAwC,yBAAW,iC;K;wCAEnD,Y;MAA kC,OAAI,oBAAJ,GAA2B,SAAN,UAAM,CAA3B,GAA2C,iC;K;8CAE7E,Y;MAAkC,+BAAoB,UAApB,C;K;IA GG,oC;MAAC,4B;K;wEAAA,Y;MAAA,2B;K;kDAEtC,Y;MAAwC,W;K;6CAExC,Y;MAAkC,OAAAM,SAAN,UA AM,C;K;;oFC2C5C,yB;MAAA,gD;MAAA,4B;QAM6C,OAAmB,aAAIB,YAA Y,GAAM,C;O;KANhE,C;oGAQA, yB;MxG7FA,iB;MwG6FA,4B;QAMqD,OxG7FM,MAAO,OwG6FZ,YAA Y,GxG7FA,CwG6Fb,GAA6C,EAA7C,I; O;KANrD,C;sGAQA,yB;MAAA,kE;MAAA,4B;QAMsD,OAAmB,sBAAIB,YAAW,GAAO,C;O;KANzE,C;8FAQ A,yB;MAAA,0D;MAAA,0B;MAAA,4B;QAOMD,OAAuC,OAApB,kBAAIB,YAA Y,GAAM,CAAoB,C;O;KAP1F ,C;4FASA,yB;MAAA,wD;MAAA,0B;MAAA,4B;QAOKD,OAA2B,OAA nB,iBAAR,SAAQ,CAAmB,C;O;KAP7E, C;IAUA,2C;MAaI,OAA+E,OAA9E,SAAQ,KAAl,WAAa,CAAjB,CAAR,GAaKd,CAAlB,YAA Y,GAAM,MAAK, CAAL,IAAU,WAAa,CAA vB,CAA4B,C;K;IAEnF,4C;MAaI,OAA+E,OAA9E,SAAQ,IAAI,CAAJ,IAAS,WAAa,C AAtB,CAAR,GAawD,CAAlB,YAA Y,GAAM,OAAK,WAAa,CAAlB,CAAsB,C;K;oFAEnF,yB;MAAA,gD;MAA A,4B;QAM8C,OAAqB,aAApB,YAA Y,KAAQ,C;O;KANnE,C;oGAQA,yB;MxGtKA,iB;MwGsKA,4B;QAOI,OxG vKuD,MAAO,OwGuK7D,YAA Y,KxGvKiD,CwGuK9D,GAA+C,EAA/C,I;O;KAPJ,C;sGASA,yB;MAAA,kE;MA AA,4B;QAMuD,OAAqB,sBAApB,YAAW,KAAS,C;O;KAN5E,C;8FAQA,yB;MAAA,0D;MAAA,4B;MAAA,4B; QAOqD,OAAyC,QAApB,kBAApB,YAA Y,KAAQ,CAAoB,C;O;KAP9F,C;4FASA,yB;MAAA,wD;MAAA,4B;M AAA,4B;QAOD,OAA2B,QAA nB,iBAAR,SAAQ,CAAmB,C;O;KAP/E,C;IAUA,2C;MAaI,OAAoF,QAA nF,SAA Q,KAAl,WAAa,EAAjB,CAAR,GAaQd,CAApB,YAA Y,KAAQ,MAAK,EAAL,IAAW,WAAa,EAAXB,CAA8B,C; K;IAExF,4C;MAaI,OAAoF,QAA nF,SAAQ,IAAI,EAAL,IAAU,WAAa,EAAvB,CAAR,GAa4D,CAApB,YAA Y,K AAQ,OAAK,WAAa,EAAlB,CAAuB,C;K;0E9MIRxF,yB;MAaA,kF;MAbA,wB;QAUbI,IAAI,CAbI,KAAR,C;UAC I,cAda,qB;UAeb,MAAM,8BAAyB,OAAQ,WAAjC,C;U;KAZbd,C;0EAaA,yB;MAAA,kF;MAAA,qC;QAUI,IAAI, CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,8BAAyB,OAAQ,WAAjC,C;U;KAZd,C;sFAGbA,yB;MAWA,kF;M AXA,wB;QAQW,yB;QAEp,IAfsB,KAelB,QAAJ,C;UACI,cAh2B,0B;UAIb3B,MAAM,8BAAyB,OAAQ,WAAjC ,C;;UAEN,wBAnBkB,K;;QAAtB,4B;O;KARJ,C;wFAWA,yB;MAAA,kF;MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,c AA c,a;UACd,MAAM,8BAAyB,OAAQ,WAAjC,C;;UAEN,OAAO,K;;O;KAhBf,C;oEAoBA,yB;MAaA,4E;MAbA, wB;QAUbI,IAAI,CAbE,KAAN,C;UACI,cAdW,e;UAeX,MAAM,2BAAsB,OAAQ,WAA9B,C;U;KAZbd,C;sEAaA, yB;MAAA,4E;MAAA,qC;QAUI,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B, C;U;KAZd,C;kFAGbA,yB;MAcA,4E;MAdA,wB;QAWW,uB;QAEp,IAfoB,KAehB,QAAJ,C;UACI,cAhByB,0B;U AiBzB,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,sBAnBgB,K;;QAAPB,0B;O;KAXJ,C;oFAcA,yB;MAAA,4E; MAAA,qC;QAYI,IAAI,aAAJ,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;;UAEN,OAAO,K;;O; KA hBf,C;oEAqBA,yB;MAAA,4E;MAAA,0B;QAMiD,MAAM,2BAAsB,OAAQ,WAA9B,C;O;KANvD,C;I8CnHi C,uB;MA2D7B,8B;MA1DA,kB;K;mFAS8B,Y;MAAQ,iD;K;mFAMR,Y;MAAQ,gD;K;wFAItC,yB;MAAA,gB;M AAA,8B;MAAA,mB;QAWgB,Q;QADR,mB;UADJ,OACiB,I;;UADjB,OAeY,2E;O;KAXhB,C;uCAcA,Y;MAQQ, kBADE,UACf,kB;QADJ,OACkB,UAAM,U;;QADxB,OAeY,I;K;gCAGhB,Y;MAOQ,kBADE,UACf,kB;QADJ,O ACkB,UAAM,W;;QADxB,OAeY,sBAAU,UA AV,O;K;IAKhB,4B;MAAA,gC;K;wHAKI,yB;MAAA,iC;MAAA,w B;QAOI,uBAAO,KAAP,C;O;KAPJ,C;wHASA,yB;MAAA,kD;MAAA,iC;MAAA,4B;QAOI,uBAAO,cAAc,SAAd, CAAP,C;O;KAPJ,C;;IA dJ,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;IAwBsB,mC;MACIB,0B;K;sCAGA,iB;MAA4 C,+CAAoB,uBAAa,KAAM,UAAnB,C;K;wCACHe,Y;MAA+B,OAAU,SAAV,cAAU,C;K;wCACzC,Y;MAAkC,o BAAU,cAAV,M;K;;gCA/FIC,Y;MAAA,c;MAOI,sD;MAPJ,a;K;8BAAA,iB;MAAA,2IAOI,sCAPJ,G;K;IAmGA ,kC;MAOI,OAAO,mBAAQ,SAAR,C;K;IAEX,mC;MAQI,IAAI,8CAAJ,C;QAA6B,MAAM,eAAM,U;K;gFAG7C, yB;MAAA,4B;MAAA,qB;MAxCQ,kD;MAwCR,wB;QAOW,Q;;UACI,OAIDH,WakDW,OAIDX,C;;UAmDN,gC; YACS,OA3CH,WAAO,cA2CI,CA3CI,CAAP,C;;YA wCD,O;;QAAP,W;O;KAPJ,C;kFAcA,yB;MAAA,4B;MAAA, qB;MatDQ,kD;MA sDR,mC;QAOW,Q;;UACI,OA hEH,WAgEW,gBAhEX,C;;UAIeN,gC;YACS,OAzDH,WAAO, cAyDI,CAzDJ,CAAP,C;;YAsDD,O;;QAAP,W;O;KAPJ,C;8EA gBA,yB;MAAA,oD;MAAA,gB;MAAA,8B;MAAA ,4B;QAUW,Q;QADP,yB;QACA,OAAO,gF;O;KAVX,C;+EAaA,yB;MAAA,gB;MAAA,8B;MAAA,uC;QAegB,U ADL,M;QAAM,gBAAGB,2B;QACzB,sB;UAAQ,yF;;UACA,mBAAU,SAAV,C;QAFZ,a;O;KADJ,C;kFAoBA,yB; MAAA,gB;MAAA,8B;MAAA,0C;QAUW,Q;QADP,IAAI,mBAAJ,C;UAAe,OAAO,Y;QACTb,OAAO,gF;O;KAV X,C;qEAaA,yB;MAAA,gB;MAAA,8B;MAAA,kD;QAIb0B,UADf,M;QAAM,gBAAGB,2B;QACzB,sB;UAAQ,m

BAAU,gFAAV,C;;UACA,mBAAU,SAAV,C;QAFZ,a;O;KAhBJ,C;mEAwBA,yB;MAAA,4B;MAAA,gB;MAAA,8B;MAAA,uC;YAe8C,I;YADnC,M;QACH,wB;UAAa,gB;UAAO,SA7JhB,WA6JwB,UAAU,gFAAV,CA7JxB,C;;UA8JI,oBAAO,eAAP,C;QAFZ,a;O;KAdJ,C;gFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,iC;MA1GA,qB;MAtdQ,kD;MAgKR,uC;QAWW,Q;QACH,wB;UA/GG,U;;YA+GkC,U;YA9G9B,SAhEH,gBA8KuB,UAAU,sFAAV,CA9KvB,C;;YAiEN,gC;cACS,SAzDH,gBAAO,cAyDI,CAzDJ,CAAP,C;;cAsDD,O;;UA+GU,a;;UACL,uBAAO,eAAP,C;QAFZ,W;O;KAXJ,C;wEAiBA,yB;MAAA,4B;MAAA,uC;QAacW,Q;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,gB;;UACO,OAnMX,WAmMmB,UAAU,SAAV,CAnMnB,C;;QAIrMR,W;O;KAdJ,C;wFAoBA,yB;MA/IA,4B;MAAA,qB;MAtdQ,kD;MAqMR,uC;QAWW,Q;QAAM,gBAAgB,2B;QACzB,sB;UAAQ,gB;;UApJL,U;;YACI,SAhEH,WAoNkB,oBApNIB,C;;YAiEN,gC;cACS,SAzDH,WAAO,cAyDI,CAzDJ,CAAP,C;;cAsDD,O;;UAqJK,a;;QAFZ,W;O;KAXJ,C;4EAmBA,6B;MAUI,Q;MAAA,iD;QAAYB,Y;OACzB,OAAO,S;K;4EAGX,yB;MAAA,gB;MAAA,8B;MAAA,oC;QAU0B,Q;QAAtB,IAAI,mBAAJ,C;UAAe,OAAO,gFAAP,C;SACf,OAAO,S;O;KAXX,C;I3CtTgC,sC;MAAAC,uB;QAAA,UAAkB,kC;mBAA4C,O;;K;;0DAE/F,yB;MAAA,2D;MAAA,mB;QAKoC,MAAM,8B;O;KAL1C,C;oEAOA,yB;MAAA,2D;MAAA,yB;QAMkD,MAAM,6BAAoB,sCAAmC,MAAvD,C;O;KANxD,C;gEAUA,iB;MAUI,OAAO,O;K;kEAGX,4B;MAUI,OAAO,gB;K;oEAGX,2B;MAUI,OAAgB,MAAT,QAAS,C;K;oEAGpB,4B;MAUI,gB;MACA,OAAO,S;K;kEAGX,4B;MAWI,MAAM,SAAN,C;MACA,OAAO,S;K;kEAGX,4B;MAUI,OAAO,MAAM,SAAN,C;K;sEAGX,gC;MAWI,OAAW,UAAU,SAAV,CAAJ,GAAqB,SAArB,GAA+B,I;K;8EAG1C,gC;MAWI,OAAW,CAAC,UAAU,SAAV,CAAL,GAAsB,SAAtB,GAAgC,I;K;wEAG3C,yB;MAWI,iBAAC,CAAd,UAAsB,KAAtB,U;QACI,OAAO,KAAP,C;;K;wE4MjJR,iB;MAIKF,Y;K;ICY9C,6B;MACHc,kB;MACA,oB;K;8BAGA,Y;MAGyC,aAAG,UAAH,UAAW,WAAX,M;K;;gCAvB7C,Y;MAGBI,iB;K;gCAhBJ,Y;MAiBI,kB;K;kCAjBJ,yB;MAAA,gBAgBI,qCAhBJ,EAIbI,wCAjBJ,C;K;8BAAA,Y;MAAA,c;MAGBI,sD;MACA,uD;MAjBJ,a;K;4BAAA,iB;MAAA,4IAGBI,sCAhBJ,IAiBI,wCAjBJ,I;K;IA0BA,6B;MAMoD,gBAAK,SAAL,EAAW,IAAX,C;K;IAEpD,8B;MAI8C,iBAAO,eAAP,EAAc,gBAAd,E;K;IAiBD,sC;MACzC,kB;MACA,oB;MACA,kB;K;gCAGA,Y;MAGyC,aAAG,UAAH,UAAW,WAAX,UAAoB,UAApB,M;K;;kCAx7C,Y;MAGBI,iB;K;kCAhBJ,Y;MAiBI,kB;K;kCAjBJ,Y;MAKBI,iB;K;oCAIBJ,gC;MAAA,kBAgBI,qCAhBJ,EAIbI,wCAjBJ,EAKBI,qCAIBJ,C;K;gCAAA,Y;MAAA,c;MAGBI,sD;MACA,uD;MACA,sD;MAIBJ,a;K;8BAAA,iB;MAAA,4IAGBI,sCAhBJ,IAiBI,wCAjBJ,IAKBI,sCAIBJ,I;K;IA2BA,8B;MAImD,iBAAO,eAAP,EAAc,gBAAd,EAAsB,eAAtB,E;K;I5NIE1B,qB;MAErB,6B;MAFwD,gB;K;IAExD,2B;MAAA,+B;MACI,iBAGoC,UAAM,CAAN,C;MAEpC,iBAGoC,UAAM,MAAN,C;MAEpC,kBAGmC,C;MAEnC,iBAGkC,C;K;;;IANtC,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;KGA8BA,iB;MAOmE,OAAa,0BA2O1C,SAAL,GAAiB,GA3O8B,EAAU,KA2OpD,KAAL,GAAiB,GA3O8B,C;K;sGAehF,iB;MAM2D,OAAa,0BAmOIC,SAAL,GAAiB,GAnOsB,EAAU,KEoO5C,KAAL,GAAiB,KFpOsB,C;K;sGAExE,yB;MA0PA,6B;MC3PA,8C;MDCA,wB;QAMyD,OCAS,YAAiB,CD6PhD,cAAU,SAAL,GAAiB,GAAtB,CC7PgD,MAAJB,EDAe,KCAc,KAA7B,C;O;KDNIE,C;sGAQA,yB;MA4PA,WAS6D,wB;MAT7D,+B;MiB7PA,gD;MjBCA,wB;QAM0D,OiBAS,aAAkB,CjB+PhD,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB/PgD,MAAIB,EjBAGB,KiBAc,KAA9B,C;O;KjBNnE,C;4FAQA,yB;MA00A,6B;MA10A,wB;QAEsD,OCMD,cAAU,CD2O5B,cAAU,SAAL,GAAiB,GAAtB,CC3O4B,MAAK,GAAW,CD2O5C,cAjPsC,KAiP5B,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;O;KDRrD,C;4FAGA,yB;MAuOA,6B;MAvOA,wB;QAEuD,OCGF,cAAU,CD2O5B,cAAU,SAAL,GAAiB,GAAtB,CC3O4B,MAAK,GAAW,CC4O5C,cF/OuC,KE+O7B,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;O;KDLrD,C;4FAGA,yB;MAoOA,6B;MApOA,wB;QAEqD,OCAA,cAAU,CD2O5B,cAAU,SAAL,GAAiB,GAAtB,CC3O4B,MAAK,GDAI,KCAO,KAAX,IAAf,C;O;KDFrD,C;4FAGA,yB;MA2OA,WAS6D,wB;MAT7D,+B;MA3OA,wB;QAEuD,OiBAA,eAAW,CjBkP7B,eAAW,oBAAL,SAAK,CAAL,UAAN,CiBIP6B,MAAK,KjBAI,KiBAO,KAAX,CAAhB,C;O;KjBFvD,C;8FAIA,yB;MA6NA,6B;MA7NA,wB;QAEuD,OCMD,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,MAAK,GAAW,CD8N9C,cApOwC,KAoO9B,KAAL,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KDRtD,C;8FAGA,yB;MA0NA,6B;MA1NA,wB;QAEwD,OCGF,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,MAAK,GAAW,CC+N9C,cFIOyC,KEkO/B,KAAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KDLtD,C;8FAGA,yB;MAuNA,6B;MAvNA,wB;QAEsD,OCAA,cAAU,CD8N7B,cAAU,SAAL,GAAiB,GAAtB,CC9N6B,MAAK,GDAK,KCAO,KAAZ,IAAf,C;O;KDFtD,C;8FAGA,yB;MA8NA,WAS6D,wB;MAT7D,+B;MA9NA,wB;QAEwD,OiBAA,eAAW,CjBqO9B,eAAW,oBAAL,SAAK,CAAL,UAAN,CiBrO8B,MAAK,UjBAK,KiBAO,KAAZ,CAAhB,C;O;KjBFx D,C;8FAIA,yB;MAGNA,6B;MAhNA,wB;QAEuD,OCMD,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,C

CjN6B,MAAK,EAAY,CDiN9C,cAvNwC,KAuN9B,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KDRtD,C;8FAGA,yB;MA6MA,6B;MA7MA,wB;QAEwD,OCGF,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,CCjN6B,MAAK,EAAY,CCKN9C,cFrNyC,KEqN/B,KAAL,GAAiB,KAAtB,CDiN8C,MAAZ,CAAf,C;O;KDLtD,C;8FAGA,yB;MA0MA,6B;MA1MA,wB;QAEsD,OCAA,cAAe,YAAL,CDiN7B,cAAU,SAAL,GAAiB,GAAtB,CCjN6B,MAAK,EDAK,KCAO,KAAZ,CAAf,C;O;KDFtD,C;8FAGA,yB;MAiNA,WAS6D,wB;MAT7D,+B;MAjNA,wB;QAEwD,OiBAA,eAAW,CjBwN9B,eAAW,oBAAL,SAAK,CAAL,UAAN,CiBxN8B,MAAK,UjBAK,KiBAO,KAAZ,CAAhB,C;O;KjBFxD,C;0FAIA,yB;MAmMA,6B;MC7LA,4C;MDNA,wB;QAEqD,OCMD,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,EDoMjB,cA1MoC,KA0M1B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KDRpD,C;0FAGA,yB;MAgMA,6B;MC7LA,4C;MDHA,wB;QAEsD,OCGF,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,ECqMjB,cFxMqC,KEwM3B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KDLpD,C;0FAGA,yB;MA6LA,6B;MC7LA,4C;MDAA,wB;QAEoD,OCAA,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,EDAkB,KCAIB,C;O;KDFpD,C;0FAGA,yB;MAoMA,WAS6D,wB;MAT7D,+B;MiBpMA,8C;MjBAA,wB;QAEsD,OiBAA,YjB2MjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB3MiB,EjBAmB,KiBAnB,C;O;KjBFtD,C;0FAIA,yB;MA5LA,6B;MCxKA,kD;MDdA,wB;QAMqD,OCcD,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,ED2KjB,cAzLoC,KAyL1B,KAAL,GAAiB,GAAtB,CC3KiB,C;O;KDPBpD,C;0FAOA,yB;MA+KA,6B;MCxKA,kD;MDPA,wB;QAMsD,OCOF,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EC4KjB,cFnLqC,KEmL3B,KAAL,GAAiB,KAAtB,CD5KiB,C;O;KDbpD,C;0FAOA,yB;MAwKA,6B;MCxKA,kD;MDAA,wB;QAMoD,OCAA,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EDAkB,KCAIB,C;O;KDNpD,C;0FAOA,yB;MA2KA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjBAA,wB;QAMsD,OiBAA,ejB8KjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB9KiB,EjBAmB,KiBAnB,C;O;KjBNtD,C;oGAQA,yB;MAyJA,6B;MC7LA,4C;MDoCA,wB;QAMiD,OCxCG,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,EDoMjB,cA5JqC,KA4J3B,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KDKcPpD,C;oGAOA,yB;MAkJA,6B;MC7LA,4C;MD2CA,wB;QAMkD,OC/CE,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,ECqMjB,cFtJsC,KEsJ5B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KDyCpD,C;oGAOA,yB;MA2IA,6B;MC7LA,4C;MDkDA,wB;QAMgD,OCtDI,WDoMjB,cAAU,SAAL,GAAiB,GAAtB,CCpMiB,EDsDmB,KCtDnB,C;O;KDgDpD,C;oGAOA,yB;MA8IA,WAS6D,wB;MAT7D,+B;MiBpMA,8C;MjBsDA,wB;QAMkD,OiB1DI,YjB2MjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB3MiB,EjB0D,oB,KiB1DpB,C;O;KjBoDtD,C;0FAQA,yB;MA4HA,6B;MCxKA,kD;MDuOJ,0B;MAAA,+B;MA3LI,wB;QAQ6C,OA8LR,eAAW,OC5OI,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,ED2KjB,cA7H4B,KA6HIB,KAAL,GAAiB,GAAtB,CC3KiB,CAkLf,KD0DW,CAAX,C;O;KATMrC,C;0FASA,yB;MAMHA,6B;MCxKA,kD;MCwOJ,4B;MAAA,iC;MFnLI,wB;QAQ+C,OE5LR,gBAAy,QD7OC,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EC4KjB,cFrH8B,KEqHpB,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;O;KF9LvC,C;0FASA,yB;MA0GA,6B;MCxKA,kD;MD8DA,wB;QAQ2C,OChES,cD2KjB,cAAU,SAAL,GAAiB,GAAtB,CC3KiB,EDgES,KChET,C;O;KDWpD,C;0FASA,yB;MA2GA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjBgEA,wB;QAQ6C,OiBIES,ejB8KjB,eAAW,oBAAL,SAAK,CAAL,UAAN,CiB9KiB,EjBkEU,KiBIEV,C;O;KjB0DtD,C;0EAUA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAM0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAN1C,C;0EAQA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAM0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAN1C,C;kGAQA,yB;MAAA,8C;MAuEA,6B;MAvEA,wB;QAE8D,0BA8E3B,cAAU,SAAL,GAAiB,GAAtB,CA9E2B,EA8E3B,cA9EoD,KA8E1C,KAAL,GAAiB,GAAtB,C A9E2B,C;O;KAF9D,C;0FAIA,yB;MAAA,+B;M4LxOJ,0B;M5LwOI,wB;QAEmD,sB4LvOgC,O5LuO1B,IAAK,K4LvOX,G5LuOoB,KAAM,K4LvOM,C5LuOhC,C;O;KAFnD,C;wFAGA,yB;MAAA,+B;M4LtoJ,0B;M5LsOI,wB;QAEkD,sB4LrO+B,O5LqOzB,IAAK,K4LrOX,G5LqOmB,KAAM,K4LrOM,C5LqO/B,C;O;KAFID,C;0FAGA,yB;MAAA,+B;M4LpOJ,0B;M5LoOI,wB;QAEmD,sB4LnOgC,O5LmO1B,IAAK,K4LnOX,G5LmOoB,KAAM,K4LnOM,C5LmOhC,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;M4LlOJ,0B;M5LkOI,mB;QAEiC,sB4LjOqB,OAAP,C5LiOR,S4LjOe,C5LiOrB,C;O;KAFjC,C;gFAIA,Y;MASmC,gB;K;kFACnC,yB;M4LlOJ,4B;M5L0OI,mB;QASqC,O4LhPiD,Q5LgP5C,S4LhPY,G5LgPE,G4LhP8B,C;O;K5LuOtF,C;8EAUA,Y;MASiC,OAAL,SAAL,GAAiB,G;K;gFACID,yB;MAAA,WASqD,wB;MATrD,mB;QASmC,OAAL,oBAAL,SAAK,CAAL,U;O;KATnC,C;kFAWA,Y;MAEqC,W;K;oFACrC,yB;MAAA,iC;M4L5QJ,4B;M5L4QI,mB;QASuC,uB4LIR+C,Q5LkRnC,S4LIRG,G5LkRW,G4LIRqB,C5LkR/C,C;O;KATvC,C;gFAUA,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,GAAtB,C;O;KATnC,C;kFAUA,yB;MAAA,WAS6D,wB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,UAAN,C;O;KATrC,C;kFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,G;K;oFAqDID,Y;MAMuC,OA3DD,SAAL,GA

AiB,G;K;+BA6DID,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAiB,GA6DD,Y;K;,,,;+BA1UrD,Y;MAAA,c;MAG4D,q  
D;MAH5D,a;K;6BAAA,iB;MAAA,2IAG4D,oCAH5D,G;K;wEA8UA,yB;MAAA,+B;MAAA,4B;QAU0C,sBAAM  
,SAAN,C;O;KAV1C,C;0EAWA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW2C,sBAAW,OAAL,SAAK,CAAX,C;  
O;KAX3C,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAWyC,sBAAW,OAAL,SAAK,CAAX,C;O;KAXzC  
,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW0C,sBAAW,OAAL,SAAK,SAAX,C;O;KAX1C,C;Igc9W  
A,6B;MACqB,sB;K;uCAKjB,iB;MAM6C,OhCyUP,UgCzUO,aAAQ,KAAR,ChCyUP,C;K;uCgCvUtC,wB;MAOI,  
aAAQ,KAAR,IAAiB,KhCiOc,K;K;kFgC7NL,Y;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MAC8E,+BAAS,YAAT,  
C;K;IAGxD,oC;MAAiC,wB;MAAhC,oB;MACnB,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACv  
C,Y;MAAyD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAiB,C;QAAA,OhCmTO,UgCnTiB,aAAM,mBAAN,EAAM,2B  
AAN,OhCmTjB,C;QgCnT+C,MAAM,2BAAuB,YAAM,WAA7B,C;K;0CAG3F,mB;MAIS,Q;MAAL,IAAI,eAA  
C,0EAAD,QAAJ,C;QAAiC,OAAO,K;MAExC,OAAe,WAAR,YAAQ,EAAS,OhC2MO,KgC3MhB,C;K;+CAGnB,  
oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;Qd0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,  
I;UAAP,e;SACrB,6B;QAAhB,OAAGB,gBAAhB,C;UAAgB,2B;Uc1nD6B,2Bd0nDR,Oc1nDQ,Q;UAAA,W;YAAu  
B,oBAAR,YAAQ,Ed0nD/B,OIBn7CF,KgCvMiC,C;Wd0nD9C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;QAC/C,  
aAAO,I;Mc3nDH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;IA/CvD,sC;MAAA,oD;  
MACgC,uBAAK,cAAU,IAAV,CAAL,C;MADhC,Y;K;,,,;oCAPJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAAA,Y;MA  
AA,c;MAKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;gFAyDA,yB;MAAA,yC;MAWsC,yC;  
QAAA,wB;UAAW,OAAA,aAAK,KAAL,ChCsLV,K;S;O;MgCjMvC,6B;QAWI,OAAO,oBAAW,+BAAU,IAAV,  
GAAgB,uBAAhB,CAAX,C;O;KAXX,C;kFAcA,oB;MAGqE,e;K;I/BtE7C,oB;MAEPb,4B;MAFuD,gB;K;IAEvD,0  
B;MAAA,8B;MACI,iBAGmC,SAAK,CAAL,C;MAEnC,iBAGmC,SAAK,EAAL,C;MAEnC,kBAGmC,C;MAEnC,  
iBAGkC,E;K;,,,;IANbtC,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;oGAsBA,yB;MD2QA,6B;MC3PA,8C;MAhBA,wB  
;QAM0D,OAIbQ,YAAy,IAAK,KAAjB,EAA6B,CD6P5D,c9QsC,KD8Q5B,KAAL,GAAiB,GAAtB,CC7P4D,M  
AA7B,C;O;KAvBIE,C;oGAQA,yB;MCoQA,6B;MD5PA,8C;MARA,wB;QAM2D,OASO,YAAy,IAAK,KAAjB,E  
AA6B,CC8P5D,cDvQuC,KCuQ7B,KAAL,GAAiB,KAAtB,CD9P4D,MAA7B,C;O;KAFIE,C;gGAQA,yB;MAAA,8  
C;MAAA,wB;QAOKE,mBAAy,IAAK,KAAjB,EAAuB,KAAM,KAA7B,C;O;KAPIE,C;oGASA,yB;MAgRA,kBA  
S6D,sB;MAT7D,+B;MgBjRA,gD;MhBCA,wB;QAM0D,OgBAS,aAAkB,ChBmRhD,eAAW,oBAAL,SAAK,CAA  
L,iBAAN,CgBnRgD,MAAiB,EhBAgB,KgBAc,KAA9B,C;O;KhBNnE,C;0FAQA,yB;MD0OA,6B;MC1OA,wB;Q  
AEsD,OAMD,cAAK,IAAK,KAAK,GAAW,CD2O5C,cCjP6B,KDiPnB,KAAL,GAAiB,GAAtB,CC3O4C,MAAX,I  
AAf,C;O;KARrD,C;0FAGA,yB;MCwOA,6B;MDxOA,wB;QAEuD,OAGF,cAAK,IAAK,KAAK,GAAW,CC4O5C,  
cD/O8B,KC+OpB,KAAL,GAAiB,KAAtB,CD5O4C,MAAX,IAAf,C;O;KALrD,C;0FAGA,yB;MAAA,6B;MAAA,  
wB;QAEqD,qBAAK,IAAK,KAAK,GAAK,KAAM,KAAX,IAAf,C;O;KAFrD,C;0FAGA,yB;MA+PA,kBAS6D,sB;  
MAT7D,+B;MA/PA,wB;QAEuD,OgBAA,eAAW,ChBsQ7B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBtQ6B,MA  
AK,KhBAI,KgBAO,KAAX,CAAhB,C;O;KhBFvD,C;4FAIA,yB;MD6NA,6B;MC7NA,wB;QAEuD,OAMD,cAAK  
,IAAK,KAAK,GAAY,CD8N9C,cCpO+B,KDoOrB,KAAL,GAAiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KARtD,C;  
4FAGA,yB;MC2NA,6B;MD3NA,wB;QAEwD,OAGF,cAAK,IAAK,KAAK,GAAY,CC+N9C,cDIogC,KCkOtB,K  
AAL,GAAiB,KAAtB,CD/N8C,MAAZ,IAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAK,I  
AAK,KAAK,GAAM,KAAM,KAAX,IAAf,C;O;KAFtD,C;4FAGA,yB;MAkPA,kBAS6D,sB;MAT7D,+B;MAIPA,  
wB;QAEwD,OgBAA,eAAW,ChByP9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBzP8B,MAAK,UhBAK,KgBAO  
,KAAZ,CAAhB,C;O;KhBFxD,C;4FAIA,yB;MDgNA,6B;MChNA,wB;QAEuD,OAMD,cAAe,YAAV,IAAK,KAA  
K,EAAY,CDiN9C,cCvN+B,KDuNrB,KAAL,GAAiB,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KARtD,C;4FAGA,yB;  
MC8MA,6B;MD9MA,wB;QAEwD,OAGF,cAAe,YAAV,IAAK,KAAK,EAAY,CCkN9C,cDrNgC,KCqNtB,KAAL  
,GAAiB,KAAtB,CDiN8C,MAAZ,CAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAe,YAA  
V,IAAK,KAAK,EAAM,KAAM,KAAX,CAAf,C;O;KAFtD,C;4FAGA,yB;MAqOA,kBAS6D,sB;MAT7D,+B;MAr  
OA,wB;QAEwD,OgBAA,eAAW,ChB4O9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgB5O8B,MAAK,UhBAK,Kg  
BAO,KAAZ,CAAhB,C;O;KhBFxD,C;wFAIA,yB;MDmMA,6B;MC7LA,4C;MANA,wB;QAEqD,OAMD,WAAW,  
IAAX,EDoMjB,cC1M2B,KD0MjB,KAAL,GAAiB,GAAtB,CCpMiB,C;O;KARpD,C;wFAGA,yB;MCiMA,6B;MD  
9LA,4C;MAHA,wB;QAEsD,OAGF,WAAW,IAAX,ECqMjB,cDxM4B,KCwMIB,KAAL,GAAiB,KAAtB,CDrMiB  
,C;O;KALpD,C;wFAGA,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EAaiB,KAAjB,C;O;KAFpD,C;wFA

GA,yB;MAwNA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MhBAA,wB;QAEsD,OgBAA,YhB+NjB,eAAW,oBAAL, SAAK,CAAL,iBAAN,CgB/NiB,EhBAmB,KgBAnB,C;O;KhBFtD,C;wFAIA,yB;MDsLA,6B;MCxKA,kD;MAAd, wB;QAMqD,OAcD,cAAc,IAAd,ED2KjB,cCzL2B,KDyLjB,KAAL,GAAiB,GAAtB,CC3KiB,C;O;KApBpD,C;wF AOA,yB;MCgLA,6B;MDzKA,kD;MAPA,wB;QAMsD,OAOF,cAAc,IAAd,EC4KjB,cDnL4B,KCmLiB,KAAL,GA AiiB,KAAtB,CD5KiB,C;O;KAbpD,C;wFAOA,yB;MAAA,kD;MAAA,wB;QAMoD,qBAAc,IAAd,EAAoB,KAApB ,C;O;KANpD,C;wFAOA,yB;MA+LA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBAA,wB;QAMsD,OgBAA,ehBk MjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgBIMiB,EhBAmB,KgBAnB,C;O;KhBNtD,C;kGAQA,yB;MDyJA,6 B;MC7LA,4C;MAoCA,wB;QAMiD,OAxCG,WAAW,IAAX,EDoMjB,cC5J4B,KD4JIB,KAAL,GAAiB,GAAtB,C CpMiB,C;O;KAKCpD,C;kGAOA,yB;MCmJA,6B;MD9LA,4C;MA2CA,wB;QAMkD,OA/CE,WAAW,IAAX,ECq MjB,cDtJ6B,KCsJnB,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KAyCpD,C;kGAOA,yB;MAIDA,4C;MAkDA,wB;QA MgD,OAtDI,WAAW,IAAX,EAsDA,KAtDA,C;O;KAgDpD,C;kGAOA,yB;MAkKA,kBAS6D,sB;MAT7D,+B;Mg BxNA,8C;MhBsDA,wB;QAMkD,OgB1DI,YhB+NjB,eAAW,oBAAL,SAAK,CAAL,iBAAN,CgB/NiB,EhB0DoB, KgB1DpB,C;O;KhBoDtD,C;wFAQA,yB;MD4HA,6B;MCxKA,kD;MDuOJ,0B;MAAA,+B;MC3LI,wB;QAQ6C,O D8LR,eAAW,OC5OI,cAAc,IAAd,ED2KjB,cC7HmB,KD6HT,KAAL,GAAiB,GAAtB,CC3KiB,CAkLf,KD0DW,C AAX,C;O;KCTMrC,C;wFASA,yB;MCoHA,6B;MDzKA,kD;MCwOJ,4B;MAAA,iC;MDnLI,wB;QAQ+C,OCsLR,g BAAY,QD7OC,cAAc,IAAd,EC4KjB,cDrHqB,KCqHX,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C; O;KD9LvC,C;wFASA,yB;MA9DA,kD;MA8DA,wB;QAQ2C,OAhES,cAAc,IAAd,EAgEL,KAhEK,C;O;KAwDpD ,C;wFASA,yB;MA+HA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBgEA,wB;QAQ6C,OgBIES,ehBkMjB,eAAW,o BAAL,SAAK,CAAL,iBAAN,CgBIMiB,EhBkEU,KgBIEV,C;O;KhB0DtD,C;wEAUA,yB;MAAA,6B;MAAA,mB; QAMyC,qBAAK,SAAK,QAAY,C;O;KANzC,C;wEAQA,yB;MAAA,6B;MAAA,mB;QAMyC,qBAAK,SAAK,QA AV,C;O;KANzC,C;gGAQA,yB;MAAA,8C;MAAA,wB;QAE6D,0BAAU,IAAV,EAAgB,KAhB,C;O;KAF7D,C; wFAIA,yB;MAAA,6B;MAAA,2B;QAOMD,qBAAK,aAAS,QAAd,C;O;KAPnD,C;wFASA,yB;MAAA,6B;MAAA, 2B;QAOMD,qBAAK,cAAU,QAaf,C;O;KAPnD,C;wFASA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KA AL,GAAc,KAAM,KAAzB,C;O;KAFjD,C;SFAGA,yB;MAAA,6B;MAAA,wB;QAEgD,qBAAK,IAAK,KAAL,GA Aa,KAAM,KAAxB,C;O;KAFhD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KAAL,GAAc,KA AM,KAAzB,C;O;KAFjD,C;wEAGA,yB;MAAA,6B;MAAA,mB;QAEgC,qBAAU,CAAL,SAAL,C;O;KAFhC,C;8 EAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAAL,SAAK,C;O;KAVxC,C;gFAWA,yB;MAAA,4B;MAAA, mB;QAUqC,OAAK,QAAL,SAAK,C;O;KAV1C,C;4EAWA,Y;MASiC,gB;K;8EACjC,yB;MAAA,kBASqD,sB;MA TrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,iB;O;KATnC,C;gFAWA,yB;MDwDJ,0B;MAAA,+B;MCxDI,mB; QASqC,OD0DA,eAAW,OC1DX,SD0DW,CAAX,C;O;KCnErC,C;kFAUA,yB;MC+CJ,4B;MAAA,iC;MD/CI,mB; QASuC,OCiDA,gBAAY,QDjDZ,SCiDY,CAAZ,C;O;KD1DvC,C;8EAUA,Y;MAEmC,W;K;gFACnC,yB;MAAA,k BAS6D,sB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,iBAAN,C;O;KATrC,C;gFAWA,yB; MASA,gD;MATA,mB;QAQqC,OAoe,aAAa,SAAb,C;O;KAFvC,C;kFASA,yB;MAAA,gD;MAAA,mB;QAMuC,o BAAa,SAAb,C;O;KANvC,C;8BAQA,Y;MAAYC,OArDD,oBAAL,SAAK,CAAL,iBAQDe,W;K;::;8BAhWtD,Y;M AAA,c;MAG2D,qD;MAH3D,a;K;4BAAA,iB;MAAA,2IAG2D,oCAH3D,G;K;sEAoWA,yB;MAAA,6B;MAAA,4B ;QAWwC,qBAAU,SAAV,C;O;KAXxC,C;wEAYA,yB;MAAA,6B;MAAA,4B;QAWyC,qBAAU,SAAV,C;O;KAX zC,C;wEAYA,yB;MAAA,6B;MAAA,4B;QAUuC,qBAAK,SAAL,C;O;KAVvC,C;wEAWA,yB;MAAA,6B;MAAA ,4B;QAWwC,qBAAK,SAAK,QAAY,C;O;KAXxC,C;uEAaA,yB;MAAA,gD;MAAA,4B;QASyC,oBAAKB,SAAlB, C;O;KATzC,C;wEAUA,yB;MAAA,gD;MAAA,4B;QAS0C,oBAAa,SAAb,C;O;KAT1C,C;Igc3ZA,4B;MACqB,sB ;K;sCAKjB,iB;MAM4C,OhCuXT,SgCvXS,aAAQ,KAAR,ChCuXT,C;K;sCgCrXnC,wB;MAOI,aAAQ,KAAR,IAA iB,KhCyQY,K;K;iFgCrQH,Y;MAAQ,OAAA,YAAQ,O;K;mCAE9C,Y;MAC6E,8BAAS,YAAT,C;K;IAGvD,mC; MAAgC,uB;MAA/B,oB;MACnB,eAAoB,C;K;2CACpB,Y;MAAYB,sBAAQ,YAAM,O;K;4CACvC,Y;MAAwD,Q; MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OhCiWK,SgCjWmB,aAAM,mBAAN,EAAM,2BAAN,OhCiWnB, C;;QgCjWgD,MAAM,2BAAuB,YAAM,WAA7B,C;K;;yCAGzF,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ, C;QAAgC,OAAO,K;MAEvC,OAAe,WAAR,YAAQ,EAAS,OhCmPK,KgCnPd,C;K;8CAGnB,oB;MACY,Q;MAA 2B,gBAA3B,gE;MAA2B,c;;Qf0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,6 B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;Ue1nD6B,2Bf0nDR,Oe1nDQ,O;UAAA,W;YAAAsB,oBAAR,YAAQ,E f0nD9B,OjB34CJ,KgC/OkC,C;Wf0nD7C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;Me3nDH,i

B;K;kCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,qC;MAAA,mD;MACgC,sBAAK,eAA S,IAAT,CAAL,C;MADhC,Y;K;;;mCAPJ,Y;MAAA,OAKqB,oDALrB,M;K;mCAAA,Y;MAAA,c;MAKqB,wD;M ALrB,a;K;iCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;8EAyDA,yB;MAAA,uC;MAWoC,wC;QAAA,wB;UAAW,O AAA,aAAK,KAAL,ChC8NV,K;S;O;MgCzOrC,6B;QAWI,OAAO,mBAAU,gCAAS,IAAT,GAAe,sBAAf,CAAV, C;O;KAXX,C;gFAcA,oB;MAGkE,e;K;I4LnE5C,wC;MASBIB,iC;MATBsD,2BAAgB,KAAhB,EAAuB,YAAvB,EA AqC,CAArC,C;K;kFAC7B,Y;MAAQ,iB;K;yFACD,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,W5NwCoB,Y4NxCPB, U5NwCqC,KAAjB,E4NxCX,K5NwCwC,KAA7B,C4NxCPB,K;MAAA,S;QAAkB,O5NwCE,Y4NxCF,K5NwCmB ,KAAjB,E4NxCO,S5NwCsB,KAA7B,C4NxCF,K;OAAIB,W;K;kCAE9C,Y;MAKkC,O5NiCgC,Y4NjChC,U5NiCi D,KAAjB,E4NjCxB,S5NiCqD,KAA7B,C4NjChC,I;K;iCAEIC,iB;MAEY,UAAwB,M;MADhC,2CAAuB,kBAAa, KAAM,UAAAnB,KACf,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,CADe,CAAvB,C;K;mCA GJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,U5NyQA,K4NzQL,QAAqB,S5NyQhB,K4NzQL,I;K;mC AE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5C,+B;MAAA,mC;MACI,aAC8B,cAAU,4BAAK,UAAf,EAA0 B,4BAAK,UAA/B,C;K;;IAFIC,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;;IA YJ,oD;MA4CI,uC;MATCI,IAAI,SA A Q,CAAZ,C;QAAuB,MAAA,gCAAYB,wBAAzB,C;MACpC,IAAI,SAAQ,WAAZ,C;QAA2B,MAAA,gCAAYB,wEA AzB,C;MAG5C,aAGyB,K;MAEzB,YAGwB,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAExB,YAGu B,I;K;yCAEvB,Y;MAAgD,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAEhD,Y;MAMqC,OAAI, YAAO,CAAX,G5NvB6B,Y4NuBf,U5NvBgC,KAAjB,E4NuBP,S5NvBoC,KAA7B,C4NuBf,IAAd,G5NvB6B,Y4N uBG,U5NvBc,KAAjB,E4NuBW,S5NvBkB,KAA7B,C4NuBG,I;K;uCAErE,iB;MAEY,UAAwB,M;MADhC,iDAA 6B,kBAAa,KAAM,UAAAnB,KACrB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,KAA8C,cA AQ,KAAM,KADvC,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MAAK,U5NiNN, K4NjNC,QAAqB,S5NiNtB,K4NjNC,IAAN,SAAGD,SAAhD,I;K;yCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAA gB,UAAF,qBAAU,SAAV,cAAqB,SAAnC,GAAgD,UAAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;K;I AEhF,qC;MAAA,yC;K;kEACI,sC;MAQ2F,2BAAgB,UAAhB,EAA4B,QAA5B,EAA5C,IAAtC,C;K;;IAT/F,iD;M AAA,gD;QAAA,+B;OAAA,yC;K;;IAoBiC,oD;MAAuC,uB;MACx,E,sBAA2B,I;MAC3B,iBAAmC,OAAO,CAA1 C,G5NxDkE,Y4NwDrB,K5NxDsC,KAAjB,E4NwDZ,I5NxDyC,KAA7B,C4NwDrB,KAA7C,G5NxDkE,Y4NwDF, K5NxDmB,KAAjB,E4NwDO,I5NxDsB,KAA7B,C4NwDF,K;MACH,E,c5N2RmC,S4N3RhB,I5N2RgB,C;M4N1Rn C,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAE3C,Y;MAAkC,qB;K;iDAEIC,Y;MACI,YAAY,W;MACZ,IA AI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAA,6B;QAC3B,iBAAU,K;;QAEV,c5NID6C, S4NkD7C,W5NIDuD,KAAK,G4NkDpD,W5NID+D,KAAX,IAAf,C;;M4NoDjD,OAAO,K;K;;IC3Hf,yB;K;mCAII, Y;MAA4B,uB;K;;IAMhC,0B;K;oCAII,Y;MAA4B,wB;K;;IAMhC,wB;K;kCAII,Y;MAA4B,sB;K;;IAMhC,yB;K;m CAII,Y;MAA4B,uB;K;;I7M5BP,qB;MAErB,6B;MAFwD,gB;K;IAExD,2B;MAAA,+B;MACI,iBAGoC,a;MAEpC, iBAGoC,c;MAEpC,kBAGmC,C;MAEnC,iBAGkC,E;K;;IANtC,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;sGAsBA ,yB;MjBqRA,WAS6D,wB;MAT7D,+B;MiB7PA,gD;MAxBA,wB;QAM0D,OAYBS,aAAa,IAAK,KAAIB,EAA8B, CjB+P5D,eAAW,oBiBxRyB,KjBwR9B,KAAK,CAAL,UAAAN,CiB/P4D,MAA9B,C;O;KA/BnE,C;sGAQA,yB;Mf8 QA,aAS6D,0B;MAT7D,+B;Me9PA,gD;MAhBA,wB;QAM2D,OAIbQ,aAAa,IAAK,KAAIB,EAA8B,CfgQ5D,eAA W,oBeJR0B,KfiR/B,KAAK,CAAL,YAAN,CehQ4D,MAA9B,C;O;KAvBnE,C;sGAQA,yB;MhByRA,kBAS6D,sB; MAT7D,+B;MgBjRA,gD;MARA,wB;QAMyD,OASU,aAAa,IAAK,KAAIB,EAA8B,ChBmR5D,eAAW,oBgB5Rw B,KhB4R7B,KAAK,CAAL,iBAAN,CgBnR4D,MAA9B,C;O;KafnE,C;kGAQA,yB;MAAA,gD;MAAA,wB;QAO mE,oBAAa,IAAK,KAAIB,EAAwB,KAAM,KAA9B,C;O;KAPnE,C;4FASA,yB;MjBoPA,WAS6D,wB;MAT7D,+B ;MiBpPA,wB;QAEuD,OASA,eAAM,IAAK,KAAK,KAAW,CjBkP7C,eAAW,oBiB3PiB,KjB2PtB,KAAK,CAAL, UAAN,CiBIP6C,MAAX,CAAhB,C;O;KAXvD,C;4FAGA,yB;MfkPA,aAS6D,0B;MAT7D,+B;MeIPa,wB;QAEwD ,OAMD,eAAM,IAAK,KAAK,KAAW,CfmP7C,eAAW,oBezPkB,KfyPvB,KAAK,CAAL,YAAN,CenP6C,MAAX, CAAhB,C;O;KARvD,C;4FAGA,yB;MhBkQA,kBAS6D,sB;MAT7D,+B;MgBIQA,wB;QAEsD,OAGC,eAAM,IAA K,KAAK,KAAW,ChBsQ7C,eAAW,oBgBzQgB,KhByQrB,KAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,C;O; KALvD,C;4FAGA,yB;MAAA,+B;MAAA,wB;QAEuD,sBAAM,IAAK,KAAK,KAAK,KAAM,KAAX,CAAhB,C; O;KAFvD,C;8FAIA,yB;MjBuOA,WAS6D,wB;MAT7D,+B;MiBvOA,wB;QAEwD,OASA,eAAM,IAAK,KAAK,U AAY,CjBqO/C,eAAW,oBiB9OmB,KjB8OxB,KAAK,CAAL,UAAAN,CiBrO+C,MAAZ,CAAhB,C;O;KAXxD,C;8F AGA,yB;MfqOA,aAS6D,0B;MAT7D,+B;MerOA,wB;QAEyD,OAMD,eAAM,IAAK,KAAK,UAAAY,CfsO/C,eAA

W,oBe5OoB,Kf4OzB,KAAK,CAAL,YAAN,CetO+C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;MhBqPA,kBAS6D,sB;MAT7D,+B;MgBrPA,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,UAAy,ChByP/C,eAAW,oBgB5PkB,KhB4PvB,KAAK,CAAL,iBAAN,CgBzP+C,MAAZ,CAAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAK,UAAm,KAAM,KAAZ,CAAhB,C;O;KAFxD,C;8FAIA,yB;MjB0NA,WAS6D,wB;MAT7D,+B;MiB1NA,wB;QAEwD,OASA,eAAM,IAAK,KAAK,UAAy,CjBwN/C,eAAW,oBiBjOmB,KjBiOxB,KAAK,CAAL,UAAm,CiBxN+C,MAAZ,CAAhB,C;O;KAXxD,C;8FAGA,yB;MfwNA,aAS6D,0B;MAT7D,+B;MexNA,wB;QAEyD,OAMD,eAAM,IAAK,KAAK,UAAy,CfyN/C,eAAW,oBe/NoB,Kf+NzB,KAAK,CAAL,YAAN,CezN+C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;MhBwOA,kBAS6D,sB;MAT7D,+B;MgBxOA,wB;QAEuD,OAGC,eAAM,IAAK,KAAK,UAAy,ChB4O/C,eAAW,oBgB/OkB,KhB+OvB,KAAK,CAAL,iBAAN,CgB5O+C,MAAZ,CAAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAK,UAAm,KAAM,KAAZ,CAAhB,C;O;KAFxD,C;0FAIA,yB;MjB6MA,WAS6D,wB;MAT7D,+B;MiBpMA,8C;MATA,wB;QAEsD,OASA,YAAy,IAAZ,EjB2MjB,eAAW,oBiBpNe,KjBoNpB,KAAK,CAAL,UAAm,CiB3MiB,C;O;KAXtD,C;0FAGA,yB;Mf2MA,aAS6D,0B;MAT7D,+B;MerMA,8C;MANA,wB;QAEuD,OAMD,YAAy,IAAZ,Ef4MjB,eAAW,oBelNgB,KfkNrB,KAAK,CAAL,YAAN,Ce5MiB,C;O;KARtD,C;0FAGA,yB;MhB2NA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MAHA,wB;QAEqD,OAGC,YAAy,IAAZ,EhB+NjB,eAAW,oBgBlOc,KhBkOnB,KAAK,CAAL,iBAAN,CgB/NiB,C;O;KALtD,C;0FAGA,yB;MAAA,8C;MAAA,wB;QAEsD,mBAAy,IAAZ,EAAkB,KAAIB,C;O;KAFtD,C;0FAIA,yB;MjBgMA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MARBA,wB;QAMsD,OAqBA,eAAe,IAAf,EjB8KjB,eAAW,oBiBnMe,KjBmMpB,KAAK,CAAL,UAAm,CiB9KiB,C;O;KA3BtD,C;0FAOA,yB;Mf0LA,aAS6D,0B;MAT7D,+B;Me5KA,oD;MAdA,wB;QAMuD,OAcD,eAAe,IAAf,Ef+KjB,eAAW,oBe7LgB,Kf6LrB,KAAK,CAAL,YAAN,Ce/KiB,C;O;KApBtD,C;0FAOA,yB;MhBsMA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MAPA,wB;QAMqD,OAOC,eAAe,IAAf,EhBkMjB,eAAW,oBgBzMc,KhByMnB,KAAK,CAAL,iBAAN,CgBIMiB,C;O;KAbtD,C;0FAOA,yB;MAAA,oD;MAAA,wB;QAMsD,sBA Ae,IAAf,EAAqB,KAArB,C;O;KANtD,C;oGAQA,yB;MjBmKA,WAS6D,wB;MAT7D,+B;MiBpMA,8C;MAiCA,wB;QAMkD,OArCI,YAAy,IAAZ,EjB2MjB,eAAW,oBiBtKgB,KjBsKrB,KAAK,CAAL,UAAm,CiB3MiB,C;O;KA+BtD,C;oGAOA,yB;Mf6JA,aAS6D,0B;MAT7D,+B;MerMA,8C;MAwCA,wB;QAMmD,OA5CG,YAAy,IAAZ,Ef4MjB,eAAW,oBehKiB,KfgKtB,KAAK,CAAL,YAAN,Ce5MiB,C;O;KAsCtD,C;oGAOA,yB;MhByKA,kBAS6D,sB;MAT7D,+B;MgBxNA,8C;MA+CA,wB;QAMiD,OAnDK,YAAy,IAAZ,EhB+NjB,eAAW,oBgB5Ke,KhB4KpB,KAAK,CAAL,iBAAN,CgB/NiB,C;O;KA6CtD,C;oGAOA,yB;MatDA,8C;MA sDA,wB;QAMkD,OA1DI,YAAy,IAAZ,EA0DA,KA1DA,C;O;KAoDtD,C;0FAQA,yB;MjBsIA,WAS6D,wB;MAT7D,+B;MiB3KA,oD;MjB4OJ,0B;MAAA,+B;MiBvMI,wB;QAQ6C,OjB0MP,eAAW,OiBjPK,eAAe,IAAf,EjB8KjB,eAAW,oBiBvIM,KjBuIX,KAAK,CAAL,UAAm,CiB9KiB,CA4KjB,KjBqEY,SAAX,C;O;KiBINtC,C;0FASA,yB;Mf8HA,aAS6D,0B;MAT7D,+B;Me5KA,oD;Mf6OJ,4B;MAAA,iC;Me/LI,wB;QAQ+C,OfkMP,gBAAy,QeIP E,eAAe,IAAf,Ef+KjB,eAAW,oBe/HQ,Kf+Hb,KAAK,CAAL,YAAN,Ce/KiB,CAsLf,Kf4Da,SAAZ,C;O;Ke1MxC,C;0FASA,yB;MhBwIA,kBAS6D,sB;MAT7D,+B;MgB/LA,oD;MhBkQJ,6B;MgB3MI,wB;QAQ2C,OhB8MP,cgBvQkB,eAAe,IAAf,EhBkMjB,eAAW,oBgBzII,KhByIT,KAAK,CAAL,iBAAN,CgBIMiB,CAGMnB,KhBuEW,QAAV,C;O;KgBtNpC,C;0FASA,yB;MAhEA,oD;MAGEA,wB;QAQ6C,OAIES,eAAe,IAAf,EAkEL,KAIEK,C;O;KA0DtD,C;0EAUA,yB;MAAA,+B;MAAA,mB;QAM0C,sBAAM,SAAK,MAAX,C;O;KAN1C,C;0EAQA,yB;MAAA,+B;MAAA,mB;QAM0C,sBAAM,SAAK,MAAX,C;O;KAN1C,C;kGAQA,yB;MAAA,gD;MAAA,wB;QAE+D,2BAAW,IAAX,EAAiB,KAAjB,C;O;KAF/D,C;0FAIA,yB;MAAA,+B;MAAA,2B;QAOoD,sBAAM,oBAAS,QAAT,CAAN,C;O;KAPpD,C;0FASA,yB;MAAA,+B;MAAA,2B;QAOoD,sBAAM,6BAAU,QAAV,CAAN,C;O;KAPpD,C;0FASA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM,IAAK,KAAL,KAAc,KAAM,KAApB,CAAN,C;O;KAFnD,C;wFAGA,yB;MAAA,+B;MAAA,wB;QAEkD,sBAAM,IAAK,KAAL,IAAa,KAAM,KAAAnB,CAAN,C;O;KAFID,C;0FAGA,yB;MAAA,+B;MAAA,wB;QAEmD,sBAAM,IAAK,KAAL,KAAc,KAAM,KAApB,CAAN,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;MAAA,mB;QAEiC,sBAAM,SAAK,MAAX,C;O;KAFjC,C;gFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,S;O;KAVxC,C;kFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,QAAL,SAAK,S;O;KAV1C,C;8EAWA,Y;MAUiC,OAAA,SAAK,Q;K;gFACTC,Y;MASmC,gB;K;kFAEnC,yB;MjBmEJ,0B;MAAA,+B;MiBnEI,mB;QASqC,OjBqEC,eAAW,OiBrEZ,SjBqEY,SAAX,C;O;KiB9EtC,C;oFAUA,yB;Mf0DJ,4B;MAAA,iC;Me1DI,mB;QASuC,Of4DC,gBAAy,Qe5Db,Sf4Da,SAAZ,C;O;KerExC,C;gFAUA,yB;MhBqEJ,6B;MgBrEI,mB;QASmC,OhBuEC,cgBvED,ShBuEW,QAAV,C;O;KgBhFpC,C;kFAUA,Y;MAEQC,W;K;kFAErC,yB;MA



DAEIC, Y; MACI, YAA, Y, W; MACZ, IAAI, 6BAAS, mBAAT, QAAJ, C; QACI, IAAI, CAAC, cAAL, C; UAAc, MAAa, 6B ; QAC3B, iBAAU, K, ;; QAEV, c9M/C+C, U8M+C/C, W9M/C0D, KAAK, K8M+CvD, W9M/CkE, KAAX, CAAhB, C, ;; M 8MiDnD, OAAO, K; K, ;; wEC7Hf, yB; MAAA, 8C; MAAA, uB; QAOI, OAAO, MAAM, CAAN, EAAS, CAAT, C; O; KAP X, C; wEAUA, yB; MAAA, 8C; MAAA, uB; QAOI, OAAO, MAAM, CAAN, EAAS, CAAT, C; O; KAPX, C; wEAUA, yB; MAAA, 8C; MAAA, uB; QAOI, OAAO, MAAM, CAAN, EAAS, CAAT, C; O; KAPX, C; wEAUA, yB; MAAA, 8C; MAAA, uB; QAOI, OAAO, MAAM, CAAN, EAAS, CAAT, C; O; KAPX, C; oFC7BA, yB; MAAA, gD; MAAA, 4B; QAM6C, OAA Q, ahO+RhB, cgO/RgB, C; O; KANrD, C; oGAQA, yB; M/GwCA, iB; M+GxCA, 4B; QAMqD, O/GwCM, MAAO, OjH+O 7B, ciH/O6B, C; O; K+G9CIE, C; sGAQA, yB; MAAA, kE; MAAA, 4B; QAMsD, OAAQ, sBhO+QzB, cgO/QyB, C; O; KA N9D, C; 8FAQA, yB; MAAA, 0D; MhOwWA, 6B; MgOxWA, 4B; QAOmD, OhO2WZ, cgO3WoB, kBhOsQtB, cgOtQsB, ChO2WpB, C; O; KgOIXvC, C; 4FASA, yB; MAAA, wD; MhO+VA, 6B; MgO/VA, 4B; QAOkD, OhOkWX, cgOIWmB, iB hO6PrB, cgO7PqB, ChOkWnB, C; O; KgOzWvC, C; gFASA, yB; MAAA, 4C; MhOsVA, 6B; MgOtVA, sC; QAayD, OhOm VIB, cgOnV0B, WhO8O5B, cgO9O4B, EAAW, QAAX, ChOmV1B, C; O; KgOhWvC, C; kFAGBA, yB; MAAA, 8C; MhO sUA, 6B; MgOtUA, sC; QAa0D, OhOmUnB, cgOnU2B, YhO8N7B, cgO9N6B, EAAY, QAAZ, ChOmU3B, C; O; KgOhV vC, C; oFAGBA, yB; MAAA, gD; MAAA, 4B; QAM8C, OAAS, ahNgOhB, cgNhOgB, C; O; KANvD, C; oGAQA, yB; MAA A, gE; MAAA, 4B; QAMsD, OAAS, qBhNwNxB, cgNxNwB, C; O; KAN/D, C; sGAQA, yB; MAAA, kE; MAAA, 4B; QAM uD, OAAS, sBhNgNzB, cgNhNyB, C; O; KANhE, C; 8FAQA, yB; MAAA, 0D; MhN6SA, +B; MgN7SA, 4B; QAOqD, OhN gTX, egNhToB, kBhNuMvB, cgNvMuB, ChNgTpB, C; O; KgNvT1C, C; 4FASA, yB; MAAA, wD; MhNoSA, +B; MgNpS A, 4B; QAOoD, OhNuSV, egNvSmB, iBhN8LtB, cgN9LsB, ChNuSnB, C; O; KgN9S1C, C; +EASA, yB; MAAA, 4C; MhN 2RA, +B; MgN3RA, sC; QAa2D, OhNwRjB, egNxR0B, WhN+K7B, cgN/K6B, EAAW, QAAX, ChNwR1B, C; O; KgNrS1 C, C; iFAeA, yB; M/GgEA, 4C; MjG4MA, +B; MgN5QA, sC; QAa4D, OhNyQIB, eiGzMuB, WjGgG1B, ciGhG0B, EAAW ,C+GhEK, Q/GgEL, IAAX, CjGyMvB, C; O; KgNtR1C, C; oFAeA, yB; MjOwJI, 6B; MiO1SJ, gD; MAKJA, 4B; QAM8C, O AlJO, ahO+RhB, CDcE, cAAU, cAAL, GAAiB, GAAtB, CCdF, MgO/RgB, C; O; KA4IrD, C; oGAQA, yB; M/G1GA, iB; M +G0GA, 4B; QAMsD, O/G1GK, MAAO, OIHuM3B, c0N1Ge, GAAY, GxG7FA, CwG6Fb, GAA6C, EAA7C, I; O; KOO r D, C; sGAQA, yB; MPbA, kE; MOaA, 4B; QAMuD, OPbkB, sB1NkGIC, c0NIGgB, GAAW, GAAO, C; O; KOOzE, C; 8FA QA, yB; MAAA, 0D; MjO+LA, 0B; MAAA, +B; MiO/LA, 4B; QAOqD, OjOmMZ, eAAW, OiOnMS, kBjOgGnB, cAAL, G AAiB, GiOhGO, CjOmMT, CAAX, C; O; KiO1MzC, C; 4FASA, yB; MAAA, wD; MjOsLA, 0B; MAAA, +B; MiOtLA, 4B; QAOoD, OjO0LX, eAAW, OiO1LQ, iBjOuFIB, cAAL, GAAiB, GiOvFM, CjO0LR, CAAX, C; O; KiOjMzC, C; gFAUA, y B; MAAA, 4C; MjOqJA, +B; MiOrJA, sC; QAa2D, OjOkJjB, eiOIJ0B, WjOmD7B, ciOnD6B, EAAW, QAAX, CjOkJ1B, C ; O; KiO/J1C, C; kFAeA, yB; MAAA, 8C; MjOsIA, +B; MiOtIA, sC; QAa4D, OjOmIIB, eiOnI2B, YjOoC9B, ciOpC8B, EAA Y, QAAZ, CjOmI3B, C; O; KiOhJ1C, C; oFAeA, yB; M/NgFL, 6B; M+N3SJ, gD; MA2NA, 4B; QAM+C, OA3NM, ahO+Rh B, CCeE, cAAU, cAAL, GAAiB, KAAtB, CDfF, MgO/RgB, C; O; KAqNrD, C; oGAQA, yB; M/GnLA, iB; M+GmLA, 4B; Q AMuD, O/GnLI, MAAO, OhHkNzB, cwN3CpC, GAAY, KxGvKiD, CwGuK9D, GAA+C, EAA/C, I; O; KOMJ, C; sGAQ A, yB; MPZA, kE; MOYA, 4B; QAMwD, OPZoB, sBxNmCnC, cwNnCe, GAAW, KAAS, C; O; KOM5E, C; 8FAQA, yB; M AAA, 0D; M/NuHA, 4B; MAAA, iC; M+NvHA, 4B; QAOuD, O/N2HZ, gBAAY, Q+N3HQ, kB/NwBrB, cAAL, GAAiB, K +NxBS, C/N2HR, CAAZ, C; O; K+NII3C, C; 4FASA, yB; MAAA, wD; M/N8GA, 4B; MAAA, iC; M+N9GA, 4B; QAOsD, O/NkHX, gBAAY, Q+NIHO, iB/NepB, cAAL, GAAiB, K+NfQ, C/NkHP, CAAZ, C; O; K+NzH3C, C; gFAUA, yB; MAA A, 4C; M/NyFA, iC; M+NzFA, sC; QAa6D, O/NsFhB, gB+NtF0B, W/NX9B, c+Nw8B, EAAW, QAAX, C/NsF1B, C; O; K +NnG7C, C; kFAeA, yB; MAAA, 8C; M/N0EA, iC; M+N1EA, sC; QAa8D, O/NuEjB, gB+NvE2B, Y/N1B/B, c+N0B+B, E AAY, QAAZ, C/NuE3B, C; O; K+NpF7C, C; IctRA, qC; MAEI, SjOuIoD, ciOvI3C, CjOuI2C, EiOvIvC, CjOuIuC, C; MiOt IpD, SjOsIoD, ciOtl3C, CjOsI2C, EiOtlvC, CjOsIuC, C; MiOrIpD, OjOmDkE, YiOnDvD, EjOmDwE, KAAjB, EiOnDjD, EjOmD8E, KAA7B, CiOnDvD, KAAX, GjOkFsD, SiOIFjC, EjOkF2C, KAAK, GiOIF3C, EjOkFuD, KAAZ, IAaf, CiOIFt D, GjOqEqD, SAAU, CAaT, SiOIFpB, EjOkF8B, KAAK, GiOIF9B, EjOkF0C, KAAZ, IAaf, CAbs, MAAK, GiOrExB, Cj OqEmC, KAAX, IAaf, C; K; liOIEzD, qC; MACI, SjnWIsD, eiNxi7C, CjnWi6C, EiNxiZC, CjnWiYc, C; MiNvItD, SjnNIs D, eiNvI7C, CjnNul6C, EiNvIzC, CjnNulYc, C; MiNtItD, OjNqDmE, aiNrDxD, EjNqD0E, KAAIB, EiNrDID, EjNqDgF, KA A9B, CiNrDxD, KAAX, GjN+EwD, UiN/EnC, EjN+E8C, KAAK, UiN/E9C, EjN+E0D, KAAZ, CAAhB, CiN/ExD, GjNk EuD, UAAW, CAaV, UiN/EtB, EjN+EiC, KAAK, UiN/EjC, EjN+E6C, KAAZ, CAAhB, CAu, MAAK, KiNIE3B, CjNkE sC, KAAX, CAAhB, C; K; liN/D3D, uD; MAmBI, WAAO, CAAP, C; QAD8E, OjOwBZ, YiOvBID, KjouBmE, KAAjB, Ei OvBzC, GjOuBsE, KAA7B, CiOvBID, KAD8D, GACHd, GADgD, GjOuDxB, SiOtdf, GjosDyB, KAAK, GiOtdxB, mB

AAiB,GAAjB,EAAsB,KAAtB,EjO2WV,SiO3WuC,IjO2WvC,CiO3WU,CjOsDoC,KAAZ,IAAf,C;aiOrDtD,WAA  
O,CAAP,C;QAF8E,OjOwBZ,YiOtBID,KjOsBmE,KAAjB,EiOtBzC,GjOsBsE,KAA7B,CiOtBID,KAF8D,GAEHd,  
GAFgD,GjO0CzB,SiOxCd,GjOwCwB,KAAK,GiOxCvB,mBAAiB,KAAjB,EAAwB,GAAxB,EjO0WV,SiO1WwC,  
CAAC,IAAD,IjO0WxC,CiO1WU,CjOwCkC,KAAZ,IAAf,C;QiOvC7C,MAAa,gCAAyB,eAAzB,C;K;IAGzB,uD;  
MAmBI,sBAAO,CAAP,C;QADkF,OjNQf,aiNPnD,KjNOqE,KAAIB,EiNP1C,GjNOwE,KAA9B,CiNPnD,KADkE,  
GACpD,GADoD,GjNkC1B,UiNjCjB,GjNiC4B,KAAK,UiNjC3B,mBAAiB,GAAjB,EAAsB,KAAtB,EjNkWP,UiNI  
WoC,IjNkWpC,CiNIWO,CjNiCuC,KAAZ,CAAhB,C;aiNhCxD,sBAAO,CAAP,C;QAFkF,OjNQf,aiNNnD,KjNMq  
E,KAAIB,EiNN1C,GjNMwE,KAA9B,CiNNnD,KAFkE,GAEPD,GAFOd,GjNqB3B,UiNnBhB,GjNmB2B,KAAK,  
KiNnB1B,mBAAiB,KAAjB,EAAwB,GAAxB,EjNiWP,UiNjWsC,IAAD,ajNiWrC,CiNjWO,CjNmBqC,KAAZ,CA  
AhB,C;QiNIB/C,MAAa,gCAAyB,eAAzB,C;K;IhO1DC,sB;MAEtB,8B;MAFYD,gB;K;IAEzD,4B;MAAA,gC;MAC  
I,iBAGqC,WAAO,CAAP,C;MAErC,iBAGqC,WAAO,MAAP,C;MAErC,kBAGmC,C;MAEnC,iBAGkC,E;K;;;IAN  
BtC,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;wGAsBA,iB;MAM0D,OAAa,0BA6OjC,SAAL,GAAiB,KA7OqB,EA  
AU,KF4O3C,KAAL,GAAiB,GE5OqB,C;K;oGAEvE,iB;MAOoE,OAAa,0BAoO3C,SAAL,GAAiB,KApO+B,EAA  
U,KAOOrD,KAAL,GAAiB,KApO+B,C;K;wGAEjF,yB;MA2PA,6B;MD5PA,8C;MCCA,wB;QAMyD,ODAS,YAA  
iB,CC8PhD,cAAU,SAAL,GAAiB,KAAtB,CD9PgD,MAAjb,ECAe,KDAc,KAA7B,C;O;KCNIE,C;wGAQA,yB;M  
A6PA,aAS6D,0B;MAT7D,+B;Me9PA,gD;MfCA,wB;QAM0D,OeAS,aAAkB,CfgQhD,eAAW,oBAAL,SAAK,CA  
AL,YAAN,CehQgD,MAAIB,EfAgB,KeAc,KAA9B,C;O;KfNnE,C;8FAQA,yB;MA2OA,6B;MA3OA,wB;QAEsD,  
ODMD,cAAU,CC4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5O4B,MAAK,GAAW,CD2O5C,cEjPsC,KFiP5B,KAA  
L,GAAiB,GAAtB,CC3O4C,MAAX,IAAf,C;O;KCRrD,C;8FAGA,yB;MAwOA,6B;MAxOA,wB;QAEuD,ODGF,c  
AAU,CC4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5O4B,MAAK,GAAW,CC4O5C,cA/OuC,KA+O7B,KAAL,GAAi  
B,KAAtB,CD5O4C,MAAX,IAAf,C;O;KCLrD,C;8FAGA,yB;MAqOA,6B;MArOA,wB;QAEqD,ODAA,cAAU,CC  
4O5B,cAAU,SAAL,GAAiB,KAAtB,CD5O4B,MAAK,GCAI,KDAO,KAAZ,IAAf,C;O;KCFrD,C;8FAGA,yB;MA  
4OA,aAS6D,0B;MAT7D,+B;MA5OA,wB;QAEuD,OeAA,eAAW,CfmP7B,eAAW,oBAAL,SAAK,CAAL,YAAN,  
CenP6B,MAAK,KfAI,KeAO,KAAZ,CAAhB,C;O;KfFvD,C;gGAIA,yB;MA8NA,6B;MA9NA,wB;QAEuD,ODMD  
,cAAU,CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GAAW,CD8N9C,cEpOwC,KFoO9B,KAAL,GA  
AiB,GAAtB,CC9N8C,MAAZ,IAAf,C;O;KCRtD,C;gGAGA,yB;MA2NA,6B;MA3NA,wB;QAEwD,ODGF,cAAU,  
CC+N7B,cAAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GAAW,CC+N9C,cAlOyC,KAKO/B,KAAL,GAAiB,KAA  
tB,CD/N8C,MAAZ,IAAf,C;O;KCLtD,C;gGAGA,yB;MAwNA,6B;MAxNA,wB;QAEsD,ODAA,cAAU,CC+N7B,c  
AAU,SAAL,GAAiB,KAAtB,CD/N6B,MAAK,GCAK,KDAO,KAAZ,IAAf,C;O;KCFtD,C;gGAGA,yB;MA+NA,a  
AS6D,0B;MAT7D,+B;MA/NA,wB;QAEwD,OeAA,eAAW,CfsO9B,eAAW,oBAAL,SAAK,CAAL,YAAN,CetO8B  
,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;gGAIA,yB;MAiNA,6B;MAjNA,wB;QAEuD,ODMD,cAAe,  
YAAL,CCkN7B,cAAU,SAAL,GAAiB,KAAtB,CDIN6B,MAAK,EAAW,CDiN9C,cEvNwC,KFuN9B,KAAL,GAAi  
B,GAAtB,CCjN8C,MAAZ,CAAf,C;O;KCRtD,C;gGAGA,yB;MA8MA,6B;MA9MA,wB;QAEwD,ODGF,cAAe,Y  
AAL,CCkN7B,cAAU,SAAL,GAAiB,KAAtB,CDIN6B,MAAK,EAAW,CCkN9C,cArNyC,KAqN/B,KAAL,GAAiB,  
KAAtB,CDIN8C,MAAZ,CAAf,C;O;KCLtD,C;gGAGA,yB;MA2MA,6B;MA3MA,wB;QAEsD,ODAA,cAAe,YAA  
L,CCkN7B,cAAU,SAAL,GAAiB,KAAtB,CDIN6B,MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;gGAGA,y  
B;MAkNA,aAS6D,0B;MAT7D,+B;MAINA,wB;QAEwD,OeAA,eAAW,CfyN9B,eAAW,oBAAL,SAAK,CAAL,Y  
AAN,CezN8B,MAAK,UfAK,KeAO,KAAZ,CAAhB,C;O;KfFxD,C;4FAIA,yB;MAoMA,6B;MD9LA,4C;MCNA,w  
B;QAEqD,ODMD,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,EDoMjB,cE1MoC,KF0M1B,KAAL,GAAiB,  
GAAtB,CCpMiB,C;O;KCRpD,C;4FAGA,yB;MAiMA,6B;MD9LA,4C;MCHA,wB;QAEsD,ODGF,WCqMjB,cAA  
U,SAAL,GAAiB,KAAtB,CDrMiB,ECqMjB,cAxMqC,KAwM3B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KCLpD,C;  
4FAGA,yB;MA8LA,6B;MD9LA,4C;MCAA,wB;QAEoD,ODAA,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMi  
B,ECAkB,KDAIB,C;O;KCFpD,C;4FAGA,yB;MAqMA,aAS6D,0B;MAT7D,+B;MerMA,8C;MfAA,wB;QAEsD,O  
eAA,Yf4MjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce5MiB,EfAmB,KeAnB,C;O;KfFtD,C;4FAIA,yB;MAuLA,6  
B;MDzKA,kD;MCdA,wB;QAMqD,ODcD,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ED2KjB,cEzLoC,KFy  
L1B,KAAL,GAAiB,GAAtB,CC3KiB,C;O;KCPbD,C;4FAOA,yB;MAGLA,6B;MDzKA,kD;MCPA,wB;QAMsD,  
ODOF,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,EC4KjB,cAnLqC,KAmL3B,KAAL,GAAiB,KAAtB,CD5K  
iB,C;O;KCbpd,C;4FAOA,yB;MAyKA,6B;MDzKA,kD;MCAA,wB;QAMoD,ODAA,cC4KjB,cAAU,SAAL,GAAi

B,KAAtB,CD5KiB,ECAkB,KDAIB,C;O;KCNpD,C;4FAOA,yB;MA4KA,aAS6D,0B;MAT7D,+B;Me5KA,oD;MfAA,wB;QAMsD,OeAA,ef+KjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce/KiB,EfAmB,KeAnB,C;O;KfNtD,C;sGAQA,yB;MA0JA,6B;MD9LA,4C;MCoCA,wB;QAMiD,ODxCG,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,EDoMjB,cE5JqC,KF4J3B,KAAL,GAAiB,GAAiB,CCpMiB,C;O;KCKCpD,C;sGAOA,yB;MAMJA,6B;MD9LA,4C;MC2CA,wB;QAMkD,OD/CE,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECqMjB,cAtJsC,KAsJ5B,KAAL,GAAiB,KAAtB,CDrMiB,C;O;KCycpD,C;sGAOA,yB;MA4IA,6B;MD9LA,4C;MCKDA,wB;QAMgD,ODtDI,WCqMjB,cAAU,SAAL,GAAiB,KAAtB,CDrMiB,ECsDmB,KDtDnB,C;O;KCGDpD,C;sGAOA,yB;MA+IA,aAS6D,0B;MAT7D,+B;MerMA,8C;MfsDA,wB;QAMkD,Oe1DI,Yf4MjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce5MiB,Ef0DoB,Ke1DpB,C;O;KfoDtD,C;4FAQA,yB;MA6HA,6B;MDzKA,kD;MDuOJ,0B;MAAA,+B;ME3LI,wB;QAQ6C,OF8LR,eAAW,OC5OI,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ED2KjB,cE7H4B,KF6HIB,KAAL,GAAiB,GAAiB,CC3KiB,CAkLf,KD0DW,CAAX,C;O;KEtMrC,C;4FASA,yB;MAoHA,6B;MDzKA,kD;MCwoJ,4B;MAAA,iC;MAnLI,wB;QAQ+C,OAsLR,gBAAY,QD7OC,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,EC4KjB,cArH8B,KAqHpB,KAAL,GAAiB,KAAtB,CD5KiB,CA4Lb,KCiDY,CAAZ,C;O;KA9LvC,C;4FASA,yB;MA2GA,6B;MDzKA,kD;MC8DA,wB;QAQ2C,ODhES,cC4KjB,cAAU,SAAL,GAAiB,KAAtB,CD5KiB,ECgES,KDhET,C;O;KCwDpD,C;4FASA,yB;MA4GA,aAS6D,0B;MAT7D,+B;Me5KA,oD;MfgEA,wB;QAQ6C,OelES,ef+KjB,eAAW,oBAAL,SAAK,CAAL,YAAN,Ce/KiB,EfkEU,KeLEV,C;O;Kf0DtD,C;4EAUA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAM2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAN3C,C;4EAQA,yB;MAAA,4B;MAAA,iC;MAAA,mB;QAM2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAN3C,C;oGAQA,yB;MAAA,8C;MAwEA,6B;MAxEA,wB;QAE+D,0BA+E5B,cAAU,SAAL,GAAiB,KAAtB,CA/E4B,EA+E5B,cA/EqD,KA+E3C,KAAL,GAAiB,KAAtB,CA/E4B,C;O;KAF/D,C;4FAIA,yB;MAAA,iC;M0LnNJ,4B;M1LmNI,wB;QAEqD,uB0LlNiC,Q1LkN1B,IAAK,K0LINX,G1LkNoB,KAAAM,K0LINM,C1LkNjC,C;O;KAFrD,C;0FAGA,yB;MAAA,iC;M0LjNJ,4B;M1LiNI,wB;QAEoD,uB0LhNgC,Q1LgNzB,IAAK,K0LhNX,G1LgNmB,KAAAM,K0LhNM,C1LgNhC,C;O;KAFpD,C;4FAGA,yB;MAAA,iC;M0L/MJ,4B;M1L+MI,wB;QAEqD,uB0L9MiC,Q1L8M1B,IAAK,K0L9MX,G1L8MoB,KAAAM,K0L9MM,C1L8MjC,C;O;KAFrD,C;4EAGA,yB;MAAA,iC;M0L7MJ,4B;M1L6MI,mB;QAEkC,uB0L5MsB,QAAP,C1L4MR,S0L5Me,C1L4MtB,C;O;KAFIC,C;kFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;O;KAVxC,C;oFAWA,Y;MASqC,gB;K;gFACrC,Y;MASiC,OAAK,SAAL,GAAiB,K;K;kFACID,yB;MAAA,aASqD,0B;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,Y;O;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,mB;QASqC,OfIEE,eAAW,OEjEb,SfIEa,CAAX,C;O;KE1EvC,C;sFAUA,Y;MAEuC,W;K;kFACvC,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,KAAtB,C;O;KATnC,C;oFAUA,yB;MAAA,aAS6D,0B;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,YAAN,C;O;KATrC,C;oFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,K;K;sFAqDID,Y;MAMuC,OA3DD,SAAL,GAAiB,K;K;gCA6DID,Y;MAAYC,OAAQ,CA7DX,SAAL,GAAiB,KA6DD,Y;K;gC;A3UrD,Y;MAAA,c;MAG6D,qD;MAH7D,a;K;8BAAA,iB;MAAA,2IAG6D,oCAH7D,G;K;0EA+UA,yB;MAAA,iC;MAAA,4B;QAW4C,uBAAY,SAAZ,C;O;KAX5C,C;4EAYA,yB;MAAA,iC;MAAA,4B;QAU6C,uBAAO,SAAP,C;O;KAV7C,C;4EAWA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW2C,uBAAY,QAAL,SAAK,CAAZ,C;O;KAX3C,C;4EAYA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW4C,uBAAY,QAAL,SAAK,SAAZ,C;O;KAX5C,C;liC/WA,8B;MACqB,sB;K;wCAKjB,iB;MAM8C,OjCsVL,WiCtVK,AAAQ,KAAR,CjCsVL,C;K;wCiCpVzC,wB;MAOI,AAAQ,KAAR,IAAiB,KjC4OgB,K;K;mFiCxOP,Y;MAAQ,OAAA,YAAQ,O;K;qCAE9C,Y;MAC+E,gCAAS,YAAT,C;K;IAGzD,qC;MAAkC,yB;MAAjC,oB;MACnB,eAAoB,C;K;6CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;gDACvC,Y;MAA0D,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,OjCgUS,WiChUe,aAAM,mBAAN,EAAM,2BAAN,OjCgUf,C;;QiChU8C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;2CAG7F,mB;MAIS,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAkC,OAAO,K;MAEzC,OAAe,WAAR,YAAQ,EAAS,OjCsNS,KiCtNIB,C;K;gDAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;QjB0nDvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;UiB1nD6B,2BjB0nDR,OiB1nDQ,S;UAAA,W;YAAwB,oBAAR,YAAQ,EjB0nDhC,OhBx6CA,KiCINgC,C;WjB0nD/C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MiB3nDH,iB;K;oCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA/CvD,uC;MAAA,qD;MACgC,wBAAK,eAAW,IAAX,CAAL,C;MADhC,Y;K;;qCAPJ,Y;MAAA,OAKqB,sDALrB,M;K;qCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;mCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;kFAyDA,yB;MAAA,2C;MAWwC,0C;QAAA,wB;UAAW,OAAA,aAAK,KAAL,CjCiMV,K;S;O;MiC5MzC,6B;QAWI,OAAO,qBAAY,gCAAW,IAAX,GAA

iB,wBAAjB,CAAZ,C;O;KAXX,C;oFAcA,oB;MAGwE,e;K;IgM5ExE,sC;MAQ2D,OAAa,WAAb,SnOwQjB,KAA  
L,GAAiB,GmOxQkB,EAAS,KAAT,C;K;IAExE,sC;MAQ4D,OAAa,WAAb,SjO+PIB,KAAAL,GAAiB,KiO/PmB,E  
AAS,KAAT,C;K;IAGzE,sC;MAQ0D,OAAc,WIOiR5B,oBkOjRc,SIOiRnB,KAAK,CAAL,iBkOjRiC,EAAS,KAAT  
,C;K;IAExE,sC;MAOGD,uBAAc,SINyQvB,KkNzQS,EAA6B,WAAW,KAAX,CAA7B,C;K;IAGhD,8B;MAMqC,Q  
;MAAA,0DAAmB,kBAakB,SAAIb,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAAd,oBAAwB,kBAakB,SAAI  
B,C;K;IAGvE,+B;MAMuC,Q;MAAA,2DAAoB,kBAakB,SAAIb,C;K;IAE3D,sC;MAOiD,Q;MAAA,2CAAe,KA  
Af,oBAAyB,kBAakB,SAAIb,C;K;IAE1E,6B;MAMmC,Q;MAAA,yDAakB,kBAakB,SAAIb,C;K;IAErD,oC;MA  
O6C,Q;MAAA,yCAAa,KAAb,oBAAuB,kBAakB,SAAIb,C;K;IAEpE,8B;MAMqC,Q;MAAA,0DAAmB,kBAakB  
,SAAIb,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAAd,oBAAwB,kBAakB,SAAIb,C;K;IAMvE,kC;MAM4C,  
kCAAsB,EAAtB,C;K;IAE5C,2C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;  
OAA7C,UAAU,I;MACV,IIO/EkE,YkO+E9D,GIO/E+E,KAAjB,EAA6B,CD6P5D,SmO9KzB,6BAAM,UnO8K6B,  
KAAAL,GAAiB,GAAtB,CC7P4D,MAA7B,CkO+E9D,IAAJ,C;QAA2B,OAAO,I;MACiC,OnO8OqC,UAAW,OmO9  
OzC,GIOoL8B,KD0DW,CAAX,C;K;ImO3OzC,mC;MAM8C,mCAAuB,EAAvB,C;K;IAE9C,4C;MASmB,Q;MAA  
A,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;OAA7C,UAAU,I;MACV,IIOrGkE,YkOqG9D,GIOr  
G+E,KAAjB,EAA6B,CC8P5D,SIOzJzB,8BAAO,UjOyJ4B,KAAAL,GAAiB,KAAtB,CD9P4D,MAA7B,CkOqG9D,I  
AAJ,C;QAA4B,OAAO,I;MACnC,OjOyNuC,WAAy,QiOzN5C,GIOwKgC,KCiDY,CAAZ,C;K;liOtN3C,iC;MAM  
0C,iCAAqB,EAARb,C;K;IAE1C,0C;MASI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACiB,IAAI,WAAU,CAA  
d,C;QAAiB,OAAO,I;MAExB,YAAkB,4BAAK,U;MACvB,S;MAEA,gBAAGb,qBAAK,CAAL,C;MACHb,IAAI,Y  
AAY,EAAhB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAAhC,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;;QAER,Q  
AAQ,C;;MAGZ,uBAAuB,mB;MAEvB,qBAAqB,gB;MACrB,alOuMmC,SkOvMtB,KIOuMsB,C;MkOtMnC,aAAa,  
W;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAE  
Z,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IIONJ8D,YkOmJ1D,MIONJ2E,KAAjB,EkOmJjD,clOnJ8E,KAA7  
B,CkOmJ1D,IAAJ,C;UACI,IAAI,+CAAkB,gBAAIB,QAAJ,C;YACI,iBIO5FwC,WkO4FvB,KIO5FuB,EkO4Ff,MI  
O5Fe,C;YkO8FxC,IIOvJsD,YkOuJ1D,MIOvJmE,KAAjB,EkOuJzC,clOvJsE,KAA7B,CkOuJ1D,IAAJ,C;cACI,OAA  
O,I;;YAGX,OAAO,I;;SAIf,SIONHkD,SAAE,YkOmHjE,MIONH4D,KAAK,EkOmHvD,MIONHmE,KAAZ,CAAF,C;  
QkOqHID,mBAAMb,M;QACnB,SIOhJiD,SkOgJjD,MIOhJ2D,KAAK,GAAW,CAkU5C,SkOILrB,KIOkLqB,CAIU  
4C,MAAX,IAAF,C;QkOiJjD,IIONK8D,YkOmK1D,MIONK2E,KAAjB,EkOmKjD,YIONK8E,KAA7B,CkOmK1D,I  
AAJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;K;IAGX,kC;MAM4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASI,WAA  
W,KAAX,C;MAEA,aAAa,SAAK,O;MACiB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAmB,6BAAM,  
U;MACzB,S;MAEA,gBAAGb,qBAAK,CAAL,C;MACHb,IAAI,YAAY,EAAhB,C;QACI,IAAI,WAAU,CAAV,IA  
Ae,cAAa,EAAhC,C;UAAqC,OAAO,I;QAC5C,QAAQ,C;;QAER,QAAQ,C;;MAIZ,uBAAuB,gD;MAEvB,qBAAqB  
,gB;MACrB,alN0IqC,UAAW,oBkN1InC,KIN0ImC,CAAX,C;MkNzIrC,aAAa,2B;MACb,aAAU,KAAV,MAAsB,  
MAAtB,M;QACI,YAAY,QAAQ,qBAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,O  
AAO,I;QACtB,IIN5M+D,akN4M3D,MIN5M6E,KAAIB,EkN4MID,clN5MgF,KAA9B,CkN4M3D,IAAJ,C;UACI,I  
AAI,+CAAkB,gBAAIB,QAAJ,C;YACI,iBIN1JOC,YkN0JzB,KIN1JyB,EkN0JjB,MIN1JiB,C;YkN4J1C,IINhNuD,a  
kNgNnD,MINhNqE,KAAIB,EkNgN1C,clNhNwE,KAA9B,CkNgNnD,IAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;S  
AIf,SINjLoD,UkNiLpD,MINjL+D,KAAK,UkNiL1D,MINjLsE,KAAZ,CAAhB,C;QkNmLpD,mBAAMb,M;QACn  
B,SIN9MmD,UkN8MnD,MIN9M8D,KAAK,KAAW,ChBsQ7C,UAAW,oBAAL,CAYDR,SkOjHrB,KIOiHqB,CAZ  
DQ,MAAK,CAAL,iBAAN,CgBtQ6C,MAAX,CAAhB,C;QkN+MnD,IIN5N+D,akN4N3D,MIN5N6E,KAAIB,EkN  
4NID,YIN5NgF,KAA9B,CkN4N3D,IAAJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;K;IIN9RX,6B;MACKD,OAAU  
B,0BAAtB,KAAO,WAAe,EAAU,KAAO,WAAjB,C;K;IACzE,8B;MACqD,OAAC,gCAAuB,iBAAU,gCAAV,C;K  
;IAE7E,4B;MACoD,ORiZZ,SAvGI,oBQ1SS,ER0Sd,KAAK,CAAL,iBQ1Sc,KR0ST,oBQ1SuB,ER0S5B,KAAK,C  
AAL,iBQ1Sc,CRiZH,QAAV,C;K;IQhZxC,+B;MACuD,OR+Yf,SAvGI,oBQxSY,ERwSjB,KAAK,CAAL,iBQxSiB  
,QRwSZ,oBQxS0B,ERwS/B,KAAK,CAAL,iBQxSiB,CR+YN,QAAV,C;K;IQ1YxC,6B;MAEI,eAAe,EqkSoB,K;  
MRjSnC,cAAc,EqiSqB,K;MRhSnC,IAAI,qBAAU,CAAd,C;QACI,OQ6C+D,aR7CpD,Eq6CsE,KAAIB,ER7C/C,E  
Q6C6E,KAA9B,CR7CpD,IAAJ,GAAa,aAAb,GAA2B,a;OAIc,IAAI,uBAAy,CAAhB,C;QACI,OAAO,UAAm,aA  
AW,OAAX,CAAN,C;OAIx,eAAiB,4BAAc,CAAd,CAAD,KAAoB,OAAPB,CAAD,WAAkC,CAAIC,C;MACf,UAA  
AU,kBAAW,kBAAW,OAAX,CAAX,C;MACV,OAAO,UAAm,iCQkCsD,aAAkB,CRICzD,UAAm,GAAN,CQkC



Found in path(s):

\* /opt/cola/permits/1272323865\_1644992831.4/0/kotlin-1-6-10-tgz/package/kotlin.js.map

# 1.150 hk2-locator 2.6.1

## 1.150.1 Available under license :

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual

property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

- a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and
- b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to

defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this

Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

#### Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original

authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be

distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not

responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any

later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library

General Public License instead of this License.

---

## ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

# Notices for Eclipse GlassFish

This content is produced and maintained by the Eclipse GlassFish project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.glassfish>

## ## Trademarks

Eclipse GlassFish, and GlassFish are trademarks of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

## ## Source Code

The project maintains the following source code repositories:

- \* <https://github.com/eclipse-ee4j/glassfish-ha-api>
- \* <https://github.com/eclipse-ee4j/glassfish-logging-annotation-processor>
- \* <https://github.com/eclipse-ee4j/glassfish-shoal>
- \* <https://github.com/eclipse-ee4j/glassfish-cdi-porting-tck>
- \* <https://github.com/eclipse-ee4j/glassfish-jsftemplating>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2-extra>
- \* <https://github.com/eclipse-ee4j/glassfish-hk2>
- \* <https://github.com/eclipse-ee4j/glassfish-fighterfish>

## ## Third-party Content

This project leverages the following third party content.

None

## ## Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

# 1.151 metrics-jetty 4.1.17

## 1.151.1 Available under license :

Apache-2.0

# 1.152 animal-sniffer-annotation 1.19

## 1.152.1 Available under license :

No license file was found, but licenses were detected in source scan.

The MIT License

Copyright (c) 2009 codehaus.org.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

\* /opt/cola/permits/1258876677\_1643115784.16/0/animal-sniffer-annotations-1-19-sources-jar/META-INF/maven/org.codehaus.mojo/animal-sniffer-annotations/pom.xml

No license file was found, but licenses were detected in source scan.

/\*

\* The MIT License

\*

\* Copyright (c) 2008 Kohsuke Kawaguchi and codehaus.org.

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy

\* of this software and associated documentation files (the "Software"), to deal

\* in the Software without restriction, including without limitation the rights

\* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

\* copies of the Software, and to permit persons to whom the Software is

\* furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in

\* all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

\* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

\* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

\* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

\* THE SOFTWARE.

\*

\*/

Found in path(s):

\* /opt/cola/permits/1258876677\_1643115784.16/0/animal-sniffer-annotations-1-19-sources-

# 1.153 jersey-media-json-jackson 2.31

## 1.153.1 Available under license :

# Notice for Jersey Json Jackson module

This content is produced and maintained by the Eclipse Jersey project.

\* <https://projects.eclipse.org/projects/ee4j.jersey>

## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## Third-party Content

Jackson JAX-RS Providers version 2.10.1

\* License: Apache License, 2.0

\* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>

\* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

# Notice for Jersey

This content is produced and maintained by the Eclipse Jersey project.

\* Project home: <https://projects.eclipse.org/projects/ee4j.jersey>

## ## Trademarks

Eclipse Jersey is a trademark of the Eclipse Foundation.

## ## Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

## ## Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Public License v. 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>. This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License v. 2.0 are satisfied: GNU General Public License, version 2 with the GNU Classpath Exception which is available at <https://www.gnu.org/software/classpath/license.html>.

SPDX-License-Identifier: EPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

## ## Source Code

The project maintains the following source code repositories:

\* <https://github.com/eclipse-ee4j/jersey>

## ## Third-party Content

Angular JS, v1.6.6

\* License MIT (<http://www.opensource.org/licenses/mit-license.php>)

\* Project: <http://angularjs.org>

\* Copyright: (c) 2010-2017 Google, Inc.

aopalliance Version 1

\* License: all the source code provided by AOP Alliance is Public Domain.

\* Project: <http://aopalliance.sourceforge.net>

\* Copyright: Material in the public domain is not protected by copyright

Bean Validation API 2.0.2

\* License: Apache License, 2.0

\* Project: <http://beanvalidation.org/1.1/>

\* Copyright: 2009, Red Hat, Inc. and/or its affiliates, and individual contributors

\* by the @authors tag.

Hibernate Validator CDI, 6.1.2.Final

\* License: Apache License, 2.0

\* Project: <https://beanvalidation.org/>

\* Repackaged in `org.glassfish.jersey.server.validation.internal.hibernate`

Bootstrap v3.3.7

- \* License: MIT license (<https://github.com/twbs/bootstrap/blob/master/LICENSE>)
- \* Project: <http://getbootstrap.com>
- \* Copyright: 2011-2016 Twitter, Inc

Google Guava Version 18.0

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The Guava Authors

javax.inject Version: 1

- \* License: Apache License, 2.0
- \* Copyright (C) 2009 The JSR-330 Expert Group

Javassist Version 3.25.0-GA

- \* License: Apache License, 2.0
- \* Project: <http://www.javassist.org/>
- \* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

Jackson JAX-RS Providers Version 2.10.1

- \* License: Apache License, 2.0
- \* Project: <https://github.com/FasterXML/jackson-jaxrs-providers>
- \* Copyright: (c) 2009-2011 FasterXML, LLC. All rights reserved unless otherwise indicated.

jQuery v1.12.4

- \* License: [jquery.org/license](http://jquery.org/license)
- \* Project: [jquery.org](http://jquery.org)
- \* Copyright: (c) jQuery Foundation

jQuery Barcode plugin 0.3

- \* License: MIT & GPL (<http://www.opensource.org/licenses/mit-license.php> & <http://www.gnu.org/licenses/gpl.html>)
- \* Project: <http://www.pasella.it/projects/jquery/barcode>
- \* Copyright: (c) 2009 Antonello Pasella [antonello.pasella@gmail.com](mailto:antonello.pasella@gmail.com)

JSR-166 Extension - JEP 266

- \* License: CC0
- \* No copyright
- \* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

KineticJS, v4.7.1

- \* License: MIT license (<http://www.opensource.org/licenses/mit-license.php>)
- \* Project: <http://www.kineticjs.com>, <https://github.com/ericdrowell/KineticJS>
- \* Copyright: Eric Rowell

org.objectweb.asm Version 8.0

- \* License: Modified BSD (<http://asm.objectweb.org/license.html>)

\* Copyright (c) 2000-2011 INRIA, France Telecom. All rights reserved.

org.osgi.core version 6.0.0

\* License: Apache License, 2.0

\* Copyright (c) OSGi Alliance (2005, 2008). All Rights Reserved.

org.glassfish.jersey.server.internal.monitoring.core

\* License: Apache License, 2.0

\* Copyright (c) 2015-2018 Oracle and/or its affiliates. All rights reserved.

\* Copyright 2010-2013 Coda Hale and Yammer, Inc.

W3.org documents

\* License: W3C License

\* Copyright: Copyright (c) 1994-2001 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

<http://www.w3.org/Consortium/Legal/>

# Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

## 1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

### 3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

### 3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

## 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the

Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: {name license(s), version(s), and exceptions or additional permissions here}."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular

file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

---

## The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy,

distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of

it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
  
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
  
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable

source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the

Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest

possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

---

#### ## CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2022 Cisco Systems, Inc. All rights reserved.