



# UCS C シリーズ : ホスト OS - ゲスト OS ソフトウェア / ハードウェア相互運用性マトリクス

---

**【注意】** シスコ製品をご使用になる前に、安全上の注意 ([www.cisco.com/jp/go/safety\\_warning/](http://www.cisco.com/jp/go/safety_warning/)) をご確認ください。

本書は、米国シスコ発行ドキュメントの参考和訳です。リンク情報につきましては、日本語版掲載時点で、英語版にアップデートがあり、リンク先のページが移動 / 変更されている場合がありますことをご了承ください。

あくまでも参考和訳となりますので、正式な内容については米国サイトのドキュメントを参照ください。

また、契約等の記述については、弊社販売パートナー、または、弊社担当者にご確認ください。

このドキュメントには、シスコまたはシスコのパートナー、またはその両方によってテストされ、検証された Cisco Unified Computing System のコンポーネントと設定の相互運用性マトリクスを記載しています。サポートされたハードウェアおよびソフトウェアの参照用に使用してください。

このマニュアルの構成は、次のとおりです。

- 「対象読者」 (P.2)
- 「日本語オペレーティング システム相互運用性マトリクス」 (P.2)
- 「アダプタ相互運用性マトリクス」 (P.6)
- 「関連資料」 (P.13)

## 対象読者

このドキュメントは、シスコの販売担当者、サポート エンジニア、専門サービス パートナー、およびデータセンター環境における Unified Computing System の設計および導入に対して責任を持つシステム管理者が使用することを目的として作成されています。

## 日本語オペレーティング システム相互運用性マトリクス

表 1 は、Unified Computing System ブレード サーバがサポートしているオペレーティング システムのリストです。



(注) CIMC の C シリーズ サーバの最新バージョンは **1.2(2f)** です。

表 1 オペレーティング システム

| ブレード サーバ                     | オペレーティング システム (ホスト OS/ ゲスト OS)   | ベンダー                | 注記 |
|------------------------------|--|---------------------|----|
| UCS C210M2 Rack Mount Server | Microsoft Hyper-v server 2008 R2/Windows 7 Professional with Service Pack 1 (x64)        | Microsoft/Microsoft |    |
| UCS C210M2 Rack Mount Server | Microsoft Hyper-v server 2008 R2/Windows 7 Enterprise with Service Pack 1 (x64)          | Microsoft/Microsoft |    |
| UCS C210M2 Rack Mount Server | Microsoft Hyper-v server 2008 R2/Windows Server 2003 Service Pack 2 (x64)                | Microsoft/Microsoft |    |
| UCS C210M2 Rack Mount Server | Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Datacenter x64 Edition with SP2 | Microsoft/Microsoft |    |
| UCS C210M2 Rack Mount Server | Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Enterprise x64 Edition with SP2 | Microsoft/Microsoft |    |
| UCS C210M2 Rack Mount Server | Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Standard x64 Edition with SP2   | Microsoft/Microsoft |    |
| UCS C210M2 Rack Mount Server | Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2 32bit                            | Microsoft/Microsoft |    |
| UCS C210M2 Rack Mount Server | Microsoft Hyper-v server 2008 R2/Windows Server 2008 R2 (x64)                            | Microsoft/Microsoft |    |
| UCS C210M2 Rack Mount Server | Microsoft Hyper-v server 2008 R2/Windows Server 2008 R2 SP1(x64)                         | Microsoft/Microsoft |    |
| UCS C210M2 Rack Mount Server | Microsoft Hyper-v server 2008 R2/Windows Server 2008 (x64)                               | Microsoft/Microsoft |    |
| UCS C210M2 Rack Mount Server | Microsoft Hyper-v server 2008 R2/Windows Server 2008 SP2 (x64)                           | Microsoft/Microsoft |    |
| UCS C210M2 Rack Mount Server | Microsoft Hyper-v server 2008 R2/SUSE Linux Enterprise Server 11.1 64bit                 | Microsoft/Novell    |    |
| UCS C210M2 Rack Mount Server | Microsoft Hyper-v server 2008 R2/Redhat Enterprise Linux 5.6 64bit                       | Microsoft/Redhat    |    |
| UCS C210M2 Rack Mount Server | Microsoft Hyper-v server 2008 R2/Redhat Enterprise Linux 6.1 64bit                       | Microsoft/Redhat    |    |

| ブレードサーバ                      | オペレーティングシステム (ホスト OS/ ゲスト OS)                                       | ベンダー             | 注記 |
|------------------------------|---|------------------|----|
| UCS C210M2 Rack Mount Server | ESXi 4.1/Windows 7 Professional with Service Pack 1 (x64)           | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1/Windows 7 Enterprise with Service Pack 1 (x64)             | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1/Windows Server 2003 Service Pack 2 (x64)                   | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1/Windows Server 2003 R2, Datacenter x64 Edition with SP2    | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1/Windows Server 2003 R2, Enterprise x64 Edition with SP2    | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1/Windows Server 2003 R2, Standard x64 Edition with SP2      | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1/Windows Server 2003 R2 32bit                               | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1/Windows Server 2008 R2 (x64)                               | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1/Windows Server 2008 R2 SP1(x64)                            | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1/Windows Server 2008 (x64)                                  | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1/Windows Server 2008 SP2 (x64)                              | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1/SUSE Linux Enterprise Server 11.1 64bit                    | VMWare/Novell    |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1/Redhat Enterprise Linux 5.6 64bit                          | VMWare/Redhat    |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1/Redhat Enterprise Linux 6.1 64bit                          | VMWare/Redhat    |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1 U1/Windows 7 Professional with Service Pack 1 (x64)        | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1 U1/Windows 7 Enterprise with Service Pack 1 (x64)          | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1 U1/Windows Server 2003 Service Pack 2 (x64)                | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1 U1/Windows Server 2003 R2, Datacenter x64 Edition with SP2 | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1 U1/Windows Server 2003 R2, Enterprise x64 Edition with SP2 | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1 U1/Windows Server 2003 R2, Standard x64 Edition with SP2   | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1 U1/Windows Server 2003 R2 32bit                            | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1 U1/Windows Server 2008 R2 (x64)                            | VMWare/Microsoft |    |

| ブレード サーバ                     | オペレーティング システム (ホスト OS/ ゲスト OS)   | ベンダー             | 注記 |
|------------------------------|--|------------------|----|
| UCS C210M2 Rack Mount Server | ESXi 4.1 U1/Windows Server 2008 R2 SP1(x64)  | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1 U1/Windows Server 2008 (x64)  | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1 U1/Windows Server 2008 SP2 (x64)  | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1 U1/SUSE Linux Enterprise Server 11.1 64bit                                  | VMWare/Novell    |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1 U1/Redhat Enterprise Linux 5.6 64bit  | VMWare/Redhat    |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1 U1/Redhat Enterprise Linux 6.1 64bit  | VMWare/Redhat    |    |
| UCS C210M2 Rack Mount Server | ESXi 5.0/Windows 7 Professional with Service Pack 1 (x64)                            | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 5.0/Windows 7 Enterprise with Service Pack 1 (x64)                              | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 5.0/Windows Server 2003 Service Pack 2 (x64)                                    | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 5.0/Windows Server 2003 R2, Datacenter x64 Edition with SP2                     | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 5.0/Windows Server 2003 R2, Enterprise x64 Edition with SP2                     | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 5.0/Windows Server 2003 R2, Standard x64 Edition with SP2                       | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 5.0/Windows Server 2003 R2 32bit  | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 5.0/Windows Server 2008 R2 (x64)  | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 5.0/Windows Server 2008 R2 SP1(x64)   | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 5.0/Windows Server 2008 (x64)   | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 5.0/Windows Server 2008 SP2 (x64)   | VMWare/Microsoft |    |
| UCS C210M2 Rack Mount Server | ESXi 4.1/SUSE Linux Enterprise Server 11.1 64bit                                     | VMWare/Novell    |    |
| UCS C210M2 Rack Mount Server | ESXi 5.0/Redhat Enterprise Linux 5.6 64bit   | VMWare/Redhat    |    |
| UCS C210M2 Rack Mount Server | ESXi 5.0/Redhat Enterprise Linux 6.1 64bit   | VMWare/Redhat    |    |
| UCS C210M2 Rack Mount Server | RedHat Enterprise Linux 6.1 64 bit /Windows 7 Professional with Service Pack 1 (x64) | Redhat/Microsoft |    |
| UCS C210M2 Rack Mount Server | RedHat Enterprise Linux 6.1 64 bit/Windows 7 Enterprise with Service Pack 1 (x64)    | Redhat/Microsoft |    |

| ブレード サーバ                     | オペレーティング システム (ホスト OS/ ゲスト OS)   | ベンダー             | 注記 |
|------------------------------|--|------------------|----|
| UCS C210M2 Rack Mount Server | RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 Service Pack 2 (x64)                | Redhat/Microsoft |    |
| UCS C210M2 Rack Mount Server | RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Datacenter x64 Edition with SP2 | Redhat/Microsoft |    |
| UCS C210M2 Rack Mount Server | RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Enterprise x64 Edition with SP2 | Redhat/Microsoft |    |
| UCS C210M2 Rack Mount Server | RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Standard x64 Edition with SP2   | Redhat/Microsoft |    |
| UCS C210M2 Rack Mount Server | RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2 32bit                            | Redhat/Microsoft |    |
| UCS C210M2 Rack Mount Server | RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 R2 (x64)                            | Redhat/Microsoft |    |
| UCS C210M2 Rack Mount Server | RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 R2 SP1(x64)                         | Redhat/Microsoft |    |
| UCS C210M2 Rack Mount Server | RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 (x64)                               | Redhat/Microsoft |    |
| UCS C210M2 Rack Mount Server | RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 SP2 (x64)                           | Redhat/Microsoft |    |
| UCS C210M2 Rack Mount Server | RedHat Enterprise Linux 6.1 64 bit/SUSE Linux Enterprise Server 11.1 64bit                 | Redhat/Novell    |    |
| UCS C210M2 Rack Mount Server | RedHat Enterprise Linux 6.1 64 bit/Redhat Enterprise Linux 5.6 64bit                       | Redhat/Redhat    |    |
| UCS C210M2 Rack Mount Server | RedHat Enterprise Linux 6.1 64 bit/Redhat Enterprise Linux 6.1 64bit                       | Redhat/Redhat    |    |

# アダプタ相互運用性マトリクス

表 2 は、UCS C210M2 ラックマウント サーバがサポートしているネットワーク アダプタのリストです。



(注) これらのラックマウント サーバはすべてシスコが販売しています。



(注) ホスト OS を通じた、外部ネットワークへのゲスト OS の接続性をテストし、結果を確認しています。

表 2 は、UCS C210M2 ラックマウント サーバがサポートしている統合型ネットワーク アダプタのリストです。

表 2 UCS C210M2 ラックマウント サーバ

| サーバ モデル                      | アダプタ モデル  | ホスト オペレーティング システム | ゲスト オペレーティング システム   | ブート             | 結果     |
|------------------------------|---|-------------------|---|-----------------|--------|
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1   | Microsoft Windows 7 Professional with Service Pack 1 (x64)        | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1   | Microsoft Windows 7 Enterprise with Service Pack 1 (x64)          | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1   | Microsoft Windows Server 2003 Service Pack 2 (x64)                | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1   | Microsoft Windows Server 2003 R2, Datacenter x64 Edition with SP2 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1   | Microsoft Windows Server 2003 R2, Enterprise x64 Edition with SP2 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1   | Windows Server 2003 R2, Standard x64 Edition with SP2             | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1   | Microsoft Windows Server 2003 R2 32bit                            | Local Disk Boot | passed |

| サーバモデル                       | アダプタモデル   | ホストオペレーティングシステム    | ゲストオペレーティングシステム   | ブート             | 結果     |
|------------------------------|---|--------------------|---|-----------------|--------|
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1    | Microsoft Windows Server 2008 R2 (x64)                            | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1    | Microsoft Windows Server 2008 R2 SP1(x64)                         | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1    | Microsoft Windows Server 2008 (x64)                               | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1    | Microsoft Windows Server 2008 SP2 (x64)                           | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1    | Novell SUSE Linux Enterprise Server 11.1 64bit                    | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1    | Redhat Enterprise Linux 5.6 64bit                                 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1    | Redhat Enterprise Linux 6.1 64bit                                 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows 7 Professional with Service Pack 1 (x64)        | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows 7 Enterprise with Service Pack 1 (x64)          | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows Server 2003 Service Pack 2 (x64)                | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows Server 2003 R2, Datacenter x64 Edition with SP2 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows Server 2003 R2, Enterprise x64 Edition with SP2 | Local Disk Boot | passed |

| サーバ モデル                      | アダプタ モデル  | ホスト オペレーティング システム  | ゲスト オペレーティング システム   | ブート             | 結果     |
|------------------------------|---|--------------------|---|-----------------|--------|
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1    | Microsoft Windows Server 2008 R2 (x64)                            | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1    | Microsoft Windows Server 2008 R2 SP1(x64)                         | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1    | Microsoft Windows Server 2008 (x64)                               | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1    | Microsoft Windows Server 2008 SP2 (x64)                           | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1    | Novell SUSE Linux Enterprise Server 11.1 64bit                    | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1    | Redhat Enterprise Linux 5.6 64bit                                 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1    | Redhat Enterprise Linux 6.1 64bit                                 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows 7 Professional with Service Pack 1 (x64)        | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows 7 Enterprise with Service Pack 1 (x64)          | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows Server 2003 Service Pack 2 (x64)                | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows Server 2003 R2, Datacenter x64 Edition with SP2 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows Server 2003 R2, Enterprise x64 Edition with SP2 | Local Disk Boot | passed |



| サーバモデル                       | アダプタモデル   | ホストオペレーティングシステム    | ゲストオペレーティングシステム   | ブート             | 結果     |
|------------------------------|---|--------------------|---|-----------------|--------|
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows Server 2003 R2, Standard x64 Edition with SP2 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows Server 2003 R2 32bit                          | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows Server 2008 R2 (x64)                          | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows Server 2008 R2 SP1(x64)                       | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows Server 2008 (x64)                             | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Microsoft Windows Server 2008 SP2 (x64)                         | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Novell SUSE Linux Enterprise Server 11.1 64bit                  | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Redhat Enterprise Linux 5.6 64bit                               | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 4.1 U1 | Redhat Enterprise Linux 6.1 64bit                               | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 5.0    | Microsoft Windows 7 Professional with Service Pack 1 (x64)      | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 5.0    | Microsoft Windows 7 Enterprise with Service Pack 1 (x64)        | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 5.0    | Microsoft Windows Server 2003 Service Pack 2 (x64)              | Local Disk Boot | passed |

| サーバモデル                       | アダプタモデル   | ホストオペレーティングシステム                    | ゲストオペレーティングシステム   | ブート             | 結果     |
|------------------------------|---|------------------------------------|---|-----------------|--------|
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 5.0                    | Microsoft Windows Server 2003 R2, Datacenter x64 Edition with SP2 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 5.0                    | Microsoft Windows Server 2003 R2, Enterprise x64 Edition with SP2 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 5.0                    | Microsoft Windows Server 2003 R2, Standard x64 Edition with SP2   | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 5.0                    | Microsoft Windows Server 2003 R2 32bit                            | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 5.0                    | Microsoft Windows Server 2008 R2 (x64)                            | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 5.0                    | Microsoft Windows Server 2008 R2 SP1(x64)                         | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 5.0                    | Microsoft Windows Server 2008 (x64)                               | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 5.0                    | Microsoft Windows Server 2008 SP2 (x64)                           | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 5.0                    | Novell SUSE Linux Enterprise Server 11.1 64bit                    | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 5.0                    | Redhat Enterprise Linux 5.6 64bit                                 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | VMWare ESXi 5.0                    | Redhat Enterprise Linux 6.1 64bit                                 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Redhat Enterprise Linux 6.1 64 bit | Microsoft Windows 7 Professional with Service Pack 1 (x64)        | Local Disk Boot | passed |

| サーバモデル                       | アダプタモデル   | ホストオペレーティングシステム                    | ゲストオペレーティングシステム   | ブート             | 結果     |
|------------------------------|---|------------------------------------|---|-----------------|--------|
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Redhat Enterprise Linux 6.1 64 bit | Microsoft Windows 7 Enterprise with Service Pack 1 (x64)          | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Redhat Enterprise Linux 6.1 64 bit | Microsoft Windows Server 2003 Service Pack 2 (x64)                | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Redhat Enterprise Linux 6.1 64 bit | Microsoft Windows Server 2003 R2, Datacenter x64 Edition with SP2 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Redhat Enterprise Linux 6.1 64 bit | Microsoft Windows Server 2003 R2, Enterprise x64 Edition with SP2 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Redhat Enterprise Linux 6.1 64 bit | Microsoft Windows Server 2003 R2, Standard x64 Edition with SP2   | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Redhat Enterprise Linux 6.1 64 bit | Microsoft Windows Server 2003 R2 32bit                            | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Redhat Enterprise Linux 6.1 64 bit | Microsoft Windows Server 2008 R2 (x64)                            | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Redhat Enterprise Linux 6.1 64 bit | Microsoft Windows Server 2008 R2 SP1(x64)                         | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Redhat Enterprise Linux 6.1 64 bit | Microsoft Windows Server 2008 (x64)                               | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Redhat Enterprise Linux 6.1 64 bit | Microsoft Windows Server 2008 SP2 (x64)                           | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Redhat Enterprise Linux 6.1 64 bit | Novell SUSE Linux Enterprise Server 11.1 64bit                    | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Redhat Enterprise Linux 6.1 64 bit | Redhat Enterprise Linux 5.6 64bit                                 | Local Disk Boot | passed |

| サーバモデル                       | アダプタモデル   | ホストオペレーティングシステム                    | ゲストオペレーティングシステム   | ブート             | 結果     |
|------------------------------|---|------------------------------------|---|-----------------|--------|
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Redhat Enterprise Linux 6.1 64 bit | Redhat Enterprise Linux 6.1 64bit                       | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Windows 2008 R2 HyperV             | Windows 7 Professional with Service Pack 1 (x64)        | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Windows 2008 R2 HyperV             | Windows 7 Enterprise with Service Pack 1 (x64)          | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Windows 2008 R2 HyperV             | Windows Server 2003 Service Pack 2 (x64)                | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Windows 2008 R2 HyperV             | Windows Server 2003 R2, Datacenter x64 Edition with SP2 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Windows 2008 R2 HyperV             | Windows Server 2003 R2, Enterprise x64 Edition with SP2 | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Windows 2008 R2 HyperV             | Windows Server 2003 R2, Standard x64 Edition with SP2   | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Windows 2008 R2 HyperV             | Windows Server 2003 R2 32bit                            | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Windows 2008 R2 HyperV             | Windows Server 2008 R2 (x64)                            | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Windows 2008 R2 HyperV             | Windows Server 2008 R2 SP1(x64)                         | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Windows 2008 R2 HyperV             | Windows Server 2008 (x64)                               | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Windows 2008 R2 HyperV             | Windows Server 2008 SP2 (x64)                           | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Windows 2008 R2 HyperV             | SUSE Linux Enterprise Server 11.1 64bit                 | Local Disk Boot | passed |

| サーバ モデル                      | アダプタ モデル  | ホスト オペレーティング システム      | ゲスト オペレーティング システム          | ブート             | 結果     |
|------------------------------|---|------------------------|----------------------------|-----------------|--------|
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Windows 2008 R2 HyperV | Enterprise Linux 5.6 64bit | Local Disk Boot | passed |
| UCS C210M2 Rack Mount Server | Intel 82576 Gigabit Ethernet Onboard Controller | Windows 2008 R2 HyperV | Enterprise Linux 6.1 64bit | Local Disk Boot | passed |

## 関連資料

### 『Cisco Data Center Interoperability Support Matrix』

<http://www.cisco.com/en/US/docs/switches/datacenter/mds9000/interoperability/matrix/intmatrix.html>

### Cisco UCS C-Series Servers Documentation Roadmap

<http://www.cisco.com/go/unifiedcomputing/c-series-doc>

## マニュアルの入手方法およびテクニカル サポート

マニュアルの入手方法、テクニカル サポート、その他の有用な情報について、次の URL で、毎月更新される『*What's New in Cisco Product Documentation*』を参照してください。シスコの新規および改訂版の技術マニュアルの一覧も示されています。

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

『*What's New in Cisco Product Documentation*』は RSS フィードとして購読できます。また、リーダーアプリケーションを使用してコンテンツがデスクトップに直接配信されるように設定することもできます。RSS フィードは無料のサービスです。シスコは現在、RSS バージョン 2.0 をサポートしています。

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

© 2012 Cisco Systems, Inc.  
All rights reserved.

Copyright © 2012 シスコシステムズ合同会社.  
All rights reserved.

