



# UCS B-series: Bare Metal, Host-OS and Guest-OS Software and Hardware Interoperability Matrix

---

This document provides interoperability matrices for Cisco Unified Computing System components and configurations that have been tested and validated by Cisco, by Cisco partners, or both. Use this document as a reference for supported hardware and software.

This document contains the following sections:

- [Audience, page 2](#)
- [Baremetal: Japanese Operating System Interoperability Matrix, page 2](#)
- [Host OS - Guest OS: Japanese Operating System Interoperability Matrix, page 5](#)
- [Baremetal: Adapters Interoperability Matrix, page 14](#)
  - [UCS B200 M2 Blade Server](#)
  - [UCS B250 M2 Blade Server](#)
  - [UCS B440 M1 Blade Server](#)
- [Host OS - Guest OS: Adapters Interoperability Matrix, page 68](#)
  - [UCS B200 M2 Blade Server](#)
  - [UCS B250 M2 Blade Server](#)
  - [UCS B440 M1 Blade Server](#)
- [Switch Interoperability Matrix, page 323](#)
- [Components Matrix, page 323](#)
- [Storage Array Interoperability Matrix, page 323](#)
- [Baremetal: Limitations, page 324](#)
- [Baremetal: Identified Issues, page 324](#)
- [Host OS - Guest OS: Identified Issues, page 326](#)
- [Related Documentation, page 327](#)

# Audience

This document is designed for use by Cisco TAC, sales, support engineers, professional service partners, and systems administrators responsible for the design and deployment of the Unified Computing System in the data center environment.

## Baremetal: Japanese Operating System Interoperability Matrix

Table 1 lists the operating systems that the Unified Computing System Blade Servers support.

**Table 1** *Operating System*

Blade Server	Operating System	Vendor	Notes
UCS B200 M2	Windows Server 2008 R2 Enterprise Edition with Service Pack 1 (x64)	Microsoft	
UCS B200 M2	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Microsoft	
UCS B200 M2	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Microsoft	
UCS B200 M2	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Microsoft	
UCS B200 M2	Microsoft Hyper-V Server 2008 R2 (x64)	Microsoft	
UCS B200 M2	Windows Server 2003 Service Pack 2 (x64)	Microsoft	
UCS B200 M2	Windows Server 2003 R2 32bit	Microsoft	
UCS B200 M2	SUSE Linux Enterprise server 11 sp1 64 bit	Novell	
UCS B200 M2	Redhat Enterprise linux 5.6 64 bit	Red Hat	
UCS B200 M2	Redhat Enterprise linux 6.1 64 bit	Red Hat	
UCS B200 M2	Oracle linux 5.6 (RAC) 64 bit	Oracle	
UCS B440 M1	Windows Server 2008 R2 Enterprise Edition with Service Pack 1 (x64)	Microsoft	

Blade Server	Operating System	Vendor	Notes
UCS B440 M1	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Microsoft	
UCS B440 M1	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Microsoft	
UCS B440 M1	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Microsoft	
UCS B440 M1	Microsoft Hyper-V Server 2008 R2 (x64)	Microsoft	
UCS B440 M1	Windows Server 2003 Service Pack 2 (x64)	Microsoft	
UCS B440 M1	Windows Server 2003 R2 32bit	Microsoft	
UCS B440 M1	SUSE Linux Enterprise server 11 sp1 64 bit	Novell	
UCS B440 M1	Redhat Enterprise linux 5.6 64 bit	Red Hat	
UCS B440 M1	Redhat Enterprise linux 6.1 64 bit	Red Hat	
UCS B440 M1	Oracle linux 5.6 (RAC) 64 bit	Oracle	
UCS B250 M2	Windows Server 2008 R2 Enterprise Edition with Service Pack 1 (x64)	Microsoft	
UCS B250 M2	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Microsoft	
UCS B250 M2	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Microsoft	
UCS B250 M2	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Microsoft	
UCS B250 M2	Microsoft Hyper-V Server 2008 R2 (x64)	Microsoft	
UCS B250 M2	Windows Server 2003 Service Pack 2 (x64)	Microsoft	
UCS B250 M2	Windows Server 2003 R2 32bit	Microsoft	

<b>Blade Server</b>	<b>Operating System</b>	<b>Vendor</b>	<b>Notes</b>
UCS B250 M2	SUSE Linux Enterprise server 11 sp1 64 bit	Novell	
UCS B250 M2	Redhat Enterprise linux 5.6 64 bit	Red Hat	
UCS B250 M2	Redhat Enterprise linux 6.1 64 bit	Red Hat	
UCS B250 M2	Oracle linux 5.6 (RAC) 64 bit	Oracle	

# Host OS - Guest OS: Japanese Operating System Interoperability Matrix

Table 2 lists the operating systems that the Unified Computing System Blade Servers support.

**Table 2**      **Operating System**

Blade server	Operating System (Host OS/Guest OS)	Vendor	Notes
UCS B200 M2	Microsoft Hyper-v server 2008 R2/Windows 7 Professional with Service Pack 1 (x64)	Microsoft/Microsoft	
UCS B200 M2	Microsoft Hyper-v server 2008 R2/Windows 7 Enterprise with Service Pack 1 (x64)	Microsoft/Microsoft	
UCS B200 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2003 Service Pack 2 (x64)	Microsoft/Microsoft	
UCS B200 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Datacenter x64 Edition with SP2	Microsoft/Microsoft	
UCS B200 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Enterprise x64 Edition with SP2	Microsoft/Microsoft	
UCS B200 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Standard x64 Edition with SP2	Microsoft/Microsoft	
UCS B200 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2 32bit	Microsoft/Microsoft	
UCS B200 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2008 R2 (x64)	Microsoft/Microsoft	
UCS B200 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2008 R2 SP1(x64)	Microsoft/Microsoft	
UCS B200 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2008 (x64)	Microsoft/Microsoft	
UCS B200 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2008 SP2 (x64)	Microsoft/Microsoft	
UCS B200 M2	Microsoft Hyper-v server 2008 R2/SUSE Linux Enterprise Server 11.1 64bit	Microsoft/Novell	
UCS B200 M2	Microsoft Hyper-v server 2008 R2/Redhat Enterprise Linux 5.6 64bit	Microsoft/Redhat	
UCS B200 M2	Microsoft Hyper-v server 2008 R2/Redhat Enterprise Linux 6.1 64bit	Microsoft/Redhat	
UCS B200 M2	ESXi 4.1/Windows 7 Professional with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1/Windows 7 Enterprise with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1/Windows Server 2003 Service Pack 2 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1/Windows Server 2003 R2, Datacenter x64 Edition with SP2	VMWare/Microsoft	

Blade server	Operating System (Host OS/Guest OS)	Vendor	Notes
UCS B200 M2	ESXi 4.1/Windows Server 2003 R2, Enterprise x64 Edition with SP2	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1/Windows Server 2003 R2, Standard x64 Edition with SP2	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1/Windows Server 2003 R2 32bit	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1/Windows Server 2008 R2 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1/Windows Server 2008 R2 SP1(x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1/Windows Server 2008 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1/Windows Server 2008 SP2 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1/SUSE Linux Enterprise Server 11.1 64bit	VMWare/Novell	
UCS B200 M2	ESXi 4.1/Redhat Enterprise Linux 5.6 64bit	VMWare/Redhat	
UCS B200 M2	ESXi 4.1/Redhat Enterprise Linux 6.1 64bit	VMWare/Redhat	
UCS B200 M2	ESXi 4.1 U1/Windows 7 Professional with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1 U1/Windows 7 Enterprise with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1 U1/Windows Server 2003 Service Pack 2 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1 U1/Windows Server 2003 R2, Datacenter x64 Edition with SP2	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1 U1/Windows Server 2003 R2, Enterprise x64 Edition with SP2	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1 U1/Windows Server 2003 R2, Standard x64 Edition with SP2	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1 U1/Windows Server 2003 R2 32bit	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1 U1/Windows Server 2008 R2 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1 U1/Windows Server 2008 R2 SP1(x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1 U1/Windows Server 2008 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1 U1/Windows Server 2008 SP2 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 4.1 U1/SUSE Linux Enterprise Server 11.1 64bit	VMWare/Novell	
UCS B200 M2	ESXi 4.1 U1/Redhat Enterprise Linux 5.6 64bit	VMWare/Redhat	
UCS B200 M2	ESXi 4.1 U1/Redhat Enterprise Linux 6.1 64bit	VMWare/Redhat	
UCS B200 M2	ESXi 5.0/Windows 7 Professional with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 5.0/Windows 7 Enterprise with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 5.0/Windows Server 2003 Service Pack 2 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 5.0/Windows Server 2003 R2, Datacenter x64 Edition with SP2	VMWare/Microsoft	

Blade server	Operating System (Host OS/Guest OS)	Vendor	Notes
UCS B200 M2	ESXi 5.0/Windows Server 2003 R2, Enterprise x64 Edition with SP2	VMWare/Microsoft	
UCS B200 M2	ESXi 5.0/Windows Server 2003 R2, Standard x64 Edition with SP2	VMWare/Microsoft	
UCS B200 M2	ESXi 5.0/Windows Server 2003 R2 32bit	VMWare/Microsoft	
UCS B200 M2	ESXi 5.0/Windows Server 2008 R2 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 5.0/Windows Server 2008 R2 SP1(x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 5.0/Windows Server 2008 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 5.0/Windows Server 2008 SP2 (x64)	VMWare/Microsoft	
UCS B200 M2	ESXi 5.0/SUSE Linux Enterprise Server 11.1 64bit	VMWare/Novell	
UCS B200 M2	ESXi 5.0/Redhat Enterprise Linux 5.6 64bit	VMWare/Redhat	
UCS B200 M2	ESXi 5.0/Redhat Enterprise Linux 6.1 64bit	VMWare/Redhat	
UCS B200 M2	RedHat Enterprise Linux 6.1 64 bit /Windows 7 Professional with Service Pack 1 (x64)	Redhat/Microsoft	
UCS B200 M2	RedHat Enterprise Linux 6.1 64 bit/Windows 7 Enterprise with Service Pack 1 (x64)	Redhat/Microsoft	
UCS B200 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 Service Pack 2 (x64)	Redhat/Microsoft	
UCS B200 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Datacenter x64 Edition with SP2	Redhat/Microsoft	
UCS B200 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Enterprise x64 Edition with SP2	Redhat/Microsoft	
UCS B200 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Standard x64 Edition with SP2	Redhat/Microsoft	
UCS B200 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2 32bit	Redhat/Microsoft	
UCS B200 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 R2 (x64)	Redhat/Microsoft	
UCS B200 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 R2 SP1(x64)	Redhat/Microsoft	
UCS B200 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 (x64)	Redhat/Microsoft	
UCS B200 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 SP2 (x64)	Redhat/Microsoft	
UCS B200 M2	RedHat Enterprise Linux 6.1 64 bit/SUSE Linux Enterprise Server 11.1 64bit	Redhat/Novell	
UCS B200 M2	RedHat Enterprise Linux 6.1 64 bit/Redhat Enterprise Linux 5.6 64bit	Redhat/Redhat	
UCS B200 M2	RedHat Enterprise Linux 6.1 64 bit/Redhat Enterprise Linux 6.1 64bit	Redhat/Redhat	
UCS B250 M2	Microsoft Hyper-v server 2008 R2/Windows 7 Professional with Service Pack 1 (x64)	Microsoft/Microsoft	

Blade server	Operating System (Host OS/Guest OS)	Vendor	Notes
UCS B250 M2	Microsoft Hyper-v server 2008 R2/Windows 7 Enterprise with Service Pack 1 (x64)	Microsoft/Microsoft	
UCS B250 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2003 Service Pack 2 (x64)	Microsoft/Microsoft	
UCS B250 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Datacenter x64 Edition with SP2	Microsoft/Microsoft	
UCS B250 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Enterprise x64 Edition with SP2	Microsoft/Microsoft	
UCS B250 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Standard x64 Edition with SP2	Microsoft/Microsoft	
UCS B250 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2 32bit	Microsoft/Microsoft	
UCS B250 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2008 R2 (x64)	Microsoft/Microsoft	
UCS B250 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2008 R2 SP1(x64)	Microsoft/Microsoft	
UCS B250 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2008 (x64)	Microsoft/Microsoft	
UCS B250 M2	Microsoft Hyper-v server 2008 R2/Windows Server 2008 SP2 (x64)	Microsoft/Microsoft	
UCS B250 M2	Microsoft Hyper-v server 2008 R2/SUSE Linux Enterprise Server 11.1 64bit	Microsoft/Novell	
UCS B250 M2	Microsoft Hyper-v server 2008 R2/Redhat Enterprise Linux 5.6 64bit	Microsoft/Redhat	
UCS B250 M2	Microsoft Hyper-v server 2008 R2/Redhat Enterprise Linux 6.1 64bit	Microsoft/Redhat	
UCS B250 M2	ESXi 4.1/Windows 7 Professional with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1/Windows 7 Enterprise with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1/Windows Server 2003 Service Pack 2 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1/Windows Server 2003 R2, Datacenter x64 Edition with SP2	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1/Windows Server 2003 R2, Enterprise x64 Edition with SP2	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1/Windows Server 2003 R2, Standard x64 Edition with SP2	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1/Windows Server 2003 R2 32bit	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1/Windows Server 2008 R2 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1/Windows Server 2008 R2 SP1(x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1/Windows Server 2008 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1/Windows Server 2008 SP2 (x64)	VMWare/Microsoft	



Blade server	Operating System (Host OS/Guest OS)	Vendor	Notes
UCS B250 M2	ESXi 4.1/SUSE Linux Enterprise Server 11.1 64bit	VMWare/Novell	
UCS B250 M2	ESXi 4.1/Redhat Enterprise Linux 5.6 64bit	VMWare/Redhat	
UCS B250 M2	ESXi 4.1/Redhat Enterprise Linux 6.1 64bit	VMWare/Redhat	
UCS B250 M2	ESXi 4.1 U1/Windows 7 Professional with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1 U1/Windows 7 Enterprise with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1 U1/Windows Server 2003 Service Pack 2 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1 U1/Windows Server 2003 R2, Datacenter x64 Edition with SP2	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1 U1/Windows Server 2003 R2, Enterprise x64 Edition with SP2	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1 U1/Windows Server 2003 R2, Standard x64 Edition with SP2	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1 U1/Windows Server 2003 R2 32bit	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1 U1/Windows Server 2008 R2 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1 U1/Windows Server 2008 R2 SP1(x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1 U1/Windows Server 2008 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1 U1/Windows Server 2008 SP2 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 4.1 U1/SUSE Linux Enterprise Server 11.1 64bit	VMWare/Novell	
UCS B250 M2	ESXi 4.1 U1/Redhat Enterprise Linux 5.6 64bit	VMWare/Redhat	
UCS B250 M2	ESXi 4.1 U1/Redhat Enterprise Linux 6.1 64bit	VMWare/Redhat	
UCS B250 M2	ESXi 5.0/Windows 7 Professional with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 5.0/Windows 7 Enterprise with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 5.0/Windows Server 2003 Service Pack 2 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 5.0/Windows Server 2003 R2, Datacenter x64 Edition with SP2	VMWare/Microsoft	
UCS B250 M2	ESXi 5.0/Windows Server 2003 R2, Enterprise x64 Edition with SP2	VMWare/Microsoft	
UCS B250 M2	ESXi 5.0/Windows Server 2003 R2, Standard x64 Edition with SP2	VMWare/Microsoft	
UCS B250 M2	ESXi 5.0/Windows Server 2003 R2 32bit	VMWare/Microsoft	
UCS B250 M2	ESXi 5.0/Windows Server 2008 R2 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 5.0/Windows Server 2008 R2 SP1(x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 5.0/Windows Server 2008 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 5.0/Windows Server 2008 SP2 (x64)	VMWare/Microsoft	
UCS B250 M2	ESXi 5.0/SUSE Linux Enterprise Server 11.1 64bit	VMWare/Novell	

Blade server	Operating System (Host OS/Guest OS)	Vendor	Notes
UCS B250 M2	ESXi 5.0/Redhat Enterprise Linux 5.6 64bit	VMWare/Redhat	
UCS B250 M2	ESXi 5.0/Redhat Enterprise Linux 6.1 64bit	VMWare/Redhat	
UCS B250 M2	RedHat Enterprise Linux 6.1 64 bit /Windows 7 Professional with Service Pack 1 (x64)	Redhat/Microsoft	
UCS B250 M2	RedHat Enterprise Linux 6.1 64 bit/Windows 7 Enterprise with Service Pack 1 (x64)	Redhat/Microsoft	
UCS B250 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 Service Pack 2 (x64)	Redhat/Microsoft	
UCS B250 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Datacenter x64 Edition with SP2	Redhat/Microsoft	
UCS B250 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Enterprise x64 Edition with SP2	Redhat/Microsoft	
UCS B250 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Standard x64 Edition with SP2	Redhat/Microsoft	
UCS B250 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2 32bit	Redhat/Microsoft	
UCS B250 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 R2 (x64)	Redhat/Microsoft	
UCS B250 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 R2 SP1(x64)	Redhat/Microsoft	
UCS B250 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 (x64)	Redhat/Microsoft	
UCS B250 M2	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 SP2 (x64)	Redhat/Microsoft	
UCS B250 M2	RedHat Enterprise Linux 6.1 64 bit/SUSE Linux Enterprise Server 11.1 64bit	Redhat/Novell	
UCS B250 M2	RedHat Enterprise Linux 6.1 64 bit/Redhat Enterprise Linux 5.6 64bit	Redhat/Redhat	
UCS B250 M2	RedHat Enterprise Linux 6.1 64 bit/Redhat Enterprise Linux 6.1 64bit	Redhat/Redhat	
UCS B440 M1	Microsoft Hyper-v server 2008 R2/Windows 7 Professional with Service Pack 1 (x64)	Microsoft/Microsoft	
UCS B440 M1	Microsoft Hyper-v server 2008 R2/Windows 7 Enterprise with Service Pack 1 (x64)	Microsoft/Microsoft	
UCS B440 M1	Microsoft Hyper-v server 2008 R2/Windows Server 2003 Service Pack 2 (x64)	Microsoft/Microsoft	
UCS B440 M1	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Datacenter x64 Edition with SP2	Microsoft/Microsoft	
UCS B440 M1	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Enterprise x64 Edition with SP2	Microsoft/Microsoft	
UCS B440 M1	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2, Standard x64 Edition with SP2	Microsoft/Microsoft	

Blade server	Operating System (Host OS/Guest OS)	Vendor	Notes
UCS B440 M1	Microsoft Hyper-v server 2008 R2/Windows Server 2003 R2 32bit	Microsoft/Microsoft	
UCS B440 M1	Microsoft Hyper-v server 2008 R2/Windows Server 2008 R2 (x64)	Microsoft/Microsoft	
UCS B440 M1	Microsoft Hyper-v server 2008 R2/Windows Server 2008 R2 SP1(x64)	Microsoft/Microsoft	
UCS B440 M1	Microsoft Hyper-v server 2008 R2/Windows Server 2008 (x64)	Microsoft/Microsoft	
UCS B440 M1	Microsoft Hyper-v server 2008 R2/Windows Server 2008 SP2 (x64)	Microsoft/Microsoft	
UCS B440 M1	Microsoft Hyper-v server 2008 R2/SUSE Linux Enterprise Server 11.1 64bit	Microsoft/Novell	
UCS B440 M1	Microsoft Hyper-v server 2008 R2/Redhat Enterprise Linux 5.6 64bit	Microsoft/Redhat	
UCS B440 M1	Microsoft Hyper-v server 2008 R2/Redhat Enterprise Linux 6.1 64bit	Microsoft/Redhat	
UCS B440 M1	ESXi 4.1/Windows 7 Professional with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1/Windows 7 Enterprise with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1/Windows Server 2003 Service Pack 2 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1/Windows Server 2003 R2, Datacenter x64 Edition with SP2	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1/Windows Server 2003 R2, Enterprise x64 Edition with SP2	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1/Windows Server 2003 R2, Standard x64 Edition with SP2	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1/Windows Server 2003 R2 32bit	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1/Windows Server 2008 R2 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1/Windows Server 2008 R2 SP1(x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1/Windows Server 2008 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1/Windows Server 2008 SP2 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1/SUSE Linux Enterprise Server 11.1 64bit	VMWare/Novell	
UCS B440 M1	ESXi 4.1/Redhat Enterprise Linux 5.6 64bit	VMWare/Redhat	
UCS B440 M1	ESXi 4.1/Redhat Enterprise Linux 6.1 64bit	VMWare/Redhat	
UCS B440 M1	ESXi 4.1 U1/Windows 7 Professional with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1 U1/Windows 7 Enterprise with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1 U1/Windows Server 2003 Service Pack 2 (x64)	VMWare/Microsoft	

Blade server	Operating System (Host OS/Guest OS)	Vendor	Notes
UCS B440 M1	ESXi 4.1 U1/Windows Server 2003 R2, Datacenter x64 Edition with SP2	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1 U1/Windows Server 2003 R2, Enterprise x64 Edition with SP2	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1 U1/Windows Server 2003 R2, Standard x64 Edition with SP2	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1 U1/Windows Server 2003 R2 32bit	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1 U1/Windows Server 2008 R2 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1 U1/Windows Server 2008 R2 SP1(x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1 U1/Windows Server 2008 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1 U1/Windows Server 2008 SP2 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 4.1 U1/SUSE Linux Enterprise Server 11.1 64bit	VMWare/Novell	
UCS B440 M1	ESXi 4.1 U1/Redhat Enterprise Linux 5.6 64bit	VMWare/Redhat	
UCS B440 M1	ESXi 4.1 U1/Redhat Enterprise Linux 6.1 64bit	VMWare/Redhat	
UCS B440 M1	ESXi 5.0/Windows 7 Professional with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 5.0/Windows 7 Enterprise with Service Pack 1 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 5.0/Windows Server 2003 Service Pack 2 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 5.0/Windows Server 2003 R2, Datacenter x64 Edition with SP2	VMWare/Microsoft	
UCS B440 M1	ESXi 5.0/Windows Server 2003 R2, Enterprise x64 Edition with SP2	VMWare/Microsoft	
UCS B440 M1	ESXi 5.0/Windows Server 2003 R2, Standard x64 Edition with SP2	VMWare/Microsoft	
UCS B440 M1	ESXi 5.0/Windows Server 2003 R2 32bit	VMWare/Microsoft	
UCS B440 M1	ESXi 5.0/Windows Server 2008 R2 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 5.0/Windows Server 2008 R2 SP1(x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 5.0/Windows Server 2008 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 5.0/Windows Server 2008 SP2 (x64)	VMWare/Microsoft	
UCS B440 M1	ESXi 5.0/SUSE Linux Enterprise Server 11.1 64bit	VMWare/Novell	
UCS B440 M1	ESXi 5.0/Redhat Enterprise Linux 5.6 64bit	VMWare/Redhat	
UCS B440 M1	ESXi 5.0/Redhat Enterprise Linux 6.1 64bit	VMWare/Redhat	
UCS B440 M1	RedHat Enterprise Linux 6.1 64 bit /Windows 7 Professional with Service Pack 1 (x64)	Redhat/Microsoft	
UCS B440 M1	RedHat Enterprise Linux 6.1 64 bit/Windows 7 Enterprise with Service Pack 1 (x64)	Redhat/Microsoft	
UCS B440 M1	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 Service Pack 2 (x64)	Redhat/Microsoft	

<b>Blade server</b>	<b>Operating System (Host OS/Guest OS)</b>	<b>Vendor</b>	<b>Notes</b>
UCS B440 M1	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Datacenter x64 Edition with SP2	Redhat/Microsoft	
UCS B440 M1	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Enterprise x64 Edition with SP2	Redhat/Microsoft	
UCS B440 M1	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2, Standard x64 Edition with SP2	Redhat/Microsoft	
UCS B440 M1	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2003 R2 32bit	Redhat/Microsoft	
UCS B440 M1	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 R2 (x64)	Redhat/Microsoft	
UCS B440 M1	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 R2 SP1(x64)	Redhat/Microsoft	
UCS B440 M1	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 (x64)	Redhat/Microsoft	
UCS B440 M1	RedHat Enterprise Linux 6.1 64 bit/Windows Server 2008 SP2 (x64)	Redhat/Microsoft	
UCS B440 M1	RedHat Enterprise Linux 6.1 64 bit/SUSE Linux Enterprise Server 11.1 64bit	Redhat/Novell	
UCS B440 M1	RedHat Enterprise Linux 6.1 64 bit/Redhat Enterprise Linux 5.6 64bit	Redhat/Redhat	
UCS B440 M1	RedHat Enterprise Linux 6.1 64 bit/Redhat Enterprise Linux 6.1 64bit	Redhat/Redhat	

# Baremetal: Adapters Interoperability Matrix

Table 3 lists the converged network adapters that the UCS B200 M2 Blade Server support.

**Table 3** UCS B200 M2 Blade Server

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 R2 with Service Pack 1 (x64) +	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Datacenter without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Enterprise without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Standard without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	2.0.1.3	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.0.0	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	2.0(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Datacenter without Hyper-V with Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Enterprise without Hyper-V with Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Standard without Hyper-V with Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.0.1.3	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.0.0	2.0(1t)	2.0(1t)	Passed



Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Oracle linux 5.6 (RAC) 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Datacenter without Hyper-V with Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Enterprise without Hyper-V with Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	2.0(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Standard without Hyper-V with Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	2.0.1.3	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.0.0	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Oracle linux 5.6 (RAC) 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.145	2.0(1t)	2.0(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Datacenter without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Enterprise without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Standard without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	2.0.1.3	2.0(1t)	2.0(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.0.0	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Cisco	UCS M81KR Virtual Interface Card	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.00.08 .11.0-k4	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.01.05 .05.06-k	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03 .06.1-k	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.01.02 .32.1-k9	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.00.08 .11.0-k4	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.01.05 .05.06-k	01.02.13	2.14	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03 .06.1-k	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.01.02 .32.1-k9	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.00.08 .11.0-k4	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.01.05 .05.06-k	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03 .06.1-k	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Oracle linux 5.6 (RAC) 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.01.02 .32.1-k9	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed



Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	SUSE Linux Enterprise server 11 spl 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.00.08 .11.0-k4	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.01.05 .05.06-k	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03 .06.1-k	01.02.13	2.14	Passed
UCS B200 M2	Qlogic	M72KR-Q Qlogic	Oracle linux 5.6 (RAC) 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.01.02 .32.1-k9	01.02.13	2.14	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.8.32.1 p	2.703.397.3403	4.02a9	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Emulex	M72KR-E Emulex	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.0.2.80	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1 p	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.18	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.8.32.1 p	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.0.2.80	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1 p	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.18	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.8.32.1 p	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Redhat Enterprise linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.0.2.80	2.703.397.3403	4.02a9	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Emulex	M72KR-E Emulex	Redhat Enterprise linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Oracle linux 5.6 (RAC) 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.18	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Results
UCS B200 M2	Emulex	M72KR-E Emulex	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.2.8.32.1 p	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Redhat Enterprise linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.0.2.80	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Redhat Enterprise linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1 p	2.703.397.3403	4.02a9	Passed
UCS B200 M2	Emulex	M72KR-E Emulex	Oracle linux 5.6 (RAC) 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.18	2.703.397.3403	4.02a9	Passed

Table 4 lists the converged network adapters that the UCS B250 M2 Blade Server support.

**Table 4** UCS B250 M2 Blade Server

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Datacenter without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Enterprise without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Standard without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed



Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	2.0.1.3	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.0.0	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Datacenter without Hyper-V with Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	2.0(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Enterprise without Hyper-V with Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Standard without Hyper-V with Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.0.1.3	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.0.0	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	2.0(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Oracle linux 5.6 (RAC) 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Datacenter without Hyper-V with Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Enterprise without Hyper-V with Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Standard without Hyper-V with Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	2.0(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	2.0.1.3	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.0.0	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Oracle linux 5.6 (RAC) 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Datacenter without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Enterprise without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2008 Standard without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	2.0.1.3	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.0.0	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	2.0(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Cisco	UCS M81KR Virtual Interface Card	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.145	2.0(1t)	2.0(1t)	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Qlogic	M72KR-Q Qlogic	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.00.08 .11.0-k4	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.01.05 .05.06-k	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03 .06.1-k	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.01.02 .32.1-k9	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.00.08 .11.0-k4	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.01.05 .05.06-k	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03 .06.1-k	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.01.02 .32.1-k9	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed



Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.00.08 .11.0-k4	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.01.05 .05.06-k	01.02.13	2.14	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03 .06.1-k	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Oracle linux 5.6 (RAC) 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.01.02 .32.1-k9	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.00.08 .11.0-k4	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.01.05 .05.06-k	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03 .06.1-k	01.02.13	2.14	Passed
UCS B250 M2	Qlogic	M72KR-Q Qlogic	Oracle linux 5.6 (RAC) 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.01.02 .32.1-k9	01.02.13	2.14	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.8.32.1 p	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.0.2.80	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1 p	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.18	2.703.397.3403	4.02a9	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Emulex	M72KR-E Emulex	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.8.32.1 p	2.703.397.3403	4.02a9	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Emulex	M72KR-E Emulex	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.0.2.80	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.18	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M71KR-E Emulex	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B250 M2	Emulex	M71KR-E Emulex	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B250 M2	Emulex	M71KR-E Emulex	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.41.2	2.0(1t)	2.11a2	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Emulex	M71KR-E Emulex	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B250 M2	Emulex	M71KR-E Emulex	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B250 M2	Emulex	M71KR-E Emulex	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.96	2.0(1t)	2.11a2	Passed
UCS B250 M2	Emulex	M71KR-E Emulex	Redhat Enterprise linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.87	2.0(1t)	2.11a2	Passed
UCS B250 M2	Emulex	M71KR-E Emulex	Redhat Enterprise linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.28	2.0(1t)	2.11a2	Passed
UCS B250 M2	Emulex	M71KR-E Emulex	Oracle linux 5.6 (RAC) 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.18	2.0(1t)	2.11a2	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.2.8.32.1 p	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Redhat Enterprise linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.0.2.80	2.703.397.3403	4.02a9	Passed



Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B250 M2	Emulex	M72KR-E Emulex	Redhat Enterprise linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1 p	2.703.397.3403	4.02a9	Passed
UCS B250 M2	Emulex	M72KR-E Emulex	Oracle linux 5.6 (RAC) 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.18	2.703.397.3403	4.02a9	Passed

Table 5 lists the converged network adapters that the UCS B440 M1 Blade Server support.

**Table 5 UCS B440 M1 Blade Server**

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 Datacenter without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 Enterprise without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 Standard without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	2.0.1.3	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.0.0	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.145	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.145	2.0.(1t)	2.0.(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 Datacenter without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 Enterprise without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 Standard without Hyper-V with Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	2.0.1.3	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.0.0	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.145	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.145	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 Datacenter without Hyper-V with Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 Enterprise without Hyper-V with Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 Standard without Hyper-V with Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.0.1.3	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.0.0	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Redhat Enterprise linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.145	2.0.(1t)	2.0.(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Redhat Enterprise linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Oracle linux 5.6 (RAC) 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.145	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 Datacenter without Hyper-V with Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 Enterprise without Hyper-V with Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2008 Standard without Hyper-V with Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	2.0.1.3	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	SUSE Linux Enterprise server 11 spl 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.0.0	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Redhat Enterprise linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.145	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Redhat Enterprise linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0.(1t)	2.0.(1t)	Passed
UCS B440 M1	Cisco	Cisco UCS M81KR Virtual Interface Card	Oracle linux 5.6 (RAC) 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.145	2.0.(1t)	2.0.(1t)	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.96	2.0(1t)	2.11a2	Passed



Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Emulex	M71KR-E Emulex	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.87	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.28	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.18	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	7.2.41.2	2.0(1t)	2.11a2	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.96	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.87	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.28	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.18	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.41.2	2.0(1t)	2.11a2	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.96	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Redhat Enterprise linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.87	2.0(1t)	2.11a2	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Emulex	M71KR-E Emulex	Redhat Enterprise linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.28	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Oracle linux 5.6 (RAC) 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.18	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	7.2.41.2	2.0(1t)	2.11a2	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Emulex	M71KR-E Emulex	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.41.2	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.2.0.96	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Redhat Enterprise linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.2.0.87	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Redhat Enterprise linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.28	2.0(1t)	2.11a2	Passed
UCS B440 M1	Emulex	M71KR-E Emulex	Oracle linux 5.6 (RAC) 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.18	2.0(1t)	2.11a2	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.00.08 .11.0-k4	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.01.05 .05.06-k	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03 .06.1-k	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.01.02 .32.1-k9	01.02.13	2.14	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.00.08 .11.0-k4	01.02.13	2.14	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.01.05 .05.06-k	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03 .06.1-k	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Oracle linux 5.6 (RAC) 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.01.02 .32.1-k9	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed



Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.00.08 .11.0-k4	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.01.05 .05.06-k	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03 .06.1-k	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Oracle linux 5.6 (RAC) 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.01.02 .32.1-k9	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 R2 with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Datacenter Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Enterprise Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Windows Server 2008 Standard Edition x64 service pack 2 without Hyper-V	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Microsoft Hyper-V Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	SUSE Linux Enterprise server 11 sp1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.00.08 .11.0-k4	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.01.05 .05.06-k	01.02.13	2.14	Passed

Blade Server	Adapter Vendor	Adapter Model	Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Adapter Boot Code/BIOS	Notes
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Redhat Enterprise linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03 .06.1-k	01.02.13	2.14	Passed
UCS B440 M1	Qlogic	M72KR-Q Qlogic	Oracle linux 5.6 (RAC) 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.01.02 .32.1-k9	01.02.13	2.14	Passed

# Host OS - Guest OS: Adapters Interoperability Matrix

Table 6 lists the converged network adapters that the UCS B200 M2 Blade Server support.



**Note** Cisco is the vendor for all the Blade servers.



**Note** Guest OS connectivity to external network through Host OS is tested and result is observed

**Table 6** UCS B200 M2 Blade Server

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1vmw	5.03.06	passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1vmw	5.03.06	passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1vmw	5.03.06	passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1vmw	5.03.06	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1vmw	5.03.06	passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1vmw	5.03.06	passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1vmw	5.03.06	passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1vmw	5.03.06	passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1vmw	5.03.06	passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1vmw	5.03.06	passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1vmw	5.03.06	passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1vmw	5.03.06	passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1vmw	5.03.06	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1vmw	5.03.06	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1vmw	5.03.06	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1vmw	5.03.06	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1vmw	5.03.06	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1vmw	5.03.06	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M72KR- E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14 VMW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14 VMW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14 VMW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed
UCS B200 M2	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14 VMW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS314 0 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Netapp FAS314 0 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Netapp FAS314 0 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS314 0 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Netapp FAS314 0 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS314 0 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS314 0 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS314 0 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS314 0 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS314 0 (7.3.3)	8.03.07.03.0 6.1-k	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B200 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed

Table 7 lists the converged network adapters that the UCS B250 M2 Blade Server support.

**Table 7 UCS B250 M2 Blade Server**

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	9.1.8.27	01.02.13	passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	7.2.4.1.2	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	2.1.0.11	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1 vmw	5.03.06	passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1 vmw	5.03.06	passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1 vmw	5.03.06	passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1 vmw	5.03.06	passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1 vmw	5.03.06	passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1 vmw	5.03.06	passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1 vmw	5.03.06	passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1 vmw	5.03.06	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1 vmw	5.03.06	passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1 vmw	5.03.06	passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1 vmw	5.03.06	passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1 vmw	5.03.06	passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1 vmw	5.03.06	passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1 vmw	5.03.06	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1 vmw	5.03.06	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.0.90.28	2.703.397.3403	passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1	4.03.01	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.1.30.1-58	2.80a4	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14V MW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14VMW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14VMW	5.03.15(496)	Passed
UCS B250 M2	M72KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14VMW	5.03.15(496)	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	EMC CX4-12 0 (4.29.0. 5.003)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	EMC CX4-12 0 (4.29.0. 5.003)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS314 0 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS314 0 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS314 0 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS314 0 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS314 0 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS314 0 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Netapp FAS314 0 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Netapp FAS314 0 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS314 0 (7.3.3)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1-k	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-V M (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.003)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B250 M2	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed

Table 8 lists the converged network adapters that the UCS B440 M1 Blade Server support.

**Table 8 UCS B440 M1 Blade Server**

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	9.1.8.27	01.02.13	passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	9.1.8.27	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	7.2.4.1.2	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	7.2.4.1.2	2.703.397.3403	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	2.1.0.11	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	2.1.0.11	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	Microsoft Hyper-V 2008 R2	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	2.1.0.11	2.0(1t)	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EM	831.k1.28.1-1v mw	5.03.06	passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1v mw	5.03.06	passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1v mw	5.03.06	passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1v mw	5.03.06	passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1v mw	5.03.06	passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1v mw	5.03.06	passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1v mw	5.03.06	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1v mw	5.03.06	passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1v mw	5.03.06	passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1v mw	5.03.06	passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1v mw	5.03.06	passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1v mw	5.03.06	passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1v mw	5.03.06	passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1v mw	5.03.06	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1v mw	5.03.06	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1v mw	5.03.06	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1v mw	5.03.06	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-Q (Qlogic)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1v mw	5.03.06	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.90.28	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.90.28	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.90.28	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.90.28	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.90.28	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.90.28	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.90.28	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.90.28	2.703.397.3403	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.90.28	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.90.28	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.90.28	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.90.28	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.0.90.28	2.703.397.3403	passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.0.90.28	2.703.397.3403	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1	4.03.01	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1	4.03.01	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	831.k1.28.1-1	4.03.01	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.1.30.1-58	2.80a4	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.1.30.1-58	2.80a4	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M71KR-E (Emulex)	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.1.30.1-58	2.80a4	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 4.1 U1	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.4.0.201	2.0(1t)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	901.K1.1-14V MW	5.03.15(49 6)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	901.K1.1-14V MW	5.03.15(49 6)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	901.K1.1-14V MW	5.03.15(49 6)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	901.K1.1-14V MW	5.03.15(49 6)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	901.K1.1-14V MW	5.03.15(49 6)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	901.K1.1-14V MW	5.03.15(49 6)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	901.K1.1-14V MW	5.03.15(49 6)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	901.K1.1-14V MW	5.03.15(49 6)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	901.K1.1-14V MW	5.03.15(49 6)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	901.K1.1-14V MW	5.03.15(49 6)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	901.K1.1-14V MW	5.03.15(49 6)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	901.K1.1-14V MW	5.03.15(49 6)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	901.K1.1-14V MW	5.03.15(49 6)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	901.K1.1-14V MW	5.03.15(49 6)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(49 6)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(49 6)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M71KR-Q (Qlogic)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	901.K1.1-14V MW	5.03.15(496)	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M72KR-E (Emulex)	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	8.2.2.1-18vmw	2.703.397.3403	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	SUSE Linux Enterprise Server 11.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 5.6 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	VMWare ESXi 5.0	Enterprise Linux 6.1 64bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.7	2.0(1t)	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.03.07.03.06.1 -k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-Q (Qlogic)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.03.07.03.06.1 -k	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi VS	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M72KR-E (Emulex)	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	8.3.5.30.1p	01.02.13	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi USP-VM (60-08-11-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Hitachi VSP (70-03-02-00/00)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Ye	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed



Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	EMC CX4-120 (4.29.0.5.0 03)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Professional with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows 7 Enterprise with Service Pack 1 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 Service Pack 2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Datacenter x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed

Server Model	Adapter Model	Host Operating System	Guest Operating System	SAN Boot	Storage Used	Adapter Driver	Adapter Firmware	Result
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Enterprise x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2, Standard x64 Edition with SP2	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2003 R2 32bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 R2 SP1(x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	Windows Server 2008 SP2 (x64)	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 5.6 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed
UCS B440 M1	M81KR Cisco	RedHat Enterprise Linux 6.1 64 bit	RedHat Enterprise Linux 6.1 64 bit	Yes	Netapp FAS3140 (7.3.3)	1.5.0.1	2.0(1t)	Passed

# Switch Interoperability Matrix

Table 9 lists fiber connectivity switches that support the Unified Computing System Fabric Interconnect module.

**Table 9** *Switch Interoperability Matrix*

UCS Fabric Interconnect	Vendor	Fabric Connectivity Switch model	Switch Firmware
UCS 6140XP 40-port Fabric Interconnect	Cisco	MDS 95xx	5.0 (7), 5.2 (1)

# Components Matrix

Table 10 lists the Components Matrices

**Table 10** *Components Matrix*

Components	Version
Cisco UCS 5108 chassis	2.0(1t)
UCS Manager	2.0(1t)
UCS Driver Bundle	UCS-b2xx-drivers.2.0.1f
B200M2 Blade server	2.0(1t)
B250M2 Blade server	2.0(1t)
B440M1 Blade server	2.0(1t)

# Storage Array Interoperability Matrix

Table 11 lists storage array models that the Unified Computing System adapters support.

**Table 11** *Storage Array*

SI No	Vendor	Storage Array Model
1	EMC CX4-120	Supported; Refer to the Storage Vendor's support list
2	Netapp FAS3140	Supported; Refer to the Storage Vendor's support list
3	HDS-USP VM	Supported; Refer to the Storage Vendor's support list
4	HDS-VSP	Supported; Refer to the Storage Vendor's support list

## Baremetal: Limitations

- Issue during installing Windows Server 2003 SP2 (x64) JOS using Qlogic / Emulex / Palo Adapter
- Windows 2003 32 Bit Driver is not available for UCS B series

## Baremetal: Identified Issues

1. **Same WWPN Number showing for both Emulex M71KR-E and Qlogic M72KR-Q in hardware default mode (CSCty04553)**

### Description

- a. Place M71KR-E CNA in B250M2 and B72KR-Q CNA in B440M1 Create VHBA using the Hardware default option instead of creating from the service profile pool in both blade B440M1 paired M72KR-Q and B250M1 paired M71KR-E
- b. WWPN is showing in the Blade B250M2 paired with M71KR-E of HBA's is same as WWPN of blade B440M1 paired with M72KR-Q HBA
- c. Shown WWNN & WWPN details
- d. Result of Emulex adapter (M71KR-E)
- e. HBA1-WWNN : 20:01:00:C0:DD:16:2D:75 WWPN : 21:01:00:C0:DD:16:2D:75  
HBA2-WWNN : 20:01:00:C0:DD:16:2D:77 WWPN : 21:01:00:C0:DD:16:2D:77
- f. Result of Qlogic adapter (M72KR-Q)
- g. HBA1-WWNN : 20:01:00:C0:DD:16:2D:75 WWPN : 21:01:00:C0:DD:16:2D:75  
HBA2-WWNN : 20:01:00:C0:DD:16:2D:77 WWPN : 21:01:00:C0:DD:16:2D:77



**Note** Both blades are not in same chassis and not in same cluster. We have filled an S-2 bug (CSCty04553) to resolve this issue.

### Environment

Blade	UCS B 250 M2 / UCS B 440 M1
CPU	CPU Intel Xeon X5680
Memory	384 GB
Adapter	Emulex CNA [ M71KR], Qlogic CNA [M72KR]
UCS Manager	UCS Manager 2.0(1t)

2. **WWPN number not updating properly in UCSM with Emulex and Qlogic adaptor in Hardware default mode (CSCty01118) Description**

- a. Create VHBA using the Hardware default option instead of creating from the service profile pool
- b. WWPN is visible in the UCSM Inventory->Server-VHBA detail
- c. WWPN is showing zeros in the UCSM Server->server->VHBA details instead of actual WWPN number

**Environment**

Blade	UCS B 250 M2 / UCS B 440 M1
CPU	CPU Intel Xeon X5680
Memory	384 GB
Adapter	Emulex CNA [ M71KR], Qlogic CNA [M72KR]
UCS Manager	UCS Manager 2.0(1t)



**Note** The Defect CSCty01118 is fixed, resolved and verified in the release - 2.0(1.189)A

3. Issue during installing Windows Server 2003 SP2 (x64) using Palo/Qlogic/Emulex Adapters Description
  - a. Emulex CNA is not getting initiated properly during Server Boot up.
  - b. Failure to install BIOS.
  - c. Unable to install on the selected LUN during Disk selection menu.

**Environment**

Blade	UCS 200 M2/250 M2/440M1
Adapter	Emulex M71KR / Emulex M72KR / Qlogic M71KR / Qlogic M72KR/Cisco M81KR
UCS Manager	2.0(1t)
Driver version	Not Available. BU confirmed Hardware won't support W2k3-64 bit.
OS version	jp_win_srv_2003_r2_standard_cd1 - JOS
Storage	Hitachi VSP/USP/NetAPP/EMC
LUN size	50GB LUN

**Note**

1. Driver required for installation not included in OS image
2. Use ucs-bxxx-drivers.2.0.1f driver bundle from Cisco site to install FNIC driver for SAN boot
3. Driver included in OS image should be updated, download from Cisco or OS vendor site
4. Driver is not available in the UCS driver build ucs-bxxx-drivers.2.0.1f kindly use the driver version ucs-b2xx-drivers.1.3.1h,1.3.1f downloaded form Cisco site
5. Hyper-V is tested with SAN boot as a standalone not as a cluster
6. Kindly select the FCoE & ISCSI packages during installation using the Customise Now option
7. Only RHEL compatible kernel is supported when using Oracle Linux

# Host OS - Guest OS: Identified Issues

1. ESXi 5.0 failed to install on B440M1 with M72KR-Q

### Environment Matrix

Blade	UCS 200 M2/250 M2/440 M1
Adapter	Cisco M72KR-Q
UCS Manager	UCS Manager 2.0(1t)
ESXi Version	5.0

### ESXi 5.0 Error

- Network Adapter error while trying to install ESXi 5.0 with M72KR-Q



2. ESXi 4.1U1 Failed to install on M72KR-E

### Environment Matrix

Blade	UCS 200 M2/250 M2/440 M1
Adapter	Emulex M72KR-E
UCS Manager	2.0(1t)
storage	Netapp FAS3140 (7.3.3), Hitachi USP and VSP
ESXi Version	4.1U1

### Description

When trying to install ESXi 4.1U1 with boot from SAN getting the below error

```

KVM Console Properties
KVM Virtual Media

Traceback (most recent call last):
  File "ThinESX.py", line 8, in <module>
    Installer.Start()
  File "/usr/lib/vmware/installer/Core/Log.py", line 46, in wrapper
    return func(*args, **kwargs)
  File "/usr/lib/vmware/installer/ThinESXInstall.py", line 38, in Start
    Install.Start(self, data)
  File "/usr/lib/vmware/installer/Core/Log.py", line 46, in wrapper
    return func(*args, **kwargs)
  File "/usr/lib/vmware/installer/Core/Install.py", line 40, in Start
    data = self.Steps[self._Dispatcher.CurrentStep](data)
  File "/usr/lib/vmware/installer/Core/Log.py", line 46, in wrapper
    return func(*args, **kwargs)
  File "/usr/lib/vmware/installer/ThinESX/ThinESXInstallSteps.py", line 70, in TargetSelectionStep
    datastores = DatastoreEnumeration(None)
  File "/usr/lib/vmware/installer/Core/DatastoreEnumeration.py", line 15, in __init__
    _vmfs3Module.Load()
  File "/lib/python2.5/vmkctl.py", line 11328, in Load
    def Load(*args): return _vmkctl.ModuleImpl_Load(*args)
vmkctl.HostCtlException: Unable to load module /usr/lib/vmware/vmkmod/vms3: Failure
T
284946

```

## Related Documentation

### Cisco Data Center Interoperability Support Matrix

<http://www.cisco.com/en/US/docs/switches/datacenter/mds9000/interoperability/matrix/intmatrx.html>

### UCS Storage Interoperability Matrix

<http://www.cisco.com/en/US/docs/switches/datacenter/mds9000/interoperability/matrix/Matrix8.html>

### Storage Array Interoperability Matrix

<http://www.emc.com/collateral/elab/clariion-ax4-series-sm.pdf>

<http://www.hds.com/assets/pdf/all-storage-models-for-cisco-ucs.pdf>

## Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Subscribe to the *What's New in Cisco Product Documentation* as an RSS feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service. Cisco currently supports RSS Version 2.0.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

© 2012 Cisco Systems, Inc. All rights reserved.

