



Test Results for Cisco Collaboration Systems Release 14 SU2 Solution Testing for Japan

First Published: 2023-10-31

Last Modified: 2023-10-31

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
<http://www.cisco.com>
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883



CHAPTER 1

Cisco Collaboration Systems Release Test

- [Cisco Collaboration Systems Release Test, on page 1](#)
- [Cisco Collaboration Systems Release Test for Japan, on page 2](#)
- [Acronym, on page 2](#)

Cisco Collaboration Systems Release Test

Cisco Collaboration Systems Release test is an integral part of the Enterprise Voice Solution Management which includes key components such as Cisco Unified Communications Manager, Cisco Unified CM & IM Presence, Cisco Webex Cloud Connected UC, Cisco TelePresence Video Communication Server, Cisco TelePresence Video Communication Server Expressway, Cisco Webex, Cisco Webex Room OS, Cisco Webex Meetings and Cisco Meeting Server. It is a program that validates and tests specified system-level solution for the various products and platforms in the Cisco Collaboration System.

Cisco Collaboration Systems Release, the systems integration layer, ensures that the Collaboration Systems Release components are delivered across the various engineering teams, when combined, improves the software quality. This is achieved by testing the different components.

The requirements for Cisco Collaboration Systems Release is derived based on the following:

- Popular customer scenarios
- Customer demands for upgrade
- Inputs from various Business Units, fields and Cisco Services

The test bed architecture is built based on the Solution Reference Network Design (SRND), cross-section of product deployment models etc. The different types of testing carried out as a part of Cisco Collaboration Systems Release are:

- Interoperability/Compatibility
- Functionality
- Availability/Reliability/Stability
- Performance/Scalability/Capacity
- Usability/Serviceability
- Special focus area - CAP (Customer Assurance Program)/Technical Assistance Center (TAC)

- Security

Cisco Collaboration Systems Release Test for Japan

Cisco Collaboration Systems Release test for Japan includes key components such as Cisco Unified Communications Manager, Cisco Unified CM & IM Presense, Cisco Webex Cloud Connected UC, Cisco TelePresence Video Communication Server, Cisco TelePresence Video Communication Server Expressway, Cisco Webex, Cisco Webex Room OS, Cisco Webex Meetings, Cisco Meeting Server and Cisco Meeting Management, which is in turn an add-on testing at the solution level, where the requirements gathered are specific to Japanese usage and market. The requirements are derived based on the following:

- High priority cases that are covered by the Cisco Collaboration Systems Release test team
- Inputs from SE's and TAC team of Cisco Japan

The test execution is carried out on selected Collaboration products, which affects the Japanese segment and that are prioritized by SE's of the Cisco Japan team. Japanese specific equivalents such as Japanese locale and JPNP for Numbering Plan are implemented.

The objective of Cisco Collaboration Systems Release for Japan is to run a sub-set of system testing that is not covered by Cisco Collaboration Systems Release Test and implement equivalents with Japanese environment such as Japanese OS, localized application, selected Cisco Compatible Products and third party equipment.

In this Cisco Collaboration Systems Release for Japan, the following components are tested.

- Cisco Unified Communications Manager
- Cisco Unified CM & IM Presense
- Cisco Webex Cloud Connected UC
- Cisco TelePresence Video Communication Server
- Cisco TelePresence Video Communication Server Expressway
- Cisco Meeting Server
- Cisco Meeting Server web app
- Cisco Meeting Management
- Cisco Webex (Windows/Mac/iOS/Android/Web/Windows-VDI)
- Cisco Webex Room OS
- Cisco Webex Meetings (Windows/Mac/iOS/Android/Web/Windows-VDI/Slack)
- Cisco TelePresence Endpoints

Acronym

Acronym	Description
AD	Active Directory
AES	Advanced Encryption Standard
AMWI	Audible Message Waiting Indicator
API	Application Programming Interface
APIC-EM	Cisco Application Policy Infrastructure Controller Enterprise Module

ASCII	American Standard Code for Information Interchange
ATA	Analog Telephone Adapter
AV1	AOMedia Video 1
BAT	Bulk Administration Tool
BE	Business Edition
BFCP	Binary Floor Control Protocol
BLF	Busy Lamp Field
BO	Breakout session
BOP- list	Breakout Session Participant List
BSSID	Basic Service Set Identifier
CAP	Customer Assurance Program
CAR	Cisco Unified CDR Analysis and Reporting
CC	Closed Captioning
CCUC	Cisco Webex Cloud Connected UC
CDI	Cisco Directory Integration
CDR	Call Detail Record
CE	Collaboration Endpoint
CER	Cisco Emergency Responder
CFA	Call Forward All
CFB	Call Forward Busy
CFNA	Call Forward No Answer
CJA	Cisco Jabber for Android
CJI	Cisco Jabber for iPhone
CJM	Cisco Jabber for Mac
CJIPad	Cisco Jabber for iPad
CJW	Cisco Jabber for Windows
CLI	Command Line Interface
CMC	Client Matter Code
CMM	Cisco Meeting Management
CMR	Call Management Record
CMS	Cisco Meeting Server
COP	Cisco Options Package
CPU	Central Processing Unit

CSA	Cloud Service Appliance
CSS	Cascading Style Sheets
CSF	Client Services Framework
CSRF	Cross-Site Request Forgery
CSSM	Cisco Smart Software Manager
CSV	Comma Separated Value
CTI	Computer Telephony Integration
CUBE	Cisco Unified Border Element
CUC	Cisco Unity Connection
CUCM	Cisco Unified Communications Manager
CWD	Cisco Web Dialer
DCP	Directed Call Park
DN	Directory Number
DNA	Dialed Number Analyzer
DND	Do Not Disturb
DNS	Domain Name System
DRF	Disaster Recovery Framework
DTMF	Dual Tone Multi-Frequency
E911	Enhanced 911
ECDSA	Elliptical Curve Digital Signature Algorithm
ECM	Enterprise Content Management
ELIN	Emergency Location Identification Number
ELM	Enterprise License Manager
ELM	Enhanced Line Mode
EM	Extension Mobility
EMCC	Extension Mobility Cross Cluster
ESXi	Elastic Sky X Integrated
EULA	End User License Agreement
Exp-C	Expressway-Core
Exp-E	Expressway-Edge
FAC	Forced Authorization Code
FECC	Far End Camera Control
FIPS	Federal Information Processing Standards

FQDN	Fully Qualified Domain Name
FTE	First Time Experience
FTP	File Transfer Protocol
GUI	Graphical User Interface
GW	Gateway
HA	High-Availability
HCS	Hosted Collaboration Solution
HD	High Definition
HDCP	High-bandwidth Digital Content Protection
HDMI	High-Definition Multimedia Interface
HTTP	Hypertext Transfer Protocol
HTTPS	Hypertext Transfer Protocol Secure
ICT	Inter Cluster Trunk
IdP	Identity Provider
ILS	Intercluster Lookup Service
IM	Instant Messaging
IOS	Internetwork Operating System
IP	Internet Protocol
ISDN	Integrated Service Digital Network
ISR	Integrated Service Router
IVR	Interactive Voice Response
JTAPI	Java Telephony Application Programming Interface
LDAP	Lightweight Directory Access Protocol
MARI	Media Adaptation and Resilience Implementation
MCU	Multipoint Control Unit
MDM	Multi Device Messaging
MDS	Multilayer Director Switch
MDX	MultiDimensional eXpressions
MFT	Managed File Transfer
MGCP	Media Gateway Control Protocol
MLPP	Multilevel Precedence and Preemption
MMP	Mainboard Management Processor
MOH	Music On Hold

MRA	Mobile and Remote Access
MRGL	Media Resource Group List
MTP	Multi Platform Phone
MWI	Message Waiting Indicator
MS Teams	Microsoft Teams
NIC	Network Interface Card
NICE	Network Interface and Configuration Engine
NTLMv2	New Technology LAN Manager version 2
oAuth	Open Authentication
OBTP	One Button To Push
OM	Operations Manager
OS	Operating System
OSD	On Screen Display
P2P	Peer-to-Peer
PAK	Product Authorization Key
PCD	Prime Collaboration Deployment
PHP	Hypertext Preprocessor
PIP	Picture in Picture
PKG	Package
PMP	Personal Multiparty
PMR	Personal Meeting Room
PoE	Power over Ethernet
Provisioning - NBI	Provisioning Northbound Interface
PRI	Primary Rate Interface
PRT	Problem Reporting Tool
PTZ	Pan Tilt Zoom
Q&A	Question and Answer
QRT	Quality Report Tool
RDP	Remote Desktop Protocol
REST API	Representational State Transfer Application Programming Interface
RTCP	Real Time Control Protocol
RTMT	Real Time Monitoring Tool
RTP	Realtime Transport Protocol

SAML	Security Assertion Markup Language
SCP	Secure Copy Protocol
SCCP	Skinny Client Control Protocol
SFTP	Secure File Transfer Protocol
SIP	Session Initiation Protocol
SLR/PLR	Specific License Reservation / Permanent License Reservation
SMB	Small and Midsize Business
SMP	Shared Multiparty
SMTP	Simple Mail Transfer Protocol
SNMP	Simple Network Management Protocol
SRND	Solution Reference Network Design
SSID	Service Set Identifier
SSH	Secure Shell or Secure Socket Shell
SSL	Smart Software Licensing
SSO	Single Sign On
TAC	Technical Assistant Center
TFTP	Trivial File Transfer Protocol
TLS	Transport Layer Security
TMS	TelePresence Management Suite
TMSPE	TelePresence Management Suite Provisioning Extension
TMSXE	TelePresence Management Suite Extension for Microsoft Exchange
TRP	Trust Relay Point
TS	TelePresence Server
TT	Format Text
UCS	Unified Computing System
UI	User Interface
Unified CM	Unified Communications Manager
Unified SRST	Unified Survivable Remote Site Telephony
URI	Uniform Resource Identifier
URL	Uniform Resource Locator
USB	Universal Serial Bus
UTC	Coordinated Universal Time
UX	User Experience

VB	Virtual Background
VCS	Cisco TelePresence Video Communication Server
VDI	Virtual Desktop Infrastructure
VM	Virtual Machine
VMO	View Mail for Outlook
VoIP	Voice over IP
VPIM	Voice Profile for Instant Messaging
VSAA	Video SLA Assessment Agent
VTs	TelePresence Server on VM
WAV	Waveform Audio File Format
WB	White Board
WebRTC	Web Realtime Communication
xAPI	Extensive Application Programming Interface
XML	Extensible Markup Language
XMPP	Extensible Messaging and Presence Protocol




CHAPTER 2

Test Topology and Environment Matrix

- Test Topology, on page 9
- Environment Matrix, on page 10
- Open Caveats, on page 15
- Resolved Caveats, on page 16
- What's New?, on page 16

Test Topology



Environment Matrix

Table 1: Environment Matrix

Applications	Component	Category	Software Version
Call Control	Cisco Unified Communications Manager	Version	14.0.1.12900-161
		Locale	cm-locale-ja_JP-14.0.1.2000-1.cop.sha512
		Dial Plan	3-1-10.JP
	Cisco Expressway Series	Version	X14.1
		Locale	vcs-lang-ja-jp_14-0_amd64.tlp
	Cisco TelePresence Video Communication Server(VCS)	Version	X14.1
		Locale	vcs-lang-ja-jp_14-0_amd64.tlp
		Management Connector	8.11-1.0.104
		Call Connector	8.11-1.0.8073
	Cisco TelePresence Video Communication Server Expressway	Version	X14.1
Locale		vcs-lang-ja-jp_14-0_amd64.tlp	
Applications	Cisco Unified Communications Manager IM and Presence Service	Version	14.0.1.12900-6
		Locale	ps-locale-ja_JP-14.0.1.2000-1.cop.sha512
	Cisco Meeting Server	Version	3.6 (Beta)
	Cisco Meeting Management	Version	3.6.beta2.11
Mail and Unified Messaging	Cisco Unity Connection	Version	14.0.1.12900-69
		Locale	uc-locale-ja_JP-14.0.0.1-64.cop.sha512

End Point	Cisco Unified IP Phone 7811/21/41/61/32	Version	14-1-1-0001-136
	Cisco IP Phone 8811/41/45/51/61/65	Version	14-1-1-0001-125
	Cisco Wireless IP Phone 8821	Version	11-0-6SR2-4
	Cisco ATA 191	Version	12-0-1-0405-005
	SX10 - Cisco TelePresence SX10 Quick Set	Version	CE9.15.14
	SX20 - Cisco TelePresence SX20 Quick Set	Version	CE9.15.14
	SX80 - Cisco TelePresence SX80 Codec	Version	CE9.15.14
	MX200-G2 - Cisco TelePresence MX200 G2	Version	CE9.15.14
	MX300-G2 - Cisco TelePresence MX300 G2	Version	CE9.15.14
	Cisco Webex Room Kit	Version	RoomOS 10.17.1
	Cisco Webex Room Kit Plus	Version	RoomOS 10.17.1
	Cisco Webex Room Kit Plus - PTZ	Version	RoomOS 10.17.1
	Cisco Webex Room Kit Pro	Version	RoomOS 10.17.1
	Cisco Webex Room Kit Mini	Version	RoomOS 10.17.1
	Cisco Webex Board 55	Version	RoomOS 10.17.1
	DX70-Cisco Webex DX70	Version	CE9.15.14
	DX80-Cisco Webex DX80	Version	CE9.15.14
	Cisco Webex Desk Pro	Version	RoomOS 10.17.1
	Cisco Webex Room Phone	Version	novum1.2.0
	Cisco Webex Desk Limited Edition	Version	RoomOS 10.17.1
	Version	Version 2.3.0101.7	

	Cisco Webex Desk Camera		
Communications Infrastructure	ISR Gateways (3945e/3925e/3945/2921)	IOS	15.7.3 M8
	ISR 4451-X / 4351	IOS	17.6.3a
	Cisco Unified Border Element for ISR	IOS	17.06
	Cisco 3750 PoE Switch	IOS	16.6.2
	vCenter Server	Version	6.0 & 6.5
	MDS Switch	M9500	5.2(2a)
	CMS 1K Hardware	Version	ESXi 6.7, 7.0
Cisco TelePresence	Cisco TelePresence Management Suite-TMS	Version	15.13.3
	Cisco TelePresence Management Suite Provisioning Extension-TMSPE	Version	1.14
	Cisco TelePresence Management Suite Extension for Microsoft Exchange-TMSXE	Version	15.13

Messaging Applications	Cisco Jabber for Mac	Version	14.1.1.306989
	Cisco Jabber for Windows	Version	14.1.0.306997
	Cisco Jabber for iOS	Version	14.1.0.306997
		iPhone6	12.5.2(16H30)
		iPhone6S	14.6(18F72)
		iPhone7	15.1(19B74)
		iPhone X	15.1(19B74)
		iPhone 11	15.1(19B74)
		iPad Pro	15.1
		iPad Air	15.1
		Apple Watch	6.2.6(17T620)
	Cisco Jabber for Android	Version	14.1.0.306997
		Galaxy S6	Android OS 8.1
		Galaxy S7	Android OS 8.1
		Xperia Z3	Android OS 8.0
		Xperia Z3+	Android OS 8.0
		Nexus 5X	Android OS 8.1
		Nexus 6P	Android OS 8.1
		Sony Watch	Android OS 6.0.1
		Sony Tab	Android OS 6.0.1
	Cisco Webex	Version for iOS	42.8.0 (2785)
		Version for Web Client	2741 SDK Version: 2.4.0
		Version for Android	42.8.0.62
		Version for Mac	42.9.0.23052
		Version for Windows	42.9.0.23052
		Version for Windows VDI	42.6.0.22645
	Cisco Webex Room OS	Version	RoomOS 10.17.0.25
Cisco Webex Meetings for Mobile Client	Version for Android	42.7.1.242071301	
	Version for iOS	42.7.0(42700.290)	
Cisco Webex Meetings for Desktop	Version for Windows	42.8.3.10	

		Version for Mac	42.8.3.10
	Cisco Webex Meetings for Web	Page Version	42.8.3.10
		Web App Version	42.8.1.2
	Slack for Desktop	Version for Windows	4.27.154
		Version for Mac	4.27.154
	Microsoft Teams for Desktop	Version for Windows	1.5.00.17656
		Version for Mac	1.5.00.17656
	Cisco Webex Meetings API (in MS Teams)	Version	2.6.0
	Cisco Webex Meetings API (in Slack)	Version	2.0.4.0
	Cisco Webex Productivity Tools	Version	42.6.1.12
UCS	Fabric Interconnect PRIMARY	Cisco UCS 6140	2.2(3d)
	Fabric Interconnect SUBORDINATE	Cisco UCS 6140	2.2(3d)
	Fabric Cluster	Cisco UCS 6140	17.06
	ESXi Host	B-Series Server	ESXi 6.0 & 6.5
		C-Series Server	ESXi 6.0, 6.5 & 6.7

Client	Operating System	Windows 7-SP1	Windows 7 - SP1 (Japanese)
		Windows 8/8.1	Windows 8/8.1 (Japanese)
		Windows 10	Windows 10 (Japanese)
		Mac Book Air	10.15(19A583)
		Mac Book Pro	10.15(19A583)
	Browser	IE	19044.1766(Supported Japanese Language)
		Microsoft Edge	103.0.1264.62(Supported Japanese Language)
		Mozilla Firefox	102.0.1 (64-bit)(Supported Japanese Language)
		Chrome	103.0.5060.134(Supported Japanese Language)
		Safari-iOS , Safari-Mac	15.5
	Cisco Meeting Server web app	Chrome, Firefox, Edge, Safari	3.6 (Beta 1)
Microsoft Skype for Business Client	Version	2016	
Server	Microsoft Windows Server	Version	Windows Server 2008 R2, 2012 R2 (Standard,Enterprise, Datacenter - Japanese)
			Windows Server 2016 (Datacenter - Japanese)
			WindowsServer 2019 (Standard, enterprise, datacenter, Japanese)
	Microsoft Skype for Business Server	Version	2019
	Microsoft Exchange Server	Version	2013 & 2016

Open Caveats

Defect ID	Title
CSCwc37857	Save the same whiteboard again, previous name it is getting saved for Windows
CSCwc37141	Webex Apps are not displaying after restore layout is selected from panel option for Windows
CSCwc49632	When host joined from web, people insight option not available and is redirecting to chat for iPhone

CSCwc56100	Sign-in option is not available for Hot Desk Mode registered in Webex Cloud
------------	---

Resolved Caveats

Defect ID	Title
CSCwc35560	Reload UI option available while unregistered state of Cisco Webex Desk Pro
CSCwc55854	Sign-in option is not available for Hot Desk Mode registered in On-Premises

What's New?

Feature: Include Display Name in Scheduler Meeting Invites

Description:

when a meeting invite was sent from the scheduler, the sender details in the email header included only the email address of the organizer. From this latest version, the organizer's name can be included to appear as display name beside the email address to identify the sender. When a meeting is scheduled using web app, web app sends the name of the user scheduling the meeting as the organizer display name, to the scheduler. A name of choice can be set as display name by including the new optional parameter in the scheduler API. The display name should not exceed 78 characters.

Deployment:

1. Configured Exchange server 2016.
2. Integrated LDAP user with Exchange server 2016 and logged in successfully.
3. Started receiving mails from scheduler meeting invitation from Web App when created scheduler.

Feature: Quick Call Widget:

Overview:

To support Webex App users on Windows, you can set them up with the quick call window. This window helps your users manage multiple Unified CM calls

Tools:

Webex Toolhub -v42.4.3

Configuration commands:

```
win-cucm-phone-widget-enabled
win-cucm-advanced-shared-line-enabled
win-cucm-call-share-line-privacy-enabled
win-ucm-voicemail-mwi-enabled
win-cucm-call-barge-enabled
```

Note: Should be match user token id.

Component	Features
-----------	----------

Cisco Webex Cloud Connected UC	Support Administrator Role
	Reorder Chart Sequence , Hide and Unhide a chart
	SHA-512 Support and Baked-in Agent Support
	Cluster Group and Cluster Deletion
Cisco IP Phones	OAuth and Proxy TFTP Security Improvement
	Expanded Speed Dial
	Phone Migration without Transition Load
	Improved Call Alert for Hunt Group
Collaboration Endpoint	In product help
	Optimize for my voice
	People Focus
	Expanded set of Reactions
	Personal Mode on Cloud Aware Systems
	Closed Caption mode
	Portrait cropping when there is one person in the room
	Alarm Detection on xAPI
	Microphone test (Selfhear)
	Language Translation support for Closed Caption on CE Endpoints
	Pairing via USB-C Cable
	Integration with new Directory Service
	Hot Desking
Kiosk Mode	
Cisco Expressway Series	Redirect URI support for SSO/OAuth sign-in
	AV1 Support
	Escalation from P2P to Meeting

Cisco Webex & Webex Meetings 42.5	Home Tab
	In-space pinning enhancements—Windows and Linux
	Pinning Enhancements
	Optimize audio for your voice—iPhone, iPad, and Android
	Enhanced contact search—Windows, Mac, Linux, iPhone, iPad, and Android
	Remove someone from a conference call—Windows, Mac, Linux, iPhone, iPad, Android, and VDI
	Move shared content from your device to your app—Windows, Mac, Linux, iPhone, iPad, and Android
	New virtual backgrounds and animated background support—Windows and Mac
	Face ID & Fingerprint Unlock
	Set your Pronoun
	Forward message with content (desktop & mobile)
	Move screen share to my computer
	Scheduling: In-app scheduler for Mobile
	Webex App messaging widget—iPhone and iPad
	Gmail Bot integrations
	Improve Lobby notifications for hosts or cohosts—Windows, Mac, iPhone and Android
	Identify if a meeting participant is Internal, External or Unverified—Windows and Mac
	Redirect to URL when webinar ends
	Put a name to the voice—Windows, Mac, Linux, iPhone, iPad, and Android
	VDI support audio BNR (Background Noise Reduction) (Ubuntu Based Thin Client)
	Ability for the user to click on active speaker and listen to recording
	Program
	Attendees view image during practice session
	Host Stage View support for recordings and streaming
	Webex meetings compliance policies for Bring Your Own Device (BYOD)
	Forced authentication before joining Webex meetings
	Move Meeting from Desktop to Mobile using QR Code
	Webex UI Refresh
	Seasonal Reactions
	New space meetings experience
Support social sign-up/sign-in	
Personal Pronouns	

Hide 1:1 spaces (desktop & mobile)
Quick Call
Auto answer with tone notification
Missed call counter on mobile
Only host and cohost are able to manage Meeting Options
New static and animated virtual backgrounds
Accessibility: New Keyboard Shortcuts
Web App: Remove Background Noise
Anonymize Meeting Attendee Display Names
Name change for two modes in Webex Events (Internal Only)
Email Customize, send and log
Slido Integration – Support for 10K Events
Collaboration restrictions for your company users joining external meetings
Closed Captions on/off selection automatically remembered for users with separated CC
Scheduling using Outlook/Google calendar from app
Lobby notification & security improvements
Allow host to edit registration form after someone registered
Gracefully end the streaming

Cisco Webex Room OS	People focus layout option
	Expanding reaction set and support skin tones
	Hotdesking for Desk Series
	RoomOS 11 user experience for Webex Edge for Devices linked devices
	User Experience - UI Refresh
	Device Configuration Templates from Control Hub
	Launch xStatus and list device values in Control Hub
	Kiosk Mode
	Improved pairing for touch controllers
	Advanced software upgrade control
	In product help
	Optimize for my voice
	People Focus
	Expanded set of Reactions
	Personal Mode on Cloud Aware Systems
	Device Configuration Templates from Control Hub
	Closed Caption mode
	Persistent WebApps on Webex Room Navigator
	Single device Macro provisioning from Control Hub
	RoomOS 11 UI
Broadcast mode (Unobstructed OSD mode)	

Cisco Meeting Server	Sharing files in a meeting
	Blur your background
	Sharing content audio
	Send appropriate scheduler error messages
	Scheduler email queue enhancement
	Audit logs for web app user actions
	Limiting concurrent web sessions
	Rendering bi-directional languages in participant label names
	Smart Licensing feature/functionality in CMS, CMM & Expressway
	Change User Role
	Closed captioning
	Far end camera control
	Number of spaces displayed on the web app interface
	Generating log bundle using MMP command
	Include display name in Scheduler meeting invites
Configure common email address for Scheduler meeting invites	
Cisco Meeting Management	Specify DTMF sequence when adding a participant
	Taking snapshots of participants in a meeting
	Automatic join for blast dial participants
	Include 90 day license report in Meeting Management log bundle
	Move participant to lobby
	Accessibility improvements



CHAPTER 3

Test Results Summary

- [Cisco IP Phone](#), on page 23
- [Cisco Webex Cloud Connected UC](#) , on page 26
- [Cisco Meeting Server](#), on page 31
- [Cisco Collaboration Endpoints](#), on page 38
- [Cisco Webex](#), on page 69
- [Cisco Webex Meetings](#), on page 80
- [Cisco Webex Room OS](#), on page 104
- [Related Documentation](#), on page 113

Cisco IP Phone

Logical ID	Title	Description	Call Component Flow	Status	Defects
UCJ14.SU2PHIILIPPhone.G.004	Make a conference call using speed dial soft key in Cisco IP Phone 88x and view the new call window	Verify whether Cisco IP Phone 88xx user is able to view new call window for conference using speed dial soft key	IP Phone A->Unified CM1->IP Phone B	Passed	NA
UCJ14.SU2PHIILIPPhone.G.007	Make a call transfer using speed dial to inter cluster unified CM and view new call window in Cisco IP Phone 88xx	Verify whether Cisco IP Phone 88xx user is able to transfer the call using speed dial soft key to inter cluster unified CM	IP Phone A->Unified CM1->IP Phone B->SIP Trunk->Unified CM 2->IP Phone C	Passed	NA

UCJ14.SU2PHIII.IPPhone.G.010	Make a call to shared line in Cisco IP Phone 88xx and view the new call window	Verify whether Cisco IP Phone 88xx user is able to view the new call window after making call to a shared line	IP Phone A->Unified CM->IP Phone D	Passed	NA
UCJ14.SU2PHIII.IPPhone.G.011	Configure group pickup and view the speed dial new window in Cisco IP Phone 78xx	Verify whether Cisco IP Phone 78xx user is able to make group pickup using speed dial softkey and view new call window	IP Phone A->Unified CM->IP Phone D	Passed	NA
UCJ14.SU2PHIII.IPPhone.G.013	Configure hunt pilot tag and view the call alert in Cisco IP Phone 88xx	Verify whether user is able to configure hunt pilot tag and view the call alert in Cisco IP Phone 88xx	IP Phone A->Unified CM->Hunt Group->IP Phone B	Passed	NA
UCJ14.SU2PHIII.IPPhone.G.015	Configure hunt pilot tag and view the call alert during top down algorithm in Cisco IP Phone 88xx	Verify whether user is able to view the call alert of top-down algorithm in Cisco IP Phone 88xx	IP Phone A->Unified CM->Hunt Group->IP Phone B	Passed	NA
UCJ14.SU2PHIII.IPPhone.G.017	Configure hunt pilot tag and view the call alert during longest idle algorithm in Cisco IP Phone 88xx	Verify whether user is able to view the call alert of longest idle algorithm in Cisco IP Phone 88xx	IP Phone A->Unified CM->Hunt Group->IP Phone B	Passed	NA

UCJ14.SU2PHIILIPPhone.G.019	Configure hunt pilot tag and view the call alert during longest idle algorithm in inter cluster call for Cisco IP Phone 88xx	Verify whether Cisco IP Phone 88xx user is able to view the call alert and hunt pilot tag of longest idle hunt group during inter cluster Unified CM call	IP Phone A->Unified CM 1->SIP Trunk->Unified CM 2->Hunt Group->IP Phone B	Passed	NA
UCJ14.SU2PHIILIPPhone.G.022	Configure hunt pilot tag and view the call alert during broadcast algorithm in inter cluster call for Cisco IP Phone 88xx	Verify whether Cisco IP Phone 88xx user is able to view the call alert and hunt pilot tag of broadcast hunt group during inter cluster Unified CM call	IP Phone A->Unified CM 1->SIP Trunk->Unified CM 2->Hunt Group->IP Phone B	Passed	NA
UCJ14.SU2PHIILIPPhone.G.024	Dial hunt group pilot number from Cisco SX80 and view the call alert in Cisco IP Phone 78xx	Verify whether Cisco IP Phone 78xx user is able to view the call alert details	Cisco SX80->Unified CM 1->IP Phone A	Passed	NA
UCJ14.SU2PHIILIPPhone.G.026	Display call alert and hunt pilot tag for longest idle group in Cisco IP Phone 78xx	Verify whether Cisco IP Phone 78xx user is able to view the call alert and hunt pilot tag of longest idle algorithm	IP Phone A->Unified CM 1->IP Phone B	Passed	NA

UCJ14.SU2PHIII.IPPhone.G.034	Phone migration without transition load in Cisco IP Phone 78xx	Verify whether the Cisco IP Phone 78xx phone is migrated without transition load successfully or not	NA	Passed	NA
------------------------------	--	--	----	--------	----

Cisco Webex Cloud Connected UC

Logical ID	Title	Description	Call Component Flow	Status	Defects
UCJ14.SU2PHIII.CCUC.G.004	Analyzing a “subset of the data”	Verify whether the user is able to analyse the data concerning call quality	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.005	Analyze the “subset of filtered data”	Verify whether the user is able to filter the meeting data concerning criteria	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.006	Analyze the Call count trend in “connected UC”	Verify whether the user is able to analyze the call count trend in connected UC	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.007	Analyze the Call duration trend in “connected UC”	Verify whether the user is able to view the call duration trend in connected UC	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.008	Analyze the “call volume status”	Verify whether the user is able to analyze the call volume status	NA	Passed	NA

UCJ14.SU2PHIII.CCUC.G.015	Manage the call “concerning network traffic”	Verify whether the user is able to call concerning low traffic signal	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.017	Configure the endpoint in the “connected UC”	Verify whether the user is able to configure the endpoint in connected UC	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.018	View the disconnected headset in “Connected UC”	Verify whether the user is able to view the disconnected handset in the connected UC	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.019	View the call type in the “connected UC”	Verify whether the user is able to view the call type by the device in the connected UC	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.020	View the call concerning with “CAC location”	Verify whether the user is able to view the call concerning with the CAC location	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.025	Add and View chart for "Call Duration Trend" in Connected UC under Analytics option	Verify whether user is able to add and view "Call Duration Trend" chart in Connected UC under Analytics option	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.026	Add and View chart for "Endpoint Adoption" in Connected UC under Analytics option	Verify whether user is able to add and view "Endpoint Adoption" chart in Connected UC under Analytics option	NA	Passed	NA

UCJ14.SU2PHIII.CCUC.G.032	Hide and Unhide a chart for "Call Audio Quality" in Connected UC under Analytics option	Verify whether user is able to add and Hide and Unhide "Call Audio Quality" chart in Connected UC under Analytics option	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.033	Hide and Unhide a chart for "Call Count Trend" in Connected UC under Analytics option	Verify whether user is able to add and Hide and Unhide "Call Count Trend" chart in Connected UC under Analytics option	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.040	View overview chart for "last 7 days" in Connected UC under Analytics option	Verify whether user is able to view overview chart for "last 7 days" in Connected UC under Analytics option	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.042	View "No Charts Available" message when user has added all charts in Connected UC under Analytics option	Verify whether user is able to view "No Charts Available" message when user has added all charts in Connected UC under Analytics option	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.043	Add a new cluster group in Connected UC under Services option	Verify whether user is able to add a new cluster group in Connected UC under Services option	NA	Passed	NA

UCJ14.SU2PHIII.CCUC.G.044	View agent status of cluster in Connected UC under Services option	Verify whether user is able to see agent status of cluster in Connected UC under Services option	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.045	View nodes present in every clusters in Connected UC under Services option	Verify whether user is able to see nodes present in every clusters in Connected UC under Services option	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.046	View the type of nodes present in particular cluster in Connected UC under Services option	Verify whether user is able to see types of nodes present (like Publisher , Subscribers) in particular cluster in Connected UC under Services option	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.052	View added cluster in "Certificate Management" page in Connected UC under Services option	Verify whether user is able to view added cluster in Connected UC under Services option by choosing "Certificate Management" page	NA	Passed	NA

UCJ14.SU2PHIII.CCUC.G.053	View added cluster details in "Telemetry Module Inventory" in Connected UC under Services option	Verify whether user is able to view added cluster in Connected UC under Services option by choosing "Telemetry Module Inventory" page	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.054	Ascending / Descending for cluster details in Connected UC under Services option	Verify whether user is able to perform Ascending Descending the cluster details in Connected UC under services option	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.055	View error notification for invalid cluster group name in Connected UC under Services option	Verify whether user is able to view error notification for invalid cluster group name in Connected UC under Services option	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.057	Download and Install cop file which extension is "SHA-512" in Connected UC	Verify whether user is able to download and install cop file which extension is "SHA-512" in Connected UC	NA	Passed	NA
UCJ14.SU2PHIII.CCUC.G.058	View error notification for installing invalid cop file in Connected UC	Verify whether user is able to view error notification for installing invalid cop file in Connected UC	NA	Passed	NA

UCJ14.SU2PHIII.CCUC.G.059	Download agent file for CUCM version 14 and view its extension as "SHA-512" in Connected UC	Verify whether user is able to download agent file for CUCM version 14 and view its extension as "SHA-512" in Connected UC	NA	Passed	NA
---------------------------	---	--	----	--------	----

Cisco Meeting Server

Logical ID	Title	Description	Call Component Flow	Status	Defects
CMS3.5S.CMS.G.001	Use DTMF sequence numbers to add user in a CMS meeting	Verify whether the Cisco Meeting Manager is able to add user to an active call using Dual-Tone Multi-Frequency (DTMF) sequence numbers in a Cisco Meeting Server call.	CMS Web app (Chrome on Windows) -> CMSWebex Room Kit -> Unified CM (Sip Trunk) -> CMS Web app (Chrome on Windows)	Passed	NA
CMS3.5S.CMS.G.003	Enter more than 10 users to meeting using DTMF sequence in CMM	Verify whether the Cisco Meeting Manager is not able to add more than 10 users to an active call using Dual-tone Mutli-Frequency signalling (DTMF) at the same time in a Cisco Meeting Server call.	CMS Web app (Chrome on Windows) -> CMSWebex Room Kit -> Unified CM (Sip Trunk) -> CMS Web app (Chrome on Windows)	Passed	NA
CMS3.5S.CMS.G.014	Take screenshot with Incoming mode in CMM	Verify whether the Cisco Meeting Manager is able to take screenshot with incoming mode of an ongoing Cisco Meeting Server call.	CMS Web app (Chrome on Windows) -> CMSWebex Room Kit -> Unified CM (Sip Trunk) -> CMS Web app (Chrome on Windows)	Passed	NA

CMS3.5S.CMS.G.015	Take screenshot with Outgoing mode in CMM	Verify whether the Cisco Meeting Manager is able to take screenshot with outgoing mode of an ongoing Cisco Meeting Server call.	CMS Web app (Chrome on Windows) -> CMSWebex Room Kit -> Unified CM (Sip Trunk) -> CMS Web app (Chrome on Windows)	Passed	NA
CMS3.5S.CMS.G.027	Join call without entering DTMF signals via CMM server	Verify whether the Cisco Meeting Manager is able to disable audio prompt to add a user in an ongoing Cisco Meeting Server call.	CMS Web app (Chrome on Windows) -> CMSWebex Room Kit -> Unified CM (Sip Trunk) -> CMS Web app (Chrome on Windows)	Passed	NA
CMS3.5S.CMS.G.034	Add participant to call using "Add Contact" option in CMM configuration page	Verify whether the Cisco Meeting Manager is able to add user with Add Contact option in Cisco Meeting Management.	CMS Web app (Chrome on Windows) -> CMSWebex Room Kit -> Unified CM (Sip Trunk) -> CMS Web app (Chrome on Windows)	Passed	NA
CMS3.5S.CMS.G.041	Download 90 days license document from "License" tab using "Download License" button in CMM server.	Verify whether the Cisco Meeting Manager is able to download License document from License tab in Cisco Meeting Management page.	NA	Passed	NA
CMS3.5S.CMS.G.042	CSV files in License Report downloaded from CMM server.	Verify whether the downloaded License document from License tab in Cisco Meeting Management page contains the 4 Comma Separated Value(CSV) files.	NA	Passed	NA

CMS3.5S.CMS.G.045	Allow user to join locked call directly in CMM during CMS meeting	Verify whether the Cisco Meeting Manager is able to allow user to join locked call in Cisco Meeting Management.	CMS Web app (Chrome on Windows) -> CMSWebex Room Kit -> Unified CM (Sip Trunk) -> CMS Web app (Chrome on Windows)	Passed	NA
CMS3.5S.CMS.G.057	Click on move to lobby icon in CMM	Verify whether the Cisco Meeting Manager is able to move the joined user to lobby in using the move to lobby icon at the top in Cisco Meeting Management.	CMS Web app (Chrome on Windows) -> CMSWebex Room Kit -> Unified CM (Sip Trunk) -> CMS Web app (Firefox on Windows)	Passed	NA
CMS3.5S.CMS.G.059	Press Esc key in keyboard to return to active screen in CMM	Verify whether the user is able to close the user profile dialog box by pressing Esc key in Cisco Meeting Management.	NA	Passed	NA
CMS3.5S.CMS.G.063	Click "Clear all filters" button in Meetings tab in CMM page	Verify whether the user is able to remove all filters selected already in Meetings tab in Cisco Meeting Management.	NA	Passed	NA
CMS3.5S.CMS.G.067	Search in "participant name" in dropdown list in Meetings tab in CMM page	Verify whether the user is able to search meetings with Participant Names in Meetings tab in Cisco Meeting Management.	NA	Passed	NA
CMS3.5S.CMS.G.068	Sort the list of meetings in Meetings tab of CMM	Verify whether the user is able to sort meetings based on column names in Meetings tab in Cisco Meeting Management.	NA	Passed	NA
CMS3.5S.CMS.G.069	Sort users based on different criteria in Users tab of CMM	Verify whether the user is able to sort users based on column names in Users tab in Cisco Meeting Management.	NA	Passed	NA

CMS3.5S.CMS.G.072	Enable and disable detailed tracing in Logs tab in CMM	Verify whether the user is able to enable and disable detailed tracing in Logs tab in Cisco Meeting Management.	NA	Passed	NA
CMS3.5S.CMS.G.079	Share audio of the web page by using share tab option in CMS	Verify whether in CMS while sharing click "share tab option" to share audio of the browser(Chrome,Mozilla,Safari)	CMS Web app (Chrome on Windows) -> CMSWebex Room Kit -> Unified CM (Sip Trunk) -> Cisco Webex deskpro	Passed	NA
CMS3.5S.CMS.G.080	Share entire screen with audio as a presenter during CMS meeting	Verify whether in CMS while sharing screen click "Entire screen" to share audio and video of the content	CMS Web app (Chrome on Windows) -> CMSWebex Room Kit -> Unified CM (Sip Trunk) -> CMS(Safari in iOS)	Passed	NA
CMS3.5S.CMS.G.091	Create a meeting with the existing time in CMS Web app	Verify whether Cisco Management System is able to throw error message	CMS Web App (Chrome on Windows) -> CMS -> CMS Webex App (Mozilla)	Passed	NA
CMS3.5S.CMS.G.112	View logs of CMS through CMM	Verify whether the log of Cisco management System captured in CMM	NA	Passed	NA
CMS3.5S.CMS.G.113	Audit log for signing out from CMS Webapp	Verify whether the user is able to view the audit log of signing out in CMS	NA	Passed	NA
CMS3.5S.CMS.G.119	Audit log for creating space in CMS	Verify whether the user is able to view the audit log for creating space in Cisco Management System	NA	Passed	NA

CMS3.5S.CMS.G.120	Audit log for muting microphone of other participant(s) in the meeting	Verify whether the user is able to view the audit log for muting mic of other participants in Cisco Management System	NA	Passed	NA
CMS3.5S.CMS.G.148	Message in call chat through user with Hebrew name	Verify whether the user is able to message in Hebrew during call	CMS Web App (Chrome on Windows)-> CMS -> CMS Web App (Microsoft edge on Window	Passed	NA
CMS3.5S.CMS.G.149	Remove user with Arabic name from call and add back in sometime	Verify whether the user is able to remove "Arabic name" participant from call and add back after sometime	CMS Web App (Chrome on Windows)-> CMS -> CMS Web App (Microsoft edge on Window	Passed	NA
CMS3.5S.CMS.G.150	User with Hebrew name waits at the lobby	Verify whether the user with Hebrew name waits at lobby	CMS Web App (Chrome on Windows)-> CMS -> CMS Web App (Microsoft edge on Window	Passed	NA
CMS3.5S.CMS.G.152	License status during one-to-one space call	Verify whether license is used during one-to-one space call	CMS Web app(Chrome)-> CMS Web app(Firefox)-> CMS space	Passed	NA
CMS3.5S.CMS.G.153	License status during multiple participants during space call	Verify whether admin user is able to see multiple license are used during multiple space calls in license status page	CMS Web app(Chrome)-> CMS Web app(Firefox)-> CMSWebex Desk Pro-> CMSWebex Board 55-> CMS space	Passed	NA
CMS3.5S.CMS.G.154	View the license registration and authorization status in CMM user interface page	Verify whether local user is able to see the license registration and Authorization Status in CMM user interface page	NA	Passed	NA

CMS3.5S.CMS.G.156	Enable smart licensing in Cisco Exp-E	Verify whether admin user is able to enable smart licensing in Cisco Exp-E	NA	Passed	NA
CMS3.5S.CMS.G.158	View the license status of Cisco Exp-E in command line using xstatus	Verify whether admin user is able to see the license status of Cisco Exp-E in command line using xstatus.	NA	Passed	NA
CMS3.5S.CMS.G.160	View rich media session license usage in Cisco Exp-E during multiple call	Verify whether admin user is able to see the rich media session license usage in Cisco Exp-E	NA	Passed	NA
CMS3.5S.CMS.G.170	Enable file share option through API in CMS during meeting initiated via CMS web app-Chrome on Windows	Verify whether user able to enable file share option from Cisco Meeting Server through application programming interface during meeting initiated via Cisco Meeting Server Web app – Chrome on Windows user	CMS Web app (Chrome on Windows) ->CMS	Passed	NA
CMS3.5S.CMS.G.171	Enable add file option through API in CMS during meeting initiated via CMS web app-Chrome on Windows	Verify whether user able to enable add files option from Cisco Meeting Server through application programming interface during meeting initiated via Cisco Meeting Server Web app – Chrome on Windows user	CMS Web app (Chrome on Windows) ->CMS	Passed	NA
CMS3.5S.CMS.G.177	Enable file share option through API in CMS during meeting initiated via CMS web app-Chrome on Firefox	Verify whether user able to enable file share option from Cisco Meeting Server through application programming interface during meeting initiated via Cisco Meeting Server Web app – Chrome on Firefox user	CMS Web app (Chrome on Firefox) ->CMS	Passed	NA

CMS3.5S.CMS.G.178	Enable add file option through API in CMS during meeting initiated via CMS web app-Chrome on Firefox	Verify whether user able to enable add files option from Cisco Meeting Server through application programming interface during meeting initiated via Cisco Meeting Server Web app – Chrome on Firefox user	CMS Web app (Chrome on Firefox) ->CMS	Passed	NA
CMS3.5S.CMS.G.185	Enable background blur option through API in CMS during meeting initiated via CMS web app-Chrome on Windows	Verify whether user able to enable background blur option from Cisco Meeting Server through application programming interface during meeting initiated via Cisco Meeting Server Web app – Chrome on Windows user	CMS Web app (Chrome on Windows) ->CMS	Passed	NA
CMS3.5S.CMS.G.187	Enable background blur option through API in CMS during meeting initiated via CMS web app-Chrome on Windows with CMS web app-Firefox on Windows	Verify whether user able to enable background blur option from Cisco Meeting Server through application programming interface during meeting initiated via Cisco Meeting Server Web app – Chrome on Windows user with Cisco Meeting Server Web app – Firefox on Windows user	CMS Web app (Chrome on Windows) ->CMS -> CMS Web app (Firefox on Windows)	Passed	NA
CMS3.5S.CMS.G.188	Blur background from CMS web app-Chrome on Windows while in meeting with CMS web app-Firefox on Windows	Verify whether user able to blur background from Cisco Meeting Server Web app – Chrome on Windows user while in call with Cisco Meeting Server Web app – Firefox on Windows user	CMS Web app (Chrome on Windows) ->CMS -> CMS Web app (Firefox on Windows)	Passed	NA

CMS3.5S.CMS.G.189	Disable HD mode and then blur background from CMS web app-Chrome on Windows while in meeting with CMS web app-Firefox on Windows	Verify whether user able to Blur background from Cisco Meeting Server Web app – Chrome on Windows user while High-definition mode is disabled in call with Cisco Meeting Server Web app – Firefox on Windows user	CMS Web app (Chrome on Windows) ->CMS -> CMS Web app (Firefox on Windows)	Passed	NA
CMS3.5S.CMS.G.190	Enable self-view mirror and blur background from CMS web app-Chrome on Windows while in meeting with CMS web app-Firefox on Windows	Verify whether user able to enable self-view mirror and blur background from Cisco Meeting Server Web app – Chrome on Windows user while High-definition mode is disabled in call with Cisco Meeting Server Web app – Firefox on Windows user	CMS Web app (Chrome on Windows) ->CMS -> CMS Web app (Firefox on Windows)	Passed	NA

Cisco Collaboration Endpoints

Logical ID	Title	Description	Call Component Flow	Status	Defects
UCJ14SU2FCS.CE.G.001	Enable alarm detection for Webex Board 55 through xAPI	Verify whether user can enable alarm detection for Cisco Webex Board 55 through xAPI registered in Cisco Unified Communications Manager	NA	Passed	NA

UCJ14SU2FCS.CE.G.002	Turn on alarm detection for Webex Desk Pro through xAPI	Verify whether user can enable alarm detection for Cisco Webex Desk Pro through xAPI registered in Cisco Unified Communications Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.003	Set timeout of alarm detection for Webex Board 55 through xAPI	Verify whether user can set timeout of alarm detection for Cisco Webex Board 55 through xAPI registered in Cisco Unified Communications Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.004	Set timeout of alarm detection for Webex Desk Pro through xAPI	Verify whether user can set timeout of alarm detection for Cisco Webex Desk Pro through xAPI registered in Cisco Unified Communications Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.008	Turn on alarm detection for Webex board 55 through xAPI while in call with Webex Room Kit	Verify whether user able to turn on alarm detection mode from xAPI of Cisco Webex Board 55 while in call with Cisco Webex Room Kit registered in Cisco Unified Communications Manager	Webex Board 55 -> Unified CM -> Webex Room Kit	Passed	NA

UCJ14SU2FCS.CE.G.009	Turn on alarm detection for Webex Desk Pro through xAPI while sharing presentation	Verify whether user able to turn on alarm detection mode from xAPI of Cisco Webex Desk Pro while sharing presentation to Cisco Webex Board 55 registered in Cisco Unified Communications Manager	Webex Desk Pro -> Unified CM -> Webex Board 55 Webex Desk Pro-> Presentation Sharing	Passed	NA
UCJ14SU2FCS.CE.G.010	Turn on alarm detection for Webex Desk Pro through xAPI during Mute	Verify whether user able to turn on alarm detection mode from xAPI of Cisco Webex Desk Pro when call is in Mute with Cisco Webex Board 55 registered in Cisco Unified Communications Manager	Webex Desk Pro -> Unified CM -> Webex Board 55	Passed	NA
UCJ14SU2FCS.CE.G.011	Provisioning status while turn on alarm detection for Webex board 55	Verify whether user able to see provisioning status while turn on alarm detection mode from xAPI of Cisco Webex Board 55 registered in Cisco Unified Communications Manager	NA	Passed	NA

UCJ14SU2FCS.CE.G.012	Increase volume and turn on alarm detection for Webex board 55 while in call with Webex Room Kit	Verify whether user able to increase volume and turn on alarm detection mode from xAPI of Cisco Webex Board 55 while in call with Cisco Webex Room Kit registered in Cisco Unified Communications Manager	Webex Board 55-> Unified CM -> Webex Room Kit	Passed	NA
UCJ14SU2FCS.CE.G.013	Decrease volume and turn on alarm detection for Webex Desk Pro while in call with Webex Room Kit	Verify whether user able to decrease volume and turn on alarm detection mode from xAPI of Cisco Webex Desk Pro while in call with Cisco Webex Room Kit registered in Cisco Unified Communications Manager	Webex Desk Pro-> Unified CM -> Webex Room Kit	Passed	NA
UCJ14SU2FCS.CE.G.014	Increase volume and turn on alarm detection for Webex Room Kit Plus Mini while in call with Webex Room Kit Plus	Verify whether user able to increase volume and turn on alarm detection mode from xAPI of Cisco Webex Room Kit Plus Mini while in call with Cisco Webex Room Kit Plus registered in Cisco Unified Communications Manager	Webex Room Kit Plus Mini-> Unified CM -> Webex Room Kit Plus	Passed	NA

UCJ14SU2FCS.CE.G.015	Provisioning status while turn on alarm detection for Webex Desk Pro	Verify whether user able to see provisioning status while turn on alarm detection mode from xAPI of Cisco Webex Desk Pro registered in Cisco Unified Communications Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.016	Record Test Audio and Play recording option availability on OSD of Webex Desk Pro	Verify whether user can see record test audio and play recording option availability on On-Screen display of Cisco Webex Desk Pro registered in Cisco Unified Communications Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.017	Record test audio via default test microphone option from Webex Desk Pro	Verify whether user can record test audio via default test microphone option from Cisco Webex Desk Pro registered in Cisco Unified Communications Manager	NA	Passed	NA

UCJ14SU2FCS.CE.G.018	Record test audio via noise removal test microphone option from Webex Desk Pro	Verify whether user can record test audio via noise removal test microphone option from Cisco Webex Desk Pro registered in Cisco Unified Communications Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.019	Record test audio via optimize for my voice test microphone option from Webex Desk Pro	Verify whether user can record test audio via optimize for my voice test microphone option from Cisco Webex Desk Pro registered in Cisco Unified Communications Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.020	Play default test audio from OSD of Webex Desk Pro after call with Webex Room Kit	Verify whether user can play default test audio from Cisco Webex Desk Pro after call with Cisco Webex Room Kit registered in Cisco Unified Communications Manager	Webex Desk Pro -> Unified CM -> Webex Room Kit	Passed	NA

UCJ14SU2FCS.CE.G.031	Translation from English to Spanish by changing language on Closed caption available on OSD of Webex Board 55 linked with Webex Edge Cloud in meeting	Verify whether user able to translate English to Spanish by changing language through closed caption on Cisco Webex Board 55 linked with Cisco Webex Edge Cloud during call with Cisco Webex Room Kit Mini and Cisco Webex Room Kit registered in Cisco Unified Communications Manager	Webex Room Kit Mini -> Unified CM -> Webex Board 55 Webex Room Kit Mini -> Add -> Unified CM -> Webex Room Kit	Passed	NA
UCJ14SU2FCS.CE.G.032	Closed caption availability on OSD of Webex Board 55 linked with Webex Edge Cloud while sharing screen from Webex Room Kit	Verify whether user able to see closed caption option on Cisco Webex Board 55 linked with Cisco Webex Edge Cloud during call with Cisco Webex Room Kit registered in Cisco Unified Communications Manager	Webex Room Kit -> Unified CM -> Webex Board 55 Webex Room Kit-> Presentation Sharing	Passed	NA

UCJ14SU2FCS.CE.G.033	Closed caption availability on OSD of Webex Room Kit linked with Webex Edge Cloud while sharing screen from Webex Room Kit Pro	Verify whether user able to see closed caption option on Cisco Webex Room Kit Pro linked with Cisco Webex Edge Cloud during call with Cisco Webex Room Kit Pro registered in Cisco Unified Communications Manager	Webex Room Kit Pro-> Unified CM -> Webex Room Kit Webex Room Kit Pro-> Presentation Sharing	Passed	NA
UCJ14SU2FCS.CE.G.034	Closed caption availability on OSD of Webex Desk Pro linked with Webex Edge Cloud while sharing screen from Webex Room Kit	Verify whether user able to see closed caption option on Cisco Webex Desk Pro linked with Cisco Webex Edge Cloud during call with Cisco Webex Room Kit registered in Cisco Unified Communications Manager	Webex Room Kit -> Unified CM -> Webex Desk Pro Webex Room Kit-> Presentation Sharing	Passed	NA
UCJ14SU2FCS.CE.G.035	Translation changes from English to Spanish during from Closed caption on OSD of Webex Desk Pro linked with Webex Edge Cloud while sharing screen from Webex Room Kit Plus	Verify whether user able to change English to Spanish Translation from closed caption option on Cisco Webex Desk Pro linked with Cisco Webex Edge Cloud during call with Cisco Webex Room Kit Plus registered in Cisco Unified Communications Manager	Webex Room Kit Plus -> Unified CM -> Webex Desk Pro Webex Room Kit Plus -> Presentation Sharing	Passed	NA

UCJ14SU2FCS.CE.G.036	Pair Webex Desk Pro with Cisco Webex App for Windows via USB-C	Verify whether user able to pair Cisco Webex Desk Pro with Cisco Webex App for Windows via USB-C, endpoint registered in Cisco Unified Communications Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.037	Share content from Cisco Webex App to pair Webex Desk Pro via USB-C	Verify whether Cisco Webex App for Windows user able to share content to Cisco Webex Desk Pro via USB-C, endpoint registered in Cisco Unified Communications Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.038	Pair Webex Desk Pro with Cisco Webex App for Windows via USB-C during call with Webex Room Kit	Verify whether user able to pair Cisco Webex Desk Pro with Cisco Webex App for Windows via USB-C during call with Cisco Webex Room Kit, endpoint registered in Cisco Unified Communications Manager	Webex Room Kit -> Unified CM -> Webex Desk Pro (Paired with Cisco Webex App for Windows via USB-C)	Passed	NA

UCJ14SU2FCS.CE.G.043	Sharing presentation during Meet-Me conference between MX300 G2 and Webex Room Kit Plus and SX20 Quick Set managed via MCU 5320	Check Presentation sharing during Meet-Me conference between Cisco TelePresence MX300 G2 and Cisco TelePresence SX20 Quick Set, Cisco Webex Room Kit Plus via Cisco TelePresence MCU 5320 registered in Cisco Unified Communications Manager	MX300 G2, SX20 Quick Set, Webex Room Kit Plus (Sharing Presentation) -> Unified CM -> SIP Trunk -> Meet-Me (MCU 5320)	Passed	NA
UCJ14SU2FCS.CE.G.044	Hold/Resume during Meet-Me conference between MX300 G2, Webex Room Kit Plus and Webex DX70 managed via MCU 5320	Check whether Hold/Resume during Meet-Me Conference among Cisco TelePresence MX300 G2, Cisco Webex Room Kit Plus and Cisco Webex DX70 via Cisco TelePresence MCU 5320 registered in Cisco Unified Communications Manager	MX300 G2, Webex Room Kit Plus, Webex DX70 (Hold/Resume) ->Unified CM -> SIP Trunk -> Meet-Me (MCU 5320)	Passed	NA

UCJ14SU2FCS.CE.G.045	Presentation sharing in an Ad Hoc conference from Webex Board 55 registered in Unified CM initiated via MCU 5320	Check Presentation sharing in Ad Hoc Conference from Cisco Webex Board 55 to Cisco Webex Room Kit Plus and Cisco TelePresence MX300 G2 via Cisco TelePresence MCU 5320 all endpoints registered in Cisco Unified Communications Manager	Webex Board 55 -> Unified CM -> SIP Trunk -> Webex Room Kit PlusWebex Board 55 ->Add -> MRGL ->Unified CM-> SIP Trunk-> MCU 5320 -> MX300 G2Webex Board 55 (Merge) -> MX300 G2 Webex Board 55 (Presentation Sharing)	Passed	NA
UCJ14SU2FCS.CE.G.046	Long duration for Ad Hoc conference among Webex Room Kit Plus, MX300 G2 and Webex Board 55 using MCU 5320	Check Long Duration Ad Hoc Conference from Cisco Webex Room Kit Plus to Cisco Webex Board 55 and Cisco TelePresence MX300 G2 via Cisco TelePresence MCU 5320 all endpoints registered in Cisco Unified Communications Manager	Webex Room Kit Plus -> Unified CM -> MX300 G2MX300 G2->Add -> MRGL -> Unified CM-> SIP Trunk-> MCU 5320 -> Webex Board 55 MX300 G2 -> Merge	Passed	NA

UCJ14SU2FCS.CE.G.047	Initiate a Meet-Me conference with Bandwidth 1472 kbps among Webex Board 55, MX300 G2 and Webex Room Kit Plus managed by MCU 5320	Check Meet-Me Conference with 1472 kbps bandwidth among Cisco TelePresence MX300 G2, Cisco Webex Board 55 and Cisco Webex Room Kit Plus registered in Cisco Unified Communications Manager	Webex Board 55, MX300 G2, Webex Room Kit Plus (1472 kbps) -> Unified CM-> Zone -> Meet-Me (MCU 5320)	Passed	NA
UCJ14SU2FCS.CE.G.053	Swipe to right to see more buttons after enabling New RoomOS Experience in Webex Board 55	Verify whether user is able to do swipe right to see more buttons after enabling New RoomOS Experience in Webex Board 55	NA	Passed	NA
UCJ14SU2FCS.CE.G.056	View self-view in Webex Desk Pro after enabling New RoomOS Experience	Verify whether user is able to see self-view after enabling the New RoomOS Experience in Webex Desk Pro	NA	Passed	NA
UCJ14SU2FCS.CE.G.061	Share content from laptop using different options in Webex Desk Pro	Verify whether user is able to share the content from laptop using different options in Webex Desk Pro	NA	Passed	NA

UCJ14SU2FCS.CE.G.063	Configure audio volume using xcommand for Webex Desk Pro	Verify whether the user is able to configure the audio volume using xcommand for Webex Desk Pro	NA	Passed	NA
UCJ14SU2FCS.CE.G.065	H323 port status using xcommand for Webex Desk Pro	Verify whether the user is able to configure and view the status overview for H323 port for Webex Desk Pro	NA	Passed	NA
UCJ14SU2FCS.CE.G.069	View network ethernet speed status status using xcommand for Webex Desk Pro	Verify whether the user is able to configure and view the status overview for network ethernet speed status for Webex Desk Pro	NA	Passed	NA
UCJ14SU2FCS.CE.G.073	View Webex Meetings Join Protocol status using xcommand for Webex Desk Pro	Verify whether the user is able to configure and view the status overview for Webex Meetings Join Protocol status for Webex Desk Pro	NA	Passed	NA
UCJ14SU2FCS.CE.G.076	View Diagnostics Message Level Status using xcommand for Webex Desk Pro	Verify whether the user is able to configure and view the status overview for Diagnostics Message Level Status for Webex Desk Pro	NA	Passed	NA

UCJ14SU2FCS.CE.G.080	Configure & apply Bluetooth device template for Webex Desk Pro	Verify whether the user is able to configure and apply Bluetooth device template for Webex Desk Pro	NA	Passed	NA
UCJ14SU2FCS.CE.G.083	Configure & apply far end camera control device template for Webex Desk Pro	Verify whether the user is able to configure and apply conference far end camera control device template for Webex Desk Pro	NA	Passed	NA
UCJ14SU2FCS.CE.G.086	Configure & apply Welcome text device template for Webex Desk Pro	Verify whether the user is able to configure and apply Welcome text template for Webex Desk Pro	NA	Passed	NA
UCJ14SU2FCS.CE.G.089	Configure & apply user interface Kiosk device template for Webex Desk Pro	Verify whether the user is able to configure and apply user interface Kiosk template for Webex Desk Pro	NA	Passed	NA
UCJ14SU2FCS.CE.G.090	Configure & apply voice control device template for Webex Desk Pro	Verify whether the user is able to configure and apply voice control template for Webex Desk Pro	NA	Passed	NA

UCJ14SU2FCS.CE.G.091	Search people in directory of Webex Desk Pro after configuring Webex Edge for Device registered in Unified CM	Verify whether user can be able to search people in directory of Cisco Webex Desk Pro after configuring Cisco Webex Edge for Device registered in Cisco Unified Communication Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.092	Search Webex Room Kit in directory of Webex Board 55 via web UI registered in Unified CM	Verify whether user can be able to search Cisco Webex Room Kit in directory of Cisco Webex Board 55 via web UI registered in Cisco Unified Communication Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.093	Search PMR information in directory of Webex Desk LE via web UI registered in Unified CM	Verify whether user can be able to search Personal Meeting Room information in directory of Cisco Webex Desk Limited Edition via web UI registered in Cisco Unified Communication Manager	NA	Passed	NA

UCJ14SU2FCS.CE.G.122	Enable Kiosk mode and provide URL via xAPI commands in Webex Board 55 registered in Unified CM	Verify whether user can be able to enable Kiosk mode and provide URL via xAPI commands in Cisco Webex Board 55 registered in Cisco Unified Communication Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.123	Lock Settings Menu after enabling Kiosk mode in web UI of Webex Board 55 registered in Unified CM	Verify whether user can be able to lock Settings Menu after enabling Kiosk mode and provide URL in web User Interface of Cisco Webex Board 55 registered in Cisco Unified Communication Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.126	Hide Settings Menu after enabling Kiosk mode via xAPI commands in Webex Board 55 registered in Unified CM	Verify whether user can be able to hide Settings Menu after enabling Kiosk mode and provide URL via xAPI commands in Cisco Webex Board 55 registered in Cisco Unified Communication Manager	NA	Passed	NA

UCJ14SU2FCS.CE.G.127	Initiate the call from Webex Desk Pro after enabling Kiosk mode and SIP URL handler via xAPI commands	Verify whether user can be able to initiate the call from Cisco Webex Desk Pro after enabling Kiosk mode and SIP URL handler via xAPI commands	Webex Desk Pro -> Unified CM -> Webex Board 55	Passed	NA
UCJ14SU2FCS.CE.G.129	Hide “End call” button in Webex Desk LE during call with Webex Desk Pro after joining call via Kiosk URL	Verify whether user can be able to hide “End call” button in Cisco Webex Desk Limited Edition during call with Cisco Webex Desk Pro after joining call via Kiosk URL	Webex Desk LE -> Unified CM -> Webex Desk Pro	Passed	NA
UCJ14SU2FCS.CE.G.130	Hide “Keypad” button in Webex Desk LE during call with Webex Desk Pro after joining call via Kiosk URL	Verify whether user can be able to hide “Keypad” button in Cisco Webex Desk Limited Edition during call with Cisco Webex Desk Pro after joining call via Kiosk URL	Webex Desk LE -> Unified CM -> Webex Desk Pro	Passed	NA
UCJ14SU2FCS.CE.G.131	Hide “Mid Call Controls” button in Webex Desk LE during call with Webex Desk Pro after joining call via Kiosk URL	Verify whether user can be able to hide “Mid Call Controls” button in Cisco Webex Desk Limited Edition during call with Cisco Webex Desk Pro after joining call via Kiosk URL	Webex Desk LE -> Unified CM -> Webex Desk Pro	Passed	NA

UCJ14SU2FCS.CE.G.135	Disable Webex Assistant mode after enabling Kiosk mode in web UI of Webex Board 55 registered in Unified CM	Verify whether user can be able to disable Webex Assistant mode after enabling Kiosk mode and provide URL in web User Interface of Cisco Webex Board 55 registered in Cisco Unified Communication Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.136	Set Ultrasound Max Volume to “0” after enabling Kiosk mode in web UI of Webex Board 55 registered in Unified CM	Verify whether user can be able to set Ultrasound Max Volume to “0” after enabling Kiosk mode and provide URL in web User Interface of Cisco Webex Board 55 registered in Cisco Unified Communication Manager	NA	Passed	NA
UCJ14SU2FCS.CE.G.137	Set Security Mode to “Strong” after enabling Kiosk mode in web UI of Webex Board 55 registered in Unified CM	Verify whether user can be able to set Security Mode to “Strong” after enabling Kiosk mode and provide URL in web User Interface of Cisco Webex Board 55 registered in Cisco Unified Communication Manager	NA	Passed	NA

UCJ14SU2FCS.CE.G.138	End the call from Webex Desk Pro after enabling Kiosk mode and SIP URL handler via web UI	Verify whether user can be able to end the call from Cisco Webex Desk Pro after enabling Kiosk mode and SIP URL handler via web User Interface	Webex Desk Pro -> Unified CM -> Webex Board 55	Passed	NA
UCJ14SU2FCS.VCS.G.002	Enable Redirect URI support to allow Webex clients use external browser in Cisco Exp-C	Verify whether user can be able to enable Redirect URI support to allow clients use external browser in Cisco Expressway-Core	NA	Passed	NA
UCJ14SU2FCS.VCS.G.003	Launch Webex on external browser after enabling Redirect URI support in Cisco Exp-E	Verify whether user can be able to launch Webex on external browser after enabling Redirect URI support in Cisco Expressway-Edge	NA	Passed	NA
UCJ14SU2FCS.VCS.G.006	AV1 support in call details of Webex Room Kit during call with Webex Desk Pro registered in Cisco Exp-E	Verify whether user can view AV1 support in call details of Cisco Webex Room Kit during call with Cisco Webex Desk Pro registered in Cisco Expressway-Edge	Webex Room Kit -> Cisco Exp-E -> Webex Desk Pro	Passed	NA

UCJ14SU2FCS.VCS.G.007	AV1 support in call details via web UI of Webex Room Kit Mini during call with Webex DX70 registered in Cisco Exp-C	Verify whether user can view AV1 support in call details via web User Interface of Cisco Webex Room Kit Mini during call with Cisco Webex DX70 registered in Cisco Expressway-Core	Webex Room Kit Mini -> Cisco Exp-C -> Webex DX70	Passed	NA
UCJ14SU2FCS.VCS.G.010	AV1 support in call details of Webex Room Kit Pro registered in Cisco Exp-E during call with Webex Desk Pro registered in Unified CM	Verify whether user can view the AV1 support in call details of Cisco Webex Room Kit Pro registered in Cisco Expressway-Edge during call with Cisco Webex Desk Pro registered in Cisco Unified Communication Manager	Webex Room Kit Pro -> Cisco Exp-C -> SIP Trunk -> Unified CM -> Webex Desk Pro	Passed	NA
UCJ14SU2FCS.VCS.G.011	AV1 support in call details via web UI of Webex Room Kit registered in Cisco Exp-C during call with Webex Board 55 registered in Unified CM	Verify whether user can view the AV1 support in call details via web User Interface of Cisco Webex Room Kit registered in Cisco Expressway-Core during call with Cisco Webex Board 55 registered in Cisco Unified Communication Manager	Webex Room Kit -> Cisco Exp-C -> SIP Trunk -> Unified CM -> Webex Board 55	Passed	NA

UCJ14SU2FCS.VCS.G.014	Add Webex DX70 from Webex for Windows during call with Webex Desk LE registered in Cisco Exp-E	Verify whether user can be able to add Cisco Webex DX70 from Cisco Webex for Windows during call with Cisco Webex Desk Limited Edition registered in Cisco Expressway-Edge	Webex for Windows -> Cisco Webex Cloud -> MRA -> Cisco Exp-E -> Webex Desk LE, Webex DX70	Passed	NA
UCJ14SU2FCS.VCS.G.015	Start Whiteboard sharing from Webex for Windows to Webex Desk Pro registered in Cisco Exp-E	Verify whether user can start Whiteboard sharing from Cisco Webex for Windows to Cisco Webex Desk Pro registered in Cisco Expressway-Edge	Webex for Windows -> Cisco Webex Cloud -> MRA -> Cisco Exp-E -> Webex Desk Pro	Passed	NA
UCJ14SU2FCS.VCS.G.019	Enable Webex Assistant in Webex Desk LE registered in Cisco Exp-C	Verify whether user can enable Webex Assistant in Cisco Webex Desk Limited Edition registered in Cisco Expressway-Core during call with Cisco Webex for Windows	Webex Desk LE -> Cisco Webex Cloud -> MRA -> Cisco Exp-C -> Webex for Windows	Passed	NA
UCJ14SU2PHIII.CE.G.004	Hide “Tips” app from OSD of Cisco Webex Desk Pro through SSH command	Verify whether user able to hide “Tips” app from On-Screen Display of Cisco Webex Desk Pro through Secure Shell command	NA	Passed	NA

UCJ14SU2PHIII.CE.G.005	Change help tips settings from Web UI of Webex Desk Pro while in call with Webex Room Kit	Verify whether user able to change help tips settings from Web User interface of Cisco Webex Desk Pro while in call with Cisco Webex Room Kit registered in Cisco Unified Communications Manager	Webex Desk Pro -> Unified CM -> Webex Room Kit	Passed	NA
UCJ14SU2PHIII.CE.G.007	Change help tips settings from Web UI of Webex Desk Pro while in call with Webex Room Kit Plus	Verify whether user able to change help tips settings from Web User interface of Cisco Webex Desk Pro while in call with Cisco Webex Room Kit Plus registered in Cisco TelePresence Video Communication Server	Webex Desk Pro -> Cisco VCS -> Webex Room Kit Plus	Passed	NA
UCJ14SU2PHIII.CE.G.013	“Basic navigation” help tips on OSD of Cisco Webex Desk Pro	Verify whether user able to find help tips for “Basic navigation” on On-Screen Display of Cisco Webex Desk Pro	NA	Passed	NA
UCJ14SU2PHIII.CE.G.014	“Make a call” Help tips on OSD of Cisco Webex Desk Pro	Verify whether user able to find help tips for “Make a call” on On-Screen Display of Cisco Webex Desk Pro	NA	Passed	NA

UCJ14SU2PHIII.CE.G.015	“Whiteboarding” Help tips on OSD of Cisco Webex Desk Pro	Verify whether user able to find help tips for “Whiteboarding” on On-Screen Display of Cisco Webex Desk Pro	NA	Passed	NA
UCJ14SU2PHIII.CE.G.016	“Join a meeting” Help tips on OSD of Cisco Webex Desk Pro	Verify whether user able to find help tips for “Join a meeting” on On-Screen Display of Cisco Webex Desk Pro	NA	Passed	NA
UCJ14SU2PHIII.CE.G.019	Enable microphones noise removal of Webex Room Kit Pro and Webex Board 55 through SSH during conference	Verify whether user able to enable microphones noise removal of Cisco Webex Room Kit Pro and Cisco Webex Board 55 through secure shell while in call with Cisco TelePresence MX300 G2 registered in Cisco Unified Communications Manager	Webex Room Kit Pro -> Unified CM -> MX300 G2 Webex Room Kit -> Add -> Unified CM -> Webex Board 55	Passed	NA

UCJ14SU2PHIII.CE.G.020	Enable microphones noise removal of Webex Room Kit Plus through SSH while in call with MX200 G2	Verify whether user able to enable microphones noise removal of Cisco Webex Room Kit Plus through secure shell while in call with Cisco TelePresence MX200 G2 registered in Cisco Unified Communications Manager	Webex Room Kit Plus -> Unified CM -> MX200 G2	Passed	NA
UCJ14SU2PHIII.CE.G.021	Enable microphones noise removal of Webex Room Kit Plus and Webex Desk Pro through SSH during conference	Verify whether user able to enable microphones noise removal of Cisco Webex Room Kit Plus and Cisco Webex Desk Pro through secure shell while in call with Cisco TelePresence MX200 G2 registered in Cisco Unified Communications Manager	Webex Room Kit Plus -> Unified CM -> MX200 G2 Webex Room Kit Plus -> Add -> Unified CM -> Webex Desk Pro	Passed	NA

UCJ14SU2PHIII.CE.G.022	Enable microphones noise removal of Webex Room Kit through SSH while in call with MX200 G2	Verify whether user able to enable microphones noise removal of Cisco Webex Room Kit through secure shell while in call with Cisco TelePresence MX200 G2 registered in Cisco TelePresence Video Communication Server	Webex Room Kit -> Cisco VCS -> MX200 G2	Passed	NA
UCJ14SU2PHIII.CE.G.025	Enable "Noise removal" from OSD of Webex Desk Pro	Verify whether user able to enable "Noise removal" from On-Screen Display of Cisco Webex Desk Pro	NA	Passed	NA
UCJ14SU2PHIII.CE.G.026	Enable "Noise removal" from Touch 10 of Webex Room Kit Plus	Verify whether user able to enable "Noise removal" from Cisco TelePresence Touch 10 of Cisco Webex Room Kit Plus	NA	Passed	NA
UCJ14SU2PHIII.CE.G.040	Turn On "People focus logging" on Cisco Webex Desk Pro	Verify whether user able to turn on "People focus" on Cisco Webex Desk Pro	NA	Passed	NA
UCJ14SU2PHIII.CE.G.041	Turn On "People focus logging" on Webex Board 55	Verify whether user able to turn on "People focus" on Cisco Webex Board 55	NA	Passed	NA

UCJ14SU2PHIII.CE.G.061	OBTP for Google Meet in Cisco Webex Desk Pro after configuring Cisco Webex Edge for Devices	Verify whether user able to view One Button To Push for Google Meet in Cisco Webex Desk Pro after configuring Cisco Webex Edge for Devices registered in Cisco Unified Communications Manager	Google Meet for Windows, Webex Desk Pro -> Cisco Webex Cloud -> Scheduled meeting	Passed	NA
UCJ14SU2PHIII.CE.G.062	Presentation sharing and OBTP for Google Meet in Cisco Webex Desk Pro after configuring Cisco Webex Edge for Devices	Verify whether user able to share presentation sharing and view One Button To Push for Google Meet in Cisco Webex Desk Pro after configuring Cisco Webex Edge for Devices registered in Cisco Unified Communications Manager	Google Meet for Windows, Webex Desk Pro -> Cisco Webex Cloud -> Scheduled meeting Webex Desk Pro -> Presentation Sharing	Passed	NA

UCJ14SU2PHIILCE.G.063	Hold and Resume from Webex Desk Pro while joined OBTP for Google Meet after configuring Cisco Webex Edge for Devices	Verify whether user able to hold and resume from Cisco Webex Desk Pro while Joined One Button To Push for Google Meet after configuring Cisco Webex Edge for Devices registered in Cisco Unified Communications Manager	Google Meet for Windows, Webex Desk Pro -> Cisco Webex Cloud -> Scheduled meeting Webex Desk Pro -> Hold and resume	Passed	NA
UCJ14SU2PHIILCE.G.064	Share Whiteboard to space in Webex Board 55 after configuring Cisco Webex Edge for Devices	Verify whether user able to share Whiteboard to space in Cisco Webex Board 55 after configuring Cisco Webex Edge for Devices registered in Cisco Unified Communications Manager	NA	Passed	NA
UCJ14SU2PHIILCE.G.065	Share Whiteboard to space in Webex Desk Pro after configuring Cisco Webex Edge for Devices	Verify whether user able to share Whiteboard to space in Cisco Webex Desk Pro after configuring Cisco Webex Edge for Devices registered in Cisco Unified Communications Manager	NA	Passed	NA

UCJ14SU2PHIII.CE.G.066	OBTP for Google Meet in Cisco Webex Board 55 after configuring Cisco Webex Edge for Devices	Verify whether user able to view One Button To Push for Google Meet in Cisco Webex Board 55 after configuring Cisco Webex Edge for Devices registered in Cisco Unified Communications Manager	Google Meet for Windows, Webex Board 55 -> Cisco Webex Cloud -> Scheduled meeting	Passed	NA
UCJ14SU2PHIII.CE.G.067	Presentation sharing and OBTP for Google Meet in Cisco Webex Board 55 after configuring Cisco Webex Edge for Devices	Verify whether user able to share presentation sharing and view One Button To Push for Google Meet in Cisco Webex Board 55 after configuring Cisco Webex Edge for Devices registered in Cisco Unified Communications Manager	Google Meet for Windows, Webex Board 55 -> Cisco Webex Cloud -> Scheduled meeting Webex Board 55 -> Presentation Sharing	Passed	NA

UCJ14SU2PHIILCE.G.068	Hold and Resume from Webex Board 55 while joined OBTP for Google Meet after configuring Cisco Webex Edge for Devices	Verify whether user able to hold and resume from Cisco Webex Board 55 while Joined One Button To Push for Google Meet after configuring Cisco Webex Edge for Devices registered in Cisco Unified Communications Manager	Google Meet for Windows, Webex Board 55 -> Cisco Webex Cloud -> Scheduled meeting Webex Board 55 -> Hold and resume	Passed	NA
UCJ14SU2PHIILCE.G.072	Turn on Caption mode from Webex Board 55 in Webex Meetings for Windows Joined meeting among Webex Room Kit Plus	Verify whether user able to turn on caption mode from Cisco Webex Board 55 in Cisco Webex Meetings for Windows joined meeting among Cisco Webex Room Kit Plus	Webex for Windows, Webex Room Kit Plus, Webex Board 55-> Cisco Webex Cloud -> Scheduled meeting	Passed	NA
UCJ14SU2PHIILCE.G.073	Change Caption language from Webex Board 55 in Webex Meetings for Windows Joined meeting among Webex Room Kit Plus	Verify whether user able to change caption language from Cisco Webex Board 55 in Cisco Webex Meetings for Windows joined meeting among Cisco Webex Room Kit Plus	Webex for Windows, Webex Room Kit Plus, Webex Board 55-> Cisco Webex Cloud -> Scheduled meeting	Passed	NA

UCJ14SU2PHIII.CE.G.074	During Presentation turn on/off caption mode in Webex Room Kit Plus	Verify whether user able to turn on/off caption mode during presentation sharing from Cisco Webex Room Kit Plus while in Cisco Webex Meeting with Cisco Webex Room Kit Mini	Webex Room Kit Mini->Cisco Webex Cloud->Webex Room Kit Plus (Presentation sharing)	Passed	NA
UCJ14SU2PHIII.CE.G.075	Turn off video and turn on caption mode from OSD of Webex Desk Pro registered to Webex Cloud	Verify whether user able to turn off video and turn on caption mode from On-screen display of Cisco Webex Desk Pro while in Cisco Webex Meeting with Cisco Webex Room Kit Mini	Webex Room Kit Mini->Cisco Webex Cloud->Webex Desk Pro	Passed	NA
UCJ14SU2PHIII.CE.G.076	Stop video and Change Caption language from Webex Board 55 in Webex Meetings for Windows Joined meeting among Webex Room Kit Plus	Verify whether user able to stop video and change caption language from Cisco Webex Board 55 in Cisco Webex Meetings for Windows joined meeting among Cisco Webex Room Kit Plus	Webex for Windows, Webex Room Kit Plus, Webex Board 55-> Cisco Webex Cloud -> Scheduled meeting	Passed	NA

UCJ14SU2PHIILCE.G.077	Mute audio while enabling Captions mode from Webex Desk Pro in Webex Meetings for Windows Joined meeting among Webex Room Kit Plus	Verify whether user able to mute audio while enabling caption mode from Cisco Webex Desk Pro in Cisco Webex Meetings for Windows joined meeting among Cisco Webex Room Kit Plus	Webex for Windows, Webex Room Kit Plus, Webex Desk Pro-> Cisco Webex Cloud -> Scheduled meeting	Passed	NA
UCJ14SU2PHIILCE.G.078	Change layout after enabling Captions mode from Webex Desk Pro in Webex Meetings for Windows Joined meeting among Webex Room Kit Pro	Verify whether user able to Change layout after enabling caption mode from Cisco Webex Desk Pro in Cisco Webex Meetings for Windows joined meeting among Cisco Webex Room Kit Pro	Webex for Windows, Webex Room Kit Pro, Webex Desk Pro-> Cisco Webex Cloud -> Scheduled meeting	Passed	NA
UCJ14SU2FCS.CE.G.200	Enable extended logging from Web UI of Webex Desk Pro during unregistered	Verify whether user able to enable extended logging from Web UI of Cisco Webex Desk Pro while in unregistered state	NA	Passed	CSCwc35560
UCJ14SU2FCS.CE.G.201	Sign-in option is not available for Hot Desk Mode registered in On-Premises	Verify whether Sign -in option is available for Hot Desk Mode registered in On-Premises	NA	Passed	CSCwc55854

Cisco Webex

Logical ID	Title	Description	Call Component Flow	Status	Defects
UCJ14.SU2.CW42.5.G.131	Add Webex app to the home screen for iPhone	Verify whether the Cisco Webex for iPhone user is able to add Webex app to the home screen successfully	NA	Passed	NA
UCJ14.SU2.CW42.5.G.134	Join the scheduled meeting from home screen for iPad	Verify whether the Cisco Webex iPad user is able to join the scheduled meet from home screen successfully	NA	Passed	NA
UCJ14.SU2.CW42.5.G.137	View upcoming meeting notification from the Cisco Webex app home screen for iPhone	Verify whether the Cisco Webex iPhone user is able to view upcoming meeting notification from Cisco Webex app home screen for iPhone successfully	NA	Passed	NA
UCJ14.SU2.CW42.5.G.139	Click '+' icon to see the details from the home screen for iPhone	Verify whether the Cisco Webex iPhone user is able to a Click '+' icon to see the details from the home screen for iPhone successfully	NA	Passed	NA

UCJ14.SU2.CW42.5.G.146	Switch from "Music Mode" to "Optimize for my voice" during call in Cisco Webex for iPhone	Verify whether the Cisco Webex for iPhone user is able to switch from "Music Mode" to "Optimize for my voice" during call successfully	Cisco Webex for iPhone -> Webex Cloud -> Cisco Webex for Android	Passed	NA
UCJ14.SU2.CW42.5.G.301	Start the Meeting from the Cisco Webex Home tab	Verify whether the Cisco Webex for Windows is able to start the meeting from the Home tab.	Cisco Webex for Windows 1 -> Webex Cloud -> Cisco Webex for Windows 2	Passed	NA
UCJ14.SU2.CW42.5.G.302	Join the Meeting through meeting number from the Cisco Webex Home tab	Verify whether the Cisco Webex for Windows is able to join the meeting through meeting number from the Home tab.	Cisco Webex for Windows -> Webex Cloud -> Cisco Webex for Android	Passed	NA
UCJ14.SU2.CW42.5.G.303	Join the Meeting through meeting link from the Cisco Webex Home tab	Verify whether the Cisco Webex for Windows is able to join the meeting through meeting link from the Home tab.	Cisco Webex for Windows -> Webex Cloud -> Cisco Webex for Mac	Passed	NA
UCJ14.SU2.CW42.5.G.329	View all pinned messages from Cisco Webex for Windows.	Verify whether Cisco Webex for Windows user is able to view all pinned messages.	NA	Passed	NA

UCJ14.SU2.CW42.5.G.332	Pin messages from iPhone and see updated pins in Windows from Cisco Webex for Windows.	Verify whether Cisco Webex for Windows user is able to see updated pins in Windows when iPhone user pin message.	NA	Passed	NA
UCJ14.SU2.CW42.5.G.335	Pin message as banner from Cisco Webex Meetings for Windows	Verify whether Cisco Webex for Windows user is able to pin a message as banner.	NA	Passed	NA
UCJ14.SU2.CW42.5.G.338	Select 2 or more messages and Unpin from Cisco Webex for Windows.	Verify whether Cisco Webex for Windows user is able to select 2 or more messages and Unpin from Cisco Webex Meetings for Windows.	NA	Passed	NA
UCJ14.SU2.CW42.5.G.391	Enable the authenticated sign-in option in Cisco Webex Control hub	Verify whether the Cisco Webex Control hub is able to enable the authentication sign-in option	NA	Passed	NA
UCJ14.SU2.CW42.5.G.392	Join a Scheduled Webex Meeting from Webex Desk pro as an authorized user	Verify whether the Cisco Webex Desk pro is able to join a scheduled Webex meeting as an authorized user	Cisco Webex Desk Pro -> Webex Cloud -> Cisco Webex Meetings for Windows 1	Passed	NA

UCJ14.SU2.CW42.5.G.395	Join the meeting room from Webex Desk pro with another Room OS device as an authorized user	Verify whether the Cisco Webex Desk pro is able to join the Webex Meeting as an authorized user with another Room OS device	Cisco Webex Desk Pro 1 -> Webex Cloud -> Cisco Webex Desk Pro 2	Passed	NA
UCJ14.SU2.CW42.5.G.396	Disable the authenticated sign-in option in Cisco Webex Control hub	Verify whether the Cisco Webex Control hub is able to disable the authentication sign-in option	NA	Passed	NA
UCJ14.SU2.CW42.5.G.403	Register the Webex Desk pro device in Cisco Webex Control hub enabled with BYOD option	Verify whether the Webex Control hub is able to register the Webex Desk Pro device when BYOD option is enabled	NA	Passed	NA
UCJ14.SU2.CW42.5.G.404	Register the Webex Desk device in Cisco Webex Control hub enabled with BYOD option	Verify whether the Webex Control hub is able to register the Webex Desk device when BYOD option is enabled	NA	Passed	NA
UCJ14.SU2.CW42.5.G.411	Try to join the Personal Meeting room from Webex Desk Pro device having wrong BYOD registration key	Verify whether the Webex Desk Pro device is unable to join the Personal Meeting Room using the wrong BYOD registration key	NA	Passed	NA

UCJ14.SU2.CW42.5.G.472	Forward a message with an image from Cisco Webex for Android in 1:1 chat	Verify whether Cisco Webex for Android able to forward a message with an image in 1:1 chat with Cisco Webex for Windows successfully	NA	Passed	NA
UCJ14.SU2.CW42.5.G.483	In 1:1 chat, Cisco Webex for Windows forwards a long message along with PPT	Verify whether Cisco Webex for Windows user able to forward the long message along with PPT in 1:1 chat with Cisco Webex for Android user successfully	NA	Passed	NA
UCJ14.SU2.CW42.2.G.121	Auto answer tone notification in Cisco Webex for Windows when call made from Cisco Webex Calling for Windows	Verify whether auto answer tone notification in Cisco Webex for Windows when call made from Cisco Webex Calling for Windows	Cisco Webex Calling for Windows -> Cisco Webex Control Hub -> Cisco Webex for Windows	Passed	NA
UCJ14.SU2.CW42.2.G.122	Auto answer tone notification in Cisco Webex for Mac when call made from Cisco Webex Calling for Mac	Verify whether auto answer tone notification in Cisco Webex for Mac when call made from Cisco Webex Calling for Mac	Cisco Webex Calling for Mac -> Cisco Webex Control Hub -> Cisco Webex for Mac	Passed	NA

UCJ14.SU2.CW42.2.G.125	View missed calls counter in calling tab of Cisco Webex for Android	Verify whether user can be able to view missed calls counter in calling tab of Cisco Webex for Android without attending call from Cisco Webex for Windows	Cisco Webex for Windows -> Webex Cloud -> Cisco Webex for Android	Passed	NA
UCJ14.SU2.CW42.2.G.127	View missed calls counter in calling tab of Cisco Webex for Android after call ends	Verify whether user can be able to view missed calls counter in calling tab of Cisco Webex for Android from Cisco Webex for Windows after call ends with Cisco Webex for iOS	Cisco Webex for Android -> Webex Cloud -> Cisco Webex for iOS -> Webex Cloud -> Cisco Webex for Windows	Passed	NA
UCJ14.SU2.CW42.2.G.130	View missed calls counter in calling tab of Cisco Webex for iOS during meeting	Verify whether user can be able to view missed calls counter in calling tab of Cisco Webex for iOS from Cisco Webex for Windows during meeting with Cisco Webex for Android	Cisco Webex for iOS -> Webex Cloud -> Cisco Webex for Android -> Webex Cloud -> Cisco Webex for Windows	Passed	NA

UCJ14.SU2.CW42.2.G.131	View missed calls counter in calling tab of Cisco Webex for Android after call is declined	Verify whether user can be able to view missed calls counter in calling tab of Cisco Webex for Android from Cisco Webex for Windows after call is declined	Cisco Webex for Windows -> Webex Cloud -> Cisco Webex for Android	Passed	NA
UCJ14.SU2.CW42.2.G.215	Sign into Webex App for Mac with Gmail social account	Verify whether Cisco Webex App for Mac user is able to sign into Webex with Gmail account	NA	Passed	NA
UCJ14.SU2.CW42.2.G.219	Sign into Webex App for Android with Facebook social account	Verify whether Cisco Webex App for Android user is able to sign into Webex with Facebook account	NA	Passed	NA
UCJ14.SU2.CW42.2.G.220	Sign into Webex App for Android with Gmail social account	Verify whether Cisco Webex App for Android user is able to sign into Webex with Gmail account	NA	Passed	NA
UCJ14.SU2.CW42.2.G.221	Add 'Celebrate' new reaction to a message in Cisco Webex App for Windows	Verify whether 'Celebrate' new reaction is added to a message in Cisco Webex App for Windows	NA	Passed	NA

UCJ14.SU2.CW42.2.G.227	Add more than 3 seasonal reactions to a message in Cisco Webex App for Mac	Verify whether user is able to add more than 3 seasonal reactions to a message in Cisco Webex App for Mac	NA	Passed	NA
UCJ14.SU2.CW42.2.G.228	Delete a reaction in Cisco Webex App for iPhone	Verify whether user is able to delete a reaction which is already sent in Cisco Webex App for iPhone	NA	Passed	NA
UCJ14.SU2.CW42.2.G.242	Update picture and name through Cisco Webex for Windows	Verify whether user is able to update picture and name through Cisco Webex for Windows	NA	Passed	NA
UCJ14.SU2.CW42.2.G.243	Quickly take a step back or jump forward between previously visited spaces or tabs from Cisco Webex for Windows	Verify whether user is able to quickly take a step back or jump forward between previously visited spaces or tabs from Cisco Webex for Windows	NA	Passed	NA
UCJ14.SU2.CW42.2.G.244	History of the spaces or tabs user have recently visited from Cisco Webex for Windows	Verify whether user is able to find the history of the spaces or tabs recently visited from Cisco Webex for Windows	NA	Passed	NA

UCJ14.SU2.CW42.2.G.253	Create a 1:1 space and hide space in Webex App for Windows	Verify whether user is able to create a 1:1 space and hide in Cisco Webex App for Windows	NA	Passed	NA
UCJ14.SU2.CW42.2.G.257	Unhide 1:1 space in Cisco Webex App for Android	Verify whether user is able to unhide 1:1 space in Cisco Webex App for Android	NA	Passed	NA
UCJ14.SU2.CW42.2.G.261	Filter hidden spaces in Cisco Webex App for Windows	Verify whether user is able to filter hidden space in Cisco Webex App for Windows	NA	Passed	NA
UCJ14.SU2.CW42.2.G.265	Notifications are muted for hided space in Cisco Webex App for Windows	Verify whether notifications are muted for hided space in Cisco Webex App for Windows	NA	Passed	NA
UCJ14.SU2.CW42.2.G.269	Schedule multiple meetings in a space from Webex App for Windows	Verify whether user is able to schedule multiple meetings in a space from Cisco Webex App for Windows	NA	Passed	NA

UCJ14.SU2.CW42.2.G.271	Two-way Whiteboarding in Webex App for Windows after joining Scheduled meeting	Verify whether user is able to do Two-way Whiteboarding in Cisco Webex for Windows after joining Scheduled meeting initiated from Cisco Webex App for Android	Cisco Webex for Android -> Webex Cloud -> Cisco Webex for Windows -> Webex Cloud -> Cisco Webex for Mac	Passed	NA
UCJ14.SU2.CW42.2.G.273	Set Pronouns for everyone under edit profile option in Webex App for Android	Verify whether user is able to set Pronouns for everyone under edit profile option in Cisco Webex App for Android.	NA	Passed	NA
UCJ14.SU2.CW42.2.G.274	Save Pronouns for Hide my pronouns under edit your profile option in Webex App for Windows	Verify whether user is able to save Pronouns for Hide my pronouns under edit your profile option in Cisco Webex App for Windows	NA	Passed	NA
UCJ14.SU2.CW42.2.G.386	During meeting, Cisco Webex Meet for Windows user as host enables "Allow all participants to turn on video"	Verify whether Cisco Webex Meet for Windows user as host able to enable "Allow all participants to turn on video" in Meeting Options during the meeting successfully	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Meet for iPhone	Passed	NA

UCJ14.SU2.CW42.2.G.389	In Meetings options, "Allow all participants to make notes" enabled by Cisco Webex Meet for Windows as host	Verify whether Cisco Webex Meet for Windows user as host able to enable "Allow all participants to make notes" option successfully and all participants able to make notes during the meeting	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Meet for iPhone	Passed	NA
UCJ14.SU2.CW42.2.G.404	Cisco Webex Meet for Windows quickly opens and closes the chat panel using Ctrl+E	Verify whether during the meeting, Cisco Webex Meet for Windows user quickly opens and closes the chat panel using Ctrl+E keyboard shortcut successfully	Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for Mac	Passed	NA
UCJ14.SU2.CW42.2.G.408	Using Ctrl+Shift+R, Cisco Webex Meet for Windows able to raise & lower the hand	Verify whether during the meeting, Cisco Webex Meet for Windows presses "Ctrl+Shift+R" for raising the hand and uses "Ctrl+Shift+R" to lower the hand successfully	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Meet for Mac	Passed	NA

UCJ14.SU2.CW42.2.G.418	Using Ctrl+Shift+Z, Cisco Webex Meet for Windows able to stop the screen share	Verify whether Cisco Webex Meet for Windows presses "Ctrl+Shift+Z" and able to stop the screen share during the meeting successfully	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Meet for Mac	Passed	NA
UCJ14.SU2.CW42.2.G.427	Enable Optimize for all voices option in Webex App for Windows (Chrome)	Verify whether user is able to enable Optimize for all voices option in Webex App for Windows(Chrome)	Cisco Webex App for Windows-> Webex Cloud -> Cisco Webex App for Windows2	Passed	NA
UCJ14.SU2.CW42.2.G.434	Enable "Optimize for all voices" through " Audio & Video" option from menu bar in Webex App for Windows(Chrome)	Verify whether the user is able to enable "Optimize for all voices" through " Audio & Video" option from menu bar in Webex App for Windows(Chrome)	Cisco Webex App for Windows1 -> Webex Cloud -> Cisco Webex App for Windows2	Passed	NA

Cisco Webex Meetings

Logical ID	Title	Description	Call Component Flow	Status	Defects
------------	-------	-------------	---------------------	--------	---------

UCJ14.SU2.CWM42.5.G.076	Change the Layout into Stack in Cisco Webex Meetings for Windows	Verify whether the Cisco Webex Meetings for Windows user is able to change the Layout into Stack during the meeting successfully	Cisco Webex Meet for Windows-> Webex Cloud -> Cisco Webex Meet for Mac	Passed	NA
UCJ14.SU2.CWM42.5.G.078	Enable "Lock Attendee view on stage only" during meeting in Cisco Webex Meetings for Windows	Verify whether the Cisco Webex Meetings for Windows user is able to Enable "Lock Attendee view on stage only" during the meeting successfully	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for Mac	Passed	NA
UCJ14.SU2.CWM42.5.G.101	Hide the Active speaker from the stage in Cisco Webex Meetings for Windows	Verify whether the Cisco Webex Meetings for Windows user is able to hide the Active speaker from the stage during meeting successfully	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for Android	Passed	NA
UCJ14.SU2.CWM42.5.G.103	Enable Caption highlights option in stage layout view in Cisco Webex Meetings for Windows	Verify whether the Cisco Webex Meetings for Windows user is able to Enable Caption highlights option in stage layout view during meeting successfully	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for Android	Passed	NA

UCJ14.SU2.CWM42.5.G.104	Create a new program in Cisco Webex Meetings for Web	Verify whether the Cisco Webex Meetings for Windows user is able to Create a new program for Web successfully	NA	Passed	NA
UCJ14.SU2.CWM42.5.G.113	Provide Password to register program in Cisco Webex Meetings for Web	Verify whether the Cisco Webex Meetings for Windows user is able to provide Password to register program for Web successfully	NA	Passed	NA
UCJ14.SU2.CWM42.5.G.114	Select Registration Template as Default form in Cisco Webex Meetings for Web	Verify whether the Cisco Webex Meetings for Windows Web user is able to Select Registration Template as Default form successfully	NA	Passed	NA
UCJ14.SU2.CWM42.5.G.115	Upload image for creating new program in Cisco Webex Meetings for Web	Verify whether the Cisco Webex Meetings for Windows Web user is able to Upload image for creating new program successfully	NA	Passed	NA

UCJ14.SU2.CWM42.5.G.121	Reset the default background in Cisco Webex Meetings for Windows	Verify whether the Cisco Webex Meetings for Windows Web user is able to Reset the default background successfully	NA	Passed	NA
UCJ14.SU2.CWM42.5.G.129	End the practice session after joining meet as a host in Cisco Webex Meetings for Windows	Verify whether the Cisco Webex Meetings for Windows user is able to End the practice session after joining meet as a host successfully	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for Android	Passed	NA
UCJ14.SU2.CWM42.5.G.151	See speaker label in the CC box in Cisco Webex Meetings for Windows during the meeting	Verify whether during the meeting, Cisco Webex Meetings for Windows user is able to see speaker label in the Closed Captioning box successfully.	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for Mac	Passed	NA
UCJ14.SU2.CWM42.5.G.154	Increase Font size and view speaker label in the CC in Cisco Webex Meetings for Mac during the meeting.	Verify whether Cisco Webex Meetings for Mac user is able to increase Font size and view speaker label in the Closed Caption during a meet.	Cisco Webex Meet for Mac -> Webex Cloud -> Cisco Webex Meet for iPhone	Passed	NA

UCJ14.SU2.CWM42.5.G.161	Resize the closed captions (CC) box to show more or fewer lines of text with speaker label.	Verify whether Cisco Webex Meetings for Windows user is able to resize the closed captions (CC) box to show more or fewer lines of text with speaker label.	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for iPhone	Passed	NA
UCJ14.SU2.CWM42.5.G.168	Expel participants from lobby as a host when a meeting is locked in Cisco Webex Meetings for Windows.	Verify whether Cisco Webex Meetings for Windows user is able to expel participants from lobby as a host when a meeting is locked.	Cisco Webex Meet for Windows -> Webex Cloud ->Cisco Webex Meet for Mac -> Webex Cloud ->Cisco Webex Meet for Android	Passed	NA
UCJ14.SU2.CWM42.5.G.170	Cohost "let in" the participants from lobby into the meeting	Verify whether Cisco Webex Meetings for Android user as a cohost is able to let the participants in from the lobby into the meeting	Cisco Webex Meet for Android -> Webex Cloud ->Cisco Webex Meet for iPhone -> Webex Cloud ->Cisco Webex Meet for Windows	Passed	NA

UCJ14.SU2.CWM42.5.G.183	Admit multiple participants of different domain name from lobby into the meeting from Cisco Webex Meetings for Windows	Verify if Cisco Webex meetings for Windows user is able to admit multiple participants of different domain name from lobby into the meeting.	Cisco Webex Meet for Windows User1-> Webex Cloud ->Cisco Webex Meet for iPhone -> Webex Cloud ->Cisco Webex Meet for Android -> Webex Cloud ->Cisco Webex Meet for Windows User2	Passed	NA
UCJ14.SU2.CWM42.5.G.187	Remove 'Unverified' participants from lobby in Cisco Webex Meetings for Windows.	Verify if Cisco Webex Meetings for Windows user is able to remove 'Unverified' participants from lobby.	Cisco Webex Meet for Windows 1-> Webex Cloud ->Cisco Webex Meet for iPhone -> Webex Cloud ->Cisco Webex Meet for Android -> Webex Cloud ->Cisco Webex Meet for Windows 2	Passed	NA
UCJ14.SU2.CWM42.5.G.196	Upload a valid URL link for the landing page when setting a webinar.	Verify if Cisco Webex meetings for Windows user is able to upload a valid URL link for the landing page when setting a webinar.	NA	Passed	NA

UCJ14.SU2.CWM42.5.G.200	Join Webinar from Chrome browser and see if Attendees are directed to URL address when the webinar ends	Verify if Cisco Webex Meetings for Windows user is able to join Webinar from Chrome browser and see if Attendees are directed to URL address when the webinar ends	Cisco Webex Meetings for Windows -> Webex Cloud -> Cisco Webex Meetings for Windows (Chrome browser)	Passed	NA
UCJ14.SU2.CWM42.5.G.211	Select 'Noise Removal' on audio option tips from Cisco Webex Meetings for Windows VDI user in call	Verify whether the Cisco Webex Meetings for Windows VDI user is able to select 'Noise Removal' on audio option tips successfully during call	Cisco Webex Meetings for Windows VDI -> Webex Cloud -> Cisco Webex Meetings for Android	Passed	NA
UCJ14.SU2.CWM42.5.G.226	Schedule meetings using the "Single-use link" option in Cisco Webex for Android	Verify whether the Cisco Webex for Android user is able to schedule meetings using "Single-use link" option successfully.	NA	Passed	NA
UCJ14.SU2.CWM42.5.G.237	Schedule meetings in Cisco Webex for iPhone and see scheduled meetings details in Cisco Webex for Windows	Verify whether the Cisco Webex for Windows user is able to see scheduled meetings details when same user scheduled meetings from Cisco Webex for Android	NA	Passed	NA

UCJ14.SU2.CWM42.5.G.240	Schedule meetings from Cisco Webex for Android and edit scheduled meeting time from Cisco Webex for Windows	Verify whether the Cisco Webex for Windows user is able to edit meetings hours and see updated details in Cisco Webex for Android	NA	Passed	NA
UCJ14.SU2.CWM42.5.G.343	View timelines beside active speaker markers on the recording from Cisco Webex meetings for Windows	Verify whether Cisco Webex meetings for Windows user is able to view timelines beside active speaker markers on the recording.	Cisco Webex Meet for Windows user 1 -> Webex Cloud ->Cisco Webex Meet for Windows user 2 ->Cisco Webex meet for Windows user 3 -> Webex Cloud ->Cisco Webex Meet for Windows user 4	Passed	NA
UCJ14.SU2.CWM42.5.G.344	Select an active speaker in recording and jump back to start of recording in Cisco Webex Meetings for Windows.	Verify whether Cisco Webex meetings for Windows user is able to Select an active speaker in recording and jump back to start of recording.	Cisco Webex Meet for Windows User1-> Webex Cloud ->Cisco Webex Meet for iPhone -> Webex Cloud ->Cisco Webex Meet for Android -> Webex Cloud ->Cisco Webex Meet for Windows User2	Passed	NA

UCJ14.SU2.CWM42.5.G.346	Select an active speaker in recording and resume recording in Cisco Webex Meetings for Windows.	Verify whether Cisco Webex Meetings for Windows user is able to select an active speaker in recording and resume recording.	Cisco Webex Meet for Windows User1 -> Webex Cloud -> Cisco Webex Meet for iPhone -> Webex Cloud -> Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Meet for Windows User2	Passed	NA
UCJ14.SU2.CWM42.5.G.456	During meeting, Cisco Webex for Windows as host move the meeting to Cisco Webex Meetings for Android using QR Code	Verify whether Cisco Webex for Windows as host move the meeting to Cisco Webex Meetings for Android using QR Code during the meeting successfully	Cisco Webex for Windows -> Webex Cloud -> Cisco Webex for iPhone -> Webex Cloud -> Cisco Webex Meet for Android	Passed	NA
UCJ14.SU2.CWM42.5.G.457	Post moving the meeting to Cisco Webex Meeting for Android, lock the meeting room	Verify whether Cisco Webex for Windows as host move the meeting to Cisco Webex Meetings for Android using QR Code successfully and Cisco Webex for Android user locks the meeting room successfully	Cisco Webex for Windows -> Webex Cloud -> Cisco Webex for iPhone -> Webex Cloud -> Cisco Webex Meet for Android	Passed	NA

UCJ14.SU2.CWM42.5.G.467	Update Virtual background as blur post moving the meeting using QR Code	Verify whether post moved from Cisco Webex for Windows using QR code , Cisco Webex Meetings for Android user able to update Virtual background as blur successfully	Cisco Webex for Windows -> Webex Cloud -> Cisco Webex for Mac -> Webex Cloud -> Cisco Webex Meet for Android	Passed	NA
UCJ14.SU2.CWM42.2.G.005	Join PMR meeting when admin disabled external meetings options in control hub	Verify whether the Cisco Webex Meet for Android user is not able to join other domain personal room meetings when admin disabled "external meetings" option in control hub	NA	Passed	NA
UCJ14.SU2.CWM42.2.G.007	View “Share Content ” option in Cisco Webex Meet for iPhone while joining external meetings	Verify whether the Cisco Webex Meet for iPhone user is able to view “Share Content ” option while joining external meeting and admin enabled “Screen share and annotation”.	Cisco Webex Meet for iPhone ->Webex Cloud -> Cisco Webex Meet for Android->Webex Cloud -> Cisco Webex Meet for Windows	Passed	NA

UCJ14.SU2.CWM42.2.G.022	Disable chat option for Webinar as host and see chat icon during Webinar in Cisco Webex Meet for Mac	Verify whether the Cisco Webex Meet for Android user is not seeing chat icon during Webinar when host disabled chat option.	Cisco Webex Meet for Mac ->Webex Cloud -> Cisco Webex Meet for Android->Webex Cloud -> Cisco Webex Meet for iPhone	Passed	NA
UCJ14.SU2.CWM42.2.G.025	See "Webinar Options" during Webinar session in Cisco Webex Meet for Windows	Verify Whether the Cisco Webex Meet for Windows user is able to see "Webinar Options" during Webinar session	Cisco Webex Meet for Windows ->Webex Cloud -> Cisco Webex Meet for Android->Webex Cloud -> Cisco Webex Meet for iPhone	Passed	NA
UCJ14.SU2.CWM42.2.G.037	Customize email template in plain text and send mail to panelist in Cisco Webex Meet for Windows	Verify whether the Cisco Webex Meet for Windows user can customize email template and send mail in plain text format successfully.	NA	Passed	NA
UCJ14.SU2.CWM42.2.G.038	View email send logs details using "Email Sending Log" option from scheduler page in Cisco Webex for Mac	Verify whether the Cisco Webex Meet for Mac user is able to see shared log details using "Email Sending Log" option in scheduler page	NA	Passed	NA

UCJ14.SU2.CWM42.2.G.065	Enable "Q&A" session to participants during event in Cisco Webex for Meet for Mac	Verify whether the Cisco Webex Meet for Mac user is able to enable Q&A session as host during event to participants and able to receive questions	Cisco Webex Meet for Mac -> Webex Cloud -> Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Meet for iPhone	Passed	NA
UCJ14.SU2.CWM42.2.G.071	Mark question as important by clicking star icon in Cisco Webex for Android	Verify whether Cisco Webex for Android is able to mark question as important by clicking star icon during meeting	Cisco Webex for Windows -> Webex Cloud -> Cisco Webex for Android	Passed	NA
UCJ14.SU2.CWM42.2.G.136	Schedule Webex meeting from Microsoft Outlook in Cisco Webex Meetings for Windows	Verify whether user can be able to schedule Webex meeting from Microsoft Outlook in Cisco Webex Meetings for Windows	NA	Passed	NA
UCJ14.SU2.CWM42.2.G.137	Schedule Webex meeting from Google Calendar in Cisco Webex Meetings for Windows	Verify whether user can be able to schedule Webex meeting from Google Calendar in Cisco Webex Meetings for Windows	NA	Passed	NA

UCJ14.SU2.CWM42.2.G.140	Share content from Cisco Webex Board 55 after joining scheduled meeting initiated via Microsoft Outlook	Verify whether user can be able to share content from Cisco Webex Board 55 after joining scheduled meeting initiated via Microsoft Outlook in Cisco Webex Meetings for Windows with Cisco Webex Meetings for iOS and Cisco Webex Meetings for Android	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for iOS -> Webex Cloud -> Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Board 55	Passed	NA
UCJ14.SU2.CWM42.2.G.141	View participants list in Cisco Webex Room Kit Pro after joining scheduled meeting initiated via Microsoft Outlook	Verify whether user can be able to view participants list in Cisco Webex Room Kit Pro after joining scheduled meeting initiated via Microsoft Outlook in Cisco Webex Meetings for Windows with Cisco Webex Meetings for iOS and Cisco Webex Meetings for Android	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for iOS -> Webex Cloud -> Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Room Kit Pro	Passed	NA

UCJ14.SU2.CWM42.2.G.145	Stop recording in Cisco Webex Meetings for Windows scheduled via Microsoft Outlook	Verify whether user can be able to stop recording in Cisco Webex Meetings for Windows scheduled via Microsoft Outlook with Cisco Webex Meetings for iOS and Cisco Webex Meetings for Android	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for iOS -> Webex Cloud -> Cisco Webex Meet for Android	Passed	NA
UCJ14.SU2.CWM42.2.G.146	Raise hand in Cisco Webex Desk Pro after joining scheduled meeting initiated via Microsoft Outlook	Verify whether user can be able to raise hand in Cisco Webex Desk Pro after joining scheduled meeting initiated via Microsoft Outlook in Cisco Webex Meetings for Windows with Cisco Webex Meetings for iOS and Cisco Webex Meetings for Android	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for iOS -> Webex Cloud -> Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Desk Pro	Passed	NA

UCJ14.SU2.CWM42.2.G.156	Send reactions from Cisco Webex Desk Pro after joining scheduled meeting initiated via Microsoft Outlook	Verify whether user can be able to send reactions from Cisco Webex Desk Pro after joining scheduled meeting initiated via Microsoft Outlook in Cisco Webex Meetings for Windows with Cisco Webex Meetings for iOS and Cisco Webex Meetings for Android	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for iOS -> Webex Cloud -> Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Desk Pro	Passed	NA
UCJ14.SU2.CWM42.2.G.157	Admit Cisco Webex Meetings for Windows waiting in lobby after joining Scheduled meeting	Verify whether user can admit Cisco Webex Meetings for Windows waiting in lobby after joining Scheduled meeting initiated by Cisco Webex Meetings for Android with Cisco Webex Meetings for iOS	Cisco Webex Meet for iOS -> Webex Cloud -> Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Meet for Windows	Passed	NA

UCJ14.SU2.CWM42.2.G.158	Admit Cisco Webex Desk Pro waiting in lobby after joining Scheduled meeting	Verify whether user can admit Cisco Webex Desk Pro waiting in lobby after joining Scheduled meeting initiated by Cisco Webex Meetings for Windows with Cisco Webex Meetings for iOS and Cisco Webex Meetings for Android	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Meet for iOS -> Webex Cloud -> Cisco Webex Desk Pro	Passed	NA
UCJ14.SU2.CWM42.2.G.165	Remove Cisco Webex Room Kit Pro waiting in lobby after joining Scheduled meeting	Verify whether user can remove Cisco Webex Room Kit Pro waiting in lobby after joining Scheduled meeting initiated by Cisco Webex Meetings for Windows with Cisco Webex Meetings for iOS and Cisco Webex Meetings for Android	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Meet for iOS -> Webex Cloud -> Cisco Webex Room Kit Pro	Passed	NA

UCJ14.SU2.CWM42.2.G.166	Admit and expel Cisco Webex Meetings for Android waiting in lobby after joining Scheduled meeting	Verify whether user can admit and expel Cisco Webex Meetings for Android waiting in lobby after joining Scheduled meeting initiated by Cisco Webex Meetings for Windows with Cisco Webex Meetings for iOS	Cisco Webex Meet for Windows -> Webex Cloud -> Cisco Webex Meet for iOS -> Webex Cloud -> Cisco Webex Meet for Android	Passed	NA
UCJ14.SU2.CWM42.2.G.171	Admit Cisco Webex Meetings for Mac waiting in lobby after joining Scheduled meeting	Verify whether user can admit Cisco Webex Meetings for Mac waiting in lobby after joining Scheduled meeting initiated by Cisco Webex Meetings for Android with Cisco Webex Meetings for iOS	Cisco Webex Meet for iOS -> Webex Cloud -> Cisco Webex Meet for Android -> Webex Cloud -> Cisco Webex Meet for Mac	Passed	NA
UCJ14.SU2.CWM42.2.G.172	Edit Registration ID even after someone registered for scheduled Webinar in Cisco Webex Meeting for Web (Chrome)	Verify whether user can be able to edit Registration ID even after someone registered for scheduled Webinar in Cisco Webex Meetings for Web (Chrome)	Cisco Webex Meet for Web (Chrome) -> Webex Cloud -> Scheduled Webinar	Passed	NA

UCJ14.SU2.CWM42.2.G.173	Edit Registration ID even after someone registered for scheduled Webinar in Cisco Webex Meeting for Web (Firefox)	Verify whether user can be able to edit Registration ID even after someone registered for scheduled Webinar in Cisco Webex Meetings for Web (Firefox)	Cisco Webex Meet for Web (Firefox) -> Webex Cloud -> Scheduled Webinar	Passed	NA
UCJ14.SU2.CWM42.2.G.180	Change Registration number to more than 3000 even after someone registered for scheduled Webinar in Cisco Webex Meeting for Web (Chrome)	Verify whether user can change Registration number to more than 3000 even after someone registered for scheduled Webinar in Cisco Webex Meetings for Web (Chrome)	Cisco Webex Meet for Web (Chrome) -> Webex Cloud -> Scheduled Webinar	Passed	NA
UCJ14.SU2.CWM42.2.G.184	Set approval rules to automatically accept all requests even after someone registered for scheduled Webinar in Cisco Webex Meeting for Web (Chrome)	Verify whether user can set approval rules to automatically accept all requests even after someone registered for scheduled Webinar in Cisco Webex Meetings for Web (Chrome)	Cisco Webex Meet for Web (Chrome) -> Webex Cloud -> Scheduled Webinar	Passed	NA

UCJ14.SU2.CWM42.2.G.185	Set approval rules to automatically accept all requests even after someone registered for scheduled Webinar in Cisco Webex Meeting for Web (Firefox)	Verify whether user can set approval rules to automatically accept all requests even after someone registered for scheduled Webinar in Cisco Webex Meetings for Web (Firefox)	Cisco Webex Meet for Web (Firefox) -> Webex Cloud -> Scheduled Webinar	Passed	NA
UCJ14.SU2.CWM42.2.G.192	Add rule with First Name in approval rules even after someone registered for scheduled Webinar in Cisco Webex Meeting for Web (Chrome)	Verify whether user can add rule with First Name in approval rules even after someone registered for scheduled Webinar in Cisco Webex Meetings for Web (Chrome)	Cisco Webex Meet for Web (Chrome) -> Webex Cloud -> Scheduled Webinar	Passed	NA
UCJ14.SU2.CWM42.2.G.193	Add rule with Last Name in approval rules even after someone registered for scheduled Webinar in Cisco Webex Meeting for Web (Chrome)	Verify whether user can add rule with Last Name in approval rules even after someone registered for scheduled Webinar in Cisco Webex Meetings for Web (Chrome)	Cisco Webex Meet for Web (Chrome) -> Webex Cloud -> Scheduled Webinar	Passed	NA

UCJ14.SU2.CWM42.2.G.194	Add rule with Email in approval rules even after someone registered for scheduled Webinar in Cisco Webex Meeting for Web (Chrome)	Verify whether user can add rule with Email in approval rules even after someone registered for scheduled Webinar in Cisco Webex Meetings for Web (Chrome)	Cisco Webex Meet for Web (Chrome) -> Webex Cloud -> Scheduled Webinar	Passed	NA
UCJ14.SU2.CWM42.2.G.203	Add rule with Email in approval rules even after someone registered for scheduled Webinar in Cisco Webex Meeting for Web (Safari)	Verify whether user can add rule with Email in approval rules even after someone registered for scheduled Webinar in Cisco Webex Meetings for Web (Safari)	Cisco Webex Meet for Web (Safari) -> Webex Cloud -> Scheduled Webinar	Passed	NA
UCJ14.SU2.CWM42.2.G.204	End live streaming without delay in Cisco Webex Meetings for Web (Chrome)	Verify whether user can be able to end live streaming without delay after joining Scheduled Event initiated by Cisco Webex Meetings for Web (Chrome) with Cisco Webex Meetings for Android and Cisco Webex Meetings for iOS	Cisco Webex Meetings for Web (Chrome) -> Webex Cloud -> Cisco Webex Meetings for Android -> Webex Cloud -> Cisco Webex Meetings for iOS	Passed	NA

UCJ14.SU2.CWM42.2.G.207	End live streaming without delay in Cisco Webex Meetings for Web (Safari)	Verify whether user can be able to end live streaming without delay after joining Scheduled Event initiated by Cisco Webex Meetings for Mac (Safari) with Cisco Webex Meetings for Android and Cisco Webex Meetings for iOS	Cisco Webex Meetings for Web (Safari) -> Webex Cloud -> Cisco Webex Meetings for Android -> Webex Cloud -> Cisco Webex Meetings for iOS	Passed	NA
UCJ14.SU2.CWM42.2.G.208	Live streaming in Cisco Webex Desk Pro is ended without delay after joining Cisco Webex Meetings for Web (Chrome)	Verify whether live streaming in Cisco Webex Desk Pro is ended without delay after joining Scheduled Event initiated by Cisco Webex Meetings for Web (Chrome) with Cisco Webex Meetings for Android and Cisco Webex Meetings for iOS	Cisco Webex Meetings for Web (Chrome) -> Webex Cloud -> Cisco Webex Meetings for Android -> Webex Cloud -> Cisco Webex Desk Pro	Passed	NA
UCJ14.SU2.CW42.2.G.233	See missed call counter and unread voice message counter in Cisco Webex for Windows	Verify whether the able to see missed call counter and unread voice message counter in Cisco Webex for Windows.	NA	Passed	NA

UCJ14.SU2.CW42.2.G.235	Caller ID for an outbound call in Cisco Webex for Windows	Verify whether user able to see caller ID for an outbound call, and entrance to call settings page in Cisco Webex for Windows.	NA	Passed	NA
UCJ14.SU2.CW42.2.G.238	When Webex rings in Cisco Webex for Windows	Verify whether public line presence becomes amber and flashing when Webex rings in Cisco Webex for Windows.	Cisco Webex for Windows 1 -> Webex Cloud -> Cisco Webex for Windows 2	Passed	NA
UCJ14.SU2.CW42.2.G.240	Assistant calls hold in Cisco Webex for Windows	Verify whether public line hold the line presence status becomes red (primary line) and public line answer the call private line and line presence status becomes amber in Cisco Webex for Windows.	Cisco Webex for Windows 1 -> Webex Cloud -> Cisco Webex for Windows 2 -> Cisco Cloud -> Cisco Webex for Windows 3	Passed	NA
UCJ14.SU2.CWM42.2.G.438	Configure anonymous name with special characters while scheduling the meeting	Verify whether user is able to configure the anonymous display name with special characters while scheduling meeting	NA	Passed	NA

UCJ14.SU2.CWM42.2.G.439	Configure anonymous name with numbers while scheduling the meeting	Verify whether user is able to configure the anonymous display name with numbers while scheduling meeting	NA	Passed	NA
UCJ14.SU2.CWM42.2.G.440	View participant icon in windows Webex meeting when host configures anonymous names while scheduling meeting	Verify whether Host can view the participant icon in windows Webex meeting after configuring anonymous names while scheduling meeting.	NA	Passed	NA
UCJ14.SU2.CWM42.2.G.441	Configure anonymous name with kanji characters while scheduling the meeting	Verify whether user is able to configure the anonymous display name with kanji characters	NA	Passed	NA
UCJ14.SU2.CWM42.2.G.444	Add one more participant during Cisco Webex meeting in Windows and view the participant's name	Verify whether user is able to add one more participant in Windows during the Webex meeting and view participant name successfully.	NA	Passed	NA
UCJ14.SU2.CWM42.2.G.446	View error notification when host configure anonymous name while scheduling the meeting in Windows	Verify whether user is able to view the anonymous name in Webex meeting calender	NA	Passed	NA

UCJ14.SU2.CWM42.2.G.447	Configure anonyms names and delete while scheduling meeting in android	Verify whether user is able to view anonymous display name after delete if someone join in between meeting in Android	NA	Passed	NA
UCJ14.SU2.CWM42.2.G.448	View attendee name in video during meetings in Cisco Webex Meeting for Windows	Verify whether the Cisco Webex Meetings for windows user is able to see attendee name in video during meeting	Cisco Webex meeting->Schedule the meeting invite->Join the meeting with android device with vedio on	Passed	NA
UCJ14.SU2.CWM42.2.G.449	Cisco Webex for Android user able to see Mac user name as attendee 2 during meeting	Verify whether the Cisco Webex Meetings for Android user able to see Mac user name as attendee 2 during meeting	Cisco Webex meeting->Schedule the meeting invite->Join the meeting with android device	Passed	NA
UCJ14.SU2.CWM42.5.G.400	Rename a whiteboard and save in Cisco Webex Meet for Windows	Verify whether Cisco Webex Meet for Windows user is able to see new whiteboard name getting saved to files after renaming and saving a whiteboard	Cisco Webex Meet for Windows User1 -> Webex Cloud -> Cisco Webex Meet for Windows User3	Failed	CSCwc37857

UCJ14.SU2.CWM42.5.G401	Click Restore layout from Panel options to see Webex Apps window for Cisco Webex Meet for Windows	Verify whether Cisco Webex Meet for Windows user is able to see Webex Apps window after clicking Restore layout option	Cisco Webex Meet for Windows User1 -> Webex Cloud -> Cisco Webex Meet for Windows User4	Failed	CSCwc37141
UCJ14.SU2.CWM42.5.G402	See People insight option for the Web user in iPhone during meeting	Verify whether Cisco Webex Meet for iPhone user is able to see People insight option for the user who joined via Web during Webex Meeting	Cisco Webex Meet for Web -> Webex Cloud -> Cisco Webex Meet for iPhone	Failed	CSCwc49632

Cisco Webex Room OS

Logical ID	Title	Description	Call Component Flow	Status	Defects
UCJ14.SU2.CW42.5.RoomOS.G.256	See people focus option during scheduled meetings in Webex Board 55	Verify whether the Webex Board 55 user is able to see the people focus option during scheduled meetings	Cisco Webex for Windows -> Cisco Webex Cloud -> Webex Board 55-> Cisco Webex Cloud -> Webex Desk Pro	Passed	NA
UCJ14.SU2.CW42.5.RoomOS.G.266	Add thumbs-up gesture reaction during scheduled meetings and see it in Webex Board 55	Verify whether the Webex Board 55 user is able to see thumbs up reaction on screen when user gesture thumbs up in front of the device	Scheduled Meetings-> Cisco Webex Cloud -> Webex Board 55-> Cisco Webex Cloud -> Webex Desk Pro	Passed	NA

UCJ14.SU2.CW42.5.RoomOS.G.269	Enable "reactions in meetings" option and participants add reaction during meetings in Cisco Webex for Desk Pro	Verify whether the Webex Board 55 user as participant able to add reactions during meetings when Webex DeskPro user as host enabled "reactions in meetings" option successfully	Scheduled Meetings in Webex Desk Pro -> Cisco Webex Cloud -> Webex Board 55 -> Cisco Webex Cloud -> Cisco Webex for Windows	Passed	NA
UCJ14.SU2.CW42.5.RoomOS.G.298	Enable self view during meeting in Webex Board 55	Verify whether Webex Board 55 user is able to enable self view for the video during meetings with RoomOS 11 UI	Webex Board 55 -> Cisco Webex Cloud -> Webex Desk Pro -> Cisco Webex Cloud -> Webex Desk LE	Passed	NA
UCJ14.SU2.CW42.5.RoomOS.G.299	Create white board during meeting in Webex Board 55	Verify whether the Webex Board 55 user is able to create whiteboard during meetings with RoomOS 11 UI	Webex Board 55 -> Cisco Webex Cloud -> Webex Desk Pro -> Cisco Webex Cloud -> Webex Desk LE	Passed	NA
UCJ14.SU2.CW42.5.RoomOS.G.300	Share files during meetings in Webex Board 55	Verify whether the Webex Board 55 user is able to share files during meetings with RoomOS 11 UI	Webex Board 55 -> Cisco Webex Cloud -> Webex Desk Pro -> Cisco Webex Cloud -> Webex Desk LE	Passed	NA
UCJ14.SU2.CW42.5.RoomOS.G.430	Join a Webex Meeting from Webex Desk device and speak in a noisy environment	Verify whether Webex Desk device is able to remove the background noise when the participant is speaking in noise environment	Webex Desk -> Webex Cloud -> Cisco Webex Meetings for Windows	Passed	NA

UCJ14.SU2.CW42.5.RoomOS.G.436	Test the microphone in noisy environment in Webex Desk limited edition device	Verify whether Webex Desk limited edition device is able to test the microphone in noisy environment & hear the recorded voice without background noise	Webex Desk Limited Edition -> Webex Cloud -> Cisco Webex Meetings for Windows	Passed	NA
UCJ14.SU2.CW42.5.RoomOS.G.440	Test the microphone in unnoisy environment in Webex Board 55 device	Verify whether Webex Board 55 device is able to test the microphone in unnoisy environment & hear the recorded voice	Webex Board 55 -> Webex Cloud -> Cisco Webex Meetings for Windows	Passed	NA
UCJ14.SU2.CW42.5.RoomOS.G.443	Turn on and join the call using SipURIHandler in Webex Desk Pro	Verify whether user is able to turn on the SipURIHandler and join the all in Webex Desk Pro	Webex Desk Pro-> Webex Control Hub-> Webex Desk LE	Passed	NA
UCJ14.SU2.CW42.5.RoomOS.G.445	Access the settings menu by using a tap combination on Webex Desk Pro touch screen	Verify whether user is able to access the settings menu by using tap combination on the screen by touching the screen three times with three fingers.	NA	Passed	NA
UCJ14.SU2.CW42.5.RoomOS.G.446	View Webex Desk Pro screen settings during meeting after enabling the Kiosk Mode	Verify whether Webex Desk Pro user is able to view the screen settings, participants list after enabling the Kiosk mode.	Cisco Webex Meet for Windows-> Webex CloudWebex Desk Pro-> Webex Cloud (Joined the meeting)	Passed	NA

UCJ14.SU2.CW42.5.RoomOS.G.447	Join the meeting and view the screen appearance in Webex Desk Pro & Webex Board 55 after enabling the Kiosk Mode	Verify whether the screen appearance after enabling the Kiosk mode in Webex Desk Pro & Webex Board 55 during meeting	Cisco Webex Meet for Windows-> Webex CloudWebex Desk Pro-> Webex CloudWebex Board 55-> Webex Cloud	Passed	NA
UCJ14.SU2.CW42.5.RoomOS.G.449	Turn off assistant mode in Webex Board 55 after enabling the Kiosk Mode	Verify whether user is able to turn off the assistant mode in Webex Board 55 after enabling the Kiosk mode	NA	Passed	NA
UCJ14.SU2.CW42.5.RoomOS.G.451	Disable the Kiosk Mode on web interface during call in Webex Board 55	Verify whether user is able to disable the Kiosk mode on web interface during call and view the changes in Webex Board 55	NA	Passed	NA
UCJ14.SU2.CW42.5.RoomOS.G.452	Add multiple participants in meeting and view the screen appearance in Webex Desk Pro	Verify the screen appearance in Webex Desk Pro after joining the meeting with multiple participants	NA	Passed	NA
UCJ14.SU2.CW42.5.RoomOS.G.455	View reactions during meeting in Webex Desk Pro after enabling the Kiosk mode	Verify whether Webex Desk Pro user is able to view the reactions during meeting after enabling the Kiosk mode	NA	Passed	NA

UCJ14.SU2.CW42.2.RoomOS.G.077	View Webex Desk LE screen by enabling OSD “Unobstructed” mode from Web UI	Verify whether the Webex Desk LE screen is clear when OSD “Unobstructed” mode enabled from Web UI	NA	Passed	NA
UCJ14.SU2.CW42.2.RoomOS.G.078	View microphone icon in Webex Board 55 while sharing whiteboard when OSD Auto mode is enabled	Verify whether the Webex Board 55 user can see microphone icon while sharing whiteboard when OSD Auto mode is enabled	Webex Meetings for Windows -> Cisco Webex Cloud -> Start a Meeting Webex Board 55, Webex Room Kit, Webex Room Kit Plus -> Cisco Webex Cloud -> Join PMR	Passed	NA
UCJ14.SU2.CW42.2.RoomOS.G.296	‘Smile’ reaction is triggered in Webex Desk LE during Scheduled meeting under Japanese environment	Verify whether ‘smile’ reaction is triggered in Cisco Webex Desk Limited Edition during Cisco Scheduled meeting from Cisco Webex Meetings for Windows with Cisco Webex Room Kit Pro under Japanese environment	Cisco Webex Meetings for Windows -> Cisco Webex Cloud -> Scheduled meeting -> Cisco Webex Desk LE, Cisco Webex Room Kit Pro -> Cisco Webex Cloud -> Scheduled meeting	Passed	NA

UCJ14.SU2.CW422.RoomOS.G308	Host can toggle 'Allow reactions in meeting' to ON in Webex Desk LE during Webex Meetings under Japanese environment	Verify whether Host can toggle 'Allow reactions in meeting' to ON in Cisco Webex Desk Limited Edition during Cisco Webex Meetings with Cisco Webex Meetings for Windows and Cisco Webex Room Device (SX80 Codec) under Japanese environment	Cisco Webex Meetings for Windows -> Cisco Webex Cloud -> Start a Meeting -> Cisco Webex Desk LE, Cisco Webex Room Device (SX80 Codec) -> Cisco Webex Cloud -> Join PMR	Passed	NA
UCJ14.SU2.CW422.RoomOS.G317	OBTP for Google Meet in Cisco Webex Desk Pro after configuring Cisco Webex Edge for Devices	Verify whether user able to view One Button To Push for Google Meet in Cisco Webex Desk Pro after configuring Cisco Webex Edge for Devices	Cisco Webex Meetings for Windows, Cisco Webex Desk Pro (registered in Personal mode) OTBP -> Cisco Webex Cloud-> Scheduled meeting	Passed	NA
UCJ14.SU2.CW422.RoomOS.G331	Apply Device Configuration template to set Audio Default Volume to all Webex Room devices in Cisco Webex Control Hub	Verify whether a device configuration template is applied to set Audio Default Volume for all Cisco Webex Room devices in Cisco Webex Control Hub	NA	Passed	NA

UCJ14.SU2.CW42.2.RoomOS.G.340	Turn on Captions for Webex Board 55 during Webex Scheduled meeting	Verify whether Captions can be turned ON for Webex Board 55 during Cisco Scheduled meeting from Cisco Webex Meetings for Windows with Cisco Webex Room Kit Pro under Japanese environment	Cisco Webex Meetings for Windows -> Cisco Webex Cloud -> Scheduled meeting -> Cisco Webex Board 55, Cisco Webex Room Kit Pro -> Cisco Webex Cloud -> Scheduled meeting	Passed	NA
UCJ14.SU2.CW42.2.RoomOS.G.348	Choose Caption translation language to 'Japanese' while the meeting conversations happens in English on Webex Room Kit during Webex meetings	Verify whether Captions translation language is seen in 'Japanese' while the meeting conversations happens in English on Webex Room Kit during Cisco Webex Meetings with Cisco Webex Desk Limited Edition and Cisco Webex Meetings for Android under Japanese environment	Cisco Webex Meetings for Windows -> Cisco Webex Cloud -> Start a Meeting -> Cisco Webex Desk LE, Cisco Webex Meetings for Android -> Cisco Webex Cloud -> Join PMR	Passed	NA
UCJ14.SU2.CW42.2.RoomOS.G.351	Manage Web Apps option in dustin of Webex Room Navigator	Verify whether, Manage Web Apps option is available in dustin of Cisco Webex Room Navigator paired with at least one Cisco Telepresence Touch 10 device	NA	Passed	NA

UCJ14.SU2.CW422.RoomOS.G355	Enable Macro setting 'Allow Control Hub to manage macros' in Cisco Webex Control Hub	Verify whether user enable Macro setting 'Allow Control Hub to manage macros' in Cisco Webex Control Hub	NA	Passed	NA
UCJ14.SU2.CW422.RoomOS.G365	Enable 'New RoomOS Experience' to reload RoomOS 11 UI in Webex Board 55	Verify whether user can enable 'New RoomOS Experience' to reload RoomOS UI for Cisco Webex Board 55 device	NA	Passed	NA
UCJ14.SU2.CW422.RoomOS.G372	Share Screen and Annotate in Webex Desk Pro during Webex meetings	Verify whether user share the screen and annotate in Cisco Webex Desk Pro during Webex meeting with Cisco Webex meetings for Windows and Cisco Webex Room Kit Plus	Cisco Webex for Windows-> Cisco Webex Cloud ->Start a Meeting ->Cisco Webex Desk Pro, Cisco Webex Room Kit Plus -> Cisco Webex Cloud -> Join PMR	Passed	NA
UCJ14.SU2.CW422.RoomOS.G474	Download and upgrade the latest version software in anytime	Verify whether user can download and upgrade the latest version software in anytime	NA	Passed	NA
UCJ14.SU2.CW422.RoomOS.G475	View user can see software version in Touch UI	Verify whether user can see software version in Touch UI	NA	Passed	NA

UCJ14.SU2.CW42.2.RoomOS.G.469	View Webex Desk LE is updated to new software after enable Advanced software upgrade control in Webex Control Hub	Verify whether Webex Desk Limited Edition is updated to new software after enabling advance software upgrade control in Cisco Webex Control Hub	NA	Passed	NA
UCJ14.SU2.CW42.2.RoomOS.G.478	Tips app in Webex Desk series home screen	Verify Whether Tips app is available or not in Webex Desk series home screen	NA	Passed	NA
UCJ14.SU2.CW42.2.RoomOS.G.481	Click on Tips app to get directed to 9 content cards in Webex Desk and Webex Board series	Verify whether user click on Tips app to get directed to 9 content cards in Webex Desk Series and Webex Board series	NA	Passed	NA
UCJ14.SU2.CW42.2.RoomOS.G.490	Select an Whiteboarding icon in Webex Desk and Webex Board series	Check whether the user is able to click the Whiteboarding icon that will lead to the next page in Webex Desk and Webex Board series	NA	Passed	NA
UCJ14.SU2.CW42.2.RoomOS.G.492	Enable the Microphone icon next to self-view icon in Touch 10 of Webex DX70 device	Verify whether user is able to select Microphone icon next to self-view icon on Webex DX70 device in Touch 10	NA	Passed	NA

UCJ14.SU2.CW422.RoomOS.G.501	During noise removal, music mode will be turned off automatically	Check whether when user can enable the Noise removal. The music mode will be turn off automatically in Cisco Webex DX80 Touch 10	NA	Passed	NA
UCJ14.SU2.CW422.RoomOS.G.507	The "People focus" feature can only be seen if you have the new app UI on Board or Desk Pro series.	Verify whether the Device is running with new app-based UI for visible of "People focus" feature on Board or Desk Pro series.	NA	Passed	NA
UCJ14.SU2.CW422.RoomOS.G.516	People focus option will remove the unnecessary background in Cisco Webex board series	Verify whether the People focus option will remove the unnecessary background and putting the person in focus on Cisco Webex board series	NA	Passed	NA
UCJ14.SU2.CW425.RoomOS.G.284	Sign out hot desking before booked time expires in Webex Desk Pro using "Sign Out" button	Verify whether the Webex Desk Pro user is able to sign out hot desking before booking time expires using "Sign Out" button	NA	Failed	CSCwc56100

Related Documentation

Cisco Webex Cloud Connected UC (CCUC)

<https://help.webex.com/en-us/jy0u1db/Webex-Cloud-Connected-UC-Overview>

New Features:

<https://help.webex.com/en-US/article/fs78p5/Assign-Organization-Account-Roles-in-Control-Hub>

https://help.webex.com/en-US/article/ntm7wvk/Analytics-for-Your-Webex-Cloud-Connected-UC#task_%20AA37D3BBE7C38D2816DC47FDC49A29EA

<https://help.webex.com/en-US/article/nzt6c0b/Set-Up-Webex-Cloud-Connected-UC-for-On-Premises-Devices>

<https://help.webex.com/en-US/article/eg4iz8/What's-New-in-Webex-Cloud-Connected-UC>

Cisco Webex & Webex Meetings

What's New

<https://help.webex.com/en-US/article/8dmbcr/Webex-App-%7C-What's-New>

<https://help.webex.com/en-US/article/xcwsw1/What's-New-for-the-Latest-Channel-of-Webex-Meetings>

New Features:

<https://help.webex.com/en-us/article/pmjoxz/Webex-App-%7C-Welcome-to-your-home-tab>

https://help.webex.com/en-us/article/8dmbcr/Webex-App-%7C-What's-New#Cisco_Reference.dita_eb619210-39c1-4e0d-9131-717696c2c647

<https://help.webex.com/en-us/article/mze7bh/Webex-App-%7C-Add-a-Webex-App-widget>

https://help.webex.com/en-us/article/n3opk6r/Webex-App-%7C-Google-Tasks-bot#id_131368

[https://help.webex.com/en-us/article/5u672db/Manage-Programs-in-Webex-Events-\(Classic\)](https://help.webex.com/en-us/article/5u672db/Manage-Programs-in-Webex-Events-(Classic))

<https://help.webex.com/en-us/article/nmcw9ofb/>

Upload-an-image,-message,-and-music-for-your-practice-session-in-Webex-Webinars

<https://help.webex.com/en-us/article/nic6kmbb/>

Sync-your-stage-with-everyone-in-Webex-Meetings,-Webex-Webinars,-and-Webex-Events-(classic)

Cisco Webex Room OS

What's New

<https://collaborationhelp.cisco.com/article/en-us/hqmdv2>

New Features:

<https://help.webex.com/en-us/article/n997hz9/People-Focus>

<https://help.webex.com/en-us/article/w8l8wf/Reactions-in-Meetings-on-Webex-Devices>

https://help.webex.com/en-us/article/hx8m1o/Sign-in-and-book-your-Webex-device-with-Hot-desking#task_7E5F1CC23B7B4871A52C0949FE43F1B8

<https://help.webex.com/en-us/article/n01kjh1/New-user-experience-with-RoomOS-11>

Cisco Webex Room Kit Plus PTZ

Data Sheet:

<https://www.cisco.com/c/en/us/products/collateral/collaboration-endpoints/webex-room-series/datasheet-c78-742078.html>

Cisco Expressway Series

Administrator Guide:

https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/expressway/admin_guide/X14-0-2/exwy_b_cisco-expressway-administrator-guide-x1402.html

Release Notes:

https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/expressway/release_note/X14-0/expressway/exwy_b_cisco-expressway-release-note-x14-0.html

Installation Guide:

https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/expressway/install_guide/x14-0-2/virtual-machine/exwy_b_cisco-expressway-on-virtual-machine-installation-guide-x14-0-2.html

Configuration Guide:

https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/expressway/config_guide/X14-0-2/mra/exwy_b_mra-deployment-guide-x1402.html

Cisco TelePresence Video Communication Server

Administrator Guide:

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/vcs/admin_guide/Cisco-VCS-Administrator-Guide-X12-5-7.pdf

Release Notes:

https://www.cisco.com/c/en/us/td/docs/telepresence/infrastructure/vcs/release_note/X14-0-3/exwy_b_cisco-telepresence-video-communication-server-release-note-x1403.html

Installation Guide:

https://www.cisco.com/c/dam/en/us/td/docs/voice_ip_comm/expressway/install_guide/Cisco-Expressway-Virtual-Machine-Install-Guide-X12-5.pdf

Configuration Guide:

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/vcs/config_guide/X8-11/Cisco-VCS-Basic-Configuration-Control-with-Expressway-Deployment-Guide-X8-11-4.pdf

Cisco TelePresence Multipoint Control Unit

Cisco TelePresence MCU 5300 Series

Administration Guide

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/mcu/admin_guide/Cisco-TelePresence-MCU-5300-Series-Printable-Online-Help-4-5_1-71.pdf

Installation Guide:

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/mcu/install_guide/mcu_deployment_guide_4-5.pdf

Release Notes:

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/mcu/release_note/Cisco-TelePresence-MCU-Software-release-notes-4-5-1-98.pdf

Cisco TelePresence MCU 4500 Series

Administration Guide:

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/mcu/admin_guide/Cisco-TelePresence-MCU-Series-Printable-Online-Help-4-5_1-71.pdf

Installation Guide:

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/mcu/install_guide/mcu_deployment_guide_4-5.pdf

Release Notes:

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/mcu/release_note/Cisco-TelePresence-MCU-Software-release-notes-4-5-1-89.pdf

Cisco TelePresence Management Suite

Administration Guide:-

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/tms/admin_guide/Cisco-TMS-Admin-Guide-15-13-3.pdf

Release Notes:-

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/tms/release_note/Cisco-TMS-release-notes-15-13-3.pdf

Installation Guide:-

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/tms/install_guide/Cisco-TMS-Installation-Guide-15-13-3.pdf

API Reference Guide:-

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/tmsba/Cisco-TMSBA-API-guide-15-13.pdf>

Cisco TelePresence Management Suite Extension for Microsoft Exchange:

Release Notes:-

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/tmsxe/release_note/Cisco-TMSXE-Release-Notes-5-13.pdf

Installation Guide:-

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/tmsxe/install_guide/Cisco-TMSXE-Deployment-Guide-5-13.pdf

User Guide:-

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/tmsxe/user_guide/Cisco-TMSXE-user-guide-5-13.pdf

Cisco TelePresence Management Suite Provisioning Extension:

Release Notes:-

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/tmspe/release_note/Cisco-TMSPE-release-notes-1-14.pdf

Installation Guide:-

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/infrastructure/tmspe/install_guide/Cisco-TMSPE-with-Cisco-Unified-CM-Deployment-Guide-1-14.pdf

Cisco TelePresence SX10 Quick Set:

Administrator Guide:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/sx10-administrator-guide-ce915.pdf>

API Reference Guide:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/collaboration-endpoint-software-api-reference-guide-ce915.pdf>

Release Notes:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/software/ce9/release-notes/ce-software-release-notes-ce9.pdf>

Configuration Guide:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/sx-mx-dx-room-kit-boards-customization-guide-ce915.pdf>

Cisco TelePresence SX20 Quick Set

Administrator Guide:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/sx20-administrator-guide-ce915.pdf>

API Reference Guide:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/collaboration-endpoint-software-api-reference-guide-ce915.pdf>

Release Notes:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/software/ce9/release-notes/ce-software-release-notes-ce9.pdf>

Configuration Guide:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/sx-mx-dx-room-kit-boards-customization-guide-ce915.pdf>

Cisco TelePresence SX80 Codec

Administration Guide:-

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/sx80-administrator-guide-ce915.pdf>

Configuration Guide:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/sx-mx-dx-room-kit-boards-customization-guide-ce915.pdf>

Release Notes:-

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/software/ce9/release-notes/ce-software-release-notes-ce9.pdf>

API Reference Guide:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/collaboration-endpoint-software-api-reference-guide-ce915.pdf>

Cisco Webex DX Series

Release Notes:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/software/ce9/release-notes/ce-software-release-notes-ce9.pdf>

Administration Guide:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/dx70-dx80-administrator-guide-ce915.pdf>

API Reference Guide:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/collaboration-endpoint-software-api-reference-guide-ce915.pdf>

Configuration Guide:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/sx-mx-dx-room-kit-boards-customization-guide-ce915.pdf>

Cisco Webex Room Phone

Administration Guide:

https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cuipph/Webex/Room/adminguide/cswb_b_cisco-webex-room-phone-adminguide/cswb_b_cisco-webex-room-phone-adminguide_chapter_00.html

Release Notes:

https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cuipph/Webex/Conference/firmware/1-2-0SR1/releasenotes/cswb_b_bookmap-webex-room-phone-release.html

Cisco Webex Desk/Room/Board Series

Administration Guide:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/roomos-103/desk-room-board-administration-guide-roomos-103.pdf>

Release Notes:

https://roomos.cisco.com/print/ReleaseNotes/RoomOS_10

Configuration Guide :

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/roomos-103/desk-room-kit-boards-customization-guide-roomos-103.pdf>

API Reference Guide :

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/roomos-103/api-reference-guide-roomos-103.pdf>

Cisco Webex Desk Camera

Administration Guide:

https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cuipph/Webex/Deskcamera/adminguide/wdpv_b_webex-desk-camera-ag/wdpv_m_camera-administration.html

Release Notes:

https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cuipph/Webex/Deskcamera/firmware/2-2-1/wdpv_b_webex-desk-camera-rn.html#reference_CF22155E284D205AC3D59A0ED25C1F29

Configuration Guide :

https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cuipph/Webex/Deskcamera/userguide/wdpv_b_webex-desk-camera-ug/wdpv_m_your-camera.html

Data Sheet :

<https://www.cisco.com/c/en/us/products/collateral/collaboration/webex-desk-camera-ds.html>

Cisco Webex Room Navigator

Installation Guide:

https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/room_navigator/installation_guide/room_navigator_installation_guide_for-web.pdf

Configuration Guide :

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/touch10-sx10-sx20-sx80-mx200g2-mx300g2-mx700-mx800-room-kit-user-guide-ce915.pdf>

Data Sheet :

<https://www.cisco.com/c/en/us/products/collateral/collaboration-endpoints/webex-room-series/datasheet-c78-744227.html>

Cisco TelePresence MX Series

Administration Guide:-

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/mx200g2-mx300g2-administrator-guide-ce915.pdf>

Configuration Guide:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/sx-mx-dx-room-kit-boards-customization-guide-ce915.pdf>

Release Notes:-

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/software/ce9/release-notes/ce-software-release-notes-ce9.pdf>

API Reference Guide:

<https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce915/collaboration-endpoint-software-api-reference-guide-ce915.pdf>

Cisco Meeting Server web app

Release Notes:

https://www.cisco.com/c/dam/en/us/td/docs/conferencing/ciscoMeetingApps/Web-App/Important-information-doc/Important_information_CMS_webapp_3_5.pdf

User Guide:

https://www.cisco.com/c/dam/en/us/td/docs/conferencing/ciscoMeetingApps/Web-App/User-Guide/CMS_web_app_User_guide_3_5.pdf

Cisco Meeting Management**Release Notes:**

<https://www.cisco.com/c/dam/en/us/td/docs/conferencing/Cisco-Meeting-Management/Release-Notes/Cisco-Meeting-Management-3-5-0-Release-notes.pdf>

User Guide (Administrators) ::

<https://www.cisco.com/c/dam/en/us/td/docs/conferencing/Cisco-Meeting-Management/Admin-Guide/Cisco-Meeting-Management-3-5-User-Guide-Administrator.pdf>

User Guide (Video Operators):

<https://www.cisco.com/c/dam/en/us/td/docs/conferencing/Cisco-Meeting-Management/User-Guide/Cisco-Meeting-Management-3-5-User-Guide-Video-Operator.pdf>