Schritte zum Aufheben der Registrierung für den Rückgabecode für die verlorene Smart Licensing-Reservierung verstehen

Inhalt

Einleitung Vorgehensweise

Einleitung

In diesem Dokument wird das Verfahren beschrieben, mit dem Sie die Registrierung des CyberVision Center beim Cisco Smart Software Manager aufheben, wenn der Code für die Rückgabe der Reservierung verloren geht.

Vorgehensweise

Während der mittleren Deinstallation (Referenz: <u>Schritte zum Aufheben der Registrierung</u>) muss der Benutzer den generierten Rückgabecode kopieren/speichern und mit den Schritten zur Wiederherstellung der Lizenz-Token in Cisco Smart Software Manager (CSSM) fortfahren, wobei er den zuvor generierten Code verwendet (siehe Schritt 2. in <u>Schritte zum Aufheben der Registrierung</u>).

Wenn der Benutzer das Kopieren/Speichern des generierten Rückgabecodes verpasst hat, verwenden Sie dieses Verfahren, um den Code erneut abzurufen.

Schritt 1: Klicken Sie in Cisco Cyber Vision auf die Schaltfläche REGISTER.

 You are currently running in Evaluation mode.
To register Cisco Cyber Vision with Cisco Smart Software Licensing:
 Ensure this product is set with the right Software Subscription Licensing (Essentials or Advantage). This might require you to edit the Software Subscription Licensing. Ensure this product has access to the internet. This might require you to edit the Smart Call Home Transport Settings. Log in to your Smart Account in Smart Software Manager. Navigate to the Virtual Account containing the licenses to be used by this Product Instance. Generate a Product Instance Registration Token (this identifies your Smart Account) and copy or save it.
REGISTER

Das Fenster Smart Software Licensing Product Registration (Produktregistrierung) wird geöffnet.

Schritt 2: Klicken Sie auf den Link Hier starten.

Smart Software Licensing Product Registration	
 To register the product for Smart Software Licensing: Ensure that you have connectivity to the url specified in your Smart Call Home settings. By default, this will require Inter authorized for License Reservation and you wish to reserve licenses start here. Paste the Product Instance Registration Token you generated from Smart Software Manager. 	net access. If your Smart Account is
Product Instance Registration Token:	*
٢	×
Reregister this product instance if it is already registered	
	Register Cancel

Schritt 3: Klicken Sie auf Ja, Mein Smart Account ist Lizenzreservierung aktiviert.

Smart Sottware Licensing				
\land Ensure Smart Account Can Use License Reservation				
Use of the License Reservation requires specific permission from Cisco. If you do not see a "Reserve Licenses" button in Inventory > Licenses in Smart Software Manager , your account does not have the ability to use this feature.				
Please be aware that License Reservation reduces or nullifies many of the benefits of Smart Licensing including:				
 Dynamic movement of license consumption between products, failed or otherwise License usage visibility and asset management Simplified product registration 				
Yes, My Smant Account is License Reservation Enabled				

Schritt 4: Klicken Sie auf Code für Reservierungsanfrage generieren.

▲ Smart License Reservation In order to continue, ensure that you have a surplus of the licenses you will b	e requesting in your Smart Account	
	Generate Reservation Request Code	Cancel

In diesem Schritt wird Ihr Reservierungsanforderungscode angezeigt. Ignorieren Sie den Code, und wählen Sie die Option Schließen.

Schritt 5: Inventory > Product Instances Navigieren Sie in Cisco Software Central zu, und klicken Sie auf **Product Instance** (**Produktinstanz**). Laden Sie den Reservierungsautorisierungscode herunter.

erts Inventory Convert to Smar	t Licensing Reports Preferences On-Pre	m Accounts Activity		
irtual Account: IOT Securi	ty Demos		👩 Major 📔 🐽 Minor 📔 🌘	5 Informational Hide Alerts
General Licenses Pr	oduct Instances Event Log			
Authorize License-Enforced Fea	itures	Search	by Name, Product Type	٩
Name	Product Type	Last Contact 🗢	Alerts	Actions
UDI_PID:CV-CNTR-ESXI; UDI_SN:C	ENTERVM-INT17047; CCV	2020-Dec-16 18:50:19 (Reser	rved Licens	Actions 🗸
		202444-0-0-02		
		And the second second		
scription				
co Cyber Vision				
co Cyber Vision				
co Cyber Vision eneral Name:	UD, PE CV OVTHERE	ill_DUMean-Bitcl780	one contactoria	1946)
co Cyber Vision eneral Name: Product:	SEL_PE-Co-ONTR-ESH) Deco Cyber Theor	10_01/Mean-88407980	Distanci (****Kadilista	- 140
co Cyber Vision neral lame: Product: lost Identifier:	UD, PD CV ONTRASH) Deci Spler Velet 1	10.,01786an 8842780	Distanci (****Kakirista	646
Co Cyber Vision Ineral Iame: Product: Host Identifier: IAC Address:	uits, PELCo-CHIMASH) Clear Cyber Vielen -	10_01/Mean-5010(790)	Dibout (****balitika	- 146
co Cyber Vision eneral Name: Product: Host Identifier: MAC Address: PID:	UD_PD_C+ONTR-EDH) Dec: Cyber Thion - - - C+ONTR-EDH	(D)_01148ears-8840(7983	connel cristationa	- 148
co Cyber Vision eneral Name: Product: Host Identifier: MAC Address: PID: Serial Number:	UDI_PELOVONTRESSE Dece Option Vision - - Co-ONTRESSE Videore Mini(PERSISTER)	107_0101486aan 104107900	const cratations	1948)
co Cyber Vision eneral lame: Product: lost Identifier: MAC Address: PID: Serial Number: JUID:	UDI, PELCI-CHTRESH) Clear Cyber Yalan - - Ci-ChTRESH Vibuan Strict THEODOM	611-00-000ar140	Distanti (****Kakirista	-545)
co Cyber Vision eneral Name: Product: Host Identifier: MAC Address: PID: Serial Number: JUID: /irtual Account:	UDI, PELCI-CHTMEDIC Clear Cyber Vielen - - Cu-ChTMEDIC Vielen Mill (1983) - Cyber Vielen	00_00148eeee384007980	Distanti d''' Hadilita	1948)
co Cyber Vision eneral Name: Product: Host Identifier: MAC Address: PID: Serial Number: JUID: /irtual Account: Registration Date:	UDI, PED CV CNTH ESHI, Class Cyber Vielan - - CV CNTH ESH Vielane Mex(C1800000000 - Cyber Vielan 2014 Feb (2100-4000	101_01149ears-584107580	conordi di intelationa	- 146
eneral Name: Product: Nost Identifier: MAC Address: PID: Serial Number: JUID: /irtual Account: Registration Date: .ast Contact:	UDI, PELCI-ONTR-ESH) Class Cyber Yalan - - Co-ONTR-ESH Vibara MiniCTRESSIN - Cyber Yalan 2014 Fab. 27 33, 46, 55 2014 Fab. 27 33, 46, 55	101_01118aan 00407900		

Schritt 6: Klicken Sie in der Benutzeroberfläche von CyberVision Center auf die Schaltfläche Code für die Rückgabe der Reservierungsautorisierung.

	6 90 Evaluation Mode	<u>∽</u> 8 ⊻
Smart Software Licensing To view and manage Smart Licenses for your Cisco Smart Account, go to Smart Software Manager	ACTION	5 *
1 This product has a pending License Reservation Request.		
 To complete the reservation: Go to the desired Virtual Account in Smart Software Manager and click the "Reserve Licenses" button on the Licenses tab Enter, paste, or upload your Reservation Request Code or file into the window that apears, choose the licenses to reserve and click to Code/File button to generate the Reservation Authorization Code Save or copy the Reservation Authorization Code that is generated and click the enter Reservation Authorization Code button bellow 	the Install Request Authorization	1
ENTER RESERVATION AUTHORIZATION CODE	RESERVATION REQUEST	

Schritt 7. Fügen Sie den im vorherigen Schritt kopierten Reservierungsautorisierungscode ein.

To return the reservation, enter or u	pload a file containing	g your Reservation Authorization Code below.
Reservation Authorization Code:		
 hagDescription = subscriptionD 		ientifiement entitlement rlag-rogiil.2019
12 concluse CINCO CYMER VISIO	PA. EDL IC 20005.1.2 AL	thee 543 70P3 4dBc 4004-405aloc34673+7agr=counti-3+3ounti-
ratartDate=2023-Jun-25 URC=302	artDateundDate-2	628-May-26 VPC - JoneElater - HomseTuper 108M - HomseTuper
-displayName-Cyber Vision Sensor	r Intrusion Detection i	License for IC3000ithylayNumer-risgDescription-Cyber Vision Sensor Intrusion
Detection License for IC 3000 Hard	hore Senor Require	n Advantage Course, < TagDescription subscriptionID SubscriptionID-
Detection License for IC3000 Hard shellfloment - shellfloments - she	hearo Sensor Require uthorizationCode=	n Advantage License, «AugDescription» raubscriptionD==/habscriptionD=
Detection License for IC3000 Hard -cleritikementcleritikementic=-cla reignature=MEQCOB6CHK80nc	ware Senar Require athorizationCade+ de/21/EnvGeMeb/Itad	n Advantage Coarses = TagDescription==subscriptionD==:hubscriptionD= nrDOR5u25=E52=de=subduttus Dg6R08FwCXuxC=Dursum-XRG2QRDxR174e/Tg
Detection License for IC3000 Hard statilitionant - statilitionants- sta mignature-MEQCOBSCHRADIN/ mignature-MEQCOBSCHRADIN/ mignature-statil-PCV-OPER	Iwaro Servar, Reguiro utharisationCade= del21/EreGeReb_trad (SRL3) VMwaro Sokel	n Advantage License, «TagDescription» raubscriptionD==SubscriptionD= ex000456254532-de-inceduding/DgGR0WFwCXgaC=Damash-KRGIQROwR174e/Tg CP992058444D-01348648056ac340=Sub5=Sub5=Sub5=Sub5=Sub5=Sub5=Sub5=Sub5
Detection Gizense for IC3000 Hard cleritifiement Jentifiemento Ja signature-MEQCIDBSCMR40100 Signature sall-P.Cr. ONTR-6	Browse	n Advantage License, «TagDescription» raubscriptionD***/subscriptionD* n/DQR5p25+E52-d8+MABdBio/DgSR0MTwCXpaG=DurbuhvKAGIQROvR1274r/Ty 279930586HdD=01148848056ae3efD*/sub***/specific/PLR+{
Detection Gomme for IC3000 Hand sitentifiement-sitentifiemente-site sitentume-MEQCIDBECH840Hold Sitentume-sub-P.CV-CNTR-6	ware Sensor, Require athorizationCade= derQC/EmGrAdu(tod (SHL): VMware: SAND	n Advantage License, «AugDescription»subscriptionD=-chabscriptionD= n/DQR5e25+E52-dlr/Andbdbie/DgGR085+eCKae6=Cartouh-AAG/QR0e8124 [????3058eHdD=01348ad056ae5efD=ckd==chpecificPL8=[
Detection Grame for IC 2000 Hard chettillement - Centificmento - Sa reignature: MEQCIDBSCMR 80Har Signature:Signature:	Browse	n Advantage License, «TagDescription» -subscriptionD>-studiecriptionD> n/DQR5s25+E52x8HHARddBiss/DgSR08FwCNaxG=DartsuhvRAGrQPDxR174s/1 279930586HdD=0534BaBD56ae3efD>3x8F>3x8F>3x8F>3x8F>2

Schritt 8: Klicken Sie auf **Return Authorization Code/File (Autorisierungscode/Datei zurücksenden**), und warten Sie, bis der Code für die Rücksendung angezeigt wird. Kopieren Sie nach der Anzeige den Code.

Schritt 9. Navigieren Sie zu Bestand > Produktinstanzen, klicken Sie auf die Option Aktionen, und wählen Sie Entfernen....



Schritt 10. Fügen Sie den im vorherigen Schritt kopierten Rücksendeautorisierungscode ein, und klicken Sie auf die Option **Reservierung** entfernen.

F	Remove Reservation	×
	To remove a Product Instance that has reserved licenses and make those licenses once again available to other Product Instances, enter in the Reservation Return Code generated by the Product Instance. If you cannot generate a Reservation Return Code, contact Cisco Support	
r	* Reservation Return Code:	
	Remove Reservation Canc	el

Informationen zu dieser Übersetzung

Cisco hat dieses Dokument maschinell übersetzen und von einem menschlichen Übersetzer editieren und korrigieren lassen, um unseren Benutzern auf der ganzen Welt Support-Inhalte in ihrer eigenen Sprache zu bieten. Bitte beachten Sie, dass selbst die beste maschinelle Übersetzung nicht so genau ist wie eine von einem professionellen Übersetzer angefertigte. Cisco Systems, Inc. übernimmt keine Haftung für die Richtigkeit dieser Übersetzungen und empfiehlt, immer das englische Originaldokument (siehe bereitgestellter Link) heranzuziehen.