Product bulletin
Cisco public

CISCO
The bridge to possible

Introducing 25G Industrial Temperature, ER reach Transceiver

Contents

For more information 3

Cisco is introducing an Industrial Temperature range, Duplex, ER reach, Transceiver for Carrier Ethernet, Enterprise and Mobile fronthaul/midhaul applications.

Table 1 shows 25G Industrial Temperature, ER reach transceiver PID.

Table 1. 10/25G Industrial Temperature LR reach Transceiver

Data Rate	Protocol	Receiver Electrical Interface	Reach	Temp. Range	PID
25G	Ethernet	Limiting	40km	Industrial	SFP-25G-ER-I=

For more information

25GBASE, SFP+ transceivers datasheets:

• Cisco Transceiver Modules - Cisco 25GBASE SFP28 Modules Data Sheet - Cisco

Compatibility information:

https://tmgmatrix.cisco.com/home

Technical Specifications

https://copi.cisco.com/

If you have further questions or suggestions, contact your local account representative.

Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore **Europe Headquarters**Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at https://www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: https://www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Printed in USA C25-2521043-00 07/21