

## Cisco TrustSec Platform and Capability Matrix

Cisco TrustSec uniquely builds upon your existing identity-aware infrastructure by enforcing segmentation and access control policies in a scalable manner using the capabilities detailed below. This table summarizes the platforms and features that are validated in Cisco TrustSec testing. It is current with the TrustSec 5.4 validation program.

System Component	Platform	License	Solution-Level Validated Version	Minimum version for all features	Security Group Tag (SGT) Classification	SGT Exchange Protocol (SXP) Support and Version	Inline SGT Tagging	SGT Enforcement
<b>Cisco Identity Services Engine</b>	Cisco ISE 3515, 3595, 3415, and 3495 Appliance & VMware	Base	Cisco ISE 2.0, ISE 1.4	Cisco ISE 2.0	Dynamic, IP to SGT	Speaker, Listener V4	–	–
<b>Cisco Catalyst® 2000 Series</b>	Cisco Catalyst 2960-Plus Series Switches	LAN Base K9	-	Cisco IOS 15.2(2)E3	Dynamic, IP to SGT, VLAN to SGT, Subnet to SGT	Speaker V4	No	No
	Cisco Catalyst 2960-C Series	LAN Base K9	-	Cisco IOS 15.2(2)E3	Dynamic, IP to SGT, VLAN to SGT, Subnet to SGT	Speaker V4	No	No
	Cisco Catalyst 2960-CX Series	LAN Base K9	-	Cisco IOS 15.2(3)E	Dynamic, IP to SGT, VLAN to SGT, Subnet to SGT	Speaker V4	No	No
	Cisco Catalyst 2960-S and 2960-SF Series	LAN Base K9	Cisco IOS 15.2(2)E	Cisco IOS 15.2(2)E3	Dynamic, IP to SGT, VLAN to SGT, Subnet to SGT	Speaker V4	No	No
	Cisco Catalyst 2960-X and 2960-XR Series	LAN Base K9	Cisco IOS 15.2(2)E	Cisco IOS 15.2(2)E3	Dynamic, IP to SGT, VLAN to SGT, Subnet to SGT	Speaker V4	No	No
<b>Cisco Catalyst 3000 Series</b>	Cisco Catalyst 3560-E and 3750-E Series	IP Base K9	Cisco IOS 15.0(2)SE5	Cisco IOS 15.0(2)SE5	Dynamic, IP to SGT, VLAN to SGT	Speaker, Listener V2	No	No
	Cisco Catalyst 3560-C/CG Series	IP Base K9	Cisco IOS 15.0(1)SE2	Cisco IOS 15.2(2)E	Dynamic, IP to SGT, VLAN to SGT, Subnet to SGT	Speaker, Listener V4	No	No
	Cisco Catalyst 3560-CX Series	IP Base K9	Cisco IOS 15.2(3)E	Cisco IOS 15.2(3)E	Dynamic, IP to SGT (v4, v6), VLAN to SGT, Subnet to SGT	Speaker, Listener V4	No	No

System Component	Platform	License	Solution-Level Validated Version	Minimum version for all features	Security Group Tag (SGT) Classification	SGT Exchange Protocol (SXP) Support and Version	Inline SGT Tagging	SGT Enforcement
	Cisco Catalyst 3560-X and 3750-X Series	IP Base K9	Cisco IOS 15.2(2)E3	Cisco IOS 15.2(2)E1	Dynamic, IP to SGT (prefix must be 32), VLAN to SGT, Port to SGT (only on switch to switch links)	Speaker V4	SGT over Ethernet; SGT over MACsec (with C3KX-SM- 10G uplink)	SGACL (maximum of 8 VLANs on a VLAN-trunk link)
	Cisco Catalyst 3650 and 3850 Series	IP Base K9	Cisco IOS XE 3.6.4	Cisco IOS XE 3.6.0SE	Dynamic, IP to SGT (v4,v6), VLAN to SGT, Port to SGT, Subnet to SGT, L3IF to SGT	Speaker, Listener V4	SGT over Ethernet; SGT over MACsec (3650 requires 3.7.1)	SGACL
<b>Cisco Catalyst 4500 Series</b>	Cisco Catalyst 4500 E-Series Supervisor Engine 6-E and 6L-E; Cisco Catalyst 4948 Series	IP Base K9	Cisco IOS 15.1(1)SG	Cisco IOS 15.1(1)SG	Dynamic, IP to SGT	Speaker, Listener V4	No	No
	Cisco Catalyst 4500 E-Series Supervisor Engine 7-E and 7L-E	IP Base K9	Cisco IOS XE 3.5.1E	Cisco IOS XE 3.5.1E	Dynamic, IP to SGT, VLAN to SGT, Subnet to SGT, Layer 3 Interface (L3IF) to SGT, Port to SGT	Speaker, Listener V4	SGT over Ethernet; SGT over MACsec (See footnote for supported line cards)	SGACL
	Cisco Catalyst 4500 E-Series Supervisor Engine 8-E and 8L-E	IP Base K9	Cisco IOS XE 3.6.3E	Cisco IOS XE 3.6.0E	Dynamic, IP to SGT (v4, v6), VLAN to SGT, Port to SGT, Subnet to SGT (Src & Dst), L3IF to SGT	Speaker, Listener V4	SGT over Ethernet; SGT over MACsec (See footnote for supported line cards)	SGACL
	Cisco Catalyst 4500-X Series	IP Base K9	Cisco IOS XE 3.6.3	Cisco IOS XE 3.5.1E	Dynamic, IP to SGT (v4,v6), VLAN to SGT, Port to SGT, Subnet to SGT (Src & Dst), L3IF to SGT	Speaker, Listener V4	SGT over Ethernet; SGT over MACsec	SGACL
<b>Cisco Catalyst 6500 Series</b>	Cisco Catalyst 6500 Series Supervisor Engine 32 and 720	IP Base K9	Cisco IOS 12.2(33)SXJ2	Cisco IOS 15.1(2)SY1	Dynamic, IP to SGT	Speaker, Listener V4	No	No
	Cisco Catalyst 6500 Series Supervisor Engine 2T Cisco Catalyst 6807-XL	IP Base K9	Cisco IOS 15.2(1)SY0a	Cisco IOS 15.2(1)SY0a	Dynamic, IP to SGT (v4, v6), VLAN to SGT, Port to SGT, subnet to SGT (v4,v6), L3IF-to- SGT (v4,v6)	Speaker, Listener V4 (IPv4, IPv6)	SGT over Ethernet & SGT over MACsec supported on: WS-X69xx modules, C6800 32P10G/G-XL, C6800-16P10G/G-XL, C6800-8P10G/G-XL	SGACL (IPv4, IPv6) <b>SGT Caching</b>
	Cisco Catalyst 6880-X, 6840-X, and 6800ia	IP Base K9	Cisco IOS 15.2(1)SY0a, 15.2(3a)E	Cisco IOS 15.2(1)SY0a	Dynamic, IP to SGT (v4, v6), VLAN to SGT, Port to SGT, subnet to SGT (v4,v6), L3IF-to- SGT (v4,v6)	Speaker, Listener V4 (IPv4, IPv6)	SGT over Ethernet; SGT over MACsec	SGACL (IPv4, IPv6) <b>SGT Caching</b>

System Component	Platform	License	Solution-Level Validated Version	Minimum version for all features	Security Group Tag (SGT) Classification	SGT Exchange Protocol (SXP) Support and Version	Inline SGT Tagging	SGT Enforcement
<b>Cisco Connected Grid Routers and Switches</b>	Cisco 2010 Connected Grid Routers	-	Cisco IOS 15.5(2)T	Cisco IOS 15.4(1)T	Dynamic, IP to SGT, VLAN to SGT	Speaker, Listener V4	SGT over GETVPN or IPsec VPN	SG Firewall
	Cisco 2500 Series Connected Grid Switches	-	Cisco IOS 15.2(3)EA	Cisco IOS 15.0(2)EK1	Dynamic, IP to SGT, VLAN to SGT, Port to SGT, subnet to SGT	Speaker, Listener V3	No	No
<b>Cisco Industrial Ethernet Switches</b>	Cisco IE 2000 Series Cisco IE 3000 Series	LAN Base	Cisco IOS 15.2(3)EA	Cisco IOS 15.2(1)EY	Dynamic, IP to SGT, VLAN to SGT, Subnet to SGT	Speaker, Listener V4	No	No
	Cisco IE 4000 Series	LAN Base	Cisco IOS 15.2(4)EA	Cisco IOS 15.2(2)EA	Dynamic, IP to SGT, VLAN to SGT, Subnet to SGT	Speaker, Listener V4	No	No
	Cisco IE 5000 Series	LAN Base	Cisco IOS 15.2(2)EB1	Cisco IOS 15.2(2)EB1	Dynamic, IP to SGT, VLAN to SGT, Subnet to SGT	Speaker, Listener V4	No	No
<b>Cisco Wireless Con-trollers</b>	Cisco 5500 Series (5508,5520) Cisco 2500 Series (2504)	-	Cisco AireOS 8.1	AireOS 7.6.130.0	Dynamic	Speaker V2	No	No
	Cisco Wireless Services Module 2 (WiSM2)	-	Cisco AireOS 8.1	AireOS 7.6.130.0	Dynamic	Speaker V2	No	No
	Cisco 5760 Wireless Controller Series	IP Base K9	Cisco IOS XE 3.7.1E	Cisco IOS XE 3.3.1SE	Dynamic, IP to SGT, VLAN to SGT, Port to SGT, Subnet to SGT	Speaker, Listener V4	SGT over Ethernet	SGACL
	Cisco 8500 Wireless Controller Series (8540, 8510)	-	Cisco AireOS 8.1	Cisco AireOS 8.1	Dynamic	Speaker V2	No	No
<b>Cisco Nexus® 7000 Series</b>	Cisco Nexus 7000 M-Series and F-Series modules Cisco Nexus 7700 F-Series modules	Base License NX-OS 6.1 and later	Cisco NX-OS 7.3(0)D1(1), 7.2(0)D1(1)	Cisco NX-OS 7.3(0)D1(1)	IP to SGT1, Port Profile to SGT, VLAN to SGT2, Port to SGT2  Subnet to SGT5  1: FabricPath support requires 6.2(10) or later  2 VPC/VPC+ support requires 7.2(0)D1(1) or later  5 Subnet to SGT requires 7.3(0)D1(1) or later	Speaker, Listener V3	SGT over Ethernet3; SGT over MACsec4 3: F3 interfaces (L2 or L3) require 802.1Q or FabricPath 4: M & F2e (Copper-) all ports; F2e (SFP) & F3 (10G)- last 8 ports; All others- no support	SGACL

System Component	Platform	License	Solution-Level Validated Version	Minimum version for all features	Security Group Tag (SGT) Classification	SGT Exchange Protocol (SXP) Support and Version	Inline SGT Tagging	SGT Enforcement
<b>Cisco Nexus 5000, 6000 Series</b>	Cisco Nexus 6000/5600 Series	-	Cisco NX-OS 7.1(0)N1(1a)	Cisco NX-OS 7.0(1)N1(1)	Port to SGT	Speaker V1	SGT over Ethernet	SGACL
	Cisco Nexus 5548P, 5548UP, and 5596UP (Note: No support for 5010 or 5020)	-	Cisco NX-OS 7.0(5)N1(1)	Cisco NX-OS 6.0(2)N2(6)	Port to SGT	Speaker V1 1: FabricPath	SGT over Ethernet	SGACL
<b>Cisco Nexus 1000 Series</b>	Cisco Nexus 1000V for VMware vSphere	Advanced license for SGT/SG ACL support	Cisco NX-OS 5.2(1)SV3(1.3)	Cisco NX-OS 5.2(1)SV3(1.1)	IP to SGT, Port Profile to SGT	Speaker, Listener v1	SGT over Ethernet	SGACL
<b>Cisco Integrated Services Router (ISR)</b>	Cisco 890, 1900, 2900, 3900 Series	IP Services/K9 for classify/propagate; SEC/K9 for enforcement	890: Cisco IOS 15.4(1)T1IOS 15.4(3)M1900/2900/3900: Cisco IOS 15.5(1)20TIOS 15.4(3)M	890: Cisco IOS 15.4(3)M1900/2900/3900: Cisco IOS 15.6(1)T	IP to SGT, Subnet to SGT, L3IF to SGT	Speaker, Listener V4	SGT over Ethernet (no support on ISR G2-Cisco 800 Series), SGT over GETVPN, DMVPN, or IPsec VPN	SG Firewall (No services on 890) <b>SGT based PBR SGT Caching SGT based QoS</b>
	Cisco 4000 Series (ISR 4451-X validated)	IP Services/K9 for classify/propagate; SEC/K9 for enforcement	Cisco IOS XE 3.15.01S	Cisco IOS XE 3.17.0S	IP to SGT, Subnet to SGT, L3IF to SGT	Speaker, Listener V4	SGT over Ethernet, SGT over GETVPN, DMVPN, or IPsec VPN,	SG Firewall <b>SGT based PBR SGT Caching SGT based QoS</b>
	Cisco SM-X Layer 2/3 EtherSwitch Module	IP Services/K9 for classify/propagate; SEC/K9 for enforcement	Cisco IOS 15.5.2T	Cisco IOS 15.2(2)E	Dynamic, IP to SGT, VLAN to SGT	Speaker, Listener V4	SGT over Ethernet; SGT over MACsec	SGACL
	Cisco Cloud Services Router 1000V Series (CSR)	IP Services/K9 for classify/propagate; SEC/K9 for enforcement	Cisco IOS XE 3.15.01S	Cisco IOS XE 3.11.0S	IP to SGT, Subnet to SGT, L3IF to SGT	Speaker, Listener V4	SGT over Ethernet, SGT over IPsec VPN, DMVPN	SG Firewall <b>SGT based PBR SGT Caching</b>

System Component	Platform	License	Solution-Level Validated Version	Minimum version for all features	Security Group Tag (SGT) Classification	SGT Exchange Protocol (SXP) Support and Version	Inline SGT Tagging	SGT Enforcement
<b>Cisco Aggregation Services Router(ASR)</b>	Cisco 1000 Series Router Processor 1 or 2 (RP1, RP2); ASR 1001, 1002,1004, 1006 and 1013 with Embedded Services Processor (10,20, or 40 Gbps) and SPA Interface Processor (10/40)	IP Services/K9 for classify/propagate; SEC/K9 for enforcement	Cisco IOS XE 3.15.0S	Cisco IOS 3.17.0S	IP to SGT, Subnet to SGT, L3IF to SGT	Speaker, Listener V4	SGT over Ethernet,SGT over GETVPN, IPsec VPN, or DMVPN	SG Firewall <b>SGT based PBR (1000 RP2) SGT based QoS SGT Caching</b>
	Cisco ASR 1001-X and 1002-X	IP Services/K9 for classify/propagate; SEC/K9 for enforcement	Cisco IOS XE 3.13.0S	Cisco IOS XE 3.17.0S	IP to SGT, Subnet to SGT, L3IF to SGT	Speaker, Listener V4	SGT over Ethernet, SGT over GETVPN, IPsec VPN, DMVPN	SG Firewall <b>SGT based PBR SGT based QoS SGT Caching</b>
<b>Cisco Adaptive Security Appliance (ASA)</b>	Cisco ASA 5510, 5520, 5540, 5550, 5580	-	Cisco ASA 9.0.1, ASDM 7.1.6	Cisco ASA 9.0.1, ASDM 7.1.6		Speaker, Listener v2		SG Firewall
	Cisco ASA 5505 <sup>+</sup> , 5512, 5515, 5525, 5545, 5555, 5585	-	ASA 9.3.1, ASDM 7.3.1, CSM 4.8	Cisco ASA 9.3.1, ASDM 7.3.1, CSM 4.8	Remote Access VPN (IPSec, SSL-VPN)	Speaker, Listener V2 (IPv4, IPv6)	SGT over Ethernet	SG Firewall (IPv4, IPv6) <b>SGT based PBR</b>
	Cisco ASA 5506-X, 5506H-X, 5506W-X, 5508-X, 5516-X	-	Cisco ASA 9.6.1, ASDM 7.6.1	Cisco ASA 9.6.1, ASDM 7.6.1	Remote Access VPN (IPSec, SSL-VPN)	Speaker, Listener V3	SGT over Ethernet	SG Firewall (IPv4, IPv6) <b>SGT based PBR</b>
	Cisco ASA 5512-X, 5515-X, 5525-X, 5545-X, 5555-X, 5585-X with FirePower Services	-	Cisco ASA 9.6.1, ASDM 7.6.1	Cisco ASA 9.6.1, ASDM 7.6.1	Remote Access VPN (IPSec, SSL-VPN)	Speaker, Listener V3	SGT over Ethernet	SG Firewall (IPv4, IPv6) <b>SGT based PBR</b>
	Cisco ASA v	-	Cisco ASA 9.3.1 ASDM 7.1.6	Cisco ASA 9.6.1 ASDM 7.6.1	Remote Access VPN (IPSec, SSL-VPN)	Speaker, Listener V3	SGT over Ethernet	SG Firewall <b>SGT based PBR</b>

---

Dynamic classification includes IEEE 802.1X, MAC Authentication Bypass (MAB), and Web Authentication (Web Auth).

IP to SGT, VLAN to SGT, subnet to SGT, port profile to SGT, L2IF to SGT, and L3IF to SGT use the static classification method.

Solution-level validated versions may not always represent the latest available platform version and feature set. For latest platform firmware version and feature set, refer to product release notes.

## Notes

<sup>†</sup> Product part numbers of supported line cards for SGT over Ethernet and SGT over MACsec on the Cisco Catalyst 4500 Supervisor Engine 7-E, 7L-E, 8-E, and 8L-E include the following: WS-X4712-SFP+E, WS-X4712-SFP-E, WS-X4748-UPOE+E, WS-X4748-RJ45V+E, WS-X4748-RJ45-E, WS-X4724-SFP-E, WS-X4748-SFP-E, and WS-X4748-12X48U+E.

<sup>\*\*</sup> Cisco ASA 5505 does not support releases after 9.2.

<sup>\*\*\*</sup> Cisco Nexus 7000 F1-Series modules do not support Cisco TrustSec.

- With IPv6 support, DGT can be IPv4.
- Cisco WLC 7500 and vWLC do not support Cisco TrustSec.
- Prior versions of this document listed Cisco Catalyst 3750-X validated version, IOS 12.2(3)E1. It has a TrustSec defect and was deferred.



---

Americas Headquarters  
Cisco Systems, Inc.  
San Jose, CA

Asia Pacific Headquarters  
Cisco Systems (USA) Pte. Ltd.  
Singapore

Europe Headquarters  
Cisco Systems International BV Amsterdam,  
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)