Add Domain–Specific Disclaimers on the ESA



Document ID: 118489

Contributed by Valter DaCosta and Robert Sherwin, Cisco TAC Engineers. Oct 14, 2014

Contents

Introduction Add Domain–Specific Disclaimers Link the Disclaimers to the Specific Domains with a Message Filter Related Information

Introduction

This document describes how to add domain-specific disclaimers on your Cisco Email Security Appliance (ESA).

Add Domain–Specific Disclaimers

Typically end users will add a disclaimer on the outbound listener. This can be done on the ESA GUI *Network > Listeners > Listener Name > Disclaimer Above* or *Disclaimer Below*. With an already written disclaimer, you can add this to the listener as needed.

There are times where it may be a requirement to add domain–specific disclaimers. Adding domain–specific disclaimer is a two–step process.

Create the Disclaimer(s)

Disclaimers are created from the ESA GUI *Mail Policies > Text Resources > Add Text Resources*.

For this example, we will use the *Disclaimer Template* type and create three separate disclaimers: example_com, example_net, and example_org.

Text Resources	Resources			20 \$		
Add Text Resource				Import Text Resource		
Text Resource Name	Туре		Preview	Delete		
example_com	Disclaimer Template		8	Û		
example_net	Disclaimer Template		8	â		
example_org	Disclaimer Template		8	窗		
Export Text Resource						

Link the Disclaimers to the Specific Domains with a Content Filter

The disclaimer can be linked to the specific domain(s) through content filters. From the ESA GUI *Mail Policies > Outgoing Content Filters* and click *Add Filter*. With *Add Condition*, using the *Envelope Sender* option, specify the domain. Finally, with *Add Action*, using the *Add Disclaimer Text* option, specify if you want to use the disclaimer as a header or footer, and select your pre–written disclaimer.

Continuing with the example started when we created the disclaimers, we will use example.com as the domain, and the associated disclaimer:

Add Content Filter

Content Filter Settings						
Name: add_dise		add_disc	laimer_example_com			
Currently Used by Policies: No		No policie	es currently use this rule.			
Description: This w		This will	add the disclaimer for all outgoing mail from "example.com" domain.			
Conditions						
Add Condition						
Order	Condition		Rule	Delete		
1	Envelope Sender		mail-from == "@example.com"	Ē		
Actions						
Add Action						
Order	Action		Rule	Delete		
1	Add Disclaimer Text		add-heading("example_com")	窗		

Link the Disclaimers to the Specific Domains with a Message Filter

The disclaimer can also be added to specific domains via message filters. Message filters are added from the ESA CLI using *filters*:

```
Choose the operation you want to perform:
- NEW - Create a new filter.
- IMPORT - Import a filter script from a file.
[]> new
Enter filter script. Enter '.' on its own line to end.
example_com_Disclaimer:if (mail-from == "@example.com")
{
  add-footer("example_com");
  }
.
1 filters added.
```

With simlar script – alter the mail–from and add–footer lines, and repeat adding a message filter using the *new* sub–command in *filters*, adding associated filters for example.net, and example.org. You can use the *list* sub–command to see your newly created filters:

[]> **list**

Num Active Valid Name

myesa.local> filters

1 Y Y example_com_Disclaimer

2 Y Y example_net_Disclaimer

3 Y Y example_org_Disclaimer

Return to the main ESA CLI prompt and *commit* your changes.

Related Information

- Cisco Email Security Appliance End–User Guides
- Technical Support & Documentation Cisco Systems

Updated: Oct 14, 2014

Document ID: 118489