# Enable/Disable Web Interface on SPA300/SPA500 Series IP Phone

#### **Objectives**

The SPA300/SPA500 Series IP phones can be accessed through a web interface. The web interface displayes answered, placed, and missed calls along with device information and statistics specific to that phone. By default, the web interface is enabled on each phone.

This document explains how to enable or disable the web interface on the SPA300/SPA500 Series IP Phone.

## **Applicable Devices**

- SPA300 Series IP Phone
- SPA500 Series IP Phone

## **Step-by-Step Procedure**

#### Enable or Disable the Web Interface



Step 1. Press the **Setup** button on the IP phone to bring up the Setup menu.



Step 2. Select **Settings** and press **Select** to bring up the *Settings* menu.

	<u></u> כ	ecurity Configuration			
Î	7	Security Configuration	<b>A</b>		
	8	Screen Save Mode			
Ų	9	Call Control Settings			
UC540					
Select Can			Cancel		

Step 3. Select **Security Configuration** and press **Select** to bring up the *Security Configuration* menu.

Security Configuration	
1 Web Access Enabled Yes	
<b>₽</b> 2 Debug Server	
UC540	
	Cancel

Step 4. If there is a locked padlock at the top of the screen, press **Star, Star, Pound** on the keypad to unlock the settings so that they can be edited.



Step 5. Select **Web Access Enabled** and press **Edit** to change whether the web interface is enabled or disabled.

🗅 Security Configuration 읍	
Web Access Enabled	<u> </u>
Yes_	
UC540	
	Cancel

Step 6. Press **Y/N** to toggle whether web access is enabled or disabled.

🗋 Security Configuration 읍	
Web Access Enabled	<b>A</b>
Yes_	
UC540	
OK Y/N Ca	ancel

Step 7. Press **OK** to accept the settings.



Step 7. Press **Save** to save the settings and have them go into immediate effect.