



Functionality Overview

Revised: December 23, 2013, OL-30614-01

Introduction

This chapter provides an overview of the service security functionality of the SCE platform.

Functionality Overview

The Cisco SCE platform uses three approaches for threat detection:

- Anomaly detection—This set of mechanisms monitors the rate of connections (successful and unsuccessful) to and from each host IP address. It detects malicious activity based on exceeding “normal” connection rates and on the ratio between successful and unsuccessful connections. Anomaly detection characteristics can indicate the following categories of malicious activity:
 - Scan/Sweep/Attack—Based on an indication that a host is generating an anomalous rate of connections.
 - DoS/DDoS—Based on an indication that a host is a target for an anomalous rate of connections.
 - DoS—Based on an indication that a pair of hosts is involved in an activity where one is generating, and the other one is a target, for an anomalous rate of connections.

The anomaly detection mechanism is effective in addressing zero-day threats—addressing threats as they appear, without the need for preliminary knowledge about their exact nature and Layer 7 signatures, based on the characteristics of their network activity.

For further details, see [Chapter 3, “Anomaly-Based Detection.”](#)

- Mass-mailing activity detection—This mechanism is based on monitoring Simple Mail Transfer Protocol (SMTP) session rates for individual subscribers. It uses the subscriber-awareness of the Cisco SCE platform and can work in subscriber-aware or anonymous subscribers mode. SMTP is a protocol used for sending email; an excess rate of such sessions originating from an individual subscriber is usually indicative of malicious activity involving sending email, that is, either mail-based viruses or spam-zombie activity.
- Signature-based detection—The SCE platform provides stateful Layer 7 capabilities that can be used to detect malicious activity, which is not easily detectable by the other mechanisms. A user can independently configure signatures for such threats, thus achieving a fast turnaround time in addressing threats. Details on signature-based detection is not covered in this document.

All three detection approaches provide operators with several possible courses of action to be implemented based on their business needs.

- **Monitor**—Inspect the network for malicious activity detected by each of these methods. This can be done by using reports that are based on information collected for malicious activity that was detected, or by using SNMP traps that can detect malicious activity using the anomaly detection module.
- **Block**—Automatically block malicious activity, that the SCE platform detected, to avoid threat propagation and adverse effects to the network.
- **Notify**—Notify subscribers that they have been detected as being involved in malicious activity by redirecting their web sessions to a captive portal.

Operators have a high level of flexibility in tuning the detection methods and actions to be taken based on their specific needs. The SCA BB Security Dashboard as shown in [Figure 2-1](#) is a GUI application that provides a simple front end for configuring and monitoring security functionality.

Figure 2-1 SCA BB Security Dashboard

