



L Show Commands

- [show l2 mroute, on page 8](#)
- [show l2 multicast ftag, on page 9](#)
- [show l2 multicast trees, on page 10](#)
- [show l2 route, on page 11](#)
- [show l2rib clients, on page 12](#)
- [show l2rib producers, on page 13](#)
- [show l2rib registrations, on page 15](#)
- [show l2route cmcast topology, on page 16](#)
- [show l2route evpn ead, on page 17](#)
- [show l2route evpn ethernet-segment esi, on page 18](#)
- [show l2route evpn fl all, on page 19](#)
- [show l2route evpn fl evi, on page 20](#)
- [show l2route evpn imet all, on page 21](#)
- [show l2route evpn imet evi, on page 22](#)
- [show l2route evpn mac-ip all, on page 23](#)
- [show l2route evpn mac-ip evi, on page 24](#)
- [show l2route evpn mac all, on page 25](#)
- [show l2route evpn mac evi, on page 26](#)
- [show l2route evpn path-list all, on page 27](#)
- [show l2route evpn startup-route all, on page 28](#)
- [show l2route evpn startup-route evi, on page 29](#)
- [show l2route evpn topo-child-attr all, on page 30](#)
- [show l2route evpn topo-child-attr evi, on page 31](#)
- [show l2route fhs topology, on page 32](#)
- [show l2route fl topology, on page 33](#)
- [show l2route mac topology, on page 34](#)
- [show l2route peerid, on page 35](#)
- [show l2route spmsi topology, on page 36](#)
- [show l2route summary, on page 37](#)
- [show l2route topology, on page 38](#)
- [show l2route topology, on page 39](#)
- [show lacp counters, on page 40](#)
- [show lacp interface, on page 41](#)

- [show lacp issu-impact](#), on page 42
- [show lacp neighbor](#), on page 43
- [show lacp port-channel](#), on page 44
- [show lacp system-identifier](#), on page 45
- [show lcnd dot1x address](#), on page 46
- [show lcnd dot1x port](#), on page 47
- [show lcnd stats interface](#), on page 48
- [show ldap-search-map](#), on page 49
- [show ldap-server](#), on page 50
- [show ldap-server groups](#), on page 51
- [show ldap-server statistics](#), on page 52
- [show license](#), on page 53
- [show license all](#), on page 54
- [show license certs](#), on page 55
- [show license data conversion](#), on page 56
- [show license eventlog](#), on page 57
- [show license history message](#), on page 58
- [show license host-id](#), on page 59
- [show license rum id all](#), on page 60
- [show license status](#), on page 61
- [show license summary](#), on page 62
- [show license tech support](#), on page 63
- [show license udi](#), on page 64
- [show license usage](#), on page 65
- [show license version](#), on page 66
- [show line](#), on page 67
- [show line console](#), on page 68
- [show line console connected](#), on page 69
- [show line console user-input-string](#), on page 70
- [show lisp ddt](#), on page 71
- [show lisp ddt queue](#), on page 72
- [show lisp ddt referral-cache](#), on page 73
- [show lisp dynamic-eid](#), on page 74
- [show lisp elp](#), on page 75
- [show lisp negative-prefix](#), on page 76
- [show lisp proxy-itr](#), on page 77
- [show lisp site](#), on page 78
- [show lisp site instance-id](#), on page 79
- [show lldp all](#), on page 80
- [show lldp dcbx interface](#), on page 81
- [show lldp entry](#), on page 82
- [show lldp interface](#), on page 83
- [show lldp neighbors](#), on page 84
- [show lldp neighbors detail](#), on page 85
- [show lldp neighbors system-detail](#), on page 86
- [show lldp poe interface](#), on page 87

- show lldp portid-subtype, on page 88
- show lldp timers, on page 89
- show lldp tlv-select, on page 90
- show lldp traffic, on page 91
- show lldp traffic interface, on page 92
- show lldp traffic interface all, on page 93
- show locator-led status, on page 94
- show logging, on page 95
- show logging console, on page 96
- show logging dropcount, on page 97
- show logging history, on page 98
- show logging info, on page 99
- show logging last, on page 100
- show logging level, on page 101
- show logging level, on page 102
- show logging level aaa, on page 104
- show logging level acl, on page 105
- show logging level aclmgr, on page 106
- show logging level adbm, on page 107
- show logging level adjmgr, on page 108
- show logging level amt, on page 109
- show logging level app-hosting, on page 110
- show logging level arp, on page 111
- show logging level ascii-cfg, on page 112
- show logging level assoc_mgr, on page 113
- show logging level backup, on page 114
- show logging level bfd, on page 115
- show logging level bgp, on page 116
- show logging level bloggerd, on page 117
- show logging level bootvar, on page 118
- show logging level callhome, on page 119
- show logging level capability, on page 120
- show logging level cdp, on page 121
- show logging level cert_enroll, on page 122
- show logging level cfs, on page 123
- show logging level clis, on page 124
- show logging level clk_mgr, on page 125
- show logging level confcheck, on page 126
- show logging level copp, on page 127
- show logging level core-dmon, on page 128
- show logging level cts, on page 129
- show logging level device-alias, on page 130
- show logging level dhclient, on page 131
- show logging level dhcp_snoop, on page 132
- show logging level diagnostic diag_port_lb, on page 133
- show logging level diagnostic diagclient, on page 134

- [show logging level diagnostic diagmgr](#), on page 135
- [show logging level dot1x](#), on page 136
- [show logging level dpvm](#), on page 137
- [show logging level ecp](#), on page 138
- [show logging level eigrp](#), on page 139
- [show logging level eltm](#), on page 140
- [show logging level epbr](#), on page 141
- [show logging level epp](#), on page 142
- [show logging level ethdstats](#), on page 143
- [show logging level ethpm](#), on page 144
- [show logging level evb](#), on page 145
- [show logging level evmc](#), on page 146
- [show logging level evmed](#), on page 147
- [show logging level evms](#), on page 148
- [show logging level fabric forwarding](#), on page 149
- [show logging level fabricpath isis](#), on page 150
- [show logging level fabricpath switch-id](#), on page 151
- [show logging level fc2d](#), on page 152
- [show logging level fcdomain](#), on page 153
- [show logging level fcns](#), on page 154
- [show logging level fcoe_mgr](#), on page 155
- [show logging level fcs](#), on page 156
- [show logging level fdmi](#), on page 157
- [show logging level feature-mgr](#), on page 158
- [show logging level flogi](#), on page 159
- [show logging level fs-daemon](#), on page 160
- [show logging level fspf](#), on page 161
- [show logging level fsync_mgr](#), on page 162
- [show logging level gpixm](#), on page 163
- [show logging level hardware-telemetry](#), on page 164
- [show logging level hsrp](#), on page 165
- [show logging level icam](#), on page 166
- [show logging level igmp](#), on page 167
- [show logging level im](#), on page 168
- [show logging level imp](#), on page 169
- [show logging level interface-vlan](#), on page 170
- [show logging level ip sla responder](#), on page 171
- [show logging level ip sla sender](#), on page 172
- [show logging level ip sla twamp-server](#), on page 173
- [show logging level ipconf](#), on page 174
- [show logging level ipfib](#), on page 175
- [show logging level ipqos](#), on page 176
- [show logging level ipv6 icmp](#), on page 177
- [show logging level ipv6 mfwd](#), on page 178
- [show logging level ipv6 pim](#), on page 179
- [show logging level iscm](#), on page 180

- show logging level iscm, on page 181
- show logging level isis, on page 182
- show logging level l2fm, on page 183
- show logging level l3vm, on page 184
- show logging level lacp, on page 185
- show logging level ldap, on page 186
- show logging level lim, on page 187
- show logging level lisp, on page 188
- show logging level lldp, on page 189
- show logging level m2rib, on page 190
- show logging level mfdm, on page 191
- show logging level mfwd, on page 192
- show logging level mld, on page 193
- show logging level mmode, on page 194
- show logging level module, on page 195
- show logging level monitor, on page 196
- show logging level mpls manager, on page 197
- show logging level mpls switching, on page 198
- show logging level msdp, on page 199
- show logging level mvsh, on page 200
- show logging level nat, on page 201
- show logging level nbm, on page 202
- show logging level netstack, on page 203
- show logging level nfm, on page 204
- show logging level ngmvpn, on page 205
- show logging level ngoam, on page 206
- show logging level npv, on page 207
- show logging level ntp, on page 208
- show logging level nve, on page 209
- show logging level nxssdk, on page 210
- show logging level ofm, on page 211
- show logging level ospf, on page 212
- show logging level ospfv3, on page 213
- show logging level otv isis, on page 214
- show logging level pfstat, on page 215
- show logging level pim, on page 216
- show logging level pixm, on page 217
- show logging level pktmgr, on page 218
- show logging level platform, on page 219
- show logging level plcmgr, on page 220
- show logging level pltfm_config, on page 221
- show logging level pltm, on page 222
- show logging level plugin, on page 223
- show logging level poed, on page 224
- show logging level port-channel, on page 225
- show logging level port-profile, on page 226

- [show logging level port-resources](#), on page 227
- [show logging level port-security](#), on page 228
- [show logging level port](#), on page 229
- [show logging level private-vlan](#), on page 230
- [show logging level ptp](#), on page 231
- [show logging level radius](#), on page 232
- [show logging level rdl](#), on page 233
- [show logging level res_mgr](#), on page 234
- [show logging level rib](#), on page 235
- [show logging level rip](#), on page 236
- [show logging level routing ipv6 multicast](#), on page 237
- [show logging level routing multicast](#), on page 238
- [show logging level rpm](#), on page 239
- [show logging level rscn](#), on page 240
- [show logging level sal](#), on page 241
- [show logging level san-port-channel](#), on page 242
- [show logging level san-port-channel](#), on page 243
- [show logging level scheduler](#), on page 244
- [show logging level scsi-target](#), on page 245
- [show logging level security](#), on page 246
- [show logging level segment-routing](#), on page 247
- [show logging level session-mgr](#), on page 248
- [show logging level sflow](#), on page 249
- [show logging level smm](#), on page 250
- [show logging level snmpd](#), on page 251
- [show logging level snmpmib_proc](#), on page 252
- [show logging level spanning-tree](#), on page 253
- [show logging level spm](#), on page 254
- [show logging level stripcl](#), on page 255
- [show logging level sync](#), on page 256
- [show logging level sysmgr](#), on page 257
- [show logging level tacacs](#), on page 258
- [show logging level telemetry](#), on page 259
- [show logging level template_manager](#), on page 260
- [show logging level track](#), on page 261
- [show logging level tunnel-encryption](#), on page 262
- [show logging level tunnel](#), on page 263
- [show logging level u2rib](#), on page 264
- [show logging level u6rib](#), on page 265
- [show logging level udld](#), on page 266
- [show logging level ufdm](#), on page 267
- [show logging level urib](#), on page 268
- [show logging level vdc_mgr](#), on page 269
- [show logging level virtual-service](#), on page 270
- [show logging level vlan_mgr](#), on page 271
- [show logging level vmm](#), on page 272

- show logging level vmtracker, on page 273
- show logging level vpc, on page 274
- show logging level vrrp-cfg, on page 275
- show logging level vrrp-eng, on page 276
- show logging level vrrpv3, on page 277
- show logging level vsan, on page 278
- show logging level vshd, on page 279
- show logging level vtp, on page 280
- show logging level wwn, on page 281
- show logging level xbar, on page 282
- show logging level zone, on page 283
- show logging logfile, on page 284
- show logging logfile duration, on page 285
- show logging logfile last-index, on page 286
- show logging logfile start-seqn, on page 287
- show logging logfile start-time, on page 288
- show logging loopback, on page 289
- show logging module, on page 290
- show logging monitor, on page 291
- show logging nvram, on page 292
- show logging onboard, on page 293
- show logging onboard, on page 294
- show logging onboard kernel-trace, on page 297
- show logging origin-id, on page 298
- show logging pending-diff, on page 299
- show logging pending, on page 300
- show logging rate-limit, on page 301
- show logging rfc-strict, on page 302
- show logging server, on page 303
- show logging session status, on page 304
- show logging source-interface, on page 305
- show logging status, on page 306
- show logging timestamp, on page 307
- show login on-failure log, on page 308
- show login on-successful log, on page 309

show l2 mroute

show l2 mroute

```
show { l2 | fabricpath } mroute { [ vdc-omf ] { [ resolved ] } | [ vlan <vlanid> ] { { [ omf ] | [ flood ] | [ source { <srcaddr> | <v6srcaddr> | <macsrcaddr> } ] [ group { <groupaddr> | <v6groupaddr> | <macgroupaddr> } ] } [ resolved ] [ ftag <ftag-id> ] [ hex ] } }
```

Syntax Description

show	Show running system information
l2	Layer2 information
fabricpath	fabricpath information
mroute	Show multicast route database
vdc-omf	(Optional) Display vdc omf route
vlan	(Optional) Show information for a vlan
omf	(Optional) Show catch-all entry consisting of mroute ports
flood	(Optional) Display vlan flood route
ftag	(Optional) Show ftag number
source	(Optional) Show (s, g) source IP address
group	(Optional) Show group address
hex	(Optional) Display switch-ids in hex
vlanid	(Optional) Vlan value
ftag-id	(Optional) ftag id
groupaddr	(Optional) Group address
macgroupaddr	(Optional) MAC Group address
srcaddr	(Optional) Source address
macsrcaddr	(Optional) MAC source address
resolved	(Optional) Resolve switchid nexthops into the underlying interfaces

Command Mode

- /exec

show l2 multicast ftag

show { l2 | fabricpath } multicast ftag [<ftag-id>]

Syntax Description

show	Show running system information
l2	Layer2 information
fabricpath	fabricpath information
multicast	Multicast information
ftag	ftag number
<i>ftag-id</i>	(Optional) ftag id

Command Mode

- /exec

show l2 multicast trees

show { l2 | fabricpath } multicast trees [topo <topo-id>] [ftag <ftag-id>] [hex]

Syntax Description

show	Show running system information
l2	Layer2 information
fabricpath	fabricpath information
multicast	Multicast information
trees	Show the broadcast/multicast tree database
topo	(Optional) Show topo instance
ftag	(Optional) Show ftag number
hex	(Optional) Display switch-ids in hex
<i>topo-id</i>	(Optional) topo id
<i>ftag-id</i>	(Optional) ftag id

Command Mode

- /exec

show l2 route

```
show { l2 | fabricpath } route [ topology { <topo_val> [ switchid <switchid> ] | all } | switchid <switchid> ] [ detail | hex ] +
```

Syntax Description

show	Show running system information
l2	Layer2 information
fabricpath	fabricpath information
route	Show FabricPath route information
topology	(Optional) topology
<i>topo_val</i>	(Optional) topology value
switchid	(Optional) switchid
<i>switchid</i>	(Optional) switchid value
all	(Optional) all topologies
detail	(Optional) detail
hex	(Optional) display in hex

Command Mode

- /exec

show l2rib clients

show l2rib clients

show l2rib clients [<client_id>]

Syntax Description

show	Show running system information
l2rib	Layer 2 routing information base
clients	L2RIB Clients
<i>client_id</i>	(Optional) Enter Client ID

Command Mode

- /exec

show l2rib producers

show l2rib producers [{ topology | mac | mac-ip | ead | pl | imet | flood-list | startup-route | peerid | es | topo-child-attr } [static | local | bgp | vxlan | hmm | arp | ofa | lisp]] [detail]

Syntax Description

show	Show running system information
l2rib	Layer 2 routing information base
producers	L2RIB Producers
detail	(Optional) Detailed information
topology	(Optional) Filter on Topology
mac	(Optional) Filter on MAC
mac-ip	(Optional) Filter on MAC-IP
ead	(Optional) Filter on Ethernet-AD
pl	(Optional) Filter on Path List
imet	(Optional) Filter on IMET Route
flood-list	(Optional) Filter on Flood List
startup-route	(Optional) Filter on Startup Route
peerid	(Optional) Filter on Peerid
es	(Optional) Filter on ES
static	(Optional) Static
local	(Optional) Local
bgp	(Optional) BGP
vxlan	(Optional) VXLAN
hmm	(Optional) HMM
arp	(Optional) ARP
ofa	(Optional) OFA
lisp	(Optional) lisp
topo-child-attr	(Optional) Filter on Topo child attr

Command Mode

```
show l2rib producers
```

- /exec

show l2rib registrations

show l2rib registrations [client <client_id> [<topo_id> { mac | mac-ip | ead | pl | imet | flood-list | local-learn-signal | startup-route | topo | es | topo-child-attr }]]

Syntax Description

show	Show running system information
l2rib	Layer 2 routing information base
registrations	L2RIB Registrations
client	(Optional) Global Registration Entries
<i>client_id</i>	(Optional) Enter Client ID
<i>topo_id</i>	(Optional) Enter Topology ID
mac	(Optional) Filter on MAC
mac-ip	(Optional) Filter on MAC-IP
ead	(Optional) Filter on Ethernet-AD
pl	(Optional) Filter on Path List
imet	(Optional) Filter on IMET Route
es	(Optional) Filter on Ethernet Segment ID
flood-list	(Optional) Filter on Flood List
startup-route	(Optional) Filter on Startup Route
local-learn-signal	(Optional) Filter on Local Learn Signal
topo	(Optional) Filter on Topo Subtype
topo-child-attr	(Optional) Filter on Topo Child Attr

Command Mode

- /exec

show l2route cmcast topology

show l2route cmcast topology

show l2route cmcast { topology <topo-id> | all } [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
cmcast	CMCAST Route
topology	Filter on topology ID
<i>topo-id</i>	topology ID
all	Display all routes without filtering
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route evpn ead

show l2route evpn ead { all | es | evi } [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
ead	EAD
all	Display all routes without filtering
es	Display only EAD ES routes
evi	Display only EAD EVI routes
detail	(Optional) Detailed information

Command Mode

- /exec

```
show l2route evpn ethernet-segment esi
```

show l2route evpn ethernet-segment esi

show l2route evpn ethernet-segment { esi <esi-id> | all } [bgp | vxlan] [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
ethernet-segment	Ethernet Segment ID
esi	ESI Value
<i>esi-id</i>	ESI ID
all	Display all entries without filtering
bgp	(Optional) Filter on BGP producer
vxlan	(Optional) Filter on VXLAN producer
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route evpn fl all

show l2route evpn fl all [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
fl	Flood List
all	Display all routes without filtering
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route evpn fl evi

show l2route evpn fl evi

show l2route evpn fl evi <vpn-id> [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
fl	Flood List
evi	Filter on E-VPN identifier (VLAN-ID or BD-ID)
<i>vpn-id</i>	E-VPN identifier (VLAN-ID or BD-ID)
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route evpn imet all

show l2route evpn imet all [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
imet	IMET Route
all	Display all routes without filtering
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route evpn imet evi

show l2route evpn imet evi

show l2route evpn imet evi { <vpn-id> | vni <vnid> } [bgp | vxlan] [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
imet	IMET Route
evi	Filter on E-VPN identifier (VLAN-ID or BD-ID)
<i>vpn-id</i>	E-VPN identifier (VLAN-ID or BD-ID)
vni	Filter on VNI
<i>vnid</i>	VNI
bgp	(Optional) Filter on BGP producer (remote imet routes)
vxlan	(Optional) Filter on VXLAN producer (local imet routes)
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route evpn mac-ip all

show l2route evpn mac-ip all [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
mac-ip	MAC-IP Route
all	Display all routes without filtering
detail	(Optional) Detailed information

Command Mode

- /exec

```
show l2route evpn mac-ip evi
```

show l2route evpn mac-ip evi

show l2route evpn mac-ip evi <vpn-id> [arp | bgp | hmm] [mac <mac_addr>] [host-ip { <ipv4_host> | <ipv6_host> }] [next-hop { <ip4_addr> | <ip6_addr> | <if-hdl> }] [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
mac-ip	MAC-IP Route
evi	Filter on E-VPN identifier (VLAN-ID or BD-ID)
<i>vpn-id</i>	E-VPN identifier (VLAN-ID or BD-ID)
arp	(Optional) Filter on ARP producer
bgp	(Optional) Filter on BGP producer
hmm	(Optional) Filter on HMM producer
mac	(Optional) Filter on MAC address
<i>mac_addr</i>	(Optional) 48-bit MAC address value
host-ip	(Optional) Filter on Host IP address
<i>ipv4_host</i>	(Optional) IPv4 address
next-hop	(Optional) Filter on Next-Hop IP or Interface Name
<i>ip4_addr</i>	(Optional) IPv4 address of Next Hop
<i>if-hdl</i>	(Optional) Interface index of Next Hop
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route evpn mac all

show l2route evpn mac all [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
mac	MAC Route
all	Display all routes without filtering
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route evpn mac evi

show l2route evpn mac evi

show l2route evpn mac evi { <vpn-id> | vni <vnid> } [static | local | bgp | vxlan | lisp] [mac <mac_addr>] [next-hop { <ipv4_addr> | <ipv6_addr> | <if-hdl> }] [esi <esi-id>] [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
mac	MAC Route
evi	Filter on E-VPN identifier (VLAN-ID or BD-ID)
<i>vpn-id</i>	E-VPN identifier (VLAN-ID or BD-ID)
vni	Filter on VNI
<i>vnid</i>	VNI
static	(Optional) Filter on Static producer
local	(Optional) Filter on Local producer
bgp	(Optional) Filter on BGP producer
vxlan	(Optional) Filter on VXLAN producer
lisp	(Optional) Filter on LISP producer
mac	(Optional) Filter on MAC address
esi	(Optional) Filter on ESI value
<i>mac_addr</i>	(Optional) Enter 48-bit MAC address value
next-hop	(Optional) Filter on Next-Hop IP or Interface Name
<i>ipv4_addr</i>	(Optional) IPv4 address of Next Hop
<i>if-hdl</i>	(Optional) Interface index of Next Hop
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route evpn path-list all

show l2route evpn path-list { all | esi <esi-id> } [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
path-list	Path-List
all	Display all routes without filtering
esi	ESI Value
<i>esi-id</i>	ESI ID
detail	(Optional) Detailed information

Command Mode

- /exec

```
show l2route evpn startup-route all
```

show l2route evpn startup-route all

show l2route evpn startup-route all [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
startup-route	Startup Route
all	Display all routes without filtering
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route evpn startup-route evi

show l2route evpn startup-route evi <vpn-id> [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
startup-route	Startup Route
evi	Filter on E-VPN identifier (VLAN-ID or BD-ID)
<i>vpn-id</i>	E-VPN identifier (VLAN-ID or BD-ID)
detail	(Optional) Detailed information

Command Mode

- /exec

```
show l2route evpn topo-child-attr all
```

show l2route evpn topo-child-attr all

show l2route evpn topo-child-attr all [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
topo-child-attr	Topo Child Attr
all	Display all topo-child-attr entries
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route evpn topo-child-attr evi

show l2route evpn topo-child-attr evi <vpn-id> [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
evpn	EVPN
topo-child-attr	Topo Child Attr
evi	Filter on E-VPN identifier (VLAN-ID or BD-ID)
<i>vpn-id</i>	E-VPN identifier (VLAN-ID or BD-ID)
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route fhs topology

show l2route fhs topology

show l2route fhs { topology <topo-id> | all } [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
fhs	FHS(First Hop Security) Route
topology	Filter on topology ID
<i>topo-id</i>	topology ID
all	Display all routes without filtering
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route fl topology

show l2route fl { topology <topo-id> | all } [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
fl	Flood List
all	Display all routes without filtering
topology	Filter on topology ID
<i>topo-id</i>	topology ID
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route mac topology

show l2route mac topology

show l2route { mac-ip } { topology <topo-id> | all } [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
mac-ip	MAC-IP Route
all	Display all routes without filtering
topology	Filter on topology ID
<i>topo-id</i>	topology ID
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route peerid

show l2route peerid [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
peerid	Display Peer ID DB
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route spmsi topology

show l2route spmsi topology

show l2route spmsi { topology <topo-id> | all } [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
spmsi	SPMSI Route
topology	Filter on topology ID
<i>topo-id</i>	topology ID
all	Display all routes without filtering
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route summary

show l2route summary

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
summary	Summary

Command Mode

- /exec

show l2route topology

show l2route topology

show l2route topology [<topo_id>] [detail]

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
topology	Display topology IDs
<i>topo_id</i>	(Optional) Enter Topology ID
detail	(Optional) Detailed information

Command Mode

- /exec

show l2route topology

```
show l2route { mac | dataplane mac [ local | remote ] } { topology <topo-id> | all } [ detail ]
```

Syntax Description

show	Show running system information
l2route	Layer 2 routing information base
dataplane	dataplane
mac	MAC Route
all	Display all routes without filtering
local	(Optional) dataplane learnt local routes
remote	(Optional) dataplane learnt remote routes
topology	Filter on topology ID
<i>topo-id</i>	topology ID
detail	(Optional) Detailed information

Command Mode

- /exec

show lacp counters

show lacp counters

show lacp counters [interface <if0>] [detail]

Syntax Description

show	Show running system information
lacp	LACP protocol
counters	LACP counters
interface	(Optional) Specify a port-channel
detail	(Optional) For more counters
<i>if0</i>	(Optional)

Command Mode

- /exec

show lacp interface

show lacp interface [<if0>]

Syntax Description

show	Show running system information
lacp	LACP protocol
interface	Specify a interface
<i>if0</i>	(Optional)

Command Mode

- /exec

show lacp issu-impact

show lacp issu-impact

show lacp issu-impact

Syntax Description

show	Show running system information
lacp	Show LACP information
issu-impact	Check for ISSU readiness

Command Mode

- /exec

show lacp neighbor

show lacp neighbor [interface <if0>]

Syntax Description

show	Show running system information
lacp	LACP protocol
neighbor	LACP interface neighbor
interface	(Optional) Specify a port-channel
<i>if0</i>	(Optional)

Command Mode

- /exec

show lacp port-channel

show lacp port-channel

show lacp port-channel [interface <if0>]

Syntax Description

show	Show running system information
lacp	LACP protocol
port-channel	LACP port-channels
interface	(Optional) Specify a port-channel
<i>if0</i>	(Optional)

Command Mode

- /exec

show lacp system-identifier

show lacp system-identifier

Syntax Description

show	Show running system information
lacp	LACP protocol
system-identifier	Show system-identifier information

Command Mode

- /exec

show lcnd dot1x address

show lcnd dot1x address

```
show lcnd dot1x address { <macaddr> | all }
```

Syntax Description

show	Show running system information
lcnd	LCND information
dot1x	Dot1x information
address	Address in lcnd auth_db
<i>macaddr</i>	MAC address
all	Display all addresses in lcnd auth_db

Command Mode

- /exec

show lcnd dot1x port

show lcnd dot1x port <portnum>

Syntax Description

show	Show running system information
lcnd	LCND information
dot1x	Dot1x information
port	Port number
<i>portnum</i>	Port number

Command Mode

- /exec

show lcnd stats interface

show lcnd stats interface

show lcnd stats interface <interface>

Syntax Description

show	Show running system information
lcnd	lcnd
stats	statistics
interface	get interface related stats at lcnd level
<i>interface</i>	Interface name to display

Command Mode

- /exec

show ldap-search-map

show ldap-search-map

Syntax Description

show	Show running system information
ldap-search-map	Show LDAP configuration information

Command Mode

- /exec

show ldap-server

show ldap-server

show ldap-server

Syntax Description

show	Show running system information
ldap-server	Show LDAP configuration information

Command Mode

- /exec

show ldap-server groups

show ldap-server groups

Syntax Description

show	Show running system information
ldap-server	Show LDAP configuration information
groups	Show LDAP server group configuration information

Command Mode

- /exec

show ldap-server statistics

show ldap-server statistics

show ldap-server statistics <host0>

Syntax Description

show	Show running system information
ldap-server	Show LDAP configuration information
statistics	Show LDAP statistics
<i>host0</i>	DNS name or IP address

Command Mode

- /exec

show license

show license

Syntax Description

show	Show running system information
license	show the contents of all the license files

Command Mode

- /exec

show license all

show license all

show license all

Syntax Description

show	Show running system information
license	Show the contents of all the license files
all	All Smart license agent information

Command Mode

- /exec

show license certs

show license certs

Syntax Description

show	Show running system information
license	Show the contents of all the license files
certs	Smart License certificates

Command Mode

- /exec

show license data conversion

show license data conversion

show license data conversion

Syntax Description

show	Show running system information
license	Show the contents of all the license files
data	Show data for device led conversions
conversion	Smart license conversion related commands

Command Mode

- /exec

show license eventlog

show license eventlog

Syntax Description

show	Show running system information
license	Show the contents of all the license files
eventlog	Event log

Command Mode

- /exec

show license history message

show license history message

show license history message

Syntax Description

show	Show running system information
license	Show the contents of all the license files
history	Show license history information
message	Show license messaging history information

Command Mode

- /exec

show license host-id

show license host-id

Syntax Description

show	Show running system information
license	Show the contents of all the license files
host-id	Show unique id for this host for licensing

Command Mode

- /exec

show license rum id all

show license rum id all

show license rum id all

Syntax Description

show	Show running system information
license	License related command
rum	Smart license RUM report related commands
id	Specify a single RUM report ID
all	All RUM report IDs

Command Mode

- /exec

show license status

show license status

Syntax Description

show	Show running system information
license	Show the contents of all the license files
status	Smart license agent status

Command Mode

- /exec

show license summary

show license summary

show license summary

Syntax Description

show	Show running system information
license	Show the contents of all the license files
summary	Smart license agent summary

Command Mode

- /exec

show license tech support

show license tech support

Syntax Description

show	Show running system information
license	Show the contents of all the license files
tech	Gather information for troubleshooting
support	Gather information for troubleshooting

Command Mode

- /exec

show license udi

show license udi

show license udi

Syntax Description

show	Show running system information
license	Show the contents of all the license files
udi	device udi

Command Mode

- /exec

show license usage

show license usage [{ detail | <license-feature> }]

Syntax Description

show	Show running system information
license	show the contents of all the license files
usage	Show license usage table
detail	THIS KEYWORD OR VARIABLE IS NOT SUPPORTED
<i>license-feature</i>	(Optional) Show usage of this license package

Command Mode

- /exec

show license version

show license version

show license version

Syntax Description

show	Show running system information
license	Show the contents of all the license files
version	Smart License version

Command Mode

- /exec

show line

show line

Syntax Description

show	Show running system information
line	Show the line configuration

Command Mode

- /exec

show line console

show line console

show line console

Syntax Description

show	Show running system information
line	Show the line configuration
console	Show console line configurations

Command Mode

- /exec

show line console connected

show line console connected

Syntax Description

show	Show running system information
line	Show the line configuration
console	Show console line configurations
connected	Show whether the line is currently connected physically

Command Mode

- /exec

```
show line console user-input-string
```

show line console user-input-string

show line console user-input-string

Syntax Description

show	Show running system information
line	Show the line configuration
console	Show console line configurations
user-input-string	Show user-input init string

Command Mode

- /exec

show lisp ddt

```
show lisp ddt [ vrf { <vrf-name> | <vrf-known-name> } ]
```

Syntax Description

show	Show running system information
lisp	LISP show commands
ddt	LISP Delegated Database Tree (LISP-DDT)
vrf	(Optional) Display information for vrf
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name

Command Mode

- /exec

show lisp ddt queue

show lisp ddt queue

show lisp ddt queue [[instance-id <iid>] { <eid> | <eid6> }] [vrf { <vrf-name> | <vrf-known-name> }]

Syntax Description

show	Show running system information
lisp	LISP show commands
ddt	LISP Delegated Database Tree (LISP-DDT)
queue	Display LISP-DDT Map-Request queue in Map-Resolver
instance-id	(Optional) Show instance-ID summary display
<i>iid</i>	(Optional) Instance-ID for EID-prefix
<i>eid</i>	(Optional) IPv4 EID address
vrf	(Optional) Display information for vrf
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name

Command Mode

- /exec

show lisp ddt referral-cache

```
{ show lisp ddt referral-cache [ [ instance-id <iid> ] { <eid> | <eid6> } ] [ vrf { <vrf-name> | <vrf-known-name> } ] } | { show lisp ddt referral-cache { ms-ack | ms-referral | node-referral | ms-not-registered | delegation-hole | not-authoritative } [ vrf { <vrf-name> | <vrf-known-name> } ] }
```

Syntax Description

show	Show running system information
lisp	LISP show commands
ddt	LISP Delegated Database Tree (LISP-DDT)
referral-cache	Display LISP-DDT referral cache
instance-id	(Optional) Show instance-ID summary display
<i>iid</i>	(Optional) Instance-ID for EID-prefix
<i>eid</i>	(Optional) IPv4 EID address
ms-ack	Referral cache entries to map-servers
ms-referral	Referral cache entries from parent of map-servers
node-referral	Referral cache entries from parent of DDT-nodes
ms-not-registered	Referral cache entries from map-servers
delegation-hole	Referral cache entries from any DDT-node
not-authoritative	Referral cache entries from any DDT-node
vrf	(Optional) Display information for vrf
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name

Command Mode

- /exec

show lisp dynamic-eid

show lisp dynamic-eid

```
{ show lisp dynamic-eid { summary | { [ <dyn-eid-name> ] [ detail ] } } [ vrf { <vrf-name> | <vrf-known-name> } ] }
```

Syntax Description

show	Show running system information
lisp	LISP show commands
dynamic-eid	Display dynamic-EIDs configured and discovered
summary	One-line summary display of discovered dynamic-EIDs
<i>dyn-eid-name</i>	(Optional) Display a single dynamic-EID
vrf	(Optional) Display information for vrf
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
detail	(Optional) Display discovered dynamic-EIDs

Command Mode

- /exec

show lisp elp

show lisp elp [vrf { <vrf-name> | <vrf-known-name> }]

Syntax Description

show	Show running system information
lisp	LISP show commands
elp	Display LISP Explicit Locator Paths configured
vrf	(Optional) Display information for vrf
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name

Command Mode

- /exec

show lisp negative-prefix

show lisp negative-prefix

show lisp negative-prefix { <eid> | <eid6> } [vrf { <vrf-name> | <vrf-known-name> }]

Syntax Description

show	Show running system information
lisp	LISP show commands
negative-prefix	Compute negative-prefix for hole in EID space
<i>eid</i>	IPv4 EID address
vrf	(Optional) Display information for vrf
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name

Command Mode

- /exec

show lisp proxy-itr

show lisp proxy-itr [vrf { <vrf-name> | <vrf-known-name> }]

Syntax Description

show	Show running system information
lisp	LISP show commands
proxy-itr	Display discovered prox-ITRs (PITRs)
vrf	(Optional) Display information for vrf
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name

Command Mode

- /exec

show lisp site

show lisp site

{ show lisp site [{ { <eid> | <eid6> } [instance-id <iid>] } | { { <eid-prefix> | <eid-prefix6> } [instance-id <iid>] } | <site-name>] [detail] [vrf { <vrf-name> | <vrf-known-name> }] }

Syntax Description

show	Show running system information
lisp	LISP show commands
site	Display Map-Server site EID-prefixes configured
vrf	(Optional) Display information for vrf
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
<i>eid</i>	(Optional) Display mapping for IP destination EID
<i>eid-prefix</i>	(Optional) Display exact match for IP EID-prefix entry
instance-id	(Optional) Instance EID-prefix registered in
<i>iid</i>	(Optional) Instance-ID value
<i>site-name</i>	(Optional) Display a single site
detail	(Optional) Display allowed registered locator sources

Command Mode

- /exec

show lisp site instance-id

{ show lisp site instance-id [<iid>] [vrf { <vrf-name> | <vrf-known-name> }] }

Syntax Description

show	Show running system information
lisp	LISP show commands
site	Display Map-Server site EID-prefixes configured
instance-id	Show instance-ID summary display
<i>iid</i>	(Optional) Show detail for entries of a single Instance-ID
vrf	(Optional) Display information for vrf
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name

Command Mode

- /exec

show lldp all

show lldp all

show lldp all

Syntax Description

show	Show running system information
lldp	Show lldp Protocol information
all	Show all interfaces in lldp database

Command Mode

- /exec

show lldp dcbx interface

show lldp dcbx interface <if_in>

Syntax Description

show	Show running system information
lldp	Show information about lldp
dcbx	Show dcbx information
interface	Show lldp interface information
<i>if_in</i>	Enter interface

Command Mode

- /exec

show lldp entry

show lldp entry [<sys-name>]

Syntax Description

show	Show running system information
lldp	Show information about lldp
entry	Show lldp entry information
<i>sys-name</i>	(Optional) WORD Peer's System name

Command Mode

- /exec

show lldp interface

show lldp interface <if0>

Syntax Description

show	Show running system information
lldp	Show information about lldp
interface	Show lldp interface information
<i>if0</i>	Enter interface

Command Mode

- /exec

show lldp neighbors

show lldp neighbors

show lldp neighbors [interface <if>]

Syntax Description

show	Show running system information
lldp	Show information about lldp
neighbors	Show lldp neighbor information
interface	(Optional) Show lldp neighbor information on an interface
<i>if</i>	(Optional) Enter interface

Command Mode

- /exec

show lldp neighbors detail

show lldp neighbors [interface <if>] detail

Syntax Description

show	Show running system information
lldp	Show information about lldp
neighbors	Show lldp neighbor information
interface	(Optional) Show lldp neighbor information on an interface
<i>if</i>	(Optional) Enter interface
detail	Show lldp neighbor detail information

Command Mode

- /exec

show lldp neighbors system-detail

show lldp neighbors system-detail

show lldp neighbors [interface <if>] system-detail

Syntax Description

show	Show running system information
lldp	Show information about lldp
neighbors	Show lldp neighbor information
interface	(Optional) Show lldp neighbor information on an interface
<i>if</i>	(Optional) Enter interface
system-detail	Show lldp neighbor system detail information

Command Mode

- /exec

show lldp poe interface

show lldp poe { interface <if0> }

Syntax Description

show	Show running system information
lldp	Show lldp protocol information
poe	Power over Ethernet
interface	Show lldp interface information
<i>if0</i>	Interface name

Command Mode

- /exec

show lldp portid-subtype

show lldp portid-subtype

show lldp portid-subtype

Syntax Description

show	Show running system information
lldp	Show information about lldp
portid-subtype	Show lldp portid-subtype

Command Mode

- /exec

show lldp timers

show lldp timers

Syntax Description

show	Show running system information
lldp	Show information about lldp
timers	Show lldp timers

Command Mode

- /exec

```
show lldp tlv-select
```

show lldp tlv-select

show lldp tlv-select

Syntax Description

show	Show running system information
lldp	Show information about lldp
tlv-select	Show lldp tlv-select

Command Mode

- /exec

show lldp traffic

show lldp traffic

Syntax Description

show	Show running system information
lldp	Show information about lldp
traffic	Show lldp counters

Command Mode

- /exec

show lldp traffic interface

show lldp traffic interface

show lldp traffic interface <if>

Syntax Description

show	Show running system information
lldp	Show information about lldp
traffic	Show lldp counters
interface	Show lldp traffic counters on an interface
<i>if</i>	Enter interface

Command Mode

- /exec

show lldp traffic interface all

show lldp traffic interface all

Syntax Description

show	Show running system information
lldp	Show information about lldp
traffic	Show lldp counters
interface	Show lldp traffic counters on an interface
all	Get status for all interfaces

Command Mode

- /exec

show locator-led status

show locator-led status

show locator-led status

Syntax Description

show	Show running system information
locator-led	blink locator led on device
status	status

Command Mode

- /exec

show logging

show logging

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile

Command Mode

- /exec

show logging console

show logging console

show logging console

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
console	Show console logging configuration

Command Mode

- /exec

show logging dropcount

show logging dropcount

Syntax Description

show	logging dropcount
logging	Show logging drop count of syslogs
dropcount	Show logging dropcount

Command Mode

- /exec

show logging history

show logging history

show logging history

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
history	Show logging history configuration

Command Mode

- /exec

show logging info

show logging info

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
info	Show logging configuration

Command Mode

- /exec

show logging last

show logging last <i0>

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
last	Show last few lines of logfile
<i>i0</i>	Enter number of lines to display

Command Mode

- /exec

show logging level

show logging level

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration

Command Mode

- /exec

show logging level

show logging level

show logging level [{ auth | authpriv | cron | daemon | ftp | kernel | local0 | local1 | local2 | local3 | local4 | local5 | local6 | local7 | lpr | mail | news | syslog | user | uucp }]

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
auth	(Optional) Show Authorization System logging configuration
authpriv	(Optional) Show Authorization (Private) logging configuration
cron	(Optional) Show Cron/at facility logging configuration
daemon	(Optional) Show System daemons logging configuration
ftp	(Optional) Show File Transfer System logging configuration
kernel	(Optional) Show kernel logging configuration
local0	(Optional) Show Local use daemons logging configuration
local1	(Optional) Show Local use daemons logging configuration
local2	(Optional) Show Local use daemons logging configuration
local3	(Optional) Show Local use daemons logging configuration
local4	(Optional) Show Local use daemons logging configuration
local5	(Optional) Show Local use daemons logging configuration
local6	(Optional) Show Local use daemons logging configuration
local7	(Optional) Show Local use daemons logging configuration
lpr	(Optional) Show Line Printer System logging configuration
mail	(Optional) Show Mail System logging configuration
news	(Optional) Show USENET news logging configuration
syslog	(Optional) Show Internal Syslog Messages logging configuration
user	(Optional) Show user process logging configuration
uucp	(Optional) Show Unix-to-Unix copy system logging configuration

Command Mode

- /exec

```
show logging level aaa
```

show logging level aaa

show logging level aaa

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
aaa	Show aaa logging configuration

Command Mode

- /exec

show logging level acl

show logging level acl

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
acl	Show acl logging configuration

Command Mode

- /exec

```
show logging level aclmgr
```

show logging level aclmgr

show logging level aclmgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
aclmgr	Show aclmgr logging configuration

Command Mode

- /exec

show logging level adbmc

show logging level adbmc

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
adbmc	Show adbmc logging configuration

Command Mode

- /exec

show logging level adjmgr

show logging level adjmgr

show logging level adjmgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
adjmgr	Show adjmgr logging configuration

Command Mode

- /exec

show logging level amt

show logging level amt

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
amt	Show amt logging configuration

Command Mode

- /exec

show logging level app-hosting

show logging level app-hosting

show logging level app-hosting

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
app-hosting	App Hosting

Command Mode

- /exec

show logging level arp

show logging level arp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
arp	Show arp logging configuration

Command Mode

- /exec

show logging level ascii-cfg

show logging level ascii-cfg

show logging level ascii-cfg

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ascii-cfg	Show ascii-cfg logging configuration

Command Mode

- /exec

show logging level assoc_mgr

show logging level assoc_mgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
assoc_mgr	Show Association Manager Logging Configuration

Command Mode

- /exec

show logging level backup

show logging level backup

show logging level { backup | flexlink }

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
backup	Show Switchport Backup logging level
flexlink	Show Switchport Backup logging level

Command Mode

- /exec

show logging level bfd

show logging level bfd

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
bfd	Show bfd logging configuration

Command Mode

- /exec

show logging level bgp

show logging level bgp

show logging level bgp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
bgp	Show BGP logging configuration

Command Mode

- /exec

show logging level bloggerd

show logging level bloggerd

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
bloggerd	Show BloggerD logging configuration

Command Mode

- /exec

show logging level bootvar

show logging level bootvar

show logging level bootvar

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
bootvar	Show bootvar logging configuration

Command Mode

- /exec

show logging level callhome

show logging level callhome

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
callhome	Show callhome logging configuration

Command Mode

- /exec

show logging level capability

show logging level capability

show logging level capability

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
capability	Show capability logging configuration

Command Mode

- /exec

show logging level cdp

show logging level cdp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
cdp	Show CDP logging configuration

Command Mode

- /exec

```
show logging level cert_enroll
```

show logging level cert_enroll

show logging level cert_enroll

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
cert_enroll	Show Cert-enroll logging configuration

Command Mode

- /exec

show logging level cfs

show logging level cfs

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration

Command Mode

- /exec

show logging level clis

show logging level clis

show logging level clis

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
clis	Show CLIS logging configuration

Command Mode

- /exec

show logging level clk_mgr

show logging level clk_mgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
clk_mgr	Show clock manager logging configuration

Command Mode

- /exec

```
show logging level confcheck
```

show logging level confcheck

show logging level confcheck

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
confcheck	Show confcheck logging configuration

Command Mode

- /exec

show logging level copp

show logging level copp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
copp	Show copp logging configuration

Command Mode

- /exec

```
show logging level core-dmon
```

show logging level core-dmon

show logging level core-dmon

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
core-dmon	Show core daemon logging configuration

Command Mode

- /exec

show logging level cts

show logging level cts

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
cts	Show cts logging configuration

Command Mode

- /exec

```
show logging level device-alias
```

show logging level device-alias

show logging level device-alias

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
device-alias	Show device-alias logging configuration

Command Mode

- /exec

show logging level dhclient

show logging level dhclient

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
dhclient	Show syslog level for dhcp client

Command Mode

- /exec

```
show logging level dhcp_snoop
```

show logging level dhcp_snoop

show logging level dhcp_snoop

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
dhcp_snoop	Show DHCP snoop logging configuration

Command Mode

- /exec

show logging level diagnostic diag_port_lb

show logging level diagnostic diag_port_lb

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
diagnostic	Diagnostic commands
diag_port_lb	Show diagmgr logging configuration

Command Mode

- /exec

```
show logging level diagnostic diagclient
```

show logging level diagnostic diagclient

show logging level diagnostic diagclient

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
diagnostic	Diagnostic commands
diagclient	Show diagclient logging configuration

Command Mode

- /exec

show logging level diagnostic diagmgr

show logging level diagnostic diagmgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
diagnostic	Diagnostic commands
diagmgr	Show diagmgr logging configuration

Command Mode

- /exec

show logging level dot1x

show logging level dot1x

show logging level dot1x

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
dot1x	Show dot1x logging configuration

Command Mode

- /exec

show logging level dpvm

show logging level dpvm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration

Command Mode

- /exec

show logging level ecp

show logging level ecp

show logging level ecp

Syntax Description

show	Show running system information
logging	Modify message logging facilities
level	Facility parameter for syslog messages
ecp	Set syslog filter level for ECP

Command Mode

- /exec

show logging level eigrp

show logging level eigrp [<eigrp-ptag>]

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
eigrp	Show EIGRP logging configuration
<i>eigrp-ptag</i>	(Optional) Process tag

Command Mode

- /exec

show logging level eltm

show logging level eltm

show logging level eltm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
eltm	Show eltm logging configuration

Command Mode

- /exec

show logging level epbr

show logging level epbr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
epbr	Show epbr logging configuration

Command Mode

- /exec

show logging level epp

show logging level epp

show logging level epp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
epp	Show epp logging configuration

Command Mode

- /exec

show logging level ethdstats

show logging level ethdstats

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ethdstats	Show delta statistics logging configuration

Command Mode

- /exec

show logging level ethpm

show logging level ethpm

show logging level ethpm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ethpm	Show ethpm logging configuration

Command Mode

- /exec

show logging level evb

show logging level evb

Syntax Description

show	Show running system information
logging	Modify message logging facilities
level	Facility parameter for syslog messages
evb	Set syslog filter level for EVB

Command Mode

- /exec

show logging level evmc

show logging level evmc

show logging level evmc

Syntax Description

show	Show running system information
logging	Show message logging facilities
level	Show facility logging configuration
evmc	Show level for evmc syslog messages

Command Mode

- /exec

show logging level evmed

show logging level evmed

Syntax Description

show	Show running system information
logging	Show message logging facilities
level	Show facility logging configuration
evmed	Show level for evmed syslog messages

Command Mode

- /exec

show logging level evms

show logging level evms

show logging level evms

Syntax Description

show	Show running system information
logging	Show message logging facilities
level	Show facility logging configuration
evms	Show level for evms syslog messages

Command Mode

- /exec

show logging level fabric forwarding

show logging level fabric forwarding

Syntax Description

show	Show running system information
logging	Modify message logging facilities
level	Facility parameter for syslog messages
fabric	Fabric
forwarding	Fabric Forwarding Protocol: Host Mobility Manager (HMM)

Command Mode

- /exec

```
show logging level fabricpath isis
```

show logging level fabricpath isis

show logging level fabricpath isis

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
fabricpath	Show fabricpath logging configuration
isis	Show ISIS logging configuration

Command Mode

- /exec

show logging level fabricpath switch-id

show logging level fabricpath switch-id

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
fabricpath	fabricpath information
switch-id	show fabricpath switch-id logging configuration

Command Mode

- /exec

show logging level fc2d

show logging level fc2d

show logging level fc2d

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration

Command Mode

- /exec

show logging level fcdomain

show logging level fcdomain

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
fcdomain	Show fcdomain logging configuration

Command Mode

- /exec

show logging level fcns

show logging level fcns

show logging level fcns

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
fcns	Show fcns logging configuration

Command Mode

- /exec

show logging level fcoe_mgr

show logging level fcoe_mgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
fcoe_mgr	Show fcoe_mgr logging configuration

Command Mode

- /exec

show logging level fcs

show logging level fcs

show logging level fcs

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration

Command Mode

- /exec

show logging level fdmi

show logging level fdmi

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
fdmi	Show fdmi logging configuration

Command Mode

- /exec

```
show logging level feature-mgr
```

show logging level feature-mgr

show logging level feature-mgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
feature-mgr	Show feature manager logging configuration

Command Mode

- /exec

show logging level flogi

show logging level flogi

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
flogi	Show flogi logging configuration

Command Mode

- /exec

```
show logging level fs-daemon
```

show logging level fs-daemon

show logging level fs-daemon

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
fs-daemon	Show fs-daemon logging configuration

Command Mode

- /exec

show logging level fspf

show logging level fspf

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration

Command Mode

- /exec

```
show logging level fsync_mgr
```

show logging level fsync_mgr

show logging level fsync_mgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
fsync_mgr	Frequency Synchronization Manager

Command Mode

- /exec

show logging level gpixm

show logging level gpixm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
gpixm	Show global-pixm logging configuration

Command Mode

- /exec

```
show logging level hardware-telemetry
```

show logging level hardware-telemetry

show logging level hardware-telemetry

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
hardware-telemetry	Show hardware-telemetry logging configuration

Command Mode

- /exec

show logging level hsrp

show logging level hsrp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
hsrp	Show HSRP logging configuration

Command Mode

- /exec

show logging level icam

show logging level icam

show logging level icam

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
icam	Show icam logging configuration

Command Mode

- /exec

show logging level igmp

show logging level [ip] igmp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ip	(Optional) Display IP information
igmp	Show igmp logging configuration

Command Mode

- /exec

show logging level im

show logging level im

show logging level im

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
im	Show im logging configuration

Command Mode

- /exec

show logging level imp

show logging level imp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
imp	Show imp logging configuration

Command Mode

- /exec

show logging level interface-vlan

show logging level interface-vlan

show logging level interface-vlan

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
interface-vlan	Show interface-vlan logging configuration

Command Mode

- /exec

show logging level ip sla responder

show logging level ip sla responder

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ip	
sla	Service Level Agreement (SLA)
responder	Show sla-responder logging configuration

Command Mode

- /exec

show logging level ip sla sender

show logging level ip sla sender

show logging level ip sla sender

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ip	
sla	Service Level Agreement (SLA)
sender	Show sla-sender logging configuration

Command Mode

- /exec

show logging level ip sla twamp-server

show logging level ip sla twamp-server

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ip	
sla	Service Level Agreement (SLA)
twamp-server	Show sla-twamp-server logging configuration

Command Mode

- /exec

show logging level ipconf

show logging level ipconf

show logging level ipconf [ipv6]

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ipconf	Show ipconf logging configuration
ipv6	(Optional) Show ipv6 Conf logging configuration

Command Mode

- /exec

show logging level ipfib

show logging level ipfib

Syntax Description

show	show
logging	logging
level	level
ipfib	ipfib

Command Mode

- /exec

show logging level ipqos

show logging level ipqos

show logging level ipqos

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration

Command Mode

- /exec

show logging level ipv6 icmp

show logging level ipv6 icmp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ipv6	Configure IPv6 features
icmp	Show icmpv6 logging configuration

Command Mode

- /exec

```
show logging level ipv6 mfwd
```

show logging level ipv6 mfwd

show logging level ipv6 mfwd

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ipv6	Display IPv6 information
mfwd	Show MCASTFWD v6 logging configuration

Command Mode

- /exec

show logging level ipv6 pim

show logging level ipv6 pim

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ipv6	Display IPv6 information
pim	Show pim6 logging configuration

Command Mode

- /exec

show logging level iscm

show logging level iscm

show logging level iscm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
iscm	Show iscm logging configuration

Command Mode

- /exec

show logging level iscm

show logging level iscm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
iscm	Show iscm logging configuration

Command Mode

- /exec

show logging level isis

show logging level isis

show logging level isis

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
isis	Show ISIS logging configuration

Command Mode

- /exec

show logging level l2fm

show logging level l2fm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
l2fm	Show l2fm logging configuration

Command Mode

- /exec

show logging level l3vm

show logging level l3vm

show logging level l3vm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
l3vm	Show L3VM logging configuration

Command Mode

- /exec

show logging level lacp

show logging level lacp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
lacp	Show lacp logging configuration

Command Mode

- /exec

show logging level ldap

show logging level ldap

show logging level ldap

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ldap	Show ldap logging configuration

Command Mode

- /exec

show logging level lim

show logging level lim

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
lim	Show lim logging configuration

Command Mode

- /exec

show logging level lisp

show logging level lisp

show logging level lisp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
lisp	Show lisp logging configuration

Command Mode

- /exec

show logging level lldp

show logging level lldp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
lldp	Show LLDP logging configuration

Command Mode

- /exec

show logging level m2rib

show logging level m2rib

show logging level m2rib

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
m2rib	Show M2RIB logging configuration

Command Mode

- /exec

show logging level mfdm

show logging level mfdm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
mfdm	Show mfdm logging configuration

Command Mode

- /exec

show logging level mfwd

show logging level { mfwd | mcastfwd }

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
mfwd	Show MCASTFWD logging configuration
mcastfwd	Show MCASTFWD logging configuration

Command Mode

- /exec

show logging level mld

show logging level [ipv6] mld

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ipv6	(Optional) Display IPv6 information
mld	Show MLD logging configuration

Command Mode

- /exec

show logging level mmode

show logging level mmode

show logging level mmode

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
mmode	Show maintenance mode logging configuration

Command Mode

- /exec

show logging level module

show logging level module

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
module	Show module(linecard) manager logging configuration

Command Mode

- /exec

show logging level monitor

show logging level monitor

show logging level monitor

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
monitor	Show monitor logging configuration

Command Mode

- /exec

show logging level mpls manager

show logging level mpls manager

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
mpls	Show MPLS logging configuration
manager	Show MPLS manager logging configuration

Command Mode

- /exec

show logging level mpls switching

show logging level mpls switching

show logging level mpls switching

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
mpls	Show MPLS logging configuration
switching	Show mpls switching logging configuration

Command Mode

- /exec

show logging level msdp

show logging level [ip] msdp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ip	(Optional) Display IP information
msdp	Show msdp logging configuration

Command Mode

- /exec

show logging level mvsh

show logging level mvsh

show logging level mvsh

Syntax Description

show	Show commands
logging	Show message logging facilities
level	Show message logging facilities
mvsh	Show level for mvsh syslog messages

Command Mode

- /exec

show logging level nat

show logging level nat

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
nat	Show NAT logging configurarion

Command Mode

- /exec

show logging level nbm

show logging level nbm

show logging level nbm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
nbm	Show Non Blocking Multicast logging configuration

Command Mode

- /exec

show logging level netstack

show logging level netstack

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
netstack	Show netstack logging configuration

Command Mode

- /exec

show logging level nfm

show logging level nfm

show logging level nfm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
nfm	Show NFM logging configuration

Command Mode

- /exec

show logging level ngmvpn

show logging level ngmvpn

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ngmvpn	Show ngmvpn logging configuration

Command Mode

- /exec

show logging level ngoam

show logging level ngoam

show logging level ngoam

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ngoam	Show ngoam logging level

Command Mode

- /exec

show logging level npv

show logging level npv

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
npv	Show npv logging configuration

Command Mode

- /exec

show logging level ntp

show logging level ntp

show logging level ntp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ntp	Show NTP logging settings.

Command Mode

- /exec

show logging level nve

show logging level nve

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
nve	Show NVE logging configuration

Command Mode

- /exec

show logging level nx sdk

show logging level nx sdk

show logging level nx sdk

Syntax Description

show	Show running system information
logging	Modify message logging facilities
level	Facility parameter for syslog messages
nx sdk	NXOS SDK

Command Mode

- /exec

show logging level ofm

show logging level ofm

Syntax Description

show	Show running system information
logging	Modify message logging facilities
level	Facility parameter for syslog messages
ofm	Show ofm logging settings

Command Mode

- /exec

show logging level ospf

show logging level ospf

show logging level ospf

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ospf	Show OSPF logging configuration

Command Mode

- /exec

show logging level ospfv3

show logging level ospfv3

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ospfv3	Display OSPFv3 status and configuration

Command Mode

- /exec

show logging level otv isis

show logging level otv isis

show logging level otv isis

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
otv	Show OTV ISIS logging configuration
isis	Show OTV ISIS logging configuration

Command Mode

- /exec

show logging level pfstat

show logging level pfstat

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
pfstat	Show pfstat logging configuration

Command Mode

- /exec

show logging level pim

show logging level pim

show logging level [ip] pim

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ip	(Optional) Display IP information
pim	Show pim logging configuration

Command Mode

- /exec

show logging level pixm

show logging level pixm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
pixm	Show vdc-local-pixm logging configuration

Command Mode

- /exec

```
show logging level pktmgr
```

show logging level pktmgr

show logging level pktmgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
pktmgr	Show pktmgr logging configuration

Command Mode

- /exec

show logging level platform

show logging level platform

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
platform	Show platform logging configuration

Command Mode

- /exec

```
show logging level plcmgr
```

show logging level plcmgr

show logging level plcmgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration

Command Mode

- /exec

show logging level pltfm_config

show logging level pltfm_config

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
pltfm_config	Show pltfm_config logging configuration

Command Mode

- /exec

show logging level pltm

show logging level pltm

show logging level pltm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
pltm	Show pie logging configuration

Command Mode

- /exec

show logging level plugin

show logging level plugin

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
plugin	Show plugin logging configuration

Command Mode

- /exec

show logging level poed

show logging level poed

show logging level poed

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
poed	Show PoE Daemon Logging Configuration

Command Mode

- /exec

show logging level port-channel

show logging level port-channel

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
port-channel	Show port-channel logging configuration

Command Mode

- /exec

show logging level port-profile

show logging level port-profile

show logging level port-profile

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
port-profile	Show syslog level for port-profile

Command Mode

- /exec

show logging level port-resources

show logging level port-resources

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
port-resources	Show port-resources logging configuration

Command Mode

- /exec

show logging level port-security

show logging level port-security

show logging level port-security

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
port-security	Show port-security logging configuration

Command Mode

- /exec

show logging level port

show logging level port

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
port	Show port logging configuration

Command Mode

- /exec

```
show logging level private-vlan
```

show logging level private-vlan

show logging level private-vlan

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
private-vlan	Show interface-vlan logging configuration

Command Mode

- /exec

show logging level ptp

show logging level ptp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ptp	Show ptp logging configuration

Command Mode

- /exec

show logging level radius

show logging level radius

show logging level radius

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
radius	Show radius logging configuration

Command Mode

- /exec

show logging level rdl

show logging level rdl

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration

Command Mode

- /exec

```
show logging level res_mgr
```

show logging level res_mgr

show logging level res_mgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
res_mgr	Show res_mgr logging configuration

Command Mode

- /exec

show logging level rib

show logging level rib

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
rib	Show rib logging configuration

Command Mode

- /exec

show logging level rip

show logging level rip

show logging level rip

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
rip	Show RIP logging configuration

Command Mode

- /exec

show logging level routing ipv6 multicast

show logging level routing ipv6 multicast

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
routing	Display routing information
ipv6	Display IPv6 information
multicast	Display multicast information

Command Mode

- /exec

show logging level routing multicast

show logging level routing multicast

show logging level routing [ip | ipv4] multicast

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
routing	Display routing information
ip	(Optional) Display IP information
ipv4	(Optional) Display IP information
multicast	Display multicast information

Command Mode

- /exec

show logging level rpm

show logging level rpm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
rpm	Show RPM logging configuration

Command Mode

- /exec

show logging level rscn

show logging level rscn

show logging level rscn

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
rscn	Show RSCN logging configuration

Command Mode

- /exec

show logging level sal

show logging level sal

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
sal	Show SAL logging configuration

Command Mode

- /exec

show logging level san-port-channel

show logging level san-port-channel

show logging level san-port-channel

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
san-port-channel	Show san-port-channel logging configuration

Command Mode

- /exec

show logging level san-port-channel

show logging level san-port-channel

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
san-port-channel	Show san-port-channel logging configuration

Command Mode

- /exec

show logging level scheduler

show logging level scheduler

show logging level scheduler

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
scheduler	Show scheduler logging configuration

Command Mode

- /exec

show logging level scsi-target

show logging level scsi-target

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
scsi-target	Show scsi-target logging configuration

Command Mode

- /exec

show logging level security

show logging level security

show logging level security

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
security	Show security logging configuration

Command Mode

- /exec

show logging level segment-routing

show logging level segment-routing

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
segment-routing	Show SR logging configuration

Command Mode

- /exec

```
show logging level session-mgr
```

show logging level session-mgr

show logging level session-mgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
session-mgr	Show session-mgr logging configurarion

Command Mode

- /exec

show logging level sflow

show logging level sflow

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
sflow	Show sFlow logging configuration

Command Mode

- /exec

show logging level smm

show logging level smm

show logging level smm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
smm	Show Shared Memory Manager logging configuration

Command Mode

- /exec

show logging level snmpd

show logging level snmpd

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
snmpd	Show SNMP logging configuration

Command Mode

- /exec

```
show logging level snmpmib_proc
```

show logging level snmpmib_proc

show logging level snmpmib_proc

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
snmpmib_proc	Show snmpmib_proc logging configuration

Command Mode

- /exec

show logging level spanning-tree

show logging level spanning-tree

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
spanning-tree	Show spanning-tree logging configuration

Command Mode

- /exec

show logging level spm

show logging level spm

show logging level spm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
spm	Show spm logging configuration

Command Mode

- /exec

show logging level stripcl

show logging level stripcl

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
stripcl	Show stripcl logging configuration

Command Mode

- /exec

show logging level syncc

show logging level syncc

show logging level syncc

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
syncc	Show syncc logging configuration

Command Mode

- /exec

show logging level sysmgr

show logging level sysmgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
sysmgr	Show sysmgr logging configuration

Command Mode

- /exec

show logging level tacacs

show logging level tacacs

show logging level tacacs

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
tacacs	Show tacacs+ logging configuration

Command Mode

- /exec

show logging level telemetry

show logging level telemetry

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
telemetry	Show telemetry logging level

Command Mode

- /exec

```
■ show logging level template_manager
```

show logging level template_manager

show logging level template_manager

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
template_manager	Show template manager logging configuration

Command Mode

- /exec

show logging level track

show logging level track

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
track	Show track logging configuration

Command Mode

- /exec

show logging level tunnel-encryption

show logging level tunnel-encryption

show logging level tunnel-encryption

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
tunnel-encryption	Show tunnel encryption manager logging configuration

Command Mode

- /exec

show logging level tunnel

show logging level tunnel

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
tunnel	Show tunnel logging settings

Command Mode

- /exec

show logging level u2rib

show logging level u2rib

show logging level u2rib

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
u2rib	Show U2RIB logging configuration

Command Mode

- /exec

show logging level u6rib

show logging level u6rib

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
u6rib	Show U6RIB logging configuration

Command Mode

- /exec

show logging level udld

show logging level udld

show logging level udld

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
udld	Show udld logging configuration

Command Mode

- /exec

show logging level ufdm

show logging level ufdm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
ufdm	Show ufdm logging configuration

Command Mode

- /exec

show logging level urib

show logging level urib

show logging level urib

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
urib	Show URIB logging configuration

Command Mode

- /exec

show logging level vdc_mgr

show logging level vdc_mgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
vdc_mgr	Show vdc manager logging configuration

Command Mode

- /exec

show logging level virtual-service

show logging level virtual-service

show logging level virtual-service

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
virtual-service	Show virtualization manager logging configuration

Command Mode

- /exec

show logging level vlan_mgr

show logging level vlan_mgr

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
vlan_mgr	Show vlan manager logging configuration

Command Mode

- /exec

show logging level vmm

show logging level vmm

show logging level vmm

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
vmm	Show vmm logging configuration

Command Mode

- /exec

show logging level vmtracker

show logging level vmtracker

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
vmtracker	Show vmtracker logging configuration

Command Mode

- /exec

show logging level vpc

show logging level vpc

show logging level vpc

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
vpc	Show vPC logging configuration

Command Mode

- /exec

show logging level vrrp-cfg

show logging level vrrp-cfg

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
vrrp-cfg	Show vrrp-cfg logging configuration

Command Mode

- /exec

```
show logging level vrrp-eng
```

show logging level vrrp-eng

show logging level vrrp-eng

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
vrrp-eng	Show vrrp-eng logging configuration

Command Mode

- /exec

show logging level vrrpv3

show logging level vrrpv3

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
vrrpv3	level for vrrpv3 configuration

Command Mode

- /exec

show logging level vsan

show logging level vsan

show logging level vsan

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
vsan	Show vsan logging configuration

Command Mode

- /exec

show logging level vshd

show logging level vshd

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration

Command Mode

- /exec

show logging level vtp

show logging level vtp

show logging level vtp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
vtp	Show vtp logging configuration

Command Mode

- /exec

show logging level wnn

show logging level wnn

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration
wwn	Show wnn logging configuration

Command Mode

- /exec

show logging level xbar

show logging level xbar

show logging level xbar

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration

Command Mode

- /exec

show logging level zone

show logging level zone

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
level	Show facility logging configuration

Command Mode

- /exec

show logging logfile

show logging logfile

show logging logfile

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
logfile	Show contents of logfile

Command Mode

- /exec

show logging logfile duration

show logging logfile duration <s1>

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
logfile	Show contents of logfile
duration	show messages from logfile of last given duration
<i>s1</i>	Enter hour, minutes, seconds of duration as HH:MM:SS

Command Mode

- /exec

```
show logging logfile last-index
```

show logging logfile last-index

show logging logfile last-index

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
logfile	Show contents of logfile
last-index	Show the sequence-number of the last message in logfile

Command Mode

- /exec

show logging logfile start-seqn

show logging logfile start-seqn <i0> [end-seqn <i1>]

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
logfile	Show contents of logfile
start-seqn	Show messages from logfile from a given start-sequence-number
<i>i0</i>	Enter starting sequence number
end-seqn	(Optional) Show messages from logfile from a given end-sequence-number
<i>i1</i>	(Optional) Enter ending sequence number

Command Mode

- /exec

show logging logfile start-time

show logging logfile start-time

show logging logfile start-time <i0> <s0> <i1> <s1> [end-time <i2> <s2> <i3> <s3>]

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
logfile	Show contents of logfile
start-time	Show messages from logfile from a given start-time
<i>i0</i>	Enter year in YYYY format
<i>s0</i>	Enter Month as Jan, Feb, Mar, ..., Oct, Nov, or Dec
<i>i1</i>	Enter day of month in dd format
<i>s1</i>	Enter hour, minutes, seconds as HH:MM:SS
end-time	(Optional) Show messages from logfile up to a given end-time
<i>i2</i>	(Optional) Enter year in YYYY format
<i>s2</i>	(Optional) Enter Month as Jan, Feb, Mar, ..., Oct, Nov, or Dec
<i>i3</i>	(Optional) Enter day of month in dd format
<i>s3</i>	(Optional) Enter hour, minutes, seconds as HH:MM:SS

Command Mode

- /exec

show logging loopback

show logging loopback

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
loopback	Show logging loopback configuration

Command Mode

- /exec

show logging module

show logging module

show logging module

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
module	Show module(linecard) logging configuration

Command Mode

- /exec

show logging monitor

show logging monitor

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
monitor	Show monitor logging configuration

Command Mode

- /exec

show logging nvram

show logging nvram

show logging nvram [[{ last <i0> }]]

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
nvram	Show NVRAM log
last	(Optional) Show last few lines of nvram log
<i>i0</i>	(Optional) Enter number of lines to display

Command Mode

- /exec

show logging onboard

```
show logging onboard { counter-stats | endtime <s0> [ { counter-stats | internal { <dc3_options> } } ] | internal { <dc3_options> } | module <module> { counter-stats | endtime1 <s1> [ { counter-stats | internal { <dc3_options> } } ] | internal { <dc3_options> } | starttime <s2> [ { counter-stats | endtime2 <s3> [ { counter-stats | internal { <dc3_options> } } } ] | internal { <dc3_options> } } ] | starttime1 <s4> [ { counter-stats | endtime3 <s5> [ { counter-stats | internal { <dc3_options> } } } ] | internal { <dc3_options> } } ] }
```

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
onboard	Show OBFL information
counter-stats	Show OBFL counter statistics
endtime	Show OBFL logs till end time mm/dd/yy-HH:MM:SS
<i>s0</i>	End time format - mm/dd/yy-HH:MM:SS
internal	(Optional) Show Logging Onboard Internal
module	Show OBFL information for Module
<i>module</i>	Enter module number
endtime1	Show OBFL logs till end time mm/dd/yy-HH:MM:SS
<i>s1</i>	End time format - mm/dd/yy-HH:MM:SS
starttime	Show OBFL logs from start time mm/dd/yy-HH:MM:SS
<i>s2</i>	Start time format - mm/dd/yy-HH:MM:SS
endtime2	(Optional) Show OBFL logs till end time mm/dd/yy-HH:MM:SS
<i>s3</i>	(Optional) End time format - mm/dd/yy-HH:MM:SS
starttime1	Show OBFL logs from start time mm/dd/yy-HH:MM:SS
<i>s4</i>	Start time format - mm/dd/yy-HH:MM:SS
endtime3	(Optional) Show OBFL logs till end time mm/dd/yy-HH:MM:SS
<i>s5</i>	(Optional) End time format - mm/dd/yy-HH:MM:SS
<i>dc3_options</i>	(Optional) dc3 options

Command Mode

- /exec

show logging onboard

show logging onboard

```
show logging onboard [ card-first-power-on | card-boot-history | <common_options> | endtime <s0> [ { <common_options> | error-stats [ port <i0> ] } ] | error-stats [ port1 <i1> ] | module <module> [ <common_options> | endtime1 <s1> [ { <common_options> | error-stats [ port3 <i3> ] } ] | error-stats [ port4 <i4> ] | starttime <s2> [ { <common_options> | endtime2 <s3> [ { <common_options> | error-stats [ port6 <i6> ] } ] | error-stats [ port7 <i7> ] } ] | card-first-power-on | card-boot-history ] | obfl-logs | starttime1 <s4> [ { <common_options> | endtime3 <s5> [ { <common_options> | error-stats [ port8 <i8> ] } ] | error-stats [ port9 <i9> ] } ] | credit-loss [ module <module> [ last <last_no> { minutes | hours | days } ] | last <last_no> { minutes | hours | days } ] | flow-control { pause-count [ module <module> [ last <last_no> { minutes | hours | days } ] | last <last_no> { minutes | hours | days } ] | pause-events [ module <module> [ last <last_no> { minutes | hours | days } ] | last <last_no> { minutes | hours | days } ] | request-timeout [ module <module> ] | timeout-drops [ module <module> [ port10 <i10> [ last <last_no> { minutes | hours | days } ] | last <last_no> { minutes | hours | days } ] | last <last_no> { minutes | hours | days } ] ] }
```

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
onboard	Show OBFL information
card-first-power-on	(Optional) show card first power on information
card-boot-history	(Optional) show card boot history
endtime	(Optional) Show OBFL logs till end time mm/dd/yy-HH:MM:SS
<i>s0</i>	(Optional) End time format - mm/dd/yy-HH:MM:SS
error-stats	(Optional) Show OBFL error statistics
port	(Optional) Show OBFL error statistics for a port
<i>i0</i>	(Optional)
<i>common_options</i>	(Optional) give the options
port1	(Optional) Show OBFL error statistics for a port
<i>i1</i>	(Optional)
module	(Optional) Show OBFL information for Module
<i>module</i>	(Optional) Enter module number
endtime1	(Optional) Show OBFL logs till end time mm/dd/yy-HH:MM:SS
<i>s1</i>	(Optional) End time format - mm/dd/yy-HH:MM:SS
port3	(Optional) Show OBFL error statistics for a port
<i>i3</i>	(Optional)

port4	(Optional) Show OBFL error statistics for a port
<i>i4</i>	(Optional)
starttime	(Optional) Show OBFL logs from start time mm/dd/yy-HH:MM:SS
<i>s2</i>	(Optional) Start time format - mm/dd/yy-HH:MM:SS
endtime2	(Optional) Show OBFL logs till end time mm/dd/yy-HH:MM:SS
<i>s3</i>	(Optional) End time format - mm/dd/yy-HH:MM:SS
port6	(Optional) Show OBFL error statistics for a port
<i>i6</i>	(Optional)
port7	(Optional) Show OBFL error statistics for a port
<i>i7</i>	(Optional)
starttime1	(Optional) Show OBFL logs from start time mm/dd/yy-HH:MM:SS
<i>s4</i>	(Optional) Start time format - mm/dd/yy-HH:MM:SS
endtime3	(Optional) Show OBFL logs till end time mm/dd/yy-HH:MM:SS
<i>s5</i>	(Optional) End time format - mm/dd/yy-HH:MM:SS
port8	(Optional) Show OBFL error statistics for a port
<i>i8</i>	(Optional)
port9	(Optional) Show OBFL error statistics for a port
<i>i9</i>	(Optional)
obfl-logs	(Optional) Show OBFL Tech Support Log.
timeout-drops	(Optional) Show OBFL Timeout Drops logs
port10	(Optional) Show OBFL statistics per port basis
<i>i10</i>	(Optional)
credit-loss	(Optional) Show OBFL Credit Loss logs
last	(Optional) Show last min/hour/day logs
<i>last_no</i>	(Optional) Duration in min/hrs/day
minutes	(Optional) entry in minutes
hours	(Optional) entry in hours
days	(Optional) entry in days
request-timeout	(Optional) Show OBFL request timeout log

show logging onboard

flow-control	(Optional) Show OBFL Flow Control log
pause-count	(Optional) Show Flow Control Pause Count Logs
pause-events	(Optional) Show Flow Control Pause Event Logs

Command Mode

- /exec

show logging onboard kernel-trace

show logging onboard kernel-trace

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
onboard	Show OBFL information
kernel-trace	Show OBFL Kernel Trace

Command Mode

- /exec

show logging origin-id

show logging origin-id

show logging origin-id

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
origin-id	Show logging origin id configuration

Command Mode

- /exec

show logging pending-diff

show logging pending-diff

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
pending-diff	server address pending configuration diff

Command Mode

- /exec

show logging pending

show logging pending

show logging pending

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
pending	server address pending configuration

Command Mode

- /exec

show logging rate-limit

show logging rate-limit

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
rate-limit	Show rate limit configuration

Command Mode

- /exec

show logging rfc-strict

show logging rfc-strict

show logging rfc-strict

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
rfc-strict	Show RFC to which messages are compliant

Command Mode

- /exec

show logging server

show logging server

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
server	Show server logging configuration

Command Mode

- /exec

show logging session status

show logging session status

show logging session status

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
session	Show logging session status
status	Show logging session status

Command Mode

- /exec

show logging source-interface

show logging source-interface

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
source-interface	Show logging source-interface configuration

Command Mode

- /exec

show logging status

show logging status

show logging status

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
status	Show logging status

Command Mode

- /exec

show logging timestamp

show logging timestamp

Syntax Description

show	Show running system information
logging	Show logging configuration and contents of logfile
timestamp	Show logging timestamp configuration

Command Mode

- /exec

show login on-failure log

show login on-failure log

show login on-failure log

Syntax Description

show	show
login	login
on-failure	authentication failure
log	Log

Command Mode

- /exec

show login on-successful log

show login on-successful log

Syntax Description

show	show
login	login
on-successful	authentication successful
log	Log

Command Mode

- /exec

show login on-successful log