

# **Interface Index Display for SNMP**

The Interface Index Display for SNMP feature introduces new commands and command modifications that allow advanced users of Simple Network Management Protocol (SNMP) to view information about the interface registrations directly on the managed agent. (For the purposes of this document, the agent is the routing device running Cisco software.) In other words, the commands in this feature allow the user to display MIB information from the agent without using an external NMS.

- Finding Feature Information, page 1
- Information about Interface Index Display for SNMP, page 1
- Additional References, page 2
- Feature Information for Interface Index Display for SNMP, page 4

### **Finding Feature Information**

Your software release may not support all the features documented in this module. For the latest caveats and feature information, see Bug Search Tool and the release notes for your platform and software release. To find information about the features documented in this module, and to see a list of the releases in which each feature is supported, see the feature information table.

Use Cisco Feature Navigator to find information about platform support and Cisco software image support. To access Cisco Feature Navigator, go to <a href="https://www.cisco.com/go/cfn">www.cisco.com/go/cfn</a>. An account on Cisco.com is not required.

### Information about Interface Index Display for SNMP

### **Interface Index Display for SNMP**

The Interface Index Display for SNMP feature introduces new commands and command modifications that allow advanced users of SNMP to view information about interface registrations directly on the managed agent. You can display MIB information from the agent without using an external NMS.

This feature addresses three objects in the Interfaces MIB: ifIndex, ifAlias, and ifName. For complete definitions of these objects, see the IF-MIB.my file available at the Cisco SNMPv2 MIB website.

# **Additional References**

#### **Related Documents**

Related Topic	Document Title
Cisco IOS commands	Cisco IOS Master Command List, All Releases
SNMP commands: complete command syntax, command mode, command history, defaults, usage guidelines, and examples	Cisco IOS SNMP Command Reference
Cisco implementation of RFC 1724, RIP Version 2 MIB Extensions	RIPv2 Monitoring with SNMP Using the RFC 1724 MIB Extensions feature module
DSP Operational State Notifications for notifications to be generated when a digital signaling processor (DSP) is used	DSP Operational State Notifications feature module

### **Standards and RFCs**

Standard/RFC	Title	
CBC-DES (DES-56) standard	Symmetric Encryption Protocol	
STD: 58	Structure of Management Information Version 2 (SMIv2)	
RFC 1067	A Simple Network Management Protocol	
RFC 1091	Telnet terminal-type option	
RFC 1098	Simple Network Management Protocol (SNMP)	
RFC 1157	Simple Network Management Protocol (SNMP)	
RFC 1213	Management Information Base for Network Management of TCP/IP-based internets:MIB-II	
RFC 1215	Convention for defining traps for use with the SNMP	
RFC 1901	Introduction to Community-based SNMPv2	
RFC 1905	Common Management Information Services and Protocol over TCP/IP (CMOT)	
RFC 1906	Telnet X Display Location Option	
RFC 1908	Simple Network Management Protocol (SNMP)	

Standard/RFC	Title
RFC 2104	HMAC: Keyed-Hashing for Message Authentication
RFC 2206	RSVP Management Information Base using SMIv2
RFC 2213	Integrated Services Management Information Base using SMIv2
RFC 2214	Integrated Services Management Information Base Guaranteed Service Extensions using SMIv2
RFC 2271	An Architecture for Describing SNMP Management Frameworks
RFC 2570	Introduction to Version 3 of the Internet-standard Network Management Framework
RFC 2578	Structure of Management Information Version 2 (SMIv2)
RFC 2579	Textual Conventions for SMIv2
RFC 2580	Conformance Statements for SMIv2
RFC 2981	Event MIB
RFC 2982	Distributed Management Expression MIB
RFC 3413	SNMPv3 Applications
RFC 3415	View-based Access Control Model (VACM) for the Simple Network Management Protocol (SNMP)
RFC 3418	Management Information Base (MIB) for the Simple Network Management Protocol (SNMP)

#### **MIBs**

MIB	MIBs Link
Circuit Interface Identification MIB	To locate and download MIBs for selected platforms, releases, and feature sets, use Cisco MIB Locator
• Cisco SNMPv2	found at the following URL:
• Ethernet-like Interfaces MIB	http://www.cisco.com/go/mibs
• Event MIB	
• Expression MIB Support for Delta, Wildcarding, and Aggregation	
• Interfaces Group MIB (IF-MIB)	
• Interfaces Group MIB Enhancements	
MIB Enhancements for Universal Gateways and Access Servers	
• MSDP MIB	
• NTP MIB	
• Response Time Monitor MIB	
Virtual Switch MIB	

#### **Technical Assistance**

Description	Link
The Cisco Support and Documentation website provides online resources to download documentation, software, and tools. Use these resources to install and configure the software and to troubleshoot and resolve technical issues with Cisco products and technologies. Access to most tools on the Cisco Support and Documentation website requires a Cisco.com user ID and password.	

# Feature Information for Interface Index Display for SNMP

The following table provides release information about the feature or features described in this module. This table lists only the software release that introduced support for a given feature in a given software release train. Unless noted otherwise, subsequent releases of that software release train also support that feature.

Use Cisco Feature Navigator to find information about platform support and Cisco software image support. To access Cisco Feature Navigator, go to . An account on Cisco.com is not required.

Table 1: Feature Information for Interface Index Display for SNMP

Feature Name	Releases	Feature Information
Interface Index Display for SNMP	12.2(2)T	The Interface Index Display for SNMP feature introduces new commands and command modifications that allow advanced users of SNMP to view information about interface registrations directly on the managed agent. You can display MIB information from the agent without using an external NMS.
		This feature addresses three objects in the Interfaces MIB: <i>ifIndex</i> , <i>ifAlias</i> , and <i>ifName</i> .
		For complete definitions of these objects, see the IF-MIB.my file available at the Cisco SNMPv2 MIB website.

Feature Information for Interface Index Display for SNMP