



Cisco IOS GGSN Command Set

GPRS is a new service designed for Global System for Mobile Communications (GSM) networks. This chapter provides a reference list for all of the GPRS Gateway Support Node (GGSN) commands in the Cisco IOS software that are documented in this book.

For GGSN configuration tasks and examples, refer to the *Cisco IOS Mobile Wireless Configuration Guide*.

The following GPRS GGSN commands are documented in this book:

- [aaa-accounting](#), page 2
- [aaa-group](#), page 5
- [access-mode](#), page 9
- [access-point](#), page 11
- [access-point-name](#), page 13
- [access-type](#), page 14
- [access-violation deactivate-pdp-context](#), page 16
- [aggregate](#), page 18
- [anonymous user](#), page 22
- [block-foreign-ms](#), page 23
- [clear gprs access-point statistics](#), page 24
- [clear gprs charging cdr](#), page 25
- [clear gprs gtp pdp-context](#), page 27
- [clear gprs gtp statistics](#), page 29
- [debug gprs dfp](#), page 304
- [debug gprs dhcp](#), page 305
- [debug gprs gtp](#), page 307
- [debug gprs gtp parsing](#), page 315
- [debug gprs gtp ppp](#), page 316
- [debug gprs gtp ppp-regeneration](#), page 318
- [debug gprs radius](#), page 322
- [dhcp-gateway-address](#), page 31
- [dhcp-server](#), page 33

- [encapsulation gtp, page 37](#)
- [gprs access-point-list, page 38](#)
- [gprs canonical-qos best-effort bandwidth-factor, page 40](#)
- [gprs canonical-qos gsn-resource-factor, page 42](#)
- [gprs canonical-qos map tos, page 44](#)
- [gprs canonical-qos premium mean-throughput-deviation, page 46](#)
- [gprs charging cdr-aggregation-limit, page 49](#)
- [gprs charging cdr-option apn-selection-mode, page 51](#)
- [gprs charging cdr-option local-record-sequence-number, page 53](#)
- [gprs charging cdr-option node-id, page 55](#)
- [gprs charging cdr-option no-partial-cdr-generation, page 57](#)
- [gprs charging cdr-option packet-count, page 59](#)
- [gprs charging cdr-option served-msisdn, page 61](#)
- [gprs charging cg-path-requests, page 63](#)
- [gprs charging container change-limit, page 64](#)
- [gprs charging container sgsn-change-limit, page 66](#)
- [gprs charging container volume-threshold, page 68](#)
- [gprs charging disable, page 70](#)
- [gprs charging flow-control private-echo, page 71](#)
- [gprs charging header short, page 72](#)
- [gprs charging map data tos, page 73](#)
- [gprs charging packet-queue-size, page 74](#)
- [gprs charging path-protocol, page 75](#)
- [gprs charging port, page 76](#)
- [gprs charging release, page 77](#)
- [gprs charging roamers, page 79](#)
- [gprs charging send-buffer, page 81](#)
- [gprs charging server-switch-timer, page 82](#)
- [gprs charging tariff-time, page 83](#)
- [gprs charging transfer interval, page 84](#)
- [gprs charging transfer format number-responded, page 85](#)
- [gprs default aaa-group, page 86](#)
- [gprs default aggregate, page 90](#)
- [gprs default charging-gateway, page 94](#)
- [gprs default dhcp-server, page 96](#)
- [gprs default ip-address-pool, page 99](#)
- [gprs default map-converting-gsn, page 102](#)
- [gprs delay-qos map tos, page 104](#)

- [gprs dfp max-weight, page 106](#)
- [gprs gtp echo-timer dynamic enable, page 110](#)
- [gprs gtp echo-timer dynamic minimum, page 113](#)
- [gprs gtp echo-timer dynamic smooth-factor, page 115](#)
- [gprs gtp error-indication throttle, page 117](#)
- [gprs gtp ip udp ignore checksum, page 118](#)
- [gprs gtp map signalling tos, page 119](#)
- [gprs gtp n3-buffer-size, page 121](#)
- [gprs gtp n3-requests, page 122](#)
- [gprs gtp path-echo-interval, page 124](#)
- [gprs gtp ppp vtemplate, page 126](#)
- [gprs gtp ppp-regeneration vtemplate, page 128](#)
- [gprs gtp response-message wait-accounting, page 130](#)
- [gprs gtp t3-response, page 132](#)
- [gprs idle-pdp-context purge-timer, page 134](#)
- [gprs maximum-pdp-context-allowed, page 135](#)
- [gprs mcc mnc, page 137](#)
- [gprs ms-address exclude-range, page 139](#)
- [gprs ni-pdp cache-timeout, page 141](#)
- [gprs ni-pdp discard-period, page 142](#)
- [gprs ni-pdp ip-imsi single, page 143](#)
- [gprs ni-pdp pdp-buffer, page 145](#)
- [gprs ni-pdp percentage, page 147](#)
- [gprs plmn ip address, page 149](#)
- [gprs qos default-response requested, page 151](#)
- [gprs qos map canonical-qos, page 152](#)
- [gprs qos map delay, page 154](#)
- [gprs qos map umts, page 155](#)
- [gprs radius msisdn first-byte, page 156](#)
- [gprs umts-qos dscp unmodified, page 159](#)
- [gprs umts-qos map diffserv-phb, page 160](#)
- [gprs umts-qos map traffic-class, page 162](#)
- [gprs slb cef, page 157](#)
- [gtp response-message wait-accounting, page 164](#)
- [ip-access-group, page 167](#)
- [ip-address-pool, page 169](#)
- [msisdn suppression, page 172](#)
- [network-request-activation, page 174](#)

- [ppp-regeneration](#), page 175
- [radius attribute suppress imsi](#), page 177
- [radius attribute suppress qos](#), page 178
- [radius attribute suppress sgsn-address](#), page 179
- [redirect intermobile ip](#), page 180
- [security verify](#), page 181
- [service gprs ggsn](#), page 183
- [session idle-time](#), page 185
- [show gprs access-point](#), page 193
- [show gprs access-point statistics](#), page 202
- [show gprs charging parameters](#), page 205
- [show gprs charging statistics](#), page 211
- [show gprs charging status](#), page 213
- [show gprs gtp ms](#), page 216
- [show gprs gtp parameters](#), page 219
- [show gprs gtp path](#), page 222
- [show gprs gtp pdp-context](#), page 224
- [show gprs gtp statistics](#), page 235
- [show gprs gtp status](#), page 239
- [show gprs ms-address exclude-range](#), page 248
- [show gprs plmn ip address](#), page 249
- [show gprs qos status](#), page 251
- [show gprs umts-qos map traffic-class](#), page 255
- [subscription-required](#), page 257
- [vrf](#), page 258

Replaced Commands

Table 44 shows a list of GGSN Release 3.0 commands that have been replaced with new syntax as of Cisco IOS Release 12.2(8)YD:

Table 44 *GGSN Commands with New Syntax*

Old Command Syntax	New Command Syntax
block-roamer	block-foreign-ms
gprs charging qos-info	gprs charging release
access-violation	access-violation deactivate-pdp-context

Obsolete Commands

The following commands are no longer supported in GGSN Release 3.0 as of Cisco IOS Release 12.2(8)YD:

- **gprs hplmn matching-criteria pcs1900**

