



Symbols

<cr> [xv](#)

? command [xiv](#)

A

after-hour exempt command [2](#)

after-hours block pattern command [4](#)

after-hours date command [6](#)

after-hours day command [8](#)

application (ephone-dn) command [10](#)

application (telephony-service) command [12](#)

auto assign command [13](#)

auto-line command [16](#)

B

button command [17](#)

C

caller-id block (ephone-dn) command [23](#)

caller-id block code command [25](#)

caller-id command [21](#)

call-forward all (ephone-dn) command [26](#)

call-forward busy (ephone-dn) command [28](#)

call-forward noan (ephone-dn) command [30](#)

call-forward pattern command [33](#)

calling-number local command [35](#)

carriage return (<cr>) [xv](#)

cause codes, disconnect [210](#)

cautions, usage in text [viii](#)

Cisco IOS configuration changes, saving [xviii](#)

clid strip command [37](#)

command modes, understanding [xiii to xiv](#)

commands

context-sensitive help for abbreviating [xiv](#)

default form, using [xvii](#)

no form, using [xvii](#)

command syntax

conventions [vii](#)

displaying (example) [xv](#)

configurations, saving [xviii](#)

cor (ephone-dn) command [39](#)

create cnf-files command [41](#)

D

date-format (telephony-service) command [42](#)

description (ephone-dn) command [43](#)

dialplan-pattern (telephony-service) command [45](#)

directory (telephony-service) command [47](#)

directory entry command [49](#)

disconnect cause codes [210](#)

dn-webedit command [51](#)

documentation

conventions [vii](#)

modules [v to vi](#)

documents and resources, supporting [vi](#)

E

ephone command [53](#)

ephone configuration mode [53](#)

ephone-dn command [55](#)

ephone-dn configuration mode [55](#)

ephone-hunt command [57](#)

ephone-hunt configuration mode [57](#)

F

fastdial command 60
 feed command 61
 filtering output, show and more commands xviii
 final command 63
 fxo hook-flash command 65

G

global configuration mode, summary of xiv

H

hardware platforms
 See platforms, supported
 help command xiv
 hold-alert command 67
 hops command 69
 huntstop (ephone-dn) command 71

I

indexes, master vi
 intercom (ephone-dn) command 74
 interface configuration mode, summary of xiv
 ip source-address (telephony-service) command 77

K

keepalive (ephone) command 79
 keepalive (telephony-service) command 80
 keyphone (ephone) command 82

L

label command 83
 list command 85

load (telephony-service) command 87
 login (telephony-service) command 92
 log password command 89
 log table command 90
 loopback-dn command 94

M

mac-address command 98
 max-conferences command 100
 max-dn (telephony-service) command 102
 max-ephones (telephony-service) command 104
 max-redirect command 106
 MIB, descriptions online vii
 modes
 See command modes
 moh (ephone-dn) command 107
 moh (telephony-service) command 110
 multicast moh command 112
 mwi command 114
 mwi expires command 116
 mwi relay command 117
 mwi sip command 118
 mwi sip-server command 120

N

name (ephone-dn) command 124
 network-locale command 126
 night-service bell (ephone) command 128
 night-service bell (ephone-dn) command 130
 night-service code command 132
 night-service date command 134
 night-service day command 136
 no-reg (ephone-hunt) command 138
 notes, usage in text viii
 number (ephone-dn) command 140

P

paging (ephone-dn) command [143](#)
 paging-dn (ephone) command [148](#)
 paging group (ephone-dn) command [146](#)
 pattern direct command [151](#)
 pattern ext-to-ext busy command [153](#)
 pattern ext-to-ext no-answer command [155](#)
 pattern trunk-to-ext busy command [157](#)
 pattern trunk-to-ext no-answer command [159](#)
 pickup-group command [161](#)
 pilot command [162](#)
 pin command [164](#)
 platforms, supported
 release notes, identify using [xix](#)
 preference (ephone-dn) command [166](#)
 preference (ephone-hunt) command [168](#)
 privileged EXEC mode, summary of [xiv](#)
 prompts, system [xiv](#)
 PSTN cause codes [210](#)

Q

question mark (?) command [xiv](#)

R

release notes
 See platforms, supported
 reset (ephone) command [170](#)
 reset (telephony-service) command [172](#)
 restart (ephone) command [175](#)
 restart all (telephony-service) command [176](#)
 RFC
 full text, obtaining [vii](#)
 ROM monitor mode, summary of [xiv](#)

S

secondary-dialtone command [178](#)
 service local-directory command [179](#)
 show ephone cfa command [188](#)
 show ephone command [180](#)
 show ephone-dn callback command [205, 212](#)
 show ephone dn command [189](#)
 show ephone dnd command [190](#)
 show ephone-dn loopback command [214](#)
 show ephone-dn summary command [216](#)
 show ephone-hunt command [185](#)
 show ephone login command [191](#)
 show ephone offhook command [193](#)
 show ephone overlay command [195](#)
 show ephone phone-load command [196](#)
 show ephone registered command [198](#)
 show ephone remote command [199](#)
 show ephone ringing command [200](#)
 show ephone summary command [201](#)
 show ephone tapiclients command [202](#)
 show ephone telephone-number command [203](#)
 show ephone unregistered command [204](#)
 show fb-its-log command [218](#)
 show telephony-service admin command [220](#)
 show telephony-service all command [222](#)
 show telephony-service dial-peer command [225](#)
 show telephony-service directory-entry command [227](#)
 show telephony-service ephone command [228](#)
 show telephony-service ephone-dn command [230](#)
 show telephony-service tftp-bindings command [232](#)
 show telephony-service voice-port command [233](#)
 speed-dial command [235](#)
 system message command [238](#)

T

Tab key, command completion [xiv](#)
 telephony-service command [239](#)

telephony-service configuration mode [239](#)
time-format command [243](#)
timeout (ephone-hunt) command [244](#)
timeouts busy command [245](#)
timeouts interdigit (telephony-service) command [246](#)
timeouts ringing (telephony-service) command [248](#)
time-webedit (telephony-service) command [249](#)
transfer-mode command [251](#)
transfer-pattern (telephony-service) command [253](#)
transfer-system command [255](#)
translate (ephone-dn) command [257](#)
type (ephone) command [259](#)

U

url (telephony-service) command [261](#)
url idle command [263](#)
user EXEC mode, summary of [xiv](#)
user-locale command [264](#)
username (ephone) command [266](#)

V

vm-device-id (ephone) command [268](#)
vm-integration command [269](#)
voicemail (telephony-service) command [271](#)
voice-mail integration configuration mode [269](#)

W

web admin customer command [273](#)
web admin system command [275](#)
web customize load command [277](#)

X

xmlschema command [278](#)
xmltest command [279](#)
xmlthread command [280](#)