



---

## A

About screen [1-3](#)

action

activate [2-3](#)

deactivate [2-3](#)

delete [2-3](#)

manage [2-3](#)

start [2-2, 2-3](#)

stop [2-3](#)

upgrade [2-3](#)

activate action [2-3](#)

ACTIVATED status [2-2](#)

activating, app [3-2](#)

adding

app [3-2](#)

internal network [3-16](#)

app

activating [3-2](#)

adding [3-2](#)

configuration file [2-14, 3-8](#)

console access [3-8](#)

container

managing [2-14](#)

data directory

deleting file from [3-11](#)

downloading file from [3-11](#)

uploading file to [3-10](#)

deactivating [3-5](#)

deleting [3-7](#)

deploying [3-2](#)

host system resources for [2-10](#)

lifecycle workflows [3-1](#)

log file [2-15, 3-9](#)

resource profile [2-10, 3-2](#)

starting [3-5](#)

status [2-2, 3-1](#)

stopping [3-6](#)

upgrading [3-6](#)

*App-ID* page

App-Config page

accessing [2-14](#)

description [2-14](#)

fields and options [2-14](#)

App-DataDir page

accessing [2-14](#)

description [2-14](#)

fields and options [2-14](#)

App-info page

accessing [2-12](#)

description [2-12](#)

fields and options [2-12](#)

description [2-9](#)

Logs page

accessing [2-15](#)

description [2-15](#)

fields and options [2-15](#)

Resources page

accessing [2-10](#)

description [2-10](#)

fields and options [2-10](#)

tabs [2-9](#)

*App-ID* tab

App-Config [2-9](#)

App-DataDir [2-9](#)

App-info [2-9](#)

- description [2-2](#)
- displaying [2-10](#)
- Logs [2-9](#)
- removing from menu bar [2-2, 2-10](#)
- Resources [2-9](#)

#### Applications page

- accessing [2-2](#)
- description [2-1, 2-2](#)
- fields and options [2-2](#)

#### Applications tab, description [2-1](#)

#### app signature validation

- configuring [3-19](#)
- description [3-19](#)

---

## B

- browser guidelines and requirements [1-1](#)

---

## C

#### cartridge

- deleting [3-13](#)
- description [2-4, 3-12](#)
- for PAAS app [2-4, 3-12](#)
- installing [3-12](#)
- viewing information about [3-13](#)

#### Cartridges page

- accessing [2-4](#)
- description [2-4](#)
- fields and options [2-4](#)

#### Cartridges tab, description [2-1](#)

#### Cisco Data in Motion

- description [2-8](#)
- license, uploading [3-14](#)
- starting [3-15](#)
- status [2-9](#)
- stopping [3-15](#)

#### Cisco IOx

- framework [1-1](#)
- network
  - See* network, internal
- overview [1-1](#)

#### Cisco IOx Local Manager

- About screen [1-3](#)
- Cartridges [2-4, 3-12](#)
- exiting [1-3](#)
- logging in to [1-2](#)
- logging out [1-3](#)
- overview [1-1](#)
- pages
  - App-ID* [2-9](#)
  - App-ID* > App-Config [2-14](#)
  - App-ID* > App-DataDir [2-14](#)
  - App-ID* > App-info [2-12](#)
  - App-ID* > Logs [2-15](#)
  - App-ID* > Resources [2-10](#)
  - Applications [2-2](#)
  - Middleware Service [2-8, 3-14](#)
  - Setting [2-7](#)
  - System Info [2-5](#)
- starting [1-2](#)
- tabs [2-1](#)
- timeout period [1-2](#)
- configuration file
  - description [2-14, 3-8](#)
  - package\_config.ini [2-14, 3-8](#)
  - updating [3-8](#)
- configuring
  - host system for Cisco IOx [1-2](#)
  - host system log file [3-20](#)
- console access, of app [3-8](#)
- container of app
  - managing [2-14](#)
- core dump file
  - deleting [2-6, 3-23](#)
  - description [3-22](#)

downloading [2-6, 3-23](#)  
 CPU, on host system [2-10, 3-2](#)

---

## D

data directory  
   deleting file from [3-11](#)  
   downloading file from [3-11](#)  
   uploading file to [3-10](#)

deactivate action [2-3](#)

deactivating, app [3-5](#)

delete action [2-3](#)

deleting  
   app [3-7](#)  
   app data directory file [3-11](#)  
   cartridge [3-13](#)  
   core dump file [3-23](#)  
   internal network [3-18](#)  
   snapshot file [3-22](#)

DEPLOYED status [2-2](#)

deploying app [3-2](#)

downloading  
   app log file [3-9](#)  
   core dump file [3-23](#)  
   from data directory [3-11](#)  
   host system log file [3-21](#)  
   snapshot file [3-22](#)

---

## E

editing, internal network [3-17](#)

exiting, Cisco IOx Local Manager [1-3](#)

---

## F

flash storage, caveat [1-2](#)

---

## G

generating, snapshot file [3-21](#)

---

## H

host system  
   CPU [2-10](#)  
   log file [2-6](#)  
     configuring [3-20](#)  
     description [3-19](#)  
     downloading [3-21](#)  
   memory [2-10](#)  
   resources [2-10](#)

---

## I

installing, cartridge [3-12](#)

---

## L

license, uploading for Cisco Data in Motion [3-14](#)

license, uploading for middleware [3-14](#)

log file  
   app [2-15, 3-9](#)  
   downloading app log file [3-9](#)  
   host system [2-6](#)  
     configuring [3-20](#)  
     description [3-19](#)  
     downloading [3-21](#)

logging in, to Cisco IOx Local Manager [1-2](#)

logging out, from Cisco IOx Local Manager [1-3](#)

---

## M

manage action [2-3](#)

memory, on host system [2-10, 3-2](#)

## middleware

- license, uploading [3-14](#)
- starting [3-15](#)
- status [2-9](#)
- stopping [3-15](#)

## Middleware Service page

- accessing [2-8](#)
- description [2-8](#)
- fields and options [2-9](#)

Middleware Service tab, description [2-1](#)

## N

## network, internal

- adding [3-16](#)
- deleting [3-18](#)
- description [2-7, 3-16](#)
- editing [3-17](#)
- svcbr\_0 [2-7, 3-18](#)
- viewing information about [3-17](#)

## O

ordering information on pages [2-2](#)

## P

- PAAS app, cartridge for [2-4, 3-12](#)
- package\_config.ini configuration file [2-14, 3-8](#)

## R

- refresh, information on pages [1-2](#)
- resource profile [2-10, 3-2](#)
- resources, on host system [2-10, 3-2](#)
- RUNNING status [2-2](#)

## S

## snapshot file

- deleting [2-6, 3-22](#)
- description [2-6, 3-21](#)
- downloading [2-6, 3-22](#)
- generating [3-21](#)

start action [2-2, 2-3](#)

## starting

- app [3-5](#)
- Cisco Data in Motion [3-15](#)
- middleware [3-15](#)

starting Cisco IOx Local Manager [1-2](#)

## status

- ACTIVATED [2-2](#)
- DEPLOYED [2-2](#)
- of app [2-2, 3-1](#)
- RUNNING [2-2](#)
- STOPPED [2-2](#)

stop action [2-3](#)STOPPED status [2-2](#)

## stopping

- app [3-6](#)
- Cisco Data in Motion [3-15](#)
- middleware [3-15](#)

## System Info page

- accessing [2-5](#)
- description [2-5](#)
- fields and options [2-5](#)

System Info tab, description [2-1](#)

## System Setting page

- accessing [2-7](#)
- description [2-7](#)
- fields and options [2-7](#)

System Setting tab, description [2-1](#)

---

## T

### tab

accessing [2-1](#)

App-ID [2-2](#)

*App-ID* > App-Config [2-9](#)

*App-ID* > App-DataDir [2-9](#)

*App-ID* > App-Info [2-9](#)

*App-ID* > Logs [2-9](#)

*App-ID* > Resources [2-9](#)

Applications [2-1](#)

Cartridges [2-1](#)

in Cisco IOx Local Manager [2-1](#)

Middleware Service [2-1](#)

System Info [2-1](#)

System Setting [2-1](#)

timeout period [1-2](#)

trust anchor [2-8, 3-19](#)

---

## U

updating, configuration file [3-8](#)

upgrade action [2-3](#)

upgrading, app [3-6](#)

uploading, file to app data directory [3-10](#)

---

## V

viewing cartridge information [3-13](#)

visualization, of app data [2-3](#)

