



# Overview of Cisco ISE


- [Introduction to Cisco ISE, on page 1](#)
- [Cisco ISE Features, on page 2](#)
- [Cisco ISE Administrators, on page 3](#)
- [Cisco ISE Administrator Groups, on page 5](#)
- [Administrative Access to Cisco ISE, on page 14](#)

## Introduction to Cisco ISE

### Cisco ISE

Cisco Identity Services Engine (ISE) is a Network Access Control and Policy Enforcement platform

	<b>Visibility</b> Context about everything touching the network
	<b>Control</b> Network access control and segmentation
	<b>Compliance</b> Enterprises comply to industry regulations



Cisco Identity Services Engine (ISE) is an identity-based network access control and policy enforcement system. It functions as a common policy engine that enables endpoint access control and network device administration for enterprises.

You can leverage Cisco ISE to ensure compliance, enhance infrastructure security, and streamline service operations.

A Cisco ISE administrator can gather real-time contextual data for a network, including users and user groups (who?), device type (what?), access time (when?), access location (where?), access type (wired, wireless, or VPN) (how?), and network threats and vulnerabilities.

As a Cisco ISE administrator, you can use this information to make network governance decisions. You can also tie identity data to various network elements to create policies that govern network access and usage.

## Cisco ISE Features

Cisco ISE software must be installed as is. You cannot install any other third-party applications at the underlying operating system level.

Cisco ISE empowers you with the following capabilities:

- **Device Administration:** Cisco ISE uses the TACACS+ security protocol to control and audit the configuration of network devices. It facilitates granular control of who can access which network device and change the associated network settings. Network devices can be configured to query Cisco ISE for authentication and authorization of device administrator actions. These devices also send accounting messages to Cisco ISE to log such actions.
- **Guest and Secure Wireless:** Cisco ISE enables you to provide secure network access to visitors, contractors, consultants, and customers. You can use web-based and mobile portals to on-board guests to your company's network and internal resources. You can define access privileges for different types of guests, and assign sponsors to create and manage guest accounts.
- **Bring Your Own Device (BYOD):** Cisco ISE allows your employees and guests to securely use their personal devices on your enterprise network. BYOD feature end users can use configured pathways to add their devices, and provision predefined authentications and levels of network access.
- **Asset Visibility:** Cisco ISE gives you visibility and control over who and what is on your network consistently, across wireless, wired, and VPN connections. Cisco ISE uses probes and device sensors to listen to the way devices connect to the network. The Cisco ISE profile database, which is extensive, then classifies the device. This gives the visibility and context you need to grant the right level of network access.
- **Secure Access:** Cisco ISE uses a wide range of authentication protocols to provide network devices and endpoints with a secure network access. These include, but are not limited to, 802.1X, RADIUS, MAB, web-based, EasyConnect, and external agent-enabled authentication methods.
- **Segmentation:** Cisco ISE uses contextual data about network devices and endpoints to facilitate network segmentation. Security group tags, access control lists, network access protocols, and policy sets that define authorization, access, and authentication, are some ways in which Cisco ISE enables secure network segmentation.
- **Posture or Compliance:** Cisco ISE allows you to check for compliance, also known as posture, of endpoints, before allowing them to connect to your network. You can ensure that endpoints receive the appropriate posture agents for posturing services.
- **Threat Containment:** If Cisco ISE detects threat or vulnerability attributes from an endpoint, adaptive network control policies are sent to dynamically change the access levels of the endpoint. After the threat or vulnerability is evaluated and addressed, the endpoint is given back its original access policy.
- **Security Ecosystem Integrations:** The pxGrid feature allows Cisco ISE to securely share context-sensitive information, policy and configuration data, and so on, with connected network devices, third-party vendors, or Cisco partner systems.

# Cisco ISE Administrators

Administrators can use the admin portal to:

- Manage deployments, help desk operations, and network devices, and node monitoring and troubleshooting.
- Manage Cisco ISE services, policies, administrator accounts, and system configuration and operations.
- Change administrator and user passwords.

A CLI administrator can start and stop the Cisco ISE application, apply software patches and upgrades, reload or shut down the Cisco ISE appliance, and view all the system and application logs. Because of the special privileges that are granted to a CLI administrator, we recommend that you protect the CLI administrator credentials and create web-based administrators for configuring and managing Cisco ISE deployments.

The username and password that you configure during setup is intended only for administrative access to the CLI. This role is considered to be the CLI admin user, also known as CLI administrator. By default, the username for a CLI admin user is admin, and the password is defined during setup. There is no default password. This CLI admin user is the default admin user, and this user account cannot be deleted. However, other administrators can edit it, including options to enable, disable, or change password for the corresponding account.

You can either create an administrator, or promote an existing user to an administrator role. Administrators can also be demoted to simple network user status by disabling the corresponding administrative privileges.

Administrators are users who have local privileges to configure and operate the Cisco ISE system.

Administrators are assigned to one or more admin groups.



---

**Note** From Cisco ISE Release 2.7, use alphanumeric values while creating user accounts in Cisco ISE.

---

## Related Topics

[Cisco ISE Administrator Groups](#), on page 5

## Force CLI Administrator to Use External Identity Store

Authentication with an external identity source is more secure than using the internal database.

### Define a User's Attributes in the Active Directory User Directory

Using the Windows server running Active Directory, modify the attributes for each user that you plan to configure as a CLI Administrator.

1. From the **Server Manager** window, choose **Server Manager > Roles > Active Directory Domain Services > Active Directory Users and Computers > [ ad.adserver ] <ad\_server>.local**.
2. Enable **Advanced Features** under the **View** menu so that you can edit a user's attributes.
3. Navigate to the Active Directory group that contains a list of all the admin users and select a user.
4. Double-click the corresponding user ID.

The **Properties** window is displayed.


5. Click the **Attribute Editor**.
6. Click any attribute and start entering **gid** to locate the *gidNumber*. If you don't find the *gidNumber* attribute, click the **Filter** button and uncheck the **Show only attributes that have values** check box.
7. Double-click an attribute name to edit each attribute. For each user:
  - Assign a *uidNumber* greater than 60000, and make sure that the number is unique. Do not change the *uidNumber* after assignment.
  - Assign *gidNumber* as 110 or 111. While 110 denotes an admin user, whereas 111 denotes a read-only user. If you modify the *gidNumber*, wait for at least five minutes before making an SSH connection.

### Join the Admin CLI User to the Active Directory Domain

Connect to the Cisco ISE CLI, run the **identity-store** command, and assign the Admin user to the ID store. For example, to map the CLI admin user to the Active Directory defined in ISE as *adpool1*, run the **identity-store active-directory domain-name adpool1 user admincliuser** command.

After the join is complete, connect to the Cisco ISE CLI and log in as the Admin CLI user to verify your configuration.

If the domain you use in this command was previously joined to the ISE node, you must rejoin the domain in the Administrators console.

1. In the Cisco ISE GUI, click the **Menu** icon () and choose **Administration > Identity Management > External Identity Sources**.
2. In the left-hand pane, click **Active Directory** and select your Active Directory name.




---

**Note** If you test the connection, with the test user using either MS-RPC or Kerberos, the status for your Active Directory connection might show **Operational**, but error messages are displayed.

---

3. Verify that you can still log in to the Cisco ISE CLI as the Admin CLI user.

## Create a New Administrator

Cisco ISE administrators need accounts with specific roles assigned to them in order to perform specific administrative tasks. You can create multiple administrator accounts and assign one or more roles to these admins based on the administrative tasks that these admins have to perform.


Use the **Admin Users** window to view, create, modify, delete, change the status, duplicate, or search for attributes of Cisco ISE administrators.




---

**Note** We recommend that you configure Active Directory access in the CLI before you join it in the GUI if the admin user's domain is the same in both the CLI and the GUI. Else, you must rejoin the domain from the GUI to avoid authentication failures to that domain.

---

- 
- Step 1** In the Cisco ISE GUI, click the **Menu** icon () and choose **Administration > System > Admin Access > Administrators > Admin Users > Add**.
- Step 2** From the **Add** drop-down list, choose one of the following options:
- **Create an Admin User**  
If you choose **Create an Admin User**, a **New Administrator** window appears, from where you can configure account information for the new admin user.
  - **Select from Network Access Users**  
If you choose **Select from Network Access Users**, a list of current users appears, from which you can choose a user. Subsequently, the **Admin User** window corresponding to this user appears.
- Step 3** Enter values in the fields. The characters supported for the **Name** field are # \$ % ' ( ) \* + - . / @ \_ .  
The admin user name must be unique. If you have entered an existing user name, an error pop-up window displays the following message:  
`User can't be created. A User with that name already exists.`
- Step 4** Click **Submit** to create a new administrator in the Cisco ISE internal database.

---

#### Related Topics

[Read-Only Admin Policy](#), on page 145

[Customize Menu Access for the Read-Only Administrator](#), on page 146

## Cisco ISE Administrator Groups

Administrator groups are role-based access control (RBAC) groups in Cisco ISE. All the administrators who belong to the same group share a common identity and have the same privileges. An administrator's identity as a member of a specific administrative group can be used as a condition in authorization policies. An administrator can belong to more than one administrator group.

Cisco ISE supports multiple external identity stores for enhanced user access management by admins.

An administrator account with any level of access can be used to modify or delete the objects for which it has permission, on any window it has access to.

The Cisco ISE security model limits administrators to create administrative groups that contain the same set of privileges that the administrator has. The privileges given are based on the administrative role of the user, as defined in the Cisco ISE database. Thus, administrative groups form the basis for defining privileges to access the Cisco ISE systems.

The following table lists the admin groups that are predefined in Cisco ISE, and the tasks that members from these groups can perform.

Table 1: Cisco ISE Admin Groups, Access Levels, Permissions, and Restrictions

Admin Group Role	Access Level	Permissions	Restrictions
Customization Admin	Manage sponsor, guest, and personal device portals.	<ul style="list-style-type: none"> <li>• Configure guest and sponsor access.</li> <li>• Manage guest access settings.</li> <li>• Customize end-user web portals.</li> </ul>	<ul style="list-style-type: none"> <li>• Cannot perform any policy management, identity management, or system-level configuration tasks in Cisco ISE.</li> <li>• Cannot view any reports.</li> </ul>
Helpdesk Admin	Query monitoring and troubleshooting operations	<ul style="list-style-type: none"> <li>• Run all reports.</li> <li>• Run all troubleshooting flows.</li> <li>• View the Cisco ISE dashboard and live logs.</li> <li>• View alarms.</li> </ul>	Cannot create, update, or delete reports, troubleshooting flows, live authentications, or alarms.
Identity Admin	<ul style="list-style-type: none"> <li>• Manage user accounts and endpoints.</li> <li>• Manage identity sources.</li> </ul>	<ul style="list-style-type: none"> <li>• Add, edit, and delete user accounts and endpoints.</li> <li>• Add, edit, and delete identity sources.</li> <li>• Add, edit, and delete identity source sequences.</li> <li>• Configure general settings for user accounts (attributes and password policy).</li> <li>• View the Cisco ISE dashboard, live logs, alarms, and reports.</li> <li>• Run all troubleshooting flows.</li> </ul>	Cannot perform any policy management or system-level configuration tasks in Cisco ISE.
MnT Admin	Perform all the monitoring and troubleshooting operations.	<ul style="list-style-type: none"> <li>• Manage all the reports (run, create, and delete).</li> <li>• Run all the troubleshooting flows.</li> <li>• View the Cisco ISE dashboard and live logs.</li> <li>• Manage alarms (create, update, view, and delete).</li> </ul>	Cannot perform any policy management, identity management, or system-level configuration tasks in Cisco ISE.

Admin Group Role	Access Level	Permissions	Restrictions
Network Device Admin	Manage Cisco ISE network devices and network device repository.	<ul style="list-style-type: none"> <li>• Read and write permissions on network devices</li> <li>• Read and write permissions on Network Device Groups and all network resource object types.</li> <li>• View the Cisco ISE dashboard, live logs, alarms, and reports.</li> <li>• Run all the troubleshooting flows.</li> </ul>	Cannot perform any policy management, identity management, or system-level configuration tasks in Cisco ISE.
Policy Admin	Create and manage policies for all the Cisco ISE services across the network, which are related to authentication, authorization, posture, profiler, client provisioning, and work centers.	<ul style="list-style-type: none"> <li>• Read and write permissions on all the elements that are used in policies, such as authorization profiles, Network Device Groups (NDGs), and conditions.</li> <li>• Read and write permissions on identities, endpoints, and identity groups (user identity groups and endpoint identity groups).</li> <li>• Read and write permissions on services policies and settings.</li> <li>• View the Cisco ISE dashboard, live logs, alarms, and reports.</li> <li>• Run all the troubleshooting flows.</li> <li>• Device Administration: Access to device administration work centers. Permission for TACACS policy conditions and results. Network device permissions for TACACS proxy and proxy sequences.</li> </ul>	<p>Cannot perform any identity management or system-level configuration tasks in Cisco ISE.</p> <p>Device Administration: Access to the work center does not guarantee access to the subordinate links.</p>

Admin Group Role	Access Level	Permissions	Restrictions
RBAC Admin	All the tasks under the <b>Operations</b> menu, except for Adaptive Network Control, and partial access to some menu items under <b>Administration</b> .	<ul style="list-style-type: none"> <li>• View the authentication details.</li> <li>• Enable or disable Adaptive Network Control</li> <li>• Create, edit, and delete alarms; generate and view reports; and use Cisco ISE to troubleshoot problems in your network.</li> <li>• Read permissions on administrator account settings and admin group settings</li> <li>• View permissions on admin access and data access permissions in the <b>RBAC Policy</b> window.</li> <li>• View the Cisco ISE dashboard, live logs, alarms, and reports.</li> <li>• Run all the troubleshooting flows.</li> </ul>	Cannot perform any identity management or system-level configuration tasks in Cisco ISE.



Admin Group Role	Access Level	Permissions	Restrictions
Read-Only Admin	Read-only access to the ISE GUI.	<ul style="list-style-type: none"> <li>• View and use the functions of the dashboard, reports, and live logs or sessions, such as filtering data, querying, saving options, printing, and exporting data.</li> <li>• Change passwords of their own accounts.</li> <li>• Query ISE using global search, reports, and live logs or sessions.</li> <li>• Filter and save data based on the attributes.</li> <li>• Export data pertaining to authentication policies, profile policies, users, endpoints, network devices, network device groups, identities (including groups), and other configurations.</li> <li>• Customize report queries, save, print, and export them.</li> <li>• Generate custom report queries, save, print, or export the results.</li> <li>• Save GUI settings for future reference.</li> <li>• Download logs, such as ise-psc-log from the <b>Operations &gt; Troubleshoot &gt; Download Logs</b> window.</li> </ul>	

Admin Group Role	Access Level	Permissions	Restrictions
			<ul style="list-style-type: none"> <li>• Perform any configuration changes such as create, update, delete, import, quarantine, and Mobile Device Management (MDM) actions of objects, such as authorization policies, authentication policies, posture policies, profiler policies, endpoints, and users.</li> <li>• Perform system operations, such as backup and restore, registration or deregistration of nodes, synchronization of nodes, creating, editing, and deleting node groups, or upgrade and installation of patches.</li> <li>• Import data pertaining to policies, network devices, network device groups, identities (including groups), and other configurations.</li> <li>• Perform operations, such as CoA, endpoint debugging, modifying collection filters, bypassing suppression on live sessions data, modifying the PAN-HA failover settings, and editing the personas or services of Cisco ISE nodes.</li> <li>• Run commands that might have a heavy impact on performance. For example, access to the <b>TCP Dump</b> in the</li> </ul>

Admin Group Role	Access Level	Permissions	Restrictions
			<p><b>Operations &gt; Troubleshoot &gt; Diagnostic Tools &gt; General Tools</b> window is restricted.</p> <ul style="list-style-type: none"> <li>• Generate support bundles.</li> </ul>
<p>Super Admin</p>	<p>All Cisco ISE administrative functions. The default administrator account belongs to this group.</p>	<p>Create, read, update, delete, and eXecute (CRUDX) permissions on all Cisco ISE resources.</p> <p>A super admin can modify the credentials of any Cisco ISE local user at any time.</p> <p><b>Note</b> The super admin user cannot modify the default system-generated RBAC policies and permissions. To do this, you must create new RBAC policies with the necessary permissions based on your needs, and map these policies to an admin group.</p> <p>Device Administration: Access to device administration work centers. Permission for TACACS policy conditions and results. Network device permissions for TACACS proxy and proxy sequences. In addition, permission to enable TACACS global protocol settings.</p>	<ul style="list-style-type: none"> <li>• Device Administration: Access to the work center does not guarantee access to the subordinate links.</li> <li>• Only an admin user from the default Super Admin Group can modify or delete other admin users. Even an externally mapped user who is part of an Admin Group cloned with the Menu and Data Access privileges of the Super Admin Group cannot modify or delete an admin user.</li> </ul>

Admin Group Role	Access Level	Permissions	Restrictions
System Admin	All Cisco ISE configuration and maintenance tasks.	<p>Full access (read and write permissions) to perform all the activities under the <b>Operations</b> tab and partial access to some menu items under the <b>Administration</b> tab:</p> <ul style="list-style-type: none"> <li>• Read permissions on administrator account settings and administrator group settings.</li> <li>• Read permissions on admin access and data access permissions along with the <b>RBAC policy</b> window.</li> <li>• Read and write permissions for all options under <b>Administration &gt; System</b>.</li> <li>• View authentication details.</li> <li>• Enable or disable Adaptive Network Control</li> <li>• Create, edit, and delete alarms; generate and view reports; and use Cisco ISE to troubleshoot problems in your network.</li> <li>• Device Administration: Permission to enable TACACS global protocol settings.</li> </ul>	Cannot perform any policy management or system-level configuration tasks in Cisco ISE.
Elevated System Admin (available in Cisco ISE, Release 2.6, Patch 2 and above )	All Cisco ISE configuration and maintenance tasks.	In addition to all the privileges of the System Admin, an Elevated System Admin can create Admin users.	<ul style="list-style-type: none"> <li>• Cannot create or delete Super Admin users.</li> <li>• Cannot manage the Super Admin groups.</li> </ul>
External RESTful Services (ERS) Admin	Full access to all the ERS API requests such as GET, POST, DELETE, PUT	<ul style="list-style-type: none"> <li>• Create, read, update, and delete ERS API requests.</li> </ul>	The role is meant only for ERS authorization supporting internal users, identity groups, endpoints, endpoint groups, and SGT .

Admin Group Role	Access Level	Permissions	Restrictions
External RESTful Services (ERS) Operator	Read-only access to ERS API, only GET	<ul style="list-style-type: none"> <li>• Can only read ERS API requests</li> </ul>	The role is meant only for ERS authorization supporting internal users, identity groups, endpoints, endpoint groups, and SGT.
TACACS+ Admin	Full access	Access to: <ul style="list-style-type: none"> <li>• Device Administration Work Center.</li> <li>• Deployment: To enable TACACS+ services.</li> <li>• External ID stores.</li> <li>• <b>Operations &gt; TACACS Live Logs</b> window.</li> </ul>	—

#### Related Topics


[Cisco ISE Administrators](#), on page 3

## Create an Admin Group

The **Admin Groups** window allows you to view, create, modify, delete, duplicate, or filter Cisco ISE network admin groups.

#### Before you begin

To configure an external administrator group type, you must have already specified one or more external identity stores.

**Step 1** In the Cisco ISE GUI, click the **Menu** icon () and choose **Administration > System > Admin Access > Administrators > Admin Groups**

**Step 2** Click **Add**, and enter a name and description.

The supported special characters for the **Name** field are: space, # \$ & ' ( ) \* + - . / @ \_ .

**Step 3** Check the corresponding check box to specify the **Type** of administrator group you are configuring:

- **Internal:** Administrators assigned to this group type authenticate against the credentials that are stored in the Cisco ISE internal database.
- **External:** Administrators assigned to this group authenticate against the credentials stored in the external identity store that you select in the **Administration > System > Admin Access > Authentication > Authentication Method** window. You can specify the external groups, if required.

**Note** If an internal user is configured with an external identity store for authentication, while logging in to the ISE Admin portal, the internal user must select the external identity store as the **Identity Source**. Authentication will fail if **Internal Identity Source** is selected.

- Step 4** Click **Add** in the **Member Users** area to add users to this admin group. To delete users from the admin group, check the check box corresponding to the user that you want to delete, and click **Remove**.
- Step 5** Click **Submit**.

## Administrative Access to Cisco ISE

Cisco ISE administrators can perform various administrative tasks based on the administrative group to which they belong. These administrative tasks are critical. Grant administrative access only to users who are authorized to administer Cisco ISE in your network.



**Note** When a Cisco ISE server is added to a network, it is marked to be in Running state after its web interface comes up. However, it might take some more time for all the services to be fully operational because some advanced services, such as posture services, might take longer to be available.

### Administrative Access Methods

You can connect to the Cisco ISE servers in several ways. The policy administration node (PAN) runs the Administrators portal. An admin password is required to log in. Other ISE persona servers are accessible through SSH or the console, from where you run the CLI. This section describes the process and password options available for each connection type:

- **Admin password:** The Cisco ISE Admin user that you created during installation, times out in 45 days by default. You can prevent that by turning off **Password Lifetime** from **Administration > System > Admin Settings**. Click the **Password Policy** tab, and uncheck the **Administrative passwords expire** check box under **Password Lifetime**.

If you do not do this, and the password expires, you can reset the admin password in the CLI by running the **application reset-passwd** command. You can reset the admin password by connecting to the console to access the CLI, or by rebooting the ISE image file to access the boot options menu.

- **CLI password:** You must enter a CLI password during installation. If you have a problem logging in to the CLI because of an invalid password, you can reset the CLI password. Connect to the console and run the **password** CLI command to reset the password. See the [Cisco Identity Services Engine CLI Reference Guide](#) for more information.
- **SSH access to the CLI:** You can enable SSH access either during installation or after, using the **service sshd** command. You can also force SSH connections to use a key. Note that when you do this, SSH connections to all the network devices also use that key. For more information, see the SSH Key Validation section in Cisco ISE Admin Guide: Segmentation. You can force the SSH key to use the Diffie-Hellman algorithm. Note that ECDSA keys are not supported for SSH keys.

## Role-Based Admin Access Control in Cisco ISE

Cisco ISE provides role-based access control (RBAC) policies that ensure security by restricting administrative privileges. RBAC policies are associated with default admin groups to define roles and permissions. A standard set of permissions (for menu as well as data access) is paired with each of the predefined admin groups, and is thereby aligned with the associated role and job function.

Some features in the user interface require certain permissions for their use. If a feature is unavailable, or you are not allowed to perform a specific task, your admin group may not have the necessary permissions to perform the task that utilizes the feature.

Regardless of the level of access, any administrator account can modify or delete objects for which it has permission, on any window that it can access.



---

**Note** Only system-defined admin users with Super Admin or Read Only Admin permissions can see the identity-based users who are not a part of a user group. Admins you create without these permissions cannot see these users.

---

## Role-Based Permissions

Cisco ISE allows you to configure permissions at the menu and data levels. These are called menu access and data access permissions.

The menu access permissions allow you to show or hide the menu and submenu items of the Cisco ISE administrative interface. This feature lets you create permissions so that you can restrict or enable access at the menu level.

The data access permissions allow you to grant read and write, read only, or no access to the Admin Groups, User Identity Groups, Endpoint Identity Groups, Locations, and Device Types data in the Cisco ISE interface.

## RBAC Policies

RBAC policies determine if an administrator can be granted a specific type of access to a menu item or other identity group data elements. You can grant or deny access to a menu item or identity group data element to an administrator based on the admin group, by using RBAC policies. When administrators log in to the Admin portal, they can access menus and data that are based on the policies and permissions defined for the admin groups with which they are associated.

RBAC policies map admin groups to menu access and data access permissions. For example, you can prevent a network administrator from viewing the Admin Access operations menu and the policy data elements. This can be achieved by creating a custom RBAC policy for the admin group with which that network administrator is associated.



---

**Note** If you are using customized RBAC policies for admin access, ensure that you provide all the relevant menu access for a given data access. For example, to add or delete endpoints with data access of Identity or Policy Admin, you must provide menu access to **Work Center > Network Access** and **Administration > Identity Management**.

---

## Default Menu Access Permissions

Cisco ISE provides an out-of-the-box set of permissions that are associated with a set of predefined admin groups. Having predefined admin group permissions allow you to set permissions so that a member of any admin group can have full or limited access to the menu items within the administrative interface (known as menu access) and to delegate an admin group to use the data access elements of other admin groups (known as data access). These permissions are reusable entities that can be further used to formulate RBAC policies for various admin groups. Cisco ISE provides a set of system-defined menu access permissions that are already used in the default RBAC policies. Apart from the predefined menu access permissions, Cisco ISE also allows

you to create custom menu access permissions that you can use in RBAC policies. The key icon represents menu access privileges for the menus and submenus, and the key with a close icon represents no access for different RBAC groups.



**Note** For a Super Admin user, all the menu items are available. For other admin users, all the menu items in the **Menu Access Privileges** column are available for standalone deployment, and primary node in a distributed deployment. For secondary nodes in a distributed deployment, the menu items under the **Administration** tab are not available.

*Table 2: Default Menu Access Permissions for Different Admin Groups*

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Home	√	√	√	√	√	√	√	√	x	x
Home > Introduction	√	√	√	√	√	√	√	√	x	x
Home > Dashboard	√	√	√	√	√	√	√	√	x	x
Context Visibility	√	√	√	√	√	√	√	√	x	x
Context Visibility > Endpoints	√	√	√	√	√	√	√	√	x	x
Context Visibility > Users	√	√	√	√	√	√	√	√	x	x
Context Visibility > Network Devices	√	√	√	√	√	√	√	√	x	x
Context Visibility > Application	√	√	√	√	√	√	√	√	x	x
Operations	√	√	√	√	√	√	√	√	x	√



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Operations > Adaptive Network Control	√	√	x	x	x	x	x	x	x	x
Operations > Adaptive Network Control > Policy List	√	√	x	x	x	x	x	x	x	x
Operations > Adaptive Network Control > Endpoint Assignment	√	√	x	x	x	x	x	x	x	x
Operations > Reports	√	√	√	√	√	√	√	√	x	x
Operations > RADIUS	√	√	√	√	√	√	√	√	x	x
Operations > RADIUS > Live Logs	√	√	√	√	√	√	√	√	x	x
Operations > RADIUS > Live Sessions	√	√	√	√	√	√	√	√	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Operations > Threat Center NAC Live Logs	√	√	√	√	√	√	√	√	x	x
Operations > TACACS	√	√	√	√	√	√	√	√	x	√
Operations > TACACS > Live Logs	√	√	√	√	√	√	√	√	x	√
Operations > Troubshot	√	√	√	√	√	√	√	√	x	x
Operations > Troubshot > Download Logs	√	x	x	x	x	x	x	x	x	x
Operations > Troubshot > Diagnostic Tools	√	√	√	√	√	√	√	√	x	x
Operations > Troubshot > Diagnostic Tools > General Tools	√	√	√	√	√	√	√	√	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Operations > Troubshot > Diagnostic Tools > General Tools > RADIUS Authentication Troubshot	√	√	√	√	√	√	√	√	x	x
Operations > Troubshot > Diagnostic Tools > General Tools > Execute Network Device Command	√	√	√	√	√	√	√	√	x	x
Operations > Troubshot > Diagnostic Tools > General Tools > Evaluate Configuration Validator	√	√	√	√	√	√	√	√	x	x
Operations > Troubshot > Diagnostic Tools > General Tools > Posture Troubshot	√	√	√	√	√	√	√	√	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Operations > Troubshot > Diagnostic Tools > General Tools > Agentless Posture Troubleshooting	√	√	√	√	√	√	√	√	x	x
Operations > Troubshot > Diagnostic Tools > General Tools > EndPoint Debug	√	x	x	x	x	x	x	x	x	x
Operations > Troubshot > Diagnostic Tools > General Tools > TCP Dump	√	x	x	x	x	x	x	x	x	x
Operations > Troubshot > Diagnostic Tools > General Tools > Session Trace Tests	√	√	√	√	√	√	√	√	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Operations > Troubshot > Diagnostic Tools > Security Group Access Tools	√	√	√	√	√	√	√	√	x	x
Operations > Troubshot > Diagnostic Tools > Security Group Access Tools > SXP-IP Mappings	√	√	√	√	√	√	√	√	x	x
Operations > Troubshot > Diagnostic Tools > Security Group Access Tools > IP User SGT	√	√	√	√	√	√	√	√	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Operations > Troubshot > Diagnostic Tools > Security Group Access Tools > Egress (SGACL) Policy	√	√	√	√	√	√	√	√	x	x
Operations > Troubshot > Diagnostic Tools > Security Group Access Tools > Device SGT	√	√	√	√	√	√	√	√	x	x
Operations > Troubshot > Debug Wizard	√	√	√	√	√	√	√	√	x	x
Operations > Troubshot > Debug Wizard > Debug Log Configuration	√	√	√	√	√	√	√	√	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Operations > Troubshot > Debug Wizard > Debug Profile Configuration	√	√	√	√	√	√	√	√	x	x
Policy	√	√	x	x	x	x	x	x	x	x
Policy > Policy Sets	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Dictionaries	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Library Conditions	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Authorization Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Conditions > Library Conditions > Simple Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Smart Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Authorization	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Authorization > Simple Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Authorization > Compound Conditions	√	√	x	x	x	x	x	x	x	x



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Conditions > Time and Date	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Posture	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Posture > Anti-Spyware Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Posture > Application Conditions	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Conditions > Posture > Dictionary Compound Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Posture > Dictionary Simple Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Posture > Disk Encryption Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Posture > External DataSource Conditions	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Conditions > Posture > File Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Posture > Firewall Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Posture > Hardware Attributes Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Posture > Patch Management Conditions	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Conditions > Posture > Registry Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Posture > Service Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Posture > USB Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Posture > Antivirus Conditions	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Conditions > Posture > Anti-Virus Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Posture > Compound Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Network Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Network Conditions > Endstation Network Conditions	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Conditions > Network Conditions > Device Port Network Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Network Conditions > Device Network Conditions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Conditions > Profiling	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results > Authentication	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Results > Authorization > Allowed Protocols	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results > Authorization	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results > Authorization > Authorization Profiles	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results > Authorization > Downloadable ACLs	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Results > Profiling	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results > Profiling > Exception Actions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results > Profiling > Network Scan (NMAP) Actions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results > Posture	√	√	x	x	x	x	x	x	x	x



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Results > Posture > Remediation	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results > Posture > Remediation Actions	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results > Posture > Remediation Actions > Remediation	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Results > Posture > Remediation Actions > Anti-Virus Remediation	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results > Posture > Remediation Actions > Firewall Remediation	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results > Posture > Remediation Actions > Link Remediation	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Results > Posture > Remediation Actions > Script Remediation	√	√	X	X	X	X	X	X	X	X
Policy > Policy Elements > Results > Posture > Remediation Actions > USB Remediation	√	√	X	X	X	X	X	X	X	X
Policy > Policy Elements > Results > Posture > Remediation Actions > Windows Update Remediation	√	√	X	X	X	X	X	X	X	X

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Results > Posture > Remediation Actions > Application Remediation	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results > Posture > Remediation Actions > Anti-Spyware Remediation	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results > Posture > Remediation Actions > File Remediation	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Results > Posture > Remediation Actions > Launch Program Remediation	√	√	X	X	X	X	X	X	X	X
Policy > Policy Elements > Results > Posture > Remediation Actions > Patch Management Remediation	√	√	X	X	X	X	X	X	X	X
Policy > Policy Elements > Results > Posture > Remediation Actions > Windows Server Update Services Remediation	√	√	X	X	X	X	X	X	X	X

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Administration Admin Menu Access	TACACS+ Admin Menu Access
Policy > Policy Elements > Results > Client Provisioning	√	√	x	x	x	x	x	x	x	x
Policy > Policy Elements > Results > Client Provisioning > Resources	√	√	x	x	x	x	x	x	x	x
Policy > Policy Sets	√	√	x	x	x	x	x	x	x	x
Policy > Authentication	√	√	x	x	x	x	x	x	x	x
Policy > Authorization	√	√	x	x	x	x	x	x	x	x
Policy > Profiling	√	√	x	x	x	x	x	x	x	x
Policy > Posture	√	√	x	x	x	x	x	x	x	x
Policy > Client Provisioning	√	√	x	x	x	x	x	x	x	x
Administration	√	√	x	√	√	√	√	x	√	√
Administration > Identity Management	√	√	x	√	x	x	x	x	x	√

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Administration > Identity Management > Identities	√	√	x	√	x	x	x	x	x	x
Administration > Identity Management > Identities > Users	√	√	x	√	x	x	x	x	x	x
Administration > Identity Management > Identities > Latest Manual Network Scan Results	√	√	x	√	x	x	x	x	x	x
Administration > Identity Management > Groups	√	√	x	√	x	x	x	x	x	x
Administration > Identity Management > External Identity Sources	√	√	x	√	x	x	x	x	x	√

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Administration > Identity Management > Identity Source Sequences	√	√	x	√	x	x	x	x	x	x
Administration > Identity Management > Settings	√	√	x	√	x	x	x	x	x	x
Administration > Identity Management > Settings > User Custom Attributes	√	√	x	√	x	x	x	x	x	x
Administration > Identity Management > Settings > Endpoint Purge	√	√	x	√	x	x	x	x	x	x
Administration > Identity Management > Settings > User Authentication Settings	√	√	x	√	x	x	x	x	x	x



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Administration > Identity Management > Settings > Endpoint Custom Attributes	√	√	x	√	x	x	x	x	x	x
Administration > Identity Management > Settings > REST ID Store Settings	√	√	x	√	x	x	x	x	x	x
Administration > Device Portal Management	√	√	x	x	x	x	x	x	√	x
Administration > Device Portal Management > BYOD	√	√	x	x	x	x	x	x	√	x
Administration > Device Portal Management > Client Provisioning	√	√	x	x	x	x	x	x	√	x
Administration > Device Portal Management > My Devices	√	√	x	x	x	x	x	x	√	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Administration > Device Portal Management > Blocked List	√	√	x	x	x	x	x	x	√	x
Administration > Device Portal Management > Certificate Provisioning	√	x	x	x	x	x	x	x	x	x
Administration > Device Portal Management > Mobile Device Management	√	√	x	x	x	x	x	x	√	x
Administration > Device Portal Management > Custom Portal Files	√	x	x	x	x	x	x	x	x	x
Administration > Device Portal Management > Settings	√	√	x	x	x	x	x	x	√	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Administration > Device Portal Management > Settings > Retry URL	√	√	x	x	x	x	x	x	√	x
Administration > Device Portal Management > Settings > Employee Registered Devices	√	√	x	x	x	x	x	x	√	x
Administration > Network Resources	√	x	x	x	√	x	x	x	x	x
Administration > Network Resources > Network Devices	√	x	x	x	√	x	x	x	x	x
Administration > Network Resources > Network Devices > Default Device	√	x	x	x	√	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Administration > Network Resources > Network Devices > Network Devices	√	x	x	x	√	x	x	x	x	x
Administration > Network Resources > Network Devices > Device Security Settings	√	x	x	x	√	x	x	x	x	x
Administration > Network Resources > Network Device Groups	√	x	x	x	√	x	x	x	x	x
Administration > Network Resources > External RADIUS Servers	√	x	x	x	√	x	x	x	x	x
Administration > Network Resources > NAC Managers	√	x	x	x	√	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Administration > Network Resources > Location Services	√	x	x	x	√	x	x	x	x	x
Administration > Network Resources > Location Services > Location Servers	√	x	x	x	√	x	x	x	x	x
Administration > Network Resources > Location Services > Location Tree	√	x	x	x	√	x	x	x	x	x
Administration > Network Resources > Network Device Profiles	√	x	x	x	√	x	x	x	x	x
Administration > Network Resources > RADIUS Server Sequences	√	x	x	x	√	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Administration > Network Resources > External MDM	√	x	x	x	x	x	x	x	x	x
Administration > pxGrid Services	√	x	x	x	x	√	x	x	x	x
Administration > pxGrid Services > Summary	√	x	x	x	x	√	x	x	x	x
Administration > pxGrid Services > Client Management	√	x	x	x	x	√	x	x	x	x
Administration > pxGrid Services > Client Management > Clients	√	x	x	x	x	√	x	x	x	x
Administration > pxGrid Services > Client Management > Policy	√	x	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Administration > pxGrid Services > Client Management > Groups	√	x	x	x	x	√	x	x	x	x
Administration > pxGrid Services > Client Management > Certificates	√	x	x	x	x	√	x	x	x	x
Administration > pxGrid Services > Client Management > pxCloud Connection	√	x	x	x	x	√	x	x	x	x
Administration > pxGrid Services > Client Management > pxCloud Policy	√	x	x	x	x	√	x	x	x	x
Administration > pxGrid Services > Diagnostics	√	x	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Administration > pxGrid Services > Diagnostics > WebSocket	√	x	x	x	x	√	x	x	x	x
Administration > pxGrid Services > Diagnostics > Log	√	x	x	x	x	√	x	x	x	x
Administration > pxGrid Services > Diagnostics > Tests	√	x	x	x	x	√	x	x	x	x
Administration > pxGrid Services > Settings	√	x	x	x	x	√	x	x	x	x
Administration > System	√	√	x	x	x	√	√	x	x	√
Administration > System > Backup & Restore	√	x	x	x	x	√	x	x	x	x



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Admin > System > Backup & Restore > Policy Export	√	x	x	x	x	√	x	x	x	x
Admin > System > Backup & Restore > Backup & Restore	√	x	x	x	x	√	x	x	x	x
Admin > System > Admin Access	√	x	x	x	x	√	√	x	x	x
Admin > System > Admin Access > Admin	√	x	x	x	x	√	√	x	x	x
Admin > System > Admin Access > Admin Users	√	x	x	x	x	√	√	x	x	x
Admin > System > Admin Access > Admin Groups	√	x	x	x	x	√	√	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Administration > System > Admin Access > Administration	√	x	x	x	x	√	√	x	x	x
Administration > System > Admin Access > Administration	√	x	x	x	x	√	√	x	x	x
Administration > System > Admin Access > Administration > Permissions	√	x	x	x	x	√	√	x	x	x
Administration > System > Admin Access > Administration > Permissions > Menu Access	√	x	x	x	x	√	√	x	x	x
Administration > System > Admin Access > Administration > Permissions > Data Access	√	x	x	x	x	√	√	x	x	x
Administration > System > Admin Access > Administration > Policy	√	x	x	x	x	√	√	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Admin > System > Admin Access > Settings	√	x	x	x	x	√	x	x	x	x
Admin > System > Admin Access > Settings > Access	√	x	x	x	x	√	x	x	x	x
Admin > System > Admin Access > Settings > Session	√	x	x	x	x	√	x	x	x	x
Admin > System > Admin Access > Settings > Portal Customization	√	x	x	x	x	x	x	x	x	x
Admin > System > Settings	√	√	x	x	x	√	x	x	x	x
Admin > System > Settings > Max Sessions	√	√	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Administration > System > Settings > Interactive User Guide	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > DHCP & DNS Services	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Light Session Directory	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Protocols	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Protocols > EAP-FAST	√	√	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Administration > System > Settings > Protocols > EAP-FAST > EAP-FAST Settings	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Protocols > EAP-FAST > Generate PAC	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Protocols > EAP-TLS	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Protocols > EAP-TLS	√	√	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Administration > System > Settings > Protocols > PEAP	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Protocols > IPSec	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Protocols > RADIUS	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Network Success Diagnostics	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Network Success Diagnostics > Telemetry	√	√	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Administration > System > Settings > Network Success Diagnostics > Cisco Support Diagnostics	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Client Provisioning	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > FIPS Mode	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Security Settings	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Proxy	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > SMTP Server	√	√	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Administration > System > Settings > SMS Gateway	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > System Time (Primary Node)	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Alarm Settings	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Posture	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Posture > Updates	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Posture > General Settings	√	√	x	x	x	√	x	x	x	x



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Administration > System > Settings > Posture > Assessments	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Posture > Acceptable Use Policy	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Profiling	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Endpoint Scripts	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > Endpoint Scripts > Login Configuration	√	√	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Administration > System > Settings > Endpoint Scripts > Settings	√	√	x	x	x	√	x	x	x	x
Administration > System > Settings > API Gateway Settings	√	√	x	x	x	√	x	x	x	x
Administration > System > Deployment	√	x	x	x	x	√	x	x	x	√
Administration > System > Licensing	√	x	x	x	x	√	x	x	x	x
Administration > System > Upgrade	√	x	x	x	x	x	x	x	x	x
Administration > System > Health Checks	√	x	x	x	x	x	x	x	x	x
Administration > System > Certificates	√	x	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Administration > System > Certificates > Certificate Management	√	x	x	x	x	√	x	x	x	x
Administration > System > Certificates > Certificate Management > Trusted Certificates	√	x	x	x	x	√	x	x	x	x
Administration > System > Certificates > Certificate Management > Certificate Signing Requests	√	x	x	x	x	√	x	x	x	x
Administration > System > Certificates > Certificate Management > System Certificates	√	x	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Administration > System > Certificates > Certificate Management > OCSP Client Profile	√	x	x	x	x	√	x	x	x	x
Administration > System > Certificates > Certificate Management > Certificate Periodic Check Settings	√	x	x	x	x	√	x	x	x	x
Administration > System > Certificates > Certificate Authority	√	x	x	x	x	√	x	x	x	x
Administration > System > Certificates > Certificate Authority > Certificate Authority Certificates	√	x	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Administration > System > Certificates > Certificate Authority > Overview	√	x	x	x	x	√	x	x	x	x
Administration > System > Certificates > Certificate Authority > Issued Certificates	√	x	x	x	x	√	x	x	x	x
Administration > System > Certificates > Certificate Authority > Internal CA Settings	√	x	x	x	x	√	x	x	x	x
Administration > System > Certificates > Certificate Authority > Certificate Templates	√	x	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Administration > System > Certificates > Certificate Authority > External CA Settings	√	x	x	x	x	√	x	x	x	x
Administration > System > Logging	√	x	x	x	x	√	x	x	x	x
Administration > System > Logging > Logging Categories	√	x	x	x	x	√	x	x	x	x
Administration > System > Logging > Collection Filters	√	x	x	x	x	√	x	x	x	x
Administration > System > Logging > Log Settings	√	x	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Administration > System > Logging > Remote Logging Targets	√	x	x	x	x	√	x	x	x	x
Administration > System > Logging > Message Catalog	√	x	x	x	x	√	x	x	x	x
Administration > System > Maintenance	√	x	x	x	x	√	x	x	x	x
Administration > System > Maintenance > Repository	√	x	x	x	x	√	x	x	x	x
Administration > System > Maintenance > Localdisk Management	√	x	x	x	x	√	x	x	x	x
Administration > System > Maintenance > Patch Management	√	x	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Administration > System > Maintenance > Operational Data Purging	√	x	x	x	x	√	x	x	x	x
Administration > System > Session Info	√	x	x	x	x	x	x	x	x	x
Administration > System > System Time (Standby Node)	√	√	x	x	x	√	x	x	x	x
Administration > System > Server Certificate	√	x	x	x	x	√	x	x	x	x
Administration > System > Certificate Signing Requests	√	x	x	x	x	√	x	x	x	x
Administration > Feed Service	√	√	x	x	x	√	x	x	x	x
Administration > Feed Service > Profiler	√	√	x	x	x	√	x	x	x	x
Administration > Threat Centric NAC	√	x	x	x	x	x	x	x	x	x



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Administration > Threat Centric NAC > Third Party Vendors	√	x	x	x	x	x	x	x	x	x
Work Centers	√	√	√	√	√	√	√	√	√	√
Work Centers > TrustSec	√	√	√	√	√	√	√	√	x	x
Work Centers > TrustSec > Components	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Components > IP SGT Static Mapping	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Components > Network Devices	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > TrustSec > Components > Security Groups	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Components > Security Group ACLs	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Components > Trustsec Servers	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Components > Trustsec Servers > AAA Servers	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > TrustSec > Components > Trustsec Servers > HTTPS Servers	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > TrustSec Policy	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > TrustSec Policy > Egress Policy	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > TrustSec Policy > Egress Policy > Matrix	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > TrustSec > TrustSec Policy > Egress Policy > Destination Tree	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > TrustSec Policy > Egress Policy > Matrices List	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > TrustSec Policy > Egress Policy > Source Tree	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > TrustSec Policy > Network Device Authorization	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Authorization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > TrustSec > Policy Sets	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Authorization Policy	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > SXP	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > SXP > SXP Devices	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > SXP > All SXP Mappings	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > ACI	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > TrustSec > Reports	√	√	√	√	√	√	√	√	x	x
Work Centers > TrustSec > Overview	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Overview > Introduction	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Overview > Dashboard	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Policy Sets	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Policy Sets	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > TrustSec > Authentication Policy	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Troubshot	√	√	√	√	√	√	√	√	x	x
Work Centers > TrustSec > Troubshot > Egress (SGACL) Policy	√	√	√	√	√	√	√	√	x	x
Work Centers > TrustSec > Troubshot > IP User SGT	√	√	√	√	√	√	√	√	x	x
Work Centers > TrustSec > Troubshot > SXP-IP Mappings	√	√	√	√	√	√	√	√	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > TrustSec > Troubleshoot > Device SGT	√	√	√	√	√	√	√	√	x	x
Work Centers > TrustSec > Settings	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Settings > General TrustSec Settings	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Settings > Work Process Settings	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Settings > ACI Settings	√	√	x	x	x	x	x	x	x	x



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > TrustSec > Settings > TrustSec Matrix Settings	√	√	x	x	x	x	x	x	x	x
Work Centers > TrustSec > Settings > SXP Settings	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler	√	√	√	√	√	√	√	√	x	x
Work Centers > Profiler > Ext Id Sources	√	√	x	√	x	x	x	x	x	x
Work Centers > Profiler > Endpoint Classification	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Node Config	√	√	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Profiler > Manual Scans	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Manual Scans > Manual NMAP Scan Results	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Manual Scans > Manual NMAP Scan	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Policy Sets	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Administration Policy	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Profiler > Reports	√	√	√	√	√	√	√	√	x	x
Work Centers > Profiler > Feeds	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Policy Elements	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Policy Elements > Profiler Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Policy Elements > NMAP Scan Actions	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Profiler > Policy Elements > Exception Actions	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Profiling Policies	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Policy Sets	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Troubshot	√	√	√	√	√	√	√	√	x	x
Work Centers > Profiler > Troubshot > Execute Network Device Command	√	√	√	√	√	√	√	√	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Profiler > Troubshot > EndPoint Debug	√	x	x	x	x	x	x	x	x	x
Work Centers > Profiler > Troubshot > Evaluate Configuration Validator	√	√	√	√	√	√	√	√	x	x
Work Centers > Profiler > Troubshot > TCP Dump	√	x	x	x	x	x	x	x	x	x
Work Centers > Profiler > Settings	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Settings > Profiler Settings	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Profiler > Settings > NMAP Scan Subnet Exclusions	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Dictionaries	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Overview	√	√	x	x	x	x	x	x	x	x
Work Centers > Profiler > Network Devices	√	√	x	x	√	x	x	x	x	x
Work Centers > Posture	√	√	√	√	√	√	√	√	√	x
Work Centers > Posture > Network Devices	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Posture > Posture Policy	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Sets	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Authorization Policy	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Reports	√	√	√	√	√	√	√	√	x	x
Work Centers > Posture > Settings	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Settings > Posture General Settings	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Posture > Settings > Acceptable Use Policy	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Settings > Software Updates	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Settings > Software Updates > Client Provisioning	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Settings > Software Updates > Posture Updates	√	√	x	x	x	x	x	x	x	x



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Posture > Settings > Software Updates > Proxy Settings	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Settings > <del>Radius configurations</del>	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Overview	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Client Provisioning	√	√	x	x	x	x	x	x	√	x
Work Centers > Posture > Client Provisioning > Client Provisioning Policy	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Posture > Client Provisioning > Client Provisioning Portal	√	√	x	x	x	x	x	x	√	x
Work Centers > Posture > Client Provisioning > Resources	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Conditions > Anti-Spyware	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Posture > Policy Elements > Conditions > Application	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Conditions > Compound	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Conditions > Dictionary Compound	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Conditions > File	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Posture > Policy Elements > Conditions > Registry	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Conditions > Anti-Malware	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Conditions > Anti-Virus	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Conditions > Dictionary Simple	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Posture > Policy Elements > Conditions > Disk Encryption	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Conditions > External DataSource	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Conditions > Firewall Condition	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Conditions > Hardware Attributes Condition	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Posture > Policy Elements > Conditions > Patch Management	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Conditions > Service	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Conditions > USB	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Requirements	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Posture > Policy Elements > Remediation	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Remediation > Anti-Virus	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Remediation > Firewall	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Remediation > Link	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Posture > Policy Elements > Remediations > Script	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Remediations > Windows Server Update Services	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Remediations > Antivirus	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Remediations > AntiSpam	√	√	x	x	x	x	x	x	x	x



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Posture > Policy Elements > Remediation > File	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Remediation > Launch Program	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Remediation > Patch Management	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Remediation > USB	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Posture > Policy Elements > Remediation > Windows Update	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Elements > Authorization Profiles	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Policy Sets	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Authentication Policy	√	√	x	x	x	x	x	x	x	x
Work Centers > Posture > Troubshot	√	√	√	√	√	√	√	√	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Posture > Troubshot > Agentless Posture Troubshot	√	√	√	√	√	√	√	√	x	x
Work Centers > Device Administration	√	√	√	√	√	√	√	√	x	√
Work Centers > Device Administration > Overview	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Overview > Introduction	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Overview > TACACS Livelog	√	√	x	x	x	x	x	x	x	√

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Device Administration > Overview > Deployment	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Identities	√	√	x	√	x	x	x	x	x	√
Work Centers > Device Administration > Identities > Users	√	√	x	√	x	x	x	x	x	√
Work Centers > Device Administration > User Identity Groups	√	√	x	√	x	x	x	x	x	√
Work Centers > Device Administration > Ext Id Sources	√	√	x	√	x	x	x	x	x	√
Work Centers > Device Administration > Network Resources	√	√	x	x	√	x	x	x	x	√

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Device Administration > Network Resources > Network Devices	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Network Resources > Network Device Groups	√	√	x	x	√	x	x	x	x	√
Work Centers > Device Administration > Network Resources > Default Devices	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Network Resources > TACACS External Servers	√	√	x	x	x	x	x	x	x	√

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Device Administration > Network Resources > TACACS Server Sequence	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Policy Elements	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Policy Elements > Conditions	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Policy Elements > Conditions > Authentication Simple Conditions	√	√	x	x	x	x	x	x	x	√

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Device Administration > Policy Elements > Conditions > Library Conditions	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Policy Elements > Conditions > Smart Conditions	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Policy Elements > Conditions > Authorization Simple Conditions	√	√	x	x	x	x	x	x	x	√

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Device Administration > Policy Elements > Conditions > Authorization Compound Conditions	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Policy Elements > Network Conditions	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Policy Elements > Network Conditions > Endstation Network Conditions	√	√	x	x	x	x	x	x	x	√



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Device Administration > Policy Elements > Network Conditions > Device Network Conditions	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Policy Elements > Network Conditions > Device Port Network Conditions	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Policy Elements > Results	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Policy Elements > Results > Allowed Protocols	√	√	x	x	x	x	x	x	x	√

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Device Administration > Policy Elements > Results > TACACS Command Sets	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Policy Elements > Results > TACACS Profiles	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Device Admin Policy Sets	√	√	x	x	x	x	x	x	x	√
Work Centers > Device Administration > Reports	√	√	√	√	√	√	√	√	x	√
Work Centers > Device Administration > Settings	√	√	x	x	x	x	x	x	x	√

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > PassiveID	√	√	√	x	x	x	x	x	x	x
Work Centers > PassiveID > Overview	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Overview > Introduction	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Overview > Dashboard	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Overview > Live Sessions	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Troubleshoot	√	√	√	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > PassiveID > Certificates	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Certificates > System Certificates	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Certificates > OSCP Client Profile	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Certificates > Certificate Periodic Check Settings	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Certificates > Issued Certificates	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > PassiveID > Certificates > Internal CA Settings	√	√	X	X	X	X	X	X	X	X
Work Centers > PassiveID > Certificates > Certificate Templates	√	√	X	X	X	X	X	X	X	X
Work Centers > PassiveID > Certificates > Trusted Certificates	√	√	X	X	X	X	X	X	X	X
Work Centers > PassiveID > Certificates > Certificate Signing Requests	√	√	X	X	X	X	X	X	X	X

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > PassiveID > Certificates > Overview	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Certificates > Certificate Authority Certificates	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Reports	√	√	√	x	x	x	x	x	x	x
Work Centers > PassiveID > Providers	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Providers > Agents	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > PassiveID > Providers > SPAN	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Providers > Mapping Filters	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Providers > Active Directory	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Providers > API Providers	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Providers > Syslog Providers	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > PassiveID > Providers > Endpoint Probes	√	√	x	x	x	x	x	x	x	x
Work Centers > PassiveID > Subscribers	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD	√	√	√	√	√	√	√	√	√	x
Work Centers > BYOD > Overview	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Network Devices	√	√	x	x	√	x	x	x	x	x
Work Centers > BYOD > Client Provisioning	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Client Provisioning > Resources	√	√	x	x	x	x	x	x	x	x



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > BYOD > Client Provisioning > Client Provisioning Policy	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Policy Elements	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Policy Elements > Results	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Policy Elements > Results > Authorization Profiles	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Policy Elements > Results > Allowed Protocols	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Authorization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > BYOD > Policy Elements > Results > Downloadable ACLs	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Policy Elements > Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Policy Elements > Conditions > Authentication Simple Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Policy Elements > Conditions > Authorization Simple Conditions	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > BYOD > Policy Elements > Conditions > Library Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Policy Elements > Conditions > Smart Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Policy Elements > Conditions > Authorization Compound Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Policy Sets	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Authorization Policy	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > BYOD > Reports	√	√	√	√	√	√	√	√	x	x
Work Centers > BYOD > Settings	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Settings > Employee Registered Devices	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Settings > Client Provisioning	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Settings > Retry URL	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Identities	√	√	x	√	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > BYOD > Identities > Endpoints	√	√	x	√	x	x	x	x	x	x
Work Centers > BYOD > Identities > Identity Source Sequences	√	√	x	√	x	x	x	x	x	x
Work Centers > BYOD > Identities > Network Access Users	√	√	x	√	x	x	x	x	x	x
Work Centers > BYOD > Identity Groups	√	√	x	√	x	x	x	x	x	x
Work Centers > BYOD > Ext Id Sources	√	√	x	√	x	x	x	x	x	x
Work Centers > BYOD > Portals & Components	√	√	x	x	x	x	x	x	√	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > BYOD > Portals & Components > BYOD Portals	√	√	x	x	x	x	x	x	√	x
Work Centers > BYOD > Portals & Components > Blocked List Portal	√	√	x	x	x	x	x	x	√	x
Work Centers > BYOD > Portals & Components > My Devices Portals	√	√	x	x	x	x	x	x	√	x
Work Centers > BYOD > Portals & Components > Certificates	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > BYOD > Portals & Components > Certificates > Certificate Templates	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Portals & Components > Certificates > Internal CA Settings	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Portals & Components > Certificates > External CA Templates	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Policy Sets	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > BYOD > Authorization Policy	√	√	x	x	x	x	x	x	x	x
Work Centers > BYOD > Custom Portal Files	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access	√	√	√	√	√	√	√	√	x	x
Work Centers > Network Access > Policy Sets	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Policy Sets	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Authorization Policy	√	√	x	x	x	x	x	x	x	x



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Network Access > Reports	√	√	√	√	√	√	√	√	x	x
Work Centers > Network Access > Settings	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Settings > Client Provisioning	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Settings > Collection Filters	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Settings > Protocols	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Network Access > Settings > Protocols > EAP TLS	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Settings > Protocols > EAP-FAST	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Settings > Protocols > EAP-FAST > EAP FAST	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Network Access > Settings > Protocols > EAP-FAST > Generate PAC	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Settings > Protocols > PEAP	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Settings > Protocols > RADIUS	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Settings > Proxy Settings	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Network Access > Dictionaries	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Overview	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Overview > Introduction	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Overview > RADIUS Livelog	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Identities	√	√	x	√	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Network Access > Identities > Endpoints	√	√	x	√	x	x	x	x	x	x
Work Centers > Network Access > Identities > Network Access Users	√	√	x	√	x	x	x	x	x	x
Work Centers > Network Access > Identities > Identity Source Sequences	√	√	x	√	x	x	x	x	x	x
Work Centers > Network Access > Id Groups	√	√	x	√	x	x	x	x	x	x
Work Centers > Network Access > Ext Id Sources	√	√	x	√	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Network Access > Network Resources	√	√	x	x	√	x	x	x	x	x
Work Centers > Network Access > Network Resources > Network Devices	√	√	x	x	√	x	x	x	x	x
Work Centers > Network Access > Network Resources > Device Groups	√	√	x	x	√	x	x	x	x	x
Work Centers > Network Access > Network Resources > Default Device	√	√	x	x	√	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Network Access > Network Resources > External RADIUS Servers	√	√	x	x	√	x	x	x	x	x
Work Centers > Network Access > Network Resources > RADIUS Server Sequences	√	√	x	x	√	x	x	x	x	x
Work Centers > Network Access > Network Resources > External MDM Servers	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Policy Elements	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Network Access > Policy Elements > Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Policy Elements > Conditions > Authentication Simple Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Policy Elements > Conditions > Library Conditions	√	√	x	x	x	x	x	x	x	x



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Authorization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Network Access > Policy Elements > Conditions > Smart Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Policy Elements > Conditions > Authorization Simple Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Policy Elements > Conditions > Authorization Compound Conditions	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Network Access > Policy Elements > Conditions > Time and Date Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Policy Elements > Results	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Policy Elements > Results > Allowed Protocols	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Network Access > Policy Elements > Results > Authorization Profiles	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Policy Elements > Results > Downloadable ACLs	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Authorization Policy	√	√	x	x	x	x	x	x	x	x
Work Centers > Network Access > Troubshot	√	√	√	√	√	√	√	√	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Network Access > Troubshot > EndPoint Debug	√	x	x	x	x	x	x	x	x	x
Work Centers > Network Access > Troubshot > TCP Dump	√	x	x	x	x	x	x	x	x	x
Work Centers > Network Access > Troubshot > Collection Filters	√	√	√	√	√	√	√	√	x	x
Work Centers > Network Access > Troubshot > RADIUS Authentication Troubshot	√	√	√	√	√	√	√	√	x	x
Work Centers > Guest Access	√	√	√	√	√	√	√	√	√	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Guest Access > Overview	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Administration	√	√	x	x	x	√	x	x	x	x
Work Centers > Guest Access > Administration > SMS Gateway Providers	√	√	x	x	x	√	x	x	x	x
Work Centers > Guest Access > Administration > Certificates	√	√	x	x	x	√	x	x	x	x
Work Centers > Guest Access > Administration > Certificates > System Certificates	√	√	x	x	x	√	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Guest Access > Administration > Certificates > Certificate Periodic Check Settings	√	√	x	x	x	√	x	x	x	x
Work Centers > Guest Access > Administration > Certificates > Certificate Signing Requests	√	√	x	x	x	√	x	x	x	x
Work Centers > Guest Access > Administration > SMTP Server	√	√	x	x	x	√	x	x	x	x
Work Centers > Guest Access > Portals & Components	√	√	x	x	x	x	x	x	√	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Guest Access > Portals & Components > Guest Types	√	√	x	x	x	x	x	x	√	x
Work Centers > Guest Access > Portals & Components > Sponsor Portals	√	√	x	x	x	x	x	x	√	x
Work Centers > Guest Access > Portals & Components > Guest Portals	√	√	x	x	x	x	x	x	√	x
Work Centers > Guest Access > Portals & Components > Sponsor Groups	√	√	x	x	x	x	x	x	√	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Guest Access > Policy Sets	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Authorization Policy	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Custom Portal Files	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Identities	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Identities > Endpoints	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Identities > Network Access Users	√	√	x	x	x	x	x	x	x	x



Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Guest Access > Identities > Identity Source Sequences	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Identity Groups	√	√	x	√	x	x	x	x	x	x
Work Centers > Guest Access > Ext Id Sources	√	√	x	√	x	x	x	x	x	x
Work Centers > Guest Access > Network Devices	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Manage Accounts	√	√	x	x	x	x	x	x	√	x
Work Centers > Guest Access > Policy Elements	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Authorization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Guest Access > Policy Elements > Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Policy Elements > Conditions > Authorization Simple Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Policy Elements > Conditions > Common Time and Date Conditions	√	√	x	x	x	x	x	x	x	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Customization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Guest Access > Policy Elements > Conditions > Authorization Compound Conditions	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Policy Elements > Results	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Policy Elements > Results > Allowed Protocols	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Policy Elements > Results > Downloadable ACLs	√	√	x	x	x	x	x	x	x	x


Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Authorization Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Guest Access > Policy Elements > Results > Authorization Profiles	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Policy Sets	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Authorization Policy	√	√	x	x	x	x	x	x	x	x
Work Centers > Guest Access > Reports	√	√	√	√	√	√	√	√	x	x
Work Centers > Guest Access > Settings	√	√	x	x	x	x	x	x	√	x
Work Centers > Guest Access > Settings > Guest Password Policy	√	√	x	x	x	x	x	x	√	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Guest Access > Settings > Guest Account Purge Policy	√	√	x	x	x	x	x	x	√	x
Work Centers > Guest Access > Settings > Guest Email Settings	√	√	x	x	x	x	x	x	√	x
Work Centers > Guest Access > Settings > Guest Username Policy	√	√	x	x	x	x	x	x	√	x
Work Centers > Guest Access > Settings > Logging	√	√	x	x	x	x	x	x	√	x
Work Centers > Guest Access > Settings > Custom Fields	√	√	x	x	x	x	x	x	√	x

Menus and Submenus	Super Admin Menu Access	Policy Admin Menu Access	Helpdesk Admin Menu Access	Identity Admin Menu Access	Network Admin Menu Access	System Admin Menu Access	RBAC Admin Menu Access	MnT Admin Menu Access	Custom Admin Menu Access	TACACS+ Admin Menu Access
Work Centers > Guest Access > Settings > Guest Locations and SSIDs	√	√	x	x	x	x	x	x	√	x
Work Centers > GPC	√	√	√	x	x	x	x	x	x	x
Wizard	√	x	x	x	x	x	x	x	x	x
Settings	√	x	x	x	x	x	x	x	x	x

## Configure Menu Access Permissions

Cisco ISE allows you to create custom menu access permissions that you can map to an RBAC policy. Depending on the role of the administrators, you can allow them to access only specific menu options.

- 
- Step 1** In the Cisco ISE GUI, click the **Menu** icon () and choose **Administration > System > Admin Access > Authorization > Permissions > Menu Access**
- Step 2** Click **Add**, and enter values for the **Name** and **Description** fields.
- Expand the **ISE Navigation Structure** menu to the required level, and click the options for which you want to create permissions.
  - In the **Permissions for Menu Access** pane, click **Show**.
- Step 3** Click **Submit**.
- 

## Prerequisites for Granting Data Access Permissions

When an RBAC admin has Full Access permission to an object (for example, **Employee** in the **User Identity Groups** data type), the admin can view, add, update, and delete users who belong to that group. Ensure that the admin has menu access permission granted for the **Users** window (**Administration > Identity Management > Identities > Users**). This is applicable for network devices and endpoint objects (based on the permissions granted to the **Network Device Groups** and **Endpoint Identity Groups** data types).

You cannot enable or restrict data access for network devices that belong to the default network device group objects—**All Device Types** and **All Locations**. All the network devices are displayed if Full Access data permission is granted to an object created under these default network device group objects. Therefore, we recommend that you create a separate hierarchy for the **Network Device Groups** data type, which is

independent of the default network device group objects. You should assign the network device objects to the newly created network devices groups to create restricted access.



---

**Note** You can enable or restrict data access permissions only for the User Identity Groups, Network Device Groups, and Endpoint Identity Groups, but not to Admin Groups.

---

## Default Data Access Permissions

Cisco ISE comes with a set of predefined data access permissions. These permissions enable multiple administrators to have the data access permissions within the same user population. You can enable or restrict the use of data access permissions to one or more admin groups. This process allows autonomous delegated control to administrators of one admin group to reuse data access permissions of the chosen admin groups through selective association. Data access permissions range from full access to no access for viewing selected admin groups or network device groups. RBAC policies are defined based on the administrator (RBAC) group, menu access, and data access permissions. You should first create menu access and data access permissions and then create an RBAC policy that associates an admin group with the corresponding menu access and data access permissions. The RBAC policy takes the form: If admin\_group=Super Admin then assign SuperAdmin Menu Access permission + SuperAdmin Data Access permission. Apart from the predefined data access permissions, Cisco ISE also allows you to create custom data access permissions that you can associate with an RBAC policy.

There are three data access permissions, namely, Full Access, No Access, and Read Only access that can be granted to admin groups.


The Read Only permission can be granted to the following admin groups:

- **Administration > Admin Access > Administrators > Admin Groups**
- **Administration > Groups > User Identity Group**
- **Administration > Groups > Endpoint Identity Groups**
- **Network Visibility > Endpoints**
- **Administration > Network Resources > Network Device Groups**
- **Administration > Network Resources > Network Devices**
- **Administration > Identity Management > Identities**
- **Administration > Identity Management > Groups > User Identity Groups**
- **Administration > Identity Management > Groups > Endpoint Identity Groups**

If you have read-only permission for a data type (for example, Endpoint Identity Groups), you will not be able to perform CRUD operations on that data type. If you have read-only permission for an object (for example, GuestEndpoints), you cannot perform edit or delete operations on that object.

The following image shows how data access privileges are applied at the second-level or third-level menu that contains additional submenus or options for different RBAC groups.

Figure 1: Data Access Privileges



Label	Description
1	Denotes full access for the <b>User Identity Groups</b> data type.
2	Denotes that <b>Endpoint Identity Groups</b> derive the maximum permission (full access) that is granted to its child (Asia, in the example shown in the figure).
3	Denotes that there is no access for the object (blocked list).
4	Denotes that the parent (Continents) derives the maximum access permission granted to its child (Asia).
5	Denotes read-only access for the object (Australia).
6	Denotes that when full access is granted to the parent ( <b>Network Device Groups</b> ), it results in the children automatically inheriting permissions.
7	Denotes that when full access is granted to the parent (Asia), it results in the objects inheriting the Full Access permission, unless permissions are explicitly granted to the objects.

The following table shows the default data access permissions for different admin groups.

√: Denotes that a user has full access



x: Denotes that a user has no access

!: Denotes that a user has read-only access

**Table 3: Data Access Permissions**

<b>Menus and Submenus</b>	<b>Super Admin Data Access</b>	<b>Policy Admin Data Access</b>	<b>Identity Admin Data Access</b>	<b>Network Admin Data Access</b>	<b>System Admin Data Access</b>	<b>RBAC Admin Data Access</b>	<b>Customization Admin Data Access</b>	<b>TACACS+ Admin Data Access</b>	<b>Read Only Admin Data Access</b>
<b>Admin Groups</b>	√	x	x	x	√	√	x	x	!
<b>Admin Groups &gt; Super Admin</b>	√	x	x	x	√	√	x	x	!
<b>Admin Groups &gt; Policy Admin</b>	√	x	x	x	√	√	x	x	!
<b>Admin Groups &gt; Helpdesk Admin</b>	√	x	x	x	√	√	x	x	!
<b>Admin Groups &gt; Identity Admin</b>	√	x	x	x	√	√	x	x	!
<b>Admin Groups &gt; Network Device Admin</b>	√	x	x	x	√	√	x	x	!
<b>Admin Groups &gt; System Admin</b>	√	x	x	x	√	√	x	x	!
<b>Admin Groups &gt; RBAC Admin</b>	√	x	x	x	√	√	x	x	!

Menus and Submenus	Super Admin Data Access	Policy Admin Data Access	Identity Admin Data Access	Network Admin Data Access	System Admin Data Access	RBAC Admin Data Access	Customization Admin Data Access	TACACS+ Admin Data Access	Read Only Admin Data Access
Admin Groups > MnT Admin	√	x	x	x	√	√	x	x	!
Admin Groups > ERS Admin	√	x	x	x	√	√	x	x	!
Admin Groups > ERS Operator	√	x	x	x	√	√	x	x	!
Admin Groups > Customization Admin	√	x	x	x	√	√	x	x	!
Admin Groups > TACACS+ Admin	√	x	x	x	√	√	x	x	!
Admin Groups > Read Only Admin	√	x	x	x	√	√	x	x	!
Admin Groups > Elevated System Admin	√	x	x	x	√	√	x	x	!
Admin Groups > SPOG Admin	√	x	x	x	√	√	x	x	!

Menus and Submenus	Super Admin Data Access	Policy Admin Data Access	Identity Admin Data Access	Network Admin Data Access	System Admin Data Access	RBAC Admin Data Access	Customization Admin Data Access	TACACS+ Admin Data Access	Read Only Admin Data Access
Admin Groups > ERS Trustsec	√	x	x	x	√	√	x	x	!
User Identity Groups	√	√	√	x	x	x	√	√	!
User Identity Groups > Gateway (default)	√	√	√	x	x	x	√	√	!
User Identity Groups > ONYCONS (default)	√	√	√	x	x	x	√	√	!
User Identity Groups > ORPACONS (default)	√	√	√	x	x	x	√	√	!
User Identity Groups > Gateway (default)	√	√	√	x	x	x	√	√	!
User Identity Groups > Employee	√	√	√	x	x	x	√	√	!

Menus and Submenus	Super Admin Data Access	Policy Admin Data Access	Identity Admin Data Access	Network Admin Data Access	System Admin Data Access	RBAC Admin Data Access	Customization Admin Data Access	TACACS+ Admin Data Access	Read Only Admin Data Access
User Identity Groups > Guest Di (default)	√	√	√	x	x	x	√	√	!
User Identity Groups > Guest Co (default)	√	√	√	x	x	x	√	√	!
User Identity Groups > ALACONS (default)	√	√	√	x	x	x	√	√	!
Endpoint Identity Groups	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Blocked List	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Guest Di	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Right Di	√	√	√	x	x	x	√	x	!

Menus and Submenus	Super Admin Data Access	Policy Admin Data Access	Identity Admin Data Access	Network Admin Data Access	System Admin Data Access	RBAC Admin Data Access	Customization Admin Data Access	TACACS+ Admin Data Access	Read Only Admin Data Access
Endpoint Identity Groups > Unknown	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Profiled	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Profiled > Smart-Device	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Profiled > Cisco-Device	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Profiled > Windows-Device	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Profiled > Apple-Device	√	√	√	x	x	x	√	x	!

Menus and Submenus	Super Admin Data Access	Policy Admin Data Access	Identity Admin Data Access	Network Admin Data Access	System Admin Data Access	RBAC Admin Data Access	Customization Admin Data Access	TACACS+ Admin Data Access	Read Only Admin Data Access
Endpoint Identity Groups > Profiled > BlackBerry	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Profiled > Android	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Profiled > Axis Device	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Profiled > Juniper Device	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Profiled > Epson Device	√	√	√	x	x	x	√	x	!

Menus and Submenus	Super Admin Data Access	Policy Admin Data Access	Identity Admin Data Access	Network Admin Data Access	System Admin Data Access	RBAC Admin Data Access	Customization Admin Data Access	TACACS+ Admin Data Access	Read Only Admin Data Access
Endpoint Identity Groups > Profiled > SmartDevice	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Profiled > VizioDevice	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Profiled > TechDevice	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Profiled > GoIPPhone	√	√	√	x	x	x	√	x	!
Endpoint Identity Groups > Profiled > CSXIPPhone	√	√	√	x	x	x	√	x	!


Menus and Submenus	Super Admin Data Access	Policy Admin Data Access	Identity Admin Data Access	Network Admin Data Access	System Admin Data Access	RBAC Admin Data Access	Customization Admin Data Access	TACACS+ Admin Data Access	Read Only Admin Data Access
Endpoint Identity Groups > Profiled > Workstation	√	√	√	x	x	x	√	x	!
Network Device Groups	√	x	x	√	x	x	x	√	!
Network Device Groups > All Locations	√	x	x	√	x	x	x	√	!
Network Device Groups > All Locations > Asia	√	x	x	√	x	x	x	√	!
Network Device Groups > All Locations > Asia > India	√	x	x	√	x	x	x	√	!
Network Device Groups > Is IPSEC Device	√	x	x	√	x	x	x	√	!



Menus and Submenus	Super Admin Data Access	Policy Admin Data Access	Identity Admin Data Access	Network Admin Data Access	System Admin Data Access	RBAC Admin Data Access	Customization Admin Data Access	TACACS+ Admin Data Access	Read Only Admin Data Access
Network Device Groups > Is IPSEC Device > Yes	√	x	x	√	x	x	x	√	!
Network Device Groups > Is IPSEC Device > No	√	x	x	√	x	x	x	√	!
Network Device Groups > All Device Types	√	x	x	√	x	x	x	√	!
Customization	NA	NA	NA	NA	NA	NA	√	NA	NA

## Configure Data Access Permissions

Cisco ISE allows you to create custom data access permissions that you can map to an RBAC policy. Based on the role of the administrator, you can choose to provide access to only select data.

- 
- Step 1** In the Cisco ISE GUI, click the **Menu** icon () and choose **Administration > System > Admin Access > Authorization > Permissions**
- Step 2** Choose **Permissions > Data Access**.
- Step 3** Click **Add**, and enter values for the **Name** and **Description** fields.
- Click to expand the admin group and select the corresponding admin group.
  - Click **Full Access**, **Read Only Access**, or **No Access**.
- Step 4** Click **Save**.
- 

## Read-Only Admin Policy

The default Read-Only Admin policy is available in the **Administration > System > Admin Access > Authorization > RBAC Policy** window. This policy is available for both new installations and upgraded

deployments. The Read-Only Admin policy is applicable to the Read-Only Admin group. By default, Super Admin Menu Access and Read-Only Data Access permissions are granted to Read-Only administrators. This policy cannot be duplicated and the associated **Data Access** permission cannot be edited.

**Note**

- The default read-only policy is mapped to the Read Only Admin group. You cannot create custom RBAC policy using the Read Only Admin group.
- Cisco ISE supports the read-only functionality based on the static check of Read-Only Admin Group only.

## Customize Menu Access for the Read-Only Administrator

By default, Read-Only Administrators are given Super Admin Menu Access and Read Only Admin Data Access. However, if the Super Admin requires that the Read-Only Administrator view only the **Home** and **Administration** tabs, the Super Admin can create a custom menu access or customize the default Permissions to, for example, MnT Admin Menu Access or Policy Admin Menu Access. The Super Admin cannot modify the Read Only Data Access mapped to the Read Only Admin Policy.

- 
- Step 1** Log in to the Admin portal as a Super Admin.
- Step 2** In the Cisco ISE GUI, click the **Menu** icon (☰) and choose **Administration > System > Admin Access > Authorization > Permissions > Menu Access**
- Step 3** Click **Add** and enter a **Name** (for example, MyMenu) and **Description**.
- Step 4** In the **Menu Access Privileges** section, you can enable the **Show** or **Hide** option to choose the required options (for example, **Home** and **Administration** tabs) that should be displayed for the Read-Only Administrator.
- Step 5** Click **Submit**.  
The custom menu access permission is displayed in the **Permissions** drop-down list corresponding to the Read-Only Admin Policy displayed in the **Administration > System > Admin Access > Authorization > Policy** window.
- Step 6** Choose **Administration > System > Admin Access > Authorization > RBAC Policy** window.
- Step 7** Click the **Permissions** drop-down list corresponding to the **Read-Only Admin Policy** and choose a default (MnT Admin Menu Access) or custom menu access permission (MyMenu) that you have created in the **Administration > System > Admin Access > Authorization > Permissions > Menu Access** window.
- Step 8** Click **Save**.

**Note**

- You will encounter an error if you choose **Data Access** permissions for the Read-Only Admin policy.
  - When you log in to the Read-Only Admin portal, a Read-Only icon appears at the top of the window, and you can view only the specified menu options without data access.
-