



## **A**

**AAA** Authentication, Authorization, and Accounting.

**ACS** Cisco Access Control Server.

**AES** Advanced Encryption Standard.

**AP** Access point.

## **B**

**BSSID** Basic service set identifier.

## **C**

**CAM** Clean Access Manager.

**CCMP** Counter Mode with Cipher Block Chaining Message Authentication Code Protocol.

**CCX** Cisco Compatible Extensions.

**CKIP** Cisco Key Integrity Protocol.

**CMIC** Cisco Message Integrity Check.

**CSA** Cisco Security Agent.

**CSSC** Cisco Secure Services Client. Cisco Key Integrity Protocol (CKIP) and Cisco Message Integrity Check (CMIC).

## **D**

**DoS** Denial of service.

## **E**

**EAP** Extensible Authentication Protocol.

**EAP-FAST** EAP-Flexible Authentication via Secured Tunnel.

**EAP-TLS** EAP-Transport Layer Security.  
**EIRP** Effective Isotropic Radiated Power.  
**ESSID** Extended service set identifier, commonly referred to as an SSID.

**F**

**FWSM** Firewall Services Module.

**I**

**IDS** Intrusion detection system.  
**IPS** Intrusion prevention system.

**L**

**LAP** LWAPP Access Point.  
**LBS** Location-based service  
**LWAPP** Lightweight Access Point Protocol.

**M**

**MAP** Mesh AP  
**MFP** Management frame protection.  
**MIC** Message integrity check.

**N**

**NAC** Network Admission Control.

**O**

**OFDM** Orthogonal Frequency Division Multiplexing.

<b>P</b>	
<b>PEAP GTC</b>	Protected EAP Generic Token Card.
<b>PEAP MSCHAP</b>	Protected EAP Microsoft Challenge Handshake Authentication Protocol.
<b>PKI</b>	Public Key Infrastructure.
<b>R</b>	
<b>RADIUS</b>	Remote Authentication Dial-In User Service.
<b>RF</b>	Radio frequency.
<b>RFID</b>	Radio frequency. Radio-frequency identification.
<b>RLDP</b>	Rogue Location Discovery Protocol.
<b>RSSI</b>	Received signal strength indication.
<b>S</b>	
<b>SNR</b>	Signal-to-noise ratio.
<b>SSID</b>	IEEE Extended Service Set Identifier.
<b>SSO</b>	Single sign-on.
<b>SVI</b>	Switched virtual interfaces.
<b>T</b>	
<b>TKIP</b>	Temporal Key Integrity Protocol.
<b>TLS</b>	Transport Layer Security.
<b>W</b>	
<b>WCS</b>	Wireless Control System.
<b>WEP</b>	Wired Equivalent Privacy.
<b>Wi-Fi</b>	Wi-Fi is the brand of the Wi-Fi Alliance, which certifies interoperability of products and services based on IEEE 802.11 technology.
<b>WiSM</b>	Wireless Services Module.

<b>WLAN</b>	Wireless LAN.
<b>WLC</b>	Wireless LAN Controller.
<b>WLCM</b>	Wireless LAN Controller Module.
<b>WLSM</b>	Wireless LAN Services Module.
<b>WMM</b>	Wi-Fi Multimedia
<b>WPA</b>	Wi-Fi Protected Access.