

G Commands

This chapter describes the Cisco Nexus Virtual Services Appliance commands that begin with the letter G.

gunzip

To uncompress a compressed file, use the **gunzip** command.

gunzip filename

4.0(4)SP1(1)

Syntax Description	filename	Name of a file. The filename is case sensitive.
Defaults	None	
Command Modes	Any command mode	
SupportedUserRoles	network-admin	
Command History	Release	Modification

Usage Guidelines

The compressed filename must have the .gz extension.

You do not have to enter the .gz extension as part of the filename.

The Cisco NX-OS software uses Lempel-Ziv 1977 (LZ77) coding for compression.

This command was introduced.

Send document comments to nexus1k-docfeedback@cisco.com.

Examples

This example shows how to uncompress a compressed file:

n1010# gunzip run_cnfg.cfg

Related Commands

Command	Description
dir	Displays the directory contents.
gzip	Compresses a file.

Send document comments to nexus1k-docfeedback@cisco.com.

gzip

To compress a file, use the gzip command.

gzip filename

•	_		
· ·	mtav	HOCCE	ntion
J	viilax	Descri	DUIDII

filename	Name of a file.	The filename is	case sensitive.

Defaults

None

Command Modes

Any command mode

SupportedUserRoles

network-admin

Command History

Release	Modification
4.0(4)SP1(1)	This command was introduced.

Usage Guidelines

After you use this command, the file is replaced with the compressed filename that has the .gz extension. The Cisco NX-OS software uses Lempel-Ziv 1977 (LZ77) coding for compression.

Examples

This example shows how to compress a file:

n1010# gzip run_cnfg.cfg

Related Commands

Command	Description	
dir	Displays the directory contents.	
gunzip	Uncompresses a compressed file.	

Send document comments to nexus1k-docfeedback@cisco.com.