

INDEX

A

address (VRRP) command [2](#)
address-family (BGP) command [5,7](#)
address-family (EIGRP) command [9](#)
address-family (RIP) command [10](#)
address-family ipv6 unicast command [4](#)
advertise-map (BGP) command [11](#)
advertisement-interval (VRRP) command [13](#)
aggregate-address (BGP) command [15](#)
aggregate-address command [15](#)
area authentication (OSPF) command [18](#)
area default-cost (OSPF) command [20](#)
area filter-list (OSPF) command [21](#)
area filter-list (OSPFv3) command [23](#)
area nssa (OSPF) command [25](#)
area stub (OSPF) command [31](#)
area virtual-link (OSPF) command [33](#)
authentication (HSRP) command [35](#)
authentication (OSPF virtual link) command [35](#)
authentication (VRRP) command [39](#)
authentication-key (OSPF virtual link) command [43](#)
authentication key-chain (EIGRP) command [40](#)
authentication mode (EIGRP) command [42](#)
auto-cost (OSPF) command [44](#)
autonomous-system command [45](#)

B

bestpath (BGP) command [46](#)
bestpath as-path multipath-relax (BGP) command [48](#)
bfd (ospf) command [50](#)
bfd command [49](#)

bfd echo command [51](#)
bfd interval command [53](#)
bfd ipv4 command [55](#)
bfd optimize subinterfaces command [56](#)
bfd slow-timer command [57](#)

C

clear bgp command [59](#)
clear bgp dampening command [60](#)
clear bgp flap-statistics command [62](#)
clear bgp policy statistics redistribute command [67](#)
clear forwarding inconsistency command [70](#)
clear forwarding route command [69](#)
clear ip adjacency command [71](#)
clear ip arp command [72](#)
clear ip bgp command [74](#)
clear ip bgp dampening command [76](#)
clear ip bgp flap-statistics command [78](#)
clear ip eigrp accounting command [79](#)
clear ip eigrp neighbors command [80](#)
clear ip eigrp redistribution command [82](#)
clear ip eigrp traffic command [83](#)
clear ip interface statistics command [84](#)
clear ip ospf policy statistics command [87](#)
clear ip ospf redistribution command [89](#)
clear ip ospf statistics command [90](#)
clear ip ospf traffic command [91](#)
clear ip rip policy statistics redistribute command [92](#)
clear ip rip statistics command [94](#)
clear ip route command [95](#)
clear ip traffic command [96](#)
clear sockets statistics command [97](#)

clear vrrp command [98](#)
 client-to-client reflection command [99](#)
 confederation command [100](#)

D

dampening (BGP) command [101](#)
 dead-interval (OSPF virtual link) command [103](#)
 default-information originate (EIGRP) command [105](#)
 default-information originate (OSPF) command [107](#)
 default-information originate (RIP) command [109](#)
 default-metric (EIGRP) command [110](#)
 default-metric (OSPF) command [112](#)
 default-metric (RIP) command [114](#)
 delay minimum (hsrp) command [117](#)
 delay minimum command [116](#)
 distance (EIGRP) command [119](#)
 distance (OSPF) command [121](#)
 distance (RIP) command [118, 122](#)

E

ebgp-multihop command [123](#)
 eigrp graceful-restart command [123](#)
 eigrp log-neighbor-changes command [124](#)
 eigrp log-neighbor-warnings command [125](#)
 eigrp router-id command [126](#)
 eigrp stub command [127](#)

F

feature bfd command [129](#)
 feature bgp command [130](#)
 feature eigrp command [131](#)
 feature hsrp command [132](#)
 feature ospf command [133](#)
 feature rip command [134](#)
 feature vrrp command [135](#)

flush-routes (EIGRP) command [136](#)
 flush-routes (OSPF) command [137](#)

G

graceful-restart (OSPF) command [235](#)

H

hardware forwarding dynamic-allocation command [139](#)
 hardware ip glean throttle command [140](#)
 hardware ip glean throttle maximum command [138, 141](#)
 hardware ip glean throttle syslog command [142](#)
 hardware ip glean throttle timeout command [144](#)
 hardware ip verify command [139](#)
 hardware profile ucast6 max-limit command [145](#)
 hardware profile unicast enable-host-ecmp command [146](#)
 hardware profile unicast syslog-threshold command [148](#)
 hello-interval (OSPF virtual link) command [149](#)
 hsrp command [150](#)
 hsrp delay command [151](#)

I

ip (HSRP) command [153](#)
 ip address command [155](#)
 ip arp command [157](#)
 ip arp gratuitous command [159](#)
 ip arp syslog-threshold command [160](#)
 ip arp timeout command [161](#)
 ip as-path access-list command [162](#)
 ip authentication key-chain eigrp command [164](#)
 ip authentication mode eigrp command [165](#)
 ip bandwidth eigrp command [167](#)
 ip bandwidth-percent eigrp command [168](#)
 ip community-list command [169](#)
 ip delay eigrp command [172](#)
 ip directed-broadcast command [173](#)

ip distribute-list eigrp command [175](#)
 ip eigrp shutdown command [176](#)
 ip hello-interval eigrp command [180](#)
 ip hold-time eigrp command [181](#)
 ip load-sharing address command [182](#)
 ip load-sharing per-packet command [183](#)
 ip next-hop-self eigrp command [186](#)
 ip offset-list eigrp command [187](#)
 ip ospf authentication command [189](#)
 ip ospf authentication-key command [191](#)
 ip ospf cost command [193](#)
 ip ospf dead-interval command [194](#)
 ip ospf hello-interval command [195](#)
 ip ospf message-digest-key command [196](#)
 ip ospf mtu-ignore command [198](#)
 ip ospf network command [199](#)
 ip ospf passive-interface command [200](#)
 ip ospf priority command [201](#)
 ip ospf retransmit-interval command [202](#)
 ip ospf shutdown command [203](#)
 ip ospf transmit-delay command [204](#)
 ip passive-interface eigrp command [205](#)
 ip port-unreachable command [206](#)
 ip prefix-list command [207](#)
 ip prefix-list description command [209](#)
 ip proxy-arp command [210](#)
 ip redirects command [211](#)
 ip rip authentication key-chain command [212](#)
 ip rip authentication mode command [213](#)
 ip rip metric-offset command [214](#)
 ip rip offset-list command [215](#)
 ip rip passive-interface command [216](#)
 ip rip poison-reverse command [217](#)
 ip rip route-filter command [218](#)
 ip rip summary-address command [219](#)
 ip route command [220](#)
 ip router eigrp command [222](#)
 ip router ospf area command [223](#)
 ip router ospf multi-area command [224](#)

ip router rip command [225](#)
 ip split-horizon eigrp command [227](#)
 ip summary-address eigrp command [228](#)
 ip tcp path-mtu-discovery command [230](#)
 ip unreachable command [231](#)
 ipv6 nd command [232](#)

L

log-adjacency-changes (EIGRP) command [234](#)
 log-adjacency-changes (OSPF) command [235](#)
 log-neighbor-warnings command [236](#)
 low-memory exempt command [237](#)

M

match as-number command [240](#)
 match as-path command [242](#)
 match community command [244](#)
 match extcommunity command [246](#)
 match interface command [248](#)
 match ip address command [250](#)
 match ip multicast command [252](#)
 match ip next-hop command [254](#)
 match ip next-hop prefix-list command [254](#)
 match ip route-source command [256](#)
 match ip route-source prefix-list command [256](#)
 match mac-list command [238, 260](#)
 match metric command [258](#)
 match route-type command [262](#)
 match tag command [258, 260, 264, 266](#)
 match vlan command [266](#)
 maxas-limit command [270](#)
 maximum-paths (BGP) command [271](#)
 maximum-paths (EIGRP) command [272](#)
 maximum-paths (OSPF) command [274](#)
 maximum-paths (RIP) command [273](#)
 maximum-prefix (BGP) command [275](#)

max-metric router-lsa (OSPF) command [268](#)
 message-digest-key (OSPF virtual link) command [278](#)
 metric maximum-hops command [279](#)
 metric weights command [280](#)

N

neighbor command [282](#)
 network command [285](#)
 nexthop route-map command [286](#)
 nexthop trigger-delay command [289](#)
 no switchport command [290](#)

O

object command [291](#)

P

password (BGP) command [293](#)
 platform ip verify address command [296](#)
 platform ip verify command [295](#)
 platform ip verify length [298](#)
 policy statistics enable (OSPF) command [279](#)
 policy statistics enable (OSPFv3) command [310, 342](#)
 preempt (hsrp) command [301](#)
 preempt command [303](#)
 priority (HSRP) command [305](#)
 priority (VRRP) command [307](#)
 protocol shutdown (OSPF) command [309](#)

R

redistribute (BGP) command [310](#)
 redistribute (EIGRP) command [312](#)
 redistribute (OSPF) command [314](#)
 redistribute (RIP) command [316](#)
 redistribute maximum-prefix (EIGRP) command [318](#)

redistribute maximum-prefix command [320](#)
 remote-as command [322](#)
 restart bgp command [323](#)
 restart eigrp command [324](#)
 restart ospf command [325](#)
 restart rip command [326](#)
 retransmit-interval (OSPF virtual link) command [327](#)
 route-map command [329](#)
 router bgp command [333](#)
 router eigrp command [335](#)
 router-id (EIGRP) command [338](#)
 router-id (OSPF) command [339](#)
 router-id (OSPFv3) command [340](#)
 router ospf command [336](#)
 router rip command [337](#)
 routing-context vrf command [340](#)

S

send-community command [341](#)
 set [346](#)
 set as-path command [342](#)
 set comm-list delete command [344](#)
 set community command [346](#)
 set dampening command [348](#)
 set extcomm-list delete command [352](#)
 set extcommunity command [350](#)
 set forwarding-address command [354](#)
 set ip next-hop peer-address command [356](#)
 set level (IP) command [357](#)
 set local-preference command [359](#)
 set metric command [361](#)
 set metric-type command [363](#)
 set origin command [365](#)
 set tag command [367](#)
 set weight command [369](#)
 show bfd neighbors command [424](#)
 show bgp command [428](#)
 show bgp community command [429](#)

- show bgp community-list command 430
- show bgp extcommunity command 431
- show bgp extcommunity-list command 432
- show bgp neighbors command 433
- show bgp sessions command 435
- show bgp statistics command 436
- show forwarding command 438
- show forwarding distribution command 440
- show forwarding inconsistency command 441
- show hsrp command 442
- show hsrp delay command 444
- show hsrp summary command 445
- show interface vlan counter command 446
- show ip adjacency command 447
- show ip arp command 449
- show ip bgp all command 453
- show ip bgp community command 456
- show ip bgp community exact-match command 458
- show ip bgp community-list command 459
- show ip bgp dampening command 460
- show ip bgp extcommunity command 462
- show ip bgp extcommunity-list command 463
- show ip bgp filter-list command 464
- show ip bgp flap-statistics command 465
- show ip bgp neighbors command 466
- show ip bgp nexthop command 467
- show ip bgp nexthop-database command 468
- show ip bgp paths command 469
- show ip bgp peer-policy command 470
- show ip bgp peer-session command 471
- show ip bgp peer-template command 472
- show ip bgp prefix-list command 473
- show ip bgp received-paths command 474
- show ip bgp route-map command 475
- show ip bgp summary command 476
- show ip client command 477
- show ip community-list command 478
- show ip eigrp accounting command 480
- show ip eigrp command 479
- show ip eigrp interfaces command 481
- show ip eigrp neighbors command 483
- show ip eigrp route command 485
- show ip eigrp route-map statistics command 487
- show ip eigrp topology command 489
- show ip eigrp traffic command 491
- show ip fib command 492
- show ip fib distribution command 493
- show ip interface command 494
- show ip load-sharing command 495
- show ip mbgp command 451
- show ip ospf border-routers command 497
- show ip ospf database command 498
- show ip ospf interface command 501
- show ip ospf lsa-content-changed-list command 503
- show ip ospf neighbor command 504
- show ip ospf policy statistics area command 506
- show ip ospf policy statistics command 508
- show ip ospf request-list command 510
- show ip ospf retransmission-list command 511
- show ip ospf routes command 512
- show ip ospf statistics command 513
- show ip ospf summary-address command 514
- show ip ospf traffic command 515
- show ip ospf virtual-links command 516
- show ip prefix-list command 517
- show ip process command 518
- show ip rip command 519
- show ip rip interface command 520
- show ip rip neighbor command 521
- show ip rip policy statistics command 522
- show ip rip route command 524
- show ip rip statistics command 525
- show ip route command 526
- show ip static-route command 527
- show ip traffic command 528
- show ipv6 nd interface command 529
- show mac-list command 531
- show routing command 532

show routing-context command [535](#)
 show routing hash command [536](#)
 show routing memory estimate command [534](#)
 show running-config arp command [539](#)
 show running-config bfd command [541](#)
 show running-config bgp command [543](#)
 show running-config command [537](#)
 show running-config eigrp command [545](#)
 show running-config ospf command [546](#)
 show sockets client command [547](#)
 show sockets connection command [548](#)
 show sockets statistics command [549](#)
 show startup-config arp command [550](#)
 show startup-config bfd command [551](#)
 show track command [552](#)
 show vlan id counter command [553](#)
 show vrrp command [555](#)
 shutdown (OSPF) command [373](#)
 shutdown (VRRP) command [374](#)
 soft-reconfiguration inbound (BGP) command [375](#)
 stub command [376](#)
 summary-address (OSPF) command [378](#)
 suppress-inactive command [380](#)
 system urpf disable command [381](#)

T

template BGP command [382](#)
 test forwarding distribution [385](#)
 test forwarding inconsistency command [386](#)
 threshold percentage command [387](#)
 threshold weight command [389](#)
 timers active-time command [391](#)
 timers basic command [392](#)
 timers lsa-arrival (OSPF) command [394](#)
 timers lsa-group-pacing (OSPF) command [395](#)
 timers nsf converge command [397](#)
 timers nsf route-hold command [398](#)
 timers nsf signal command [400](#)

timers throttle lsa all (OSPF) command [401](#)
 timers throttle spf (OSPF) command [403](#)
 track (VRRP) command [405](#)
 track interface (VRRP) command [408](#)
 track interface command [406](#)
 track ip route command [410](#)
 track list command [411](#)
 transmit-delay (OSPF virtual link) command [411](#)

V

validate-update-source command [393](#)
 vrf command [416](#)
 vrf context (Layer 2) command [414](#)
 vrf context (Layer 3) command [418](#)
 vrf member command [419](#)
 vrrp command [421](#)
 vtp version command [448, 450](#)