



## O Commands

---

- [show object-group](#), on page 3
- [show onep](#), on page 4
- [show onep cli-extensions applications](#), on page 7
- [show onep error](#), on page 8
- [show onep history](#), on page 9
- [show onep statistics](#), on page 10
- [show onep status](#), on page 12
- [show onep trace](#), on page 14
- [show openflow copyright](#), on page 15
- [show openflow hardware capabilities](#), on page 16
- [show openflow switch](#), on page 17
- [show ospfv3](#), on page 18
- [show ospfv3 border-routers](#), on page 23
- [show ospfv3 database](#), on page 25
- [show ospfv3 database database-summary](#), on page 28
- [show ospfv3 database detail](#), on page 30
- [show ospfv3 event-history](#), on page 35
- [show ospfv3 event-history detail](#), on page 36
- [show ospfv3 ha](#), on page 37
- [show ospfv3 interface](#), on page 38
- [show ospfv3 interface brief](#), on page 41
- [show ospfv3 lsa-content-changed-list](#), on page 43
- [show ospfv3 memory](#), on page 44
- [show ospfv3 neighbors](#), on page 46
- [show ospfv3 neighbors detail](#), on page 48
- [show ospfv3 neighbors summary](#), on page 51
- [show ospfv3 policy statistics](#), on page 53
- [show ospfv3 request-list](#), on page 55
- [show ospfv3 retransmission-list](#), on page 57
- [show ospfv3 route](#), on page 59
- [show ospfv3 route summary](#), on page 61
- [show ospfv3 statistics](#), on page 63
- [show ospfv3 summary-address](#), on page 67

- [show ospfv3 traffic](#), on page 68
- [show ospfv3 virtual-links](#), on page 72
- [show ospfv3 virtual-links brief](#), on page 76
- [show otv](#), on page 77
- [show otv adjacency](#), on page 78
- [show otv arp-nd-cache](#), on page 79
- [show otv data-group](#), on page 80
- [show otv isis](#), on page 81
- [show otv isis active-source](#), on page 84
- [show otv isis adjacency](#), on page 85
- [show otv isis aed-svr-req local](#), on page 87
- [show otv isis csnp](#), on page 88
- [show otv isis database](#), on page 89
- [show otv isis ed-summary local](#), on page 93
- [show otv isis ed-summary remote](#), on page 94
- [show otv isis event-history](#), on page 95
- [show otv isis fast-flood](#), on page 96
- [show otv isis gm-spf-adjacency](#), on page 97
- [show otv isis hostname](#), on page 98
- [show otv isis interface](#), on page 99
- [show otv isis ip mroute](#), on page 103
- [show otv isis ip redistribute mroute](#), on page 104
- [show otv isis lsp free-list](#), on page 106
- [show otv isis non tlv overflow-list](#), on page 107
- [show otv isis redistribute route](#), on page 108
- [show otv isis route-map statistics](#), on page 109
- [show otv isis route show otv isis route is](#), on page 110
- [show otv isis rrm](#), on page 113
- [show otv isis site-index](#), on page 114
- [show otv isis site](#), on page 115
- [show otv isis spf-adjacency](#), on page 116
- [show otv isis spf-log](#), on page 117
- [show otv isis srm](#), on page 119
- [show otv isis ssn](#), on page 120
- [show otv isis statistics](#), on page 121
- [show otv isis track-adjacency-nexthop](#), on page 122
- [show otv isis traffic](#), on page 123
- [show otv isis vlan-status local](#), on page 125
- [show otv site](#), on page 126
- [show otv statistics multicast](#), on page 127
- [show otv vlan-mapping](#), on page 128
- [show otv vlan](#), on page 129

# show object-group

```
show object-group [ <name> ] [ __readonly__ TABLE_ogroup <group_type> <group_name> [ TABLE_seqno
<seqno> { <_port_op> <port0_num> | <_port_range> <port1_num> <port2_num> | <hostaddr> | <net_ip> |
<mask_ip_addr> <mask_ip_mask> | <hostip6> | <net_ipv6> | <mask_ipv6_addr> <mask_ipv6_mask> } ]
]
```

## Syntax Description

show	Show running system information
object-group	Show configured ACL object groups
<i>name</i>	(Optional) object-group name
<i>__readonly__</i>	(Optional)
<i>group_type</i>	(Optional) Object group type
<i>group_name</i>	(Optional) Object group name
<i>seqno</i>	(Optional) Sequence number
TABLE_ogroup	(Optional)
TABLE_seqno	(Optional)
<i>_port_op</i>	(Optional) Port operator
<i>_port_range</i>	(Optional) Port range
<i>port0_num</i>	(Optional) Port number
<i>port1_num</i>	(Optional) Port number
<i>port2_num</i>	(Optional) Port number
<i>net_ip</i>	(Optional) A.B.C.D Network address of object-group member
<i>hostaddr</i>	(Optional) A.B.C.D Host address
<i>mask_ip_addr</i>	(Optional) A.B.C.D IP address
<i>mask_ip_mask</i>	(Optional) A.B.C.D IP address mask

## Command Mode

- /exec

# show onep

```
show onep { session { all | <onep-session-id> | rate-limit } [ detail ] } [ __readonly__ [ { TABLE_sessions
<ID> <Username> <State> <ReconnectTimer> <ConnectTime> <Appname> <Error> } ] [ { TABLE_details
<Appname> <Username> <State> <Error> <ConnectingTime> <ConnectTime> <ReconnectTimer> <ID>
<Version> <LastActiveTime> <Keepalive> <TransportName> <HostIP> <HostName> <Pid> [ {
TABLE_client_certificate <SerialNumber> <Issuer> [ { TABLE_validity <notBefore> <notAfter> } ]
<Subject> <KeyUsage> [ { TABLE_fingerprint <HashType> <HashValue> } ] } ] ] [ { TABLE_buckets
<Addr> <Hash> <Rate> <Last> <Current> <Limit> <ExtendedLimit> <MarkCounter> <Reject> <Accept>
} ] ]
```

## Syntax Description

show	Show running system information
onep	One Platform
session	One Platform session
all	All sessions
<i>onep-session-id</i>	Specific session name
rate-limit	rate limiting feature info
<code>__readonly__</code>	(Optional)
TABLE_sessions	(Optional) all current sessions of onep
<i>ID</i>	(Optional) the session handler
<i>Username</i>	(Optional) the username
<i>State</i>	(Optional) the state
<i>ReconnectTimer</i>	(Optional) the reconnect timer
<i>ConnectTime</i>	(Optional) the connect time
<i>Appname</i>	(Optional) the application name
<i>Error</i>	(Optional) possible error message
TABLE_buckets	(Optional) all rate limit buckets
<i>Addr</i>	(Optional) the remote address
<i>Hash</i>	(Optional) the hash of the remote address
<i>Rate</i>	(Optional) the token fill rate
<i>Last</i>	(Optional) the last rate check time
<i>Current</i>	(Optional) current tokens that are accepted to consume

<i>Limit</i>	(Optional) the standard limit on tokens
<i>ExtendedLimit</i>	(Optional) the burst limit on tokens
<i>MarkCounter</i>	(Optional) the burst tokens to consume
<i>Reject</i>	(Optional) stats: rejected TCP connections
<i>Accept</i>	(Optional) stats: accepted TCP connections
<i>detail</i>	(Optional) Show detailed session info
<i>TABLE_details</i>	(Optional) all current sessions of onep
<i>ID</i>	(Optional) the session handler
<i>Appname</i>	(Optional) the application name
<i>Username</i>	(Optional) the username
<i>State</i>	(Optional) the state
<i>ConnectTime</i>	(Optional) the connected time
<i>ConnectingTime</i>	(Optional) the connecting time
<i>ReconnectTimer</i>	(Optional) the reconnect timer
<i>Version</i>	(Optional) onep version
<i>LastActiveTime</i>	(Optional) last activity time
<i>Keepalive</i>	(Optional) keepalive time
<i>TransportName</i>	(Optional) Transport name
<i>HostIP</i>	(Optional) host address
<i>HostName</i>	(Optional) host name
<i>Pid</i>	(Optional) Pid
<i>TABLE_client_certificate</i>	(Optional) client certificate
<i>SerialNumber</i>	(Optional) Serial Number
<i>Issuer</i>	(Optional) Issuer
<i>TABLE_validity</i>	(Optional) certificate validity
<i>notBefore</i>	(Optional) notBefore
<i>notAfter</i>	(Optional) notAfter
<i>Subject</i>	(Optional) Subject
<i>KeyUsage</i>	(Optional) Key Usage

TABLE_fingerprint	(Optional) certificate finger print
<i>HashType</i>	(Optional) Hash Type
<i>HashValue</i>	(Optional) Hash Value

**Command Mode**

- /exec

# show onep cli-extensions applications

show onep cli-extensions applications [ *\_\_readonly\_\_* <num\_applications> [ TABLE\_applications <app\_name> <app\_version> <config\_domain> <ver\_specific> ] ]

## Syntax Description

show	Show running system information
onep	One Platform
cli-extensions	CLI Extensions feature
applications	Onep applications using the CLI Extensions feature
<i>__readonly__</i>	(Optional)
<i>num_applications</i>	(Optional) Number of onep applications
TABLE_applications	(Optional) Table of onep applications
<i>app_name</i>	(Optional) Onep application name
<i>app_version</i>	(Optional) Onep application version
<i>config_domain</i>	(Optional) Onep config domain
<i>ver_specific</i>	(Optional) Onep application version specific

## Command Mode

- /exec

# show onep error

```
show onep error [ __readonly__ [ { TABLE_onep_errors <Content> } ] ]
```

## Syntax Description

show	Show running system information
onep	One Platform
error	Error
__readonly__	(Optional)
TABLE_onep_errors	(Optional) Errors messages
<i>Content</i>	(Optional) error content

## Command Mode

- /exec



# show onep history

```
show onep history { { archived } | { all } | { session { all | <onep-session-id> } } } [ __readonly__ [ {
TABLE_history <Record> } ] ]
```

## Syntax Description

show	Show running system information
onep	One Platform
history	One Platform history trails
archived	One Platform archived session
session	One Platform session
<i>onep-session-id</i>	Specific session name
all	All sessions
<u>__readonly__</u>	(Optional)
TABLE_history	(Optional) a set of history records
<i>Record</i>	(Optional) an individual history record

## Command Mode

- /exec

## show onep statistics

```
show onep statistics [ session { all | <onep-session-id> } ] [ __readonly__ [ { TABLE_stats_global
<SessionTotal> <ActiveSessions> <LocalDisconnect> <RemoteDisconnect> <ErrorDisconnect>
<TotalDisconnects> <TotalErrors> <AuthenticateErr> <DupAppNameErr> <MemErr> <SystemErr>
<TotalConnects> <RejectedConnects> <AcceptedConnects> <UnaffectedConnects> <FailedConnectionIndex>
<SequenceNumber> <FailureReason> <ErrorCode> <FailureTime> <RemoteHost> } ] [ {
TABLE_stats_sessions <ID> <Appname> <APIIn> <APIOut> <BytesIn> <BytesOut> <VtyCount> <Error>
} ] ]
```

### Syntax Description

show	Show running system information
onep	One Platform
statistics	statistics
session	(Optional) One Platform session
all	(Optional) All sessions
<i>onep-session-id</i>	(Optional) Specific session name
<i>__readonly__</i>	(Optional)
TABLE_stats_global	(Optional) global session statistics for onep
<i>SessionTotal</i>	(Optional) total onep sessions
<i>ActiveSessions</i>	(Optional) currently active onep sessions
<i>LocalDisconnect</i>	(Optional) onep sessions locally disconnected
<i>RemoteDisconnect</i>	(Optional) onep sessions remotely disconnected
<i>ErrorDisconnect</i>	(Optional) onep sessions errored disconnected
<i>TotalDisconnects</i>	(Optional) total onep disconnected sessions
<i>TotalErrors</i>	(Optional) total onep errors
<i>AuthenticateErr</i>	(Optional) onep authentication errors
<i>DupAppNameErr</i>	(Optional) onep duplicate application name errors
<i>MemErr</i>	(Optional) onep memory errors
<i>SystemErr</i>	(Optional) onep system errors
<i>TotalConnects</i>	(Optional) total number of TCP connection attempts
<i>RejectedConnects</i>	(Optional) number of TCP connections rejected by rate limiting
<i>AcceptedConnects</i>	(Optional) number of TCP connections accepted by rate limiting

<i>UnaffectedConnects</i>	(Optional) number of TCP connections unaffected by rate limiting
<i>FailedConnectionIndex</i>	(Optional) Index of the failed connection
<i>SequenceNumber</i>	(Optional) Sequence number of the failed connection
<i>FailureReason</i>	(Optional) Failure reason of the failed connection
<i>ErrorCode</i>	(Optional) Error code of the failed connection
<i>FailureTime</i>	(Optional) Failure time of the failed connection
<i>RemoteHost</i>	(Optional) Remote host address of the failed connection
TABLE_stats_sessions	(Optional) all current sessions of onep
<i>ID</i>	(Optional) the session handler
<i>Appname</i>	(Optional) the application name
<i>APIIn</i>	(Optional) the API in
<i>APIOut</i>	(Optional) the API out
<i>BytesIn</i>	(Optional) the Bytes in
<i>BytesOut</i>	(Optional) the Bytes out
<i>VtyCount</i>	(Optional) the Vty count
<i>Error</i>	(Optional) possible error message

**Command Mode**

- /exec

## show onep status

```
show onep status [ __readonly__ { operational_status <o_status> } { operational_enable_reason
<o_enable_reason> } { operational_version <o_version> } [ { TABLE_transports <transport_name> <status>
[ <port> ] [ <access_class> ] [ { TABLE_trustpoints <trustpoint_type> <trustpoint_name> [ {
TABLE_trustpoint_hashes <tp_hash_type> <tp_hash_value> } ] ] ] ] { session_max_limit <s_max_limit>
} { session_key <enabled> } { cpu_interval <c_interval> } { cpu_fall_threshold <c_fall_threshold> } {
cpu_rise_threshold <c_rise_threshold> } { history_buffer_on <h_buffer_on> } { history_buffer_purge
<h_buffer_purge> } { history_buffer_size <h_buffer_size> } { history_syslog <h_syslog> } [ {
TABLE_service_sets <service_set> <state> [ <enable_mask> ] <version> <accessible_by> } ] ]
```

### Syntax Description

show	Show running system information
onep	One Platform
status	status
<i>__readonly__</i>	(Optional)
<i>operational_status</i>	(Optional) run-time info about onep
<i>o_status</i>	(Optional) status of onep
<i>operational_enable_reason</i>	(Optional) enable reason if onep is enabled
<i>o_enable_reason</i>	(Optional) if onep is enabled, the enable reason
<i>operational_version</i>	(Optional) run-time version about onep
<i>o_version</i>	(Optional) version of onep
TABLE_transports	(Optional) all transports of onep
<i>transport_name</i>	(Optional) the transport name
<i>status</i>	(Optional) the transport status
<i>port</i>	(Optional) the transport port
<i>access_class</i>	(Optional) the transport access-class
TABLE_trustpoints	(Optional) all trustpoints of the transport
<i>trustpoint_type</i>	(Optional) either Server-Identity or Client-Verification
<i>trustpoint_name</i>	(Optional) the name of the configured trustpoint
TABLE_trustpoint_hashes	(Optional) hashes of a certificate in each trustpoint
<i>tp_hash_type</i>	(Optional) the algorithm used to perform the hash
<i>tp_hash_value</i>	(Optional) the actual hash

session_max_limit	(Optional) maximum number of sessions allowed
<i>s_max_limit</i>	(Optional) maximum limit
session_key	(Optional) session key-required
<i>enabled</i>	(Optional) session key-required
cpu_interval	(Optional) observation interval in seconds
<i>c_interval</i>	(Optional) observation interval
cpu_fall_threshold	(Optional) falling threshold in percentage
<i>c_fall_threshold</i>	(Optional) falling threshold
cpu_rise_threshold	(Optional) rising threshold in percentage
<i>c_rise_threshold</i>	(Optional) rising threshold
history_buffer_on	(Optional) history buffer on
<i>h_buffer_on</i>	(Optional) history buffer on
history_buffer_purge	(Optional) history buffer purge
<i>h_buffer_purge</i>	(Optional) purge oldest or newest
history_buffer_size	(Optional) history buffer size
<i>h_buffer_size</i>	(Optional) history buffer size
history_syslog	(Optional) history syslog
<i>h_syslog</i>	(Optional) history syslog
TABLE_service_sets	(Optional) all registered service sets of onep
<i>service_set</i>	(Optional) service set name
<i>state</i>	(Optional) service set state
<i>enable_mask</i>	(Optional) service set enable mask
<i>version</i>	(Optional) service set version
<i>accessible_by</i>	(Optional) service set accessibility

### Command Mode

- /exec

# show onep trace

```
show onep trace [ __readonly__ [ { TABLE_onep_traces <Content> } ] ]
```

## Syntax Description

show	Show running system information
onep	One Platform
trace	Trace
__readonly__	(Optional)
TABLE_onep_traces	(Optional) all internal traces
<i>Content</i>	(Optional) trace content

## Command Mode

- /exec

# show openflow copyright

show openflow copyright

## Syntax Description

show	Show running system information
openflow	Show OpenFlow agent copyright information
copyright	Copyright

## Command Mode

- /exec

# show openflow hardware capabilities

show openflow hardware capabilities [ pipeline <pipeline-id> ]

## Syntax Description

show	Show running system information
openflow	Show OpenFlow information
hardware	Hardware
capabilities	Capabilities
pipeline	(Optional) Pipeline id
<i>pipeline-id</i>	(Optional) Pipeline id

## Command Mode

- /exec



# show openflow switch

```
show openflow switch <switch-id> [ { controllers [ stats | { role { master | slave | equal } } ] | ports | flows [
table-id <table-id> ] [ brief ] } ] [ __readonly__ <ctrlv4> <ctrlport> ]
```

## Syntax Description

show	Show running system information
openflow	Show OpenFlow information
switch	Logical switch id
<i>switch-id</i>	Logical switch-id to enter
controllers	(Optional) Controllers
stats	(Optional) Stats
ports	(Optional) Ports
flows	(Optional) Flows
brief	(Optional) Brief
role	(Optional) Controller role
master	(Optional) Master
slave	(Optional) Slave
equal	(Optional) Equal
table-id	(Optional) Table-id for the pipeline
<i>table-id</i>	(Optional) Table ID
<i>__readonly__</i>	(Optional)
<i>ctrlv4</i>	(Optional)
<i>ctrlport</i>	(Optional)

## Command Mode

- /exec

## show ospfv3

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx
<ptag> <instance_number> <cname> <rid> <stateful_ha> <gr_ha> [ [ <gr_planned_only> ] [
<gr_notify_period> ] [ <gr_grace_period> ] [ <gr_state> ] [ <gr_last_status> ] ] [ <gr_helper_mode> ]
<support_tos0_only> <support_opaque_lsa> [ <low_mem_cond> ] <is_abr> <is_asbr> [
<max_lsa_non_self_number> ] [ <max_lsa_state> ] [ <max_lsa_warning_only> ] [
<max_lsa_current_non_self_lsa_number> ] [ <max_lsa_threshold_pct> ] [ <max_lsa_ignore_time> ] [
<max_lsa_reset_time> ] [ <max_lsa_ignore_count> ] [ <max_lsa_current_ignore_count> ] [
<max_lsa_ignore_time_left> ] [ <max_lsa_reset_time_left> ] [ <max_lsa_permanent_ignore> ] [
<ipsec_sa_type> ] [ <ipsec_sa_algorithm> ] [ <ipsec_sa_spi> ] [ { TABLE_redist <proto> [ <max_lsas> ] [
<warning> ] [ <threshold> ] [ <current_count> ] } ] <admin_dist> <ref_bw> <spf_start_time> <spf_hold_time>
<spf_max_time> <lsa_start_time> <lsa_hold_time> <lsa_max_time> <min_lsa_arr_time> <lsa_aging_pace>
<spf_max_paths> <max_metric_adver> [ [ <max_metric_time_left> ] [ <max_metric_wait_bgp> ] [
<max_metric_timeout> ] [ <max_metric_always> ] [ <max_metric_sum_lsa> ] [ <max_metric_ext_lsa> ] ]
<asext_lsa_cnt> <asext_lsa_crc> <area_total> <area_normal> <area_stub> <area_nssa> <act_area_total>
<act_area_normal> <act_area_stub> <act_area_nssa> <no_discard_rt_ext> <no_discard_rt_int> [
<bfd_enabled> ] [ <passive_dflt> ] [ <name_lookup> ] [ { TABLE_area <aname> [ <backbone_active> ] [
<active> ] <age> <total_intf> <act_intf> <passive_intf> <loopback_intf> [ <gr_nbr_cnt> ] <stub> [
<stub_def_cost> ] <nssa> [ <no_redist> ] [ <nssa_trans> ] <no_summary> <spf_runs> <last_spf_run_time>
[ <rtr_lsa_throt> ] [ <ipsec_sa_type> ] [ <ipsec_sa_algorithm> ] [ <ipsec_sa_spi> ] [ TABLE_range <addr>
<masklen> <state> <nets> <advertise> [ <cost> ] ] [ <filter_in> ] [ <filter_out> ] <lsa_cnt> <lsa_crc> } ] ]
```

### Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
__readonly__	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>instance_number</i>	(Optional)
<i>cname</i>	(Optional)
<i>rid</i>	(Optional)

<i>stateful_ha</i>	(Optional)
<i>gr_ha</i>	(Optional)
<i>gr_planned_only</i>	(Optional)
<i>gr_notify_period</i>	(Optional)
<i>gr_grace_period</i>	(Optional)
<i>gr_state</i>	(Optional)
<i>gr_last_status</i>	(Optional)
<i>gr_helper_mode</i>	(Optional)
<i>support_tos0_only</i>	(Optional)
<i>support_opaque_lsa</i>	(Optional)
<i>low_mem_cond</i>	(Optional)
<i>is_abr</i>	(Optional)
<i>is_asbr</i>	(Optional)
<i>max_lsa_non_self_number</i>	(Optional)
<i>max_lsa_state</i>	(Optional)
<i>max_lsa_warning_only</i>	(Optional)
<i>max_lsa_current_non_self_lsa_number</i>	(Optional)
<i>max_lsa_threshold_pct</i>	(Optional)
<i>max_lsa_ignore_time</i>	(Optional)
<i>max_lsa_reset_time</i>	(Optional)
<i>max_lsa_ignore_count</i>	(Optional)
<i>max_lsa_current_ignore_count</i>	(Optional)
<i>max_lsa_ignore_time_left</i>	(Optional)
<i>max_lsa_reset_time_left</i>	(Optional)
<i>max_lsa_permanent_ignore</i>	(Optional)
<i>ipsec_sa_type</i>	(Optional) IPsec SA Type
<i>ipsec_sa_algorithm</i>	(Optional) IPsec SA Algorithm name
<i>ipsec_sa_spi</i>	(Optional) IPsec SA SPI Value
TABLE_redist	(Optional)

<i>proto</i>	(Optional)
<i>max_lsas</i>	(Optional)
<i>warning</i>	(Optional)
<i>threshold</i>	(Optional)
<i>current_count</i>	(Optional)
<i>admin_dist</i>	(Optional)
<i>ref_bw</i>	(Optional)
<i>spf_start_time</i>	(Optional)
<i>spf_hold_time</i>	(Optional)
<i>spf_max_time</i>	(Optional)
<i>lsa_start_time</i>	(Optional)
<i>lsa_hold_time</i>	(Optional)
<i>lsa_max_time</i>	(Optional)
<i>min_lsa_arr_time</i>	(Optional)
<i>lsa_aging_pace</i>	(Optional)
<i>spf_max_paths</i>	(Optional)
<i>max_metric_adver</i>	(Optional)
<i>max_metric_time_left</i>	(Optional)
<i>max_metric_wait_bgp</i>	(Optional)
<i>max_metric_timeout</i>	(Optional)
<i>max_metric_always</i>	(Optional)
<i>max_metric_sum_lsa</i>	(Optional)
<i>max_metric_ext_lsa</i>	(Optional)
<i>asext_lsa_cnt</i>	(Optional)
<i>asext_lsa_crc</i>	(Optional)
<i>area_total</i>	(Optional)
<i>area_normal</i>	(Optional)
<i>area_stub</i>	(Optional)
<i>area_nssa</i>	(Optional)

<i>act_area_total</i>	(Optional)
<i>act_area_normal</i>	(Optional)
<i>act_area_stub</i>	(Optional)
<i>act_area_nssa</i>	(Optional)
<i>bfd_enabled</i>	(Optional)
<i>passive_dflt</i>	(Optional)
<i>name_lookup</i>	(Optional)
<i>no_discard_rt_ext</i>	(Optional)
<i>no_discard_rt_int</i>	(Optional)
TABLE_area	(Optional)
<i>aname</i>	(Optional)
<i>backbone_active</i>	(Optional)
<i>active</i>	(Optional)
<i>age</i>	(Optional)
<i>total_intf</i>	(Optional)
<i>act_intf</i>	(Optional)
<i>passive_intf</i>	(Optional)
<i>loopback_intf</i>	(Optional)
<i>gr_nbr_cnt</i>	(Optional)
<i>stub</i>	(Optional)
<i>stub_def_cost</i>	(Optional)
<i>nssa</i>	(Optional)
<i>no_redist</i>	(Optional)
<i>nssa_trans</i>	(Optional)
<i>no_summary</i>	(Optional)
<i>spf_runs</i>	(Optional)
<i>last_spf_run_time</i>	(Optional)
<i>rtr_lsa_throt</i>	(Optional)
<i>ipsec_sa_type</i>	(Optional) IPsec SA Type

<i>ipsec_sa_algorithm</i>	(Optional) IPsec SA Algorithm name
<i>ipsec_sa_spi</i>	(Optional) IPsec SA SPI Value
TABLE_range	(Optional)
<i>masklen</i>	(Optional)
<i>state</i>	(Optional)
<i>nets</i>	(Optional)
<i>advertise</i>	(Optional)
<i>cost</i>	(Optional)
<i>filter_in</i>	(Optional)
<i>filter_out</i>	(Optional)
<i>lsa_cnt</i>	(Optional)
<i>lsa_crc</i>	(Optional)

**Command Mode**

- /exec

# show ospfv3 border-routers

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] border-routers [ all_routes ] [
vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <ptag> <cname> [ TABLE_br
<type> <addr> <cost> <asbr> <abr> <area> <spf_inst> [ <vlink_unresolved> ] [ TABLE_br_ubest_nh [
<ubest_nh_addr> ] [ <ubest_nh_intf> ] ] [ TABLE_br_mbest_nh [ <mbest_nh_addr> ] [ <mbest_nh_intf> ]
] ] ]
```

## Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
tag	(Optional) Process tag
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
border-routers	Border routers
all_routes	(Optional) Display all OSPFv3 routes
__readonly__	(Optional)
TABLE_ctx	(Optional)
ptag	(Optional)
cname	(Optional)
TABLE_br	(Optional)
type	(Optional)
addr	(Optional)
cost	(Optional)
asbr	(Optional)
abr	(Optional)
area	(Optional)
spf_inst	(Optional)
vlink_unresolved	(Optional)

TABLE_br_ubest_nh	(Optional)
<i>ubest_nh_intf</i>	(Optional)
TABLE_br_mbest_nh	(Optional)
<i>mbest_nh_intf</i>	(Optional)

**Command Mode**

- /exec



## show ospfv3 database

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] database [ [ [ router | network | intra-area-prefix | inter-area { irouter | iprefix } | nssa-external | area-unknown | [ [ { link | link-unknown | grace } [ <interface> ] ] ] ] [ area <area-id-ip> ] ] | external [ tag <tag_val> ] | as-unknown ] [ <lsid> ] [ self-originated | adv-router <adv-id> | adv-router-name <adv-name> ] ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <rid> <ptag> <cname> [ TABLE_db3_lsa [ <name> ] [ <area> ] [ <id> ] [ <advrtr> ] [ <age> ] [ <seqno> ] [ <corrupt> ] [ <rtr_num_links> ] [ <net_num_rtr> ] [ <prefix> ] [ <inter_rid> ] [ <link_if> ] [ <intra_ref_type> ] [ <intra_ref_lsid> ] ] ] ]
```

### Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
database	Link-state Database Summary
router	(Optional) Display router LSAs
network	(Optional) Display network LSAs
inter-area	(Optional) Display inter-area LSAs
iprefix	(Optional) Display Inter-Area-Prefix LSAs
irouter	(Optional) Display Inter-Area-Router LSAs
nssa-external	(Optional) Display NSSA-external LSAs
area-unknown	(Optional) Display area-scope unknown LSAs
external	(Optional) Display AS-external LSAs
as-unknown	(Optional) Display as-scope unknown LSAs
grace	(Optional) Display Grace LSAs
link	(Optional) Display Link LSAs
link-unknown	(Optional) Display link-scope unknown LSAs
<i>interface</i>	(Optional) OSPF enabled interface

<i>intra-area-prefix</i>	(Optional) Display Intra-Area-Prefix LSAs
<i>self-originated</i>	(Optional) Display only self-originated LSAs
<i>lsid</i>	(Optional) Restrict display by link state ID
<i>adv-router</i>	(Optional) Restrict display by Advertising router
<i>advid</i>	(Optional) Advertising router ID
<i>adv-router-name</i>	(Optional) Restrict display by Advertising router name
<i>adv-name</i>	(Optional) DNS Name of the Advertising router
<i>area</i>	(Optional) Display only LSA's in this area
<i>area-id-ip</i>	(Optional) Area Id as an integer or ip address
<i>tag</i>	(Optional) Restrict display by tag
<i>tag_val</i>	(Optional) 32-bit tag value
<i>__readonly__</i>	(Optional)
TABLE_ctx	(Optional)
<i>rid</i>	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_db3_lsa	(Optional)
<i>name</i>	(Optional)
<i>area</i>	(Optional)
<i>id</i>	(Optional)
<i>advrtr</i>	(Optional)
<i>age</i>	(Optional)
<i>seqno</i>	(Optional)
<i>corrupt</i>	(Optional)
<i>rtr_num_links</i>	(Optional)
<i>net_num_rtr</i>	(Optional)
<i>inter_rid</i>	(Optional)
<i>link_if</i>	(Optional)
<i>intra_ref_type</i>	(Optional)

<i>intra_ref_lsid</i>	(Optional)
-----------------------	------------

**Command Mode**

- /exec

## show ospfv3 database database-summary

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] database database-summary
[ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <rid> <ptag> <cname> [
TABLE_dbsum [ TABLE_dbsum_area <area> [ TABLE_dbsum_area_lsa <area_lsa_name> <area_lsa_count>
] <area_lsa_total> ] [ TABLE_dbsum_all [ TABLE_dbsum_lsa_all <lsa_name> <lsa_count> ]
<non_self_lsa_total> <lsa_total> ] ] ]
```

### Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
database	Link-state Database Summary
database-summary	Summary of database
<i>__readonly__</i>	(Optional)
TABLE_ctx	(Optional)
<i>rid</i>	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_dbsum	(Optional)
TABLE_dbsum_area	(Optional)
<i>area</i>	(Optional)
TABLE_dbsum_area_lsa	(Optional)
<i>area_lsa_name</i>	(Optional)
<i>area_lsa_count</i>	(Optional)
<i>area_lsa_total</i>	(Optional)
TABLE_dbsum_all	(Optional)

TABLE_dbsum_lsa_all	(Optional)
<i>lsa_name</i>	(Optional)
<i>lsa_count</i>	(Optional)
<i>non_self_lsa_total</i>	(Optional)
<i>lsa_total</i>	(Optional)

**Command Mode**

- /exec

## show ospfv3 database detail

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] database [ [ router | network
| intra-area-prefix | inter-area { irouter | iprefix } | nssa-external | area-unknown | [ [ { link | link-unknown |
grace } [ <interface> ] ] ] ] area <area-id-ip> ] | external [ tag <tag_val> ] | as-unknown [ <lsid> ] [
self-originated | adv-router <adv-id> | adv-router-name <adv-name> ] detail [ vrf { <vrf-name> |
<vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <rid> <ptag> <cname> [ TABLE_db3_lsa [ <name>
] [ <area> ] [ TABLE_lsd <age> <maxage> <wrapping> <dummy> <flush_pending> <type> [ <intf> ] <id>
<advtr> <seqno> <cksum> <len> [ <corrupt> ] [ <rtr_abr> ] [ <rtr_asbr> ] [ <rtr_translate> ] [ <rtr_vlink_end>
] [ <rtr_options> ] [ <rtr_num_links> ] [ TABLE_rlsa [ <rtr_link_type> ] [ <rtr_link_metric> ] [ <rtr_link_ifid>
] [ <rtr_link_nbr_ifid> ] [ <rtr_link_nbr_rid> ] ] [ <net_options> ] [ TABLE_nlsa [ <net_rtr> ] ] [ <ia_prefix>
] [ <ia_prefix_options> ] [ <ia_prefix_metric> ] [ <ia_rtr_options> ] [ <ia_rtr_metric> ] [ <ia_rtr_rid> ] [
<asext_prefix> ] [ <asext_options> ] [ <asext_metric_type2> ] [ <asext_metric> ] [ <asext_fwd_addr> ] [
<asext_tag> ] [ <asext_ref_lstype> ] [ <asext_ref_lsid> ] [ <link_priority> ] [ <link_options> ] [ <link_laddr>
] [ <link_num_prefix> ] [ TABLE_linklsa [ <link_prefix> ] [ <link_prefix_options> ] ] [ <intra_num_prefix>
] [ <intra_ref_lstype> ] [ <intra_ref_lsid> ] [ <intra_ref_advtr> ] [ TABLE_iaplsa [ <intra_prefix> ] [
<intra_prefix_options> ] [ <intra_prefix_metric> ] [ <corrupted_length> ] ] [ <tlv_type> ] [ <tlv_len> ] [
<tlv_data> ] [ <tlv_unknown> ] [ <gr_interval> ] [ <gr_reason> ] [ <unknown> ] [ <data_len> ] [ <data> ] ]
] ]
```

### Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
tag	(Optional) Process tag
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
database	Link-state Database Summary
router	(Optional) Display router LSAs
network	(Optional) Display network LSAs
inter-area	(Optional) Display inter-area LSAs
iprefix	(Optional) Display Inter-Area-Prefix LSAs
irouter	(Optional) Display Inter-Area-Router LSAs
nssa-external	(Optional) Display NSSA-external LSAs
area-unknown	(Optional) Display area-scope unknown LSAs

external	(Optional) Display AS-external LSAs
as-unknown	(Optional) Display as-scope unknown LSAs
grace	(Optional) Display Grace LSAs
link	(Optional) Display Link LSAs
link-unknown	(Optional) Display link-scope unknown LSAs
<i>interface</i>	(Optional) OSPF enabled interface
intra-area-prefix	(Optional) Display Intra-Area-Prefix LSAs
self-originated	(Optional) Display only self-originated LSAs
<i>lsid</i>	(Optional) Restrict display by link state ID
adv-router	(Optional) Restrict display by Advertising router
<i>advid</i>	(Optional) Advertising router ID
adv-router-name	(Optional) Restrict display by Advertising router name
<i>adv-name</i>	(Optional) DNS Name of the Advertising router
area	(Optional) Display only LSA's in this area
<i>area-id-ip</i>	(Optional) Area Id as an integer or ip address
tag	(Optional) Restrict display by tag
<i>tag_val</i>	(Optional) 32-bit tag value
detail	Display LSA in detail
__readonly__	(Optional)
TABLE_ctx	(Optional)
<i>rid</i>	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_db3_lsa	(Optional)
<i>name</i>	(Optional)
<i>area</i>	(Optional)
TABLE_lsdb	(Optional)
<i>age</i>	(Optional)
<i>maxage</i>	(Optional)

<i>wrapping</i>	(Optional)
<i>dummy</i>	(Optional)
<i>flush_pending</i>	(Optional)
<i>type</i>	(Optional)
<i>intf</i>	(Optional)
<i>id</i>	(Optional)
<i>advrtr</i>	(Optional)
<i>seqno</i>	(Optional)
<i>cksum</i>	(Optional)
<i>len</i>	(Optional)
<i>corrupt</i>	(Optional)
<i>rtr_abr</i>	(Optional)
<i>rtr_asbr</i>	(Optional)
<i>rtr_translate</i>	(Optional)
<i>rtr_vlink_end</i>	(Optional)
<i>rtr_options</i>	(Optional)
<i>rtr_num_links</i>	(Optional)
TABLE_rlsa	(Optional)
<i>rtr_link_type</i>	(Optional)
<i>rtr_link_metric</i>	(Optional)
<i>rtr_link_ifid</i>	(Optional)
<i>rtr_link_nbr_ifid</i>	(Optional)
<i>rtr_link_nbr_rid</i>	(Optional)
<i>net_options</i>	(Optional)
TABLE_nlsa	(Optional)
<i>net_rtr</i>	(Optional)
<i>ia_prefix_options</i>	(Optional)
<i>ia_prefix_metric</i>	(Optional)
<i>ia_rtr_options</i>	(Optional)



<i>ia_rtr_metric</i>	(Optional)
<i>ia_rtr_rid</i>	(Optional)
<i>asext_options</i>	(Optional)
<i>asext_metric_type2</i>	(Optional)
<i>asext_metric</i>	(Optional)
<i>asext_tag</i>	(Optional)
<i>asext_ref_lstype</i>	(Optional)
<i>asext_ref_lsid</i>	(Optional)
<i>link_priority</i>	(Optional)
<i>link_options</i>	(Optional)
<i>link_num_prefix</i>	(Optional)
TABLE_linklsa	(Optional)
<i>link_prefix_options</i>	(Optional)
<i>intra_num_prefix</i>	(Optional)
<i>intra_ref_lstype</i>	(Optional)
<i>intra_ref_lsid</i>	(Optional)
<i>intra_ref_advrtr</i>	(Optional)
TABLE_iaplsa	(Optional)
<i>intra_prefix_options</i>	(Optional)
<i>intra_prefix_metric</i>	(Optional)
<i>corrupted_length</i>	(Optional)
<i>tlv_type</i>	(Optional)
<i>tlv_len</i>	(Optional)
<i>tlv_data</i>	(Optional)
<i>tlv_unknown</i>	(Optional)
<i>gr_interval</i>	(Optional)
<i>gr_reason</i>	(Optional)
<i>unknown</i>	(Optional)
<i>data_len</i>	(Optional)

<i>data</i>	(Optional)
-------------	------------

**Command Mode**

- /exec

## show ospfv3 event-history

```
show ospfv3 [ <tag> ] [ internal ] event-history { errors | msgs | statistics | adjacency | event | ha | flooding |
lsa | spf | redistribution | hello | spf-trigger | cli | rib }
```

### Syntax Description

show	Show running system information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
internal	(Optional) Commands for internal use
event-history	Show various event logs of OSPF
errors	Error logs
msgs	IPC logs
statistics	Show the state and size of the buffers
adjacency	Adjacency formation logs
event	Internal event logs
ha	HA and GR logs
flooding	LSA flooding logs
lsa	LSA generation and database logs
spf	SPF calculation logs
redistribution	Redistribution logs
hello	Hello related logs
spf-trigger	SPF TRIGGER related logs
cli	Cli logs
rib	RIB related logs

### Command Mode

- /exec

# show ospfv3 event-history detail

```
show ospfv3 [ <tag> ] [ internal ] event-history detail [ statistics ]
```

## Syntax Description

show	Show running system information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
internal	(Optional) Commands for internal use
event-history	Show event history of OSPF
detail	Show detailed event history information
statistics	(Optional) Show the state and size of the verbose history buffer

## Command Mode

- /exec

# show ospfv3 ha

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] ha [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <ptag> <cname> <stateful> <pss_restored> <pss_state> <gr_enabled> <gr_grace_period> <gr_state> <gr_last_status> <gr_helper_mode> ]
```

## Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
ha	High Availability status
<i>__readonly__</i>	(Optional)
<i>TABLE_ctx</i>	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
<i>stateful</i>	(Optional)
<i>pss_restored</i>	(Optional)
<i>pss_state</i>	(Optional)
<i>gr_enabled</i>	(Optional)
<i>gr_grace_period</i>	(Optional)
<i>gr_state</i>	(Optional)
<i>gr_last_status</i>	(Optional)
<i>gr_helper_mode</i>	(Optional)

## Command Mode

- /exec

## show ospfv3 interface

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] interface [ <interface> | vrf {
<vrf-name> | <vrf-known-name> | all } ] [ private ] [ __readonly__ TABLE_ctx <ptag> <cname> [ TABLE_intf
<ifname> <admin_status> <proto_status> <addr> [ <masklen> ] [ <inst_id> ] <area> [ <if_cfg> ] <state_str>
<type_str> <cost> [ <bfd_enabled> ] <index> [ <passive> ] [ <mpls> ] [ <transmit_delay> ] [ <if_priority>
] [ <dr_rid> ] [ <dr_addr> ] [ <bdr_rid> ] [ <bdr_addr> ] [ <nbr_total> ] [ <nbr_flood> ] [ <nbr_adj> ] [
<gr_nbr> ] [ <hello_interval> ] [ <dead_interval> ] [ <wait_interval> ] [ <rxmt_interval> ] [ <hello_timer>
] [ <wait_timer> ] [ <pacing_timer> ] [ <lsu_timer> ] [ <lsack_timer> ] [ <netlsa_throt_timer> ] [ <link_lsa_cnt>
] [ <link_lsa_crc> ] [ <ipsec_sa_type> ] [ <ipsec_sa_algorithm> ] [ <ipsec_sa_spi> ] ] ] ]
```

### Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
interface	OSPF enabled interface
<i>interface</i>	(Optional) OSPF enabled interface
private	(Optional) Developer-only statistics
<i>__readonly__</i>	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_intf	(Optional)
<i>ifname</i>	(Optional)
<i>admin_status</i>	(Optional)
<i>proto_status</i>	(Optional)
<i>masklen</i>	(Optional)
<i>inst_id</i>	(Optional)

<i>area</i>	(Optional)
<i>if_cfg</i>	(Optional)
<i>state_str</i>	(Optional)
<i>type_str</i>	(Optional)
<i>cost</i>	(Optional)
<i>bfd_enabled</i>	(Optional)
<i>index</i>	(Optional)
<i>passive</i>	(Optional)
<i>mpls</i>	(Optional)
<i>transmit_delay</i>	(Optional)
<i>if_priority</i>	(Optional)
<i>dr_rid</i>	(Optional)
<i>bdr_rid</i>	(Optional)
<i>nbr_total</i>	(Optional)
<i>nbr_flood</i>	(Optional)
<i>nbr_adj</i>	(Optional)
<i>gr_nbr</i>	(Optional)
<i>hello_interval</i>	(Optional)
<i>dead_interval</i>	(Optional)
<i>wait_interval</i>	(Optional)
<i>rxmt_interval</i>	(Optional)
<i>hello_timer</i>	(Optional)
<i>wait_timer</i>	(Optional)
<i>pacing_timer</i>	(Optional)
<i>lsu_timer</i>	(Optional)
<i>lsack_timer</i>	(Optional)
<i>netlsa_throt_timer</i>	(Optional)
<i>link_lsa_cnt</i>	(Optional)
<i>link_lsa_crc</i>	(Optional)

<i>ipsec_sa_type</i>	(Optional) IPsec SA Type
<i>ipsec_sa_algorithm</i>	(Optional) IPsec SA Algorithm name
<i>ipsec_sa_spi</i>	(Optional) IPsec SA SPI Value

**Command Mode**

- /exec



# show ospfv3 interface brief

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] interface brief [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <ptag> <cname> <intf_count> TABLE_intf <ifname> <index> <area> <cost> <state_str> <nbr_total> <admin_status> ]
```

## Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
tag	(Optional) Process tag
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
interface	OSPF enabled interface
brief	Display summary of OSPFv3 interfaces
__readonly__	(Optional)
TABLE_ctx	(Optional)
ptag	(Optional)
cname	(Optional)
intf_count	(Optional)
TABLE_intf	(Optional)
ifname	(Optional)
index	(Optional)
area	(Optional)
cost	(Optional)
state_str	(Optional)
nbr_total	(Optional)
admin_status	(Optional)

## Command Mode

- /exec



## show ospfv3 memory

```
show [ ipv6 ] ospfv3 [ <tag> ] memory [ __readonly__ TABLE_mem <ptag> <byte_total> <byte_consumed>
<byte_overhead> <byte_allocated> <alloc_current> <alloc_created> <alloc_failed> <alloc_free> <bf_current>
<bf_created> <bf_failed> <bf_free> <bf_byte_consumed> <bf_32_current> <bf_32_created> <bf_32_failed>
<bf_32_free> <bf_32_byte_consumed> <slab_current> <slab_created> <slab_failed> <slab_free>
<slab_byte_consumed> <if_index_alloc_failed> <nbr_index_alloc_failed> ]
```

### Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
memory	Memory usage statistics
<i>__readonly__</i>	(Optional)
<i>TABLE_mem</i>	(Optional)
<i>ptag</i>	(Optional)
<i>byte_total</i>	(Optional)
<i>byte_consumed</i>	(Optional)
<i>byte_overhead</i>	(Optional)
<i>byte_allocated</i>	(Optional)
<i>alloc_current</i>	(Optional)
<i>alloc_created</i>	(Optional)
<i>alloc_failed</i>	(Optional)
<i>alloc_free</i>	(Optional)
<i>bf_current</i>	(Optional)
<i>bf_created</i>	(Optional)
<i>bf_failed</i>	(Optional)
<i>bf_free</i>	(Optional)
<i>bf_byte_consumed</i>	(Optional)
<i>bf_32_current</i>	(Optional)
<i>bf_32_created</i>	(Optional)

<i>bf_32_failed</i>	(Optional)
<i>bf_32_free</i>	(Optional)
<i>bf_32_byte_consumed</i>	(Optional)
<i>slab_current</i>	(Optional)
<i>slab_created</i>	(Optional)
<i>slab_failed</i>	(Optional)
<i>slab_free</i>	(Optional)
<i>slab_byte_consumed</i>	(Optional)
<i>if_index_alloc_failed</i>	(Optional)
<i>nbr_index_alloc_failed</i>	(Optional)

**Command Mode**

- /exec

# show ospfv3 neighbors

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] neighbors [ { { <interface> [ <neighbor> | <neighbor-name> ] } | { [ <neighbor> | <neighbor-name> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] } } ] [ __readonly__ TABLE_ctx <ptag> <cname> <nbrcount> [ TABLE_nbr <rid> <priority> <state> <drstate> <uptime> <ifid> <intf> [ <multiarea> ] <addr> ] ]
```

## Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
neighbors	Neighbor list
<i>interface</i>	(Optional) OSPF enabled interface
<i>neighbor</i>	(Optional) Router ID of neighbor
<i>neighbor-name</i>	(Optional) DNS Name of the neighbor
<i>__readonly__</i>	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
<i>nbrcount</i>	(Optional)
TABLE_nbr	(Optional)
<i>rid</i>	(Optional)
<i>priority</i>	(Optional)
<i>state</i>	(Optional)
<i>drstate</i>	(Optional)
<i>uptime</i>	(Optional)

<i>ifid</i>	(Optional)
<i>intf</i>	(Optional)
<i>multiarea</i>	(Optional)

**Command Mode**

- /exec

## show ospfv3 neighbors detail

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] neighbors [ <interface> ] [
<neighbor> ] detail [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ private ] [ __readonly__ TABLE_ctx
<ptag> <cname> [ TABLE_nbr <rid> <addr> <area> <intf> <state> <transition> <lastchange> [ <bfd_state>
] [ <priority> ] [ <ifid> ] [ <dr> ] [ <bdr> ] [ <master> ] [ <seqno> ] [ <dbdallsentacked> ] [ <dbdallsent> ] [
<dbdallacked> ] [ <lsaonreqlist> ] [ <lsafromlastreq> ] [ <lsreqrxmts> ] <helloptions> <dbdoptions>
<lastnonhello> [ <deadtimer> ] [ <pacingtimer> ] [ <dbdrxmtimer> ] [ <reqrxmtimer> ] [ <lsutimer> ] [
<rerxmtimer> ] [ <fastrerxmtimer> ] [ <lsacktimer> ] [ <grtimer> ] [ <helpermode> ] [ <helpercand> ] [
<helperterm> ] [ <senddbd> ] [ <sendlsreq> ] [ <sendlsu> ] [ <sendlsurxmt> ] [ <sendlsack> ] [
<sendlsreqreply> ] ] ] ]
```

### Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
neighbors	Neighbor list
<i>interface</i>	(Optional) OSPF enabled interface
<i>neighbor</i>	(Optional) Router ID of neighbor
detail	Show detailed neighbor display
private	(Optional) Developer-only statistics
__readonly__	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
TABLE_nbr	(Optional)
<i>rid</i>	(Optional)
<i>area</i>	(Optional)
<i>intf</i>	(Optional)



<i>state</i>	(Optional)
<i>transition</i>	(Optional)
<i>lastchange</i>	(Optional)
<i>bfd_state</i>	(Optional)
<i>priority</i>	(Optional)
<i>ifid</i>	(Optional)
<i>dr</i>	(Optional)
<i>bdr</i>	(Optional)
<i>master</i>	(Optional)
<i>seqno</i>	(Optional)
<i>dbdallsentacked</i>	(Optional)
<i>dbdallsent</i>	(Optional)
<i>dbdallacked</i>	(Optional)
<i>lsaonreqlist</i>	(Optional)
<i>lsafromlastreq</i>	(Optional)
<i>lsreqrxmts</i>	(Optional)
<i>helloptions</i>	(Optional)
<i>dbdoptions</i>	(Optional)
<i>lastnonhello</i>	(Optional)
<i>deadtimer</i>	(Optional)
<i>pacingtmer</i>	(Optional)
<i>dbdrxmtimer</i>	(Optional)
<i>reqrxmtimer</i>	(Optional)
<i>lsutimer</i>	(Optional)
<i>rerxmtimer</i>	(Optional)
<i>fastrerxmtimer</i>	(Optional)
<i>lsacktimer</i>	(Optional)
<i>grtimer</i>	(Optional)
<i>helpermode</i>	(Optional)

<i>helpercand</i>	(Optional)
<i>helperterm</i>	(Optional)
<i>senddbd</i>	(Optional)
<i>sendsreq</i>	(Optional)
<i>sendsu</i>	(Optional)
<i>sendsurxmt</i>	(Optional)
<i>sendsack</i>	(Optional)
<i>sendsreqreply</i>	(Optional)

**Command Mode**

- /exec

# show ospfv3 neighbors summary

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] neighbors [ <interface> ]
summary [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <ptag> <cname>
TABLE_intf { <ifname> | <total> } <down> <attempt> <init> <twoway> <exstart> <exchange> <loading>
<full> <if_total> ]
```

## Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
tag	(Optional) Process tag
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
neighbors	Neighbor list
interface	(Optional) OSPF enabled interface
summary	Summary of neighbors
__readonly__	(Optional)
TABLE_ctx	(Optional)
ptag	(Optional)
cname	(Optional)
TABLE_intf	(Optional)
ifname	(Optional)
total	(Optional)
down	(Optional)
attempt	(Optional)
init	(Optional)
twoway	(Optional)
exstart	(Optional)

<i>exchange</i>	(Optional)
<i>loading</i>	(Optional)
<i>full</i>	(Optional)
<i>if_total</i>	(Optional)

**Command Mode**

- /exec

## show ospfv3 policy statistics

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] policy statistics { { redistribute
{ bgp <as> | { isis | rip } <tag> | static | direct | amt } } | { area <area-id-ip> filter-list { in | out } } } [ vrf {
<vrf-name> | <vrf-known-name> | all } ]
```

### Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
policy	Display Policy related information
statistics	Display Route Filter statistics
redistribute	Statistics for redistribution
rip	Routing Information Protocol (RIP)
isis	ISO Intermediate-to-Intermediate (IS-IS)
bgp	Border Gateway Protocol (BGP)
<i>as</i>	Autonomous system number
static	Static
direct	Directly connected
amt	AMT anycast prefix
area	Configure area properties
<i>area-id-ip</i>	Area Id as an integer or ip address
filter-list	Filter prefixes between OSPF areas
in	Filter networks sent to this area
out	Filter networks sent from this area
<i>tag</i>	

**Command Mode**

- /exec



- /exec





**Command Mode**

- /exec

# show ospfv3 route

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] route [ <ipv6-prefix> [
longer-prefixes ] ] [ all_routes ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx
<ptag> <cname> [ <hdr_addr> ] [ <hdr_masklen> ] [ TABLE_route <addr> <masklen> <type> <in_rib>
<direct> [ <area> ] [ <tag> ] [ <vlink_unresolved> ] [ TABLE_route_ubest_nh [ <ubest_nh_addr> ] [
<ubest_nh_intf> ] [ <ubest_cost> ] [ <distance> ] [ <ubest_nh_direct> ] [ <ubest_nh_in_rib> ] ] [
TABLE_route_mbest_nh [ <mbest_nh_addr> ] [ <mbest_nh_intf> ] [ <mbest_cost> ] [ <mbest_nh_direct>
] [ <mbest_nh_in_rib> ] ] ] ] ]
```

## Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
tag	(Optional) Process tag
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
route	Internal OSPF routes
longer-prefixes	(Optional) Show exact match and more specific routes
all_routes	(Optional) Display all OSPFv3 routes
tag	(Optional)
__readonly__	(Optional)
TABLE_ctx	(Optional)
ptag	(Optional)
cname	(Optional)
hdr_masklen	(Optional)
TABLE_route	(Optional)
masklen	(Optional)
type	(Optional)
in_rib	(Optional)
direct	(Optional)

<i>area</i>	(Optional)
<i>vlink_unresolved</i>	(Optional)
TABLE_route_ubest_nh	(Optional)
<i>ubest_nh_intf</i>	(Optional)
<i>ubest_cost</i>	(Optional)
<i>distance</i>	(Optional)
<i>ubest_nh_direct</i>	(Optional)
<i>ubest_nh_in_rib</i>	(Optional)
TABLE_route_mbest_nh	(Optional)
<i>mbest_nh_intf</i>	(Optional)
<i>mbest_cost</i>	(Optional)
<i>mbest_nh_direct</i>	(Optional)
<i>mbest_nh_in_rib</i>	(Optional)

**Command Mode**

- /exec

# show ospfv3 route summary

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] route [ <ipv6-prefix> [
longer-prefixes ] ] summary [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx
<ptag> <cname> [ TABLE_route <total_routes> <total_paths> [ TABLE_route_type <path_type>
<path_routes> <path_paths> ] [ TABLE_route_masklen <masklen> <masklen_routes> <masklen_paths> ] ]
]
```

## Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
tag	(Optional) Process tag
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
route	Internal OSPF routes
longer-prefixes	(Optional) Show exact match and more specific routes
summary	Show route counts
__readonly__	(Optional)
TABLE_ctx	(Optional)
ptag	(Optional)
cname	(Optional)
TABLE_route	(Optional)
total_routes	(Optional)
total_paths	(Optional)
TABLE_route_type	(Optional)
path_type	(Optional)
path_routes	(Optional)
path_paths	(Optional)
TABLE_route_masklen	(Optional)

<i>masklen</i>	(Optional)
<i>masklen_routes</i>	(Optional)
<i>masklen_paths</i>	(Optional)

**Command Mode**

- /exec

# show ospfv3 statistics

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] statistics [ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_stats <ptag> <cname> <last_clear> <rid_change> <dr_elections> <older_lsa_rcv> <nbr_state_change> <nbr_dead_postpone> <nbr_dead_expire> <nbr_bad_lsreq> <nbr_seqno_mismatch> <spf_full> <spf_summary> <spf_external> <spf_extsummary> <rtr_generate> <rtr_refresh> <rtr_flush> <rtr_other_flush> <net_generate> <net_refresh> <net_flush> <net_other_flush> <inter_prefix_generate> <inter_prefix_refresh> <inter_prefix_flush> <inter_prefix_other_flush> <inter_router_generate> <inter_router_refresh> <inter_router_flush> <inter_router_other_flush> <asext_generate> <asext_refresh> <asext_flush> <asext_other_flush> <link_generate> <link_refresh> <link_flush> <link_other_flush> <intra_prefix_generate> <intra_prefix_refresh> <intra_prefix_flush> <intra_prefix_other_flush> <unknown_generate> <unknown_refresh> <unknown_flush> <unknown_other_flush> <limbo_lsa_count> <limbo_lsa_hwm> <limbo_lsa_deleted> <limbo_lsa_revived> <limbo_runs> <limbo_lsa_last_time_hwm> [ <limbo_timer> ] <helloq_size> <helloq_max_size> <helloq_hwm> <helloq_drops> <helloq_last_hwm_time> <floodq_size> <floodq_max_size> <floodq_hwm> <floodq_drops> <floodq_last_hwm_time> <lsdb_add_fail> [ TABLE_buffer_detail [ <buf_size> ] [ <buf_size_huge> ] <buf_in_use> <buf_hwm> <buf_perm> <buf_alloc> <buf_free> ] ]
```

## Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
tag	(Optional) Process tag
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
statistics	Event counters
__readonly__	(Optional)
TABLE_stats	(Optional)
ptag	(Optional)
cname	(Optional)
last_clear	(Optional)
rid_change	(Optional)
dr_elections	(Optional)
older_lsa_rcv	(Optional)

<i>nbr_state_change</i>	(Optional)
<i>nbr_dead_postpone</i>	(Optional)
<i>nbr_dead_expire</i>	(Optional)
<i>nbr_bad_lsreq</i>	(Optional)
<i>nbr_seqno_mismatch</i>	(Optional)
<i>spf_full</i>	(Optional)
<i>spf_summary</i>	(Optional)
<i>spf_external</i>	(Optional)
<i>spf_extsummary</i>	(Optional)
<i>rtr_generate</i>	(Optional)
<i>rtr_refresh</i>	(Optional)
<i>rtr_flush</i>	(Optional)
<i>rtr_other_flush</i>	(Optional)
<i>net_generate</i>	(Optional)
<i>net_refresh</i>	(Optional)
<i>net_flush</i>	(Optional)
<i>net_other_flush</i>	(Optional)
<i>inter_prefix_generate</i>	(Optional)
<i>inter_prefix_refresh</i>	(Optional)
<i>inter_prefix_flush</i>	(Optional)
<i>inter_prefix_other_flush</i>	(Optional)
<i>inter_router_generate</i>	(Optional)
<i>inter_router_refresh</i>	(Optional)
<i>inter_router_flush</i>	(Optional)
<i>inter_router_other_flush</i>	(Optional)
<i>asext_generate</i>	(Optional)
<i>asext_refresh</i>	(Optional)
<i>asext_flush</i>	(Optional)
<i>asext_other_flush</i>	(Optional)



<i>link_generate</i>	(Optional)
<i>link_refresh</i>	(Optional)
<i>link_flush</i>	(Optional)
<i>link_other_flush</i>	(Optional)
<i>intra_prefix_generate</i>	(Optional)
<i>intra_prefix_refresh</i>	(Optional)
<i>intra_prefix_flush</i>	(Optional)
<i>intra_prefix_other_flush</i>	(Optional)
<i>unknown_generate</i>	(Optional)
<i>unknown_refresh</i>	(Optional)
<i>unknown_flush</i>	(Optional)
<i>unknown_other_flush</i>	(Optional)
<i>limbo_lsa_count</i>	(Optional)
<i>limbo_lsa_hwm</i>	(Optional)
<i>limbo_lsa_deleted</i>	(Optional)
<i>limbo_lsa_revived</i>	(Optional)
<i>limbo_runs</i>	(Optional)
<i>limbo_lsa_last_time_hwm</i>	(Optional)
<i>limbo_timer</i>	(Optional)
<i>helloq_size</i>	(Optional)
<i>helloq_max_size</i>	(Optional)
<i>helloq_hwm</i>	(Optional)
<i>helloq_drops</i>	(Optional)
<i>helloq_last_hwm_time</i>	(Optional)
<i>floodq_size</i>	(Optional)
<i>floodq_max_size</i>	(Optional)
<i>floodq_hwm</i>	(Optional)
<i>floodq_drops</i>	(Optional)
<i>floodq_last_hwm_time</i>	(Optional)

<i>lsdb_add_fail</i>	(Optional)
TABLE_buffer_detail	(Optional)
<i>buf_size</i>	(Optional)
<i>buf_size_huge</i>	(Optional)
<i>buf_in_use</i>	(Optional)
<i>buf_hwm</i>	(Optional)
<i>buf_perm</i>	(Optional)
<i>buf_alloc</i>	(Optional)
<i>buf_free</i>	(Optional)

**Command Mode**

- /exec

# show ospfv3 summary-address

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] summary-address [ private ]
[ vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ [ TABLE_ctx <ptag> <cname> <rid> [
TABLE_sum <addr> <masklen> [ <metric> ] [ <tag> ] [ <pending> ] ] ] ]
```

## Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
tag	(Optional) Process tag
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
summary-address	Summary-address redistribution information
private	(Optional) Developer-only statistics
tag	(Optional)
__readonly__	(Optional)
TABLE_ctx	(Optional)
ptag	(Optional)
cname	(Optional)
rid	(Optional)
TABLE_sum	(Optional)
masklen	(Optional)
metric	(Optional)
pending	(Optional)

## Command Mode

- /exec

## show ospfv3 traffic

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] traffic [ <interface> [ detail ]
| [ detail ] | [ detail ] vrf { <vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_traf <ptag>
<cname> <last_clear> [ <ifname> ] <pkt_in> <pkt_out> <lsu_first_trans> <lsu_retrans> <lsu_for_lsreq>
<lsu_nbr_trans> <throttle_out> <throttle_out_token> <throttle_out_ip> <lsa_ignored> <lsa_dropped_spf>
<lsa_dropped_gr> <pkt_drops_in> <pkt_drops_out> <pkt_errors_in> <pkt_errors_out> <hello_errors_in>
<dbds_errors_in> <lsreqs_errors_in> <lsus_errors_in> <lsacks_errors_in> <pkt_unknown_in>
<pkt_unknown_out> <pkt_no_ospf_intf> <bad_version> <bad_crc> <dup_rtr_id> <dup_src_addr>
<invalid_src_addr> <invalid_dst_addr> <non_existing_nbr> <pkt_passive_intf> <wrong_area>
<invalid_pkt_len> <nbr_changed_routerid_ipaddr> <nbr_changed_interfaceid> [ <bad_auth> ] [
<bad_reserved> ] [ <pkt_no_vrf> ] <hello_in> <dbds_in> <lsreqs_in> <lsus_in> <lsacks_in> <hello_out>
<dbds_out> <lsreqs_out> <lsus_out> <lsacks_out> [ <hello_in_hq> <dbds_in_hq> <lsreqs_in_flq>
<lsus_in_flq> <lsacks_in_flq> <lsas_in_dbds_in> <lsas_in_lsreqs_in> <lsas_in_lsus_in> <lsas_in_lsacks_in>
<lsas_in_dbds_out> <lsas_in_lsreqs_out> <lsas_in_lsus_out> <lsas_in_lsacks_out> <lsas_in_rxmt_lsus_out>
] ]
```

### Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
tag	(Optional) Process tag
interface	(Optional) OSPF enabled interface
detail	(Optional) Display detailed information
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
traffic	Packet counters
__readonly__	(Optional)
TABLE_traf	(Optional)
ptag	(Optional)
cname	(Optional)
last_clear	(Optional)
ifname	(Optional)
pkt_in	(Optional)

<i>pkt_out</i>	(Optional)
<i>lsu_first_trans</i>	(Optional)
<i>lsu_retrans</i>	(Optional)
<i>lsu_for_lsreq</i>	(Optional)
<i>lsu_nbr_trans</i>	(Optional)
<i>throttle_out</i>	(Optional)
<i>throttle_out_token</i>	(Optional)
<i>throttle_out_ip</i>	(Optional)
<i>lsa_ignored</i>	(Optional)
<i>lsa_dropped_spf</i>	(Optional)
<i>lsa_dropped_gr</i>	(Optional)
<i>pkt_drops_in</i>	(Optional)
<i>pkt_drops_out</i>	(Optional)
<i>pkt_errors_in</i>	(Optional)
<i>pkt_errors_out</i>	(Optional)
<i>hello_errors_in</i>	(Optional)
<i>dbds_errors_in</i>	(Optional)
<i>lsreqs_errors_in</i>	(Optional)
<i>lsus_errors_in</i>	(Optional)
<i>lsacks_errors_in</i>	(Optional)
<i>pkt_unknown_in</i>	(Optional)
<i>pkt_unknown_out</i>	(Optional)
<i>pkt_no_ospf_intf</i>	(Optional)
<i>bad_version</i>	(Optional)
<i>bad_crc</i>	(Optional)
<i>dup_rtr_id</i>	(Optional)
<i>dup_src_addr</i>	(Optional)
<i>invalid_src_addr</i>	(Optional)
<i>invalid_dst_addr</i>	(Optional)

<i>non_existing_nbr</i>	(Optional)
<i>pkt_passive_intf</i>	(Optional)
<i>wrong_area</i>	(Optional)
<i>invalid_pkt_len</i>	(Optional)
<i>nbr_changed_routerid_ipaddr</i>	(Optional)
<i>nbr_changed_interfaceid</i>	(Optional)
<i>bad_auth</i>	(Optional)
<i>bad_reserved</i>	(Optional)
<i>pkt_no_vrf</i>	(Optional)
<i>hellos_in</i>	(Optional)
<i>dbds_in</i>	(Optional)
<i>lsreqs_in</i>	(Optional)
<i>lsus_in</i>	(Optional)
<i>lsacks_in</i>	(Optional)
<i>hellos_out</i>	(Optional)
<i>dbds_out</i>	(Optional)
<i>lsreqs_out</i>	(Optional)
<i>lsus_out</i>	(Optional)
<i>lsacks_out</i>	(Optional)
<i>hellos_in_hq</i>	(Optional)
<i>dbds_in_hq</i>	(Optional)
<i>lsreqs_in_flq</i>	(Optional)
<i>lsus_in_flq</i>	(Optional)
<i>lsacks_in_flq</i>	(Optional)
<i>lsas_in_dbds_in</i>	(Optional)
<i>lsas_in_lsreqs_in</i>	(Optional)
<i>lsas_in_lsus_in</i>	(Optional)
<i>lsas_in_lsacks_in</i>	(Optional)
<i>lsas_in_dbds_out</i>	(Optional)

<i>lsas_in_lsreqs_out</i>	(Optional)
<i>lsas_in_lsus_out</i>	(Optional)
<i>lsas_in_lsacks_out</i>	(Optional)
<i>lsas_in_rxmt_lsus_out</i>	(Optional)

**Command Mode**

- /exec

## show ospfv3 virtual-links

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] virtual-links [ vrf { <vrf-name>
| <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <ptag> <cname> [ TABLE_vlink <name> <nbr_rid>
<if_state> <transit_area> <nh_intf> <nbr_addr> [ <transit_area_stub> ] [ <transit_area_nssa> ] <addr> [
<masklen> ] <inst_id> <area> [ <if_cfg> ] <state_str> <type_str> <cost> <index> [ <passive> ] [ <mpls> ]
[ <transmit_delay> ] [ <if_priority> ] [ <dr_rid> ] [ <dr_addr> ] [ <bdr_rid> ] [ <bdr_addr> ] [ <nbr_total> ]
[ <nbr_flood> ] [ <nbr_adj> ] [ <gr_nbr> ] [ <hello_interval> ] [ <dead_interval> ] [ <wait_interval> ] [
<rxmt_interval> ] [ <hello_timer> ] [ <wait_timer> ] [ <pacing_timer> ] [ <lsu_timer> ] [ <lsack_timer> ] [
<netlsa_throt_timer> ] [ <link_lsa_cnt> ] [ <link_lsa_crc> ] [ <state> ] [ <transition> ] [ <lastchange> ] [
<priority> ] [ <ifid> ] [ <dr> ] [ <bdr> ] [ <master> ] [ <seqno> ] [ <dbdallsentacked> ] [ <dbdallsent> ] [
<dbdallacked> ] [ <lsaonreqlist> ] [ <lsafromlastreq> ] [ <lsreqrxmts> ] [ <hellooptions> ] [ <dbdoptions> ] [
<lastnonhello> ] [ <deadtimer> ] [ <pacingtimer> ] [ <dbdrxmtimer> ] [ <reqrxmtimer> ] [ <lsutimer> ] [
<rerxmtimer> ] [ <fastrerxmtimer> ] [ <lsacktimer> ] [ <grtimer> ] [ <helpermode> ] [ <helpercand> ] [
<helperterm> ] [ <senddbd> ] [ <sendlsreq> ] [ <sendlsu> ] [ <sendlsurxmt> ] [ <sendlsack> ] [
<sendlsreqreply> ] [ <ipsec_sa_type> ] [ <ipsec_sa_algorithm> ] [ <ipsec_sa_spi> ] ] ]
```

### Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
tag	(Optional) Process tag
vrf	(Optional) Display per-VRF information
vrf-name	(Optional) VRF name
vrf-known-name	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
virtual-links	Virtual link information
__readonly__	(Optional)
TABLE_ctx	(Optional)
ptag	(Optional)
cname	(Optional)
TABLE_vlink	(Optional)
name	(Optional)
nbr_rid	(Optional)
if_state	(Optional)
transit_area	(Optional)



<i>nh_intf</i>	(Optional)
<i>transit_area_stub</i>	(Optional)
<i>transit_area_nssa</i>	(Optional)
<i>masklen</i>	(Optional)
<i>inst_id</i>	(Optional)
<i>area</i>	(Optional)
<i>if_cfg</i>	(Optional)
<i>state_str</i>	(Optional)
<i>type_str</i>	(Optional)
<i>cost</i>	(Optional)
<i>index</i>	(Optional)
<i>passive</i>	(Optional)
<i>mpls</i>	(Optional)
<i>transmit_delay</i>	(Optional)
<i>if_priority</i>	(Optional)
<i>dr_rid</i>	(Optional)
<i>bdr_rid</i>	(Optional)
<i>nbr_total</i>	(Optional)
<i>nbr_flood</i>	(Optional)
<i>nbr_adj</i>	(Optional)
<i>gr_nbr</i>	(Optional)
<i>hello_interval</i>	(Optional)
<i>dead_interval</i>	(Optional)
<i>wait_interval</i>	(Optional)
<i>rxmt_interval</i>	(Optional)
<i>hello_timer</i>	(Optional)
<i>wait_timer</i>	(Optional)
<i>pacing_timer</i>	(Optional)
<i>lsu_timer</i>	(Optional)

<i>lsack_timer</i>	(Optional)
<i>netlsa_throt_timer</i>	(Optional)
<i>link_lsa_cnt</i>	(Optional)
<i>link_lsa_crc</i>	(Optional)
<i>state</i>	(Optional)
<i>transition</i>	(Optional)
<i>lastchange</i>	(Optional)
<i>priority</i>	(Optional)
<i>ifid</i>	(Optional)
<i>dr</i>	(Optional)
<i>bdr</i>	(Optional)
<i>master</i>	(Optional)
<i>seqno</i>	(Optional)
<i>dbdallsentacked</i>	(Optional)
<i>dbdallsent</i>	(Optional)
<i>dbdallacked</i>	(Optional)
<i>lsaonreqlist</i>	(Optional)
<i>lsafromlastreq</i>	(Optional)
<i>lsreqrxmts</i>	(Optional)
<i>helloptions</i>	(Optional)
<i>dbdoptions</i>	(Optional)
<i>lastnonhello</i>	(Optional)
<i>deadtimer</i>	(Optional)
<i>pacingtmer</i>	(Optional)
<i>dbdrxmtimer</i>	(Optional)
<i>reqrxmtimer</i>	(Optional)
<i>lsutimer</i>	(Optional)
<i>rerxmtimer</i>	(Optional)
<i>fastrerxmtimer</i>	(Optional)

<i>lsacktimer</i>	(Optional)
<i>grtimer</i>	(Optional)
<i>helpermode</i>	(Optional)
<i>helpercand</i>	(Optional)
<i>helperterm</i>	(Optional)
<i>senddbd</i>	(Optional)
<i>sendslreq</i>	(Optional)
<i>sendslu</i>	(Optional)
<i>sendsurxmt</i>	(Optional)
<i>sendsack</i>	(Optional)
<i>sendsreqreply</i>	(Optional)
<i>ipsec_sa_type</i>	(Optional) IPsec SA Type
<i>ipsec_sa_algorithm</i>	(Optional) IPsec SA Algorithm name
<i>ipsec_sa_spi</i>	(Optional) IPsec SA SPI Value

### Command Mode

- /exec

## show ospfv3 virtual-links brief

```
show [ ipv6 ] ospfv3 [ <tag> ] [ vrf { <vrf-name> | <vrf-known-name> | all } ] virtual-links brief [ vrf {
<vrf-name> | <vrf-known-name> | all } ] [ __readonly__ TABLE_ctx <ptag> <cname> <vlink_count> [
TABLE_vlink <nbr_rid> <vlink_num> <transit_area> <cost> <if_state> ] ]
```

### Syntax Description

show	Show running system information
ipv6	(Optional) Display IPv6 information
ospfv3	Display OSPFv3 status and configuration
<i>tag</i>	(Optional) Process tag
vrf	(Optional) Display per-VRF information
<i>vrf-name</i>	(Optional) VRF name
<i>vrf-known-name</i>	(Optional) Known VRF name
all	(Optional) Display information for all VRFs
virtual-links	Virtual link information
brief	Display summary of OSPFv3 virtual links
<i>__readonly__</i>	(Optional)
TABLE_ctx	(Optional)
<i>ptag</i>	(Optional)
<i>cname</i>	(Optional)
<i>vlink_count</i>	(Optional)
TABLE_vlink	(Optional)
<i>nbr_rid</i>	(Optional)
<i>vlink_num</i>	(Optional)
<i>transit_area</i>	(Optional)
<i>cost</i>	(Optional)
<i>if_state</i>	(Optional)

### Command Mode

- /exec

# show otv

```
show otv [ <overlay-if> [ vpn <vpn-name> ] ]
```

## Syntax Description

show	Display OTV information
otv	Configure OTV information
<i>overlay-if</i>	(Optional) Overlay interface
vpn	(Optional) Overlay VPN name
<i>vpn-name</i>	(Optional) OTV VPN Name

## Command Mode

- /exec

# show otv adjacency

```
show otv adjacency [ detail ] [ <overlay-if> | vpn <vpn-name> ]
```

## Syntax Description

show	Display OTV information
otv	Configure OTV information
<i>overlay-if</i>	(Optional) Overlay interface
vpn	(Optional) Overlay VPN name
<i>vpn-name</i>	(Optional) OTV VPN Name
adjacency	Show adjacencies on overlay
detail	(Optional) Adjacency details

## Command Mode

- /exec

# show otv arp-nd-cache

```
show otv arp-nd-cache [ <overlay-if> | vpn <vpn-name> | vlan-id <vlan_id> ] [ __readonly__ {
TABLE_arp-nd-cache <if-name> <vlan-id> <mac-addr> <l3-addr> <uptime> <expiry> } ]
```

## Syntax Description

show	Show running system information
otv	Display OTV information
<i>overlay-if</i>	(Optional) Overlay interface
vpn	(Optional) Overlay VPN name
<i>vpn-name</i>	(Optional) OTV VPN Name
vlan-id	(Optional) Vlan id filter
<i>vlan_id</i>	(Optional) Vlan id
arp-nd-cache	Display (L3, L2) addresses cached from ARP and ND packet inspection
<i>__readonly__</i>	(Optional)
TABLE_arp-nd-cache	(Optional)
<i>if-name</i>	(Optional)
<i>vlan-id</i>	(Optional)
<i>mac-addr</i>	(Optional)
<i>l3-addr</i>	(Optional)
<i>uptime</i>	(Optional)
<i>expiry</i>	(Optional)

## Command Mode

- /exec

# show otv data-group

```
show otv data-group [ local | remote ] [ [ <overlay-if> ] [ vlan <vlan-id> ] [ source <source> ] [ group <group> ] [ delivery-source <dsource> ] [ delivery-group <dgroup> ] [ join-interface <jif> ] ] +
```

## Syntax Description

show	Show running system information
otv	Display OTV information
data-group	Data groups
local	(Optional) Local sources/groups
remote	(Optional) Remote sources/groups
<i>overlay-if</i>	(Optional) Overlay interface
vlan	(Optional) Vlan
<i>vlan-id</i>	(Optional) Vlan ID
source	(Optional) active-source source
<i>source</i>	(Optional) active-source source address
group	(Optional) active-source group
<i>group</i>	(Optional) active-source group address
delivery-source	(Optional) delivery source
<i>dsource</i>	(Optional) delivery source address
delivery-group	(Optional) delivery group
<i>dgroup</i>	(Optional) delivery group address
join-interface	(Optional) join interface
<i>jif</i>	(Optional) interface

## Command Mode

- /exec



# show otv isis

```
show otv isis [ <otv-isis-tag> ] [ vpn { <vrf-name> | all } ] [ process | protocol ] [ vpn { <vrf-name> | all } ]
[ __readonly__ <tag-out> TABLE_vrf <vrf-name-out> <system-id-out> <is-type-out> <sap-out> <mtu-out>
<qh-out> <gr-t3-timer-out> <gr-status-out> <gr-state-out> <last-gr-status-out> <bfd-state-out>
<metric-send-out> <metric-accept-out> <area-addr-out> <proc-state-out> <vrf-id-out> <te-lvl-out> <te-ted-out>
<mpls-te-out> <intf-name-out> <auth-out> <auth-chk-out> <auth-kchain-out> [ { TABLE_redist <max_redist>
<warning> <threshold> <current_count> } ] TABLE_afi_safi <afi-safi-out> <intf-num-out> <adj-check-out>
<redist-pib-out> <redist-rpm-out> <dist-src-lvl-out> <dist-dest-lvl-out> <dist-leak-all-out> <dist-rpm-out>
<admin-dist-out> ]
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) Display information for all VRFs
process	(Optional) Display IS-IS process information
protocol	(Optional) Display IS-IS process information
__readonly__	(Optional)
<i>tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
TABLE_afi_safi	(Optional)
<i>afi-safi-out</i>	(Optional)
<i>system-id-out</i>	(Optional)
<i>is-type-out</i>	(Optional)
<i>sap-out</i>	(Optional)
<i>mtu-out</i>	(Optional)
<i>qh-out</i>	(Optional)
<i>gr-t3-timer-out</i>	(Optional)

<i>gr-status-out</i>	(Optional)
<i>gr-state-out</i>	(Optional)
<i>last-gr-status-out</i>	(Optional)
<i>bfd-state-out</i>	(Optional)
<i>metric-send-out</i>	(Optional)
<i>metric-accept-out</i>	(Optional)
<i>area-addr-out</i>	(Optional)
<i>proc-state-out</i>	(Optional)
<i>vrf-id-out</i>	(Optional)
<i>te-lvl-out</i>	(Optional)
<i>te-ted-out</i>	(Optional)
<i>mpls-te-out</i>	(Optional)
<i>intf-name-out</i>	(Optional)
<i>auth-out</i>	(Optional)
<i>auth-chk-out</i>	(Optional)
<i>auth-kchain-out</i>	(Optional)
TABLE_redist	(Optional)
<i>max_redist</i>	(Optional)
<i>warning</i>	(Optional)
<i>threshold</i>	(Optional)
<i>current_count</i>	(Optional)
<i>intf-num-out</i>	(Optional)
<i>adj-check-out</i>	(Optional)
<i>redist-pib-out</i>	(Optional)
<i>redist-rpm-out</i>	(Optional)
<i>dist-src-lvl-out</i>	(Optional)
<i>dist-dest-lvl-out</i>	(Optional)
<i>dist-leak-all-out</i>	(Optional)
<i>dist-rpm-out</i>	(Optional)

<i>admin-dist-out</i>	(Optional)
-----------------------	------------

**Command Mode**

- /exec

## show otv isis active-source

```
show otv isis [ <otv-isis-tag> ] active-source [ vlan <vlan-id> [ group <gip-addr> [ source <sip-addr> ] ] ] [
summary ] [ vpn { <vrf-name> | all } ]
```

### Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
active-source	Display IS-IS Active-source information
vlan	(Optional) Display IS-IS VLAN information
<i>vlan-id</i>	(Optional) Display IS-IS VLAN information
group	(Optional) Display IS-IS Group information
source	(Optional) Display IS-IS Source information
<i>gip-addr</i>	(Optional) Display single IP redistribute route
<i>sip-addr</i>	(Optional) Display single IP redistribute route
summary	(Optional) Display route counts

### Command Mode

- /exec

# show otv isis adjacency

```
show otv isis [ <otv-isis-tag> ] adjacency [ <interface> ] { [ system-id <sid> ] | [ detail ] | [ summary ] } [ vpn
{ <vrf-name> | all } ] [ __readonly__ <tag-out> TABLE_vrf <vrf-name-out> <adj-summary-out>
<adj-interface-out> <adj-interface-name-out> <adj-sys-name-out> <adj-sys-id-out> <adj-usage-out>
<adj-level-out> <adj-state-out> <adj-hold-time-out> <adj-intf-name-out> <adj-detail-set-out>
<adj-transitions-out> <adj-flap-out> <adj-flap-time-out> <adj-ckt-type-out> <adj-ipv4-addr-out>
<adj-bcast-out> <adj-ckt-id-out> <adj-lan-prio-out> <adj-resurrect-out> <adj-resurrect-count-out>
<adj-resurrect-hwm-out> <adj-summ-p2p-level-out> <adj-summ-p2p-state-out> <adj-summ-p2p-count-out>
<adj-summ-lan-level-out> <adj-summ-lan-state-out> <adj-summ-lan-count-out> ]
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
adjacency	Display IS-IS adjacency information
<i>interface</i>	(Optional) IS-IS interface
system-id	(Optional) Hostname or System ID
<i>sid</i>	(Optional) Hostname or System ID (in the form of XXXX.XXXX.XXXX)
detail	(Optional) Display IS-IS adjacency detail information
summary	(Optional) Display IS-IS adjacency summary information
__readonly__	(Optional)
<i>tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>adj-summary-out</i>	(Optional)
<i>adj-interface-out</i>	(Optional)
<i>adj-interface-name-out</i>	(Optional)
<i>adj-sys-name-out</i>	(Optional)

<i>adj-sys-id-out</i>	(Optional)
<i>adj-usage-out</i>	(Optional)
<i>adj-level-out</i>	(Optional)
<i>adj-state-out</i>	(Optional)
<i>adj-hold-time-out</i>	(Optional)
<i>adj-intf-name-out</i>	(Optional)
<i>adj-detail-set-out</i>	(Optional)
<i>adj-transitions-out</i>	(Optional)
<i>adj-flap-out</i>	(Optional)
<i>adj-flap-time-out</i>	(Optional)
<i>adj-ckt-type-out</i>	(Optional)
<i>adj-ipv4-addr-out</i>	(Optional)
<i>adj-bcast-out</i>	(Optional)
<i>adj-ckt-id-out</i>	(Optional)
<i>adj-lan-prio-out</i>	(Optional)
<i>adj-resurrect-out</i>	(Optional)
<i>adj-resurrect-count-out</i>	(Optional)
<i>adj-resurrect-hwm-out</i>	(Optional)
<i>adj-summ-p2p-level-out</i>	(Optional)
<i>adj-summ-p2p-state-out</i>	(Optional)
<i>adj-summ-p2p-count-out</i>	(Optional)
<i>adj-summ-lan-level-out</i>	(Optional)
<i>adj-summ-lan-state-out</i>	(Optional)
<i>adj-summ-lan-count-out</i>	(Optional)

**Command Mode**

- /exec

# show otv isis aed-svr-req local

```
show otv isis [ <otv-isis-tag> ] aed-svr-req { local | remote }
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
aed-svr-req	Display aed svr req Info
local	local
remote	remote

## Command Mode

- /exec

# show otv isis csnp

show otv isis [ <otv-isis-tag> ] csnp [ detail ]

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
csnp	Display IS-IS CSNP cache contents
detail	(Optional) Display detailed IS-IS information

## Command Mode

- /exec



# show otv isis database

```
show otv isis [ <otv-isis-tag> ] [ site ] database [ mgroup ] [ detail | advertise | summary ] [ <lid> ] { [
zero-sequence ] | [ adjacency <adj-id> ] } [ vpn { <vrf-name> | all } ] [ __readonly__ <tag-out> TABLE_vrf
<vrf-name-out> <dbase-hname-absent-out> <dbase-level-out> <dbase-lsp-name-out> <dbase-lsp-status-out>
<dbase-lsp-absent-out> <dbase-lsp-seqnum-out> <dbase-lsp-cksum-out> <dbase-lsp-lifetime-out>
<dbase-att-out> <dbase-partition-out> <dbase-overload-out> <dbase-istype-out> <dbase-lsp-instance-out>
<dbase-lsp-digest-out> <dbase-lsp-subtlv-name-out> <dbase-lsp-tlv-name-out> <dbase-lsp-area-addr-out>
<dbase-lsp-is-nbr-name-out> <dbase-lsp-is-nbr-metric-out> <dbase-lsp-is-nbr-ext-metric-out>
<dbase-lsp-es-nbr-name-out> <dbase-lsp-es-nbr-metric-out> <dbase-lsp-es-nbr-ext-metric-out>
<dbase-lsp-auth-type-out> <dbase-lsp-auth-len-out> <dbase-lsp-ip-ri-addr-out> <dbase-lsp-ip-ri-mask-out>
<dbase-lsp-ip-ri-metric-out> <dbase-lsp-ip-ri-ext-metric-out> <dbase-lsp-ip-ri-up-down-out>
<dbase-lsp-prot-support-out> <dbase-lsp-ip-addr-out> <dbase-lsp-hname-out> <dbase-lsp-hname-len-out>
<dbase-lsp-ext-is-name-out> <dbase-lsp-ext-is-metric-out> <dbase-lsp-extis-admin-group-out>
<dbase-lsp-extis-bw-out> <dbase-lsp-extis-te-metric-out> <dbase-lsp-extis-pri1-out>
<dbase-lsp-extis-pri1-val-out> <dbase-lsp-extis-pri2-out> <dbase-lsp-extis-pri2-val-out>
<dbase-lsp-subtlv-unknown-out> <dbase-lsp-subtlv-len-out> <dbase-lsp-tlv-unknown-out>
<dbase-lsp-tlv-len-out> <dbase-lsp-extip-addr-out> <dbase-lsp-extip-prefix-len-out>
<dbase-lsp-extip-metric-out> <dbase-lsp-extip-up-down-out> <dbase-lsp-malformed-out> <dbase-lsp-total-out>
<dbase-lsp-empty-out> <dbase-lsp-zeroseq-out> ]
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
site	(Optional) Display IS-IS OTV site information
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
database	Display IS-IS database information
mgroup	(Optional) Display IS-IS GM database information
<i>lid</i>	(Optional) LSP ID in the form of XXXX.XXXX.XXXX.XX-XX
detail	(Optional) Display detailed IS-IS information
advertise	(Optional) Display advertise tlv lsp-memory information
summary	(Optional) Display summary IS-IS information
zero-sequence	(Optional) LSP with zero sequence number

adjacency	(Optional) Adjacency filter
<i>adj-id</i>	(Optional) Single exact match adjacency filter
<i>__readonly__</i>	(Optional)
<i>tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>dbase-hname-absent-out</i>	(Optional)
<i>dbase-level-out</i>	(Optional)
<i>dbase-lsp-name-out</i>	(Optional)
<i>dbase-lsp-status-out</i>	(Optional)
<i>dbase-lsp-absent-out</i>	(Optional)
<i>dbase-lsp-seqnum-out</i>	(Optional)
<i>dbase-lsp-cksum-out</i>	(Optional)
<i>dbase-lsp-lifetime-out</i>	(Optional)
<i>dbase-att-out</i>	(Optional)
<i>dbase-partition-out</i>	(Optional)
<i>dbase-overload-out</i>	(Optional)
<i>dbase-istype-out</i>	(Optional)
<i>dbase-lsp-instance-out</i>	(Optional)
<i>dbase-lsp-digest-out</i>	(Optional)
<i>dbase-lsp-subtlv-name-out</i>	(Optional)
<i>dbase-lsp-tlv-name-out</i>	(Optional)
<i>dbase-lsp-area-addr-out</i>	(Optional)
<i>dbase-lsp-is-nbr-name-out</i>	(Optional)
<i>dbase-lsp-is-nbr-metric-out</i>	(Optional)
<i>dbase-lsp-is-nbr-ext-metric-out</i>	(Optional)
<i>dbase-lsp-es-nbr-name-out</i>	(Optional)
<i>dbase-lsp-es-nbr-metric-out</i>	(Optional)
<i>dbase-lsp-es-nbr-ext-metric-out</i>	(Optional)

<i>dbase-lsp-auth-type-out</i>	(Optional)
<i>dbase-lsp-auth-len-out</i>	(Optional)
<i>dbase-lsp-ext-is-name-out</i>	(Optional)
<i>dbase-lsp-ext-is-metric-out</i>	(Optional)
<i>dbase-lsp-extis-admin-group-out</i>	(Optional)
<i>dbase-lsp-extis-bw-out</i>	(Optional)
<i>dbase-lsp-extis-te-metric-out</i>	(Optional)
<i>dbase-lsp-extis-pri1-out</i>	(Optional)
<i>dbase-lsp-extis-pri1-val-out</i>	(Optional)
<i>dbase-lsp-extis-pri2-out</i>	(Optional)
<i>dbase-lsp-extis-pri2-val-out</i>	(Optional)
<i>dbase-lsp-subtlv-unknown-out</i>	(Optional)
<i>dbase-lsp-subtlv-len-out</i>	(Optional)
<i>dbase-lsp-tlv-unknown-out</i>	(Optional)
<i>dbase-lsp-tlv-len-out</i>	(Optional)
<i>dbase-lsp-extip-addr-out</i>	(Optional)
<i>dbase-lsp-extip-prefix-len-out</i>	(Optional)
<i>dbase-lsp-extip-metric-out</i>	(Optional)
<i>dbase-lsp-extip-up-down-out</i>	(Optional)
<i>dbase-lsp-ip-ri-addr-out</i>	(Optional)
<i>dbase-lsp-ip-ri-mask-out</i>	(Optional)
<i>dbase-lsp-ip-ri-metric-out</i>	(Optional)
<i>dbase-lsp-ip-ri-ext-metric-out</i>	(Optional)
<i>dbase-lsp-ip-ri-up-down-out</i>	(Optional)
<i>dbase-lsp-prot-support-out</i>	(Optional)
<i>dbase-lsp-ip-addr-out</i>	(Optional)
<i>dbase-lsp-hname-out</i>	(Optional)
<i>dbase-lsp-hname-len-out</i>	(Optional)
<i>dbase-lsp-malformed-out</i>	(Optional)

<i>dbase-lsp-total-out</i>	(Optional)
<i>dbase-lsp-empty-out</i>	(Optional)
<i>dbase-lsp-zeroseq-out</i>	(Optional)

**Command Mode**

- /exec

# show otv isis ed-summary local

show otv isis [ <otv-isis-tag> ] ed-summary local

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
ed-summary	Display ED Summary Info
local	local

## Command Mode

- /exec

## show otv isis ed-summary remote

show otv isis [ <otv-isis-tag> ] ed-summary remote [ site-identifier { <site-id-mac> | <site-id-hex> } ]

### Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
ed-summary	Display ED Summary Info
remote	remote
site-identifier	(Optional) site-identifier
<i>site-id-mac</i>	(Optional) Site ID in MAC address format
<i>site-id-hex</i>	(Optional) Site ID in hex

### Command Mode

- /exec

## show otv isis event-history

```
show otv isis [ <isis-tag> ] [ internal ] event-history { errors | msgs | <isis-event-hist-buf-name> | statistics }
```

### Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>isis-tag</i>	(Optional) Routing process tag
internal	(Optional) Commands for internal use
event-history	Display IS-IS event history
errors	Error history
msgs	Message history
<i>isis-event-hist-buf-name</i>	Event history buffer
statistics	Show the state and size of the buffer

### Command Mode

- /exec

# show otv isis fast-flood

```
show otv isis [ <otv-isis-tag> ] fast-flood
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
fast-flood	Fast flood the LSP's

## Command Mode

- /exec



# show otv isis gm-spf-adjacency

```
show otv isis [ <otv-isis-tag> ] gm-spf-adjacency [ vpn { <vrf-name> | all } ]
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
gm-spf-adjacency	Display IS-IS GM-SPF adjacency information

## Command Mode

- /exec

# show otv isis hostname

```
show otv isis [ <otv-isis-tag> ] hostname [ detail ] [ vpn { <vrf-name> | all } ] [ __readonly__ <tag-out>
TABLE_vrf <vrf-name-out> <hname-enabled-out> <hname-detail-out> <hname-level-out> <hname-id-out>
<hname-id-mine-out> <hname-name-out> ]
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
hostname	Display IS-IS hostname table information
detail	(Optional) Display detailed IS-IS information
__readonly__	(Optional)
<i>tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>hname-enabled-out</i>	(Optional)
<i>hname-detail-out</i>	(Optional)
<i>hname-level-out</i>	(Optional)
<i>hname-id-out</i>	(Optional)
<i>hname-id-mine-out</i>	(Optional)
<i>hname-name-out</i>	(Optional)

## Command Mode

- /exec

# show otv isis interface

```
show otv isis [ <otv-isis-tag> ] interface [ brief | <interface> ] [ internal ] [ vpn { <vrf-name> | all } ] [
__readonly__ <tag-out> TABLE_vrf <vrf-name-out> <intf-name-out> <intf-status-out> <intf-mtu-out>
<intf-state-out> <intf-internal-state-out> <intf-cib-disabled-out> <intf-cid-invalid-out> <intf-ix-out>
<intf-cid-out> <intf-ckt-type-out> <intf-auth-info-out> <intf-auth-chk-info-out> <intf-auth-kchain-out>
<intf-passive-mask-out> <intf-passive-mask-lvl-out> <intf-mgrp-set-out> <intf-mgrp-state-out>
<intf-mgrp-id-out> <intf-p2p-type-out> <intf-p2p-ext-local-cid-out> <intf-p2p-cid-out> <intf-retx-intv-out>
<intf-retx-throttle-out> <intf-loopback-type-out> <intf-lsp-intv-out> <intf-hpad-state-out> <intf-p2p-pad-ts-out>
<intf-p2p-adj-count-out> <intf-p2p-adj-up-count-out> <intf-p2p-prio-out> <intf-p2p-hello-intv-out>
<intf-p2p-hello-multi-out> <intf-p2p-hello-next-out> <intf-p2p-lvl-out> <intf-p2p-adj-lvl-out>
<intf-p2p-adj-up-lvl-out> <intf-p2p-metric-lvl-out> <intf-p2p-csnp-lvl-out> <intf-p2p-csnp-nxt-lvl-out>
<intf-p2p-lspid-last-lvl-out> <intf-bcast-type-out> <intf-bcast-lvl-out> <intf-bcast-pad-ts-out>
<intf-bcast-lvl-dis-out> <intf-bcast-dis-ts-out> <intf-bcast-lvl-info-out> <intf-bcast-lvl-metric-out>
<intf-bcast-lvl-csnp-intv-out> <intf-bcast-lvl-csnp-next-out> <intf-bcast-lvl-iih-intv-out>
<intf-bcast-lvl-iih-multi-out> <intf-bcast-lvl-iih-next-out> <intf-bcast-lvl-value-out> <intf-bcast-lvl-adj-out>
<intf-bcast-lvl-adj-up-out> <intf-bcast-lvl-prio-out> <intf-bcast-lvl-ctid-out> <intf-bcast-lvl-ctid-ts-out>
<intf-loopback-lvl-out> <intf-loopback-lvl-metric-out> <intf-loopback-lvl-prio-out> <intf-loopback-lvl-adj-out>
<intf-loopback-lvl-adj-up-out> <intf-unknown-out> <intf-type-out> <intf-ready-state-out> ]
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
brief	(Optional) Brief display of IS-IS interfaces
interface	Display IS-IS interface information
<i>interface</i>	(Optional) IS-IS interface
internal	(Optional) IS-IS internal debug command
__readonly__	(Optional)
<i>tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>intf-name-out</i>	(Optional)

<i>intf-status-out</i>	(Optional)
<i>intf-mtu-out</i>	(Optional)
<i>intf-state-out</i>	(Optional)
<i>intf-internal-state-out</i>	(Optional)
<i>intf-cib-disabled-out</i>	(Optional)
<i>intf-cid-invalid-out</i>	(Optional)
<i>intf-ix-out</i>	(Optional)
<i>intf-cid-out</i>	(Optional)
<i>intf-ckt-type-out</i>	(Optional)
<i>intf-auth-info-out</i>	(Optional)
<i>intf-auth-chk-info-out</i>	(Optional)
<i>intf-auth-kchain-out</i>	(Optional)
<i>intf-passive-mask-out</i>	(Optional)
<i>intf-passive-mask-lvl-out</i>	(Optional)
<i>intf-mgrp-set-out</i>	(Optional)
<i>intf-mgrp-state-out</i>	(Optional)
<i>intf-mgrp-id-out</i>	(Optional)
<i>intf-p2p-type-out</i>	(Optional)
<i>intf-p2p-ext-local-cid-out</i>	(Optional)
<i>intf-p2p-cid-out</i>	(Optional)
<i>intf-retx-intv-out</i>	(Optional)
<i>intf-retx-throttle-out</i>	(Optional)
<i>intf-loopback-type-out</i>	(Optional)
<i>intf-lsp-intv-out</i>	(Optional)
<i>intf-hpad-state-out</i>	(Optional)
<i>intf-p2p-pad-ts-out</i>	(Optional)
<i>intf-p2p-adj-count-out</i>	(Optional)
<i>intf-p2p-adj-up-count-out</i>	(Optional)
<i>intf-p2p-prio-out</i>	(Optional)

<i>intf-p2p-hello-intv-out</i>	(Optional)
<i>intf-p2p-hello-multi-out</i>	(Optional)
<i>intf-p2p-hello-next-out</i>	(Optional)
<i>intf-p2p-lvl-out</i>	(Optional)
<i>intf-p2p-adj-lvl-out</i>	(Optional)
<i>intf-p2p-adj-up-lvl-out</i>	(Optional)
<i>intf-p2p-metric-lvl-out</i>	(Optional)
<i>intf-p2p-csnp-lvl-out</i>	(Optional)
<i>intf-p2p-csnp-nxt-lvl-out</i>	(Optional)
<i>intf-p2p-lspid-last-lvl-out</i>	(Optional)
<i>intf-bcast-type-out</i>	(Optional)
<i>intf-bcast-lvl-out</i>	(Optional)
<i>intf-bcast-pad-ts-out</i>	(Optional)
<i>intf-bcast-lvl-dis-out</i>	(Optional)
<i>intf-bcast-dis-ts-out</i>	(Optional)
<i>intf-bcast-lvl-info-out</i>	(Optional)
<i>intf-bcast-lvl-metric-out</i>	(Optional)
<i>intf-bcast-lvl-csnp-intv-out</i>	(Optional)
<i>intf-bcast-lvl-csnp-next-out</i>	(Optional)
<i>intf-bcast-lvl-iih-intv-out</i>	(Optional)
<i>intf-bcast-lvl-iih-multi-out</i>	(Optional)
<i>intf-bcast-lvl-iih-next-out</i>	(Optional)
<i>intf-bcast-lvl-value-out</i>	(Optional)
<i>intf-bcast-lvl-adj-out</i>	(Optional)
<i>intf-bcast-lvl-adj-up-out</i>	(Optional)
<i>intf-bcast-lvl-prio-out</i>	(Optional)
<i>intf-bcast-lvl-ctid-out</i>	(Optional)
<i>intf-bcast-lvl-ctid-ts-out</i>	(Optional)
<i>intf-loopback-lvl-out</i>	(Optional)

<i>intf-loopback-lvl-metric-out</i>	(Optional)
<i>intf-loopback-lvl-prio-out</i>	(Optional)
<i>intf-loopback-lvl-adj-out</i>	(Optional)
<i>intf-loopback-lvl-adj-up-out</i>	(Optional)
<i>intf-unknown-out</i>	(Optional)
<i>intf-type-out</i>	(Optional)
<i>intf-ready-state-out</i>	(Optional)

**Command Mode**

- /exec

# show otv isis ip mroute

```
show otv isis [ <otv-isis-tag> ] ip mroute [ vlan <vlan-id> [ group <gip-addr> [ source <sip-addr> ] ] ] [
summary ] [ vpn { <vrf-name> | all } ]
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
ip	Display IS-IS IPv4 information
mroute	Display IS-IS multicast group information
vlan	(Optional) Display IS-IS VLAN information
<i>vlan-id</i>	(Optional) Display IS-IS VLAN information
group	(Optional) Display IS-IS Group information
source	(Optional) Display IS-IS Source information
<i>gip-addr</i>	(Optional) Display single IP redistribute route
<i>sip-addr</i>	(Optional) Display single IP redistribute route
summary	(Optional) Display route counts

## Command Mode

- /exec

## show otv isis ip redistribute mroute

```
show otv isis [ <otv-isis-tag> ] ip redistribute mroute [ vlan <vlan-id> [ group <gip-addr> [ source <sip-addr>
] ] ] [ summary ] [ vpn { <vrf-name> | all } ] [ __readonly__ <tag-out> TABLE_process_tag <process-tag-out>
<redist-ipv4-mrouter-vlanid-out> <redist-ipv4-vlanid-out> <redist-ipv4-source-addr-out>
<redist-ipv4-group-addr-out> ]
```

### Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
ip	Display IS-IS IPv4 information
redistribute	Display IS-IS redistribute information
vlan	(Optional) Display IS-IS VLAN information
<i>vlan-id</i>	(Optional) Display IS-IS VLAN information
group	(Optional) Display IS-IS Group information
source	(Optional) Display IS-IS Source information
<i>gip-addr</i>	(Optional) Display single IP redistribute route
<i>sip-addr</i>	(Optional) Display single IP redistribute route
mroute	Display IS-IS multicast group information
summary	(Optional) Display route counts
__readonly__	(Optional)
<i>tag-out</i>	(Optional)
TABLE_process_tag	(Optional)
<i>process-tag-out</i>	(Optional)
<i>redist-ipv4-mrouter-vlanid-out</i>	(Optional)
<i>redist-ipv4-vlanid-out</i>	(Optional)



<i>redist-ipv4-source-addr-out</i>	(Optional)
<i>redist-ipv4-group-addr-out</i>	(Optional)

**Command Mode**

- /exec

## show otv isis lsp free-list

```
show otv isis [ <otv-isis-tag> ] { non-pseudonode | pseudonode { <interface> | orphan } } lsp free-list [
summary ] [ vpn { <vrf-name> | all } ]
```

### Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
non-pseudonode	Display IS-IS non-pseudo-node information
pseudonode	Display IS-IS pseudo-node information
<i>interface</i>	IS-IS interface
orphan	Display orphan LSP information
lsp	Display IS-IS LSP information
free-list	Display free-list information
summary	(Optional) Display LSP count per free-list

### Command Mode

- /exec

## show otv isis non tlv overflow-list

```
show otv isis [ <otv-isis-tag> ] { non-pseudonode | pseudonode <interface> } tlv overflow-list [ vpn {
<vrf-name> | all } ]
```

### Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
non-pseudonode	Display IS-IS non-pseudo-node information
pseudonode	Display IS-IS pseudo-node information
<i>interface</i>	IS-IS interface
tlv	Display IS-IS TLV information
overflow-list	Display ISIS TLV overflow-list information

### Command Mode

- /exec

## show otv isis redistribute route

```
show otv isis [ <otv-isis-tag> ] [ mac ] redistribute route [ summary ] [ direct-mask ] [ vpn { <vrf-name> | all } ]
```

### Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
redistribute	Display IS-IS redistribute information
route	Display ISIS redistribute route
mac	(Optional) Display IS-IS MAC information
summary	(Optional) Display route counts
direct-mask	(Optional) Display routes with direct-mask set

### Command Mode

- /exec

# show otv isis route-map statistics

```
show otv isis [ <otv-isis-tag> ] route-map statistics [ vpn { <vrf-name> | all } ]
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
route-map	Display IS-IS route-map information
statistics	Display IS-IS route-map statistics

## Command Mode

- /exec

## show otv isis route show otv isis route is

```
show otv isis [ <otv-isis-tag> ] route [ summary | detail ] [ vpn { <vrf-name> | all } ] | show otv isis [
<otv-isis-tag> ] route is [ vpn { <vrf-name> | all } ] [ __readonly__ <tag-out> TABLE_vrf <vrf-name-out>
<afi-safi-out> <route-absent-out> <route-lvl-absent-out> <route-prefix-out> <route-mask-len-out>
<route-level-out> <route-summ-discard-addr-out> <route-summ-discard-mask-len-out>
<route-discard-addr-out> <route-discard-mask-len-out> <route-addr-print-out> <route-mask-len-print-out>
<route-direct-print-out> <route-direct-out> <route-direct-via-out> <route-direct-if-name-out>
<route-direct-metric-out> <route-direct-level-out> <route-direct-instance-out> <route-marker-out>
<route-addr-valid-out> <route-iframe-out> <route-metric-out> <route-pref-out> <route-no-def-prefix-out>
<route-instance-out> <route-discard-mask-out> <route-sum-prefix-out> <route-sum-prefix-len-out>
<route-total-out> <route-paths-total-out> <route-paths-best-out> <route-paths-backup-out> <route-sum-lvl-out>
<route-sum-total-out> <route-sum-direct-out> <route-sum-normal-out> <route-sum-missing-out>
<route-best-pend-num-out> <route-bestpaths-out> <route-backuppaths-out> <route-path-sum-lvl-out>
<route-path-sum-total-out> <route-path-sum-direct-out> <route-path-sum-normal-out>
<route-bestroutes-per-mask-out> <route-best-mask-val-out> <route-best-mask-count-out>
<route-pend-q-count-out> ]
```

### Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
is	Display IS route
route	Display IS-IS route information
summary	(Optional) Display route counts
detail	(Optional) Display detail route information
<i>otv-isis-tag</i>	(Optional)
<i>__readonly__</i>	(Optional)
<i>tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>afi-safi-out</i>	(Optional)

<i>route-absent-out</i>	(Optional)
<i>route-lvl-absent-out</i>	(Optional)
<i>route-prefix-out</i>	(Optional)
<i>route-mask-len-out</i>	(Optional)
<i>route-level-out</i>	(Optional)
<i>route-summ-discard-addr-out</i>	(Optional)
<i>route-summ-discard-mask-len-out</i>	(Optional)
<i>route-discard-addr-out</i>	(Optional)
<i>route-discard-mask-len-out</i>	(Optional)
<i>route-addr-print-out</i>	(Optional)
<i>route-mask-len-print-out</i>	(Optional)
<i>route-direct-print-out</i>	(Optional)
<i>route-direct-out</i>	(Optional)
<i>route-direct-via-out</i>	(Optional)
<i>route-direct-if-name-out</i>	(Optional)
<i>route-direct-metric-out</i>	(Optional)
<i>route-direct-level-out</i>	(Optional)
<i>route-direct-instance-out</i>	(Optional)
<i>route-marker-out</i>	(Optional)
<i>route-addr-valid-out</i>	(Optional)
<i>route-ifname-out</i>	(Optional)
<i>route-metric-out</i>	(Optional)
<i>route-pref-out</i>	(Optional)
<i>route-instance-out</i>	(Optional)
<i>route-no-def-prefix-out</i>	(Optional)
<i>route-discard-mask-out</i>	(Optional)
<i>route-sum-prefix-out</i>	(Optional)
<i>route-sum-prefix-len-out</i>	(Optional)
<i>route-total-out</i>	(Optional)

<i>route-paths-total-out</i>	(Optional)
<i>route-paths-best-out</i>	(Optional)
<i>route-paths-backup-out</i>	(Optional)
<i>route-sum-lvl-out</i>	(Optional)
<i>route-sum-total-out</i>	(Optional)
<i>route-sum-direct-out</i>	(Optional)
<i>route-sum-normal-out</i>	(Optional)
<i>route-sum-missing-out</i>	(Optional)
<i>route-best-pend-num-out</i>	(Optional)
<i>route-bestpaths-out</i>	(Optional)
<i>route-backuppaths-out</i>	(Optional)
<i>route-path-sum-lvl-out</i>	(Optional)
<i>route-path-sum-total-out</i>	(Optional)
<i>route-path-sum-direct-out</i>	(Optional)
<i>route-path-sum-normal-out</i>	(Optional)
<i>route-bestroutes-per-mask-out</i>	(Optional)
<i>route-best-mask-val-out</i>	(Optional)
<i>route-best-mask-count-out</i>	(Optional)
<i>route-pend-q-count-out</i>	(Optional)

**Command Mode**

- /exec



# show otv isis rrm

```
show otv isis [ <otv-isis-tag> ] rrm [ mgroup ] <interface> [ vpn { <vrf-name> | all } ]
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
rrm	Display IS-IS Retransmit-Routing-Message information
mgroup	(Optional) Display IS-IS GM Retransmit-Routing-Message information
<i>interface</i>	IS-IS interface

## Command Mode

- /exec

# show otv isis site-index

show otv isis [ <otv-isis-tag> ] site-index

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
site-index	Display site index table

## Command Mode

- /exec

# show otv isis site

show otv isis [ <otv-isis-tag> ] site [ statistics ]

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
site	Display IS-IS OTV site information
statistics	(Optional) Display IS-IS protocol statistics

## Command Mode

- /exec

## show otv isis spf-adjacency

```
show otv isis [ <otv-isis-tag> ] spf-adjacency [ vpn { <vrf-name> | all } ]
```

### Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
spf-adjacency	Display IS-IS SPF adjacency information

### Command Mode

- /exec

# show otv isis spf-log

```
show otv isis [ <otv-isis-tag> ] spf-log [ detail ] [ vpn { <vrf-name> | all } ] [ __readonly__ <tag-out>
TABLE_vrf <vrf-name-out> <spflog-calc-out> <spflog-size-out> <spflog-maxsize-out> <spflog-ago-time-out>
<spflog-lvl-out> <spflog-reason-out> <spflog-count-out> <spflog-elapsed-ts-out> <spflog-log-num-out>
<spflog-ts-detail-out> <spflog-date-detail-out> <spflog-lvl-detail-out> <spflog-instance-detail-out>
<spflog-init-ts-detail-out> <spflog-spf-ts-detail-out> <spflog-detail-ts-is-out> <spflog-detail-ts-urib-out>
<spflog-detail-ts-elapsed-out> <spflog-detail-lvl-out> <spflog-detail-spf-cnt-out> <spflog-detail-sync-cnt-out>
<spflog-detail-spf-reason-out> ]
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
spf-log	Display IS-IS SPF information
detail	(Optional) Display detail ISIS SPF information
__readonly__	(Optional)
<i>tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>spflog-calc-out</i>	(Optional)
<i>spflog-size-out</i>	(Optional)
<i>spflog-maxsize-out</i>	(Optional)
<i>spflog-ago-time-out</i>	(Optional)
<i>spflog-lvl-out</i>	(Optional)
<i>spflog-reason-out</i>	(Optional)
<i>spflog-count-out</i>	(Optional)
<i>spflog-elapsed-ts-out</i>	(Optional)
<i>spflog-log-num-out</i>	(Optional)

<i>spflog-ts-detail-out</i>	(Optional)
<i>spflog-date-detail-out</i>	(Optional)
<i>spflog-lvl-detail-out</i>	(Optional)
<i>spflog-instance-detail-out</i>	(Optional)
<i>spflog-init-ts-detail-out</i>	(Optional)
<i>spflog-spf-ts-detail-out</i>	(Optional)
<i>spflog-detail-ts-is-out</i>	(Optional)
<i>spflog-detail-ts-urib-out</i>	(Optional)
<i>spflog-detail-ts-elapsed-out</i>	(Optional)
<i>spflog-detail-lvl-out</i>	(Optional)
<i>spflog-detail-spf-cnt-out</i>	(Optional)
<i>spflog-detail-sync-cnt-out</i>	(Optional)
<i>spflog-detail-spf-reason-out</i>	(Optional)

#### Command Mode

- /exec

## show otv isis srm

```
show otv isis [ <otv-isis-tag> ] srm [ mgroup ] <interface> [ vpn { <vrf-name> | all } ]
```

### Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
srm	Display IS-IS Send-Routing-Message information
mgroup	(Optional) Display IS-IS GM-Send-Routing-Message information
<i>interface</i>	IS-IS interface

### Command Mode

- /exec

## show otv isis ssn

```
show otv isis [ <otv-isis-tag> ] ssn [ mgroup ] <interface> [ vpn { <vrf-name> | all } ]
```

### Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
ssn	Display IS-IS Send-Sequence-Number information
mgroup	(Optional) Display IS-IS GM-Send-Sequence-Number information
<i>interface</i>	IS-IS interface

### Command Mode

- /exec



# show otv isis statistics

```
show otv isis [ <otv-isis-tag> ] statistics [ <interface> ] [ vpn { <vrf-name> | all } ] [ __readonly__ <tag-out>
TABLE_vrf <vrf-name-out> <stat-if-out> <stat-if-name-out> <stat-spf-calc-out> <stat-lsp-sourced-out>
<stat-lsp-refresh-out> <stat-lsp-purge-out> <stat-dis-elections-out> ]
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
statistics	Display IS-IS protocol statistics
<i>interface</i>	(Optional) IS-IS interface
<i>__readonly__</i>	(Optional)
<i>tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>stat-if-out</i>	(Optional)
<i>stat-if-name-out</i>	(Optional)
<i>stat-spf-calc-out</i>	(Optional)
<i>stat-lsp-sourced-out</i>	(Optional)
<i>stat-lsp-refresh-out</i>	(Optional)
<i>stat-lsp-purge-out</i>	(Optional)
<i>stat-dis-elections-out</i>	(Optional)

## Command Mode

- /exec

# show otv isis track-adjacency-nexthop

```
show otv isis [ <otv-isis-tag> ] track-adjacency-nexthop
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
track-adjacency-nexthop	Display IS-IS OTV adjacency nexthop tracking information

## Command Mode

- /exec

## show otv isis traffic

```
show otv isis [ <otv-isis-tag> ] traffic [ <interface> ] [ mbuf-priority ] [ vpn { <vrf-name> | all } ] [ __readonly__
<tag-out> TABLE_vrf <vrf-name-out> <traffic-if-out> <traffic-if-name-out> <traffic-lan-iih-out>
<traffic-lan-iih-rcv-out> <traffic-lan-iih-xmit-out> <traffic-lan-iih-rcv-auth-err-out> <traffic-lan-iih-rcv-err-out>
<traffic-p2p-iih-out> <traffic-p2p-iih-rcv-out> <traffic-p2p-iih-xmit-out> <traffic-p2p-iih-rcv-auth-err-out>
<traffic-p2p-iih-rcv-err-out> <traffic-csnp-out> <traffic-csnp-rcv-out> <traffic-csnp-xmit-out>
<traffic-csnp-rcv-auth-err-out> <traffic-csnp-rcv-err-out> <traffic-psnp-out> <traffic-psnp-rcv-out>
<traffic-psnp-xmit-out> <traffic-psnp-rcv-auth-err-out> <traffic-psnp-rcv-err-out> <traffic-lsp-out>
<traffic-lsp-rcv-out> <traffic-lsp-flood-out> <traffic-lsp-rcv-auth-err-out> <traffic-lsp-rcv-err-out>
<traffic-lsp-rexmit-out> <traffic-xmit-err-out> <traffic-unknown-pdu-rcv-out> ]
```

### Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vpn	(Optional) Display VPN information
<i>vrf-name</i>	(Optional) VPN name
all	(Optional) All configured VPNs
traffic	Display IS-IS traffic information
<i>interface</i>	(Optional) IS-IS interface
mbuf-priority	(Optional) Display mbuf priorities for received PDUs
<u>__readonly__</u>	(Optional)
<i>tag-out</i>	(Optional)
TABLE_vrf	(Optional)
<i>vrf-name-out</i>	(Optional)
<i>traffic-if-out</i>	(Optional)
<i>traffic-if-name-out</i>	(Optional)
<i>traffic-lan-iih-out</i>	(Optional)
<i>traffic-lan-iih-rcv-out</i>	(Optional)
<i>traffic-lan-iih-xmit-out</i>	(Optional)
<i>traffic-lan-iih-rcv-auth-err-out</i>	(Optional)
<i>traffic-lan-iih-rcv-err-out</i>	(Optional)

<i>traffic-p2p-iih-out</i>	(Optional)
<i>traffic-p2p-iih-rcv-out</i>	(Optional)
<i>traffic-p2p-iih-xmit-out</i>	(Optional)
<i>traffic-p2p-iih-rcv-auth-err-out</i>	(Optional)
<i>traffic-p2p-iih-rcv-err-out</i>	(Optional)
<i>traffic-csnp-out</i>	(Optional)
<i>traffic-csnp-rcv-out</i>	(Optional)
<i>traffic-csnp-xmit-out</i>	(Optional)
<i>traffic-csnp-rcv-auth-err-out</i>	(Optional)
<i>traffic-csnp-rcv-err-out</i>	(Optional)
<i>traffic-psnp-out</i>	(Optional)
<i>traffic-psnp-rcv-out</i>	(Optional)
<i>traffic-psnp-xmit-out</i>	(Optional)
<i>traffic-psnp-rcv-auth-err-out</i>	(Optional)
<i>traffic-psnp-rcv-err-out</i>	(Optional)
<i>traffic-lsp-out</i>	(Optional)
<i>traffic-lsp-rcv-out</i>	(Optional)
<i>traffic-lsp-flood-out</i>	(Optional)
<i>traffic-lsp-rcv-auth-err-out</i>	(Optional)
<i>traffic-lsp-rcv-err-out</i>	(Optional)
<i>traffic-lsp-rexmit-out</i>	(Optional)
<i>traffic-xmit-err-out</i>	(Optional)
<i>traffic-unknown-pdu-rcv-out</i>	(Optional)

**Command Mode**

- /exec

# show otv isis vlan-status local

```
show otv isis [ <otv-isis-tag> ] vlan-status { local | remote }
```

## Syntax Description

show	Show running system information
otv	Display OTV information
isis	Display IS-IS status and configuration
<i>otv-isis-tag</i>	(Optional) Routing process tag
vlan-status	Display vlan status Info
local	local
remote	remote

## Command Mode

- /exec

# show otv site

show otv site [ detail | <overlay-if> | vpn <vpn-name> ]

## Syntax Description

show	Display OTV information
otv	Configure OTV information
site	Show site-local adjacencies with other edge devices in this site
detail	(Optional) Show all site-local adjacencies incl. overlays not configured on this system
<i>overlay-if</i>	(Optional) Overlay interface
vpn	(Optional) Overlay VPN name
<i>vpn-name</i>	(Optional) OTV VPN Name

## Command Mode

- /exec

# show otv statistics multicast

show otv statistics multicast <vlan-id>

## Syntax Description

show	Show running system information
otv	Display OTV information
statistics	Display OTV Traffic Stats
multicast	Display Multicast Stats
<i>vlan-id</i>	Vlan ID

## Command Mode

- /exec

# show otv vlan-mapping

show otv vlan-mapping [ <overlay-if> ]

## Syntax Description

show	Display OTV information
otv	Configure OTV information
vlan-mapping	VLAN mapping information
<i>overlay-if</i>	(Optional) Overlay interface

## Command Mode

- /exec



# show otv vlan

show otv vlan [ { <vlan-range> } ] [ authoritative ] [ detail ] [ <overlay-if> | vpn <vpn-name> ]

## Syntax Description

show	Display OTV information
otv	Configure OTV information
<i>overlay-if</i>	(Optional) Overlay interface
vpn	(Optional) Overlay VPN name
<i>vpn-name</i>	(Optional) OTV VPN Name
vlan	Show extended VLANs including edge device AED status
<i>vlan-range</i>	(Optional) VLAN ID 1-3967 or range(s): 1-5, 10 or 2-5,7-19
detail	(Optional) Display each interface in VLAN
authoritative	(Optional) Display each interface in VLAN

## Command Mode

- /exec

show otv vlan