

Nexus Application Development - Yocto

This chapter contains the following sections:

- About Yocto, on page 1
- Installing Yocto, on page 1

About Yocto

The Cisco NX-OS Release 9.2(1) software is based on Yocto 2.0. More applications can be installed by downloading Yocto 2.0, downloading the new software to be built, building the software, and installing the software on the switch.

Installing Yocto

In the example below, we are building Ruby version 2.2.2 in a Ubuntu 16.04 virtual machine.

Procedure

Step 1 Install all essential packages on the Ubuntu 16.04 virtual machine.

sudo apt-get install gawk wget git-core diffstat unzip texinfo gcc-multilib build-essential chrpath socat cpio python python3-pip python3-pexpect xz-utils debianutils iputils-ping libsdl1.2-dev xterm

Step 2 Download Yocto 2.0.

wget http://downloads.yoctoproject.org/releases/yocto/yocto-2.0/poky-jethro-14.0.0.tar.bz2
tar -xjfv poky-jethro-14.0.0.tar.bz2
cd poky-jethro-14.0.0

Step 3 Source the oe-init-build-env file.

source oe-init-build-env

Step 4 Use a text editor to edit conf/local.conf to add the following lines:

```
MACHINE = "genericx86-64"

DEFAULTTUNE = "x86-64"
```

Step 5 Enter the following command:

bitbake ruby

After the build completes, the RPMs are present in tmp/deploy/rpm/x86 64/*.rpm.

Step 6 Copy the RPMs to the switch.

```
Switch# copy scp://<username>@<IP_address>/ruby-2.2.2-r0.x86_64.rpm bootflash: vrf management use-kstack
Switch# copy scp://<username>@<IP_address>/libyaml-0-2-0.1.6-r0.x86_64.rpm bootflash: vrf management use-kstack
```

Step 7 From the Bash shell, enter the following commands.

You will be entering y at one point in the install process.

```
bash-4.3# yum install /bootflash/libyaml-0-2-0.1.6-r0.x86 64.rpm
Loaded plugins: downloadonly, importpubkey, localrpmDB, patchaction, patching,
protect-packages
groups-repo
                                      | 1.1 kB
                                                 00:00 ...
                                     | 951 B 00:00 ...
localdb
                                        951 B
                                                 00:00 ...
patching
                                               00:00 ...
thirdparty
                                     | 951 B
Setting up Install Process
Examining /bootflash/libyaml-0-2-0.1.6-r0.x86 64.rpm: libyaml-0-2-0.1.6-r0.x86 64
Marking /bootflash/libyaml-0-2-0.1.6-r0.x86 64.rpm to be installed
Resolving Dependencies
--> Running transaction check
---> Package libyaml-0-2.x86 64 0:0.1.6-r0 will be installed
--> Finished Dependency Resolution
```

Dependencies Resolved

Install 1 Package

```
Total size: 119 k
Installed size: 119 k
Is this ok [y/N]: y
Downloading Packages:
Running Transaction Check
Running Transaction Test
Transaction Test Succeeded
Running Transaction
Installing: libyaml-0-2-0.1.6-r0.x86_64
```

Installing: libyaml-0-2-0.1.6-r0.x86_64 1/1 /sbin/ldconfig: /usr/lib/libboost regex.so.1.49.0 is not a symbolic link

```
Installed:
   libyaml-0-2-0.1.6-r0.x86_64
```

```
Complete!
Install operation 2450 completed successfully at Fri Jul 27 18:54:55 2018.

[#################] 100%
```

Step 8 The following commands provide an example of building Ruby version 2.2.2 in a Ubuntu 16.04 virtual machine.

You will be entering **y** at one point in the install process.

```
bash-4.3# yum install /bootflash/ruby-2.2.2-r0.x86_64.rpm
Loaded plugins: downloadonly, importpubkey, localrpmDB, patchaction, patching,
protect-packages
                                                  00:00 ...
                                     | 1.1 kB
groups-repo
                                       951 B
localdb
                                                  00:00 ...
                                     | 951 B
patching
                                                 00:00 ...
                                     | 951 B 00:00 ...
thirdparty
                                     | 1.8 kB 00:00 ...
thirdparty/primary
thirdparty
Setting up Install Process
Examining /bootflash/ruby-2.2.2-r0.x86 64.rpm: ruby-2.2.2-r0.x86 64
Marking /bootflash/ruby-2.2.2-r0.x86 64.rpm to be installed
Resolving Dependencies
--> Running transaction check
---> Package ruby.x86 64 0:2.2.2-r0 will be installed
--> Finished Dependency Resolution
Dependencies Resolved
```

```
Size
Package
                         Version
                                     Repository
______
Installing:
             x86 64
                          2.2.2-r0
                                    /ruby-2.2.2-r0.x86 64
                                                                32 M
Transaction Summary
______
Install
         1 Package
Total size: 32 M
Installed size: 32 M
Is this ok [y/N]: y
Downloading Packages:
Running Transaction Check
Running Transaction Test
Transaction Test Succeeded
Running Transaction
 Installing : ruby-2.2.2-r0.x86 64
/sbin/ldconfig: /usr/lib/libboost regex.so.1.49.0 is not a symbolic link
Installed:
 ruby.x86 64 0:2.2.2-r0
Complete!
Install operation 2451 completed successfully at Fri Jul 27 18:55:23 2018.
[########## 100%
```

Installing Yocto