

Examples of Cisco Prime NSC OVA Template Deployment and Cisco Prime NSC ISO Installations

This chapter contains the following sections:

- OVA Installation Using vSphere 5.0 Installer, on page 1
- OVA Installation Using an ISO Image, on page 3

OVA Installation Using vSphere 5.0 Installer

Before you begin

- Ensure that you have the Virtual Supervisor Module (VSM) IP address available
- Ensure that you have all the proper networking information available, including the IP address you will use for your Cisco PNSC instance
- · Ensure that you have the Cisco Prime NSC ova image

Procedure

Step 1	Open your vSphere client.			
Step 2	Click Hosts and Clusters and choose an ESXi host.			
Step 3	From the toolbar, choose File > Deploy OVF Template.			
Step 4	In the Deploy OVF Template dialog box, click Browse to choose an .ova file on your local machine, or choose a file from another location (URL).			
Step 5	From the Open dialog box, choose the appropriate .ova file and click Open .			
Step 6	Click Next.			
	The OVF Template Details dialog box appears inside the Deploy OVF Template dialog box. The OVF Template Details dialog box is the first of ten pages in the Deploy OVF Template dialog box that you use to set parameters for the Cisco PNSC instance.			

Step 7	View your template details and click Next.			
Step 8	In the User License Agreement window, view the license and click Accept.			
Step 9	Click Next.			
Step 10	In the N	ame and Location window, do the following:		
	a) In th	he Name field, enter a template name.		
	b) In th	he Inventory Location area, choose the appropriate folder and click Next.		
Step 11	In the D click Ne	Deploy Configuration window, from the Configuration drop-down list, choose NSC Installer and ext.		
Step 12	In the Resource Pool window, choose the appropriate location to deploy the Cisco PNSC and click Next.			
Step 13	In the Storage window, choose an appropriate location to store the virtual machine files and click Next.			
Step 14	In the Display Format window, keep default settings and click Next.			
Step 15	In the Network Mapping window, choose an appropriate configured management network VLAN for Cisco PNSC and click Next .			
Step 16	In the Properties window, in the IP Address area, do the following:			
	a) Ente	er an IP address in the IPv4 IP Address field.		
	b) Ente	er an IP netmask in the IPv4 IP Netmask field.		
	c) Ente	er a gate address in the IPv4 Gateway field.		
	Note	The netmask is defaulted to 255.255.255.0.		
Step 17	In the NSC DNS area, do the following:			
	a) Ente	er the host name in the Host Name field.		
	b) Enter an IP address in the NSC IP field.			
Step 18	In the NSC NTP area, enter the NTP server IP address in the NTP server field.			
Step 19				
	Note	You enter the admin password in the Password field.		
Step 20	Click N	ext.		
Step 20 Step 21	In the R	ext. eady to Complete window, verify the configuration details for Cisco PNSC and click Finish to deploy NSC on the selected ESXi host.		
-	In the R	eady to Complete window, verify the configuration details for Cisco PNSC and click Finish to deploy		
-	In the R Cisco P Note The pro	eady to Complete window, verify the configuration details for Cisco PNSC and click Finish to deploy NSC on the selected ESXi host. Select Power on after deployment check box to start Cisco PNSC immediately after the deployment		
-	In the R Cisco P Note The pro	 eady to Complete window, verify the configuration details for Cisco PNSC and click Finish to deploy NSC on the selected ESXi host. Select Power on after deployment check box to start Cisco PNSC immediately after the deployment completes. gress dialog box appears. Once the virtual machine is installed, the Deployment Completed ifully dialog box opens. 		

OVA Installation Using an ISO Image

Procedure

Step 1	Download a Cisco PNSC ISO to your client machine.		
Step 2	Open a vCenter client.		
Step 3	Create a virtual machine on the appropriate host as follows:		
	a) Ensure your virtual machine size is 220 GB split into two disks (Disk1 having 20GB and Disk2 having 200GB).		
	b) Ensure your virtual machine has 4 GB of RAM.		
	c) Choose Red Hat Enterprise Linux 5 64-bit as your operating system.		
Step 4	Power on your virtual machine.		
Step 5	Mount the ISO to the virtual machine CD ROM drive as follows:		
	a) Right-click the virtual machine and choose Open the VM Console .		
	b) From the virtual machine console, click Connect/Disconnect CD/DVD Devices.		
	c) Choose CD/DVD Drive1.		
	d) Choose Connect to ISO Image on Local Disk.		
	e) Choose the ISO image that you downloaded.		
Step 6	Reboot the VM using VM, Guest, and press Ctrl-Alt-Del.		
Step 7	In the ISO installer, enter the appropriate values in the ISO installer field.		
Step 8	Once installation is completed, click Reboot to create the Cisco PNSC instance.		