



Managing Time Zones

This chapter includes the following sections:

- [Time Zones, page 1](#)
- [Setting the Time Zone, page 1](#)
- [Adding an NTP Server, page 3](#)
- [Deleting an NTP Server, page 4](#)
- [Setting the System Clock Manually, page 4](#)

Time Zones

Cisco UCS requires a domain-specific time zone setting and an NTP server to ensure the correct time display in Cisco UCS Manager. If you do not configure both of these settings in a Cisco UCS domain, the time does not display correctly.

Setting the Time Zone

Procedure

	Command or Action	Purpose
Step 1	UCS-A# scope system	Enters system mode.
Step 2	UCS-A /system # scope services	Enters system services mode.
Step 3	UCS-A /system/services # set timezone	At this point, you are prompted to enter a number corresponding to your continent, country, and time zone region. Enter the appropriate information at each prompt. When you have finished specifying the location information, you are prompted to confirm that the

	Command or Action	Purpose
		correct time zone information is being set. Enter 1 (yes) to confirm, or 2 (no) to cancel the operation.
Step 4	UCS-A /system/services # commit-buffer	Commits the transaction to the system configuration.
Step 5	UCS-A /system/services # exit	Enters system mode.
Step 6	UCS-A /system/services # exit	Enters EXEC mode.
Step 7	UCS-A /system/services # show timezone	Displays the configured timezone.

The following example configures the time zone to the Pacific time zone region, commits the transaction, and displays the configured time zone:

```
UCS-A# scope system
UCS-A /system # scope services
UCS-A /system/services # set timezone
Please identify a location so that time zone rules can be set correctly.
Please select a continent or ocean.
1) Africa          4) Arctic Ocean    7) Australia      10) Pacific Ocean
2) Americas        5) Asia            8) Europe
3) Antarctica      6) Atlantic Ocean  9) Indian Ocean
#? Arctic ocean
Please enter a number in range.
#? 2
Please select a country.
1) Anguilla        18) Ecuador        35) Paraguay
2) Antigua & Barbuda 19) El Salvador    36) Peru
3) Argentina       20) French Guiana  37) Puerto Rico
4) Aruba           21) Greenland      38) St Kitts & Nevis
5) Bahamas         22) Grenada        39) St Lucia
6) Barbados        23) Guadeloupe     40) St Pierre & Miquelon
7) Belize          24) Guatemala      41) St Vincent
8) Bolivia         25) Guyana          42) Suriname
9) Brazil          26) Haiti           43) Trinidad & Tobago
10) Canada         27) Honduras       44) Turks & Caicos Is
11) Cayman Islands 28) Jamaica        45) United States
12) Chile          29) Martinique     46) Uruguay
13) Colombia       30) Mexico          47) Venezuela
14) Costa Rica     31) Montserrat     48) Virgin Islands (UK)
15) Cuba           32) Netherlands Antilles 49) Virgin Islands (US)
16) Dominica       33) Nicaragua
17) Dominican Republic 34) Panama
#? 45
Please select one of the following time zone regions.
1) Eastern Time
2) Eastern Time - Michigan - most locations
3) Eastern Time - Kentucky - Louisville area
4) Eastern Time - Kentucky - Wayne County
5) Eastern Standard Time - Indiana - most locations
6) Eastern Standard Time - Indiana - Crawford County
7) Eastern Standard Time - Indiana - Starke County
8) Eastern Standard Time - Indiana - Switzerland County
9) Central Time
10) Central Time - Michigan - Wisconsin border
11) Central Time - North Dakota - Oliver County
12) Mountain Time
13) Mountain Time - south Idaho & east Oregon
14) Mountain Time - Navajo
15) Mountain Standard Time - Arizona
16) Pacific Time
```

```

17) Alaska Time
18) Alaska Time - Alaska panhandle
19) Alaska Time - Alaska panhandle neck
20) Alaska Time - west Alaska
21) Aleutian Islands
22) Hawaii
#? 16
    
```

The following information has been given:

```

United States
Pacific Time
    
```

```

Therefore timezone 'America/Los_Angeles' will be set.
Local time is now:      Fri May 15 07:39:25 PDT 2009.
Universal Time is now:  Fri May 15 14:39:25 UTC 2009.
Is the above information OK?
1) Yes
2) No
#? 1
UCS-A /system/services* # commit-buffer
UCS-A /system/services # exit
UCS-A /system # exit
UCS-A# show timezone
Timezone: America/Los_Angeles (Pacific Time)
UCS-A#
    
```

Adding an NTP Server

Procedure

	Command or Action	Purpose
Step 1	UCS-A# scope system	Enters system mode.
Step 2	UCS-A /system # scope services	Enters system services mode.
Step 3	UCS-A /system/services # create ntp-server {hostname ip-addr ip6-addr}	Configures the system to use the NTP server with the specified hostname, IPv4 or IPv6 address.
Step 4	UCS-A /system/services # commit-buffer	Commits the transaction to the system configuration.

The following example configures an NTP server with the IP address 192.168.200.101 and commits the transaction:

```

UCS-A# scope system
UCS-A /system # scope services
UCS-A /system/services # create ntp-server 192.168.200.101
UCS-A /system/services* # commit-buffer
UCS-A /system/services #
    
```

The following example configures an NTP server with the IP address 4001::6 and commits the transaction:

```

UCS-A# scope system
UCS-A /system # scope services
UCS-A /system/services # create ntp-server 4001::6
UCS-A /system/services* # commit-buffer
UCS-A /system/services #
    
```

Deleting an NTP Server

Procedure

	Command or Action	Purpose
Step 1	UCS-A# scope system	Enters system mode.
Step 2	UCS-A /system # scope services	Enters system services mode.
Step 3	UCS-A /system/services # delete ntp-server { <i>hostname</i> <i>ip-addr</i> <i>ip6-addr</i> }	Deletes the NTP server with the specified hostname, IPv4 or IPv6 address.

The following example deletes the NTP server with the IP address 192.168.200.101 and commits the transaction:

```
UCS-A# scope system
UCS-A /system # scope services
UCS-A /system/services # delete ntp-server 192.168.200.101
UCS-A /system/services* # commit-buffer
UCS-A /system/services #
```

The following example deletes the NTP server with the IPv6 address 4001::6 and commits the transaction:

```
UCS-A# scope system
UCS-A /system # scope services
UCS-A /system/services # delete ntp-server 4001::6
UCS-A /system/services* # commit-buffer
UCS-A /system/services #
```

Setting the System Clock Manually

System clock modifications take effect immediately.

Procedure

	Command or Action	Purpose
Step 1	UCS-A# scope system	Enters system mode.
Step 2	UCS-A /system # scope services	Enters system services mode.
Step 3	UCS-A /system/services # set clock <i>mon date</i> <i>year hour min sec</i>	Configures the system clock.

The following example configures the system clock and commits the transaction:

```
UCS-A# scope system
UCS-A /system # scope services
UCS-A /system/services # set clock apr 14 2010 15 27 00
UCS-A /system/services #
```