



Installing the Integration Pack

This chapter includes the following sections:

- [Integration Pack Installation Overview, page 2-1](#)
- [Registering the Integration Pack, page 2-1](#)
- [Deploying the Integration Pack, page 2-2](#)
- [Uninstalling the Integration Pack, page 2-2](#)
- [Unregistering an Integration Pack, page 2-3](#)



Note

For installation information on Microsoft System Center 2012 Orchestrator, refer to the Microsoft TechNet website.

Integration Pack Installation Overview

Installing and running the Integration Pack includes the following tasks:

-
- Step 1** Close any running instances of Microsoft SCO 2012 Runbook Designer.
 - Step 2** Download and unzip the **Cisco_IMC_OIP_1.0.oip** file. The compressed **.zip** file includes the Integration Pack **.oip** installation file. The **.zip** file can be downloaded from the [software download](#) site on [Cisco.com](#).
 - Step 3** Register the integration pack with the Orchestrator Management Server. See [Registering the Integration Pack](#).
 - Step 4** Deploy the registered integration pack to the Runbook Servers and Runbook Designer. See [Deploying the Integration Pack](#).
-

Registering the Integration Pack

-
- Step 1** Launch the System Center 2012 Orchestrator Deployment Manager.
 - Step 2** In the left pane, right click **Integration Packs** and choose **Register IP with the Orchestrator Management Server**.

- Step 3** In the **Integration Pack Registration Wizard** window, click **Next**.
 - Step 4** In the **Integration Pack or Hotfix Selection** window, click **Add**.
 - Step 5** In the **Open** window, locate and choose the **Cisco_IMC_OIP_1.0.oip** file that was downloaded earlier and click **Open**.
 - Step 6** In the **Integration Pack or Hotfix Selection** window, click **Next**.
 - Step 7** In the **Completing Integration Pack Registration Wizard**, click **Finish** to complete the Integration Pack registration.
 - Step 8** In the **End User License Agreement** window, click **Accept** after reading the agreement. This completes the Integration Pack registration.
-

Deploying the Integration Pack

- Step 1** Launch the System Center 2012 Orchestrator Deployment Manager.
 - Step 2** In the left pane, right-click **Integration Packs** and choose **Deploy IP to Runbook Server or Runbook Designer**.
 - Step 3** In the **Integration Pack Deployment Wizard** window, click **Next**.
 - Step 4** In the **Integration Pack or Hotfix Deployment** window, select the **Cisco IMC Integration Pack** and click **Next**.
 - Step 5** In the **Computer** field of the **Computer Selection** window, choose the computer on which you wish to deploy the Integration Pack, click **Add**, and then click **Next**.
You can specify more than one computer on which to deploy the Integration Pack.
 - Step 6** In the **Installation Options** window, by default **Stop all running Runbooks before installing the Integration Packs or Hotfixes** is selected. Click **Next**.
 - Step 7** In the **Completing Integration Pack Deployment Wizard**, click **Finish** to complete the process.
-

Uninstalling the Integration Pack

To completely remove the Integration Pack, first uninstall the Integration Pack and then unregister the Integration Pack.

- Step 1** In the left navigation pane, expand **Runbook Servers** and select the server where the Integration Pack is deployed. The Integration Packs are listed in the work pane.
- Step 2** Right-click a Cisco IMC Integration Pack and choose **Uninstall Integration Pack or Hotfix...** from the right-click menu.

After uninstalling the Cisco IMC Integration Pack, continue to unregister the Integration Pack to completely remove the Integration Pack from the server.

Unregistering an Integration Pack

-
- Step 1** In the left navigation pane, expand **Integration Packs**. The Integration Packs are listed in the work pane.
 - Step 2** Right-click a Cisco IMC Integration Pack and choose **Unregister Integration Pack or Hotfix from the Orchestrator Management Server**.

