



Configuring Networking Objects in Cisco UCS Manager

This chapter includes the following sections:

- [Understanding the Cisco UCSM and Microsoft SCVMM Workflow](#) , page 1
- [Configuring Service Profile Network Settings for Hyper-V Hosts](#), page 2
- [Configuring a VLAN](#), page 2
- [Configuring an IP Pool](#), page 3
- [Configuring a Fabric Network](#), page 4
- [Configuring a Network Site](#), page 4
- [Configuring a Network Segment](#), page 5
- [Configuring a VM Network](#), page 6
- [Configuring SCVMM Provider](#), page 7
- [Configuring Uplink Port Profiles](#), page 8
- [Creating a Virtual Port Profile](#), page 9
- [Configuring a Profile Client](#), page 10

Understanding the Cisco UCSM and Microsoft SCVMM Workflow

See the following steps for a complete workflow of Cisco UCSM with Microsoft SCVMM:

- 1 Configure the service profile network settings for the Hyper-V hosts.
- 2 Configure VLANs and IP pools.
- 3 Configure the fabric network sets, the fabric network, the network site, and the network segment.
- 4 Associate a VM network to the network segment.
- 5 Create a Microsoft SCVMM provider.
- 6 Create a logical switch.

- 7 Configure an uplink port profile (UPP).
- 8 Create a virtual port profile (VPP) (for example, port classification for Microsoft).
- 9 Create a port profile client for the virtual port profile (VPP) and choose the logical switch that was created under the Microsoft SCVMM provider.
- 10 Install the Cisco UCS provider plugin in SCVMM.
- 11 Create a Virtual Switch Extension Manager (VSEM) instance on the provider. The provider fetches all the network definitions from Cisco UCSM. The users can schedule the polls for periodic updates.
- 12 Create a logical switch in SCVMM by checking the **Enable single root I/O virtualization (SR-IOV)** check box and adding Cisco UCSM's logical switch as an extension. Choose an appropriate uplink port profile and virtual port profile.
- 13 Create a VM network in SCVMM and choose the network segment from the drop-down list.
- 14 Attach the Hyper-V hosts to SCVMM.
- 15 Deploy the logical switch to the Hyper-V host.
- 16 Create a VM instance in SCVMM. Assign the VM NIC to a VM network and the port classification.
- 17 Power on the VM and load the eNIC driver on the VM. The eNIC driver now establishes a network link with the Cisco UCS fabric interconnect (FI). The FI enforces the port classification as per the assigned port profile properties.
- 18 Verify the VM vNICs in the Cisco UCSM GUI.

Configuring Service Profile Network Settings for Hyper-V Hosts

As a prerequisite for the Hyper-V host that you plan on using in the Cisco UCS cluster, configure the service profile network settings first. In the **Modify vNIC** window in the GUI, configure the dynamic vNIC connection policy on the static vNIC.

- In the **Adapter Performance Profile** panel, select an **SRIOV** adapter policy for static vNICs.
- In the **Connection Policies** panel, select **Dynamic vNIC** connection policy on one or more static vNICs that you plan on using.
- In the **Connection Policies** panel, click **Add** to create a dynamic vNIC connection policy. A new window opens.
- Select **windows** as the adapter policy for the dynamic vNIC.
- Specify the number of dynamic vNICs.
- Click **OK**.

After completing the steps outlined in this section, SR-IOV is enabled on the vNICs. For more information on configuring policies, see [Configuring Policies](#).

Configuring a VLAN

For more information on creating VLANs, see the CLI configuration guide for the Cisco UCSM version that you are using.

Configuring an IP Pool

Configure an IP pool in the VM tab.

Procedure

	Command or Action	Purpose
Step 1	UCS-A# scope system	Enters system mode.
Step 2	UCS-A /system # scope vm-mgmt	Enters system VM management mode.
Step 3	UCS-A /system/vm-mgmt # scope vnetset	Enters VM network set (vnetset) mode.
Step 4	UCS-A /system/vm-mgmt/vnetset # create ip-pool SCJ2-pool	Creates an IP pool.
Step 5	UCS-A /system/vm-mgmt/vnetset/ip-pool # set {dhcp-support guid net-bios ...}ip-pool-name	Sets DHCP support and Netbios mode. Note Do not configure the GUID. It is automatically generated by the Cisco UCSM.
Step 6	UCS-A /system/vm-mgmt/vnetset/ip-pool # create {block dns-suffix wins-server}ip-pool-name	Sets DNS suffix and wins-server mode.
Step 7	UCS-A /system/vm-mgmt/vnetset/ip-pool/dns-suffix # commit-buffer	Commits the transaction. Note Configuring both IPv6 and IPv4 IP pools at the same time is not supported. When configuring the IP pool blocks, only one block is supported.

The following example shows how to create an IP pool and commit the transaction:

```
UCS-A # scope system
UCS-A /system # scope vm-mgmt
UCS-A /system/vm-mgmt # scope vnetset
UCS-A /system/vm-mgmt/vnetset # create ip-pool SJC-pool
UCS-A /system/vm-mgmt/vnetset/ip-pool # create block 192.168.100.1 192.168.100.200
192.168.100.10 255.255.255.0
UCS-A /system/vm-mgmt/vnetset/ip-pool/dns-suffix # commit-buffer
UCS-A /system/vm-mgmt/vnetset/ip-pool # create dns-suffix test-cli.com
UCS-A /system/vm-mgmt/vnetset/ip-pool/dns-suffix # commit-buffer
UCS-A /system/vm-mgmt/vnetset/ip-pool # create wins-server test-wins
UCS-A /system/vm-mgmt/vnetset/ip-pool/wins-server # set ipv4-address 10.10.8.8
UCS-A /system/vm-mgmt/vnetset/ip-pool/wins-server # commit-buffer
UCS-A /system/vm-mgmt/vnetset/ip-pool/wins-server # exit
UCS-A /system/vm-mgmt/vnetset/ip-pool # scope dns-suffix test-cli.com
UCS-A /system/vm-mgmt/vnetset/ip-pool/dns-suffix # set host-name test.com
UCS-A /system/vm-mgmt/vnetset/ip-pool/dns-suffix # commit-buffer
UCS-A /system/vm-mgmt/vnetset/ip-pool # set net-bios active
UCS-A /system/vm-mgmt/vnetset/ip-pool # commit-buffer
UCS-A /system/vm-mgmt/vnetset/ip-pool # set dhcp-support supported
UCS-A /system/vm-mgmt/vnetset/ip-pool # commit-buffer
UCS-A /system/vm-mgmt/vnetset/ip-pool # exit
```

Configuring a Fabric Network

Configure a Fabric Network in the VM tab.

Procedure

	Command or Action	Purpose
Step 1	UCS-A# scope system	Enters system mode.
Step 2	UCS-A /system # scope vm-mgmt	Enters system VM management mode.
Step 3	UCS-A /system/vm-mgmt # scope vnetset	Enters VM network set (vnetset) mode.
Step 4	UCS-A /system/vm-mgmt/vnetset # create fabric-network <i>fabric-network-name</i>	Creates a Fabric Network.
Step 5	UCS-A /system/vm-mgmt/vnetset/fabric-network # commit-buffer	Commits the transaction.

The following example shows how to create a Fabric Network:

```
UCS-A # scope system
UCS-A /system # scope vm-mgmt
UCS-A /system/vm-mgmt # scope vnetset
UCS-A /system/vm-mgmt/vnetset # create fabric-network blizzard
UCS-A /system/vm-mgmt/vnetset/fabric-network # commit-buffer
```

Configuring a Network Site

Configure a Network Site in the VM tab.

Procedure

	Command or Action	Purpose
Step 1	UCS-A# scope system	Enters system mode.
Step 2	UCS-A /system # scope vm-mgmt	Enters system VM management mode.
Step 3	UCS-A /system/vm-mgmt # scope vnetset	Enters VM network set (vnetset) mode.
Step 4	UCS-A /system/vm-mgmt/vnetset # create fabric-network <i>fabric-network-name</i>	Creates a Fabric Network.
Step 5	UCS-A /system/vm-mgmt/vnetset/fabric-network # create network-site <i>network-site-name</i>	Creates a Network Site.

	Command or Action	Purpose
Step 6	UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site # commit-buffer	Commits the transaction.

The following example shows how to create a Network Site:

```
UCS-A # scope system
UCS-A /system # scope vm-mgmt
UCS-A /system/vm-mgmt # scope vnetset
UCS-A /system/vm-mgmt/vnetset # create fabric-network blizzard
UCS-A /system/vm-mgmt/vnetset/fabric-network # create network-site blizzard-SJC
UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site # commit-buffer
```

Configuring a Network Segment

Configure a Network Segment in the VM tab.

Before You Begin

Configure a Network Site before configuring a Network Segment.

Procedure

	Command or Action	Purpose
Step 1	UCS-A# scope system	Enters system mode.
Step 2	UCS-A /system # scope vm-mgmt	Enters system VM management mode.
Step 3	UCS-A /system/vm-mgmt # scope vnetset	Enters VM network set (vnetset) mode.
Step 4	UCS-A /system/vm-mgmt/vnetset # create fabric-network <i>fabric-network-name</i>	Creates a Fabric Network.
Step 5	UCS-A /system/vm-mgmt/vnetset/fabric-network # create network-site <i>network-site-name</i>	Creates a Network Site.
Step 6	UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site # create network-segment <i>network-segment-name</i>	Creates a Network Segment.
Step 7	UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site/network-segment # set ippool-name <i>ippool-name</i>	Sets an IP pool name.
Step 8	UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site/network-segment # set max-ports <i>max-ports-number</i>	Sets the maximum number of ports.

	Command or Action	Purpose
Step 9	UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site/network-segment # create eth-if 1301	Sets the VLAN.
Step 10	UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site/network-segment # commit buffer	Commits the transaction.
Step 11	UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site/network-segment # exit	Exits the mode.

The following example shows how to create a Network Segment with a VLAN and an IP pool:

```
UCS-A # scope system
UCS-A /system # scope vm-mgmt
UCS-A /system/vm-mgmt # scope vnetset
UCS-A /system/vm-mgmt/vnetset # create fabric-network blizzard
UCS-A /system/vm-mgmt/vnetset/fabric-network # create network-site blizzard-SJC
UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site #
create network-segment blizzard-SJC
UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site/network-segment #
set ippool-name SJC-pool
UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site/network-segment #
set max-ports 250
UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site/network-segment #
commit buffer
UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site/network-segment #
create eth-if 1301
UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site/network-segment/eth-if #
commit buffer
UCS-A /system/vm-mgmt/vnetset/fabric-network/network-site/network-segment/eth-if #
exit
```

Configuring a VM Network

Configure a VM Network in the VM tab.

Procedure

	Command or Action	Purpose
Step 1	UCS-A# scope system	Enters system mode.
Step 2	UCS-A /system # scope vm-mgmt	Enters system VM management mode.
Step 3	UCS-A /system/vm-mgmt # scope vnetset	Enters VM network set (vnetset) mode.
Step 4	UCS-A /system/vm-mgmt/vnetset # create vm-network vm-network-name	Creates a VM Network.
Step 5	UCS-A /system/vm-mgmt/vnetset/vm-network # set fabric-network-name fabric-network-name	Sets the Fabric Network.

	Command or Action	Purpose
Step 6	UCS-A /system/vm-mgmt/vnetset/vm-network # set descr <i>description</i>	(Optional) Sets the description for the VM Network.
Step 7	UCS-A /system/vm-mgmt/vnetset/vm-network # commit buffer	Commits the transaction.
Step 8	UCS-A /system/vm-mgmt/vnetset/vm-network # exit	Exits the configuration.

The following example shows how to create a VM Network:

```
UCS-A # scope system
UCS-A /system # scope vm-mgmt
UCS-A /system/vm-mgmt # scope vnetset
UCS-A /system/vm-mgmt/vnetset # create vm-network VMN-SJC
UCS-A /system/vm-mgmt/vnetset/vm-network # set fabric-network-name blizzard
UCS-A /system/vm-mgmt/vnetset/vm-network # set descr blizzard_fabric_network
UCS-A /system/vm-mgmt/vnetset/vm-network # commit-buffer
UCS-A /system/vm-mgmt/vnetset/vm-network # exit
```

Configuring SCVMM Provider

Configure a SCVMM provider in the VM tab.

Procedure

	Command or Action	Purpose
Step 1	UCS-A# scope system	Enters system mode.
Step 2	UCS-A /system # scope vm-mgmt	Enters system VM management mode.
Step 3	UCS-A /system/vm-mgmt # scope microsoft	Enters Microsoft mode.
Step 4	UCS-A /system/vm-mgmt/microsoft # create vmm-provider <i>scvmm-provider-name</i>	Creates SCVMM provider.
Step 5	UCS-A /system/vm-mgmt/microsoft/vmm-provider # set { <i>description</i> <i>hostname</i> }	Sets the description and the IP address of the SCVMM provider. Note Enter the IP address of the server in this field. Due to a restriction, you cannot enter the DNS host name in the field.
Step 6	UCS-A /system/vm-mgmt/microsoft/vmm-provider # commit-buffer	

The following example shows how to create a SCVMM provider:

```
UCS-A # scope system
UCS-A /system # scope vm-mgmt
UCS-A /system/vm-mgmt # scope microsoft
UCS-A /system/vm-mgmt/vnetset/microsoft/ # create vmm-provider savbu-scvmm-02
UCS-A /system/vm-mgmt/vnetset/microsoft/vmm-provider # set hostname 10.0.0.10
UCS-A /system/vm-mgmt/vnetset/microsoft/vmm-provider # commit-buffer
```

Configuring Uplink Port Profiles

Configure the uplink port profiles in the VM tab.

Procedure

	Command or Action	Purpose
Step 1	UCS-A# scope system	Enters system mode.
Step 2	UCS-A /system # scope vm-mgmt	Enters system VM management mode.
Step 3	UCS-A /system/vm-mgmt # scope microsoft	Enters Microsoft mode.
Step 4	UCS-A /system/vm-mgmt/microsoft # scope vmm-provider <i>scvmm-provider-name</i>	Creates SCVMM provider.
Step 5	UCS-A /system/vm-mgmt/microsoft/vmm-provider # create distributed-virtual-switch <i>logical-switch-name</i>	Creates the distributed virtual switch, that is the logical switch for the profile client.
Step 6	UCS-A /system/vm-mgmt/microsoft/vmm-provider//distributed-virtual-switch # create uplink-pp <i>uplink-pp-name</i>	Creates the uplink port profile for the profile client.
Step 7	UCS-A /system/vm-mgmt/microsoft/vmm-provider//distributed-virtual-switch/uplink-pp # add network-site <i>network-site-name</i>	Adds a network site for the profile client.
Step 8	UCS-A /system/vm-mgmt/microsoft/vmm-provider//distributed-virtual-switch/uplink-pp # commit buffer	Commits the transaction.

The following example shows how to create an uplink port profile for the profile client:

```
UCS-A # scope system
UCS-A /system # scope vm-mgmt
UCS-A /system/vm-mgmt # scope microsoft
UCS-A /system/vm-mgmt/vnetset/microsoft/ # scope vmm-provider savbu-scvmm-02
UCS-A /system/vm-mgmt/vnetset/microsoft/vmm-provider #
```



```

create distributed-virtual-switch LS-1
UCS-A /system/vm-mgmt/vnetset/microsoft/vmm-provider/distributed-virtual-switch #
create uplink-pp UPP-1
UCS-A /system/vm-mgmt/vnetset/microsoft/vmm-provider/distributed-virtual-switch/uplink-pp#
add network-site blizzard-SJC
UCS-A /system/vm-mgmt/vnetset/microsoft/vmm-provider/distributed-virtual-switch/uplink-pp#
commit buffer

```

Creating a Virtual Port Profile

Before You Begin

For general information about SLA port profiles and profile clients, see [Configuring Port Profiles](#).

Procedure

	Command or Action	Purpose
Step 1	UCS-A# scope system	Enters system mode.
Step 2	UCS-A /system # scope vm-mgmt	Enters system VM management mode.
Step 3	UCS-A /system/vm-mgmt # scope profile-set	Enters system VM management profile set mode.
Step 4	UCS-A /system/vm-mgmt/profile-set # create port-profile profile-name	Creates the specified port profile and enters system VM management profile set port profile mode. This name can be between 1 and 16 alphanumeric characters. You cannot use spaces or any special characters other than - (hyphen) and _ (underscore), and you cannot change this name after the object has been saved.
Step 5	UCS-A /system/vm-mgmt/profile-set/port-profile # set descr description	(Optional) Provides a description for the port profile.
Step 6	UCS-A /system/vm-mgmt/profile-set/port-profile # set max-ports max-ports-number	Sets the number for the maximum ports.
Step 7	UCS-A /system/vm-mgmt/profile-set/port-profile # set nw-control-policy policy-name	Sets the network control policy.
Step 8	UCS-A /system/vm-mgmt/profile-set/port-profile # set profile-type sla-only	Configures the port profile as SLA only. Note Select the type of the Port Profile as SLA Only for Hyper-V. For VM-FEX for Hyper-V, the VLANS are pushed from the network segment and not from the port profile.
Step 9	UCS-A /system/vm-mgmt/profile-set/port-profile # commit-buffer	Commits the transaction.

The following example shows how to create and configure a port profile named SanJoseProfile and commit the transaction:

```
UCS-A# scope system
UCS-A /system # scope vm-mgmt
UCS-A /system/vm-mgmt # scope profile-set
UCS-A /system/vm-mgmt/profile-set # create port-profile SanJoseProfile
UCS-A /system/vm-mgmt/profile-set/port-profile* # set descr "Blizzard-QoS"
UCS-A /system/vm-mgmt/profile-set/port-profile* # set max-ports 58
UCS-A /system/vm-mgmt/profile-set/port-profile* # set nw-control-policy access
UCS-A /system/vm-mgmt/profile-set/port-profile/vlan* # set profile-type sla-only
UCS-A /system/vm-mgmt/profile-set/port-profile* # commit-buffer
UCS-A /system/vm-mgmt/profile-set/port-profile # exit
```

What to Do Next

Create a profile client.

Configuring a Profile Client

Configure the profile client in the VM tab.

Procedure

	Command or Action	Purpose
Step 1	UCS-A# scope system	Enters system mode.
Step 2	UCS-A /system # scope vm-mgmt	Enters system VM management mode.
Step 3	UCS-A /system/vm-mgmt # scope port-profile-set	Enters system VM management profile set mode.
Step 4	UCS-A /system/vm-mgmt/profile-set # create port-profile <i>virtual-port-profile-name</i>	Creates the specified port profile and enters system VM management profile set port profile mode.
Step 5	UCS-A /system/vm-mgmt/profile-set/port-profile # create client <i>client-name</i>	Creates the port profile client and enters system VM management profile set port profile mode.
Step 6	UCS-A /system/vm-mgmt/profile-set/port-profile/client # set cluster <i>logical-switch-name</i>	Sets the cluster for the Logical Switch.
Step 7	UCS-A /system/vm-mgmt/profile-set/port-profile/client # commit-buffer	Commits the transaction. Note The Datacenter and Folder options are not supported for the SLA port profile.

The following example shows how to create a profile client:

```
UCS-A# scope system
UCS-A /system # scope vm-mgmt
UCS-A /system/vm-mgmt # scope port-profile-set
UCS-A /system/vm-mgmt/profile-set # create port-profile VPP1
UCS-A /system/vm-mgmt/profile-set/port-profile # create client test
UCS-A /system/vm-mgmt/profile-set/port-profile/client # set cluster ls1
UCS-A /system/vm-mgmt/profile-set/port-profile/client # commit-buffer
```

