



## New and Changed

- [New and Changed Information, on page 1](#)

## New and Changed Information

This section provides information on new features and changed behavior in Cisco UCS Manager, Release 4.3.

**Table 1: New Features and Changed Behavior in Cisco UCS Manager, 4.3(2c)**

Feature	Description	Where Documented
Support Cisco UCS X-Series Servers	Cisco UCS Manager supports Cisco UCS X410c M7 Compute Node.  Cisco UCS X-Series servers support Intelligent Fabric Modules (IFM), which function similarly to the Input/Output Module (IOM) in Cisco UCS B-Series servers.	—
Support for Cisco UCS VIC cards	Cisco UCS Manager supports the following Cisco UCS VIC cards: <ul style="list-style-type: none"><li>• Cisco UCS VIC 15230</li><li>• Cisco UCS VIC 15427</li><li>• Cisco UCS VIC 15237 MLOM</li></ul>	—

**Table 2: New Features and Changed Behavior in Cisco UCS Manager, 4.3(2b)**

Feature	Description	Where Documented
Support Cisco UCS C-Series M7 servers	Cisco UCS Manager supports the following C-Series M7 servers: <ul style="list-style-type: none"> <li>• Cisco UCS C240 M7 Server</li> <li>• Cisco UCS C220 M7 Server</li> </ul>	—
Support Cisco UCS X-Series chassis and servers	Cisco UCS Manager supports Cisco UCS X9508 server chassis with the following Cisco UCS X-Series servers: <ul style="list-style-type: none"> <li>• Cisco UCS X210c M7 Compute Node</li> <li>• Cisco UCS X210c M6 Compute Node</li> </ul> Cisco UCS X-Series servers support Intelligent Fabric Modules (IFM), which function similarly to the Input/Output Module (IOM) in Cisco UCS B-Series servers.	—
Support for Receive Side Scaling Version 2	Cisco UCS Manager introduces support for Receive Side Scaling Version 2	<ul style="list-style-type: none"> <li>• <a href="#">Receive Side Scaling Version 2 (RSSv2)</a></li> <li>• <a href="#">Configuring an Ethernet Adapter Policy to Enable RSS on Windows Operating Systems</a></li> </ul>

Feature	Description	Where Documented
Support for VIC QinQ Tunneling	Cisco UCS Manager introduces support for VIC QinQ Tunneling.	<ul style="list-style-type: none"> <li>• <a href="#">VIC QinQ Tunneling</a></li> <li>• <a href="#">Enabling QinQ on a vNIC of LAN Connectivity Policy</a></li> <li>• <a href="#">Enabling QinQ on a vNIC of a Service Profile</a></li> <li>• <a href="#">Enabling QinQ on a vNIC Template</a></li> <li>• <a href="#">Viewing QinQ</a></li> <li>• <a href="#">Disabling QinQ on a vNIC of a Service Profile</a></li> <li>• <a href="#">Disabling QinQ on a vNIC Template</a></li> <li>• <a href="#">Disabling QinQ on a vNIC of LAN Connectivity Policy</a></li> <li>• <a href="#">Adding a VLAN on a vNIC Template</a></li> <li>• <a href="#">Adding a VLAN on a vNIC of LAN Connectivity Policy</a></li> <li>• <a href="#">Adding a VLAN on a vNIC of a Service Profile</a></li> <li>• <a href="#">Deleting a VLAN in a VNIC template</a></li> <li>• <a href="#">Deleting a VLAN on a vNIC of LAN Connectivity Policy</a></li> <li>• <a href="#">Deleting a VLAN on a vNIC of a Service Profile</a></li> <li>• <a href="#">VIC QinQ Tunneling - Supported Combinations and Limitations</a></li> </ul>

Feature	Description	Where Documented
Support for SR-IOV	Cisco UCS Manager provides Single Root I/O Virtualization High Performance Networking (SRIOV-HPN) Connection Policy support.	<ul style="list-style-type: none"> <li>• <a href="#">Single Root I/O Virtualization HPN Connection Policy</a></li> <li>• <a href="#">Configuring SRIOV HPN Connection Policy</a></li> <li>• <a href="#">Assigning SRIOV-HPN Connection Policy to a vNIC</a></li> <li>• <a href="#">Deleting SRIOV HPN Connection Policy</a></li> </ul>
Deprecated support for Cisco UCS B-Series and C-Series M4 servers	Cisco UCS Manager deprecates support for Cisco UCS B-Series and C-Series M4 servers.	—
Deprecated support for Cisco UCS 6200 series Fabric Interconnect	Cisco UCS Manager deprecates support for Cisco UCS 6200 series Fabric Interconnects.	—