



Introduction

The Cisco Business Edition 7000 (BE7000) solution offers premium voice, video, mobility, messaging, conferencing, instant messaging and availability; and contact center features on a single, integrated platform. The solution provides core communication capabilities that enterprise businesses need for improved collaboration across their value chain.

This document provides step-by-step guidance on how to configure a BE7000M or BE7000H server and how to install a selection of collaboration applications, including those listed below:

- Cisco Prime Collaboration Provisioning
- Cisco Unified Communications Manager
- Cisco Unity Connection
- Cisco Unified Communications Manager IM and Presence Service
- Cisco Expressway
- Cisco TelePresence Conductor
- Cisco TelePresence Server
- Cisco TelePresence Management Suite
- Cisco Unified Contact Center Express
- Cisco Emergency Responder
- Cisco TelePresence Video Communication Server
- Cisco Unified Attendant Console
- Cisco Paging Server
- Cisco TelePresence Content Server



Note

This list does not include all the applications that you can install on a BE7000M or BE7000H server. See <http://www.cisco.com/go/uc-virtualized> for the complete list of supported applications. To check if you can use a Cisco or third-party virtualized application under a VMware Embedded Hypervisor License or a VMware License, see the [Cisco Business Edition 6000 and Cisco Business Edition 7000 Co-residency Policy Requirements](#) document.

BE7000M consists of a Cisco Unified Computing System C240 M4S2 Rack-mount server (SFF drives with 16-drive backplane and integrated expander), prepared in manufacturing as follows:

- 12 disk drives that are pre-configured as two RAID-5 disk arrays (six disks per array)
- Cisco Unified Communications Virtualization Hypervisor (VMware ESXi), preinstalled and licensed [1](#)
- Predeployed Cisco Collaboration virtual machines
- Installation media for Cisco Collaboration applications preloaded in the datastore

BE7000H consists of a Cisco Unified Computing System C240 M4SX Rack-mount server (SFF drives with 24-drive backplane and expander), prepared in manufacturing as follows:

- 20 disk drives that are pre-configured as four RAID-5 disk arrays (five disks per array)
- Cisco Unified Communications Virtualization Hypervisor (VMware ESXi), preinstalled with a Cisco Virtualization Hypervisor embedded license
- Predeployed Cisco Collaboration virtual machines
- Installation media for Cisco Collaboration applications preloaded in the hypervisor datastore

For design and virtualization details, see “How to Design” section at the following location: [Cisco Business Edition 6000 and Cisco Business Edition 7000 Co-residency Policy Requirements](#) .

¹ Refer to the *Cisco Business Edition 6000 and Cisco Business Edition 7000 Co-residency Policy Requirements* document where embedded hypervisor licenses are used.