



# Bulk Administration of Contact Lists

---

- [Bulk Administration Overview](#), on page 1
- [Bulk Administration Prerequisites](#), on page 1
- [Bulk Administration Task Flow](#), on page 2

## Bulk Administration Overview

With the IM and Presence Service Bulk Administration Tool, you can perform bulk transactions on many IM and Presence Service users, including:

- Rename User Contact IDs for use in the Microsoft migration process.
- Export the contact lists, non-presence contact lists, and location details of users who belong to a particular node or presence redundancy group, to a CSV data file.



---

**Note** Non-presence contacts are contacts who do not have an IM address and can only be exported using this procedure.

---

- You can import user contacts lists, non-presence contact lists, and user location migration details you had exported to another node or presence redundancy group in a different cluster. Prepopulate contact lists for new users or add to existing contact lists.
- These features facilitate the migration of users between clusters.

## Bulk Administration Prerequisites

Before importing your user contact lists:

1. Provision the users on Cisco Unified Communications Manager.
2. Ensure that the users are licensed on Cisco Unified Communications Manager for the IM and Presence Service.



**Note** The default contact list import rate is based on the virtual machine deployment hardware type. You can change the contact list import rate by choosing **Cisco Unified CM IM and Presence Administration > System > Service Parameters > Cisco Bulk Provisioning Service**. However, if you increase the default import rate, this will result in higher CPU and memory usage on IM and Presence Service.

## Bulk Administration Task Flow

### Procedure

	Command or Action	Purpose
<b>Step 1</b>	<a href="#">Bulk Rename User Contact IDs, on page 2</a>	Upload the CSV file and rename the contact IDs for a list of users.
<b>Step 2</b>	<a href="#">Bulk Export User Contact Lists and Non-Presence Contact Lists, on page 3</a>	Use this procedure to export your users' contact lists to a CSV file. You can then use Bulk Administration to move user contact lists to another node or cluster.
<b>Step 3</b>	<a href="#">Bulk Export User Location Details , on page 4</a>	Use this procedure to export user location details to a CSV file. You can then use Bulk Administration to move user location details lists to another node or cluster.
<b>Step 4</b>	Carry out these tasks to import your user contact lists into IM and Presence Service: <ul style="list-style-type: none"> <li>• <a href="#">Verify Maximum Contact List Size, on page 7</a></li> <li>• <a href="#">Upload Input File, on page 8</a></li> <li>• <a href="#">Create New Bulk Administration Job, on page 12</a></li> <li>• <a href="#">Check Results of Bulk Administration Job, on page 13</a></li> </ul>	

## Bulk Rename User Contact IDs



**Caution** Bulk rename of contact IDs is used in the migration of users from a Microsoft server (for example Lync) to IM and Presence Service. See the Partitioned Intradomain Federation Guide on Cisco.com for detailed instructions on how this tool should be used as part of the user migration process. Using this tool in any other circumstances is not supported.

Upload the CSV file and rename the contact IDs for a list of users.

## Procedure

---

- Step 1** Upload the CSV file with the list of contact IDs that you want to rename in all contact lists:
- Go to the IM and Presence Service database publisher node.
  - In **Cisco Unified CM IM and Presence Administration**, choose **Bulk Administration > Upload/Download Files..**
  - Click **Add New**.
  - Click **Browse** to locate and choose the CSV file. For more on the input file, see [Bulk Rename User Contact IDs File Details, on page 3](#).
  - Choose **Contacts** as the Target.
  - Choose **Rename Contacts – Custom File** as the Transaction Type.
  - Click **Save** to upload the file.
- Step 2** In **Cisco Unified CM IM and Presence Administration** on the publisher node, choose **Bulk Administration > Contact List > Rename Contacts**.
- Step 3** In the **File Name** field, choose the file that you uploaded.
- Step 4** Choose one of the following actions:
- Click **Run Immediately** to execute the Bulk Administration job immediately.
  - Click **Run Later** to schedule a time to execute the Bulk Administration job. For more information about scheduling jobs in the Bulk Administration Tool, see the Online Help in Cisco Unified CM IM and Presence Administration.
- Step 5** Click **Submit**.
- If you chose to run the job immediately, the job runs after you click Submit.
- 

## What to do next

[Bulk Export User Contact Lists and Non-Presence Contact Lists, on page 3](#)

## Bulk Rename User Contact IDs File Details

The file that you upload before you can run this job must be a CSV file with the following format:

<Contact ID>, <New Contact ID>

where <Contact ID> is the existing contact ID and <New Contact ID> is the new format of the contact ID.

<Contact ID> is the user's IM address as it appears on the **Presence Topology User Assignment window**.

The following is a sample CSV file with one entry:

```
Contact ID, New Contact ID
john.smith@example.com, jsmith@example.com
```

## Bulk Export User Contact Lists and Non-Presence Contact Lists

Use this procedure to export your users' contact lists to a CSV file. You can then use Bulk Administration to move user contact lists to another node or cluster.

- **Contact Lists**—This list consists of IM and Presence contacts. Contacts whom do not have an IM address will not be exported (you must export a non-presence contact list).
- **Non-presence Contact Lists**—This list consists of contacts whom do not have an IM address.

### Procedure

---

- Step 1** From Cisco Unified CM IM and Presence Administration, do either of the following:
- To export Contact Lists, choose **Bulk Administration > Contact List > Export Contact List**
  - To export Non-presence Contact Lists, choose **Bulk Administration > Non-presence Contact List > Export Non-presence Contact List** and skip the next step.
- Step 2** Contact Lists only. Select the users for whom you will export contact lists:
- Under **Export Contact List Options**, choose the category of users for whom you will export contact lists. The default is to export contact lists for all users.
  - Click **Find** to bring up the list of users and then click **Next**.
- Step 3** In the **File Name** field, enter a name for the CSV file.
- Step 4** Under **Job Information**, configure when you want to run this job:
- **Run Immediately**—Check this button to export contact lists right away.
  - **Run Later**—Check this button if you want to schedule a time for the job. With this option, you will need to use the Job Scheduler page at **Bulk Administration > Job Scheduler** to schedule a time for this job to run.
- Step 5** Click **Submit**.  
If you choose **Run Immediately**, the export job runs right away.
- Step 6** After the export file is created, download the exported file:
- From Cisco Unified CM IM and Presence Administration, choose **Bulk Administration > Upload/Download Files**.
  - Click **Find** and select the export file.
  - Click **Download Selected** and download the file to a location you can access.
- 

## Bulk Export User Location Details

Use this procedure to export user location details to a CSV file. You can then use Bulk Administration to move user location details to another node or cluster.

### Procedure

---

- Step 1** From Cisco Unified CM IM and Presence Administration, choose **Bulk Administration > User Location Migration > Export User Location Details**.
- Step 2** Under, **User Location Details Export**, in the **File Name** field, enter a name for the CSV file.
- Step 3** Under **Job Information**, configure when you want to run this job:
- **Run Immediately**—Check this button to export user location details immediately.

- **Run Later**—Check this button if you want to schedule a time for the job. With this option, you will need to use the **Job Scheduler** page in **Bulk Administration > Job Scheduler** to schedule a time for this job to run.

**Step 4** Click **Submit**.

If you choose **Run Immediately**, the export job is executed immediately.

**Step 5** After the export file is created, download the exported file:

- From Cisco Unified CM IM and Presence Administration, choose **Bulk Administration > Upload/Download Files**.
- Click **Find** and select the export file.
- Click **Download Selected** and download the file to a location you can access.

## File Details for Export Contact Lists

The following is a sample CSV file entry:

```
userA,example.com,userB,example.com,buddyB,General,0
```

BAT allows you to find and choose the users whose contact lists you want to export. The user contact lists are exported to a CSV file with the following format:

```
<User ID>,<User Domain>,<Contact ID>,<Contact Domain>,<Nickname>,<Group Name>,<State>
```

The following table describes the parameters in the export file.

Parameter	Description
User ID	The user ID of the IM and Presence Service user. <b>Note</b> This value is the user portion of the user's IM address.
User Domain	The Presence domain of the IM and Presence Service user. <b>Note</b> This value is the domain portion of the user's IM address. <b>Example 1:</b> bjones@example.com—bjones is the user ID and example.com is the user domain. <b>Example 2:</b> bjones@usa@example.com—bjones@usa is the user ID and example.com is the user domain.
Contact ID	The user ID of the contact list entry.
Contact Domain	The Presence domain of the contact list entry.
Nickname	The nickname of the contact list entry. If the user has not specified a nickname for a contact, the Nickname parameter will be blank.

Parameter	Description
Group Name	The name of the group to which the contact list entry is to be added.  If a user's contacts are not sorted into groups, the default group name will be specified in the Group Name field.
State	The state of the rosters, the roster database stores it in decimal format.

## File Details for Export Non-Presence Contact Lists

The non-presence user contact lists are exported to a CSV file with the following format:

```
<User JID>,<Contact JID>,<Group Name>,<Content Type>,<Version>,<Info>
```

The following table describes the parameters in the export file:

Parameter	Description
User JID	The User JID. This is the IM address of the user.
Contact JID	The User JID of the contact list entry, if available, otherwise it is the UUID.
Group Name	The name of the group to which the contact list entry is to be added.
Content Type	The textmime type and subtype used in the info field.
Version	The content type used in the info field.
Info	The contact information of the contact list entry in vCard format.

The following is a sample CSV file entry:

```
user2@cisco.com,ce463d44-02c3-4975-a37f-d4553e3f17e1,group01,text/directory,3,BEGIN:VCARD
ADR;TYPE=WORK:ADR\;WORK:\;\;123 Dublin rd\,\;Oranmore\;Galway\;\;Ireland
EMAIL;TYPE=X-CUSTOM1;X_LABEL=Custom:testuser01@test.com N:test;user;; NICKNAME:pizzaguy01
ORG:ABC TEL;TYPE=WORK,VOICE:5323534535 TITLE:QA VERSION:3.0 END:VCARD
```

## File Details for Export User Location Details

The user location details are exported to a CSV file with the following format:

```
<User JID>,<Access Type>,<Create Time>,<Item ID>,<Resource ID>,<Message Text>
```



**Caution** We recommend that you do not manually modify the exported CSV file, due to the size of the file itself and the risk of corrupting the user location information.

The following table describes the parameters in the export file:

Parameter	Description
User JID	The User JID. This is the IM address of the user.
Access Type	The Access Type defines the access type of the user. The values for access type are as follows: <ul style="list-style-type: none"> <li>• W: white list</li> <li>• R: roster groups</li> <li>• O: open</li> </ul> <p><b>Note</b> Use 'W' for Jabber.</p>
Create Time	The Create Time shows the date and time the item was created or updated.
Item ID	The Item ID identifies a particular record for a user.
Resource ID	The Resource ID is the Jabber Instance ID.
Message Text	The Message Text is the location information of the user.

The following is a sample CSV file entry:

```
userA@example.com,W,2021-01-22
10:11:18.000001,7d0ec34c-458f-4fd2-9d15-58accac4af00,jabber_7151,
<geoloc
xmlns="http://jabber.org/protocol/geoloc">description>newlocation104</description>street>104</street>mobile>0</mobile>enable>1</enable>/geoloc>
```

## Bulk Import Of User Contact Lists

### Verify Maximum Contact List Size

Check the Maximum Contact List Size and Maximum Watchers settings on IM and Presence Service. The system default value is 200 for Maximum Contact List Size and 200 for Maximum Watchers.

Cisco recommends that you set the Maximum Contact List Size and Maximum Watchers settings to Unlimited while importing user contact lists. Even though you exceed the maximum contact list size without losing data when importing contact lists using BAT, this step ensures that each migrated user contact list is fully imported. After all users have migrated, you can reset the Maximum Contact List Size and Maximum Watchers settings to the preferred values.

You only need to check the maximum contact list size on those clusters that contain users for whom you wish to import contacts. When you change Presence settings, the changes are applied to all nodes in the cluster; therefore you only need to change these settings on the IM and Presence database publisher node within the cluster.

#### What to do next

[Upload Input File, on page 8](#)

## Upload Input File

The following procedure describes how to upload the CSV input file using BAT for contact lists and non-presence contact lists.

### Before you begin

[Verify Maximum Contact List Size, on page 7](#)

### Procedure

- 
- Step 1** In **Cisco Unified CM IM and Presence Administration**, choose **Bulk Administration > Upload/Download Files**.
- Step 2** Click **Add New**.
- Step 3** Click **Browse** to locate and choose the CSV file.
- Step 4** For the Target setting:
- If you want to upload an input file for contact lists, choose **Contact Lists**. For more on user contact list input files, see [File Details for Import Contact Lists, on page 8](#).
  - If you want to upload an input file for non-presence contact lists, choose **Non-presence Contact Lists**. For more on non-presence user contact list input files, see [File Details for Import Non-Presence Contact Lists, on page 10](#).
  - If you want to upload an input file for user location migration details, choose **User Location Migration**. For more on user location details input files, see [File Details for Import User Location Details, on page 11](#).
- Step 5** For the Transaction Type: Choose as the Transaction Type.
- If you want to upload an input file for contact lists, choose **Import Users' Contacts – Custom File**
  - If you want to upload an input file for non-presence contact lists, choose **Import Users' Non Presence Contacts**
  - If you want to upload an input file for user location migration details, choose **Import User Location Details**
- Step 6** Click **Save** to upload the file.
- 

### What to do next

[Create New Bulk Administration Job, on page 12](#)

### File Details for Import Contact Lists

The input file must be a CSV file in the following format:

```
<User ID>,<User Domain>,<Contact ID>,<Contact Domain>,<Nickname>,<Group Name>,<State>
```

The following is a sample CSV file entry:

```
userA,example.com,userB,example.com,buddyB,General,0
```

The following table describes the parameters in the input file.



Parameter	Description
User ID	<p>This is a mandatory parameter.</p> <p>The user ID of the IM and Presence Service user. It can have a maximum 132 characters.</p> <p><b>Note</b></p> <ul style="list-style-type: none"> <li>• This value is the user portion of the user's IM address.</li> <li>• JSM session will not be created for User ID containing the following characters: <ul style="list-style-type: none"> <li>o</li> <li>a</li> <li>2</li> <li>¼</li> <li>¾</li> <li>-</li> <li>3</li> <li>μ</li> <li>1</li> <li>½</li> <li>β</li> <li>,</li> <li>..</li> <li>,</li> <li>—</li> <li>Æ</li> </ul> </li> </ul>
User Domain	<p>This is a mandatory parameter.</p> <p>The Presence domain of the IM and Presence Service user. It can have a maximum of 128 characters.</p> <p><b>Note</b></p> <p>This value is the domain portion of the user's IM address.</p> <p><b>Example 1:</b> bjones@example.com—bjones is the user ID and example.com is the user domain.</p> <p><b>Example 2:</b> bjones@usa@example.com—bjones@usa is the user ID and example.com is the user domain.</p>

Parameter	Description
Contact ID	This is a mandatory parameter. The user ID of the contact list entry. It can have a maximum of 132 characters.
Contact Domain	This is a mandatory parameter. The Presence domain of the contact list entry. The following restrictions apply to the format of the domain name: <ul style="list-style-type: none"> <li>• Length must be less than or equal to 128 characters</li> <li>• Contains only numbers, upper- and lowercase letters, and hyphens (-)</li> <li>• Must not start or end with hyphen (-)</li> <li>• Length of label must be less than or equal to 63 characters</li> <li>• Top-level domain must be characters only and have at least two characters</li> </ul>
Nickname	The nickname of the contact list entry. It can have a maximum of 255 characters.
Group Name	Group Name is a mandatory parameter. The name of the group to which the contact list entry is to be added. It can have a maximum of 255 characters.
State	The state of the rosters, the roster database stores it in decimal format.

### File Details for Import Non-Presence Contact Lists

The input file must be a CSV file in the following format:

```
<User JID>,<Contact JID>,<Group Name>,<Content Type>,<Version>,<Info>
```

The following is a sample CSV file entry:

```
user2@cisco.com,ce463d44-02c3-4975-a37f-d4553e3f17e1,group01,text/directory,3,BEGIN:VCARD
ADR;TYPE=WORK:ADR\;WORK:\;\;123 Dublin rd\,\;Oranmore\;Galway\;\;Ireland
EMAIL;TYPE=X-CUSTOM1;X_LABEL=Custom:testuser01@test.com N:test;user;;; NICKNAME:pizzaguy01
ORG:ABC TEL;TYPE=WORK,VOICE:5323534535 TITLE:QA VERSION:3.0 END:VCARD
```



**Caution** We recommend that you do not manually modify the CSV file, due to the size of the file itself and the risk of corrupting the vCard information.

The following table describes the parameters in the input file for non-presence contacts:

Parameter	Description
User JID	The User JID. This is the IM address of the user.
Contact JID	The User JID of the contact list entry, if available, otherwise it is the UUID.
Group Name	The name of the group to which the contact list entry is to be added.
Content Type	The textmime type and subtype used in the info field.
Version	The content type used in the info field.
Info	The contact information of the contact list entry in vCard format.

### File Details for Import User Location Details

The input file must be a CSV file in the following format:

```
<User JID>,<Access Type>,<Item ID>,<Create Time>,<Resource ID>,<Message Text>
```

The following is a sample CSV file entry:

```
userA@example.com,W,7d0ec34c-458f-4fd2-9d15-58accac4af00,2021-01-22
10:11:18.000001,jabber_7151,
```

```
<geoloc
xmlns="http://jabber.org/protocol/geoloc">descriptionnewlocation104</description>street>104</street>mobile>0</mobile>enable>1</enable></geoloc>
```



**Caution** We recommend that you do not manually modify the CSV file, due to the size of the file itself and the risk of corrupting the user location information.

The following table describes the parameters in the input file for user location migration:

Parameter	Description
User JID	This is a mandatory parameter. The User JID is the IM address of the user. It can have a maximum 255 characters.
Access Type	This is a mandatory parameter. The Access Type defines the access type of the user. It can have a maximum of 128 characters. The values for access type are as follows: <ul style="list-style-type: none"> <li>• W: white list</li> <li>• R: roster groups</li> <li>• O: open</li> </ul> <p><b>Note</b> Use 'W' for Jabber.</p>

Parameter	Description
Item ID	This is a mandatory parameter. The Item ID identifies a particular record for a user. The value of Item ID should be 'Ignore' or an alphanumeric value. The user ID of the contact list entry. It can have a maximum of 50 characters.
Create Time	This is a mandatory parameter. The Create Time shows the date and time the item was created or updated. It can have a maximum of 26 characters.
Resource ID	This is a mandatory parameter. The Resource ID is the Jabber Instance ID. It can have a maximum of 1023 characters.
Message Text	This is a mandatory parameter. The Message Text is the location information of the user. It can have a maximum of 30000 characters.

## Create New Bulk Administration Job

Create a new bulk administration job for contact lists and non-presence contact lists.

### Before you begin

[Upload Input File, on page 8](#)

### Procedure

---

#### Step 1 In Cisco Unified CM IM and Presence Administration:

- If you want to create a new bulk administration job for contact lists, choose **Bulk Administration > Contact List > Update**
- If you want to create a new bulk administration job for contact lists, choose **Bulk Administration > Contact Non-presence List > Import Non-presence Contact List**.
- If you want to create a new bulk administration job for user location migration, choose **Bulk Administration > User Location Migration > Import User Location Details**.

**Step 2** From the File Name drop-down list, choose the file to import.

**Step 3** In the Job Description field, enter a description for this Bulk Administration job.

**Step 4** Choose one of the following:

- Click **Run Immediately** to execute the Bulk Administration job immediately.
- Click **Run Later** to schedule a time to execute the Bulk Administration job. For more information about scheduling jobs in BAT, see the Online Help in Cisco Unified CM IM and Presence Administration.

**Step 5** Click **Submit**. If you chose to run the job immediately, the job runs after you click Submit.

---

#### What to do next

[Check Results of Bulk Administration Job, on page 13](#)

## Check Results of Bulk Administration Job

When the Bulk Administration job is complete, the IM and Presence Service BAT tool writes the results of the contact list import job to a log file. The log file contains the following information:

- The number of contacts that were successfully imported.
- The number of internal server errors that were encountered while trying to import the contacts.
- The number of contacts that were not imported (ignored). The log file lists a reason for each ignored contact at the end of the log file. The following are the reasons for not importing a contact:
  - Invalid format - invalid row format, for example, a required field is missing or empty
  - Invalid contact domain - the contact domain is in an invalid format. See topics related to bulk import of user contact lists for the valid format of the contact domain
  - Cannot add self as a contact - you cannot import a contact for a user if the contact is the user
  - User's contact list is over limit - the user has reached the maximum contact list size and no more contacts can be imported for that user
  - User is not assigned to local node - the user is not assigned to the local node
- The number of contacts in the CSV file that were unprocessed due to an error that caused the BAT job to finish early. This error rarely occurs.

Complete the following procedure to access this log file.

#### Before you begin

[Create New Bulk Administration Job, on page 12](#)

#### Procedure

---

- Step 1** In **Cisco Unified CM IM and Presence Administration**, choose **Bulk Administration > Job Scheduler**.
- Step 2** Click **Find** and choose the job ID of the contact list import job.
- Step 3** Click the **Log File Name** link to open the log.
-

