



Constant Field Values

This appendix lists the static final fields and their values.

- [com.cisco.*](#), on page 1

com.cisco.*

CiscoAddrActivatedEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoAddrActivatedEv | | |
| public static final int | ID | 1073741842 |

CiscoAddrActivatedOnTerminalEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoAddrActivatedOnTerminalEv | | |
| public static final int | ID | 1073741844 |

CiscoAddrAddedToTerminalEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoAddrAddedToTerminalEv | | |
| public static final int | ID | 1073750022 |

CiscoAddrAutoAcceptStatusChangedEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoAddrAutoAcceptStatusChangedEv | | |
| public static final int | ID | 1073750024 |

CiscoAddrCreatedEv

| com.cisco.jtapi.extensions.CiscoAddrCreatedEv | | |
|---|----|------------|
| public static final int | ID | 1073750017 |

CiscoAddress

| com.cisco.jtapi.extensions.CiscoAddress | | |
|---|---------------------------|---|
| public static final int | AUTO_RECORDING | 1 |
| public static final int | AUTOACCEPT_OFF | 0 |
| public static final int | AUTOACCEPT_ON | 1 |
| public static final int | AUTOANSWER_OFF | 0 |
| public static final int | AUTOANSWER_UNKNOWN | 3 |
| public static final int | AUTOANSWER_WITHHEADSET | 1 |
| public static final int | AUTOANSWER_WITHSPEAKERSET | 2 |
| public static final int | EXTERNAL | 2 |
| public static final int | EXTERNAL_UNKNOWN | 3 |
| public static final int | IN_SERVICE | 1 |
| public static final int | INTERNAL | 1 |
| public static final int | MONITORING_TARGET | 5 |
| public static final int | NO_RECORDING | 0 |
| public static final int | OUT_OF_SERVICE | 0 |
| public static final int | RINGER_DEFAULT | 0 |
| public static final int | RINGER_DISABLE | 1 |
| public static final int | RINGER_ENABLE | 2 |
| public static final int | SELECTIVE_RECORDING | 2 |
| public static final int | UNKNOWN | 4 |

CiscoAddrInServiceEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoAddrInServiceEv | | |
| public static final int | ID | 1073750018 |

CiscoAddrIntercomInfoChangedEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoAddrIntercomInfoChangedEv | | |
| public static final int | ID | 1073750025 |

CiscoAddrIntercomInfoRestorationFailedEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoAddrIntercomInfoRestorationFailedEv | | |
| public static final int | ID | 1073750032 |

CiscoAddrOutOfServiceEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoAddrOutOfServiceEv | | |
| public static final int | ID | 1073750019 |

CiscoAddrRecordingConfigChangedEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoAddrRecordingConfigChangedEv | | |
| public static final int | ID | 1073750033 |

CiscoAddrRemovedEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoAddrRemovedEv | | |
| public static final int | ID | 1073750020 |

CiscoAddrRemovedFromTerminalEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoAddrRemovedFromTerminalEv | | |
| public static final int | ID | 1073750023 |

CiscoAddrRestrictedEv

| com.cisco.jtapi.extensions.CiscoAddrRestrictedEv | | |
|--|----|------------|
| public static final int | ID | 1073741840 |

CiscoAddrRestrictedOnTerminalEv

| com.cisco.jtapi.extensions.CiscoAddrRestrictedOnTerminalEv | | |
|--|----|------------|
| public static final int | ID | 1073741845 |

CiscoCall

| com.cisco.jtapi.extensions.CiscoCall | | |
|--------------------------------------|---|-----|
| public static final int | CALL_RECORDING_TYPE_APPLICATION_INITIATED_SILENT | 2 |
| public static final int | CALL_RECORDING_TYPE_AUTOMATIC | 1 |
| public static final int | CALL_RECORDING_TYPE_NONE | 0 |
| public static final int | CALL_RECORDING_TYPE_USER_INITIATED_FROM_APPLICATION | 4 |
| public static final int | CALL_RECORDING_TYPE_USER_INITIATED_FROM_DEVICE | 3 |
| public static final int | CALLSECURITY_AUTHENTICATED | 2 |
| public static final int | CALLSECURITY_ENCRYPTED | 3 |
| public static final int | CALLSECURITY_NOTAUTHENTICATED | 1 |
| public static final int | CALLSECURITY_UNKNOWN | 0 |
| public static final int | CFWD_ALL_CLEAR | 128 |
| public static final int | CFWD_ALL_NONE | 0 |
| public static final int | CFWD_ALL_SET | 64 |
| public static final int | FEATUREPRIORITY_EMERGENCY | 3 |
| public static final int | FEATUREPRIORITY_NORMAL | 1 |
| public static final int | FEATUREPRIORITY_URGENT | 2 |
| public static final int | PLAYTONE_BOTHLOCALANDREMOTE | 2 |
| public static final int | PLAYTONE_LOCALONLY | 0 |
| public static final int | PLAYTONE_NOLOCAL_OR_REMOTE | 3 |

| com.cisco.jtapi.extensions.CiscoCall | | |
|---|---------------------|---|
| public static final int | PLAYTONE_REMOTEONLY | 1 |
| public static final int | SILENT_MONITOR | 1 |

CiscoCallChangedEv

| com.cisco.jtapi.extensions.CiscoCallChangedEv | | |
|--|----|------------|
| public static final int | ID | 1073754120 |

CiscoCallCtlTermConnHeldReversionEv

| com.cisco.jtapi.extensions.CiscoCallCtlTermConnHeldReversionEv | | |
|---|----|------------|
| public static final int | ID | 1073762306 |

CiscoCallEv

| com.cisco.jtapi.extensions.CiscoCallEv | | |
|---|----------------------------------|----------|
| public static final int | CAUSE_ACCESSINFORMATIONDISCARDED | 43 |
| public static final int | CAUSE_BARGE | 509 |
| public static final int | CAUSE_BCBPRESENTLYAVAIL | 58 |
| public static final int | CAUSE_BCNAUTHORIZED | 57 |
| public static final int | CAUSE_BEARERCAPNIMPL | 65 |
| public static final int | CAUSE_CALLBEINGDELIVERED | 7 |
| public static final int | CAUSE_CALLIDINUSE | 84 |
| public static final int | CAUSE_CALLMANAGER_FAILURE | 508 |
| public static final int | CAUSE_CALLREJECTED | 21 |
| public static final int | CAUSE_CALLSPLIT | 393216 |
| public static final int | CAUSE_CHANTYPENIMPL | 66 |
| public static final int | CAUSE_CHANUNACCEPTABLE | 6 |
| public static final int | CAUSE_CTICCMSIP400BADREQUEST | 16777257 |
| public static final int | CAUSE_CTICCMSIP401UNAUTHORIZED | 33554453 |

| com.cisco.jtapi.extensions.CiscoCallEv | | |
|---|---|------------|
| public static final int | CAUSE_CTICCMSIP402PAYMENTREQUIRED | 50331669 |
| public static final int | CAUSE_CTICCMSIP403FORBIDDEN | 67108885 |
| public static final int | CAUSE_CTICCMSIP404NOTFOUND | 83886081 |
| public static final int | CAUSE_CTICCMSIP405METHODNOTALLOWED | 100663359 |
| public static final int | CAUSE_CTICCMSIP406NOTACCEPTABLE | 117440591 |
| public static final int | CAUSE_CTICCMSIP407PROXYAUTHENTICATIONREQUIRED | 134217749 |
| public static final int | CAUSE_CTICCMSIP408REQUESTTIMEOUT | 150995046 |
| public static final int | CAUSE_CTICCMSIP410GONE | 184549398 |
| public static final int | CAUSE_CTICCMSIP411LENGTHREQUIRED | 201326719 |
| public static final int | CAUSE_CTICCMSIP413REQUESTENTITYTOOLONG | 234881151 |
| public static final int | CAUSE_CTICCMSIP414REQUESTURITOO LONG | 251658367 |
| public static final int | CAUSE_CTICCMSIP415UNSUPPORTEDMEDIATYPE | 268435535 |
| public static final int | CAUSE_CTICCMSIP416UNSUPPORTEDURIScheme | 285212799 |
| public static final int | CAUSE_CTICCMSIP420BADEXTENSION | 352321663 |
| public static final int | CAUSE_CTICCMSIP421EXTENSTIONREQUIRED | 369098879 |
| public static final int | CAUSE_CTICCMSIP423INTERVALTOOBRIEF | 402653311 |
| public static final int | CAUSE_CTICCMSIP480TEMPORARILYUNAVAILABLE | 1073741842 |
| public static final int | CAUSE_CTICCMSIP481CALLLEGDOESNOTEXIST | 1090519081 |
| public static final int | CAUSE_CTICCMSIP482LOOPDETECTED | 1107296281 |
| public static final int | CAUSE_CTICCMSIP483TOOMANYHOOPS | 1124073497 |
| public static final int | CAUSE_CTICCMSIP484ADDRESSINCOMPLETE | 1140850716 |
| public static final int | CAUSE_CTICCMSIP485AMBIGUOUS | 1157627905 |
| public static final int | CAUSE_CTICCMSIP486BUSYHERE | 1174405137 |
| public static final int | CAUSE_CTICCMSIP487REQUESTTERMINATED | 1191182367 |
| public static final int | CAUSE_CTICCMSIP488NOTACCEPTABLEHERE | 1207959583 |
| public static final int | CAUSE_CTICCMSIP491REQUESTPENDING | 1258291217 |
| public static final int | CAUSE_CTICCMSIP493UNDECIPHERABLE | 1291845649 |
| public static final int | CAUSE_CTICCMSIP500SERVERINTERNALERROR | 1409286185 |

| com.cisco.jtapi.extensions.CiscoCallEv | | |
|---|--|-------------|
| public static final int | CAUSE_CTICCMSIP501NOTIMPLEMENTED | 1426063439 |
| public static final int | CAUSE_CTICCMSIP502BADGATEWAY | 1442840614 |
| public static final int | CAUSE_CTICCMSIP503SERVICEUNAVAILABLE | 1459617833 |
| public static final int | CAUSE_CTICCMSIP504SERVERTIMEOUT | 1476395110 |
| public static final int | CAUSE_CTICCMSIP505SIPVERSIONNOTSUPPORTED | 1493172351 |
| public static final int | CAUSE_CTICCMSIP513MESSAGETOOLARGE | 1509949567 |
| public static final int | CAUSE_CTICCMSIP600BUSYEVERYWHERE | -1593835503 |
| public static final int | CAUSE_CTICCMSIP603DECLINE | -1577058283 |
| public static final int | CAUSE_CTICCMSIP604DOESNOTEXISTANYWHERE | -1560281087 |
| public static final int | CAUSE_CTICCMSIP606NOTACCEPTABLE | -1543503841 |
| public static final int | CAUSE_CTICONFERENCEFULL | 262144 |
| public static final int | CAUSE_CTIDEVICENOTPREEMPTABLE | 123 |
| public static final int | CAUSE_CTIDROPCONFEREE | 458752 |
| public static final int | CAUSE_CTIMANAGER_FAILURE | 507 |
| public static final int | CAUSE_CTIPRECEDENCECALLBLOCKED | 46 |
| public static final int | CAUSE_CTIPRECEDENCELEVELEXCEEDED | 122 |
| public static final int | CAUSE_CTIPRECEDENCEOUTOFBANDWIDTH | 129 |
| public static final int | CAUSE_CTIPREEMPTFORREUSE | 9 |
| public static final int | CAUSE_CTIPREEMPTNOREUSE | 8 |
| public static final int | CAUSE_DESTINATIONOUTOFORDER | 27 |
| public static final int | CAUSE_DESTNUMMISSANDDCNOTSUB | 90 |
| public static final int | CAUSE_DPARK | 512 |
| public static final int | CAUSE_DPARK_REMINDER | 514 |
| public static final int | CAUSE_DPARK_UNPARK | 513 |
| public static final int | CAUSE_EXCHANGEROUTINGERROR | 25 |
| public static final int | CAUSE_FAC_CMC | 510 |
| public static final int | CAUSE_FACILITYREJECTED | 29 |
| public static final int | CAUSE_IDENTIFIEDCHANDDOESNOTEXIST | 82 |

| com.cisco.jtapi.extensions.CiscoCallEv | | |
|---|---------------------------------|-----|
| public static final int | CAUSE_IENIMPL | 99 |
| public static final int | CAUSE_INBOUNDBLINDTRANSFER | 505 |
| public static final int | CAUSE_INBOUNDCONFERENCE | 504 |
| public static final int | CAUSE_INBOUNDTRANSFER | 503 |
| public static final int | CAUSE_INCOMINGCALLBARRED | 54 |
| public static final int | CAUSE_INCOMPATABLEDESTINATION | 88 |
| public static final int | CAUSE_INTERWORKINGUNSPECIFIED | 127 |
| public static final int | CAUSE_INVALIDCALLREFVALUE | 81 |
| public static final int | CAUSE_INVALIDIECONTENTS | 100 |
| public static final int | CAUSE_INVALIDMESSAGEUNSPECIFIED | 95 |
| public static final int | CAUSE_INVALIDNUMBERFORMAT | 28 |
| public static final int | CAUSE_INVALIDTRANSITNETSEL | 91 |
| public static final int | CAUSE_MANDATORYIEMISSING | 96 |
| public static final int | CAUSE_MSGNCOMPATABLEWCS | 101 |
| public static final int | CAUSE_MSGTYPENCOMPATWCS | 98 |
| public static final int | CAUSE_MSGTYPENIMPL | 97 |
| public static final int | CAUSE_NETOUTOFORDER | 38 |
| public static final int | CAUSE_NOANSWERFROMUSER | 19 |
| public static final int | CAUSE_NOCALLSUSPENDED | 85 |
| public static final int | CAUSE_NOCIRCAVAIL | 34 |
| public static final int | CAUSE_NOERROR | 0 |
| public static final int | CAUSE_NONSELECTEDUSERCLEARING | 26 |
| public static final int | CAUSE_NORMALCALLCLEARING | 16 |
| public static final int | CAUSE_NORMALUNSPECIFIED | 31 |
| public static final int | CAUSE_NOROUTETODDESTINATION | 3 |
| public static final int | CAUSE_NOROUTETOTRANSITNET | 2 |
| public static final int | CAUSE_NOUSERRESPONDING | 18 |
| public static final int | CAUSE_NUMBERCHANGED | 22 |

| com.cisco.jtapi.extensions.CiscoCallEv | | |
|---|------------------------------------|-----|
| public static final int | CAUSE_ONLYRDIVEARERCAVAIL | 70 |
| public static final int | CAUSE_OUTBOUNDCONFERENCE | 502 |
| public static final int | CAUSE_OUTBOUNDTRANSFER | 501 |
| public static final int | CAUSE_OUTOFBANDWIDTH | 125 |
| public static final int | CAUSE_PROTOCOLERRORUNSPECIFIED | 111 |
| public static final int | CAUSE_QSIG_PR | 511 |
| public static final int | CAUSE_QUALOFSERVNAVAIL | 49 |
| public static final int | CAUSE_QUIET_CLEAR | 515 |
| public static final int | CAUSE_RECOVERYONTIMEREXPIRY | 102 |
| public static final int | CAUSE_REDIRECTED | 200 |
| public static final int | CAUSE_REQCALLIDHASBEENCLEARED | 86 |
| public static final int | CAUSE_REQCIRCNAIL | 44 |
| public static final int | CAUSE_REQFACILITYNIMPL | 69 |
| public static final int | CAUSE_REQFACILITYNOTSUBSCRIBED | 50 |
| public static final int | CAUSE_RESOURCESNAVAIL | 47 |
| public static final int | CAUSE_RESPONSETOSTATUSENQUIRY | 30 |
| public static final int | CAUSE_SERVNOTAVAILUNSPECIFIED | 63 |
| public static final int | CAUSE_SERVOPERATIONVIOLATED | 53 |
| public static final int | CAUSE_SERVOROPTNAVAILORIMPL | 79 |
| public static final int | CAUSE_SUBSCRIBERABSENT | 20 |
| public static final int | CAUSE_SUSPCALLBUTNOTTHISONE | 83 |
| public static final int | CAUSE_SWITCHINGEQUIPMENTCONGESTION | 42 |
| public static final int | CAUSE_TEMPORARYFAILURE | 41 |
| public static final int | CAUSE_UNALLOCATEDNUMBER | 1 |
| public static final int | CAUSE_USERBUSY | 17 |

CiscoCallSecurityStatusChangedEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoCallSecurityStatusChangedEv | | |
| public static final int | ID | 1073754129 |

CiscoConferenceChainAddedEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoConferenceChainAddedEv | | |
| public static final int | ID | 1073754121 |

CiscoConferenceChainRemovedEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoConferenceChainRemovedEv | | |
| public static final int | ID | 1073754128 |

CiscoConferenceEndEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoConferenceEndEv | | |
| public static final int | ID | 1073754114 |

CiscoConferenceStartEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoConferenceStartEv | | |
| public static final int | ID | 1073754115 |

CiscoConnection

| | | |
|---|--|---|
| com.cisco.jtapi.extensions.CiscoConnection | | |
| public static final int | ADDRESS_SEARCH_SPACE | 2 |
| public static final int | CALLED_ADDRESS_DEFAULT | 0 |
| public static final int | CALLED_ADDRESS_SET_TO_PREFERRED_CALLED_PARTY | 2 |
| public static final int | CALLED_ADDRESS_SET_TO_REDIRECT_DESTINATION | 1 |
| public static final int | CALLED_ADDRESS_UNCHANGED | 0 |

| com.cisco.jtapi.extensions.CiscoConnection | | |
|---|-----------------------------|----|
| public static final int | CALLINGADDRESS_SEARCH_SPACE | 1 |
| public static final int | DEFAULT_SEARCH_SPACE | 0 |
| public static final int | REASON_DIRECTCALL | 1 |
| public static final int | REASON_FORWARDALL | 5 |
| public static final int | REASON_FORWARDBUSY | 4 |
| public static final int | REASON_FORWARDNOANSWER | 3 |
| public static final int | REASON_OUTBOUND | 99 |
| public static final int | REASON_REDIRECT | 6 |
| public static final int | REASON_TRANSFERREDCALL | 2 |
| public static final int | REDIRECT_DROP_ON_FAILURE | 1 |
| public static final int | REDIRECT_NORMAL | 2 |

CiscoConnectionUniqueIDChangedEv

| com.cisco.jtapi.extensions.CiscoConsultCallActiveEv | | |
|--|----|------------|
| public static final int | ID | 1073754116 |

CiscoConsultCallActiveEv

| com.cisco.jtapi.extensions.CiscoConsultCallActiveEv | | |
|--|----|------------|
| public static final int | ID | 1073754116 |

CiscoFeatureReason

| com.cisco.jtapi.extensions.CiscoFeatureReason | | |
|--|----------------------------|----|
| public static final int | REASON_BARGE | 20 |
| public static final int | REASON_BLINDTRANSFER | 7 |
| public static final int | REASON_CALLPICKUP | 11 |
| public static final int | REASON_CCM_REDIRECTION | 26 |
| public static final int | REASON_CLICK_TO_CONFERENCE | 39 |

| com.cisco.jtapi.extensions.CiscoFeatureReason | | |
|--|----------------------------|----|
| public static final int | REASON_CONFERENCE | 9 |
| public static final int | REASON_DPARK_CALLPARK | 27 |
| public static final int | REASON_DPARK_REVERSION | 28 |
| public static final int | REASON_DPARK_UNPARK | 29 |
| public static final int | REASON_FAC_CMC | 22 |
| public static final int | REASON_FORWARDALL | 5 |
| public static final int | REASON_FORWARDBUSY | 4 |
| public static final int | REASON_FORWARDNOANSWER | 3 |
| public static final int | REASON_IMMEDIATE | 21 |
| public static final int | REASON_MOBILITY | 33 |
| public static final int | REASON_MOBILITY_CELLPICKUP | 35 |
| public static final int | REASON_MOBILITY_FOLLOWME | 38 |
| public static final int | REASON_MOBILITY_HANDIN | 36 |
| public static final int | REASON_MOBILITY_HANDOUT | 37 |
| public static final int | REASON_MOBILITY_IVR | 34 |
| public static final int | REASON_NORMAL | 12 |
| public static final int | REASON_PARK | 10 |
| public static final int | REASON_PARKREMAINDER | 15 |
| public static final int | REASON_PARKREMINDER | 15 |
| public static final int | REASON_QSIG_PR | 23 |
| public static final int | REASON_REDIRECT | 6 |
| public static final int | REASON_REFERER | 24 |
| public static final int | REASON_REPLACE | 25 |
| public static final int | REASON_SILENTMONITORING | 31 |
| public static final int | REASON_TRANSFER | 2 |
| public static final int | REASON_UNPARK | 16 |

CiscoG711MediaCapability

| com.cisco.jtapi.extensions.CiscoG711MediaCapability | | |
|--|-------------------------------------|----|
| public static final int | FRAMESIZE_SIXTY_MILLISECOND_PACKET | 60 |
| public static final int | FRAMESIZE_THIRTY_MILLISECOND_PACKET | 30 |
| public static final int | FRAMESIZE_TWENTY_MILLISECOND_PACKET | 20 |

CiscoG723MediaCapability

| com.cisco.jtapi.extensions.CiscoG723MediaCapability | | |
|--|-------------------------------------|----|
| public static final int | FRAMESIZE_SIXTY_MILLISECOND_PACKET | 60 |
| public static final int | FRAMESIZE_THIRTY_MILLISECOND_PACKET | 30 |
| public static final int | FRAMESIZE_TWENTY_MILLISECOND_PACKET | 20 |

CiscoG729MediaCapability

| com.cisco.jtapi.extensions.CiscoG729MediaCapability | | |
|--|-------------------------------------|----|
| public static final int | FRAMESIZE_SIXTY_MILLISECOND_PACKET | 60 |
| public static final int | FRAMESIZE_THIRTY_MILLISECOND_PACKET | 30 |
| public static final int | FRAMESIZE_TWENTY_MILLISECOND_PACKET | 20 |

CiscoGSMMediaCapability

| com.cisco.jtapi.extensions.CiscoGSMMediaCapability | | |
|---|-------------------------------------|----|
| public static final int | FRAMESIZE_EIGHTY_MILLISECOND_PACKET | 80 |

CiscoJtapiException

| com.cisco.jtapi.extensions.CiscoJtapiException | | |
|---|--------------------------|-------------|
| public static final int | ASSOCIATED_LINE_NOT_OPEN | -1932787685 |
| public static final int | CALL_ALREADY_EXISTS | -1932787705 |
| public static final int | CALL_DROPPED | -1932787564 |

| com.cisco.jtapi.extensions.CiscoJtapiException | | |
|---|--|-------------|
| public static final int | CALLHANDLE_NOTINCOMINGCALL | -1932787702 |
| public static final int | CALLHANDLE_UNKNOWN_TO_LINECONTROL | -1932787644 |
| public static final int | CANNOT_OPEN_DEVICE | -1932787647 |
| public static final int | CANNOT_TERMINATE_MEDIA_ON_PHONE | -1932787690 |
| public static final int | CFWDALL_ALREADY_SET | -1932787597 |
| public static final int | CFWDALL_DESTN_INVALID | -1932787596 |
| public static final int | CLUSTER_LINK_FAILURE | -1932787612 |
| public static final int | COMMAND_NOT_IMPLEMENTED_ON_DEVICE | -1932787559 |
| public static final int | CONFERENCE_ALREADY_PRESENT | -1932787588 |
| public static final int | CONFERENCE_FAILED | -1932787590 |
| public static final int | CONFERENCE_FULL | -1932787642 |
| public static final int | CONFERENCE_INACTIVE | -1932787587 |
| public static final int | CONFERENCE_INVALID_PARTICIPANT | -1932787589 |
| public static final int | CTIERR_ACCESS_TO_DEVICE_DENIED | -1932787688 |
| public static final int | CTIERR_APP_SOFTKEYS_ALREADY_CONTROLLED | -1932787679 |
| public static final int | CTIERR_APPLICATION_DATA_SIZE_EXCEEDED | -1932787675 |
| public static final int | CTIERR_BIB_NOT_CONFIGURED | -1932787476 |
| public static final int | CTIERR_BIB_RESOURCE_NOT_AVAILABLE | -1932787489 |
| public static final int | CTIERR_CALL_MANAGER_NOT_AVAILABLE | -1932787689 |
| public static final int | CTIERR_CALL_NOT_EXISTED | -1932787533 |
| public static final int | CTIERR_CALL_PARK_NO_DN | -1932787579 |
| public static final int | CTIERR_CALL_REQUEST_ALREADY_OUTSTANDING | -1932787577 |
| public static final int | CTIERR_CALL_UNPARK_FAILED | -1932787583 |
| public static final int | CTIERR_CAPABILITIES_DO_NOT_MATCH | -1932787518 |
| public static final int | CTIERR_CLOSE_DELAY_NOT_SUPPORTED_WITH_REG_TYPE | -1932787673 |
| public static final int | CTIERR_CONFERENCE_ALREADY_EXISTED | -1932787535 |
| public static final int | CTIERR_CONFERENCE_NOT_EXISTED | -1932787534 |
| public static final int | CTIERR_CONNECTION_ON_INVALID_PORT | -1932787503 |

| com.cisco.jtapi.extensions.CiscoJtapiException | | |
|---|---|-------------|
| public static final int | CTIERR_CONSULT_CALL_FAILURE | -1932787576 |
| public static final int | CTIERR_CONSULTCALL_ALREADY_OUTSTANDING | -1932787640 |
| public static final int | CTIERR_CRYPTOCAPABILITY_MISMATCH | -1932787500 |
| public static final int | CTIERR_CTIHANDLER_PROCESS_CREATION_FAILED | -1932787515 |
| public static final int | CTIERR_DB_INITIALIZATION_ERROR | -1932787494 |
| public static final int | CTIERR_DEVICE_ALREADY_OPENED | -1932787552 |
| public static final int | CTIERR_DEVICE_ALREADY_REGISTERED_NONEXTEND | 0X8CCC0127 |
| public static final int | CTIERR_DEVICE_NOT_OPENED_YET | -1932787551 |
| public static final int | CTIERR_DEVICE_OWNER_ALIVE_TIMER_STARTED | -1932787517 |
| public static final int | CTIERR_DEVICE_REGISTRATION_FAILED_NOT_SUPPORTED_MEDIATYPE | -1932787490 |
| public static final int | CTIERR_DEVICE_RESTRICTED | -1932787502 |
| public static final int | CTIERR_DEVICE_SHUTTING_DOWN | -1932787558 |
| public static final int | CTIERR_DIRECTORY_LOGIN_TIMEOUT | -1932787595 |
| public static final int | CTIERR_DUPLICATE_CALL_REFERENCE | -1932787529 |
| public static final int | CTIERR_DUPLICATE_REMOTE_DESTINATION_NUMBER | 0X8CCC0122 |
| public static final int | CTIERR_DYNREG_IPADDRMODE_MISMATCH | -1932787468 |
| public static final int | CTIERR_ENDUSER_NOT_ASSOCIATED_WITH_DEVICE | 0X8CCC0126 |
| public static final int | CTIERR_FAC_CMC_REASON_CMC_INVALID | -1932787506 |
| public static final int | CTIERR_FAC_CMC_REASON_CMC_NEEDED | -1932787509 |
| public static final int | CTIERR_FAC_CMC_REASON_FAC_CMC_NEEDED | -1932787508 |
| public static final int | CTIERR_FAC_CMC_REASON_FAC_INVALID | -1932787507 |
| public static final int | CTIERR_FAC_CMC_REASON_FAC_NEEDED | -1932787510 |
| public static final int | CTIERR_FEATURE_ALREADY_REGISTERED | -1932787575 |
| public static final int | CTIERR_FEATURE_DATA_REJECT | -1932787565 |
| public static final int | CTIERR_FEATURE_SELECT_FAILED | -1932787514 |
| public static final int | CTIERR_ILLEGAL_DEVICE_TYPE | -1932787578 |
| public static final int | CTIERR_INCOMPATIBLE_AUTOINSTALL_PROTOCOL_VERSION | -1932787629 |
| public static final int | CTIERR_INCORRECT_MEDIA_CAPABILITY | -1932787560 |

| com.cisco.jtapi.extensions.CiscoJtapiException | | |
|---|--|-------------|
| public static final int | CTIERR_INFORMATION_NOT_AVAILABLE | -1932787677 |
| public static final int | CTIERR_INTERCOM_SPEEDDIAL_ALREADY_CONFIGURED | -1932787475 |
| public static final int | CTIERR_INTERCOM_SPEEDDIAL_ALREADY_SET | -1932787493 |
| public static final int | CTIERR_INTERCOM_SPEEDDIAL_DESTN_INVALID | -1932787492 |
| public static final int | CTIERR_INTERCOM_TALKBACK_ALREADY_PENDING | -1932787474 |
| public static final int | CTIERR_INTERCOM_TALKBACK_FAILURE | -1932787491 |
| public static final int | CTIERR_INTERNAL_FAILURE | -1932787568 |
| public static final int | CTIERR_INVALID_CALLID | -1932787487 |
| public static final int | CTIERR_INVALID_DEVICE_NAME | -1932787678 |
| public static final int | CTIERR_INVALID_DTMFDIGITS | -1932787561 |
| public static final int | CTIERR_INVALID_FILTER_SIZE | -1932787625 |
| public static final int | CTIERR_INVALID_MEDIA_DEVICE | -1932787674 |
| public static final int | CTIERR_INVALID_MEDIA_PARAMETER | -1932787554 |
| public static final int | CTIERR_INVALID_MEDIA_PROCESS | -1932787519 |
| public static final int | CTIERR_INVALID_MEDIA_RESOURCE_ID | -1932787557 |
| public static final int | CTIERR_INVALID_MESSAGE_HEADER_INFO | -1932787627 |
| public static final int | CTIERR_INVALID_MESSAGE_LENGTH | -1932787628 |
| public static final int | CTIERR_INVALID_MONITOR_DESTN | -1932787486 |
| public static final int | CTIERR_INVALID_MONITOR_DN_TYPE | -1932787580 |
| public static final int | CTIERR_INVALID_MONITORMODE | -1932787473 |
| public static final int | CTIERR_INVALID_PARAMETER | -1932787532 |
| public static final int | CTIERR_INVALID_PARK_DN | -1932787582 |
| public static final int | CTIERR_INVALID_PARK_REGISTRATION_HANDLE | -1932787581 |
| public static final int | CTIERR_INVALID_REMOTE_DESTINATION_NAME | 0X8CCC0130 |
| public static final int | CTIERR_INVALID_REMOTE_DESTINATION_NUMBER | 0X8CCC0121 |
| public static final int | CTIERR_INVALID_RESOURCE_TYPE | -1932787530 |
| public static final int | CTIERR_IPADDRMODE_MISMATCH | -1932787469 |
| public static final int | CTIERR_LINE_OUT_OF_SERVICE | -1932787594 |

| com.cisco.jtapi.extensions.CiscoJtapiException | | |
|---|---|-------------|
| public static final int | CTIERR_LINE_RESTRICTED | -1932787501 |
| public static final int | CTIERR_MAXCALL_LIMIT_REACHED | -1932787516 |
| public static final int | CTIERR_MEDIA_ALREADY_TERMINATED_DYNAMIC | -1932787548 |
| public static final int | CTIERR_MEDIA_ALREADY_TERMINATED_EXTEND | 0X8CCC0128 |
| public static final int | CTIERR_MEDIA_ALREADY_TERMINATED_NONE | -1932787550 |
| public static final int | CTIERR_MEDIA_ALREADY_TERMINATED_STATIC | -1932787549 |
| public static final int | CTIERR_MEDIA_CAPABILITY_MISMATCH | -1932787553 |
| public static final int | CTIERR_MEDIA_RESOURCE_NAME_SIZE_EXCEEDED | -1932787676 |
| public static final int | CTIERR_MEDIAREGISTRATIONTYPE_DO_NOT_MATCH | -1932787567 |
| public static final int | CTIERR_MESSAGE_TOO_BIG | -1932787626 |
| public static final int | CTIERR_MORE_ACTIVE_CALLS_THAN_RESERVED | -1932787531 |
| public static final int | CTIERR_NO_EXISTING_CALLS | -1932787512 |
| public static final int | CTIERR_NO_EXISTING_CONFERENCE | -1932787527 |
| public static final int | CTIERR_NO_RECORDING_SESSION | -1932787479 |
| public static final int | CTIERR_NO_RESPONSE_FROM_MP | -1932787526 |
| public static final int | CTIERR_NOT_PRESERVED_CALL | -1932787528 |
| public static final int | CTIERR_OPERATION_FAILED_QUIETCLEAR | -1932787566 |
| public static final int | CTIERR_OPERATION_NOT_ALLOWED | -1932787555 |
| public static final int | CTIERR_OUT_OF_BANDWIDTH | -1932787498 |
| public static final int | CTIERR_OWNER_NOT_ALIVE | -1932787547 |
| public static final int | CTIERR_PENDING_ACCEPT_OR_ANSWER_REQUEST | -1932787520 |
| public static final int | CTIERR_PENDING_START_MONITORING_REQUEST | -1932787485 |
| public static final int | CTIERR_PENDING_START_RECORDING_REQUEST | -1932787483 |
| public static final int | CTIERR_PENDING_STOP_RECORDING_REQUEST | -1932787482 |
| public static final int | CTIERR_PRIMARY_CALL_INVALID | -1932787471 |
| public static final int | CTIERR_PRIMARY_CALL_STATE_INVALID | -1932787470 |
| public static final int | CTIERR_RECORDING_ALREADY_INPROGRESS | -1932787480 |
| public static final int | CTIERR_RECORDING_CONFIG_NOT_MATCHING | -1932787477 |

| com.cisco.jtapi.extensions.CiscoJtapiException | | |
|---|---|-------------|
| public static final int | CTIERR_RECORDING_SESSION_INACTIVE | -1932787478 |
| public static final int | CTIERR_REDIRECT_UNAUTHORIZED_COMMAND_USAGE | -1932787513 |
| public static final int | CTIERR_REGISTER_FEATURE_ACTIVATION_FAILED | -1932787585 |
| public static final int | CTIERR_REGISTER_FEATURE_APP_ALREADY_REGISTERED | -1932787523 |
| public static final int | CTIERR_REGISTER_FEATURE_PROVIDER_NOT_REGISTERED | -1932787524 |
| public static final int | CTIERR_REMOTE_DEVICE_REQUEST_FAILED_ACTIVE_RD_NOT_SET | 0X8CCC0124 |
| public static final int | CTIERR_REMOTEDESTINATION_LIMIT_EXCEEDED | 0X8CCC0123 |
| public static final int | CTIERR_RESOURCE_NOT_AVAILABLE | -1932787536 |
| public static final int | CTIERR_START_MONITORING_FAILED | -1932787484 |
| public static final int | CTIERR_START_RECORDING_FAILED | -1932787481 |
| public static final int | CTIERR_STATION_SHUT_DOWN | -1932787574 |
| public static final int | CTIERR_SYSTEM_ERROR | -1932787525 |
| public static final int | CTIERR_UDP_PASS_THROUGH_NOT_SUPPORTED | -1932787638 |
| public static final int | CTIERR_UNKNOWN_EXCEPTION | -1932787556 |
| public static final int | CTIERR_UNSUPPORTED_CALL_PARK_TYPE | -1932787584 |
| public static final int | CTIERR_UNSUPPORTED_CFWD_TYPE | -1932787511 |
| public static final int | CTIERR_USER_NOT_AUTH_FOR_SECURITY | -1932787504 |
| public static final int | DARES_INVALID_REQ_TYPE | -1932787591 |
| public static final int | DATA_SIZE_LIMIT_EXCEEDED | -1932787681 |
| public static final int | DB_ERROR | -1932787691 |
| public static final int | DB_ILLEGAL_DEVICE_TYPE | -1932787692 |
| public static final int | DB_NO_MORE_DEVICES | -1932787694 |
| public static final int | DESTINATION_BUSY | -1897005054 |
| public static final int | DESTINATION_UNKNOWN | -1897005055 |
| public static final int | DEVICE_ALREADY_REGISTERED | -1932787693 |
| public static final int | DEVICE_NOT_OPEN | -1932787686 |
| public static final int | DEVICE_OUT_OF_SERVICE | -1932787593 |
| public static final int | DIGIT_GENERATION_ALREADY_IN_PROGRESS | -1932787610 |

| com.cisco.jtapi.extensions.CiscoJtapiException | | |
|---|---------------------------------------|-------------|
| public static final int | DIGIT_GENERATION_CALLSTATE_CHANGED | -1932787607 |
| public static final int | DIGIT_GENERATION_WRONG_CALL_HANDLE | -1932787609 |
| public static final int | DIGIT_GENERATION_WRONG_CALL_STATE | -1932787608 |
| public static final int | DIRECTORY_LOGIN_FAILED | -1932787616 |
| public static final int | DIRECTORY_LOGIN_NOT_ALLOWED | -1932787617 |
| public static final int | DIRECTORY_TEMPORARY_UNAVAILABLE | -1932787618 |
| public static final int | EXISTING_FIRSTPARTY | -1932787709 |
| public static final int | HOLDFAILED | -1932787697 |
| public static final int | ILLEGAL_CALLINGPARTY | -1932787706 |
| public static final int | ILLEGAL_CALLSTATE | -1932787703 |
| public static final int | ILLEGAL_HANDLE | -1932787708 |
| public static final int | ILLEGAL_MESSAGE_FORMAT | -1932787630 |
| public static final int | INCOMPATIBLE_PROTOCOL_VERSION | -1932787632 |
| public static final int | INVALID_LINE_HANDLE | -1932787599 |
| public static final int | INVALID_RING_OPTION | -1932787680 |
| public static final int | LINE_GREATER_THAN_MAX_LINE | -1932787606 |
| public static final int | LINE_INFO_DOES_NOT_EXIST | -1932787611 |
| public static final int | LINE_NOT_PRIMARY | -1932787598 |
| public static final int | LINECONTROL_FAILURE | -1932787704 |
| public static final int | MAX_NUMBER_OF_CTI_CONNECTIONS_REACHED | -1932787641 |
| public static final int | MSGWAITING_DESTN_INVALID | -1932787592 |
| public static final int | NO_ACTIVE_DEVICE_FOR_THIRDPARTY | -1932787710 |
| public static final int | NO_CONFERENCE_BRIDGE | -1932787639 |
| public static final int | NOT_INITIALIZED | -1932787613 |
| public static final int | PROTOCOL_TIMEOUT | -1091584273 |
| public static final int | PROVIDER_ALREADY_OPEN | -1932787614 |
| public static final int | PROVIDER_CLOSED | -559038737 |
| public static final int | PROVIDER_NOT_OPEN | -1932787615 |

| com.cisco.jtapi.extensions.CiscoJtapiException | | |
|---|--|-------------|
| public static final int | REDIRECT_CALL_CALL_TABLE_FULL | -1932787662 |
| public static final int | REDIRECT_CALL_DESTINATION_BUSY | -1932787649 |
| public static final int | REDIRECT_CALL_DESTINATION_OUT_OF_ORDER | -1932787648 |
| public static final int | REDIRECT_CALL_DIGIT_ANALYSIS_TIMEOUT | -1932787659 |
| public static final int | REDIRECT_CALL_DOES_NOT_EXIST | -1932787683 |
| public static final int | REDIRECT_CALL_INCOMPATIBLE_STATE | -1932787654 |
| public static final int | REDIRECT_CALL_MEDIA_CONNECTION_FAILED | -1932787658 |
| public static final int | REDIRECT_CALL_NORMAL_CLEARING | -1932787651 |
| public static final int | REDIRECT_CALL_ORIGINATOR_ABANDONED | -1932787656 |
| public static final int | REDIRECT_CALL_PARTY_TABLE_FULL | -1932787657 |
| public static final int | REDIRECT_CALL_PENDING_REDIRECT_TRANSACTION | -1932787653 |
| public static final int | REDIRECT_CALL_PROTOCOL_ERROR | -1932787661 |
| public static final int | REDIRECT_CALL_UNKNOWN_DESTINATION | -1932787660 |
| public static final int | REDIRECT_CALL_UNKNOWN_ERROR | -1932787652 |
| public static final int | REDIRECT_CALL_UNKNOWN_PARTY | -1932787655 |
| public static final int | REDIRECT_CALL_UNRECOGNIZED_MANAGER | -1932787650 |
| public static final int | REDIRECT_CALLINFO_ERR | -1932787664 |
| public static final int | REDIRECT_ERR | -1932787663 |
| public static final int | RETRIEVEFAILED | -1932787695 |
| public static final int | RETRIEVEFAILED_ACTIVE_CALL_ON_LINE | -1932787600 |
| public static final int | SSAPI_NOT_REGISTERED | -1932787684 |
| public static final int | TIMEOUT | -1932787711 |
| public static final int | TRANSFER_INACTIVE | -1932787586 |
| public static final int | TRANSFERFAILED | -1932787698 |
| public static final int | TRANSFERFAILED_CALLCONTROL_TIMEOUT | -1932787645 |
| public static final int | TRANSFERFAILED_DESTINATION_BUSY | -1932787699 |
| public static final int | TRANSFERFAILED_DESTINATION_UNALLOCATED | -1932787701 |
| public static final int | TRANSFERFAILED_OUTSTANDING_TRANSFER | -1932787646 |

| com.cisco.jtapi.extensions.CiscoJtapiException | | |
|---|----------------------------|-------------|
| public static final int | UNDEFINED_LINE | -1932787707 |
| public static final int | UNKNOWN_GLOBAL_CALL_HANDLE | -1932787687 |
| public static final int | UNRECOGNIZABLE_PDU | -1932787631 |
| public static final int | UNSPECIFIED | 0 |

CiscoLocales

| com.cisco.jtapi.extensions.CiscoLocales | | |
|--|------------------------------------|----|
| public static final int | LOCALE_ARABIC_ALGERIA | 47 |
| public static final int | LOCALE_ARABIC_BAHRAIN | 48 |
| public static final int | LOCALE_ARABIC_EGYPT | 49 |
| public static final int | LOCALE_ARABIC_IRAQ | 50 |
| public static final int | LOCALE_ARABIC_JORDAN | 51 |
| public static final int | LOCALE_ARABIC_KUWAIT | 38 |
| public static final int | LOCALE_ARABIC_LEBANON | 52 |
| public static final int | LOCALE_ARABIC_MOROCCO | 53 |
| public static final int | LOCALE_ARABIC_OMAN | 36 |
| public static final int | LOCALE_ARABIC_QATAR | 54 |
| public static final int | LOCALE_ARABIC_SAUDI_ARABIA | 37 |
| public static final int | LOCALE_ARABIC_TUNISIA | 55 |
| public static final int | LOCALE_ARABIC_UNITED_ARAB_EMIRATES | 35 |
| public static final int | LOCALE_ARABIC_YEMEN | 56 |
| public static final int | LOCALE_BULGARIAN_BULGARIA | 27 |
| public static final int | LOCALE_CATALAN_SPAIN | 32 |
| public static final int | LOCALE_CHINESE_HONG_KONG | 24 |
| public static final int | LOCALE_CROATIAN_CROATIA | 28 |
| public static final int | LOCALE_CZECH_CZECH_REPUBLIC | 26 |
| public static final int | LOCALE_DANISH_DENMARK | 12 |

| com.cisco.jtapi.extensions.CiscoLocales | | |
|--|---------------------------------------|----|
| public static final int | LOCALE_DUTCH_NETHERLAND | 8 |
| public static final int | LOCALE_ENGLISH_UNITED_KINGDOM | 33 |
| public static final int | LOCALE_ENGLISH_UNITED_STATES | 1 |
| public static final int | LOCALE_FINNISH_FINLAND | 22 |
| public static final int | LOCALE_FRENCH_FRANCE | 2 |
| public static final int | LOCALE_GERMAN_GERMANY | 3 |
| public static final int | LOCALE_GREEK_GREECE | 16 |
| public static final int | LOCALE_HEBREW_ISRAEL | 39 |
| public static final int | LOCALE_HUNGARIAN_HUNGARY | 14 |
| public static final int | LOCALE_ITALIAN_ITALY | 7 |
| public static final int | LOCALE_JAPANESE_JAPAN | 13 |
| public static final int | LOCALE_KOREAN_KOREA | 21 |
| public static final int | LOCALE_NORWEGIAN_NORWAY | 9 |
| public static final int | LOCALE_POLISH_POLAND | 15 |
| public static final int | LOCALE_PORTUGUESE_BRAZIL | 23 |
| public static final int | LOCALE_PORTUGUESE_PORTUGAL | 10 |
| public static final int | LOCALE_ROMANIAN_ROMANIA | 30 |
| public static final int | LOCALE_RUSSIAN_RUSSIA | 5 |
| public static final int | LOCALE_SERBIAN_REPUBLIC_OF_MONTENEGRO | 41 |
| public static final int | LOCALE_SERBIAN_REPUBLIC_OF_SERBIA | 40 |
| public static final int | LOCALE_SIMPLIFIED_CHINESE_CHINA | 20 |
| public static final int | LOCALE_SLOVAK_SLOVAKIA | 25 |
| public static final int | LOCALE_SLOVENIAN_SLOVENIA | 29 |
| public static final int | LOCALE_SPANISH_SPAIN | 6 |
| public static final int | LOCALE_SWEDISH_SWEDEN | 11 |
| public static final int | LOCALE_THAI_THAILAND | 42 |
| public static final int | LOCALE_TRADITIONAL_CHINESE_CHINA | 19 |

CiscoMediaConnectionMode

| com.cisco.jtapi.extensions.CiscoMediaConnectionMode | | |
|---|----------------------|---|
| public static final int | NONE | 0 |
| public static final int | RECEIVE_ONLY | 1 |
| public static final int | TRANSMIT_AND_RECEIVE | 3 |
| public static final int | TRANSMIT_ONLY | 2 |

CiscoMediaEncryptionAlgorithmType

| com.cisco.jtapi.extensions.CiscoMediaEncryptionAlgorithmType | | |
|--|-----------------|---|
| public static final int | AES_128_COUNTER | 1 |

CiscoMediaOpenLogicalChannelEv

| com.cisco.jtapi.extensions.CiscoMediaOpenLogicalChannelEv | | |
|---|----|------------|
| public static final int | ID | 1073758213 |

CiscoMediaSecurityIndicator

| com.cisco.jtapi.extensions.CiscoMediaSecurityIndicator | | |
|--|-----------------------------------|---|
| public static final int | MEDIA_ENCRYPT_KEYS_AVAILABLE | 0 |
| public static final int | MEDIA_ENCRYPT_KEYS_UNAVAILABLE | 2 |
| public static final int | MEDIA_ENCRYPT_USER_NOT_AUTHORIZED | 1 |
| public static final int | MEDIA_NOT_ENCRYPTED | 3 |

CiscoOutOfServiceEv

| com.cisco.jtapi.extensions.CiscoOutOfServiceEv | | |
|--|---------------------------|------|
| public static final int | CAUSE_CALLMANAGER_FAILURE | 1001 |
| public static final int | CAUSE_CTIMANAGER_FAILURE | 1007 |
| public static final int | CAUSE_DEVICE_FAILURE | 1004 |

| com.cisco.jtapi.extensions.CiscoOutOfServiceEv | | |
|---|------------------------------------|------------|
| public static final int | CAUSE_DEVICE_RESTRICTED | 1008 |
| public static final int | CAUSE_DEVICE_UNREGISTERED | 1005 |
| public static final int | CAUSE_LINE_RESTRICTED | 1009 |
| public static final int | CAUSE_NOCALLMANAGER_AVAILABLE | 1003 |
| public static final int | CAUSE_REHOME_TO_HIGHER_PRIORITY_CM | 1002 |
| public static final int | CAUSE_REHOMING_FAILURE | 1006 |
| public static final int | ID | 1073750021 |

CiscoPartyInfo

| com.cisco.jtapi.extensions.CiscoPartyInfo | | |
|--|------------------------|---|
| public static final int | ABBREVIATED_NUMBER | 6 |
| public static final int | INTERNATIONAL_NUMBER | 1 |
| public static final int | NATIONAL_NUMBER | 2 |
| public static final int | NET_SPECIFIC_NUMBER | 3 |
| public static final int | RESERVED_FOR_EXTENSION | 7 |
| public static final int | SUBSCRIBER_NUMBER | 4 |
| public static final int | UNKNOWN_NUMBER | 0 |

CiscoProvCallParkEv

| com.cisco.jtapi.extensions.CiscoProvCallParkEv | | |
|---|--------------------------|------------|
| public static final int | ID | 1073754113 |
| public static final int | PARK_STATE_ACTIVE | 2 |
| public static final int | PARK_STATE_IDLE | 1 |
| public static final int | REASON_CALLPARK | 1 |
| public static final int | REASON_CALLPARKREMAINDER | 3 |
| public static final int | REASON_CALLPARKREMINDER | 3 |
| public static final int | REASON_CALLUNPARK | 2 |

CiscoProvFeatureID

| com.cisco.jtapi.extensions.CiscoProvFeatureID | | |
|--|---------------------|------|
| public static final int | MONITOR_CALLPARK_DN | 1234 |

CiscoProviderCapabilityChangedEv

| com.cisco.jtapi.extensions.CiscoProviderCapabilityChangedEv | | |
|--|----------------|------------|
| public static final int | ID | 1073741846 |
| public static final int | MODIFY_CGPN | 32 |
| public static final int | MONITOR_PARKDN | 64 |
| public static final int | SUPERPROVIDER | 16 |

CiscoProvTerminalCapabilityChangedEv

| com.cisco.jtapi.extensions.CiscoProvTerminalCapabilityChangedEv | | |
|--|----|------------|
| public static final int | ID | 1073741847 |

CiscoRemoteTerminal

| com.cisco.jtapi.extensions.CiscoRemoteTerminal | | |
|---|------------------------------|---|
| public static final int | EXTEND_MEDIA_REGISTRATION | 8 |
| public static final int | NO_EXTEND_MEDIA_REGISTRATION | 0 |

CiscoRestrictedEv

| com.cisco.jtapi.extensions.CiscoRestrictedEv | | |
|---|--|------------|
| public static final int | CAUSE_UNKNOWN | 0 |
| public static final int | CAUSE_UNSUPPORTED_DEVICE_CONFIGURATION | 3 |
| public static final int | CAUSE_UNSUPPORTED_PROTOCOL | 2 |
| public static final int | CAUSE_USER_RESTRICTED | 1 |
| public static final int | ID | 1073741833 |

CiscoRouteSession

| com.cisco.jtapi.extensions.CiscoRouteSession | | |
|---|--|-------------|
| public static final int | | |
| public static final int | CALLINGADDRESS_SEARCH_SPACE | 1 |
| public static final int | CAUSE_CTIERR_FAC_CMC_REASON_CMC_INVALID | -1932787506 |
| public static final int | CAUSE_CTIERR_FAC_CMC_REASON_CMC_NEEDED | -1932787509 |
| public static final int | CAUSE_CTIERR_FAC_CMC_REASON_FAC_CMC_NEEDED | -1932787508 |
| public static final int | CAUSE_CTIERR_FAC_CMC_REASON_FAC_INVALID | -1932787507 |
| public static final int | CAUSE_CTIERR_FAC_CMC_REASON_FAC_NEEDED | -1932787510 |
| public static final int | DEFAULT_SEARCH_SPACE | 0 |
| public static final int | DONOT_RESET_ORIGINALCALLED | 0 |
| public static final int | ERROR_INVALID_STATE | 7 |
| public static final int | ERROR_NO_CALLBACK | 6 |
| public static final int | ERROR_NONE | 4 |
| public static final int | ERROR_ROUTESELECT_TIMEOUT | 5 |
| public static final int | RESET_ORIGINALCALLED | 1 |
| public static final int | ROUTEADDRESS_SEARCH_SPACE | 2 |

CiscoRouteTerminal

| com.cisco.jtapi.extensions.CiscoRouteTerminal | | |
|--|----------------------------|---|
| public static final int | DYNAMIC_MEDIA_REGISTRATION | 2 |
| public static final int | NO_MEDIA_REGISTRATION | 0 |

CiscoRTPBitRate

| com.cisco.jtapi.extensions.CiscoRTPBitRate | | |
|---|------|---|
| public static final int | R5_3 | 1 |
| public static final int | R6_4 | 2 |

CiscoRTPIInputKeyEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoRTPIInputKeyEv | | |
| public static final int | ID | 1073758214 |

CiscoRTPIInputStartedEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoRTPIInputStartedEv | | |
| public static final int | ID | 1073758209 |

CiscoRTPIInputStoppedEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoRTPIInputStoppedEv | | |
| public static final int | ID | 1073758210 |

CiscoRTPOutputKeyEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoRTPOutputKeyEv | | |
| public static final int | ID | 1073758215 |

CiscoRTPOutputStartedEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoRTPOutputStartedEv | | |
| public static final int | ID | 1073758211 |

CiscoRTPOutputStoppedEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoRTPOutputStartedEv | | |
| public static final int | ID | 1073758212 |

CiscoRTPPayload

| | | |
|---|-------------|----|
| com.cisco.jtapi.extensions.CiscoRTPPayload | | |
| public static final int | ACTIVEVOICE | 81 |

| com.cisco.jtapi.extensions.CiscoRTPPayload | | |
|---|-----------------|----|
| public static final int | ACY_G729AASSN | 15 |
| public static final int | DATA56 | 33 |
| public static final int | DATA64 | 32 |
| public static final int | G711ALAW56K | 3 |
| public static final int | G711ALAW64K | 2 |
| public static final int | G711ULAW56K | 5 |
| public static final int | G711ULAW64K | 4 |
| public static final int | G722_48K | 8 |
| public static final int | G722_56K | 7 |
| public static final int | G722_64K | 6 |
| public static final int | G7231 | 9 |
| public static final int | G728 | 10 |
| public static final int | G729 | 11 |
| public static final int | G729ANNEXA | 12 |
| public static final int | GSM | 80 |
| public static final int | IS11172AUDIOCAP | 13 |
| public static final int | IS13818AUDIOCAP | 14 |
| public static final int | NONSTANDARD | 1 |
| public static final int | WIDEBAND_256K | 25 |

CiscoTermActivatedEv

| com.cisco.jtapi.extensions.CiscoTermActivatedEv | | |
|--|----|------------|
| public static final int | ID | 1073741843 |

CiscoTermButtonPressedEv

| com.cisco.jtapi.extensions.CiscoTermButtonPressedEv | | |
|--|-------|----|
| public static final int | CHARA | 10 |

| com.cisco.jtapi.extensions.CiscoTermButtonPressedEv | | |
|--|-------|------------|
| public static final int | CHARB | 11 |
| public static final int | CHARC | 12 |
| public static final int | CHARD | 13 |
| public static final int | EIGHT | 8 |
| public static final int | FIVE | 5 |
| public static final int | FOUR | 4 |
| public static final int | ID | 1073745936 |
| public static final int | NINE | 9 |
| public static final int | ONE | 1 |
| public static final int | POUND | 15 |
| public static final int | SEVEN | 7 |
| public static final int | SIX | 6 |
| public static final int | STAR | 14 |
| public static final int | THREE | 3 |
| public static final int | TWO | 2 |
| public static final int | ZERO | 0 |

CiscoTermConnMonitoringEndEv

| com.cisco.jtapi.extensions.CiscoTermConnMonitoringEndEv | | |
|--|----|------------|
| public static final int | ID | 1073762311 |

CiscoTermConnMonitoringStartEv

| com.cisco.jtapi.extensions.CiscoTermConnMonitoringStartEv | | |
|--|----|------------|
| public static final int | ID | 1073762310 |

CiscoTermConnMonitorInitiatorInfoEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoTermConnMonitorInitiatorInfoEv | | |
| public static final int | ID | 1073762313 |

CiscoTermConnMonitorTargetInfoEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoTermConnMonitorTargetInfoEv | | |
| public static final int | ID | 1073762314 |

CiscoTermConnPrivacyChangedEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoTermConnPrivacyChangedEv | | |
| public static final int | ID | 1073762305 |

CiscoTermConnRecordingEndEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoTermConnRecordingEndEv | | |
| public static final int | ID | 1073762309 |

CiscoTermConnRecordingStartEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoTermConnRecordingStartEv | | |
| public static final int | ID | 1073762308 |

CiscoTermConnRecordingTargetInfoEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoTermConnRecordingTargetInfoEv | | |
| public static final int | ID | 1073762312 |

CiscoTermConnSelectChangedEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoTermConnSelectChangedEv | | |
| public static final int | ID | 1073762307 |

CiscoTermCreatedEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoTermCreatedEv | | |
| public static final int | ID | 1073745921 |

CiscoTermDataEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoTermDataEv | | |
| public static final int | ID | 1073745922 |

CiscoTermDeviceStateActiveEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoTermDeviceStateActiveEv | | |
| public static final int | ID | 1073745926 |

CiscoTermDeviceStateAlertingEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoTermDeviceStateAlertingEv | | |
| public static final int | ID | 1073745927 |

CiscoTermDeviceStateHeldEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoTermDeviceStateHeldEv | | |
| public static final int | ID | 1073745928 |

CiscoTermDeviceStateIdleEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoTermDeviceStateIdleEv | | |
| public static final int | ID | 1073745929 |

CiscoTermDeviceStateWhisperEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoTermDeviceStateWhisperEv | | |
| public static final int | ID | 1073745941 |

CiscoTermDNDOptionChangedEv

| com.cisco.jtapi.extensions.CiscoTermDNDOptionChangedEv | | |
|--|----|------------|
| public static final int | ID | 1073745942 |

CiscoTermDNNDStatusChangedEv

| com.cisco.jtapi.extensions.CiscoTermDNNDStatusChangedEv | | |
|---|----|------------|
| public static final int | ID | 1073745940 |

CiscoTerminal

| com.cisco.jtapi.extensions.CiscoTerminal | | |
|--|---|-------|
| public static final int | ASCII_ENCODING | 2 |
| public static final int | DEVICESTATE_ACTIVE | 1 |
| public static final int | DEVICESTATE_ALERTING | 2 |
| public static final int | DEVICESTATE_HELD | 3 |
| public static final int | DEVICESTATE_IDLE | 0 |
| public static final int | DEVICESTATE_UNKNOWN | 4 |
| public static final int | DEVICESTATE_WHISPER | 5 |
| public static final int | CiscoTerminal.DEVICETYPE_UNKNOWN | 0 |
| public static final int | CiscoTerminal.DEVICETYPE_ANALOG_PHONE | 30027 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_6901 | 547 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_6911 | 548 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_6921 | 495 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_6941 | 496 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_6945 | 564 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_6961 | 497 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7906 | 369 |
| public static final int | CiscoTerminal.DEVICETYPE_TELECASTER_BID | 6 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7911 | 307 |

| com.cisco.jtapi.extensions.CiscoTerminal | | |
|---|--|-------|
| public static final int | CiscoTerminal.DEVICETYPE_14_BUTTON_SIDE CAR | 124 |
| public static final int | CiscoTerminal.DEVICETYPE_7915_12_BUTTON_SIDE CAR | 227 |
| public static final int | CiscoTerminal.DEVICETYPE_7915_24_BUTTON_SIDE CAR | 228 |
| public static final int | CiscoTerminal.DEVICETYPE_7916_12_BUTTON_SIDE CAR | 229 |
| public static final int | CiscoTerminal.DEVICETYPE_7916_24_BUTTON_SIDE CAR | 230 |
| public static final int | CiscoTerminal.DEVICETYPE_CKEM_36_BUTTON | 232 |
| public static final int | CiscoTerminal.DEVICETYPE_CP7921 | 365 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7925 | 484 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7926 | 577 |
| public static final int | CiscoTerminal.DEVICETYPE_7931 | 348 |
| public static final int | CiscoTerminal.DEVICETYPE_IP_CONFERENCE_PHONE | 9 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7936 | 30019 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7937 | 431 |
| public static final int | CiscoTerminal.DEVICETYPE_TELECASTER_BUSINESS | 8 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7941 | 115 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7941G_GE | 309 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7942 | 434 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7945 | 435 |
| public static final int | CiscoTerminal.DEVICETYPE_TELECASTER_MGR | 7 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7961 | 30018 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7961G_GE | 308 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7962 | 404 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7965 | 436 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7970 | 30006 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7971 | 119 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7975 | 437 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_7989 | 302 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_8941 | 586 |

| com.cisco.jtapi.extensions.CiscoTerminal | | |
|---|---|-------|
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_8945 | 585 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_8961 | 540 |
| public static final int | CiscoTerminal.DEVICETYPE_9951 | 537 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_9971 | 493 |
| public static final int | CiscoTerminal.DEVICETYPE_ATA_186 | 12 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_ATA_187 | 550 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_CIOUS | 593 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_CIOUS_SP | 632 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_SOFTPHONE_SE_M | 30016 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_UNIFIED_COMMUNICATOR | 358 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_UNIFIED_MOBILE_COMMUNICATOR | 468 |
| public static final int | CiscoTerminal.DEVICETYPE_CISCO_UNIFIED_COMMUNICATIONS_FOR_RTX | 648 |
| public static final int | CiscoTerminal.DEVICETYPE_CLIENT_SERVICES_FRAMEWORK | 503 |
| public static final int | CiscoTerminal.DEVICETYPE_VGC_PHONE | 10 |
| public static final int | CiscoTerminal.DEVICETYPE_CTI_PORT | 72 |
| public static final int | CiscoTerminal.DEVICETYPE_CTI_ROUTE_POINT | 73 |
| public static final int | CiscoTerminal.DEVICETYPE_DEVICE_PILOT | 71 |
| public static final int | CiscoTerminal.DEVICETYPE_ISDN_BRI_PHONE | 30028 |
| public static final int | CiscoTerminal.DEVICETYPE_CTI_REMOTE_DEVICE | 635 |
| public static final int | DND_OPTION_CALL_REJECT | 2 |
| public static final int | DND_OPTION_NONE | 0 |
| public static final int | DND_OPTION_RINGER_OFF | 1 |
| public static final int | IN_SERVICE | 1 |
| public static final int | IP_ADDRESSING_MODE_IPV4 | 0 |
| public static final int | IP_ADDRESSING_MODE_IPV4_V6 | 2 |
| public static final int | IP_ADDRESSING_MODE_IPV6 | 1 |
| public static final int | IP_ADDRESSING_MODE_UNKNOWN | 3 |
| public static final int | IP_ADDRESSING_MODE_UNKNOWN_ANATRED | 4 |

| com.cisco.jtapi.extensions.CiscoTerminal | | |
|---|----------------------|---|
| public static final int | NOT_APPLICABLE | 1 |
| public static final int | OUT_OF_SERVICE | 0 |
| public static final int | UCS2UNICODE_ENCODING | 3 |
| public static final int | UNKNOWN_ENCODING | 0 |

CiscoTerminalConnection

| com.cisco.jtapi.extensions.CiscoTerminalConnection | | |
|---|----------------------------------|---|
| public static final int | CISCO_SELECTEDLOCAL | 1 |
| public static final int | CISCO_SELECTEDNONE | 0 |
| public static final int | CISCO_SELECTEDREMOTE | 2 |
| public static final int | PROTOCOL_CTI_REMOTE_DEVICE | 3 |
| public static final int | RECORDING_INVOCATION_TYPE_SILENT | 0 |
| public static final int | RECORDING_INVOCATION_TYPE_USER | 1 |

CiscoTerminalProtocol

| com.cisco.jtapi.extensions.CiscoTerminalProtocol | | |
|---|---------------|---|
| public static final int | PROTOCOL_NONE | 0 |
| public static final int | PROTOCOL_SCCP | 1 |
| public static final int | PROTOCOL_SIP | 2 |

CiscoTermInServiceEv

| com.cisco.jtapi.extensions.CiscoTermInServiceEv | | |
|--|----|------------|
| public static final int | ID | 1073745923 |

CiscoTermOutOfServiceEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoTermOutOfServiceEv | | |
| public static final int | ID | 1073745924 |

CiscoTermRegistrationFailedEv

| | | |
|---|----------------------------------|------------|
| com.cisco.jtapi.extensions.CiscoTermRegistrationFailedEv | | |
| public static final int | DB_INITIALIZATION_ERROR | 15 |
| public static final int | ID | 1073745937 |
| public static final int | IP_ADDRESSING_MODE_MISMATCH | 19 |
| public static final int | MEDIA_ALREADY_TERMINATED_DYNAMIC | 8 |
| public static final int | MEDIA_ALREADY_TERMINATED_NONE | 6 |
| public static final int | MEDIA_ALREADY_TERMINATED_STATIC | 7 |
| public static final int | MEDIA_CAPABILITY_MISMATCH | 10 |
| public static final int | OWNER_NOT_ALIVE | 11 |
| public static final int | UNKNOWN | 0 |

CiscoTermRemovedEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoTermRemovedEv | | |
| public static final int | ID | 1073745925 |

CiscoTermRestrictedEv

| | | |
|---|----|------------|
| com.cisco.jtapi.extensions.CiscoTermRestrictedEv | | |
| public static final int | ID | 1073741841 |

CiscoTermSnapshotCompletedEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoTermSnapshotCompletedEv | | |
| public static final int | ID | 1073745939 |

CiscoTermSnapshotEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoTermSnapshotCompletedEv | | |
| public static final int | ID | 1073745938 |

CiscoTone

| | | |
|---|--------|----|
| com.cisco.jtapi.extensions.CiscoTone | | |
| public static final int | ZIPZIP | 49 |

CiscoToneChangedEv

| | | |
|--|------------------|------------|
| com.cisco.jtapi.extensions.CiscoToneChangedEv | | |
| public static final int | CMC_REQUIRED | 1 |
| public static final int | FAC_CMC_REQUIRED | 2 |
| public static final int | FAC_REQUIRED | 0 |
| public static final int | ID | 1073754119 |

CiscoTransferEndEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoTransferEndEv | | |
| public static final int | ID | 1073754117 |

CiscoTransferStartEv

| | | |
|--|----|------------|
| com.cisco.jtapi.extensions.CiscoTransferStartEv | | |
| public static final int | ID | 1073754118 |

CiscoUrlInfo

| | | |
|--|--------------------|---|
| com.cisco.jtapi.extensions.CiscoUrlInfo | | |
| public static final int | TRANSPORT_TYPE_TCP | 1 |
| public static final int | TRANSPORT_TYPE_UDP | 2 |

| com.cisco.jtapi.extensions.CiscoUrlInfo | | |
|--|------------------|---|
| public static final int | URL_TYPE_SIP | 1 |
| public static final int | URL_TYPE_TEL | 2 |
| public static final int | URL_TYPE_UNKNOWN | 0 |

CiscoWideBandMediaCapability

| com.cisco.jtapi.extensions.CiscoWideBandMediaCapability | | |
|--|----------------------------------|----|
| public static final int | FRAMESIZE_TEN_MILLISECOND_PACKET | 10 |

Alarm

| com.cisco.services.alarm.Alarm | | |
|---------------------------------------|------------------|-------|
| public static final int | ALERTS | 1 |
| public static final int | CRITICAL | 2 |
| public static final int | DEBUGGING | 7 |
| public static final int | EMERGENCIES | 0 |
| public static final int | ERROR | 3 |
| public static final int | HIGHEST_LEVEL | 7 |
| public static final int | INFORMATIONAL | 6 |
| public static final int | LOWEST_LEVEL | 0 |
| public static final int | NO_SEVERITY | -1 |
| public static final int | NOTIFICATION | 5 |
| public static final java.lang.String | UNKNOWN_MNEMONIC | “UNK” |
| public static final int | WARNING | 4 |

LogFileTraceWriter

| com.cisco.services.tracing.LogFileTraceWriter | | |
|--|------------------------|---------|
| public static final java.lang.String | DEFAULT_FILE_NAME_BASE | “trace” |

| com.cisco.services.tracing.LogFileTraceWriter | | |
|--|-----------------------------|-------|
| public static final java.lang.String | DEFAULT_FILE_NAME_EXTENSION | “log” |
| public static final char | DIR_BASE_NAME_NUM_SEPERATOR | 95 |
| public static final int | MIN_FILE_SIZE | 10240 |
| public static final int | MIN_FILES | 2 |
| public static final int | ROLLOVER_THRESHOLD | 1024 |

Trace

| com.cisco.services.tracing.Trace | | |
|---|--------------------------|-----------------|
| public static final int | ALERTS | 1 |
| public static final java.lang.String | ALERTS_TRACE_NAME | “ALERTS” |
| public static final int | CRITICAL | 2 |
| public static final java.lang.String | CRITICAL_TRACE_NAME | “CRITICAL” |
| public static final int | DEBUGGING | 7 |
| public static final java.lang.String | DEBUGGING_TRACE_NAME | “DEBUGGING” |
| public static final int | EMERGENCIES | 0 |
| public static final java.lang.String | EMERGENCIES_TRACE_NAME | “EMERGENCIES” |
| public static final int | ERROR | 3 |
| public static final java.lang.String | ERROR_TRACE_NAME | “ERROR” |
| public static final int | HIGHEST_LEVEL | 7 |
| public static final int | INFORMATIONAL | 6 |
| public static final java.lang.String | INFORMATIONAL_TRACE_NAME | “INFORMATIONAL” |
| public static final int | LOWEST_LEVEL | 0 |
| public static final int | NOTIFICATION | 5 |
| public static final java.lang.String | NOTIFICATION_TRACE_NAME | “NOTIFICATION” |
| public static final int | WARNING | 4 |
| public static final java.lang.String | WARNING_TRACE_NAME | “WARNING” |

