



## Review User Reports Results

This chapter describes report output information for each CAR user report.

- [Bill Summary Report Results](#), on page 1
- [Bill Detail Report Results](#), on page 4
- [Top N by Charge or Duration Report Results](#), on page 6
- [Top N by Number of Calls Report Results](#), on page 8
- [Call Usage for Assistant Detail Report Results](#), on page 9
- [Call Usage for Assistant Summary Report Results](#), on page 10
- [Call Usage for Manager Detail Report Results](#), on page 12
- [Call Usage for Manager Summary Report Results](#), on page 13
- [IP Phone Services Report Results](#), on page 15
- [Related Topics](#), on page 15
- [Additional Documentation](#), on page 16

## Bill Summary Report Results

The report combines information in groups by the user name in ascending order. The summary report includes the following fields (see the following table).

**Table 1: Summary Report Fields**

Field	Description
Call Classification - Call categories specify classes.	
On Net	Outgoing calls that originate on one Unified Communications Manager network, go out through a trunk, and terminate on a different Unified Communications Manager network. For CAR purposes, be aware that any outgoing call can be classified as an On Net call if it is configured as such in the CAR dial plan configuration window. See <a href="#">Set Up Dial Plan</a> .

Field	Description
Internal	Calls, including intracluster calls, that originate in the Unified Communications Manager network and end in the same Unified Communications Manager network (no gateways or trunks are used).
Local	Local calls that are routed through the public switched telephone network (PSTN) to numbers without an area code or that include one of the local area codes.
Long Distance	Long-distance calls that originate in the Unified Communications Manager network that go out through the PSTN.
International	International calls that originate in the Unified Communications Manager network and go out through the PSTN.
Others	All other outgoing calls, such as toll-free numbers or emergency calls such as 911.
QOS	<p>The number of calls for each Quality of Service category. Parameters that the CAR administrator sets provide the basis for the following QoS categories:</p> <ul style="list-style-type: none"> <li>• Good - QoS for these calls designates the highest possible quality.</li> <li>• Acceptable - QoS for these calls shows them slightly degraded but still within an acceptable range.</li> <li>• Fair - QoS for these calls, that although degraded, still fall within a usable range.</li> <li>• Poor - QoS for these calls get categorized as unsatisfactory.</li> <li>• NA - These calls do not match any criteria for the established QoS categories.</li> </ul> <p>See the <a href="#">Define QoS Values</a> and the <a href="#">Generate QoS by Gateway Reports</a>.</p>
Calls	Indicates the number of calls for each call classification.
Charge	Indicates the charge that is associated with each call. Call charge information that the CAR administrator provides for the CAR rating engine provides basis for charges. See <a href="#">CAR Rating Engine</a> .

The following figures display sample output from the Individual Bill and Department Bill Summary reports.

Figure 1: Individual Bill Summary Report Sample

**Individual Bill - Summary**

From Date: Jan 1, 2008  
To Date: Jan 26, 2008

Date: Jan 26, 2008  
Page: 1 of 1

Quality of Service							
Call Classification	Good	Acceptable	Fair	Poor	NA	Calls	Charge
Bill for caradmin							
Total for caradmin	0	0	0	0	0	0	0.00

280505

Figure 2: Department Bill Summary Report Sample

**Department Bill - Summary**

From Date: Jan 1, 2008  
To Date: Jan 26, 2008

Date: Jan 26, 2008  
Page: 1 of 2

Quality of Service							
Call Classification	Good	Acceptable	Fair	Poor	NA	Calls	Charge
Bill for user1							
Internal	0	0	0	0	4	4	120.00
Total for user1	0	0	0	0	4	4	120.00
Bill for user3							
Internal	0	0	0	0	4	4	120.00
Total for user3	0	0	0	0	4	4	120.00
Bill for _unspecifieduser							
Internal	3	0	0	0	12	15	1,700.00
On Net	0	0	0	0	1	1	100.00
Others	1	0	0	0	0	1	120.00
Total for _unspecifieduser	4	0	0	0	13	17	1,920.00
Bill for user4							
Internal	0	0	0	0	4	4	120.00
Total for user4	0	0	0	0	4	4	120.00
Bill for user2							
Internal	0	0	0	0	4	4	120.00
Total for user2	0	0	0	0	4	4	120.00
Bill for caradmin							
Total for caradmin	0	0	0	0	0	0	0.00

280504

# Bill Detail Report Results

The report places information in groups by the user name in ascending order. The detail report includes the following fields (see the following table).

**Table 2: Detail Report Fields**

Field	Description
Date	The date that the call originated.
Orig. Time	The time that the call originated.
Orig.	The originating number from which the call was placed.
Dest.	The destination number to which the call was directed.
Call Classification - Call categories specify classes.	
On Net	Outgoing calls that originate on one Unified Communications Manager network, go out through a trunk, and terminate on a different Unified Communications Manager network. For CAR purposes, be aware that any outgoing call can be classified as an On Net call if it is configured as such in the CAR dial plan configuration window. See <a href="#">Set Up Dial Plan</a> .
Internal	Calls, including intracluster calls, that originate in the Unified Communications Manager network and end in the same Unified Communications Manager network (no gateways or trunks are used).
Local	Local calls that are routed through the public switched telephone network (PSTN) to numbers without an area code or that include one of the local area codes.
Long Distance	Long-distance calls that originate in the Unified Communications Manager network that go out through the PSTN.
International	International calls that originate in the Unified Communications Manager network and go out through the PSTN.
Others	All other outgoing calls, such as toll-free numbers or emergency calls such as 911.

Field	Description
QoS	<p>The number of calls for each Quality of Service category. Parameters that the CAR administrator sets provide the basis for the following QoS categories:</p> <ul style="list-style-type: none"> <li>• Good - QoS for these calls designates the highest possible quality.</li> <li>• Acceptable - QoS for these calls shows them slightly degraded but still within an acceptable range.</li> <li>• Fair - QoS for these calls, that although degraded, still fall within a usable range.</li> <li>• Poor - QoS for these calls get categorized as unsatisfactory.</li> <li>• NA - These calls do not match any criteria for the established QoS categories.</li> </ul> <p>See the <a href="#">Define QoS Values</a> and the <a href="#">Generate QoS by Gateway Reports</a>.</p>
Duration(s)	The time, in seconds, that the call remains connected.
Charge	The charge that is associated with each call. Call charge information that the CAR administrator provided for the CAR rating engine provides the basis for charges. See the <a href="#">Define QoS Values</a> .

The following figures display sample output from the Individual Bill and Department Bill Detail reports.

**Figure 3: Individual Bill Detail Sample Report**

**cisco**  
**Individual Bill - Detail**

From Date: Feb 1, 2008  
To Date: Feb 10, 2008

Date: Feb 10, 2008  
Page: 1 of 1

Date	Orig. Time	Orig.	Dest.	Call Classification	QoS	Duration (sec)	Charge
Bill for CARuser1							
Feb 8, 2007	3:25:22 PM	1001	1003	Internal	Good	10	192.00
Feb 8, 2007	3:25:50 PM	1001	1003	Internal	Good	6	96.00
Feb 8, 2007	3:25:58 PM	1001	1003	Internal	Good	7	192.00
Feb 8, 2007	3:26:09 PM	1001	1003	Internal	Good	14	288.00
Total for CARuser1						37	768.00

210716

Figure 4: Department Bill Detail Sample Report

**cisco**  
**Department Bill - Detail**

From Date: Feb 1, 2008  
To Date: Feb 10, 2008

Date: Feb 10, 2008  
Page: 1 of 6

Date	Orig. Time	Orig.	Dest.	Call Classification	QoS	Duration (sec)	Charge
Bill for CARuser1							
Feb 8, 2007	3:25:22 PM	1001	1003	Internal	Good	10	192.00
Feb 8, 2007	3:25:50 PM	1001	1003	Internal	Good	6	96.00
Feb 8, 2007	3:25:58 PM	1001	1003	Internal	Good	7	192.00
Feb 8, 2007	3:26:09 PM	1001	1003	Internal	Good	14	288.00
Total for CARuser1						37	768.00
Bill for CARuser2							
Feb 1, 2007	3:23:16 PM	1002	1003	Others	Good	167	2,688.00
Feb 1, 2007	3:29:16 PM	1002	1006	Others	Good	55	960.00
Feb 1, 2007	3:30:48 PM	1002	1001	Others	Good	37	672.00
Feb 1, 2007	3:36:58 PM	1002	1003	Others	Good	81	1,344.00

210718

## Top N by Charge or Duration Report Results

The fields for the Top N by Charge and the Top N by Duration vary depending on the report type. The reports show only outgoing calls. See the table.

Table 3: Top N by Charge and by Duration Report Fields

Field	Description
By Individual Users	
User	User names.
Calls	Total number of calls.
Duration(s)	The time, in seconds, that the call was connected.
Charge	The charge that is associated with each call. Call charge information that the CAR administrator provided for the CAR rating engine provides basis for charges. See the <a href="#">Define QoS Values</a> .
By Destinations	
Dest	The destination of the calls.

Field	Description
Call Classification	The total number of calls for each call classification.
Calls	Total number of calls.
Duration	The time, in seconds, that the call was connected.
Charge	The charge that is associated with each call. Call charge information that the CAR administrator provided for the CAR rating engine provides basis for charges. See <a href="#">CAR Rating Engine</a> .
By Number of Calls	
User	User names.
Date	Date that the call occurred.
Orig Time	Time that the call originated.
Orig	Origin of the call.
Dest	Destination of the call.
Call Classification	The total number of calls for each call classification.
Duration	The time, in seconds, that the call was connected.
Charge	The charge that is associated with each call. Call charge information that the CAR administrator provided for the CAR rating engine provides basis for charges. See <a href="#">CAR Rating Engine</a> .

Figure 5: Top N Charge by Destinations Sample Report, on page 7 and Figure 6: Top N Duration by Destinations Sample Report, on page 8 display sample reports.

**Figure 5: Top N Charge by Destinations Sample Report**

**cisco**

**Top 5 Destinations based on Charge**

From Date: Feb 1, 2008  
To Date: Feb 10, 2008

Date: Feb 10, 2008  
Page: 1 of 1

Report Generation Criteria-  
Call Classification: On Net, Internal, Local, Long Distance, International, Incoming, Tandem, Others

Dest.	Call Classification	Calls	Duration (sec)	Charge
666	Internal	2	43213	172,872.00
1005	Incoming	12	2695	40,464.00
1004	Incoming	8	2527	38,808.00
1006	Incoming	12	2689	36,096.00
11006	On Net	6	2204	35,520.00

210721

Figure 6: Top N Duration by Destinations Sample Report

**cisco**

**Top 5 Destinations based on Duration**

From Date: Feb 1, 2008  
To Date: Feb 10, 2008

Date: Feb 10, 2008  
Page: 1 of 1

Report Generation Criteria-  
Call Classification: On Net, Internal, Local, Long Distance, International, Incoming, Tandem, Others

Dest.	Call Classification	Calls	Charge	Duration (sec)
666	Internal	2	172,872.00	43213
1005	Incoming	12	40,464.00	2695
1006	Incoming	12	36,096.00	2689
1004	Incoming	8	38,808.00	2527
11006	On Net	6	35,520.00	2204

210724

## Top N by Number of Calls Report Results

The fields for the Top N by Number of Calls report vary depending on the report type. The report shows both incoming and outgoing calls. See the table.

Table 4: Top N by Number of Calls Report Fields

Field	Description
By Individual Users	
Users	User names.
Charge	The total amount of billing charges for all calls to that user. Call charge information that the CAR administrator provided for the CAR rating engine provides basis for charges. See <a href="#">CAR Rating Engine</a> .
Duration(s)	The time, in seconds, that the call connected.
Calls Made	The total number of calls that the user placed.
Calls Received	The total number of calls that the user received.
Total Calls	The total number of incoming and outgoing calls.
By Extensions	
Extension No	The extension that originated/placed and received the call.
Charge	The total amount of billing charges for all calls to that user. Call charge information that the CAR administrator provided for the CAR rating engine provides basis for charges. See <a href="#">CAR Rating Engine</a> .



Field	Description
Duration	The time, in seconds, that the call was connected.
Calls Made	The total number of calls that the user placed.
Calls Received	The total number of calls that the user received.
Total Calls	The total number of incoming and outgoing calls.

Figure 7: Top N by Number of Calls Report Sample Output, on page 9 displays sample report output of Top N by Number of Calls by Individual Users in PDF format.

**Figure 7: Top N by Number of Calls Report Sample Output**

Top 5 Users based on Number of Calls				
From Date: Jan 1, 2008				Date: Jan 26, 2008
To Date: Jan 26, 2008				Page: 1 of 1
Report Generation Criteria-				
Call Classification: On Net, Internal, Local, Long Distance, International, Incoming, Tandem, Others				

User	Charge	Duration (sec)	Calls Made	Calls Received	Total Calls
user1	120.00	12	4	0	4
user3	120.00	12	4	0	4
user2	120.00	12	4	0	4
user4	120.00	12	4	0	4

280501

## Call Usage for Assistant Detail Report Results

The report, which supports Cisco Unified Communications Manager Assistant, shows the number of calls that assistants handled for themselves, that the assistant handled for each manager, and the total number of calls that the assistant handled. The report places information in groups about calls that the assistant handled and calls that the assistant handled for the manager. The detail report includes the following fields (see the following table).

**Table 5: Detail Report Fields**

Field	Description
Date	The date that the call originated.
Orig. Time	The time that the call originated.
Orig.	The originating number from which the call was placed.
Dest.	The destination number to which the call was directed.
Call Classification	The type of call (internal, incoming, and so on.)
Duration (sec)	The time, in seconds, that the call connected.

Figure 8: Call Usage for Assistant Detail Report, on page 10 displays sample output from a Call Usage for Assistant Detail report in PDF format.

Figure 8: Call Usage for Assistant Detail Report

From Date: Mar 1, 2008  
To Date: Mar 15, 2008  
Report for Calls Handled by Assistant

**cisco**  
**Call Usage for Assistant - Detail**

Date: Mar 15, 2008  
Page: 1 of 2

Date	Orig. Time	Orig.	Dest.	Call Classification	Duration (sec)
Usage for Assistant					
14-3-2007	01:03:11	10001	66	Internal	17
14-3-2007	03:33:31	10001	66	Internal	32
14-3-2007	03:34:07	10001	66	Internal	24
14-3-2007	03:34:35	10001	66	Internal	19
14-3-2007	03:34:57	10001	66	Internal	31
14-3-2007	03:35:32	10001	66	Internal	17
14-3-2007	04:20:03	1234	10001	Internal	49
14-3-2007	04:21:03	1234	10001	Internal	54
14-3-2007	04:22:05	1234	10003	Internal	85
14-3-2007	04:24:41	1234	10001	Internal	36
14-3-2007	04:25:40	66	10001	Internal	45
14-3-2007	04:26:36	66	10001	Internal	42
14-3-2007	04:27:29	66	10001	Internal	27
14-3-2007	04:28:07	66	10003	Internal	44

201404

## Call Usage for Assistant Summary Report Results

The report, which supports Cisco Unified Communications Manager Assistant, shows information about calls that the assistant handled for themselves and that the assistant handled for the manager. The reports place call information by groups by attendant name. The summary report includes the following fields (see the following table).

Table 6: Summary Report Fields

Field	Description
Assistant-Extn/Manager	Shows the assistant name and directory number. If the assistant handles a call for a manager, the manager name displays.
Call Classification - Call categories specify classes.	

Field	Description
Internal	Calls, including intracluster calls, that originate in the Unified Communications Manager network and end in the same Unified Communications Manager network (no gateways or trunks are used).
Local	Local calls that are routed through the public switched telephone network (PSTN) to numbers without an area code or that include one of the local area codes.
Long Distance	Long-distance calls that originate in the Unified Communications Manager network that go out through the PSTN.
International	International calls that originate in the Unified Communications Manager network and go out through the PSTN.
Incoming	Inbound calls that originate outside the Unified Communications Managernetwork, enter through a gateway, and go into the Unified Communications Manager network.
On Net	Outgoing calls that originate on one Unified Communications Manager network, go out through a trunk, and terminate on a different Unified Communications Manager network. For CAR purposes, be aware that any outgoing call can be classified as an On Net call if it is configured as such in the CAR dial plan configuration window. See <a href="#">Set Up Dial Plan</a> .
Others	All other outgoing calls, such as toll-free numbers or emergency calls such as 911.
Calls	The number of calls that the assistant handled or that the assistant handled for the manager.
Duration (sec)	The total duration for all the calls for the particular call classification.

The following figure displays sample output of the Call Usage for Assistant Summary report in PDF format.

Figure 9: Call Usage for Assistant Summary Report

**cisco**  
**Call Usage for Assistant - Summary**

From Date: Mar 1, 2008  
To Date: Mar 15, 2008

Date: Mar 15, 2008  
Page: 1 of 1

Report for Calls Handled by Assistant

Assistant-Extn	Call Classification							Calls	Duration (sec)
	Internal	On Net	Local	Long Distance	International	Incoming	Others		
	Usage for Assistant								
Assistant-1234	4	0	0	0	0	0	0	4	224
Assistant-66	5	0	0	0	0	0	0	5	211
Total for Assistant	9	0	0	0	0	0	0	9	435

201405

## Call Usage for Manager Detail Report Results

The report, which supports Cisco Unified Communications Manager Assistant, provides information about calls that managers handle for themselves and that assistants handle for managers. The report places information in groups by the assistant name and shows the total number of calls that the manager handles and that the assistant handles for the manager. The detail report includes the following fields (see the table).

Table 7: Detail Report Fields

Field	Description
Date	The date that the call originates.
Orig. Time	The time that the call originates.
Orig.	The originating number from which the call is placed.
Dest.	The destination number to which the call is directed.
Call Classification	The type of call (internal, incoming, and so on.)
Duration (sec)	The time, in seconds, that the call connects.

Figure 10: Call Usage for Manager Detail Report, on page 13 displays sample output from the Call Usage for Manager Detail report.

Figure 10: Call Usage for Manager Detail Report

**cisco**  
**Call Usage For Manager - Detail**

From Date: Feb 1, 2008  
To Date: Feb 10, 2008

Date: Feb 10, 2008  
Page: 1 of 4

Report for Calls Handled by Manager

Date	Orig. Time	Orig.	Dest.	Call Classification	Duration (sec)
Usage for CARuser1					
1-2-2007	15:23:10	1001	1004	Others	170
1-2-2007	15:23:13	1001	1004	Incoming	170
1-2-2007	15:26:24	1001	1002	Others	142
1-2-2007	15:26:31	1001	1002	Incoming	142
1-2-2007	15:29:26	1001	1004	Others	41
1-2-2007	15:29:31	1001	1004	Incoming	41
1-2-2007	15:30:48	1002	1001	Others	37
1-2-2007	15:30:50	1002	1001	Incoming	37

210730

## Call Usage for Manager Summary Report Results

The report, which supports Cisco Unified Communications Manager Assistant, shows information about calls that the managers handle for themselves and that the assistants handle for the managers. The report places information in groups by the manager name and shows the total number of calls that are handled for each manager. The report includes the following fields (see the following table).

Table 8: Summary Report Fields

Field	Description
Manager-Extn/Assistant	Shows the manager name and directory number. If the assistant handles a call for a manager, the assistant name displays.
Call Classification - Call categories specify classes.	
Internal	Calls, including intracluster calls, that originate in the Unified Communications Manager network and end in the same Unified Communications Managernetwork (no gateways or trunks are used).
Local	Local calls that are routed through the public switched telephone network (PSTN) to numbers without an area code or that include one of the local area codes.

Field	Description
Long Distance	Long-distance calls that originate in the Unified Communications Manager network that go out through the PSTN.
International	International calls that originate in the Unified Communications Managernetwork and go out through the PSTN.
Incoming	Inbound calls that originate outside the Unified Communications Manager network, enter through a gateway, and go into the Unified Communications Manager network.
On Net	Outgoing calls that originate on one Unified Communications Manager network, go out through a trunk, and terminate on a different Unified Communications Manager network. For CAR purposes, be aware that any outgoing call can be classified as an On Net call if it is configured as such in the CAR dial plan configuration window. See <a href="#">Set Up Dial Plan</a> .
Others	All other outgoing calls, such as toll-free numbers or emergency calls such as 911.
Calls	The number of calls that the assistant or the manager handles.
Duration	The total duration for all the calls for the particular call classification.

The following figure displays sample output of the Call Usage for Manager Summary report in PDF format.

**Figure 11: Call Usage for Manager Summary Report**

**cisco**  
**Call Usage for Manager - Summary**

From Date:Feb 1, 2008  
To Date:Feb 10, 2008

Date:Feb 10, 2008  
Page:1 of 1

Report for Calls Handled by Manager

Manager-Extn	Call Classification							Calls	Duration (sec)
	Internal	On Net	Local	Long Distance	International	Incoming	Others		
Usage for CARuser1									
CARuser1-1001	12	4	0	0	0	11	7	34	6695
CARuser1-666	0	0	0	0	0	0	0	0	0
Total for CARuser1	12	4	0	0	0	11	7	34	6695

210729

# IP Phone Services Report Results

The Cisco IP Phone Services report includes the following fields (see the table).

**Table 9: Cisco Unified IP Phone Services Report Fields**

Field	Description
Cisco IP Phone Services	The name of the selected service.
Number of Subscribers	The total number of subscribers for a given service.
% Subscription	The percentage of users who are subscribed to a given service, out of the total number of subscriptions for all services.

Figure 12: Cisco IP Phone Services Report Sample Output, on page 15 displays sample output from the Cisco IP Phone Services Report in PDF format.

**Figure 12: Cisco IP Phone Services Report Sample Output**

**Cisco IP Phone Services**

Date: Jan 23, 2008  
Page: 1 of 1

Cisco IP Phone Services	Number of Subscribers	% Subscription
Corporate Directory	0	0.00
Intercom Calls	0	0.00
Missed Calls	0	0.00
Personal Directory	0	0.00
Placed Calls	0	0.00
Received Calls	0	0.00

280481

## Related Topics

- [Generate CDR Analysis and Reporting](#)
- [Bills User Reports](#)
- [Top N User Reports](#)
- [Assistant User Reports](#)
- [IP Phone Service User Reports](#)

## Additional Documentation

- Administration Guide for Cisco Unified Communications Manager
- Cisco Unified Serviceability Administration Guide
- Cisco Unified Communications Manager Call Detail Records Administration Guide