



Live Data Reference

- [Agent Reports, on page 1](#)
- [Supervisor Reports, on page 10](#)

Agent Reports

Agent CSQ Statistics Report

The Agent CSQ Statistics Report presents the current day's call queue statistics, since midnight, of the Contact Service Queues (CSQ) to which the agent is associated.

Charts

None

Fields

The report includes a table that displays the following information:

Field	Description
Agent ID	Login ID of the agent.
CSQ Name	Name of the CSQ.
Calls Waiting	Number of calls in queue for a CSQ.
Longest Call in Queue	Elapsed wait time of the oldest call in the queue.

Filter Criteria

You can filter using the following parameter:

Filter parameter	Result
Team Name	Displays information for the CSQs that belong to the specified teams.



Note Filter parameters are applicable only for CUIC based reports and not Finesse live data.

Grouping Criteria

None

Agent State Log Report

The Agent State Log Report presents the agent state and duration in that state, wrap-up data, and the reason code (where applicable) for the current day, since midnight.

Charts

None

Fields

The report includes a table that displays the following information:

Field	Description
Agent ID	Login ID of the agent.
Start Time	Time the agent state is initiated.
Agent State	State of the agent—Login, Logout, Not Ready, Ready, Reserved, Talking, or Work.
Wrap-up Data	Wrap-up data entered by the agent in Work state.
Reason Code	Reason code for the agent moving to Logout state or Not Ready state. Zero indicates that no logout reason code is configured or that the agent was unable to enter a reason code. It is also zero for other states. To view a list of reason codes and their descriptions, see the “Predefined” reason codes section below.
Duration	Time that the agent spent in a state.

Filter Criteria

You can filter using the following parameter:

Filter parameter	Result
Team Name	Displays information for the agents who belong to the specified teams.



Note Filter parameters are applicable only for CUIC based reports and not Finesse live data.

Grouping Criteria

None

Predefined Reason Codes

Reason Code	State	Event	Event Description
22	Logout	SUP_AGT_TO_LOGOUT	Supervisor changes an agent's state to Logout.
33	Ready/ Not Ready	SUP_AGT_TO_READY/ SUP_AGT_TO_NOT READY	Supervisor changes an agent's state to either Ready or Not Ready.
32745	OUIBOUND	OUIBOUNDWORKREASONCODE	This reason code is set when an agent goes into the Work state to select a wrap up code after ending an outbound call.
32746	OUIBOUND	AGENTRESERVEDIRECTPREVIEW	This reason code is set when an agent goes into a Reserved state for a direct preview outbound call.
32747	OUIBOUND	AGENTRESERVEDOUIBOUND	This reason code is set when an agent goes into a Reserved state for an agent progressive or predictive outbound call.
32748	Logout	AGENT_DELETED	Agent is logged out from Unified CCX as the agent is deleted from Unified Communications Manager. This event is triggered when Unified CCX synchronizes the agent information with Unified Communications Manager.
32749	Not Ready	CANCEL_FEATURE	<p>Agent's state changes from Talking to Not Ready because the Cancel feature is triggered during an Interactive Call Distribution (ICD) consult call between two agents.</p> <p>When the consulting agent presses the Cancel softkey on the phone, the consulted agent is no longer associated with the ICD call, and the consulted agent's state changes to Not Ready. This feature is available only on some of the newer phones.</p>
32750	Logout	AGT_IPCC_EXT_ CHANGED	Agent is logged out from Unified CCX because the agent's Unified CCX extension changes in Unified Communications Manager.
32751	Ready	AGENT_SKIPS	Agent receives a preview outbound call and skips the call.
32752	Ready	CANCEL_RESERVATION	Agent receives a preview outbound call, decides to cancel the reservation, and presses the Cancel Reservation button on the desktop.

Reason Code	State	Event	Event Description
32753	Not Ready	LINE_RESTRICTED	<p>Agent's phone line is flagged as a restricted device by the administrator of Unified Communications Manager.</p> <p>Attention If an agent's line is added to the restricted list, it affects the function of RmCm subsystem.</p> <p>If Allow Control of Device from CTI is not checked in the Default Device Profile Configuration window in Unified Communications Manager, the line remains restricted and cannot be controlled. You can modify this setting for devices that register with Unified Communications Manager. See the <i>Cisco Unified Communications Manager Administration Guide</i>, located at: http://www.cisco.com/en/US/products/sw/voicesw/ps556/prod_maintenance_guides_list.html.</p>
32754	Not Ready	DEVICE_RESTRICTED	<p>Agent's device is flagged as a restricted device by the administrator of Unified Communications Manager.</p> <p>Attention If an agent's device is added to the Restricted list, it affects the function of RmCm subsystem.</p> <p>If Allow Control of Device from CTI is not checked in the Default Device Profile Configuration window in Unified Communications Manager, the device remains restricted and cannot be controlled. You can modify this setting for devices that register with Unified Communications Manager. See the <i>Cisco Unified Communications Manager Administration Guide</i>, located at: http://www.cisco.com/en/US/products/sw/voicesw/ps556/prod_maintenance_guides_list.html.</p>
32755	Not Ready	CALL_ENDED	<p>Agent moves to Not Ready state after handling a Unified CCX call. This event occurs in the following cases:</p> <ul style="list-style-type: none"> • Agent 1 is in Not Ready state and gets a consult call from Agent 2. After handling the call, Agent 1 moves back to Not Ready state. • The Automatic Available option is disabled for the agent. After handling a call, agent moves to Not Ready state.
32756	Not Ready	PHONE_UP	Agent's phone becomes active after it was in Phone Down state.
32757	Not Ready	CM_FAILOVER	Unified Communications Manager fails over, and the agent is moved to Not Ready state.
32758	Not Ready	WORK_TIMER_EXP	Agent's state changes from Work to Not Ready. This change occurs if the Work state for that agent's CSQ is associated with an expired wrap-up timer.

Reason Code	State	Event	Event Description
32759	Not Ready	PHONE_DOWN	Agent's phone stops functioning and the agent is placed in the Unavailable state.
32760	Not Ready	AGT_LOGON	Agent logs in and is automatically placed in the Not Ready state.
32761	Not Ready	AGT_RCV_NON_ICD	Agent is logged in to the desktop or IP phone and receives a call that is not queued on the Unified CCX platform.
32762	Not Ready	AGT_OFFHOOK	Agent goes off hook to place a call. If the agent enters a reason code, that reason code is displayed. If the agent does not enter a reason code, the system issues this reason code.
32763	Not Ready	AGT_RNA	Agent fails to answer a Unified CCX call within the specified timeout period.
32764	Logout	CRS_FAILURE	Active server becomes the standby server, and the agent loses connection to the Unified CCX platform.
32765	Logout	CONNECTION_DOWN	IP Phone Agent or desktop stops functioning, or connection is disrupted.
32766	Logout	CLOSE_FINESSE_DESKTOP	Agent manually logs out from the Finesse Desktop using the default Logout (without any custom reason label) option.
32767	Logout	AGT_RELOGIN	Agent is logged in to one device (computer or phone) and tries to log in to a second device.

Agent Statistics Report

The Agent Statistics Report presents performance statistics of the agents for the current day, since midnight.

Charts

None

Fields

The report includes a table that display the following information:

Field	Description
Agent ID	Login ID of the agent.
Calls Offered	Calls sent to the agent, regardless of whether the agent picks up the call.
Calls Handled	Calls connected to the agent.
Talk Time—Avg	Average time the agent spent in Talking state. Average talk time = Total time in Talking state / Calls handled

Field	Description
Talk Time—Max	Longest time the agent spent in Talking state.
Talk Time—Total	Total time the agent spent in Talking state.
Hold Time—Avg	Average time the agent put the calls on hold. Average hold time = Total time the calls were on hold / Calls handled
Hold Time—Max	Longest time the agent put a call on hold.
Hold Time—Total	Total time the agent put the calls on hold.
Ready—Avg	Average time the agent spent in Ready state. Average ready time = Total time the agent spent in Ready state / Number of times the agent moved to Ready state
Ready—Max	Longest time the agent spent in Ready state.
Ready—Total	Total time the agent spent in Ready state.
Not Ready—Avg	Average time the agent spent in Not Ready state. Average not ready time = Total time the agent spent in Not Ready state / Number of times the agent moved to Not Ready state
Not Ready—Max	Longest time the agent spent in Not Ready state.
Not Ready—Total	Total time the agent spent in Not Ready state.
After Call Work—Avg	Average time the agent spent in Work state. Average work time = Total time in Work state / Calls completed
After Call Work—Max	Longest time the agent spent in Work state.
After Call Work—Total	Total time the agent spent in Work state.

Filter Criteria

You can filter using the following parameter:

Filter parameter	Result
Team Name	Displays information for the agents who belong to the specified teams.



Note Filter parameters are applicable only for CUIC based reports and not Finesse live data.

Grouping Criteria

None

Agent Team Summary Report

The Agent Team Summary Report presents the agent state and the reason code (where applicable). An agent can view details of all the agents in the team.

Charts

None

Fields

The report includes a table that displays the following information:

Field	Description
Agent Name	First name and last name of the agent.
State	State of the agent—Logged-In, Logout, Not Ready, Ready, Reserved, Talking, or Work.
Reason Code	Reason code for the agent moving to Logout state or Not Ready state. It is zero for other states. Zero indicates that no logout reason code is configured or that the agent was unable to enter a reason code. It is also zero for other states. To view a list of reason codes and their descriptions, see the “Predefined” reason codes section below.

Filter Criteria

You can filter using the following parameter:

Filter parameter	Result
Team Name	Displays information for the agents who belong to the specified teams.



Note Filter parameters are applicable only for CUIC based reports and not Finesse live data.

Grouping Criteria

None

Predefined Reason Codes

Reason Code	State	Event	Event Description
22	Logout	SUP_AGT_TO_LOGOUT	Supervisor changes an agent’s state to Logout.

Reason Code	State	Event	Event Description
33	Ready/ Not Ready	SUP_AGT_TO_READY/ SUP_AGT_TO_NOT READY	Supervisor changes an agent's state to either Ready or Not Ready.
32745	OUBOND	OUBOND WORK_REASONCODE	This reason code is set when an agent goes into the Work state to select a wrap up code after ending an outbound call.
32746	OUBOND	AGENT_RESERVED ICD_PREVIEW	This reason code is set when an agent goes into a Reserved state for a direct preview outbound call.
32747	OUBOND	AGENT_RESERVED_OUBOND	This reason code is set when an agent goes into a Reserved state for an agent progressive or predictive outbound call.
32748	Logout	AGENT_DELETED	Agent is logged out from Unified CCX as the agent is deleted from Unified Communications Manager. This event is triggered when Unified CCX synchronizes the agent information with Unified Communications Manager.
32749	Not Ready	CANCEL_FEATURE	<p>Agent's state changes from Talking to Not Ready because the Cancel feature is triggered during an Interactive Call Distribution (ICD) consult call between two agents.</p> <p>When the consulting agent presses the Cancel softkey on the phone, the consulted agent is no longer associated with the ICD call, and the consulted agent's state changes to Not Ready. This feature is available only on some of the newer phones.</p>
32750	Logout	AGT_IPCC_EXT_ CHANGED	Agent is logged out from Unified CCX because the agent's Unified CCX extension changes in Unified Communications Manager.
32751	Ready	AGENT_SKIPS	Agent receives a preview outbound call and skips the call.
32752	Ready	CANCEL_RESERVATION	Agent receives a preview outbound call, decides to cancel the reservation, and presses the Cancel Reservation button on the desktop.

Reason Code	State	Event	Event Description
32753	Not Ready	LINE_RESTRICTED	<p>Agent's phone line is flagged as a restricted device by the administrator of Unified Communications Manager.</p> <p>Attention If an agent's line is added to the restricted list, it affects the function of RmCm subsystem.</p> <p>If Allow Control of Device from CTI is not checked in the Default Device Profile Configuration window in Unified Communications Manager, the line remains restricted and cannot be controlled. You can modify this setting for devices that register with Unified Communications Manager. See the <i>Cisco Unified Communications Manager Administration Guide</i>, located at: http://www.cisco.com/en/US/products/sw/voicesw/ps556/prod_maintenance_guides_list.html.</p>
32754	Not Ready	DEVICE_RESTRICTED	<p>Agent's device is flagged as a restricted device by the administrator of Unified Communications Manager.</p> <p>Attention If an agent's device is added to the Restricted list, it affects the function of RmCm subsystem.</p> <p>If Allow Control of Device from CTI is not checked in the Default Device Profile Configuration window in Unified Communications Manager, the device remains restricted and cannot be controlled. You can modify this setting for devices that register with Unified Communications Manager. See the <i>Cisco Unified Communications Manager Administration Guide</i>, located at: http://www.cisco.com/en/US/products/sw/voicesw/ps556/prod_maintenance_guides_list.html.</p>
32755	Not Ready	CALL_ENDED	<p>Agent moves to Not Ready state after handling a Unified CCX call. This event occurs in the following cases:</p> <ul style="list-style-type: none"> • Agent 1 is in Not Ready state and gets a consult call from Agent 2. After handling the call, Agent 1 moves back to Not Ready state. • The Automatic Available option is disabled for the agent. After handling a call, agent moves to Not Ready state.
32756	Not Ready	PHONE_UP	Agent's phone becomes active after it was in Phone Down state.
32757	Not Ready	CM_FAILOVER	Unified Communications Manager fails over, and the agent is moved to Not Ready state.
32758	Not Ready	WORK_TIMER_EXP	Agent's state changes from Work to Not Ready. This change occurs if the Work state for that agent's CSQ is associated with an expired wrap-up timer.

Reason Code	State	Event	Event Description
32759	Not Ready	PHONE_DOWN	Agent's phone stops functioning and the agent is placed in the Unavailable state.
32760	Not Ready	AGT_LOGON	Agent logs in and is automatically placed in the Not Ready state.
32761	Not Ready	AGT_RCV_NON_ICD	Agent is logged in to the desktop or IP phone and receives a call that is not queued on the Unified CCX platform.
32762	Not Ready	AGT_OFFHOOK	Agent goes off hook to place a call. If the agent enters a reason code, that reason code is displayed. If the agent does not enter a reason code, the system issues this reason code.
32763	Not Ready	AGT_RNA	Agent fails to answer a Unified CCX call within the specified timeout period.
32764	Logout	CRS_FAILURE	Active server becomes the standby server, and the agent loses connection to the Unified CCX platform.
32765	Logout	CONNECTION_DOWN	IP Phone Agent or desktop stops functioning, or connection is disrupted.
32766	Logout	CLOSE_FINESSE_DESKTOP	Agent manually logs out from the Finesse Desktop using the default Logout (without any custom reason label) option.
32767	Logout	AGT_RELOGIN	Agent is logged in to one device (computer or phone) and tries to log in to a second device.

Supervisor Reports

Agent Outbound Team Summary Report

The Agent Outbound Team Summary Report provides performance statistics of the agents in the team for direct preview, progressive, and predictive outbound campaigns. The following two views are available for this report:

- **Short and Long Term Average**—Provides the performance statistics of the agents who handle outbound calls for the current day based on short term and long term values.
- **Since Midnight**—Provides the performance statistics of the agents in the team who handle outbound calls for the current day, beginning at midnight.



Note

- Your administrator can set the short term value to 5, 10, or 15 minutes.
 - Long term value is set to 30 minutes.
-

Charts

None

Fields

The following view-wise tables are included in the report.

Table 1: Short and Long Term Average

Field	Description
Agent Name	First name and last name of the agent.
Agent ID	Login ID of the agent.
Average Talk Time—Short Term	Average time the agent spent in Talking state for outbound calls in the last 5, 10, or 15 minutes.
Average Talk Time—Long Term	Average time the agent spent in Talking state for outbound calls in the last 30 minutes.
Average Hold Time—Short Term	Average time the agent put the outbound calls on hold in the last 5, 10, or 15 minutes.
Average Hold Time—Long Term	Average time the agent put the outbound calls on hold in the last 30 minutes.

Table 2: Since Midnight

Field	Description
Agent Name	First name and last name of the agent.
Agent ID	Login ID of the agent.
Talk Time—Avg	Average time the agent spent in Talking state for outbound calls. Average talk time = Total time in Talking state / calls handled
Talk Time—Max	Longest time the agent spent in Talking state for outbound calls.
Talk Time—Total	Total time the agent spent in Talking state for outbound calls.
Hold Time—Avg	Average time the agent put the outbound calls on hold. Average hold time = Total time calls were put on hold / calls handled
Hold Time—Max	Longest time the agent put an outbound call on hold.
Hold Time—Total	Total time the agent put the outbound calls on hold.
After Call Work Time—Avg	Average time the agent spent in Work state for outbound calls. Average work time = Total time in Work state / calls completed
After Call Work Time—Max	Longest time the agent spent in Work state for outbound calls.

Field	Description
After Call Work Time—Total	Total time the agent spent in Work state for outbound calls.

Filter Criteria

You can filter using the following parameter:

Filter Parameter	Result
Team Name	Displays information for the agents who belong to the specified teams.



Note Filter parameters are applicable only for CUIC based reports and not Finesse live data.

Grouping Criteria

None

Chat Agent Statistics Report

The Chat Agent Statistics Report provides agent statistics.

Charts

None

Fields

The report includes a table that displays the following information:

- Visible fields—These fields are displayed in the report.
- Hidden fields—These fields are not displayed in the report. You can customize the report to display these fields. For more information, see the *Cisco Unified Contact Center Express Report User Guide*, located at:

<http://www.cisco.com/c/en/us/support/customer-collaboration/unified-contact-center-express/products-user-guide-list.html>.

Table 3: Visible Fields in Chat Agent Statistics Report

Field	Description
Agent Name	First name and last name of the agent.
Agent ID	Login ID of the agent.
Current State	State of the agent—Logged-In, Logout, Not Ready, Ready, Partial Busy, Busy, Reserved.
Duration	Time that the agent spent in the current state.

Field	Description
Current Active Contacts	Number of contacts that the agent is handling.
Contacts Presented	Number of contacts that are offered to the agent since midnight.
Contacts Handled	Number of contacts that are handled by the agent since midnight. A contact is marked handled if a contact is connected to an agent.
Contacts Abandoned	Number of contacts that are routed to the CSQ since midnight but are not answered by an agent, because the customer ends the chat or the customer is disconnected.
Contacts RNA	Number of contacts that the agent did not answer since midnight. Ring-no-answer (RNA).

Table 4: Hidden Fields in Chat Agent Statistics Report

Field	Description
Login Duration	Elapsed time between the login time and the logout time since midnight.
CSQs Serving	List of CSQs that the agent is serving.
Agent Utilization—Not Ready	Percentage of time that the agent spent in Not Ready state since midnight. It is calculated every minute and is one of the components that add up to the agent's total login duration.
Agent Utilization—Ready	Percentage of time that the agent spent in Ready state since midnight. It is calculated every minute and is one of the components that add up to the agent's total login duration.
Agent Utilization—Partial Busy	Percentage of time that the agent spent in Partial Busy state since midnight. It is calculated every minute and is one of the components that add up to the agent's total login duration.
Agent Utilization—Busy	Percentage of time that the agent spent in Busy state since midnight. It is calculated every minute and is one of the components that add up to the agent's total login duration.

Filter Criteria

You can filter using the following parameter:

Filter Parameter	Result
Team Name	Displays information for the agents who belong to the specified teams.



Note Filter parameters are applicable only for CUIC based reports and not Finesse live data.

Grouping Criteria

None

Chat CSQ Summary Report

The Chat CSQ Summary Report provides agent statistics and contact statistics for a Contact Service Queue (CSQ).

Charts

None

Fields

The report includes a table that displays the following information:

- Visible fields—These fields are displayed in the report.
- Hidden fields—These fields are not displayed in the report. You can customize the report to display these fields. For more information, see the *Cisco Unified Contact Center Express Report User Guide*, located at:

<http://www.cisco.com/c/en/us/support/customer-collaboration/unified-contact-center-express/products-user-guide-list.html>.

Table 5: Visible Fields in Chat CSQ Summary Report

Field	Description
CSQ Name	Name of the CSQ.
Contacts Waiting	Number of contacts in queue for a CSQ.
Agents—Logged-In	Number of agents in Logged-In state.
Agents—Not Ready	Number of agents in Not Ready state.
Agents—Ready	Number of agents in Ready state.
Agents—Partial Busy	Number of agents in Partial Busy state. An agent is set to Partial Busy state when the agent has not reached the maximum number of chat sessions that is set by the administrator.
Agents—Busy	Number of agents in Busy state. An agent is set to Busy state when the agent reaches the maximum number of chat sessions that is set by the administrator.
Agents—Reserved	Number of agents in Reserved state.

Table 6: Hidden Fields in Chat CSQ Summary Report

Field	Description
Contacts Total	Number of contacts routed to the CSQ since midnight.
Contacts Handled	Number of contacts that are handled by the CSQ since midnight. A contact is marked handled if a contact is connected to an agent while queued for this CSQ.
Contacts Abandoned	Number of contacts that are routed to the CSQ since midnight but are not answered by an agent, because the customer ends the chat or the customer is disconnected.

Filter Criteria

You can filter using the following parameter:

Filter Parameter	Result
Queue Data	Displays information for the CSQs that belong to the specified queues.

Grouping Criteria

None

Email Agent Statistics Report

The Email Agent Statistics Report provides the email statistics of the agents.

Charts

None

Fields

The report includes a table that displays the following information:

- Visible fields—These fields are displayed in the report.
- Hidden fields—These fields are not displayed in the report. You can customize the report to display these fields. For more information, see the *Cisco Unified Contact Center Express Report User Guide*, located at:

<http://www.cisco.com/c/en/us/support/customer-collaboration/unified-contact-center-express/products-user-guide-list.html>.

Table 7: Visible Fields in Email Agent Statistics Report

Field	Description
Agent Name	First name and last name of the agent.

Field	Description
Agent ID	Login ID of the agent.
Current State	State of the agent—Not Ready, Ready, Partial Busy, Busy, Reserved.
Duration	Time that the agent spent in the current state.
Active Emails	Number of email messages that the agent is handling.
Emails Presented	Number of email messages that are presented to the agent since midnight.
Emails Handled	Number of email messages that are handled by the agent since midnight.
Emails Discarded	Number of email messages that the agent discarded since midnight.

Table 8: Hidden Fields in Email Agent Statistics Report

Field	Description
Login Duration	Elapsed time between the login time and the logout time since midnight.
CSQs Serving	List of CSQs that the agent is serving.
Agent Utilization—Not Ready	Percentage of time that the agent spent in Not Ready state since midnight. It is calculated every minute and is one of the components that add up to the agent's total login duration.
Agent Utilization—Ready	Percentage of time that the agent spent in Ready state since midnight. It is calculated every minute and is one of the components that add up to the agent's total login duration.
Agent Utilization—Partial Busy	Percentage of time that the agent spent in Partial Busy state since midnight. It is calculated every minute and is one of the components that add up to the agent's total login duration.
Agent Utilization—Busy	Percentage of time that the agent spent in Busy state since midnight. It is calculated every minute and is one of the components that add up to the agent's total login duration.
Agent Utilization—Reserved	Percentage of time that the agent spent in Reserved state since midnight. It is calculated every minute and is one of the components that add up to the agent's total login duration.

Filter Criteria

You can filter using the following parameter:

Filter Parameter	Result
Team Name	Displays information for the agents who belong to the specified teams.



Note Filter parameters are applicable only for CUIC based reports and not Finesse live data.

Grouping Criteria

None

Email CSQ Summary Report

The Email CSQ Summary Report presents the email activity summary of agents in a Contact Service Queue (CSQ).

Charts

None

Fields

The report includes a table that displays the following information:

- Visible fields—These fields are displayed in the report.
- Hidden fields—These fields are not displayed in the report. You can customize the report to display these fields. For more information, see the *Cisco Unified Contact Center Express Report User Guide*, located at:

<http://www.cisco.com/c/en/us/support/customer-collaboration/unified-contact-center-express/products-user-guide-list.html>.

Table 9: Visible Fields in Email CSQ Summary Report

Field	Description
CSQ Name	Name of the Email CSQ.
Emails in Queue	Number of email messages in queue. (This includes the emails queued by the agent.)
Emails in Process	Number of email messages that the agent picked from the queue to respond.
Emails Discarded	Number of email messages that the agent discarded.
Agents Logged-In	Number of agents in Logged-In state.
Agents Not Ready	Number of agents in Not Ready state.
Agents Ready	Number of agents in Ready state.
Agents Partial Busy	Number of agents in Partial Busy state. An agent is set to Partial Busy state when the agent has not picked the maximum number of email messages that is set by the administrator.

Field	Description
Agents Busy	Number of agents in Busy state. An agent is set to Busy state when the agent picks the maximum number of email messages that is set by the administrator.

Table 10: Hidden Fields in Email CSQ Summary Report

Field	Description
Emails Total	Number of email messages routed to the CSQ since midnight.
Emails Handled	Number of email messages that are handled by the CSQ since midnight. An email is marked handled if it is responded by an agent while queued for this CSQ.

Filter Criteria

You can filter using the following parameter:

Filter Parameter	Result
Queue Data	Displays information for the CSQs that belong to the specified queues.

Grouping Criteria

None

Team State Report

The Team State Report presents each agent state and the time spent in a state. The supervisor can see agents of all the assigned teams.

Charts

None

Fields

The report includes a table that displays the following information:

Field	Description
Agent Name	First name and last name of the agent.
Agent ID	Login ID of the agent.
Login Duration (since midnight)	Time the agent logged in since midnight.
Current State	State of the agent—Logged-In, Logout, Not Ready, Ready, Reserved, Talking, or Work.

Field	Description
Duration	Time that the agent spent in the current state.

Filter Criteria

You can filter using the following parameter:

Filter parameter	Result
Team Name	Displays information for the agents who belong to the specified teams.



Note Filter parameters are applicable only for CUIC based reports and not Finesse live data.

Grouping Criteria

None

Team Summary Report

The Team Summary Report presents performance statistics of all the agents in the team. The following two views are available for this report:

- **Short and Long Term Average**—Presents the performance statistics of the team members for the current day based on short term and long term values.
- **Since Midnight**—Presents the performance statistics for the current day, since midnight.



- Note**
- Your administrator can set the short term value to 5, 10 or 15 minutes.
 - Long term value is set to 30 minutes.

Charts

None

Fields

The following are the view-wise tables that are part of the report:

Table 11: Short and Long Term Average

Field	Description
Agent Name	First name and last name of the agent.
Agent ID	Login ID of the agent.

Field	Description
Login Duration (since midnight)	Total login duration of the agent, since midnight.
Average Talk Time—Short Term	Average time the agent spent in Talking state in the last 5, 10 or 15 minutes.
Average Talk Time—Long Term	Average time the agent spent in Talking state in the last 30 minutes.
Average Hold Time—Short Term	Average time the agent put the calls on hold in the last 5, 10 or 15 minutes.
Average Hold Time—Long Term	Average time the agent put the calls on hold in the last 30 minutes.

Table 12: Since Midnight

Field	Description
Agent Name	First name and last name of the agent.
Agent ID	Login ID of the agent.
Login Duration	Total login duration of the agent.
Calls Offered	Number of calls that are sent to the agent, regardless of whether the agent answered the call.
Calls Handled	Number of calls that are answered by the agent.
Average Ring Time	Average ring time of calls before the calls were answered. Average ring time = Total ring time / Calls handled
Talk Time—Avg	Average time the agent spent in Talking state. Average talk time = Total time in Talking state / Calls handled
Talk Time—Max	Longest time the agent spent in Talking state.
Talk Time—Total	Total time the agent spent in Talking state.
Hold Time—Avg	Average time the agent put the calls on hold. Average hold time = Total time calls were put on hold / Calls handled
Hold Time—Max	Longest time the agent put a call on hold.
Hold Time—Total	Total time the agent put the calls on hold.
Ready Time—Avg	Average time the agent spent in Ready state. Average ready time = Total time the agent spent in Ready state / Number of times the agent moved to Ready state

Field	Description
Ready Time—Max	Longest time the agent spent in Ready state.
Ready Time—Total	Total time the agent spent in Ready state.
Not Ready Time—Avg	Average time the agent spent in Not Ready state. Average not ready time = Total time the agent spent in Not Ready state / Number of times the agent moved to Not Ready state
Not Ready Time—Max	Longest time the agent spent in Not Ready state.
Not Ready Time—Total	Total time the agent spent in Not Ready state.
After Call Work Time—Avg	Average time the agent spent in Work state. Average work time = Total time in Work state / Calls completed
After Call Work Time—Max	Longest time the agent spent in Work state.
After Call Work Time—Total	Total time the agent spent in Work state.

Filter Criteria

You can filter using the following parameter:

Filter parameter	Result
Team Name	Displays information for the agents who belong to the specified teams.



Note Filter parameters are applicable only for CUIC based reports and not Finesse live data.

Grouping Criteria

None

Voice CSQ Agent Detail Report

The Voice CSQ Agent Detail Report presents the agent current state, duration in the state and the reason code where applicable.



Note If an agent is configured in two or more CSQs, the Supervisor is able to view on which CSQ the agent is in Talking state.

Charts

None

Fields

The report includes a table that displays the following information:

Field	Description
CSQ	Name of the Contact Service Queue (CSQ).
Agent Name	First name and last name of the agent.
Agent ID	Login ID of the agent.
Current State	State of the agent—Logged-In, Logout, Not Ready, Ready, Reserved, Talking (from CSQ: <CSQ Name>), or Work.
Duration	Time that the agent spent in the current state.
Reason Code	Reason code for the agent moving to Logout state or Not Ready state. Zero indicates that no logout reason code is configured or that the agent was unable to enter a reason code. It is also zero for other states. To view a list of reason codes and their descriptions, see the “Predefined” reason codes section below.

Filter Criteria

You can filter using the following parameter:

Filter parameter	Result
Agent ID	Displays information for the agents who belong to the specified teams.



Note Filter parameters are applicable only for CUIIC based reports and not Finesse live data.

Grouping Criteria

None

Predefined Reason Codes

Reason Code	State	Event	Event Description
22	Logout	SUP_AGT_TO_LOGOUT	Supervisor changes an agent’s state to Logout.
33	Ready/ Not Ready	SUP_AGT_TO_READY/ SUP_AGT_TO_NOT READY	Supervisor changes an agent’s state to either Ready or Not Ready.
32745	OUTBOUND	OUTBOUND_REASON_CODE	This reason code is set when an agent goes into the Work state to select a wrap up code after ending an outbound call.

Reason Code	State	Event	Event Description
32746	QUIBOUND	AGENT_RESERVED_DIRECT_PREVIEW	This reason code is set when an agent goes into a Reserved state for a direct preview outbound call.
32747	QUIBOUND	AGENT_RESERVED_QUIBOUND	This reason code is set when an agent goes into a Reserved state for an agent progressive or predictive outbound call.
32748	Logout	AGENT_DELETED	Agent is logged out from Unified CCX as the agent is deleted from Unified Communications Manager. This event is triggered when Unified CCX synchronizes the agent information with Unified Communications Manager.
32749	Not Ready	CANCEL_FEATURE	<p>Agent's state changes from Talking to Not Ready because the Cancel feature is triggered during an Interactive Call Distribution (ICD) consult call between two agents.</p> <p>When the consulting agent presses the Cancel softkey on the phone, the consulted agent is no longer associated with the ICD call, and the consulted agent's state changes to Not Ready. This feature is available only on some of the newer phones.</p>
32750	Logout	AGT_IPCC_EXT_CHANGED	Agent is logged out from Unified CCX because the agent's Unified CCX extension changes in Unified Communications Manager.
32751	Ready	AGENT_SKIPS	Agent receives a preview outbound call and skips the call.
32752	Ready	CANCEL_RESERVATION	Agent receives a preview outbound call, decides to cancel the reservation, and presses the Cancel Reservation button on the desktop.
32753	Not Ready	LINE_RESTRICTED	<p>Agent's phone line is flagged as a restricted device by the administrator of Unified Communications Manager.</p> <p>Attention If an agent's line is added to the restricted list, it affects the function of RmCm subsystem.</p> <p>If Allow Control of Device from CTI is not checked in the Default Device Profile Configuration window in Unified Communications Manager, the line remains restricted and cannot be controlled. You can modify this setting for devices that register with Unified Communications Manager. See the <i>Cisco Unified Communications Manager Administration Guide</i>, located at: http://www.cisco.com/en/US/products/sw/voicesw/ps556/prod_maintenance_guides_list.html.</p>

Reason Code	State	Event	Event Description
32754	Not Ready	DEVICE_RESTRICTED	<p>Agent's device is flagged as a restricted device by the administrator of Unified Communications Manager.</p> <p>Attention If an agent's device is added to the Restricted list, it affects the function of RmCm subsystem.</p> <p>If Allow Control of Device from CTI is not checked in the Default Device Profile Configuration window in Unified Communications Manager, the device remains restricted and cannot be controlled. You can modify this setting for devices that register with Unified Communications Manager. See the <i>Cisco Unified Communications Manager Administration Guide</i>, located at: http://www.cisco.com/en/US/products/sw/voicesw/ps556/prod_maintenance_guides_list.html.</p>
32755	Not Ready	CALL_ENDED	<p>Agent moves to Not Ready state after handling a Unified CCX call. This event occurs in the following cases:</p> <ul style="list-style-type: none"> • Agent 1 is in Not Ready state and gets a consult call from Agent 2. After handling the call, Agent 1 moves back to Not Ready state. • The Automatic Available option is disabled for the agent. After handling a call, agent moves to Not Ready state.
32756	Not Ready	PHONE_UP	Agent's phone becomes active after it was in Phone Down state.
32757	Not Ready	CM_FAILOVER	Unified Communications Manager fails over, and the agent is moved to Not Ready state.
32758	Not Ready	WORK_TIMER_EXP	Agent's state changes from Work to Not Ready. This change occurs if the Work state for that agent's CSQ is associated with an expired wrap-up timer.
32759	Not Ready	PHONE_DOWN	Agent's phone stops functioning and the agent is placed in the Unavailable state.
32760	Not Ready	AGT_LOGON	Agent logs in and is automatically placed in the Not Ready state.
32761	Not Ready	AGT_RCV_NON_ICD	Agent is logged in to the desktop or IP phone and receives a call that is not queued on the Unified CCX platform.
32762	Not Ready	AGT_OFFHOOK	Agent goes off hook to place a call. If the agent enters a reason code, that reason code is displayed. If the agent does not enter a reason code, the system issues this reason code.
32763	Not Ready	AGT_RNA	Agent fails to answer a Unified CCX call within the specified timeout period.

Reason Code	State	Event	Event Description
32764	Logout	CRS_FAILURE	Active server becomes the standby server, and the agent loses connection to the Unified CCX platform.
32765	Logout	CONNECTION_DOWN	IP Phone Agent or desktop stops functioning, or connection is disrupted.
32766	Logout	CLOSE_FINESSE_DESKTOP	Agent manually logs out from the Finesse Desktop using the default Logout (without any custom reason label) option.
32767	Logout	AGT_RELOGIN	Agent is logged in to one device (computer or phone) and tries to log in to a second device.

Voice CSQ Summary Report

The Voice CSQ Summary Report presents agent statistics and call statistics for a Contact Service Queue (CSQ). The following three views are available for this report:

- **Snapshot**—Presents the performance statistics of the agents that are associated with the specified CSQs.
- **Short and Long Term Average**—Presents the call statistics of the CSQ for the current day based on short term and long term values.
- **Since Midnight**—Presents the call statistics of the CSQ, since midnight.



Note

- Your administrator can set the short term value to 5, 10 or 15 minutes.
- Long term value is set to 30 minutes.

Charts

None

Fields

The following are the view-wise tables that are part of the report:

Table 13: Snapshot

Field	Description
CSQ Name	Name of the CSQ.
Waiting Calls	Number of calls in queue for a CSQ.
Longest Call in Queue	Elapsed wait time of the oldest call in the queue.
Agents Logged In	Number of agents in Logged-In state.

Field	Description
Agents Talking	Number of agents in Talking state.
Agents Ready	Number of agents in Ready state.
Agents Not Ready	Number of agents in Not Ready state.
Agents in After Call Work	Number of agents in Work state.
Agents Reserved	Number of agents in Reserved state.

Table 14: Short and Long Term Average

Field	Description
CSQ Name	Name of the CSQ.
Calls Abandoned—Short Term	Number of abandoned calls in the last 5, 10 or 15 minutes.
Calls Abandoned—Long Term	Number of abandoned calls in the last 30 minutes.
Calls Dequeued—Short Term	Number of dequeued calls in the last 5, 10 or 15 minutes.
Calls Dequeued—Long Term	Number of dequeued calls in the last 30 minutes.
Average Contact Handling Time—Short Term	Average handle time of the calls that are routed to the CSQ in the last 5, 10 or 15 minutes.
Average Contact Handling Time—Long Term	Average handle time of the calls that are routed to the CSQ in the last 30 minutes.
Average Waiting Duration—Short Term	Average wait time of the calls that are routed to the CSQ in the last 5, 10 or 15 minutes.
Average Waiting Duration—Long Term	Average wait time of the calls that are routed to the CSQ in the last 30 minutes.
Service Level—Short Term	Service level is measured in the last 5, 10 or 15 minutes. The most recent service level is displayed in case there are no calls in the measurement window.
Service Level—Long Term	Service level in the last 30 minutes.

Table 15: Since Midnight

Field	Description
CSQ Name	Name of the CSQ.
Waiting Calls	Number of calls in queue for a CSQ.
Abandoned Calls	Number of calls that are abandoned for a CSQ.
Handled Calls	Number of calls that are answered by the agents in the CSQ.

Field	Description
Total Calls	Number of calls that are presented to the CSQ.
Longest Call in Queue	Longest wait time of any call before it is answered.
Longest Handle Time	Longest talk time of any call that the agent handled.

Filter Criteria

You can filter using the following parameter:

Filter parameter	Result
Queue Data	Displays information for the CSQs that belong to the specified queues.

Grouping Criteria

None

