



show uidh-server

This chapter describes the output of the **show uidh-server** command variants.

- [show uidh-server name](#) , on page 1
- [show uidh-server statistics](#), on page 2

show uidh-server name

Table 1: show uidh-server name Command Output Descriptions

| Field | Description |
|----------------------------|---|
| Name | Indicates the UIDH Server name. |
| Context Name | Indicates the UIDH server context name. |
| Remote-address | Specifies the UIDH server's remote address. |
| Remote-port | Specifies the UIDH server's remote port address. |
| Local-address | Specifies the UIDH server's local address. |
| Refresh-interval | Specifies the UIDH server's refresh interval. |
| Response-timeout | Specifies the UIDH server's response timeout value. |
| ACSMgr Instance | Specifies the ACS manager instance with the UIDH server. |
| Total connections up | Specifies the total connections active with the UIDH server. |
| Total ACSManager Instances | Specifies the total ACS manager instance with the UIDH server. |
| Total Connections UP | Specifies the total number connections active with the UIDH server. |

show uidh-server statistics

Table 2: show uidh-server statistics Command Output Descriptions

| Field | Description |
|--------------------------------|---|
| Active UIDH Client Connections | Indicates currently active client connections with the UIDH server. |
| Current Opt-In Subscribers | Indicates the current Opt-In subscribers. |
| Total UIDH Request | Indicates the total number of UIDH requests. |
| Initial | Specifies the total number of initial UIDH requests transmitted |
| Refresh | Specifies the total number of UIDH Refresh Requests transmitted. |
| Total UIDH OptIn Response | Indicates the total number of UIDH Opt-In response. |
| Initial | Specifies the total of UIDH OPT-In (subscribers that have opted for UIDH service) response for the Initial Requests. |
| Refresh | Specifies the total of UIDH OPT-In (subscribers that have opted for UIDH service) response for Refresh Requests. |
| Total UIDH OptOut Response | Indicates the total number of Opt-out response. |
| Initial | Specifies the total of UIDH OPT-Out (subscribers that have opted out from the UIDH service) response received for Initial Requests. |
| Refresh | Specifies the total of UIDH OPT-Out (subscribers that have opted out from the UIDH service) response received for Refresh Requests. |
| UIDH Failure | Indicates the UIDH Failure. |
| Request Timeout | Specifies the total number of UIDH Requests that have expired on reaching the timeout value. |
| Initial | Specifies the total number of initial UIDH Requests that have expired on reaching the timeout value. |
| Refresh | Specifies the total number of refresh UIDH requests that have expired on reaching the timeout value. |
| Error Response Code | Indicates the UIDH Failure with an error response code. |

| Field | Description |
|---------------------------|--|
| Initial | Specifies the total of Failure Code UIDH response received for Initial Requests. |
| Refresh | Specifies the total of Failure Code UIDH response received for Refresh Requests. |
| Invalid Length | |
| Initial | |
| Refresh | |
| Request Enqueue Failed | |
| Initial | |
| Refresh | |
| Total UIDH Insertions | Indicates the total number of UIDH insertions in a HTTP request. |
| UIDH Whitelist Statistics | |
| URL Host Lookups | Specifies the number of URL Host lookups |
| URL Host Lookup Failed | Specifies the number of URL Host lookups that resulted in failure. |
| URL Host Matches | Specifies the number of URL Hosts matched. |
| URL Host Lookup Bypass | Specifies the number of URL Host Lookups bypassed |

