



Release 21.20/N6.14 Features and Changes Quick Reference

- [Release 21.20/6.14 Features and Changes, on page 1](#)

Release 21.20/6.14 Features and Changes

Features / Behavior Changes	Applicable Product(s) / Functional Area	Release Introduced / Modified
Configuring UE Radio Capability IE Size	MME	21.20.3
Connection Release when UE in Idle Mode	MME	21.20.26
Cisco Ultra Traffic Optimization	P-GW	21.20.4
Counter Enhancements on TAC and LAC Levels	MME	21.20.19
Deprecation of Manual Scaling	UAS	6.14
Determining GUTI Type using Earlier GUTI Type IE	MME	21.20.3
Diameter Route Table Entries Display Limit and Filtration Enhancement	<ul style="list-style-type: none"> • P-GW • S-GW • SAEGW • GGSN 	21.20.29
Dynamic TAI List	MME	21.20
Emergency Call Support on the ePDG and P-GW	P-GW SAEGW	21.20
External-Id Support from S6b Interface	P-GW SAEGW	21.20

Features / Behavior Changes	Applicable Product(s) / Functional Area	Release Introduced / Modified
Extended MBR AVP Support within Override Control	ECS	21.20.3
Handling Core Dump	All	21.20.2
HSS and AuC Interworking Configuration Enhancement	MME	21.20
ICMPv6 Response for Fragmented Packets	P-GW	21.20.7
IPv4/IPv6 Address Encoding Change in Flow-Description AVP for APPLICATION-START Event Trigger from P-GW	P-GW	21.20.11
Inner Fragmentation with VPP Non-CUPS Deployment	P-GW	21.20.7
Ignoring SAI, RAI, or CGI in Change Notification Request Messages	P-GW	21.20.22
MME Bearer Request Message Handover	MME	21.20.3
Multiple Customized PCO Support	GGSN P-GW	21.20.22 21.20.16
5GS Interworking using N26 Interface Support	MME	21.20.3
Online Charging Support without Waiting for Credit Control Answer	P-GW	21.20.3
Overcoming VoLTE Call Failure	MME	21.20.28
Prevention of Randomization of Well-Known Ports	All	21.20
Printing APN Field in EDR Record	MME	21.20
Revised Marking for Subscriber Traffic	P-GW	21.20.2
Roaming Support for Monitoring Events	MME	21.20
RedHat Software Version Update	All	21.20.12
Secondary RAT Usage Report in CDR Records	<ul style="list-style-type: none"> • P-GW • SAEGW • S-GW 	21.20.31
Show Fabric Status	StarOS	21.20.5
Short Message Service	MME	21.20.19

Features / Behavior Changes	Applicable Product(s) / Functional Area	Release Introduced / Modified
show ip vrf CLI Syntax Changes	All	21.20.19
show port npu counter Ouput Command Changes	All	21.20.19
Supporting Larger Source to Target Container IE in Handover	MME	21.20.3
Support for Presence Reporting Area and Extended QOS on Offline Charging Interface for P-GW and SAEGW	P-GW SAEW	21.20.5
Suppressing CCR-U Quota with Validity Timer Running	GGSN P-GW SAEGW	21.20.16
Support for Tariff-Time-Change in Fast Path	P-GW	21.20.22
TCP Reset with Invalid Sequence Number should not Trigger Connection Close	P-GW	21.20.25
Writing Rf Charging Records to P-GW Hard Disk	P-GW	21.20.5

