



# ACS QoS-Group-of-Ruledefs Configuration Mode Commands

The ACS QoS-Group-of-Ruledefs Configuration Mode is used to configure groups of rule definitions (ruledefs).

## Command Modes

Exec > ACS Configuration > QoS-Group-of-Ruledefs Configuration

**active-charging service** *service\_name* > **qos-group-of-ruledefs** *group\_name*

Entering the above command sequence results in the following prompt:

```
[local] host_name(config-qos-group-of-ruledefs) #
```



## Important

The commands or keywords/variables that are available are dependent on platform type, product version, and installed license(s).

- [add-group-of-ruledef, on page 1](#)
- [add-ruledef, on page 2](#)
- [end, on page 3](#)
- [exit, on page 3](#)

## add-group-of-ruledef

This command allows you to add or remove groups-of-ruledefs from a qos-group-of-ruledefs.

## Product

ACS

## Privilege

Security Administrator, Administrator

## Command Modes

Exec > ACS Configuration > QoS-Group-of-Ruledefs Configuration

**active-charging service** *service\_name* > **qos-group-of-ruledefs** *group\_name*

Entering the above command sequence results in the following prompt:

```
[local] host_name(config-qos-group-of-ruledefs) #
```

## Syntax Description

[ no ] **add-group-of-ruledef** *group\_of\_ruledef\_name*

**no**

If added previously, removes the specified group-of-ruledef from the current qos-group-of-ruledefs.

**group\_of\_ruledef\_name**

Specifies name of the group-of-ruledef to add/remove from the current qos-group-of-ruledefs.

*group\_of\_ruledef\_name* must be the name of an ACS group-of-ruledef, and must be an alphanumeric string of 1 through 63 characters.

**Usage Guidelines**

Use this command to add/remove a group-of-ruledefs from a qos-group-of-ruledefs.

**Example**

The following command adds the group-of-ruledef named *grpruledef1* to the current qos-group-of-ruledefs:

```
add-group-of-ruledef grpruledef1
```

# add-ruledef

This command allows you to add or remove ruledefs from a qos-group-of-ruledefs.

**Product**

ACS

**Privilege**

Security Administrator, Administrator

**Command Modes**

Exec > ACS Configuration > QoS-Group-of-Ruledefs Configuration

**active-charging service** *service\_name* > **qos-group-of-ruledefs** *group\_name*

Entering the above command sequence results in the following prompt:

```
[local]host_name(config-qos-group-of-ruledefs)#
```

**Syntax Description**

[ no ] **add-ruledef** *ruledef\_name*

**no**

If added previously, removes the specified ruledef from the current qos-group-of-ruledefs.

**ruledef\_name**

Specifies name of the ruledef to add/remove from the current qos-group-of-ruledefs.

*ruledef\_name* must be the name of an ACS ruledef, and must be an alpha and/or numeric string of 1 through 63 characters.

**Usage Guidelines**

Use this command to add/remove ruledefs from a qos-group-of-ruledefs.

**Warning**

Deletion or addition of the same rule name must be done with some amount of time lag.

**Example**

The following command adds the ruledef *ruledef23* to the current qos-group-of-ruledefs:

```
add-ruledef ruledef23
```

**end**

Exits the current configuration mode and returns to the Exec mode.

<b>Product</b>	All
<b>Privilege</b>	Security Administrator, Administrator
<b>Syntax Description</b>	<b>end</b>
<b>Usage Guidelines</b>	Use this command to return to the Exec mode.

**exit**

Exits the current mode and returns to the parent configuration mode.

<b>Product</b>	All
<b>Privilege</b>	Security Administrator, Administrator
<b>Syntax Description</b>	<b>exit</b>
<b>Usage Guidelines</b>	Use this command to return to the parent configuration mode.

■ exit