



EDNS Format Configuration Mode Commands

The EDR Format Configuration Mode enables configuring EDNS formats and associating fields with formats.

Command Modes

Exec > ACS Configuration > EDNS > EDNS Format Configuration

active-charging service *service_name* **edns> edns-format** *format_name*

Entering the above command sequence results in the following prompt:

```
[context_name]host_name(config-acs-edns-format) #
```



Important The commands or keywords/variables that are available are dependent on platform type, product version, and installed license(s).



Important Commands under this mode are license controlled. Contact your Cisco account representative for detailed information on specific licensing requirements.

- [end, on page 1](#)
- [exit, on page 2](#)
- [fields, on page 2](#)

end

Exits the current configuration mode and returns to the Exec mode.

Product

All

Privilege

Security Administrator, Administrator

Syntax Description

end

Usage Guidelines

Use this command to return to the Exec mode.

exit

Exits the current mode and returns to the parent configuration mode.

Product

All

Privilege

Security Administrator, Administrator

Syntax Description

exit

Usage Guidelines

Use this command to return to the parent configuration mode.

fields

This command allows you to configure EDNS Format mode commands.

Product

P-GW
SAEGW

Privilege

Security Administrator, Administrator

Command Modes

Exec > ACS Configuration > EDNS > EDNS Format Configuration
active-charging service *service_name* **edns** > **edns-format** *format_name*

Entering the above command sequence results in the following prompt:

```
[context_name]host_name(config-acs-edns-format)#
```

Syntax Description

fields *fields_name* **encode**
no fields

no

Removes the fields values.

fields

Inserts EDNS fields.

fields_name

Specifies fields name.

encode

Defines fields to be used for encoding EDNS message.

Usage Guidelines

Use this command to configure fields value.

Example

The following example specifies fields in EDNS format mode:

```
fields f1 encode
```

