

Cisco Aironet 1800€ 2800€ 3800

ã,·ãfªãf¼ã,°ã,çã,¯ã,»ã,¹

ãfã,ªãf³ãf^ã«ãŠã'ã,«ã,»ã,ãf¥ã,ç

ã,·ã,šãf«ã,'ä½¿ç"ã—ãÿæ"©é™æ~‡æ¼ã



ã,çãf%ãfã,ªã,¶ã,¶ãfªãf¼ãID : cisco-sa-20180502-aironet-ssh

[CVE-2018-0226](#)

ã^ã...-é-«æ-¥ : 2018-05-02 16:00

ãfãf¼ã,ãfšãf³ 1.0 : Final

CVSSã,¹ã,³ã,ç : [7.5](#)

ã>žé¿ç- : No workarounds available

Cisco ãfã,° ID : [CSCva68116](#)

æ—¥æ-èªžã«ã,^ã,«æf...ã±ã-ã€è«±èªžã«ã,^ã,«ãÿæ-‡ã®é¿ã...-ã¼ã

æ!,è!¿

Cisco Mobility Express ã,½ãfªãf^ã,lä,šã,çã,'ã®ÿè;CEã—ã|ã,,ã,« Cisco Aironet 1800ã€2800ã€ãŠã,^ã³ 3800ã€,ã®ã,»ã,ãf¥ã,ç

ã,·ã,šãf«i¼^SSH¼%ã,çã,¯ã,»ã,¹ã«ãŠã'ã,«ãfªãf¼ã,çãf«ãf^ãf¼ã,¶

ã,çã,«ã,|ãf³ãf^ã®ã%²ã,šã½"ã|ã"ç®¿çtã®è,,tã¼±æ€šãã,^ã,šã€èªžãè"¼ãã,CEãÿã ãfã,ªãf³ãf^ãšæ"©é™ã,æ~‡æ¼ããã>ã,ã"ã"ãCEãšããã,ãè-èf½æ€šãCEãã,šã

ç®¿çtè€...ãCEãããfªãf¼ã,çãf«ãf^è"ãšã¾ãÿã-SSH

ãf¼ã,¶ã½øæ^ã,|ã,£ã,¶ãf¼ãf%ã,'ä½¿ç"ããšã«ã€ã,³ãf³ãf^ãf¼ãf©ã«ç'æÿã

ã,çã,«ã,|ãf³ãf^ã,è¿½šã—ãÿã'ã^ã€è²ã½"ã,½ãfªãf^ã,|ã,šã,çã,'ã®ÿè;CEã—ã|ã,,ã,«

Cisco Mobility Express ã,³ãf³ãf^ãf¼ãf©ã-ã€ã,çã,¯ã,»ã,¹

ãfã,ªãf³ãf^ã®ãfªãf¼ã,çãf«ãf^ã®SSHãf¼ã,¶ã,çã,«ã,|ãf³ãf^i¼^Mobility Express

ã,³ãf³ãf^ãf¼ãã'ãã—ã|ã½øæ^ãã,CEã|ã,,ãÿã,,ã®i¼%ã,'ãæœ€ã^ã

SSHãf¼ã,¶ã,çã,«ã,|ãf³ãf^ã"ã—ã|è"ãšã—ã¾ã™ã€ãã"ã®ãf¼ã,¶

ã,çã,«ã,|ãf³ãf^ã- Mobility Express

ã,³ãf³ãf^ãf¼ãã®èªžã¿ã-ã,šã°,ç"æ"©é™ã,æCEããj¾ã™ãCEã€-ç€£ã»ã'ã,

ãfã,ªãf³ãf^ãç®¿çtè€...æ"©é™ã,æCEãããã"ã"ãCEãšããã,ãè-èf½æ€šãCEã

ã,¯ãf-ãfªãf³ã,ãf£ãf«ã,æCEããªæ"æ'fè€...ã-ãããfªãf¼ã,çãf«ãf^ã®SSHãf¼ã,¶

ã,çã,«ã,|ãf³ãf^ã,'ä½¿ç"ã—ã|ã€SSHçµCEç"±ãšè²ã½"ã,çã,¯ã,»ã,¹

ãfã,ªãf³ãf^ã®èªžãè"¼ã,ã-ã¾—ã™ã,ãã"ã"ãšã€ãã"ã®è,,tã¼±æ€šã,'ãæ£ã^ç"

afã,maf³afã«ãfã,°ã,maf³ã—ã€ä»æ,,ã€®ç®;ç®tã,çã,ã,ãfšãf³ã,'ã®ÿè;Çãšãã,ã'ã
ã,ã,1ã,³ãã“ã“è,,†ã¼±æ€šã«ã¼ã†!ã™ã,ã,½ãf•ãfã,ã,šã,çã,çãffãf—ãfãf¼ãfã,'ãfãfãf¼ã
ã“ã€®ã,çãf%ããfã,ã,ã,¶ãfãã—ã€æ¬ã€®ãfããf³ã,ã,ã,šçç°èããšãããã¼ã™ã€,
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180502-aironet-ssh>

è©²ã¼“è£¼ã”

è,†ã¼±æ€šã€ã,ã,«è£¼ã”

ææ¬è,,†ã¼±æ€šã—ã€ä»æ,ã€®ã,ã,1ã,³è£¼ã“ã€«ã¼±éÿã—ã¼ã™ã€,

- Cisco Mobility Express ã,½ãf•ãfã,ã,šã,çããfããfãf¼ã,1 8.2.121.0 i½ž 8.5.105.0
ã,'ã®ÿè;Çã—ã€!ã,,ã,ã,½ãfãf¼ã,°ã,çã,ã,ã,1ãfã,maf³ãf
- Cisco Mobility Express ã,½ãf•ãfã,ã,šã,çããfããfãf¼ã,1 8.3.102.0 i½ž 8.5.105.0
ã,'ã®ÿè;Çã—ã€!ã,,ã,ã,½ãfãf¼ã,°ã,çã,ã,ã,1ãfã,maf³ãf
- Cisco Mobility Express ã,½ãf•ãfã,ã,šã,çããfããfãf¼ã,1 8.3.102.0 i½ž 8.5.105.0
ã,'ã®ÿè;Çã—ã€!ã,,ã,ã,½ãfãf¼ã,°ã,çã,ã,ã,1ãfã,maf³ãf

ã,½ãfãfã,ã,šã,çããfããfãf¼ã,1ã€®ã^ã^¥

Cisco Mobility Express

ã,³ãf³ãfãfãf¼ãfãšã,ã³é-çé€£ä»ã€'ã,%ã,Çã!ã,,ã,ã,çã,ã,ã,1
ãfã,maf³ãfãšã®ÿè;Çãã,Çã!ã,,ã,ã,½ãfãfãfã,ã,šã,çã
ãfããfãf¼ã,1ã—ã€ç®;ç®tã€...ã€Çã,³ãf³ãfãfãf¼ãfã€® Web
ã,maf³ã,çãfãfãfã,šã,ã,1ã¼ã¼ãÿã—ã,çã,ã,ã,1ãfã,maf³ãfã€® CLI
ã,'ã¼ç“”ã—ã€!çç°èããšããã¼ã™ã€,

ã,³ãf³ãfãfãf¼ãfã€® Web

ã,maf³ã,çãfãfãfã,šã,ã,1ã,'ã¼ç“”ã™ã,ã'ã^ã—ã€æ¬ã,'ã®ÿè;Çã—ã¼ã™ã€,

1. ãfãfã,ã,¶ã,'ã¼ç“”ã—ã€!ã€ Web
ã,maf³ã,çãfãfãfã,šã,ã,1ã«ãfã,°ã,maf³ã—ã¼ã™ã€,
2. [ç®;ç®tã¼Managementi¼%ã] > [ã,½ãfãfãfã,ã,šã,çã,çãffãf—ãfãf¼ãfãi¼Software Updatei¼%ã]ã,é€,æšãã—ã¼ã™ã€,
3. ãfããfãf¼ã,ã,šéãfã«èjçç°ãã,Çã,ãfããfãfãf¼ã,1çããã,ã,ã,ç...šã—ã¼ã™ã€,

ã,çã,ã,ã,1ãfã,maf³ãfã€® CLIã,'ã¼ç“”ã™ã,ã'ã^ã—ã€Telnetã¼ãÿã—SSH
ã,'ã¼ç“”ã—ã€!ã,çã,ã,ã,1ãfã,maf³ãfã«ãfã,°ã,maf³ã—ã€show version
ã,³ãfããfãfãfã,ã®ÿè;Çã—ã€!ã€ã€®ã†ãšã,ã,ã,ç...šã—ã¼ã™ã€,æ¬ã«ã€Cisco

Express Software Release 8.3.111.0, Cisco Aironet 1852i, show version

<#root>

AP#

show version

cisco AIR-AP1852I-UXK9 ARMv7 Processor rev 0 (v71) with 997184/525160K bytes of memory. Processor board ID RFDP2BCR021 AP Running Image :

8.3.111.0

Primary Boot Image : 8.3.111.0 Backup Boot Image : 8.1.106.33 AP Image type : MOBILITY EXPRESS IMAGE AP Configuration : MOBILITY EXPRESS CAPABLE

Cisco Mobility Express, show mgmtuser

Cisco Mobility Express, show mgmtuser

- admin
Cisco Mobility Express
admin

<#root>

(wlc)>

ssh

æ”¹è”‚,â±¥æ´

ãf ♦ãf¼ã,ãfšãf³	èª—æ~Ž	ã,»ã,¬ã,ãfšãf³	ã,¹ãf†ãf¼ã,¿ã,¹	æ—¥ä»~
1.0	ã^ ♦ã>žã...-é-ãfªãfªãf¼ã,¹	-	Final	2018 å¹´ 5 æœ´ 2 æ—¥

ã^©ç””è! ♦ç´,,

æœ¬ã,çãf%ããf ♦ã,ãã,¶ãfªã ♦ç,,jã¿ ♦è”¼ã ♦ã,,ã ♦ã ♦ã ♦ã ♦ã —ã ♦|ã ♦”æ ♦ã¼ã ♦ã —ã ♦|ã ♦šã,šãœ
æœ¬ã,çãf%ããf ♦ã,ãã,¶ãfªã ♦ã ♦ãf...ã ±ã ♦šã,^ã ♦³ãfªãfªã,¬ã ♦ã½¿ç””ã ♦«é-çã ♦™ã,«è²-ä»ã ♦ã ♦ã,œ
ã ♦¾ã ♦ÿã ♦ã,·ã,¹ã,³ã ♦æœ¬ãf%ãã,ãfªãfªãfªã ♦ã ♦ãt...ã ♦¹ã,¹ã^ã¹šã ♦ã ♦ã —ã ♦«ã¼ãœ´ã ♦ã —ã ♦ã
æœ¬ã,çãf%ããf ♦ã,ãã,¶ãfªã ♦ã ♦ã”è¿ãt...ã ♦¹ã ♦«é-çã ♦ã —ã ♦|ãf...ã ±é... ♦ã¿ã ♦ã ♦URL
ã,¿œ ♦ç·¥ã ♦ã ♦ã ♦ã ♦ç<-ã ♦ã ♦è»çè¼%ã,,æ,, ♦è”³ã,¹æ-½ã ♦ã —ã ♦ÿä´ã ♦ã ♦ã ♦ã½”ç¾¾ã ♦çç ♦ã
ã ♦ã ♦ã ♦ãf%ãã,ãfªãfªãfªã ♦ã ♦ãf...ã ±ã ♦ã ♦ã,·ã,¹ã,³è£½ã”ã ♦ã ♦ã,¬ãfªãf%ããf¼ã,¶ã,¹ã³¼è±ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。