



Cisco UCS Central Faults リファレンス、リリース 1.2

初版発行日：2014 年 7 月 23 日
最終更新日：2014 年 7 月 23 日

Cisco Systems, Inc.
www.cisco.com

シスコは世界各国 200 箇所にオフィスを開設しています。
住所、電話番号、FAX 番号は
以下のシスコ Web サイトをご覧ください。
www.cisco.com/go/offices.

【注意】 シスコ製品をご使用になる前に、安全上の注意
(www.cisco.com/jp/go/safety_warning/) をご確認ください。

本書は、米国シスコシステムズ発行ドキュメントの参考和訳です。
リンク情報につきましては、日本語版掲載時点で、英語版にアップ
デートがあり、リンク先のページが移動 / 変更されている場合があ
りますことをご了承ください。
あくまでも参考和訳となりますので、正式な内容については米国サ
イトのドキュメントを参照ください。

また、契約等の記述については、弊社販売パートナー、または、弊
社担当者にご確認ください。

このマニュアルに記載されている仕様および製品に関する情報は、予告なしに変更されることがあります。このマニュアルに記載されている表現、情報、および推奨事項は、すべて正確であると考えていますが、明示的であれ黙示的であれ、一切の保証の責任を負わないものとします。このマニュアルに記載されている製品の使用は、すべてユーザ側の責任になります。

対象製品のソフトウェア ライセンスおよび限定保証は、製品に添付された『Information Packet』に記載されています。添付されていない場合には、代理店にご連絡ください。

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

ここに記載されている他のいかなる保証にもよらず、各社のすべてのマニュアルおよびソフトウェアは、障害も含めて「現状のまま」として提供されます。シスコおよびこれら各社は、商品性の保証、特定目的への準拠の保証、および権利を侵害しないことに関する保証、あるいは取引過程、使用、取引慣行によって発生する保証をはじめとする、明示されたまたは黙示された一切の保証の責任を負わないものとします。

いかなる場合においても、シスコおよびその供給者は、このマニュアルの使用または使用できないことによって発生する利益の損失やデータの損傷をはじめとする、間接的、派生的、偶発的、あるいは特殊な損害について、あらゆる可能性がシスコまたはその供給者に知らされていても、それらに対する責任を一切負わないものとします。

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

このマニュアルで使用している IP アドレスおよび電話番号は、実際のアドレスおよび電話番号を示すものではありません。マニュアル内の例、コマンド出力、ネットワークトポロジ図、およびその他の図は、説明のみを目的として使用されています。説明の中に実際のアドレスおよび電話番号が使用されていたとしても、それは意図的なものではなく、偶然の一致によるものです。

© 2014 年 Cisco Systems, Inc. All rights reserved.



パート 1

非 FSM の障害



コア障害

初版発行日 : 2014 年 7 月 23 日
最終更新日 : 2014 年 7 月 23 日

fltSysdebugCoreCoreFile

障害コード : F1000005

メッセージ

process coredumped

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning  
Cause: core-file-generated  
mibFaultCode: 10000005  
mibFaultName: fltSysdebugCoreCoreFile  
moClass: sysdebug:Core  
Type: server  
Auto Cleared: true  
Affected MO: sys/corefiles/file-[name]
```

fltStorageItemCapacityExceeded

障害コード : F1000034

メッセージ

Disk usage for partition [systemName] [name] exceeded 70%

説明

この障害は、パーティションのディスク使用率が 70% を超えているが 90% 未満である場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** 未使用のファイルと不要なファイルを削除して、パーティションのディスク使用率を 70% 未満に減らします。
- ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: capacity-exceeded
mibFaultCode: 10000034
mibFaultName: fltStorageItemCapacityExceeded
moClass: storage:Item
Type: environmental
Auto Cleared: true
Affected MO: sys/switch-[id]/stor-part-[name]
```

fltStorageItemCapacityWarning

障害コード : F1000035

メッセージ

Disk usage for partition [systemName] [name] exceeded 90%

説明

この障害は、パーティションのディスク使用率が 90% を超えている場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** 未使用のファイルと不要なファイルを削除して、パーティションのディスク使用率を 90% 未満に減らします。
- ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: capacity-exceeded
mibFaultCode: 10000035
mibFaultName: fltStorageItemCapacityWarning
moClass: storage:Item
Type: environmental
Auto Cleared: true
Affected MO: sys/switch-[id]/stor-part-[name]
```

fltStorageItemSpeedLowSD

障害コード : F10000336

メッセージ

Disk read speed for partition [name] is less than 75 MB/s

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: speed-reduced
mibFaultCode: 10000336
mibFaultName: fltStorageItemSpeedLowSD
moClass: storage:Item
Type: environmental
Auto Cleared: true
Affected MO: sys/switch-[id]/stor-part-[name]
```

fltStorageItemSpeedDegradedSD

障害コード : F10000337

メッセージ

Disk read speed for partition [name] is less than 100 MB/s

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: major
Cause: speed-reduced
mibFaultCode: 10000337
mibFaultName: fltStorageItemSpeedDegradedSD
moClass: storage:Item
Type: environmental
Auto Cleared: true
Affected MO: sys/switch-[id]/stor-part-[name]
```

fltStorageItemSpeedWarningSD

障害コード : F10000338

メッセージ

Disk read speed for partition [name] is less than 125 MB/s

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: minor
Cause: speed-reduced
mibFaultCode: 10000338
mibFaultName: fltStorageItemSpeedWarningSD
moClass: storage:Item
Type: environmental
Auto Cleared: true
Affected MO: sys/switch-[id]/stor-part-[name]
```

fltCommSvcEpCommSvcNotDeployed

障害コード : F10000339

メッセージ

Communication Service configuration can't be deployed.Error: [configStatusMessage]

説明

この障害は通常、Cisco UCS Manager が無効な通信ポリシー構成を検出したために発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

ステップ 1 すべての通信サービスで設定されているポートが一意であることを確認します。

障害の詳細

```
Severity: major
Cause: comm-svc-config-error
mibFaultCode: 10000339
mibFaultName: fltCommSvcEpCommSvcNotDeployed
moClass: comm:SvcEp
Type: comm-svc-not-deployed
Auto Cleared: true
Affected MO: sys/svc-ext
```

fltPkiTPStatus

障害コード : F10000591

メッセージ

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

説明

この障害は、トラストポイントの証明書ステータスが無効になった場合に発生します。

推奨処置

未設定。

障害の詳細

```
Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/tp-[name]
```

fltPkiKeyRingStatus

障害コード : F10000592

メッセージ

[name] Keyring's certificate is invalid, reason: [certStatus].

説明

この障害は、キーリングの証明書ステータスが無効になった場合に発生します。

推奨処置

未設定。

障害の詳細

```
Severity: major
Cause: invalid-keyring-certificate
mibFaultCode: 10000592
mibFaultName: fltPkiKeyRingStatus
moClass: pki:KeyRing
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/keyring-[name]
```




第 2 章

Identifier Manager の障害

初版発行日 : 2014 年 7 月 23 日
最終更新日 : 2014 年 7 月 23 日

fltUuidpoolPoolEmpty

障害コード : F10000198

メッセージ

UUID pool [name] is empty

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: minor  
Cause: empty-pool  
mibFaultCode: 10000198  
mibFaultName: fltUuidpoolPoolEmpty  
moClass: uuidpool:Pool  
Type: server  
Auto Cleared: true  
Affected MO: org-[name]/uuid-pool-[name]
```

fltFcpoolInitiatorsEmpty

障害コード : F10000200

メッセージ

FC pool [purpose] [name] is empty

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: minor
Cause: empty-pool
mibFaultCode: 10000200
mibFaultName: fltFcpoolInitiatorsEmpty
moClass: fcpool:Initiators
Type: server
Auto Cleared: true
Affected MO: org-[name]/wwn-pool-[name]
```

fltMacpoolPoolEmpty

障害コード : F10000207

メッセージ

MAC pool [name] is empty

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: minor
Cause: empty-pool
mibFaultCode: 10000207
mibFaultName: fltMacpoolPoolEmpty
moClass: macpool:Pool
Type: server
Auto Cleared: true
Affected MO: org-[name]/mac-pool-[name]
```

fltIdentpoolElementDuplicatedAssigned

障害コード : F10000208

メッセージ

ID is duplicated assigned

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: major
```

```

Cause: duplicated-assigned
mibFaultCode: 10000208
mibFaultName: fltIdentpoolElementDuplicatedAssigned
moClass: identpool:Element
Type: server
Auto Cleared: true

```

fltIdentpoolElementDuplicatedDefined

障害コード : F10000209

メッセージ

ID is defined in multiple systems

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: duplicated-defined
mibFaultCode: 10000209
mibFaultName: fltIdentpoolElementDuplicatedDefined
moClass: identpool:Element
Type: server
Auto Cleared: true

```

fltIppoolPoolEmpty

障害コード : F10000210

メッセージ

IP pool [name] is empty

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: minor
Cause: empty-pool
mibFaultCode: 10000210
mibFaultName: fltIppoolPoolEmpty
moClass: ippool:Pool
Type: server
Auto Cleared: true
Affected MO: org- [name] / ip-pool- [name]

```

fltIqnpoolPoolEmpty

障害コード : F10000212

メッセージ

iqn pool [name] is empty

説明

通常、この障害は、IQN プールに IQN が含まれていない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** プールが使用中である場合は、プールに IQN のブロックを追加します。
 - ステップ 2** プールが使用中でない場合は、障害を無視します。

障害の詳細

```
Severity: minor
Cause: empty-pool
mibFaultCode: 10000212
mibFaultName: fltIqnpoolPoolEmpty
moClass: iqnpool:Pool
Type: server
Auto Cleared: true
Affected MO: org-[name]/iqn-pool-[name]
```

fltCommSvcEpCommSvcNotDeployed

障害コード : F10000339

メッセージ

Communication Service configuration can't be deployed.Error: [configStatusMessage]

説明

この障害は通常、Cisco UCS Manager が無効な通信ポリシー構成を検出したために発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** すべての通信サービスで設定されているポートが一意であることを確認します。

障害の詳細

```
Severity: major
Cause: comm-svc-config-error
mibFaultCode: 10000339
mibFaultName: fltCommSvcEpCommSvcNotDeployed
moClass: comm:SvcEp
Type: comm-svc-not-deployed
Auto Cleared: true
Affected MO: sys/svc-ext
```

fltPkiTPStatus

障害コード : F10000591

メッセージ

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

説明

この障害は、トラストポイントの証明書ステータスが無効になった場合に発生します。

推奨処置

未設定。

障害の詳細

```
Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/tp-[name]
```

fltPkiKeyRingStatus

障害コード : F10000592

メッセージ

[name] Keyring's certificate is invalid, reason: [certStatus].

説明

この障害は、キーリングの証明書ステータスが無効になった場合に発生します。

推奨処置

未設定。

障害の詳細

```
Severity: major
Cause: invalid-keyring-certificate
mibFaultCode: 10000592
mibFaultName: fltPkiKeyRingStatus
moClass: pki:KeyRing
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/keyring-[name]
```



第 3 章

Operations Manager の障害

初版発行日 : 2014 年 7 月 23 日
最終更新日 : 2014 年 7 月 23 日

fltMgmtImportItemImportXMLError

障害コード : F1000033

メッセージ

Import from '[localFile]' failed, Error message: [statusReport]

説明

この障害は通常、インポート操作が失敗したときに発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1** このインポート操作の [Properties] をクリックし、[Status] をチェックしてエラーの説明を確認します。
- ステップ 2** エラーの説明に従って、インポート設定を変更し再度インポートを試行してください。
- ステップ 3** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: import-from-xml-failed
mibFaultCode: 10000033
mibFaultName: fltMgmtImportItemImportXMLError
moClass: mgmt:ImportItem
Type: configuration
Auto Cleared: true
Affected MO: sys/importer-[hostname]/imp-provider-[sysid]
```

fltFirmwareSourceRemote-download-failure

障害コード : F10000241

メッセージ

[type] Auto Download Failed.Error: [downloadError]

説明

この障害は通常、ダウンロードの設定が正しくない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1 [Faults] タブで障害とエラー メッセージを確認します。
 - ステップ 2 [Username]、[Password] および [Download State] を確認します。
 - ステップ 3 存在する場合は、プロキシ設定を確認します。
 - ステップ 4 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: minor
Cause: download-error
mibFaultCode: 10000241
mibFaultName: fltFirmwareSourceRemoteDownloadFailure
moClass: firmware:Source
Type: management
Auto Cleared: true
Affected MO: sys/fw-catalogue/source-[type]
```

fltCommSvcEpCommSvcNotDeployed

障害コード : F10000339

メッセージ

Communication Service configuration can't be deployed.Error: [configStatusMessage]

説明

この障害は通常、Cisco UCS Manager が無効な通信ポリシー構成を検出したために発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1 すべての通信サービスで設定されているポートが一意であることを確認します。

障害の詳細

```
Severity: major
Cause: comm-svc-config-error
mibFaultCode: 10000339
mibFaultName: fltCommSvcEpCommSvcNotDeployed
```

```

moClass: comm:SvcEp
Type: comm-svc-not-deployed
Auto Cleared: true
Affected MO: sys/svc-ext

```

fltPkiTPStatus

障害コード : F1000591

メッセージ

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

説明

この障害は、トラストポイントの証明書ステータスが無効になった場合に発生します。

推奨処置

未設定。

障害の詳細

```

Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/tp-[name]

```

fltPkiKeyRingStatus

障害コード : F1000592

メッセージ

[name] Keyring's certificate is invalid, reason: [certStatus].

説明

この障害は、キーリングの証明書ステータスが無効になった場合に発生します。

推奨処置

未設定。

障害の詳細

```

Severity: major
Cause: invalid-keyring-certificate
mibFaultCode: 10000592
mibFaultName: fltPkiKeyRingStatus
moClass: pki:KeyRing
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/keyring-[name]

```


fltConfigBackupUngrouped-domain

障害コード : F10000616

メッセージ

Unable to backup remotely.[faultDescr]

説明

リモート スケジュール バックアップが失敗しました。この障害は通常、管理者がリモート マシンに誤ったパスワード、ホスト、ユーザ名またはパスを提供した場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** リモート スケジュール バックアップ ポリシーのパラメータが有効であることを確認します。

障害の詳細

```
Severity: major
Cause: remote-failed
mibFaultCode: 10000616
mibFaultName: fltConfigBackupUngroupedDomain
moClass: config:Backup
Type: server
Auto Cleared: true
Affected MO:
sys/config-catalogue/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]
Affected MO:
universe/inst-[connectorId]/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]
```



Policy Manager の障害

初版発行日 : 2014 年 7 月 23 日
最終更新日 : 2014 年 7 月 23 日

fltFirmwareDownloadPolicyError

障害コード : F1000242

メッセージ

[type] Download Policy Configuration Error.Check scheduler Name, Username, Password and HTTP URL

説明

この障害は通常、ダウンロードの設定が正しくない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1 [FSM] タブで障害とエラー メッセージを確認します。
- ステップ 2 ダウンロード設定でスケジューラの名前、ユーザ名、パスワード、HTTP URL を確認します。
- ステップ 3 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: minor
Cause: configuration-error
mibFaultCode: 10000242
mibFaultName: fltFirmwareDownloadPolicyError
moClass: firmware:DownloadPolicy
Type: management
Auto Cleared: true
Affected MO: domaingroup-[name]/dl-policy-[type]
```

fltCommSvcEpCommSvcNotDeployed

障害コード : F10000339

メッセージ

Communication Service configuration can't be deployed.Error: [configStatusMessage]

説明

この障害は通常、Cisco UCS Manager が無効な通信ポリシー構成を検出したために発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** すべての通信サービスで設定されているポートが一意であることを確認します。

障害の詳細

```
Severity: major
Cause: comm-svc-config-error
mibFaultCode: 10000339
mibFaultName: fltCommSvcEpCommSvcNotDeployed
moClass: comm:SvcEp
Type: comm-svc-not-deployed
Auto Cleared: true
Affected MO: compute/sys-[id]/svc-ext
Affected MO: sys/svc-ext
```

fltPkiTPStatus

障害コード : F10000591

メッセージ

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

説明

この障害は、トラストポイントの証明書ステータスが無効になった場合に発生します。

推奨処置

未設定。

障害の詳細

```
Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: domaingroup-[name]/tp-[name]
Affected MO: org-[name]/deviceprofile-[name]/pki-ext/tp-[name]
Affected MO: sys/pki-ext/tp-[name]
```

fltPkiKeyRingStatus

障害コード : F10000592

メッセージ

[name] Keyring's certificate is invalid, reason: [certStatus].

説明

この障害は、キーリングの証明書ステータスが無効になった場合に発生します。

推奨処置

未設定。

障害の詳細

Severity: major
Cause: invalid-keyring-certificate
mibFaultCode: 10000592
mibFaultName: fltPkiKeyRingStatus
moClass: pki:KeyRing
Type: security
Auto Cleared: true
Affected MO: org-[name]/deviceprofile-[name]/pki-ext/keyring-[name]
Affected MO: sys/pki-ext/keyring-[name]



Resource Manager の障害

初版発行日 : 2014 年 7 月 23 日
最終更新日 : 2014 年 7 月 23 日

fltStorageItemCapacityExceeded

障害コード : F1000034

メッセージ

Disk usage for partition [systemName] [name] exceeded 70%

説明

この障害は、パーティションのディスク使用率が 70% を超えているが 90% 未満である場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1** 未使用のファイルと不要なファイルを削除して、パーティションのディスク使用率を 70% 未満に減らします。
- ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: capacity-exceeded
mibFaultCode: 10000034
mibFaultName: fltStorageItemCapacityExceeded
moClass: storage:Item
Type: environmental
Auto Cleared: true
Affected MO: compute/sys-[id]/switch-[id]/stor-part-[name]
Affected MO: sys/switch-[id]/stor-part-[name]
```

fltStorageItemCapacityWarning

障害コード : F1000035

メッセージ

Disk usage for partition [systemName] [name] exceeded 90%

説明

この障害は、パーティションのディスク使用率が 90% を超えている場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1 未使用のファイルと不要なファイルを削除して、パーティションのディスク使用率を 90% 未満に減らします。
 - ステップ 2 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: capacity-exceeded
mibFaultCode: 10000035
mibFaultName: fltStorageItemCapacityWarning
moClass: storage:Item
Type: environmental
Auto Cleared: true
Affected MO: compute/sys-[id]/switch-[id]/stor-part-[name]
Affected MO: sys/switch-[id]/stor-part-[name]
```

fltComputeGroupMembershipGroup-Membership-State-Fault

障害コード : F10000261

メッセージ

UCS to Group Membership cannot be processed.[configStatusMessage]

説明

この障害は、グループ メンバシップが処理できない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1 追加情報については、障害の説明を確認してください。
 - ステップ 2 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: invalid-config
mibFaultCode: 10000261
```

```

mibFaultName: fltComputeGroupMembershipGroupMembershipStateFault
moClass: compute:GroupMembership
Type: configuration
Auto Cleared: true
Affected MO: compute/membership-[ip]

```

fltComputeGroupMembershipGroup-Membership-Group-Fault

障害コード : F10000262

メッセージ

Group [groupDn] doesn't exist.

説明

この障害は、グループが存在しないため UCS ドメインのグループ メンバシップが処理できない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** 既存のドメイン グループを提供してください。
 - ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```

Severity: major
Cause: invalid-config
mibFaultCode: 10000262
mibFaultName: fltComputeGroupMembershipGroupMembershipGroupFault
moClass: compute:GroupMembership
Type: configuration
Auto Cleared: true
Affected MO: compute/membership-[ip]

```

fltOrgDomainGroupPolicyUCS-Grouping-Policy-Fault

障害コード : F10000263

メッセージ

UCS Grouping Policy cannot be processed.[configStatusMessage]

説明

ドメイン グループ ポリシーが適用できません。この障害は通常、ドメイン グループ ポリシーのドメイン グループまたは登録ポリシーのセットがない場合に発生します。詳細については、障害メッセージを確認してください。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** 有効なドメイン グループおよび登録ポリシーがこのドメイン グループ ポリシーに関連付けられていることを確認します。
- ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: invalid-config
mibFaultCode: 10000263
mibFaultName:fltOrgDomainGroupPolicyUCSGroupingPolicyFault
moClass: org:DomainGroupPolicy
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/domaingroup-policy-[name]
```

fltCommSvcEpCommSvcNotDeployed

障害コード : F10000339

メッセージ

Communication Service configuration can't be deployed.Error: [configStatusMessage]

説明

この障害は通常、Cisco UCS Manager が無効な通信ポリシー構成を検出したために発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** すべての通信サービスで設定されているポートが一意であることを確認します。

障害の詳細

```
Severity: major
Cause: comm-svc-config-error
mibFaultCode: 10000339
mibFaultName:fltCommSvcEpCommSvcNotDeployed
moClass: comm:SvcEp
Type: comm-svc-not-deployed
Auto Cleared: true
Affected MO: compute/sys-[id]/svc-ext
Affected MO: sys/svc-ext
```


fltVnicFcIfVsanUnresolvable

障害コード : F10000388

メッセージ

The named vsan [name] for vNIC [name] cannot be resolved

説明

この障害（警告）は、サービスプロファイルの vnic インターフェイス（SAN）が解決できない場合に発生します。

推奨処置

この障害は、次のアクションのいずれかを実行すると削除されます。

-
- ステップ 1** 既存の VSAN に vnic インターフェイス名を変更します。
 - ステップ 2** 名前付き vsan を作成します。

障害の詳細

```
Severity: warning
Cause: referenced-vsan-unresolvable
mibFaultCode: 10000388
mibFaultName: fltVnicFcIfVsanUnresolvable
moClass: vnic:FcIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/req-[name]/inst-[id]/fc-[name]/if-default
Affected MO: org-[name]/templ-[name]/inst-[id]/fc-[name]/if-default
Affected MO: org-[name]/templ-[name]/ls-[name]/fc-[name]/if-default
Affected MO: org-[name]/ls-[name]/fc-[name]/if-default
Affected MO: org-[name]/san-conn-pol-[name]/fc-[name]/if-default
Affected MO: org-[name]/san-conn-templ-[name]/if-default
```

fltVnicEtherIfVlanUnresolvable

障害コード : F10000389

メッセージ

The named vlan [name] for vNIC [name] cannot be resolved

説明

この障害（警告）は、サービスプロファイルの vnic インターフェイス（LAN）が解決できない場合に発生します。

推奨処置

この障害は、次のアクションのいずれかを実行すると削除されます。

-
- ステップ 1** 既存の VLAN に vnic インターフェイス名を変更します。
 - ステップ 2** 名前付き vlan を作成します。

障害の詳細

```

Severity: warning
Cause: referenced-vlan-unresolvable
mibFaultCode: 10000389
mibFaultName: fltVnicEtherIfVlanUnresolvable
moClass: vnic:EtherIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/if-[name]
Affected MO: org-[name]/ls-[name]/if-[name]
Affected MO: org-[name]/req-[name]/inst-[id]/ether-[name]/if-[name]
Affected MO: org-[name]/templ-[name]/inst-[id]/ether-[name]/if-[name]
Affected MO: org-[name]/templ-[name]/ls-[name]/ether-[name]/if-[name]
Affected MO: org-[name]/ls-[name]/ether-[name]/if-[name]
Affected MO: org-[name]/lan-conn-pol-[name]/ether-[name]/if-[name]
Affected MO: org-[name]/lan-conn-templ-[name]/if-[name]

```

fltVnicEtherIfVlanAccessFault

障害コード : F10000390

メッセージ

The named vlan [name] for vNIC [name] cannot be accessed from org [name]

説明

この障害は通常、サービスプロファイルの vnic インターフェイス (LAN) が解決可能であるが、サービスプロファイルが vlan にアクセスできない場合に発生します。

推奨処置

この障害は、次のアクションのいずれかを実行すると削除されます。

-
- ステップ 1** vnic のインターフェイス名をアクセスできる VLAN に変更します。
 - ステップ 2** サービスプロファイルの組織 (または親組織) で vlan 許可または vlan グループ許可を作成して、名前付き vlan へのアクセスを構成します。

障害の詳細

```

Severity: major
Cause: inaccessible-vlan-referenced
mibFaultCode: 10000390
mibFaultName: fltVnicEtherIfVlanAccessFault
moClass: vnic:EtherIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/if-[name]
Affected MO: org-[name]/ls-[name]/if-[name]
Affected MO: org-[name]/req-[name]/inst-[id]/ether-[name]/if-[name]
Affected MO: org-[name]/templ-[name]/inst-[id]/ether-[name]/if-[name]
Affected MO: org-[name]/templ-[name]/ls-[name]/ether-[name]/if-[name]
Affected MO: org-[name]/ls-[name]/ether-[name]/if-[name]
Affected MO: org-[name]/lan-conn-pol-[name]/ether-[name]/if-[name]
Affected MO: org-[name]/lan-conn-templ-[name]/if-[name]

```

fltVnicEtherIfVlanSyncFault

障害コード : F10000391

メッセージ

The named vlan [name] for vNIC [name] cannot be pushed to UCSM

説明

vlan を UCSM にプッシュダウンできませんでした。この障害は通常、同じ名前の vlan が UCSM ドメインにすでに存在するか、vlan ID がすでに取得されているため設定できない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** vlan が UCSM ドメインにすでにある場合は、ローカルの vlan を削除します。
 - ステップ 2** vlan ID がすでに取得されている場合は、その vlan ID を変更します。
 - ステップ 3** vlan がない場合は、vnic の参照を削除します。
 - ステップ 4** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: fail-sync-to-ucsm
mibFaultCode: 10000391
mibFaultName: fltVnicEtherIfVlanSyncFault
moClass: vnic:EtherIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/if-[name]
Affected MO: org-[name]/ls-[name]/if-[name]
Affected MO: org-[name]/req-[name]/inst-[id]/ether-[name]/if-[name]
Affected MO: org-[name]/templ-[name]/inst-[id]/ether-[name]/if-[name]
Affected MO: org-[name]/templ-[name]/ls-[name]/ether-[name]/if-[name]
Affected MO: org-[name]/ls-[name]/ether-[name]/if-[name]
Affected MO: org-[name]/lan-conn-pol-[name]/ether-[name]/if-[name]
Affected MO: org-[name]/lan-conn-templ-[name]/if-[name]
```

fltVnicFclVsanSyncFault

障害コード : F10000392

メッセージ

The named vsan [name] for vHBA [name] cannot be pushed to UCSM

説明

vsan を UCSM にプッシュダウンできませんでした。この障害は通常、同じ名前の vsan が UCSM ドメインにすでに存在するか、vsan ID がすでに取得されているため設定できない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1** vsan が UCSM ドメインにすでにある場合は、ローカルの vsan を削除します。
- ステップ 2** vsan ID がすでに取得されている場合は、その vsan ID を変更します。
- ステップ 3** vsan がない場合は、vhba の参照を削除します。
- ステップ 4** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: fail-sync-to-ucsm
mibFaultCode: 10000392
mibFaultName: fltVnicFcIfVsanSyncFault
moClass: vnic:FcIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/req-[name]/inst-[id]/fc-[name]/if-default
Affected MO: org-[name]/templ-[name]/inst-[id]/fc-[name]/if-default
Affected MO: org-[name]/templ-[name]/ls-[name]/fc-[name]/if-default
Affected MO: org-[name]/ls-[name]/fc-[name]/if-default
Affected MO: org-[name]/san-conn-pol-[name]/fc-[name]/if-default
Affected MO: org-[name]/san-conn-templ-[name]/if-default
```

fltVnicEtherUnassociatedVnicIfFault

障害コード : F10000393

メッセージ

[name] isn't associated with any VLAN

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: unassociated-vlan
mibFaultCode: 10000393
mibFaultName: fltVnicEtherUnassociatedVnicIfFault
moClass: vnic:Ether
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/req-[name]/inst-[id]/ether-[name]
Affected MO: org-[name]/templ-[name]/inst-[id]/ether-[name]
Affected MO: org-[name]/templ-[name]/ls-[name]/ether-[name]
Affected MO: org-[name]/ls-[name]/ether-[name]
Affected MO: org-[name]/lan-conn-pol-[name]/ether-[name]
```

fltVnicFcUnassociatedVnicIfFault

障害コード : F10000394

メッセージ

[name] isn't associated with any VSAN

説明

この vhba と関連付けられた vsan はありません。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1 vsan をこの vhba と関連付けます。
 - ステップ 2 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: unassociated-vlan
mibFaultCode: 10000394
mibFaultName: fltVnicFcUnassociatedVnicIfFault
moClass: vnic:Fc
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/req-[name]/inst-[id]/fc-[name]
Affected MO: org-[name]/templ-[name]/inst-[id]/fc-[name]
Affected MO: org-[name]/templ-[name]/ls-[name]/fc-[name]
Affected MO: org-[name]/ls-[name]/fc-[name]
Affected MO: org-[name]/san-conn-pol-[name]/fc-[name]
```

fltLsSPMetaUngrouped-domain

障害コード : F10000396

メッセージ

Unable to resolve Vsans/vlans. Service profile deployed on [serverDn] failed due to an ungrouped domain.

説明

サーバの導入に失敗しました。この障害は通常、サービスプロファイルが Vlan または Vsan を使用するが、グループ化されていないドメインに属する物理ブレード/サーバに導入される場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1 ドメインに物理サーバの UCS を追加します。
 - ステップ 2 Vnic からインターフェイス名を削除します。サービスプロファイルから Vlan または Vsan の使用を削除します。

障害の詳細

```

Severity: major
Cause: ungrouped-domain
mibFaultCode: 10000396
mibFaultName: fltLsSPMetaUngroupedDomain
moClass: ls:SPMeta
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/spmeta
Affected MO: org-[name]/ls-[name]/spmeta

```

fltLsServerFailed**障害コード : F10000397****メッセージ**

Service profile [name] failed

説明

サーバに障害が発生しました。一般的にこの障害は、アダプタの電源投入時自己診断テストで重大かつ深刻なエラーが発生した場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** サーバの POST の結果をチェックします。Cisco UCS Manager GUI では、サーバの [General] タブから POST の結果にアクセスできます。Cisco UCS Manager CLI では、サーバのスコープの下で **show post** コマンドを使用すると POST の結果にアクセスできます。
- ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```

Severity: major
Cause: server-failed
mibFaultCode: 10000397
mibFaultName: fltLsServerFailed
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

```

fltLsServerDiscoveryFailed**障害コード : F10000398****メッセージ**

Service profile [name] discovery failed

説明

サーバがサービス プロファイルに関連付けられたときに発生するシャロー ディスカバリが失敗しました。サーバがアップしておりデータパスが機能している場合、この障害は、一般的に次のいずれかの問題の結果として発生します。

- Cisco UCS Manager がサーバの CIMC と通信できない。
- サーバがファブリック インターコネクと通信できない。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** [FSM] タブをチェックして、サーバの現在の状態と FSM の動作を表示します。
- ステップ 2** エラーの説明をチェックして、サーバ コンポーネントがエラーを示していないかを確認します。
- ステップ 3** サーバまたはサーバ コンポーネントに障害が発生している場合は、次の処理を実行します。
- ステップ 4** サーバの動作状態をチェックします。
- ステップ 5** サーバが動作不能である場合は、サーバを再認識します。
- ステップ 6** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: discovery-failed
mibFaultCode: 10000398
mibFaultName: fltLsServerDiscoveryFailed
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fltLsServerConfigFailure

障害コード : F10000399

メッセージ

Service profile [name] configuration failed due to [configQualifier]

説明

指定された設定の修飾子を使用できません。通常、この障害は、指定された修飾子と一致するリソースが不足しているために、Cisco UCS Manager が正常にサービス プロファイルを展開できないために発生します。たとえば、次のような場合にこの障害が発生する可能性があります。

- サービス プロファイルが vHBA を持つサーバのアダプタ用に設定されているが、サーバのアダプタは vHBA をサポートしていない。
- サービス プロファイルがサーバ プールを含むテンプレートから作成されており、サーバ プールが空になっている。
- サービス プロファイルのローカル ディスクの設定ポリシーには No Local Storage モードが指定されているが、サーバにはローカル ディスクが含まれている。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** サービス プロファイルに関連付けられたサーバプールのステータスを確認します。プールが空の場合は、ブレード サーバを追加します。
- ステップ 2** サーバの状態をチェックし、サーバが検出済みまたは関連付けられていない状態であることを確認します。
- ステップ 3** サーバが関連付けられている、または未検出である場合は、次のいずれかを実行します。
- サーバを検出する。
 - 現在のサービス プロファイルからサーバの関連付けを解除する。
 - 別のサーバを選択してサービス プロファイルに関連付ける。
- ステップ 4** サービス プロファイルの各ポリシーを確認し、選択したサーバがポリシーの要件を満たしていることを確認します。
- ステップ 5** サーバがサービス プロファイルの要件を満たしていない場合は、次のいずれかを実行します。
- サーバに合わせてサービス プロファイルを修正する。
 - 要件を満たす別のサーバを選択して、サービス プロファイルに関連付ける。
- ステップ 6** サーバがサービス プロファイルの要件を満たしていることを確認できた場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: configuration-failure
mibFaultCode: 10000399
mibFaultName: fltLsServerConfigFailure
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fltLsServerMaintenanceFailed

障害コード : F10000400

メッセージ

Service profile [name] maintenance failed

説明

Cisco UCS Manager では現在この障害情報を使用していません。

推奨処置

この障害が発生した場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: maintenance-failed
mibFaultCode: 10000400
```



```

mibFaultName: fltLsServerMaintenanceFailed
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

```

fltLsServerRemoved

障害コード : F10000401

メッセージ

Service profile [name] underlying resource removed

説明

Cisco UCS Manager が、サービス プロファイルに関連付けられたサーバにアクセスできません。通常、この障害は、次のいずれかの問題の結果として発生します。

- サーバが物理的にスロットから取り外された。
- サーバが使用できない。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** サーバがスロットから取り外された場合は、サーバをスロットに取り付け直します。
- ステップ 2** サーバが取り外されていない場合は、いったんサーバを取り外し、取り付け直します。
注：サーバが動作可能である場合は、このアクションによって現在の動作が中断される可能性があります。
- ステップ 3** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```

Severity: major
Cause: equipment-removed
mibFaultCode: 10000401
mibFaultName: fltLsServerRemoved
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

```

fltLsServerInaccessible

障害コード : F10000402

メッセージ

Service profile [name] cannot be accessed

説明

Cisco UCS Manager がサーバの CIMC と通信できない。通常、この障害は、次のいずれかの問題の結果として発生します。

- サーバの 1 つまたは複数のポートで障害が発生した。
- I/O モジュールがオフラインである。
- BMC で障害が発生した。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** Cisco UCS Manager で CIMC がダウンしている则表示されている場合は、物理的にサーバを装着し直します。
- ステップ 2** Cisco UCS Manager でサーバのポートに障害があると表示されている場合は、そのポートをイネーブルにしてみます。
- ステップ 3** I/O モジュールがオフラインである場合は、そのコンポーネントの障害をチェックします。
- ステップ 4** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: server-inaccessible
mibFaultCode: 10000402
mibFaultName: fltLsServerInaccessible
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fltLsServerAssociationFailed

障害コード : F10000403

メッセージ

Service profile [name] association failed for [pnDn]

説明

サービス プロファイルにサーバを関連付けることができませんでした。一般的にこの障害は、Cisco UCS Manager が次の 1 つまたは複数と通信できないために発生します。

- ファブリック インターコネクト
- サーバの CIMC
- SAS コントローラのドライバ
- サーバ

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1** サーバとサービス プロファイルの [FSM] タブをチェックして、アソシエーションが失敗した理由を判断します。
- ステップ 2** サーバがブーティングなどの不適切な状態のままである場合は、サーバの電源を再投入します。
- ステップ 3** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: association-failed
mibFaultCode: 10000403
mibFaultName: fltLsServerAssociationFailed
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fltLsComputeBindingAssignmentRequirementsNotMet

障害コード : F10000404

メッセージ

Assignment of service profile [name] to server [pnDn] failed

説明

選択したサービス プロファイルにサーバを割り当てられませんでした。通常、この障害は、次のいずれかの問題の結果として発生します。

- 選択したサーバがサービス プロファイルの要件を満たしていない。
- サービス プロファイルが制限付き移行用に設定されている場合、選択したサーバが現在または以前に割り当てられているサーバと一致していない。

推奨処置

この障害が発生した場合は、サービス プロファイルの要件を満たしているか、現在または以前に割り当てられているサーバと一致する別のサーバを選択します。

障害の詳細

```
Severity: minor
Cause: assignment-failed
mibFaultCode: 10000404
mibFaultName: fltLsComputeBindingAssignmentRequirementsNotMet
moClass: ls:ComputeBinding
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/
Affected MO: org-[name]/ls-[name]/
```

fltLsServerUnassociated

障害コード : F10000405

メッセージ

Service profile [name] is not associated

説明

サービス プロファイルがまだサーバまたはサーバ プールに関連付けられていません。通常、この障害は、次のいずれかの問題の結果として発生します。

- サーバ プールに受け入れ可能なサーバがない。
- アソシエーションが失敗した。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** サービス プロファイルを関連付けない場合は、この障害を無視します。
- ステップ 2** サービス プロファイルを関連付ける場合は、アソシエーションのエラーをチェックします。
- ステップ 3** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: unassociated
mibFaultCode: 10000405
mibFaultName: fltLsServerUnassociated
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fltLsServerServer-unfulfilled

障害コード : F10000406

メッセージ

Server [pnDn] does not fulfill Service profile [name] due to [configQualifier]

説明

サーバは、サービス プロファイルの資格の要件を満たしていません。通常、この障害は、次のいずれかの問題の結果として発生します。

- サーバが物理的に変更された。
- サーバの必要なコンポーネントに障害が発生した。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** サーバ インベントリをサービス プロファイルの資格と比較してチェックします。
- ステップ 2** サーバ インベントリがサービス プロファイルの資格を満たしていない場合は、次のいずれかを実行します。
- サーバを別のサービス プロファイルと関連付けます。
 - 現在のサービス プロファイルの資格に適した十分なリソースがサーバにあることを確認します。
- ステップ 3** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: server-failed
mibFaultCode: 10000406
mibFaultName: fltLsServerServerUnfulfilled
moClass: ls:Server
Type: server
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fltLsmaintMaintPolicyUnresolvableScheduler

障害コード : F10000407

メッセージ

Schedule [schedName] referenced by maintenance policy [name] does not exist

説明

メンテナンス ポリシーによって参照されているスケジュールが存在していません。通常、この障害は、次のいずれかの問題の結果として発生します。

- スケジュールが存在しない。
- スケジュールが削除された。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** 指定されたスケジュールが存在するかどうかを確認します。削除または欠落している場合は、作成してみます。
- ステップ 2** 指定されたスケジュールが削除または欠落している場合は、再作成します。
- ステップ 3** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: non-existent-scheduler
```

```

mibFaultCode: 10000407
mibFaultName: fltLsmaintMaintPolicyUnresolvableScheduler
moClass: lsmaint:MaintPolicy
Type: server
Auto Cleared: true
Affected MO: domaingroup-[name]/maint-[name]
Affected MO: org-[name]/maint-[name]

```

fltComputePoolEmpty

障害コード : F10000557

メッセージ

server pool [name] is empty

説明

通常、この障害は、選択したサーバプールにサーバが含まれていない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** サーバプールポリシー資格情報の修飾子設定を確認します。サーバの検出後にポリシーが変更されている場合は、サーバを再認識します。
 - ステップ 2** 手動でサービスプロファイルをサーバと関連付けます。
 - ステップ 3** サーバプールを使用していない場合は、障害を無視します。
 - ステップ 4** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```

Severity: minor
Cause: empty-pool
mibFaultCode: 10000557
mibFaultName: fltComputePoolEmpty
moClass: compute:Pool
Type: server
Auto Cleared: true
Affected MO: org-[name]/compute-pool-[name]

```

fltComputeAOperationRemote-operation-fail

障害コード : F10000558

メッセージ

Remote operation failed in UCSM. Error Code: [[remoteErrorCode]].[remoteErrorDescr]

説明

この障害は通常、UCS Central で行われた物理的なりモート操作がエラー状態に遭遇した場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCSM クライアントが登録された動作ステータスにあることを確認します。
 - ステップ 2** UCSM クライアントが接続された接続ステータスにあることを確認します。
 - ステップ 3** UCSM クライアントが応答していない場合は、同じオブジェクトでの操作を再試行する前に 30 秒間待機します。
 - ステップ 4** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: info
Cause: remote-operation-fail
mibFaultCode: 10000558
mibFaultName: fltComputeAOperationRemoteOperationFail
moClass: compute:AOperation
Type: configuration
Auto Cleared: true
```

fltLsIssuesConfigFailure

障害コード : F10000571

メッセージ

Service profile [name] configuration failed due to [iscsiConfigIssues] [networkConfigIssues] [serverConfigIssues] [storageConfigIssues] [vnicConfigIssues]

説明

指定された設定の修飾子を使用できません。通常、この障害は、指定された修飾子と一致するリソースが不足しているために、Cisco UCS Manager が正常にサービス プロファイルを展開できないために発生します。たとえば、次のような場合にこの障害が発生する可能性があります。

- サービス プロファイルが vHBA を持つサーバのアダプタ用に設定されているが、サーバのアダプタは vHBA をサポートしていない。
- サービス プロファイルがサーバ プールを含むテンプレートから作成されており、サーバ プールが空になっている。
- サービス プロファイルのローカル ディスクの設定ポリシーには No Local Storage モードが指定されているが、サーバにはローカル ディスクが含まれている。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** サービス プロファイルに関連付けられたサーバ プールのステータスを確認します。プールが空の場合は、ブレード サーバを追加します。
 - ステップ 2** サーバの状態をチェックし、サーバが検出済みまたは関連付けられていない状態であることを確認します。

- ステップ 3** サーバが関連付けられている、または未検出である場合は、次のいずれかを実行します。
- サーバを検出する。
 - 現在のサービス プロファイルからサーバの関連付けを解除する。
 - 別のサーバを選択してサービス プロファイルに関連付ける。
- ステップ 4** サービス プロファイルの各ポリシーを確認し、選択したサーバがポリシーの要件を満たしていることを確認します。
- ステップ 5** サーバがサービス プロファイルの要件を満たしていない場合は、次のいずれかを実行します。
- サーバに合わせてサービス プロファイルを修正する。
 - 要件を満たす別のサーバを選択して、サービス プロファイルに関連付ける。
- ステップ 6** サーバがサービス プロファイルの要件を満たしていることを確認できた場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: configuration-failure
mibFaultCode: 10000571
mibFaultName: fltLsIssuesConfigFailure
moClass: ls:Issues
Type: server
Auto Cleared: true
Affected MO: org-[name]/req-[name]/inst-[id]/config-issue
Affected MO: org-[name]/templ-[name]/ls-[name]/config-issue
Affected MO: org-[name]/ls-[name]/config-issue
```

fltVnicFaultVlanSyncFault

障害コード : F10000572

メッセージ

The named vXan [name] cannot be pushed to UCSM.UCSM Message - [descr]

説明

vlan/vsan を UCSM にプッシュダウンできませんでした。この障害は通常、同じ名前の vlan/vsan が UCSM ドメインにすでに存在するか、vlan/vsan ID がすでに取得されているため設定できない場合に発生します。詳細については、障害メッセージを確認してください。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** vlan/vsan が UCSM ドメインにすでにある場合は、ローカルの vlan/vsan を削除します。
- ステップ 2** vlan/vsan ID がすでに取得されている場合は、その vlan/vsan ID を変更します。
- ステップ 3** vlan/vsan がない場合は、vnic/vhba の参照を削除します。
- ステップ 4** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```

Severity: major
Cause: fail-sync-to-ucsm
mibFaultCode: 10000572
mibFaultName: fltVnicFaultVlanSyncFault
moClass: vnic:Fault
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/mgmt/mgmt-if/fault-if
Affected MO: org-[name]/ls-[name]/mgmt/mgmt-if/fault-if
Affected MO: org-[name]/req-[name]/inst-[id]/iscsi-[name]/vlan/fault-if
Affected MO: org-[name]/templ-[name]/inst-[id]/iscsi-[name]/vlan/fault-if
Affected MO: org-[name]/templ-[name]/ls-[name]/iscsi-[name]/vlan/fault-if
Affected MO: org-[name]/ls-[name]/iscsi-[name]/vlan/fault-if
Affected MO: org-[name]/templ-[name]/ls-[name]/iscsi-[name]/vlan/fault-if
Affected MO: org-[name]/ls-[name]/iscsi-[name]/vlan/fault-if
Affected MO: org-[name]/lan-conn-pol-[name]/iscsi-[name]/vlan/fault-if
Affected MO: org-[name]/req-[name]/inst-[id]/fc-[name]/if-default/fault-if
Affected MO: org-[name]/templ-[name]/inst-[id]/fc-[name]/if-default/fault-if
Affected MO: org-[name]/templ-[name]/ls-[name]/fc-[name]/if-default/fault-if
Affected MO: org-[name]/ls-[name]/fc-[name]/if-default/fault-if
Affected MO: org-[name]/san-conn-pol-[name]/fc-[name]/if-default/fault-if
Affected MO: org-[name]/san-conn-templ-[name]/if-default/fault-if
Affected MO: org-[name]/templ-[name]/ls-[name]/fcoe/fault-if
Affected MO: org-[name]/ls-[name]/fcoe/fault-if
Affected MO: org-[name]/req-[name]/inst-[id]/ether-[name]/fcoe/fault-if
Affected MO: org-[name]/templ-[name]/inst-[id]/ether-[name]/fcoe/fault-if
Affected MO: org-[name]/templ-[name]/ls-[name]/ether-[name]/fcoe/fault-if
Affected MO: org-[name]/ls-[name]/ether-[name]/fcoe/fault-if
Affected MO: org-[name]/lan-conn-pol-[name]/ether-[name]/fcoe/fault-if
Affected MO: org-[name]/lan-conn-templ-[name]/fcoe/fault-if
Affected MO: org-[name]/templ-[name]/ls-[name]/if-[name]/fault-if
Affected MO: org-[name]/ls-[name]/if-[name]/fault-if
Affected MO: org-[name]/req-[name]/inst-[id]/ether-[name]/if-[name]/fault-if
Affected MO: org-[name]/templ-[name]/inst-[id]/ether-[name]/if-[name]/fault-if
Affected MO: org-[name]/templ-[name]/ls-[name]/ether-[name]/if-[name]/fault-if
Affected MO: org-[name]/ls-[name]/ether-[name]/if-[name]/fault-if
Affected MO: org-[name]/lan-conn-pol-[name]/ether-[name]/if-[name]/fault-if
Affected MO: org-[name]/lan-conn-templ-[name]/if-[name]/fault-if
Affected MO: org-[name]/templ-[name]/ls-[name]/if-[name]/ipv4/fault-if
Affected MO: org-[name]/ls-[name]/if-[name]/ipv4/fault-if
Affected MO: org-[name]/req-[name]/inst-[id]/ether-[name]/if-[name]/ipv4/fault-if
Affected MO: org-[name]/templ-[name]/inst-[id]/ether-[name]/if-[name]/ipv4/fault-if
Affected MO: org-[name]/templ-[name]/ls-[name]/ether-[name]/if-[name]/ipv4/fault-if
Affected MO: org-[name]/ls-[name]/ether-[name]/if-[name]/ipv4/fault-if
Affected MO: org-[name]/lan-conn-pol-[name]/ether-[name]/if-[name]/ipv4/fault-if
Affected MO: org-[name]/lan-conn-templ-[name]/if-[name]/ipv4/fault-if
Affected MO:
org-[name]/templ-[name]/ls-[name]/iscsi-boot-params/boot-vnic-[name]/ipv4/fault-if
Affected MO: org-[name]/ls-[name]/iscsi-boot-params/boot-vnic-[name]/ipv4/fault-if
Affected MO: org-[name]/req-[name]/inst-[id]/iscsi-[name]/vlan/ipv4/fault-if
Affected MO: org-[name]/templ-[name]/inst-[id]/iscsi-[name]/vlan/ipv4/fault-if
Affected MO: org-[name]/templ-[name]/ls-[name]/iscsi-[name]/vlan/ipv4/fault-if
Affected MO: org-[name]/ls-[name]/iscsi-[name]/vlan/ipv4/fault-if
Affected MO: org-[name]/templ-[name]/ls-[name]/iscsi-[name]/vlan/ipv4/fault-if
Affected MO: org-[name]/ls-[name]/iscsi-[name]/vlan/ipv4/fault-if
Affected MO: org-[name]/lan-conn-pol-[name]/iscsi-[name]/vlan/ipv4/fault-if

```

fltVnicMgmtIfVlanUnresolvable

障害コード : F10000573

メッセージ

The named vlan [name] for vNIC [name] cannot be resolved

説明

この障害（警告）は、サービスプロファイルの vnic インターフェイス（LAN）が解決できない場合に発生します。

推奨処置

この障害は、次のアクションのいずれかを実行すると削除されます。

-
- ステップ 1** 既存の VLAN に vnic インターフェイス名を変更します。
 - ステップ 2** 名前付き vlan を作成します。

障害の詳細

```
Severity: warning
Cause: referenced-vlan-unresolvable
mibFaultCode: 10000573
mibFaultName: fltVnicMgmtIfVlanUnresolvable
moClass: vnic:MgmtIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/mgmt/mgmt-if
Affected MO: org-[name]/ls-[name]/mgmt/mgmt-if
```

fltVnicMgmtIfVlanAccessFault

障害コード : F10000574

メッセージ

The named vlan [name] for vNIC [name] cannot be accessed from org [name]

説明

この障害は通常、サービスプロファイルの vnic インターフェイス（LAN）が解決可能であるが、サービスプロファイルが vlan にアクセスできない場合に発生します。

推奨処置

この障害は、次のアクションのいずれかを実行すると削除されます。

-
- ステップ 1** vnic のインターフェイス名をアクセスできる VLAN に変更します。
 - ステップ 2** サービスプロファイルの組織（または親組織）で vlan 許可または vlan グループ許可を作成して、名前付き vlan へのアクセスを構成します。

障害の詳細

```
Severity: major
Cause: inaccessible-vlan-referenced
mibFaultCode: 10000574
```

```

mibFaultName: fltVnicMgmtIfVlanAccessFault
moClass: vnic:MgmtIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/mgmt/mgmt-if
Affected MO: org-[name]/ls-[name]/mgmt/mgmt-if

```

fltVnicMgmtIfVlanSyncFault

障害コード : F10000575

メッセージ

The named vlan [name] for vNIC [name] cannot be pushed to UCSM

説明

vlan を UCSM にプッシュダウンできませんでした。この障害は通常、同じ名前の vlan が UCSM ドメインにすでに存在するか、vlan ID がすでに取得されているため設定できない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** vlan が UCSM ドメインにすでにある場合は、ローカルの vlan を削除します。
 - ステップ 2** vlan ID がすでに取得されている場合は、その vlan ID を変更します。
 - ステップ 3** vlan がない場合は、vnic の参照を削除します。
 - ステップ 4** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```

Severity: major
Cause: fail-sync-to-ucsm
mibFaultCode: 10000575
mibFaultName: fltVnicMgmtIfVlanSyncFault
moClass: vnic:MgmtIf
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/mgmt/mgmt-if
Affected MO: org-[name]/ls-[name]/mgmt/mgmt-if

```

fltVnicMgmtUnassociatedVnicIfFault

障害コード : F10000576

メッセージ

[name] isn't associated with any VLAN

説明

この vnic と関連付けられた vlan はありません。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** vlan をこの vnic と関連付けます。
 - ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: unassociated-vlan
mibFaultCode: 10000576
mibFaultName: fltVnicMgmtUnassociatedVnicIfFault
moClass: vnic:Mgmt
Type: configuration
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]/mgmt
Affected MO: org-[name]/ls-[name]/mgmt
```

fltPkiTPStatus

障害コード : F10000591

メッセージ

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

説明

この障害は、トラストポイントの証明書ステータスが無効になった場合に発生します。

推奨処置

未設定。

障害の詳細

```
Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/tp-[name]
```

fltPkiKeyRingStatus

障害コード : F10000592

メッセージ

[name] Keyring's certificate is invalid, reason: [certStatus].

説明

この障害は、キーリングの証明書ステータスが無効になった場合に発生します。

推奨処置

未設定。

障害の詳細

```
Severity: major
Cause: invalid-keyring-certificate
mibFaultCode: 10000592
mibFaultName: fltPkiKeyRingStatus
moClass: pki:KeyRing
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/keyring-[name]
```

fltQueryUsageContextTimeout

障害コード : F10000593

メッセージ

Getting usage for [targetDn] times out

説明

この障害は、UCS Central がタイムアウト期間内に UCSM から使用状況を取得できない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCSM 接続のタイムアウトおよびその他の追加情報が含まれる障害の説明を確認してください。
- ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: minor
Cause: get-usage-timeout
mibFaultCode: 10000593
mibFaultName: fltQueryUsageContextTimeout
moClass: query:UsageContext
Type: configuration
Auto Cleared: true
Affected MO: query/usage-[sessionId]
```

fltQueryUsageContextFailed

障害コード : F10000594

メッセージ

Getting usage for [targetDn] fails, since [statusDescription]

説明

この障害は、UCS Central が UCSM から使用状況を取得できない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCSM 接続の失敗およびその他の追加情報が含まれる障害の説明を確認してください。
 - ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: minor
Cause: get-usage-failed
mibFaultCode: 10000594
mibFaultName: fltQueryUsageContextFailed
moClass: query:UsageContext
Type: configuration
Auto Cleared: true
Affected MO: query/usage-[sessionId]
```

fltQueryDependencyContextTimeout

障害コード : F10000595

メッセージ

Getting Dependency for [targetDn] times out

説明

この障害は、UCS Central がタイムアウト期間内に UCSM からポリシーの依存状態を取得できない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCSM 接続のタイムアウトおよびその他の追加情報が含まれる障害の説明を確認してください。
 - ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: minor
Cause: get-dependency-timeout
mibFaultCode: 10000595
mibFaultName: fltQueryDependencyContextTimeout
moClass: query:DependencyContext
Type: configuration
Auto Cleared: true
Affected MO: query/dependency-[sessionId]
```

fltQueryDependencyContextFailed

障害コード : F10000596

メッセージ

Getting Dependency for [targetDn] fails, since [statusDescription]

説明

この障害は、UCS Central が UCSM からポリシーの依存状態を取得できない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1 UCSM 接続の失敗およびその他の追加情報が含まれる障害の説明を確認してください。
 - ステップ 2 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: minor
Cause: get-dependency-failed
mibFaultCode: 10000596
mibFaultName: fltQueryDependencyContextFailed
moClass: query:DependencyContext
Type: configuration
Auto Cleared: true
Affected MO: query/dependency-[sessionId]
```

fltQueryImportContextTimeout

障害コード : F10000597

メッセージ

Importing for [targetDn] times out

説明

この障害は、UCS Central がタイムアウト期間内に UCSM からポリシーをインポートできない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1 UCSM 接続のタイムアウトおよびその他の追加情報が含まれる障害の説明を確認してください。
 - ステップ 2 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: minor
Cause: import-timeout
mibFaultCode: 10000597
mibFaultName: fltQueryImportContextTimeout
```

```

moClass: query:ImportContext
Type: configuration
Auto Cleared: true
Affected MO: query/import-[sessionId]

```

fltQueryImportContextFailed

障害コード : F10000598

メッセージ

Importing for [targetDn] fails, since [statusDescription]

説明

この障害は、UCS Central が UCSM からポリシーをインポートできない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCSM 接続の失敗およびその他の追加情報が含まれる障害の説明を確認してください。
 - ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```

Severity: minor
Cause: import-failed
mibFaultCode: 10000598
mibFaultName: fltQueryImportContextFailed
moClass: query:ImportContext
Type: configuration
Auto Cleared: true
Affected MO: query/import-[sessionId]

```

fltComputeRemoteOpStatusRemote-op-failed

障害コード : F10000634

メッセージ

Remote operation of type [opType] on [name] failed.Reason: [descr]

説明

この障害は、UCS ドメインでのリモート操作が失敗したときに発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** 失敗した操作のタイプと追加情報が含まれる障害の説明を確認してください。
 - ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

Severity: info
Cause: remote-failed
mibFaultCode: 10000634
mibFaultName: fltComputeRemoteOpStatusRemoteOpFailed
moClass: compute:RemoteOpStatus
Type: operational
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/backup-[hostname]/remote-op-status
Affected MO: sys/backup-[hostname]/remote-op-status



Statistics Manager の障害

初版発行日 : 2014 年 7 月 23 日
最終更新日 : 2014 年 7 月 23 日

fltCommSvcEpCommSvcNotDeployed

障害コード : F1000339

メッセージ

Communication Service configuration can't be deployed.Error: [configStatusMessage]

説明

この障害は通常、Cisco UCS Manager が無効な通信ポリシー構成を検出したために発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

ステップ 1 すべての通信サービスで設定されているポートが一意であることを確認します。

障害の詳細

Severity: major
Cause: comm-svc-config-error
mibFaultCode: 10000339
mibFaultName: fltCommSvcEpCommSvcNotDeployed
moClass: comm:SvcEp
Type: comm-svc-not-deployed
Auto Cleared: true
Affected MO: sys/svc-ext

fltConfigDbConfigStats-DB-Error

障害コード : F1000536

メッセージ

Statistics database connect/read/write error (Possible database connectivity or disk space issue).Please check

説明

この障害は、統計情報データベースが間違っていて設定されている、ダウンしている、またはディスク領域が不足している場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** 統計情報データベースの設定を確認し、必要に応じて修正します。
 - ステップ 2** 統計情報データベースを確認し、ダウンしていたりディスク領域が不足していないかを確認します。
 - ステップ 3** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: db-connect-read-write-error
mibFaultCode: 10000536
mibFaultName: fltConfigDbConfigStatsDBError
moClass: config:DbConfig
Type: admin
Auto Cleared: true
Affected MO: sys/dbconfig
```

fltPkiTPStatus

障害コード : F1000591

メッセージ

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

説明

この障害は、トラストポイントの証明書ステータスが無効になった場合に発生します。

推奨処置

未設定。

障害の詳細

```
Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/tp-[name]
```

fltPkiKeyRingStatus

障害コード : F10000592

メッセージ

[name] Keyring's certificate is invalid, reason: [certStatus].

説明

この障害は、キーリングの証明書ステータスが無効になった場合に発生します。

推奨処置

未設定。

障害の詳細

```
Severity: major  
Cause: invalid-keyring-certificate  
mibFaultCode: 10000592  
mibFaultName: fltPkiKeyRingStatus  
moClass: pki:KeyRing  
Type: security  
Auto Cleared: true  
Affected MO: sys/pki-ext/keyring-[name]
```



サービスレジストリの障害

初版発行日 : 2014 年 7 月 23 日
最終更新日 : 2014 年 7 月 23 日

fltExtpolProviderProviderLostConnectivity

障害コード : F10000190

メッセージ

Service provider ([capability], [ip], [ipv6]) lost connectivity

説明

このプロバイダーは UCS Central のレジストリから到達できません。この障害は通常、プロバイダープロセスがクラッシュしたり、ビジー状態であるためにレジストリによって送信されたハートビートメッセージに回答できない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1** Cisco UCS Central CLI で、**local-mgmt** シェルの **show pmon state** からプロバイダーのプロセス状態を確認します。UCS Central の **[Administrator]** から GUI を介して同じ情報を確認できます。
- ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: critical
Cause: provider-lost-connectivity
mibFaultCode: 10000190
mibFaultName: fltExtpolProviderProviderLostConnectivity
moClass: extpol:Provider
Type: network
Auto Cleared: true
Affected MO: extpol/reg/providers/prov-[type]
```

fltExtpolControllerControllerLostConnectivity

障害コード : F10000191

メッセージ

Management controller ([capability], [ip], [ipv6]) lost connectivity

説明

このコントローラは UCS Central のレジストリから到達できません。この障害は通常、コントローラ プロセスがクラッシュしたり、ビジー状態であるためにレジストリによって送信されたハートビート メッセージに応答できない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** Cisco UCS Central CLI で、**local-mgmt** シェルの **show pmon state** からプロバイダーのプロセス状態を確認します。UCS Central の **[Administrator]** から GUI を介して同じ情報を確認できます。
 - ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: critical
Cause: controller-lost-connectivity
mibFaultCode: 10000191
mibFaultName: fltExtpolControllerControllerLostConnectivity
moClass: extpol:Controller
Type: network
Auto Cleared: true
Affected MO: extpol/reg/controllers/contro-[id]
```

fltExtpolClientClientLostConnectivity

障害コード : F10000192

メッセージ

Managed endpoint ([capability], [ip], [ipv6]) lost connectivity

説明

この登録された UCS ドメインは UCS Central のレジストリから到達できません。このエラーは通常、UCS ドメインがネットワーク アクセスを失った、または UCS ドメインの DME プロセスがクラッシュした、またはビジー状態であるためにレジストリによって送信されたハートビート メッセージに応答できない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** Cisco UCS Central CLI で、**service-reg** シェルの **show clients detail** からクライアントのプロセス状態を確認します。UCS Central の **[Administrator]** から GUI を介して同じ情報を確認できます。
 - ステップ 2** UCS ドメインから UCS Central へのネットワーク接続を確認します。また、UCSM がより大きく長いトランザクションをビジー状態で処理していないかを確認します。

- ステップ 3** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: client-lost-connectivity
mibFaultCode: 10000192
mibFaultName: fltExtpolClientClientLostConnectivity
moClass: extpol:Client
Type: network
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

fltExtpolRegistryServiceRegistryVersionMismatch

障害コード : F10000193

メッセージ

Service Registry ([capability], [ip], [ipv6]) software version is not compatible

説明

UCS Central レジストリは互換性のあるバージョンのパッケージを実行していません。

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1** 有効な UCS Central パッケージにアップグレードするか、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: critical
Cause: service-registry-version-mismatch
mibFaultCode: 10000193
mibFaultName: fltExtpolRegistryServiceRegistryVersionMismatch
moClass: extpol:Registry
Type: network
Auto Cleared: true
Affected MO: extpol/reg
```

fltExtpolProviderProviderVersionMismatch

障害コード : F10000194

メッセージ

Service provider ([capability], [ip], [ipv6]) software version is not compatible

説明

UCS Central プロバイダは互換性のあるバージョンのパッケージを実行していません。

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1** 有効な UCS Central パッケージにアップグレードするか、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: critical
Cause: provider-version-mismatch
mibFaultCode: 10000194
mibFaultName: fltExtpolProviderProviderVersionMismatch
moClass: extpol:Provider
Type: network
Auto Cleared: true
Affected MO: extpol/reg/providers/prov-[type]
```

fltExtpolControllerControllerVersionMismatch

障害コード : F10000195

メッセージ

Management controller ([capability], [ip], [ipv6]) software version is not compatible

説明

UCS Central コントローラは互換性のあるバージョンのパッケージを実行していません。

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1** 有効な UCS Central パッケージにアップグレードするか、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: critical
Cause: controller-version-mismatch
mibFaultCode: 10000195
mibFaultName: fltExtpolControllerControllerVersionMismatch
moClass: extpol:Controller
Type: network
Auto Cleared: true
Affected MO: extpol/reg/controllers/contro-[id]
```

fltExtpolClientClientVersionMismatch

障害コード : F10000196

メッセージ

Managed endpoint ([capability], [ip], [ipv6]) software version is not compatible

説明

UCS ドメインは UCS Central に互換性のあるソフトウェア バージョンを実行していません。

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1** UCS Central に登録するために、UCS ドメインを互換性のあるバージョンにアップグレードします。

障害の詳細

```
Severity: critical
Cause: client-version-mismatch
mibFaultCode: 10000196
mibFaultName: fltExtpolClientClientVersionMismatch
moClass: extpol:Client
Type: network
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

fltCommSvcEpCommSvcNotDeployed

障害コード : F10000339

メッセージ

Communication Service configuration can't be deployed.Error: [configStatusMessage]

説明

この障害は通常、Cisco UCS Manager が無効な通信ポリシー構成を検出したために発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1** すべての通信サービスで設定されているポートが一意であることを確認します。

障害の詳細

```
Severity: major
Cause: comm-svc-config-error
mibFaultCode: 10000339
mibFaultName: fltCommSvcEpCommSvcNotDeployed
moClass: comm:SvcEp
Type: comm-svc-not-deployed
Auto Cleared: true
Affected MO: sys/svc-ext
```

fltLicenseInstanceGracePeriodWarning1

障害コード : F10000362

メッセージ

license for feature [feature] on UCS Central [scope] has entered into the grace period.

説明

少なくとも 1 つの UCS ドメインがライセンスなしで UCS Central に登録されています。この障害は通常、すべてのデフォルトの（および調達された）ライセンスが他の UCS ドメインに割り当てられた後に、1 つ以上の UCS ドメインが UCS Central に登録された場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCS Central にインストールされ消費されたライセンスの数を確認します。Cisco UCS Central GUI では、UCS Central の [Admin] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、**service-reg** セッションからライセンス スコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
- ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: license-graceperiod-entered
mibFaultCode: 10000362
mibFaultName: fltLicenseInstanceGracePeriodWarning1
moClass: license:Instance
Type: management
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

fltLicenseInstanceGracePeriodWarning2

障害コード : F10000363

メッセージ

license for feature [feature] on UCS Central [scope] is running in the grace period for more than 10 days

説明

少なくとも 1 つの UCS ドメインがライセンスなしで UCS Central に登録されています。この障害は通常、すべてのデフォルトの（および調達された）ライセンスが他の UCS ドメインに割り当てられた後に、1 つ以上の UCS ドメインが UCS Central に登録された場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCS Central にインストールされ消費されたライセンスの数を確認します。Cisco UCS Central GUI では、UCS Central の [Admin] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、ライセンスの スコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
- ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: license-graceperiod-10days
```

```

mibFaultCode: 10000363
mibFaultName: fltLicenseInstanceGracePeriodWarning2
moClass: license:Instance
Type: management
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]

```

fltLicenseInstanceGracePeriodWarning3

障害コード : F10000364

メッセージ

license for feature [feature] on UCS Central [scope] is running in the grace period for more than 30 days

説明

UCS Central で少なくとも 1 つの UCS ドメインが 30 日を超える猶予期間で動作しています。この障害は通常、すべてのデフォルトの（および調達された）ライセンスが他の UCS ドメインに割り当てられた後に、1 つ以上の UCS ドメインが UCS Central に登録され、非ライセンスの UCS ドメインが 120 日を超えて実行している場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCS Central にインストールされ消費されたライセンスの数を確認します。Cisco UCS Manager GUI では、UCS Central の [Admin] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、ライセンスのスコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
 - ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```

Severity: warning
Cause: license-graceperiod-30days
mibFaultCode: 10000364
mibFaultName: fltLicenseInstanceGracePeriodWarning3
moClass: license:Instance
Type: management
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]

```

fltLicenseInstanceGracePeriodWarning4

障害コード : F10000365

メッセージ

license for feature [feature] on UCS Central [scope] is running in the grace period for more than 60 days

説明

UCS Central で少なくとも 1 つの UCS ドメインが 60 日を超える猶予期間で動作しています。この障害は通常、すべてのデフォルトの（および調達された）ライセンスが他の UCS ドメインに割り当てられた後に、1 つ以上の UCS ドメインが UCS Central に登録され、非ライセンスの UCS ドメインが 60 日を超えて実行している場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1** UCS Central にインストールされ消費されたライセンスの数を確認します。Cisco UCS Central GUI では、UCS Central の [Admin] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、ライセンスのスコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
- ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: license-graceperiod-60days
mibFaultCode: 10000365
mibFaultName:fltLicenseInstanceGracePeriodWarning4
moClass: license:Instance
Type: management
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

fltLicenseInstanceGracePeriodWarning5

障害コード : F10000366

メッセージ

license for feature [feature] on UCS Central [scope] is running in the grace period for more than 90 days

説明

UCS Central で少なくとも 1 つの UCS ドメインが 90 日を超える猶予期間で動作しています。この障害は通常、すべてのデフォルトの（および調達された）ライセンスが他の UCS ドメインに割り当てられた後に、1 つ以上の UCS ドメインが UCS Central に登録され、非ライセンスの UCS ドメインが 90 日を超えて実行している場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1** UCS Central によりインストールされ消費されたライセンスの数を確認します。Cisco UCS Central GUI では、UCS Central の [Admin] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、ライセンスのスコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
- ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: license-graceperiod-90days
mibFaultCode: 10000366
mibFaultName:fltLicenseInstanceGracePeriodWarning5
moClass: license:Instance
Type: management
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

fltLicenseInstanceGracePeriodWarning6

障害コード : F10000367

メッセージ

license for feature [feature] on UCS Central [scope] is running in the grace period for more than 119 days

説明

UCS Central で少なくとも 1 つの UCS ドメインが 119 日を超える猶予期間で動作しています。この障害は通常、すべてのデフォルトの（および調達された）ライセンスが他の UCS ドメインに割り当てられた後に、1 つ以上の UCS ドメインが UCS Central に登録され、非ライセンスの UCS ドメインが 119 日を超えて実行している場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCS Central にインストールされ消費されたライセンスの数を確認します。Cisco UCS Central GUI では、UCS Central の [Admin] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、ライセンスのスコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
 - ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: critical
Cause: license-graceperiod-119days
mibFaultCode: 10000367
mibFaultName: fltLicenseInstanceGracePeriodWarning6
moClass: license:Instance
Type: management
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

fltLicenseInstanceGracePeriodWarning7

障害コード : F10000368

メッセージ

Grace period for feature [feature] on UCS Central [scope] is expired.Please acquire a license for the same.

説明

UCS Central で少なくとも 1 つの UCS ドメインが 120 日を超える猶予期間で動作しています。すべてのデフォルトの（および調達された）ライセンスが他の UCS ドメインに割り当てられた後に、UCS ドメインが UCS Central に登録され、非ライセンスの UCS ドメインが 120 日を超えて実行している場合に発生します。この段階で、システムのライセンス状態は期限切れに設定されます。

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1** UCS Central にインストールされ消費されたライセンスの数を確認します。Cisco UCS Central GUI では、UCS Central の [Admin] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、ライセンスのスコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
- ステップ 2** ライセンスが設定されていない UCS ドメインをディセーブルにして、イネーブルになっているドメインの数を合計ライセンス数まで下げます。
- ステップ 3** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、ただちに Cisco TAC に問い合わせして、ライセンスを取得してください。

障害の詳細

```
Severity: critical
Cause: license-graceperiod-expired
mibFaultCode: 10000368
mibFaultName: fltLicenseInstanceGracePeriodWarning7
moClass: license:Instance
Type: management
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

fltLicenseFileBadLicenseFile

障害コード : F10000369

メッセージ

license file [name] on UCS Central [scope] can not be installed

説明

UCS Central でのライセンス ファイルのインストールが失敗しました。通常、この障害は、ライセンス ファイルが誤ってフォーマットされているか、ホスト ID が UCS ドメインのホスト ID と一致していない場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

- ステップ 1** Cisco UCS Central CLI では、UCS ドメインのホスト ID を確認します。ライセンスのスコープの下で **show server-host-id detail** コマンドを入力すると、ホスト ID 情報にアクセスできます。
- ステップ 2** ホスト ID とライセンス ファイルの内容を照合します。ホスト ID がいずれかの UCS ドメインのホスト ID と一致している場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。一致していない場合は、Cisco TAC に連絡し、正しいライセンス ファイルを入手してください。

障害の詳細

```
Severity: critical
Cause: license-file-uninstallable
mibFaultCode: 10000369
mibFaultName: fltLicenseFileBadLicenseFile
moClass: license:File
Type: management
```

```
Auto Cleared: false
Affected MO: sys/license/file-[scope]:[id]
```

fltLicenseFileFileNotDeleted

障害コード : F10000370

メッセージ

license file [name] from UCS Central [scope] could not be deleted

説明

UCS Central でのライセンス ファイルの削除に失敗しました。通常、この障害は、ライセンス フレームワークでファイルを削除できない場合に発生します。

推奨処置

この障害が発生した場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: critical
Cause: license-file-not-deleted
mibFaultCode: 10000370
mibFaultName: fltLicenseFileFileNotDeleted
moClass: license:File
Type: management
Auto Cleared: false
Affected MO: sys/license/file-[scope]:[id]
```

fltExtpolClientGracePeriodWarning

障害コード : F10000372

メッセージ

UCS domain [name] registered with UCS Central has entered into the grace period.

説明

1 つの UCS ドメインがライセンスなしで UCS Central に登録されています。この障害は通常、すべてのデフォルトの（および調達された）ライセンスが他の UCS ドメインに割り当てられた後に、この UCS ドメインが UCS Central に登録された場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1 UCS Central にインストールされ消費されたライセンスの数を確認します。Cisco UCS Central GUI では、UCS Central の [Operations Management] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、**service-reg** セッションからライセンス スコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
 - ステップ 2 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: license-graceperiod-entered
mibFaultCode: 10000372
mibFaultName: fltExtpolClientGracePeriodWarning
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

fltExtpolClientGracePeriodWarning2

障害コード : F1000373

メッセージ

UCS Domain [name] registered with UCS Central is running in the grace period for more than 10 days

説明

この UCS ドメインがライセンスなしで UCS Central に登録されています。この障害は通常、すべてのデフォルトの（および調達された）ライセンスが他の UCS ドメインに割り当てられた後に、この UCS ドメインが UCS Central に登録された場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCS Central にインストールされ消費されたライセンスの数を確認します。Cisco UCS Central GUI では、UCS Central の [Operations Management] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、ライセンスのスコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
- ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: license-graceperiod-10days
mibFaultCode: 10000373
mibFaultName: fltExtpolClientGracePeriodWarning2
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

fltExtpolClientGracePeriodWarning3

障害コード : F1000374

メッセージ

UCS Domain [name] registered with UCS Central is running in the grace period for more than 30 days

説明

UCS Central に登録されたこの UCS ドメインが 30 日を超える猶予期間で実行しています。この障害は通常、すべてのデフォルトの（および調達された）ライセンスが他の UCS ドメインに割り当てられた後に、この UCS ドメインが UCS Central に登録され、非ライセンスの UCS ドメインが 120 日を超えて実行している場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCS Central にインストールされ消費されたライセンスの数を確認します。Cisco UCS Manager GUI では、UCS Central の [Operations Management] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、ライセンスのスコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
 - ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: license-graceperiod-30days
mibFaultCode: 10000374
mibFaultName: fltExtpolClientGracePeriodWarning3
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

fltExtpolClientGracePeriodWarning4

障害コード : F10000375

メッセージ

UCS Domain [name] registered with UCS Central is running in the grace period for more than 60 days

説明

UCS Central に登録されたこの UCS ドメインが 60 日を超える猶予期間で実行しています。この障害は通常、すべてのデフォルトの（および調達された）ライセンスが他の UCS ドメインに割り当てられた後に、この UCS ドメインが UCS Central に登録され、非ライセンスの UCS ドメインが 60 日を超えて実行している場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCS Central にインストールされ消費されたライセンスの数を確認します。Cisco UCS Central GUI では、UCS Central の [Operations Management] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、ライセンスのスコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
 - ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: warning
Cause: license-graceperiod-60days
mibFaultCode: 10000375
mibFaultName: fltExtpolClientGracePeriodWarning4
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

fltExtpolClientGracePeriodWarning5

障害コード : F10000376

メッセージ

UCS Domain [name] registered with UCS Central is running in the grace period for more than 90 days

説明

UCS Central に登録されたこの UCS ドメインが 90 日を超える猶予期間で実行しています。この障害は通常、すべてのデフォルトの（および調達された）ライセンスが他の UCS ドメインに割り当てられた後に、この UCS ドメインが UCS Central に登録され、非ライセンスの UCS ドメインが 90 日を超えて実行している場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCS Central によりインストールされ消費されたライセンスの数を確認します。Cisco UCS Central GUI では、UCS Central の [Operations Management] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、ライセンスのスコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
- ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: major
Cause: license-graceperiod-90days
mibFaultCode: 10000376
mibFaultName: fltExtpolClientGracePeriodWarning5
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

fltExtpolClientGracePeriodWarning6

障害コード : F10000377

メッセージ

UCS Domain [name] registered with UCS Central is running in the grace period for more than 119 days

説明

UCS Central に登録されたこの UCS ドメインが 119 日を超える猶予期間で実行しています。この障害は通常、すべてのデフォルトの（および調達された）ライセンスが他の UCS ドメインに割り当てられた後に、この UCS ドメインが UCS Central に登録され、非ライセンスの UCS ドメインが 119 日を超えて実行している場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCS Central にインストールされ消費されたライセンスの数を確認します。Cisco UCS Central GUI では、UCS Central の [Operations Management] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、ライセンスのスコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
- ステップ 2** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: critical
Cause: license-graceperiod-119days
mibFaultCode: 10000377
mibFaultName: fltExtpolClientGracePeriodWarning6
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

fltExtpolClientGracePeriodWarning7

障害コード : F10000378

メッセージ

Grace period for UCS Domain [name] registered with UCS Central has expired.Please acquire a license for the same.

説明

UCS Central に登録されたこの UCS ドメインが 120 日を超える猶予期間で実行しています。すべてのデフォルトの（および調達された）ライセンスが他の UCS ドメインに割り当てられた後に、UCS ドメインが UCS Central に登録され、非ライセンスの UCS ドメインが 120 日を超えて実行している場合に発生します。この段階で、システムのライセンス状態は期限切れに設定されます。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** UCS Central にインストールされ消費されたライセンスの数を確認します。Cisco UCS Central GUI では、UCS Central の [Operations Management] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、ライセンスのスコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
- ステップ 2** ライセンスが設定されていない UCS ドメインをディセーブルにして、イネーブルになっているドメインの数を合計ライセンス数まで下げます。

- ステップ 3** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、ただちに Cisco TAC に問い合わせして、ライセンスを取得してください。

障害の詳細

```
Severity: critical
Cause: license-graceperiod-expired
mibFaultCode: 10000378
mibFaultName: fltExtpolClientGracePeriodWarning7
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

fltExtpolClientGracePeriodWarning1

障害コード : F10000379

メッセージ

UCS Domain [name] is registered with UCS Central without a valid license.

説明

この UCS ドメインがライセンスなしで UCS Central に登録されています。この障害は通常、すべてのデフォルトのライセンスが他の UCS ドメインに割り当てられた後に、この UCS ドメインが最初のアクティベーションライセンスなしで UCS Central に登録された場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** 最初のアクティベーションライセンスが UCS Central にインストールされているかどうかを確認します。Cisco UCS Central GUI では、UCS Central の [Operations Management] タブからライセンス情報にアクセスできます。Cisco UCS Central CLI では、ライセンスのスコープの下で **show usage detail** コマンドを入力して、ライセンス情報にアクセスできます。
- ステップ 2** ライセンスが設定されていない UCS ドメインをディセーブルにして、イネーブルになっているドメインの数を合計ライセンス数まで下げます。
- ステップ 3** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、ただちに Cisco TAC に問い合わせして、ライセンスを取得してください。

障害の詳細

```
Severity: critical
Cause: license-insufficient
mibFaultCode: 10000379
mibFaultName: fltExtpolClientGracePeriodWarning1
moClass: extpol:Client
Type: management
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

fltPkiTPStatus

障害コード : F10000591

メッセージ

[name] Trustpoint's cert-chain is invalid, reason: [certStatus].

説明

この障害は、トラストポイントの証明書ステータスが無効になった場合に発生します。

推奨処置

未設定。

障害の詳細

```
Severity: major
Cause: invalid-trustpoint-cert-chain
mibFaultCode: 10000591
mibFaultName: fltPkiTPStatus
moClass: pki:TP
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/tp-[name]
```

fltPkiKeyRingStatus

障害コード : F10000592

メッセージ

[name] Keyring's certificate is invalid, reason: [certStatus].

説明

この障害は、キーリングの証明書ステータスが無効になった場合に発生します。

推奨処置

未設定。

障害の詳細

```
Severity: major
Cause: invalid-keyring-certificate
mibFaultCode: 10000592
mibFaultName: fltPkiKeyRingStatus
moClass: pki:KeyRing
Type: security
Auto Cleared: true
Affected MO: sys/pki-ext/keyring-[name]
```

fltExtpolClientClientNotReachable

障害コード : F1000644

メッセージ

Managed endpoint ([capability], [ip], [ipv6]) is not reachable

説明

この登録された UCS ドメインは UCS Central のレジストリから到達できません。この障害は通常、UCS ドメインがネットワーク アクセスを失った場合に発生します。

推奨処置

この障害が発生した場合は、次の処理を実行します。

-
- ステップ 1** Cisco UCS Central CLI で、**service-reg** シェルの **show clients detail** からクライアントのプロセス状態を確認します。UCS Central の **[Administrator]** から GUI を介して同じ情報を確認できます。
 - ステップ 2** UCS ドメインから UCS Central へのネットワーク接続を確認します。
 - ステップ 3** 上記のアクションで問題を解決できなかった場合は、**show tech-support** ファイルを作成し、Cisco TAC にお問い合わせください。

障害の詳細

```
Severity: info
Cause: client-lost-connectivity
mibFaultCode: 10000644
mibFaultName: fltExtpolClientClientNotReachable
moClass: extpol:Client
Type: network
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```



パート 2

FSM の障害



コア障害

初版発行日 : 2014 年 7 月 23 日
最終更新日 : 2014 年 7 月 23 日

fsmStFailSysdebugLogControlEpPersistence:persist

障害コード : F10016392

メッセージ

[FSM:STAGE:FAILED|RETRY]: persist the Log Control Ep
change(FSM-STAGE:sam:dme:SysdebugLogControlEpPersistence:persist)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: persist-failed
mibFaultCode: 10016392
mibFaultName: fsmStFailSysdebugLogControlEpPersistencePersist
moClass: sysdebug:LogControlEp
Type: fsm
Auto Cleared: true
Affected MO: sys/sysdebug/logcontrol

fsmStFailMgmtRegistryInfoConfigure:config

障害コード : F10016394

メッセージ

[FSM:STAGE:FAILED|RETRY]: update service-reg ip in
sam.config(FSM-STAGE:sam:dme:MgmtRegistryInfoConfigure:config)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: config-failed
mibFaultCode: 10016394
mibFaultName: fsmStFailMgmtRegistryInfoConfigureConfig
moClass: mgmt:RegistryInfo
Type: fsm
Auto Cleared: true
Affected MO: sys/registryinfo

```

fsmStFailOrgOrgConfigure:config

障害コード : F10016394

メッセージ

[FSM:STAGE:FAILED|RETRY]: configure controller device profile(FSM-STAGE:sam:dme:OrgOrgConfigure:config)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: config-failed
mibFaultCode: 10016394
mibFaultName: fsmStFailOrgOrgConfigureConfig
moClass: org:Org
Type: fsm
Auto Cleared: true
Affected MO: org-[name]

```

fsmStFailSysdebugAutoCoreFileExportTargetConfigure:Local

障害コード : F10016394

メッセージ

[FSM:STAGE:FAILED|RETRY]: configuring automatic core file export service on local(FSM-STAGE:sam:dme:SysdebugAutoCoreFileExportTargetConfigure:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: local-failed
mibFaultCode: 10016394
mibFaultName: fsmStFailSysdebugAutoCoreFileExportTargetConfigureLocal
moClass: sysdebug:AutoCoreFileExportTarget
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/file-export
Affected MO: sys/sysdebug/file-export

fsmStFailSysdebugManualCoreFileExportTargetExport:Execute

障害コード : F10016397

メッセージ

[FSM:STAGE:FAILED|RETRY]: export core file [name] to [hostname](FSM-STAGE:sam:dme:SysdebugManualCoreFileExportTargetExport:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10016397
mibFaultName: fsmStFailSysdebugManualCoreFileExportTargetExportExecute
moClass: sysdebug:ManualCoreFileExportTarget
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/export-to-[hostname]

fsmStFailSysfileMutationSingle:Execute

障害コード : F10016398

メッセージ

[FSM:STAGE:FAILED|RETRY]: [action] file [name](FSM-STAGE:sam:dme:SysfileMutationSingle:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed

```

mibFaultCode: 10016398
mibFaultName: fsmStFailSysfileMutationSingleExecute
moClass: sysfile:Mutation
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/mutation
Affected MO: sys/corefiles/mutation

```

fsmStFailSysfileMutationGlobal:Local

障害コード : F10016399

メッセージ

[FSM:STAGE:FAILED|RETRY]: remove files from local(FSM-STAGE:sam:dme:SysfileMutationGlobal:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: local-failed
mibFaultCode: 10016399
mibFaultName: fsmStFailSysfileMutationGlobalLocal
moClass: sysfile:Mutation
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/mutation
Affected MO: sys/corefiles/mutation

```

fsmStFailTopSystemHostName:config

障害コード : F10016400

メッセージ

[FSM:STAGE:FAILED|RETRY]: Configure the Virtual Machine Hostname: [name](FSM-STAGE:sam:dme:TopSystemHostName:config)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: config-failed
mibFaultCode: 10016400
mibFaultName: fsmStFailTopSystemHostNameConfig

```

```

moClass: top:System
Type: fsm
Auto Cleared: true
Affected MO: sys

```

fsmStFailSysdebugTechSupportInitiate:Local

障害コード : F10016421

メッセージ

[FSM:STAGE:FAILED|RETRY]: create tech-support file from GUI(FSM-STAGE:sam:dme:SysdebugTechSupportInitiate:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: local-failed
mibFaultCode: 10016421
mibFaultName: fsmStFailSysdebugTechSupportInitiateLocal
moClass: sysdebug:TechSupport
Type: fsm
Auto Cleared: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]

```

fsmStFailSysdebugTechSupportDeleteTechSupFile:Local

障害コード : F10016422

メッセージ

[FSM:STAGE:FAILED|RETRY]: delete tech-support file from GUI(FSM-STAGE:sam:dme:SysdebugTechSupportDeleteTechSupFile:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: local-failed
mibFaultCode: 10016422
mibFaultName: fsmStFailSysdebugTechSupportDeleteTechSupFileLocal
moClass: sysdebug:TechSupport
Type: fsm
Auto Cleared: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]

```

fsmStFailNetworkElementUpdateElement:updateAttr

障害コード : F10016424

メッセージ

[FSM:STAGE:FAILED|RETRY]: update virtual machine: [rn]
attributes(FSM-STAGE:sam:dme:NetworkElementUpdateElement:updateAttr)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: update-attr-failed
mibFaultCode: 10016424
mibFaultName: fsmStFailNetworkElementUpdateElementUpdateAttr
moClass: network:Element
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]
```

fsmStFailAaaEpUpdateEp:SetEpLocal

障害コード : F10016426

メッセージ

[FSM:STAGE:FAILED|RETRY]: external aaa server configuration to
primary(FSM-STAGE:sam:dme:AaaEpUpdateEp:SetEpLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: set-ep-local-failed
mibFaultCode: 10016426
mibFaultName: fsmStFailAaaEpUpdateEpSetEpLocal
moClass: aaa:Ep
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/
Affected MO: sys/
```

fsmStFailAaaUserEpUpdateUserEp:SetUserLocal

障害コード : F10016427

メッセージ

[FSM:STAGE:FAILED|RETRY]: user configuration to primary(FSM-STAGE:sam:dme:AaaUserEpUpdateUserEp:SetUserLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: set-user-local-failed
mibFaultCode: 10016427
mibFaultName: fsmStFailAaaUserEpUpdateUserEpSetUserLocal
moClass: aaa:UserEp
Type: fsm
Auto Cleared: true
Affected MO: sys/user-ext
```

fsmStFailObserveObservedResolvePolicyFsm:Execute

障害コード : F10016441

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016441
mibFaultName: fsmStFailObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmStFailTestingServiceProfileResolvePolicyFsm:Resolve

障害コード : F10016441

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:TestingServiceProfileResolvePolicyFsm:Resolve)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-failed
mibFaultCode: 10016441
mibFaultName: fsmStFailTestingServiceProfileResolvePolicyFsmResolve
moClass: testing:ServiceProfile
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/service-profile-[name]
```

fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

障害コード : F10016442

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016442
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailTestingServiceProfileResolveManyPolicyFsm:ResolveMany

障害コード : F10016442

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:TestingServiceProfileResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016442
mibFaultName: fsmStFailTestingServiceProfileResolveManyPolicyFsmResolveMany
moClass: testing:ServiceProfile
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/service-profile-[name]

fsmStFailCertRepairEpRepairCert:request

障害コード : F10016504

メッセージ

[FSM:STAGE:FAILED|RETRY]: request
 cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: request-failed
mibFaultCode: 10016504


```

mibFaultName: fsmStFailCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

```

fsmStFailCertRepairEpRepairCert:verify

障害コード : F10016504

メッセージ

[FSM:STAGE:FAILED|RETRY]: checking that cert was provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: verify-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

```

fsmStFailObserveObservedResolveResourceFsm:Execute

障害コード : F10016511

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016511
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true

```

Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmStFailObserveObservedResolveVMFsm:Execute

障害コード : F10016512

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10016512
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmStFailObserveObservedResolveControllerFsm:Execute

障害コード : F10016513

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10016513

```

mibFaultName: fsmStFailObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmStFailCommSvcEpRestartWebSvc:restart

障害コード : F10016515

メッセージ

[FSM:STAGE:FAILED|RETRY]: restart web
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: restart-failed
mibFaultCode: 10016515
mibFaultName: fsmStFailCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext

```

fsmStFailExtpolEpRegisterFsm:Execute

障害コード : F10016518

メッセージ

[FSM:STAGE:FAILED|RETRY]: Register FSM
Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016518

```

```

mibFaultName: fsmStFailExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol

```

fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release

障害コード : F10016532

メッセージ

```

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016532
mibFaultName: fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release

障害コード : F10016533

メッセージ

```

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016533
mibFaultName: fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

障害コード : F10016534

メッセージ

```

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016534
mibFaultName: fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

障害コード : F10016536

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016536
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

障害コード : F10016537

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016537
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

障害コード : F10016538

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016538
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

障害コード : F10016539

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016539
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

障害コード : F10016540

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10016540
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

障害コード : F10016541

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016541
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

障害コード : F10016542

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016542
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

障害コード : F10016543

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016543
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

障害コード : F10016544

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016544
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

障害コード : F10016545

メッセージ

```

[FSM:STAGE:FAILED]RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016545
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

障害コード : F10016546

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning

Cause: release-all-failed

mibFaultCode: 10016546

mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll

moClass: policy:PolicyScope

Type: fsm

Auto Cleared: true

Affected MO:

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailMgmtIfVirtualIfConfig:Local

障害コード : F10016725

メッセージ

[FSM:STAGE:FAILED|RETRY]: Updating virtual interface on virtual machine(FSM-STAGE:sam:dme:MgmtIfVirtualIfConfig:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016725
mibFaultName: fsmStFailMgmtIfVirtualIfConfigLocal
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
```

fsmStFailMgmtIfEnableVip:Local

障害コード : F10016726

メッセージ

[FSM:STAGE:FAILED|RETRY]: Enable virtual interface on virtual machine(FSM-STAGE:sam:dme:MgmtIfEnableVip:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016726
mibFaultName: fsmStFailMgmtIfEnableVipLocal
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
```

fsmStFailMgmtIfDisableVip:Local

障害コード : F10016727

メッセージ

[FSM:STAGE:FAILED|RETRY]: Disable virtual interface on virtual machine(FSM-STAGE:sam:dme:MgmtIfDisableVip:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016727
mibFaultName: fsmStFailMgmtIfDisableVipLocal
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
```

fsmStFailOrgOrgConfigurePeer:config

障害コード : F10016728

メッセージ

[FSM:STAGE:FAILED|RETRY]: configure controller device profile(FSM-STAGE:sam:dme:OrgOrgConfigurePeer:config)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: config-failed
mibFaultCode: 10016728
mibFaultName: fsmStFailOrgOrgConfigurePeerConfig
moClass: org:Org
Type: fsm
Auto Cleared: true
Affected MO: org-[name]
```

fsmStFailTopSystemPeerHostName:config

障害コード : F10016729

メッセージ

[FSM:STAGE:FAILED|RETRY]: Configure the Peer Virtual Machine Hostname: [name](FSM-STAGE:sam:dme:TopSystemPeerHostName:config)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: config-failed
mibFaultCode: 10016729
mibFaultName: fsmStFailTopSystemPeerHostNameConfig
moClass: top:System
Type: fsm
Auto Cleared: true
Affected MO: sys
```

fsmStFailAaaRealmUpdateRealm:SetRealm

障害コード : F10016998

メッセージ

```
[FSM:STAGE:FAILED|RETRY]: realm
configuration(FSM-STAGE:sam:dme:AaaRealmUpdateRealm:SetRealm)
```

説明

Cisco UCS Central では認証レルムのプライマリ ノードの構成を更新できませんでした。

推奨処置

この障害が発生した場合は、次の処理を実行します。

障害の詳細

```
Severity: warning
Cause: set-realm-failed
mibFaultCode: 10016998
mibFaultName: fsmStFailAaaRealmUpdateRealmSetRealm
moClass: aaa:Realm
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/
Affected MO: sys/
```

fsmRmtErrSysdebugLogControlEpPersistence:persist

障害コード : F10077832

メッセージ

```
[FSM:STAGE:REMOTE-ERROR]: persist the Log Control Ep
change(FSM-STAGE:sam:dme:SysdebugLogControlEpPersistence:persist)
```

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: persist-failed
```



```
mibFaultCode: 10077832
mibFaultName: fsmRmtErrSysdebugLogControlEpPersistencePersist
moClass: sysdebug:LogControlEp
Type: fsm
Auto Cleared: true
Affected MO: sys/sysdebug/logcontrol
```

fsmRmtErrMgmtRegistryInfoConfigure:config

障害コード : F10077834

メッセージ

[FSM:STAGE:REMOTE-ERROR]: update service-reg ip in sam.config(FSM-STAGE:sam:dme:MgmtRegistryInfoConfigure:config)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: config-failed
mibFaultCode: 10077834
mibFaultName: fsmRmtErrMgmtRegistryInfoConfigureConfig
moClass: mgmt:RegistryInfo
Type: fsm
Auto Cleared: true
Affected MO: sys/registryinfo
```

fsmRmtErrOrgOrgConfigure:config

障害コード : F10077834

メッセージ

[FSM:STAGE:REMOTE-ERROR]: configure controller device profile(FSM-STAGE:sam:dme:OrgOrgConfigure:config)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: config-failed
mibFaultCode: 10077834
mibFaultName: fsmRmtErrOrgOrgConfigureConfig
moClass: org:Org
Type: fsm
```

Auto Cleared: true
Affected MO: org-[name]

fsmRmtErrSysdebugAutoCoreFileExportTargetConfigure:Local

障害コード : F10077834

メッセージ

[FSM:STAGE:REMOTE-ERROR]: configuring automatic core file export service on local(FSM-STAGE:sam:dme:SysdebugAutoCoreFileExportTargetConfigure:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: local-failed
mibFaultCode: 10077834
mibFaultName: fsmRmtErrSysdebugAutoCoreFileExportTargetConfigureLocal
moClass: sysdebug:AutoCoreFileExportTarget
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/file-export
Affected MO: sys/sysdebug/file-export

fsmRmtErrSysdebugManualCoreFileExportTargetExport:Execute

障害コード : F10077837

メッセージ

[FSM:STAGE:REMOTE-ERROR]: export core file [name] to [hostname](FSM-STAGE:sam:dme:SysdebugManualCoreFileExportTargetExport:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077837
mibFaultName: fsmRmtErrSysdebugManualCoreFileExportTargetExportExecute
moClass: sysdebug:ManualCoreFileExportTarget
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/export-to-[hostname]

fsmRmtErrSysfileMutationSingle:Execute

障害コード : F10077838

メッセージ

[FSM:STAGE:REMOTE-ERROR]: [action] file
[name](FSM-STAGE:sam:dme:SysfileMutationSingle:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077838
mibFaultName: fsmRmtErrSysfileMutationSingleExecute
moClass: sysfile:Mutation
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/mutation
Affected MO: sys/corefiles/mutation
```

fsmRmtErrSysfileMutationGlobal:Local

障害コード : F10077839

メッセージ

[FSM:STAGE:REMOTE-ERROR]: remove files from
local(FSM-STAGE:sam:dme:SysfileMutationGlobal:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10077839
mibFaultName: fsmRmtErrSysfileMutationGlobalLocal
moClass: sysfile:Mutation
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/mutation
Affected MO: sys/corefiles/mutation
```

fsmRmtErrTopSystemHostName:config

障害コード : F10077840

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Configure the Virtual Machine Hostname:
[name](FSM-STAGE:sam:dme:TopSystemHostName:config)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: config-failed
mibFaultCode: 10077840
mibFaultName: fsmRmtErrTopSystemHostNameConfig
moClass: top:System
Type: fsm
Auto Cleared: true
Affected MO: sys
```

fsmRmtErrSysdebugTechSupportInitiate:Local

障害コード : F10077861

メッセージ

[FSM:STAGE:REMOTE-ERROR]: create tech-support file from
GUI(FSM-STAGE:sam:dme:SysdebugTechSupportInitiate:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10077861
mibFaultName: fsmRmtErrSysdebugTechSupportInitiateLocal
moClass: sysdebug:TechSupport
Type: fsm
Auto Cleared: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]
```

fsmRmtErrSysdebugTechSupportDeleteTechSupFile:Local

障害コード : F10077862

メッセージ

[FSM:STAGE:REMOTE-ERROR]: delete tech-support file from
GUI(FSM-STAGE:sam:dme:SysdebugTechSupportDeleteTechSupFile:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10077862
mibFaultName: fsmRmtErrSysdebugTechSupportDeleteTechSupFileLocal
moClass: sysdebug:TechSupport
Type: fsm
Auto Cleared: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]
```

fsmRmtErrNetworkElementUpdateElement:updateAttr

障害コード : F10077864

メッセージ

[FSM:STAGE:REMOTE-ERROR]: update virtual machine: [rn]
attributes(FSM-STAGE:sam:dme:NetworkElementUpdateElement:updateAttr)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: update-attr-failed
mibFaultCode: 10077864
mibFaultName: fsmRmtErrNetworkElementUpdateElementUpdateAttr
moClass: network:Element
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]
```

fsmRmtErrAaaEpUpdateEp:SetEpLocal

障害コード : F10077866

メッセージ

[FSM:STAGE:REMOTE-ERROR]: external aaa server configuration to primary(FSM-STAGE:sam:dme:AaaEpUpdateEp:SetEpLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: set-ep-local-failed
mibFaultCode: 10077866
mibFaultName: fsmRmtErrAaaEpUpdateEpSetEpLocal
moClass: aaa:Ep
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/
Affected MO: sys/
```

fsmRmtErrAaaUserEpUpdateUserEp:SetUserLocal

障害コード : F10077867

メッセージ

[FSM:STAGE:REMOTE-ERROR]: user configuration to primary(FSM-STAGE:sam:dme:AaaUserEpUpdateUserEp:SetUserLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: set-user-local-failed
mibFaultCode: 10077867
mibFaultName: fsmRmtErrAaaUserEpUpdateUserEpSetUserLocal
moClass: aaa:UserEp
Type: fsm
Auto Cleared: true
Affected MO: sys/user-ext
```

fsmRmtErrObserveObservedResolvePolicyFsm:Execute

障害コード : F10077881

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077881
mibFaultName: fsmRmtErrObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmRmtErrTestingServiceProfileResolvePolicyFsm:Resolve

障害コード : F10077881

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:TestingServiceProfileResolvePolicyFsm:Resolve)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-failed
mibFaultCode: 10077881
mibFaultName: fsmRmtErrTestingServiceProfileResolvePolicyFsmResolve
moClass: testing:ServiceProfile
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/service-profile-[name]

fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

障害コード : F10077882

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077882
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmRmtErrTestingServiceProfileResolveManyPolicyFsm:ResolveMany

障害コード : F10077882

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:TestingServiceProfileResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077882
mibFaultName: fsmRmtErrTestingServiceProfileResolveManyPolicyFsmResolveMany
moClass: testing:ServiceProfile
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/service-profile-[name]

fsmRmtErrCertRepairEpRepairCert:request

障害コード : F10077944

メッセージ

[FSM:STAGE:REMOTE-ERROR]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: request-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

fsmRmtErrCertRepairEpRepairCert:verify

障害コード : F10077944

メッセージ

[FSM:STAGE:REMOTE-ERROR]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: verify-failed
mibFaultCode: 10077944

```

mibFaultName: fsmRmtErrCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

```

fsmRmtErrObserveObservedResolveResourceFsm:Execute

障害コード : F10077951

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10077951
mibFaultName: fsmRmtErrObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmRmtErrObserveObservedResolveVMFsm:Execute

障害コード : F10077952

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10077952

```

```

mibFaultName: fsmRmtErrObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmRmtErrObserveObservedResolveControllerFsm:Execute

障害コード : F10077953

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10077953
mibFaultName: fsmRmtErrObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmRmtErrCommSvcEpRestartWebSvc:restart

障害コード : F10077955

メッセージ

[FSM:STAGE:REMOTE-ERROR]: restart web
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: restart-failed
mibFaultCode: 10077955
mibFaultName: fsmRmtErrCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext

```

fsmRmtErrExtpolEpRegisterFsm:Execute

障害コード : F10077958

メッセージ

```

[FSM:STAGE:REMOTE-ERROR]: Register FSM
Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10077958
mibFaultName: fsmRmtErrExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol

```

fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release

障害コード : F10077972

メッセージ

```

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077972

```

```

mibFaultName: fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release

障害コード : F10077973

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077973
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release

障害コード : F10077974

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-failed
mibFaultCode: 10077974
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

障害コード : F10077976

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077976
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

障害コード : F10077977

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077977
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

障害コード : F10077978

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077978
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

障害コード : F10077979

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077979
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

障害コード : F10077980

メッセージ

```

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077980
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

障害コード : F10077981

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077981
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

障害コード : F10077982

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077982
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

障害コード : F10077983

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077983
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

障害コード : F10077984

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077984
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

障害コード : F10077985

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-all-failed
mibFaultCode: 10077985
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

障害コード : F10077986

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077986
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrMgmtIfVirtualIfConfig:Local**障害コード : F10078165****メッセージ**

[FSM:STAGE:REMOTE-ERROR]: Updating virtual interface on virtual machine(FSM-STAGE:sam:dme:MgmtIfVirtualIfConfig:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: local-failed
mibFaultCode: 10078165
mibFaultName: fsmRmtErrMgmtIfVirtualIfConfigLocal
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]

```

fsmRmtErrMgmtIfEnableVip:Local

障害コード : F10078166

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Enable virtual interface on virtual machine(FSM-STAGE:sam:dme:MgmtIfEnableVip:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078166
mibFaultName: fsmRmtErrMgmtIfEnableVipLocal
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
```

fsmRmtErrMgmtIfDisableVip:Local

障害コード : F10078167

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Disable virtual interface on virtual machine(FSM-STAGE:sam:dme:MgmtIfDisableVip:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078167
mibFaultName: fsmRmtErrMgmtIfDisableVipLocal
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]
```

fsmRmtErrOrgOrgConfigurePeer:config

障害コード : F10078168

メッセージ

[FSM:STAGE:REMOTE-ERROR]: configure controller device profile(FSM-STAGE:sam:dme:OrgOrgConfigurePeer:config)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: config-failed
mibFaultCode: 10078168
mibFaultName: fsmRmtErrOrgOrgConfigurePeerConfig
moClass: org:Org
Type: fsm
Auto Cleared: true
Affected MO: org-[name]
```

fsmRmtErrTopSystemPeerHostName:config

障害コード : F10078169

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Configure the Peer Virtual Machine Hostname: [name](FSM-STAGE:sam:dme:TopSystemPeerHostName:config)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: config-failed
mibFaultCode: 10078169
mibFaultName: fsmRmtErrTopSystemPeerHostNameConfig
moClass: top:System
Type: fsm
Auto Cleared: true
Affected MO: sys
```


fsmRmtErrAaaRealmUpdateRealm:SetRealm

障害コード : F10078438

メッセージ

[FSM:STAGE:REMOTE-ERROR]: realm
configuration(FSM-STAGE:sam:dme:AaaRealmUpdateRealm:SetRealm)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: set-realm-failed
mibFaultCode: 10078438
mibFaultName: fsmRmtErrAaaRealmUpdateRealmSetRealm
moClass: aaa:Realm
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/
Affected MO: sys/
```

fsmFailSysdebugLogControlEpPersistence

障害コード : F10999432

メッセージ

[FSM:FAILED]: sam:dme:SysdebugLogControlEpPersistence

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999432
mibFaultName: fsmFailSysdebugLogControlEpPersistence
moClass: sysdebug:LogControlEp
Type: fsm
Auto Cleared: true
Affected MO: sys/sysdebug/logcontrol
```

fsmFailMgmtRegistryInfoConfigure

障害コード : F10999434

メッセージ

[FSM:FAILED]: sam:dme:MgmtRegistryInfoConfigure

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999434
mibFaultName: fsmFailMgmtRegistryInfoConfigure
moClass: mgmt:RegistryInfo
Type: fsm
Auto Cleared: true
Affected MO: sys/registryinfo
```

fsmFailOrgOrgConfigure

障害コード : F10999434

メッセージ

[FSM:FAILED]: sam:dme:OrgOrgConfigure

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999434
mibFaultName: fsmFailOrgOrgConfigure
moClass: org:Org
Type: fsm
Auto Cleared: true
Affected MO: org-[name]
```

fsmFailSysdebugAutoCoreFileExportTargetConfigure

障害コード : F10999434

メッセージ

[FSM:FAILED]: sam:dme:SysdebugAutoCoreFileExportTargetConfigure

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999434
mibFaultName: fsmFailSysdebugAutoCoreFileExportTargetConfigure
moClass: sysdebug:AutoCoreFileExportTarget
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/file-export
Affected MO: sys/sysdebug/file-export
```

fsmFailSysdebugManualCoreFileExportTargetExport

障害コード : F10999437

メッセージ

[FSM:FAILED]: sam:dme:SysdebugManualCoreFileExportTargetExport

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999437
mibFaultName: fsmFailSysdebugManualCoreFileExportTargetExport
moClass: sysdebug:ManualCoreFileExportTarget
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/export-to-[hostname]
```

fsmFailSysfileMutationSingle

障害コード : F10999438

メッセージ

[FSM:FAILED]: sam:dme:SysfileMutationSingle

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999438
mibFaultName: fsmFailSysfileMutationSingle
moClass: sysfile:Mutation
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/mutation
Affected MO: sys/corefiles/mutation
```

fsmFailSysfileMutationGlobal

障害コード : F10999439

メッセージ

[FSM:FAILED]: sam:dme:SysfileMutationGlobal

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999439
mibFaultName: fsmFailSysfileMutationGlobal
moClass: sysfile:Mutation
Type: fsm
Auto Cleared: true
Affected MO: sys/corefiles/file-[name]/mutation
Affected MO: sys/corefiles/mutation
```

fsmFailTopSystemHostName

障害コード : F10999440

メッセージ

[FSM:FAILED]: sam:dme:TopSystemHostName

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999440
mibFaultName: fsmFailTopSystemHostName
moClass: top:System
Type: fsm
Auto Cleared: true
Affected MO: sys
```

fsmFailSysdebugTechSupportInitiate

障害コード : F10999461

メッセージ

[FSM:FAILED]: sam:dme:SysdebugTechSupportInitiate

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999461
mibFaultName: fsmFailSysdebugTechSupportInitiate
moClass: sysdebug:TechSupport
Type: fsm
Auto Cleared: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]
```

fsmFailSysdebugTechSupportDeleteTechSupFile

障害コード : F10999462

メッセージ

[FSM:FAILED]: sam:dme:SysdebugTechSupportDeleteTechSupFile

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999462
mibFaultName: fsmFailSysdebugTechSupportDeleteTechSupFile
moClass: sysdebug:TechSupport
Type: fsm
Auto Cleared: true
Affected MO: sys/tech-support-files/tech-support-[creationTS]
```

fsmFailNetworkElementUpdateElement

障害コード : F10999464

メッセージ

[FSM:FAILED]: sam:dme:NetworkElementUpdateElement

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999464
mibFaultName: fsmFailNetworkElementUpdateElement
moClass: network:Element
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]
```

fsmFailAaaEpUpdateEp

障害コード : F10999466

メッセージ

[FSM:FAILED]: sam:dme:AaaEpUpdateEp

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999466
mibFaultName: fsmFailAaaEpUpdateEp
moClass: aaa:Ep
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/
Affected MO: sys/
```

fsmFailAaaUserEpUpdateUserEp

障害コード : F10999467

メッセージ

[FSM:FAILED]: sam:dme:AaaUserEpUpdateUserEp

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999467
mibFaultName: fsmFailAaaUserEpUpdateUserEp
moClass: aaa:UserEp
Type: fsm
Auto Cleared: true
Affected MO: sys/user-ext
```

fsmFailObserveObservedResolvePolicyFsm

障害コード : F10999481

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999481
mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmFailTestingServiceProfileResolvePolicyFsm

障害コード : F10999481

メッセージ

[FSM:FAILED]: sam:dme:TestingServiceProfileResolvePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999481
mibFaultName: fsmFailTestingServiceProfileResolvePolicyFsm
moClass: testing:ServiceProfile
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/service-profile-[name]
```


fsmFailPolicyPolicyScopeResolveManyPolicyFsm

障害コード : F10999482

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999482
mibFaultName: fsmFailPolicyPolicyScopeResolveManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]
```

fsmFailTestingServiceProfileResolveManyPolicyFsm

障害コード : F10999482

メッセージ

[FSM:FAILED]: sam:dme:TestingServiceProfileResolveManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999482
```

```

mibFaultName: fsmFailTestingServiceProfileResolveManyPolicyFsm
moClass: testing:ServiceProfile
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/service-profile-[name]

```

fsmFailCertRepairEpRepairCert

障害コード : F10999544

メッセージ

[FSM:FAILED]: sam:dme:CertRepairEpRepairCert

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999544
mibFaultName: fsmFailCertRepairEpRepairCert
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

```

fsmFailObserveObservedResolveResourceFsm

障害コード : F10999551

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999551
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]

```

Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmFailObserveObservedResolveVMFsm

障害コード : F10999552

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999552
mibFaultName: fsmFailObserveObservedResolveVMFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmFailObserveObservedResolveControllerFsm

障害コード : F10999553

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999553
mibFaultName: fsmFailObserveObservedResolveControllerFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]

Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmFailCommSvcEpRestartWebSvc

障害コード : F10999555

メッセージ

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999555
mibFaultName: fsmFailCommSvcEpRestartWebSvc
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext

fsmFailExtpolEpRegisterFsm

障害コード : F10999558

メッセージ

[FSM:FAILED]: sam:dme:ExtpolEpRegisterFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999558
mibFaultName: fsmFailExtpolEpRegisterFsm
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol

fsmFailPolicyPolicyScopeReleasePolicyFsm

障害コード : F10999572

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999572
mibFaultName: fsmFailPolicyPolicyScopeReleasePolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseOperationFsm

障害コード : F10999573

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999573
```

```

mibFaultName: fsmFailPolicyPolicyScopeReleaseOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseStorageFsm

障害コード : F10999574

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999574
mibFaultName: fsmFailPolicyPolicyScopeReleaseStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveManyOperationFsm

障害コード : F10999576

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999576
mibFaultName: fsmFailPolicyPolicyScopeResolveManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeResolveManyStorageFsm

障害コード : F10999577

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999577
```

```

mibFaultName: fsmFailPolicyPolicyScopeResolveManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseManyPolicyFsm

障害コード : F10999578

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999578
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```


fsmFailPolicyPolicyScopeReleaseManyOperationFsm

障害コード : F10999579

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999579
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseManyStorageFsm

障害コード : F10999580

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999580
```

```

mibFaultName: fsmFailPolicyPolicyScopeReleaseManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveAllPolicyFsm

障害コード : F10999581

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999581
mibFaultName: fsmFailPolicyPolicyScopeResolveAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveAllOperationFsm

障害コード : F10999582

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999582
mibFaultName: fsmFailPolicyPolicyScopeResolveAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeResolveAllStorageFsm

障害コード : F10999583

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999583
```

```

mibFaultName: fsmFailPolicyPolicyScopeResolveAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

障害コード : F10999584

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999584
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseAllOperationFsm

障害コード : F10999585

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999585
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseAllStorageFsm

障害コード : F10999586

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999586
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllStorageFsm
```

```

moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
  extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
  [resolveType]-[policyName]
Affected MO:
  extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyT
  ype]-[resolveType]-[policyName]
Affected MO:
  extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
  ype]-[resolveType]-[policyName]
Affected MO:
  extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
  yName]
Affected MO:
  policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
  Name]

```

fsmFailMgmtIfVirtualIfConfig

障害コード : F10999765

メッセージ

[FSM:FAILED]: sam:dme:MgmtIfVirtualIfConfig

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999765
mibFaultName: fsmFailMgmtIfVirtualIfConfig
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]

```

fsmFailMgmtIfEnableVip

障害コード : F10999766

メッセージ

[FSM:FAILED]: sam:dme:MgmtIfEnableVip

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999766
mibFaultName: fsmFailMgmtIfEnableVip
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]

```

fsmFailMgmtIfDisableVip

障害コード : F10999767

メッセージ

[FSM:FAILED]: sam:dme:MgmtIfDisableVip

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999767
mibFaultName: fsmFailMgmtIfDisableVip
moClass: mgmt:If
Type: fsm
Auto Cleared: true
Affected MO: sys/switch-[id]/mgmt/if-[id]
Affected MO: sys/mgmt/if-[id]

```

fsmFailOrgOrgConfigurePeer

障害コード : F10999768

メッセージ

[FSM:FAILED]: sam:dme:OrgOrgConfigurePeer

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999768

```

```

mibFaultName: fsmFailOrgOrgConfigurePeer
moClass: org:Org
Type: fsm
Auto Cleared: true
Affected MO: org-[name]

```

fsmFailTopSystemPeerHostName

障害コード : F10999769

メッセージ

[FSM:FAILED]: sam:dme:TopSystemPeerHostName

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999769
mibFaultName: fsmFailTopSystemPeerHostName
moClass: top:System
Type: fsm
Auto Cleared: true
Affected MO: sys

```

fsmFailAaaRealmUpdateRealm

障害コード : F1100038

メッセージ

[FSM:FAILED]: sam:dme:AaaRealmUpdateRealm

説明

Cisco UCS Central では認証レルムの構成を設定できませんでした。

推奨処置

失敗した FSM ステージのエラーをチェックし、そのステージの推奨処置を行ってください。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 1100038
mibFaultName: fsmFailAaaRealmUpdateRealm
moClass: aaa:Realm
Type: fsm
Auto Cleared: true
Affected MO: domaingroup-[name]/
Affected MO: sys/

```




Identifier Manager の障害

初版発行日 : 2014 年 7 月 23 日
最終更新日 : 2014 年 7 月 23 日

fsmStFailCertRepairEpRepairCert:request

障害コード : F10016504

メッセージ

[FSM:STAGE:FAILED|RETRY]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: request-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

fsmStFailCertRepairEpRepairCert:verify

障害コード : F10016504

メッセージ

[FSM:STAGE:FAILED|RETRY]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: verify-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

```

fsmStFailObserveObservedResolvePolicyFsm:Execute

障害コード : F10016510

メッセージ

```

[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016510
mibFaultName: fsmStFailObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmStFailObserveObservedResolveResourceFsm:Execute

障害コード : F10016511

メッセージ

```

[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016511
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmStFailObserveObservedResolveVMFsm:Execute

障害コード : F10016512

メッセージ

```

[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016512
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmStFailObserveObservedResolveControllerFsm:Execute

障害コード : F10016513

メッセージ

```

[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016513
mibFaultName: fsmStFailObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmStFailCommSvcEpRestartWebSvc:restart

障害コード : F10016515

メッセージ

[FSM:STAGE:FAILED|RETRY]: restart web services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: restart-failed
mibFaultCode: 10016515
mibFaultName: fsmStFailCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext
```

fsmStFailExtpolEpRegisterFsm:Execute

障害コード : F10016518

メッセージ

[FSM:STAGE:FAILED|RETRY]: Register FSM Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016518
mibFaultName: fsmStFailExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release

障害コード : F10016532

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-failed
mibFaultCode: 10016532
mibFaultName: fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release

障害コード : F10016533

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-failed
mibFaultCode: 10016533
mibFaultName: fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

障害コード : F10016534

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-failed
mibFaultCode: 10016534
mibFaultName: fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

障害コード : F10016535

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016535
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

障害コード : F10016536

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016536
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

障害コード : F10016537

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016537
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

障害コード : F10016538

メッセージ

```

[FSM:STAGE:FAILED]RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016538
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

障害コード : F10016539

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016539
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

障害コード : F10016540

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016540
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

障害コード : F10016541

メッセージ

```

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016541
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

障害コード : F10016542

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016542
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

障害コード : F10016543

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016543
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

障害コード : F10016544

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016544
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

障害コード : F10016545

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016545
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

障害コード : F10016546

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016546
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrCertRepairEpRepairCert:request

障害コード : F10077944

メッセージ

[FSM:STAGE:REMOTE-ERROR]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: request-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

```

fsmRmtErrCertRepairEpRepairCert:verify

障害コード : F10077944

メッセージ

[FSM:STAGE:REMOTE-ERROR]: checking that cert was provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: verify-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

```

fsmRmtErrObserveObservedResolvePolicyFsm:Execute

障害コード : F10077950

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077950
mibFaultName: fsmRmtErrObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmRmtErrObserveObservedResolveResourceFsm:Execute

障害コード : F10077951

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077951
mibFaultName: fsmRmtErrObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmRmtErrObserveObservedResolveVMFsm:Execute

障害コード : F10077952

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10077952
mibFaultName: fsmRmtErrObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmRmtErrObserveObservedResolveControllerFsm:Execute

障害コード : F10077953

メッセージ

```
[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)
```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10077953
mibFaultName: fsmRmtErrObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmRmtErrCommSvcEpRestartWebSvc:restart

障害コード : F10077955

メッセージ

```
[FSM:STAGE:REMOTE-ERROR]: restart web
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)
```

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: restart-failed
mibFaultCode: 10077955
mibFaultName: fsmRmtErrCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext
```

fsmRmtErrExtpolEpRegisterFsm:Execute

障害コード : F10077958

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Register FSM
Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077958
mibFaultName: fsmRmtErrExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release

障害コード : F10077972

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077972
mibFaultName: fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release

障害コード : F10077973

メッセージ

```

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077973
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release

障害コード : F10077974

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-failed
mibFaultCode: 10077974
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

障害コード : F10077975

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077975
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

障害コード : F10077976

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077976
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

障害コード : F10077977

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077977
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

障害コード : F10077978

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10077978
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

障害コード : F10077979

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077979
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

障害コード : F10077980

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077980
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

障害コード : F10077981

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077981
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

障害コード : F10077982

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077982
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

障害コード : F10077983

メッセージ

```

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077983
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

障害コード : F10077984

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077984
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

障害コード : F10077985

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077985
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

障害コード : F10077986

メッセージ

```

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077986
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmFailCertRepairEpRepairCert

障害コード : F10999544

メッセージ

[FSM:FAILED]: sam:dme:CertRepairEpRepairCert

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999544
mibFaultName: fsmFailCertRepairEpRepairCert
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

fsmFailObserveObservedResolvePolicyFsm

障害コード : F10999550

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999550

```

mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmFailObserveObservedResolveResourceFsm

障害コード : F10999551

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999551
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmFailObserveObservedResolveVMFsm

障害コード : F10999552

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed

```

```

mibFaultCode: 10999552
mibFaultName: fsmFailObserveObservedResolveVMFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmFailObserveObservedResolveControllerFsm

障害コード : F10999553

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999553
mibFaultName: fsmFailObserveObservedResolveControllerFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmFailCommSvcEpRestartWebSvc

障害コード : F10999555

メッセージ

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999555
mibFaultName: fsmFailCommSvcEpRestartWebSvc
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext
```

fsmFailExtpolEpRegisterFsm

障害コード : F1099558

メッセージ

[FSM:FAILED]: sam:dme:ExtpolEpRegisterFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999558
mibFaultName: fsmFailExtpolEpRegisterFsm
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

fsmFailPolicyPolicyScopeReleasePolicyFsm

障害コード : F1099572

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999572
mibFaultName: fsmFailPolicyPolicyScopeReleasePolicyFsm
moClass: policy:PolicyScope
```

```

Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseOperationFsm

障害コード : F10999573

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999573
mibFaultName: fsmFailPolicyPolicyScopeReleaseOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseStorageFsm

障害コード : F10999574

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999574
mibFaultName: fsmFailPolicyPolicyScopeReleaseStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]
```

fsmFailPolicyPolicyScopeResolveManyPolicyFsm

障害コード : F10999575

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999575
```

```

mibFaultName: fsmFailPolicyPolicyScopeResolveManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveManyOperationFsm

障害コード : F10999576

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999576
mibFaultName: fsmFailPolicyPolicyScopeResolveManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveManyStorageFsm

障害コード : F10999577

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999577
mibFaultName: fsmFailPolicyPolicyScopeResolveManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseManyPolicyFsm

障害コード : F10999578

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999578
```

```

mibFaultName: fsmFailPolicyPolicyScopeReleaseManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseManyOperationFsm

障害コード : F10999579

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999579
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseManyStorageFsm

障害コード : F10999580

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999580
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeResolveAllPolicyFsm

障害コード : F10999581

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999581
```

```

mibFaultName: fsmFailPolicyPolicyScopeResolveAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveAllOperationFsm

障害コード : F10999582

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999582
mibFaultName: fsmFailPolicyPolicyScopeResolveAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```


fsmFailPolicyPolicyScopeResolveAllStorageFsm

障害コード : F10999583

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999583
mibFaultName: fsmFailPolicyPolicyScopeResolveAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

障害コード : F10999584

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999584
```

```

mibFaultName: fsmFailPolicyPolicyScopeReleaseAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseAllOperationFsm

障害コード : F10999585

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999585
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseAllStorageFsm

障害コード : F10999586

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999586
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```



Operations Manager の障害

初版発行日 : 2014 年 7 月 23 日
最終更新日 : 2014 年 7 月 23 日

fsmStFailMgmtBackupBackup:backupLocal

障害コード : F10016411

メッセージ

[FSM:STAGE:FAILED|RETRY]: internal database
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:backupLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning  
Cause: backup-local-failed  
mibFaultCode: 10016411  
mibFaultName: fsmStFailMgmtBackupBackupBackupLocal  
moClass: mgmt:Backup  
Type: fsm  
Auto Cleared: true  
Affected MO: sys/backup-[hostname]
```

fsmStFailMgmtBackupBackup:upload

障害コード : F10016411

メッセージ

[FSM:STAGE:FAILED|RETRY]: internal system
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:upload)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: upload-failed
mibFaultCode: 10016411
mibFaultName: fsmStFailMgmtBackupBackupUpload
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: sys/backup-[hostname]

```

fsmStFailMgmtImporterImport:config

障害コード : F10016412

メッセージ

[FSM:STAGE:FAILED|RETRY]: importing the configuration file(FSM-STAGE:sam:dme:MgmtImporterImport:config)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: config-failed
mibFaultCode: 10016412
mibFaultName: fsmStFailMgmtImporterImportConfig
moClass: mgmt:Importer
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]/import-config-[hostname]
Affected MO: sys/import-config-[hostname]

```

fsmStFailMgmtImporterImport:downloadLocal

障害コード : F10016412

メッセージ

[FSM:STAGE:FAILED|RETRY]: downloading the configuration file from the remote location(FSM-STAGE:sam:dme:MgmtImporterImport:downloadLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: download-local-failed
mibFaultCode: 10016412
mibFaultName: fsmStFailMgmtImporterImportDownloadLocal
moClass: mgmt:Importer
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]/import-config-[hostname]
Affected MO: sys/import-config-[hostname]

fsmStFailMgmtImporterImport:reportResults

障害コード : F10016412

メッセージ

[FSM:STAGE:FAILED|RETRY]: Report results of configuration application(FSM-STAGE:sam:dme:MgmtImporterImport:reportResults)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: report-results-failed
mibFaultCode: 10016412
mibFaultName: fsmStFailMgmtImporterImportReportResults
moClass: mgmt:Importer
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]/import-config-[hostname]
Affected MO: sys/import-config-[hostname]

fsmStFailMgmtDataExporterExportData:dmeDataExport

障害コード : F10016415

メッセージ

[FSM:STAGE:FAILED|RETRY]: exporting data from application database(FSM-STAGE:sam:dme:MgmtDataExporterExportData:dmeDataExport)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning

```

Cause: dme-data-export-failed
mibFaultCode: 10016415
mibFaultName: fsmStFailMgmtDataExporterExportDataDmeDataExport
moClass: mgmt:DataExporter
Type: fsm
Auto Cleared: true
Affected MO: sys/exporter-[hostname]

```

fsmStFailMgmtDataExporterExportData:upload

障害コード : F10016415

メッセージ

[FSM:STAGE:FAILED|RETRY]: uploading data to backup server(FSM-STAGE:sam:dme:MgmtDataExporterExportData:upload)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: upload-failed
mibFaultCode: 10016415
mibFaultName: fsmStFailMgmtDataExporterExportDataUpload
moClass: mgmt:DataExporter
Type: fsm
Auto Cleared: true
Affected MO: sys/exporter-[hostname]

```

fsmStFailMgmtDataImporterImportData:dmeImport

障害コード : F10016416

メッセージ

[FSM:STAGE:FAILED|RETRY]: importing the configuration file(FSM-STAGE:sam:dme:MgmtDataImporterImportData:dmeImport)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: dme-import-failed
mibFaultCode: 10016416
mibFaultName: fsmStFailMgmtDataImporterImportDataDmeImport
moClass: mgmt:DataImporter

```

Type: fsm
Auto Cleared: true
Affected MO: sys/importer-[hostname]

fsmStFailMgmtDataImporterImportData:download

障害コード : F10016416

メッセージ

[FSM:STAGE:FAILED|RETRY]: downloading files from backup server(FSM-STAGE:sam:dme:MgmtDataImporterImportData:download)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: download-failed
mibFaultCode: 10016416
mibFaultName: fsmStFailMgmtDataImporterImportDataDownload
moClass: mgmt:DataImporter
Type: fsm
Auto Cleared: true
Affected MO: sys/importer-[hostname]

fsmStFailMgmtDataImporterImportData:reportResults

障害コード : F10016416

メッセージ

[FSM:STAGE:FAILED|RETRY]: Report results of application data import(FSM-STAGE:sam:dme:MgmtDataImporterImportData:reportResults)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: report-results-failed
mibFaultCode: 10016416
mibFaultName: fsmStFailMgmtDataImporterImportDataReportResults
moClass: mgmt:DataImporter
Type: fsm
Auto Cleared: true
Affected MO: sys/importer-[hostname]

fsmStFailCertRepairEpRepairCert:request

障害コード : F10016504

メッセージ

[FSM:STAGE:FAILED|RETRY]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: request-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

fsmStFailCertRepairEpRepairCert:verify

障害コード : F10016504

メッセージ

[FSM:STAGE:FAILED|RETRY]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

fsmStFailObserveObservedResolvePolicyFsm:Execute

障害コード : F10016510

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016510
mibFaultName: fsmStFailObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmStFailObserveObservedResolveResourceFsm:Execute

障害コード : F10016511

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016511
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
```

Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmStFailObserveObservedResolveVMFsm:Execute

障害コード : F10016512

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM
 Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10016512
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmStFailObserveObservedResolveControllerFsm:Execute

障害コード : F10016513

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM
 Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10016513
mibFaultName: fsmStFailObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm

```

Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmStFailCommSvcEpRestartWebSvc:restart

障害コード : F10016515

メッセージ

[FSM:STAGE:FAILED|RETRY]: restart web services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: restart-failed
mibFaultCode: 10016515
mibFaultName: fsmStFailCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext

```

fsmStFailExtpolEpRegisterFsm:Execute

障害コード : F10016518

メッセージ

[FSM:STAGE:FAILED|RETRY]: Register FSM Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016518
mibFaultName: fsmStFailExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm

```

Auto Cleared: true
Affected MO: extpol

fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release

障害コード : F10016532

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-failed
mibFaultCode: 10016532
mibFaultName: fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release

障害コード : F10016533

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016533
mibFaultName: fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

障害コード : F10016534

メッセージ

```

[FSM:STAGE:FAILED]RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016534
mibFaultName: fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

障害コード : F10016535

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016535
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

障害コード : F10016536

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016536
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

障害コード : F10016537

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016537
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```


Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

障害コード : F10016538

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016538
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

障害コード : F10016539

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10016539
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

障害コード : F10016540

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016540
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

障害コード : F10016541

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016541
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

障害コード : F10016542

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016542
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

障害コード : F10016543

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016543
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

障害コード : F10016544

メッセージ

```

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016544
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

障害コード : F10016545

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning

Cause: release-all-failed

mibFaultCode: 10016545

mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll

moClass: policy:PolicyScope

Type: fsm

Auto Cleared: true

Affected MO:

extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

障害コード : F10016546

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016546
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
  extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
  [resolveType]-[policyName]
Affected MO:
  extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
  pe]-[resolveType]-[policyName]
Affected MO:
  extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
  ype]-[resolveType]-[policyName]
Affected MO:
  extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
  yName]
Affected MO:
  policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
  Name]

```

fsmStFailConsumerInstRenameCfgDir.MoveCfgDirsFromTmpLocation

障害コード : F10016607

メッセージ

[FSM:STAGE:FAILED|RETRY]: moving config backup dirs for client [ip] from temporary location(FSM-STAGE:sam:dme:ConsumerInstRenameCfgDir.MoveCfgDirsFromTmpLocation)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: move-cfg-dirs-from-tmp-location-failed
mibFaultCode: 10016607
mibFaultName: fsmStFailConsumerInstRenameCfgDirMoveCfgDirsFromTmpLocation
moClass: consumer:Inst
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]

```

fsmStFailConsumerInstRenameCfgDir:MoveCfgDirsToTmpLocation

障害コード : F10016607

メッセージ

[FSM:STAGE:FAILED|RETRY]: moving config backup dirs for client [ip] to temporary location(FSM-STAGE:sam:dme:ConsumerInstRenameCfgDir:MoveCfgDirsToTmpLocation)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: move-cfg-dirs-to-tmp-location-failed
mibFaultCode: 10016607
mibFaultName: fsmStFailConsumerInstRenameCfgDirMoveCfgDirsToTmpLocation
moClass: consumer:Inst
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]
```

fsmStFailNfsClientDefAddConfig:InternalAdd

障害コード : F10016608

メッセージ

[FSM:STAGE:FAILED|RETRY]: adding client [ip] for local repository(FSM-STAGE:sam:dme:NfsClientDefAddConfig:InternalAdd)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: internal-add-failed
mibFaultCode: 10016608
mibFaultName: fsmStFailNfsClientDefAddConfigInternalAdd
moClass: nfs:ClientDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]
```


fsmStFailNfsClientDefAddConfig:PeerAdd

障害コード : F10016608

メッセージ

[FSM:STAGE:FAILED|RETRY]: adding [ip] to peer(FSM-STAGE:sam:dme:NfsClientDefAddConfig:PeerAdd)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: peer-add-failed
mibFaultCode: 10016608
mibFaultName: fsmStFailNfsClientDefAddConfigPeerAdd
moClass: nfs:ClientDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]
```

fsmStFailNfsClientDefDeleteConfig:InternalDelete

障害コード : F10016609

メッセージ

[FSM:STAGE:FAILED|RETRY]: deleting client [ip] for local repository(FSM-STAGE:sam:dme:NfsClientDefDeleteConfig:InternalDelete)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: internal-delete-failed
mibFaultCode: 10016609
mibFaultName: fsmStFailNfsClientDefDeleteConfigInternalDelete
moClass: nfs:ClientDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]
```

fsmStFailNfsClientDefDeleteConfig:PeerDelete

障害コード : F10016609

メッセージ

[FSM:STAGE:FAILED|RETRY]: delete [ip] from
peer(FSM-STAGE:sam:dme:NfsClientDefDeleteConfig:PeerDelete)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: peer-delete-failed
mibFaultCode: 10016609
mibFaultName: fsmStFailNfsClientDefDeleteConfigPeerDelete
moClass: nfs:ClientDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]
```

fsmStFailFirmwareDownloaderDownload:DeleteLocal

障害コード : F10016623

メッセージ

[FSM:STAGE:FAILED|RETRY]: deleting temporary files created during download of
[fileName](FSM-STAGE:sam:dme:FirmwareDownloaderDownload:DeleteLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: delete-local-failed
mibFaultCode: 10016623
mibFaultName: fsmStFailFirmwareDownloaderDownloadDeleteLocal
moClass: firmware:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/dnld-[fileName]
```

fsmStFailFirmwareDownloaderDownload:Local

障害コード : F10016623

メッセージ

[FSM:STAGE:FAILED|RETRY]: downloading image [fileName] from [server](FSM-STAGE:sam:dme:FirmwareDownloaderDownload:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016623
mibFaultName: fsmStFailFirmwareDownloaderDownloadLocal
moClass: firmware:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/dnld-[fileName]
```

fsmStFailFirmwareDownloaderDownload:UnpackLocal

障害コード : F10016623

メッセージ

[FSM:STAGE:FAILED|RETRY]: unpacking image [fileName](FSM-STAGE:sam:dme:FirmwareDownloaderDownload:UnpackLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: unpack-local-failed
mibFaultCode: 10016623
mibFaultName: fsmStFailFirmwareDownloaderDownloadUnpackLocal
moClass: firmware:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/dnld-[fileName]
```

fsmStFailConfigBackupDelete:Local

障害コード : F10016624

メッセージ

[FSM:STAGE:FAILED|RETRY]: deleting backup instance [fileName] archived on [ts](FSM-STAGE:sam:dme:ConfigBackupDelete:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016624
mibFaultName: fsmStFailConfigBackupDeleteLocal
moClass: config:Backup
Type: fsm
Auto Cleared: true
Affected MO:
sys/config-catalogue/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]
Affected MO:
universe/inst-[connectorId]/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]
```

fsmStFailConfigConsumerCatalogueDelete:Local

障害コード : F10016624

メッセージ

[FSM:STAGE:FAILED|RETRY]: deleting consumer catalogue [name](FSM-STAGE:sam:dme:ConfigConsumerCatalogueDelete:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016624
mibFaultName: fsmStFailConfigConsumerCatalogueDeleteLocal
moClass: config:ConsumerCatalogue
Type: fsm
Auto Cleared: true
Affected MO: sys/config-catalogue/consumer-catalogue-[internalName]
Affected MO: universe/inst-[connectorId]/consumer-catalogue-[internalName]
```

fsmStFailFirmwareDistributableDelete:Local

障害コード : F10016624

メッセージ

[FSM:STAGE:FAILED|RETRY]: deleting package [name] from primary(FSM-STAGE:sam:dme:FirmwareDistributableDelete:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016624
mibFaultName: fsmStFailFirmwareDistributableDeleteLocal
moClass: firmware:Distributable
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/distrib-[name]
Affected MO: sys/remote-fw-catalogue-[server]/distrib-[name]
```

fsmStFailConfigConsumerCatalogueCreate:MakeCfgDirs

障害コード : F10016769

メッセージ

[FSM:STAGE:FAILED|RETRY]: creating backup dir [internalName](FSM-STAGE:sam:dme:ConfigConsumerCatalogueCreate:MakeCfgDirs)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: make-cfg-dirs-failed
mibFaultCode: 10016769
mibFaultName: fsmStFailConfigConsumerCatalogueCreateMakeCfgDirs
moClass: config:ConsumerCatalogue
Type: fsm
Auto Cleared: true
Affected MO: sys/config-catalogue/consumer-catalogue-[internalName]
Affected MO: universe/inst-[connectorId]/consumer-catalogue-[internalName]
```

fsmStFailNfsExportDefImageSync:Local

障害コード : F10016770

メッセージ

[FSM:STAGE:FAILED|RETRY]: syncing [name] to remote storage
VM(FSM-STAGE:sam:dme:NfsExportDefImageSync:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: local-failed
mibFaultCode: 10016770
mibFaultName: fsmStFailNfsExportDefImageSyncLocal
moClass: nfs:ExportDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]

fsmStFailNfsExportDefAddRepo:Local

障害コード : F10016771

メッセージ

[FSM:STAGE:FAILED|RETRY]: adding [name] remote storage
VM(FSM-STAGE:sam:dme:NfsExportDefAddRepo:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: local-failed
mibFaultCode: 10016771
mibFaultName: fsmStFailNfsExportDefAddRepoLocal
moClass: nfs:ExportDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]

fsmRmtErrMgmtBackupBackup:backupLocal

障害コード : F10077851

メッセージ

[FSM:STAGE:REMOTE-ERROR]: internal database
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:backupLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: backup-local-failed
mibFaultCode: 10077851
mibFaultName: fsmRmtErrMgmtBackupBackupBackupLocal
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: sys/backup-[hostname]
```

fsmRmtErrMgmtBackupBackup:upload

障害コード : F10077851

メッセージ

[FSM:STAGE:REMOTE-ERROR]: internal system
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:upload)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: upload-failed
mibFaultCode: 10077851
mibFaultName: fsmRmtErrMgmtBackupBackupUpload
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: sys/backup-[hostname]
```

fsmRmtErrMgmtImporterImport:config

障害コード : F10077852

メッセージ

[FSM:STAGE:REMOTE-ERROR]: importing the configuration file(FSM-STAGE:sam:dme:MgmtImporterImport:config)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: config-failed
mibFaultCode: 10077852
mibFaultName: fsmRmtErrMgmtImporterImportConfig
moClass: mgmt:Importer
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]/import-config-[hostname]
Affected MO: sys/import-config-[hostname]
```

fsmRmtErrMgmtImporterImport:downloadLocal

障害コード : F10077852

メッセージ

[FSM:STAGE:REMOTE-ERROR]: downloading the configuration file from the remote location(FSM-STAGE:sam:dme:MgmtImporterImport:downloadLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: download-local-failed
mibFaultCode: 10077852
mibFaultName: fsmRmtErrMgmtImporterImportDownloadLocal
moClass: mgmt:Importer
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]/import-config-[hostname]
Affected MO: sys/import-config-[hostname]
```


fsmRmtErrMgmtImporterImport:reportResults

障害コード : F10077852

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Report results of configuration application(FSM-STAGE:sam:dme:MgmtImporterImport:reportResults)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: report-results-failed
mibFaultCode: 10077852
mibFaultName: fsmRmtErrMgmtImporterImportReportResults
moClass: mgmt:Importer
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]/import-config-[hostname]
Affected MO: sys/import-config-[hostname]
```

fsmRmtErrMgmtDataExporterExportData:dmeDataExport

障害コード : F10077855

メッセージ

[FSM:STAGE:REMOTE-ERROR]: exporting data from application database(FSM-STAGE:sam:dme:MgmtDataExporterExportData:dmeDataExport)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: dme-data-export-failed
mibFaultCode: 10077855
mibFaultName: fsmRmtErrMgmtDataExporterExportDataDmeDataExport
moClass: mgmt:DataExporter
Type: fsm
Auto Cleared: true
Affected MO: sys/exporter-[hostname]
```

fsmRmtErrMgmtDataExporterExportData:upload

障害コード : F10077855

メッセージ

[FSM:STAGE:REMOTE-ERROR]: uploading data to backup server(FSM-STAGE:sam:dme:MgmtDataExporterExportData:upload)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: upload-failed
mibFaultCode: 10077855
mibFaultName: fsmRmtErrMgmtDataExporterExportDataUpload
moClass: mgmt:DataExporter
Type: fsm
Auto Cleared: true
Affected MO: sys/exporter-[hostname]
```

fsmRmtErrMgmtDataImporterImportData:dmeImport

障害コード : F10077856

メッセージ

[FSM:STAGE:REMOTE-ERROR]: importing the configuration file(FSM-STAGE:sam:dme:MgmtDataImporterImportData:dmeImport)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: dme-import-failed
mibFaultCode: 10077856
mibFaultName: fsmRmtErrMgmtDataImporterImportDataDmeImport
moClass: mgmt:DataImporter
Type: fsm
Auto Cleared: true
Affected MO: sys/importer-[hostname]
```

fsmRmtErrMgmtDataImporterImportData:download

障害コード : F10077856

メッセージ

[FSM:STAGE:REMOTE-ERROR]: downloading files from backup server(FSM-STAGE:sam:dme:MgmtDataImporterImportData:download)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: download-failed
mibFaultCode: 10077856
mibFaultName: fsmRmtErrMgmtDataImporterImportDataDownload
moClass: mgmt:DataImporter
Type: fsm
Auto Cleared: true
Affected MO: sys/importer-[hostname]
```

fsmRmtErrMgmtDataImporterImportData:reportResults

障害コード : F10077856

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Report results of application data import(FSM-STAGE:sam:dme:MgmtDataImporterImportData:reportResults)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: report-results-failed
mibFaultCode: 10077856
mibFaultName: fsmRmtErrMgmtDataImporterImportDataReportResults
moClass: mgmt:DataImporter
Type: fsm
Auto Cleared: true
Affected MO: sys/importer-[hostname]
```

fsmRmtErrCertRepairEpRepairCert:request

障害コード : F10077944

メッセージ

[FSM:STAGE:REMOTE-ERROR]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: request-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

fsmRmtErrCertRepairEpRepairCert:verify

障害コード : F10077944

メッセージ

[FSM:STAGE:REMOTE-ERROR]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

fsmRmtErrObserveObservedResolvePolicyFsm:Execute

障害コード : F10077950

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077950
mibFaultName: fsmRmtErrObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmRmtErrObserveObservedResolveResourceFsm:Execute

障害コード : F10077951

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077951
mibFaultName: fsmRmtErrObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
```

Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmRmtErrObserveObservedResolveVMFsm:Execute

障害コード : F10077952

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM
 Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077952
mibFaultName: fsmRmtErrObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmRmtErrObserveObservedResolveControllerFsm:Execute

障害コード : F10077953

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM
 Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077953
mibFaultName: fsmRmtErrObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm

```

Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmRmtErrCommSvcEpRestartWebSvc:restart

障害コード : F10077955

メッセージ

[FSM:STAGE:REMOTE-ERROR]: restart web services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: restart-failed
mibFaultCode: 10077955
mibFaultName: fsmRmtErrCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext

```

fsmRmtErrExtpolEpRegisterFsm:Execute

障害コード : F10077958

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Register FSM Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10077958
mibFaultName: fsmRmtErrExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm

```

Auto Cleared: true
Affected MO: extpol

fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release

障害コード : F10077972

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-failed
mibFaultCode: 10077972
mibFaultName: fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release

障害コード : F10077973

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077973
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release

障害コード : F10077974

メッセージ

```

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077974
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

障害コード : F10077975

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077975
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

障害コード : F10077976

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077976
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

障害コード : F10077977

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077977
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

障害コード : F10077978

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077978
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

障害コード : F10077979

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10077979
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

障害コード : F10077980

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077980
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

障害コード : F10077981

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077981
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

障害コード : F10077982

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077982
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

障害コード : F10077983

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077983
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

障害コード : F10077984

メッセージ

```

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077984
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```


Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

障害コード : F10077985

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077985
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

障害コード : F10077986

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077986
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrConsumerInstRenameCfgDir:MoveCfgDirsFromTmpLocation

障害コード : F10078047

メッセージ

[FSM:STAGE:REMOTE-ERROR]: moving config backup dirs for client [ip] from temporary location(FSM-STAGE:sam:dme:ConsumerInstRenameCfgDir:MoveCfgDirsFromTmpLocation)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: move-cfg-dirs-from-tmp-location-failed
mibFaultCode: 10078047
mibFaultName: fsmRmtErrConsumerInstRenameCfgDirMoveCfgDirsFromTmpLocation
moClass: consumer:Inst
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]

```

fsmRmtErrConsumerInstRenameCfgDir:MoveCfgDirsToTmpLocation

障害コード : F10078047

メッセージ

[FSM:STAGE:REMOTE-ERROR]: moving config backup dirs for client [ip] to temporary location(FSM-STAGE:sam:dme:ConsumerInstRenameCfgDir:MoveCfgDirsToTmpLocation)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: move-cfg-dirs-to-tmp-location-failed
mibFaultCode: 10078047
mibFaultName: fsmRmtErrConsumerInstRenameCfgDirMoveCfgDirsToTmpLocation
moClass: consumer:Inst
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]
```

fsmRmtErrNfsClientDefAddConfig:InternalAdd

障害コード : F10078048

メッセージ

[FSM:STAGE:REMOTE-ERROR]: adding client [ip] for local repository(FSM-STAGE:sam:dme:NfsClientDefAddConfig:InternalAdd)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: internal-add-failed
mibFaultCode: 10078048
mibFaultName: fsmRmtErrNfsClientDefAddConfigInternalAdd
moClass: nfs:ClientDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]
```

fsmRmtErrNfsClientDefAddConfig:PeerAdd

障害コード : F10078048

メッセージ

[FSM:STAGE:REMOTE-ERROR]: adding [ip] to peer(FSM-STAGE:sam:dme:NfsClientDefAddConfig:PeerAdd)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: peer-add-failed
mibFaultCode: 10078048
mibFaultName: fsmRmtErrNfsClientDefAddConfigPeerAdd
moClass: nfs:ClientDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]
```

fsmRmtErrNfsClientDefDeleteConfig:InternalDelete

障害コード : F10078049

メッセージ

[FSM:STAGE:REMOTE-ERROR]: deleting client [ip] for local repository(FSM-STAGE:sam:dme:NfsClientDefDeleteConfig:InternalDelete)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: internal-delete-failed
mibFaultCode: 10078049
mibFaultName: fsmRmtErrNfsClientDefDeleteConfigInternalDelete
moClass: nfs:ClientDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]
```

fsmRmtErrNfsClientDefDeleteConfig:PeerDelete

障害コード : F10078049

メッセージ

[FSM:STAGE:REMOTE-ERROR]: delete [ip] from peer(FSM-STAGE:sam:dme:NfsClientDefDeleteConfig:PeerDelete)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: peer-delete-failed
mibFaultCode: 10078049
mibFaultName: fsmRmtErrNfsClientDefDeleteConfigPeerDelete
moClass: nfs:ClientDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]
```

fsmRmtErrFirmwareDownloaderDownload:DeleteLocal

障害コード : F10078063

メッセージ

[FSM:STAGE:REMOTE-ERROR]: deleting temporary files created during download of [fileName](FSM-STAGE:sam:dme:FirmwareDownloaderDownload:DeleteLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: delete-local-failed
mibFaultCode: 10078063
mibFaultName: fsmRmtErrFirmwareDownloaderDownloadDeleteLocal
moClass: firmware:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/dnld-[fileName]
```

fsmRmtErrFirmwareDownloaderDownload:Local

障害コード : F10078063

メッセージ

[FSM:STAGE:REMOTE-ERROR]: downloading image [fileName] from [server](FSM-STAGE:sam:dme:FirmwareDownloaderDownload:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078063
mibFaultName: fsmRmtErrFirmwareDownloaderDownloadLocal
moClass: firmware:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/dnld-[fileName]
```

fsmRmtErrFirmwareDownloaderDownload:UnpackLocal

障害コード : F10078063

メッセージ

[FSM:STAGE:REMOTE-ERROR]: unpacking image [fileName](FSM-STAGE:sam:dme:FirmwareDownloaderDownload:UnpackLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: unpack-local-failed
mibFaultCode: 10078063
mibFaultName: fsmRmtErrFirmwareDownloaderDownloadUnpackLocal
moClass: firmware:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/dnld-[fileName]
```

fsmRmtErrConfigBackupDelete:Local

障害コード : F10078064

メッセージ

[FSM:STAGE:REMOTE-ERROR]: deleting backup instance [fileName] archived on [ts](FSM-STAGE:sam:dme:ConfigBackupDelete:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078064
mibFaultName: fsmRmtErrConfigBackupDeleteLocal
moClass: config:Backup
Type: fsm
Auto Cleared: true
Affected MO:
sys/config-catalogue/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]
Affected MO:
universe/inst-[connectorId]/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]
```

fsmRmtErrConfigConsumerCatalogueDelete:Local

障害コード : F10078064

メッセージ

[FSM:STAGE:REMOTE-ERROR]: deleting consumer catalogue [name](FSM-STAGE:sam:dme:ConfigConsumerCatalogueDelete:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078064
mibFaultName: fsmRmtErrConfigConsumerCatalogueDeleteLocal
moClass: config:ConsumerCatalogue
Type: fsm
Auto Cleared: true
Affected MO: sys/config-catalogue/consumer-catalogue-[internalName]
Affected MO: universe/inst-[connectorId]/consumer-catalogue-[internalName]
```

fsmRmtErrFirmwareDistributableDelete:Local

障害コード : F10078064

メッセージ

[FSM:STAGE:REMOTE-ERROR]: deleting package [name] from primary(FSM-STAGE:sam:dme:FirmwareDistributableDelete:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078064
mibFaultName: fsmRmtErrFirmwareDistributableDeleteLocal
moClass: firmware:Distributable
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/distrib-[name]
Affected MO: sys/remote-fw-catalogue-[server]/distrib-[name]
```

fsmRmtErrConfigConsumerCatalogueCreate:MakeCfgDirs

障害コード : F10078209

メッセージ

[FSM:STAGE:REMOTE-ERROR]: creating backup dir [internalName](FSM-STAGE:sam:dme:ConfigConsumerCatalogueCreate:MakeCfgDirs)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: make-cfg-dirs-failed
mibFaultCode: 10078209
mibFaultName: fsmRmtErrConfigConsumerCatalogueCreateMakeCfgDirs
moClass: config:ConsumerCatalogue
Type: fsm
Auto Cleared: true
Affected MO: sys/config-catalogue/consumer-catalogue-[internalName]
Affected MO: universe/inst-[connectorId]/consumer-catalogue-[internalName]
```


fsmRmtErrNfsExportDefImageSync:Local

障害コード : F10078210

メッセージ

[FSM:STAGE:REMOTE-ERROR]: syncing [name] to remote storage
VM(FSM-STAGE:sam:dme:NfsExportDefImageSync:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078210
mibFaultName: fsmRmtErrNfsExportDefImageSyncLocal
moClass: nfs:ExportDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]
```

fsmRmtErrNfsExportDefAddRepo:Local

障害コード : F10078211

メッセージ

[FSM:STAGE:REMOTE-ERROR]: adding [name] remote storage
VM(FSM-STAGE:sam:dme:NfsExportDefAddRepo:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078211
mibFaultName: fsmRmtErrNfsExportDefAddRepoLocal
moClass: nfs:ExportDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]
```

fsmFailMgmtBackupBackup

障害コード : F10999451

メッセージ

[FSM:FAILED]: sam:dme:MgmtBackupBackup

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999451
mibFaultName: fsmFailMgmtBackupBackup
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: sys/backup-[hostname]
```

fsmFailMgmtImporterImport

障害コード : F10999452

メッセージ

[FSM:FAILED]: sam:dme:MgmtImporterImport

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999452
mibFaultName: fsmFailMgmtImporterImport
moClass: mgmt:Importer
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]/import-config-[hostname]
Affected MO: sys/import-config-[hostname]
```

fsmFailMgmtDataExporterExportData

障害コード : F10999455

メッセージ

[FSM:FAILED]: sam:dme:MgmtDataExporterExportData

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999455
mibFaultName: fsmFailMgmtDataExporterExportData
moClass: mgmt:DataExporter
Type: fsm
Auto Cleared: true
Affected MO: sys/exporter-[hostname]
```

fsmFailMgmtDataImporterImportData

障害コード : F10999456

メッセージ

[FSM:FAILED]: sam:dme:MgmtDataImporterImportData

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999456
mibFaultName: fsmFailMgmtDataImporterImportData
moClass: mgmt:DataImporter
Type: fsm
Auto Cleared: true
Affected MO: sys/importer-[hostname]
```

fsmFailCertRepairEpRepairCert

障害コード : F10999544

メッセージ

[FSM:FAILED]: sam:dme:CertRepairEpRepairCert

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999544
mibFaultName: fsmFailCertRepairEpRepairCert
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

fsmFailObserveObservedResolvePolicyFsm

障害コード : F10999550

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999550
mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmFailObserveObservedResolveResourceFsm

障害コード : F10999551

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999551
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmFailObserveObservedResolveVMFsm

障害コード : F10999552

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999552
mibFaultName: fsmFailObserveObservedResolveVMFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmFailObserveObservedResolveControllerFsm

障害コード : F10999553

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999553
mibFaultName: fsmFailObserveObservedResolveControllerFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmFailCommSvcEpRestartWebSvc

障害コード : F10999555

メッセージ

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999555
mibFaultName: fsmFailCommSvcEpRestartWebSvc
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext
```

fsmFailExtpolEpRegisterFsm

障害コード : F10999558

メッセージ

[FSM:FAILED]: sam:dme:ExtpolEpRegisterFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999558
mibFaultName: fsmFailExtpolEpRegisterFsm
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

fsmFailPolicyPolicyScopeReleasePolicyFsm

障害コード : F10999572

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999572
mibFaultName: fsmFailPolicyPolicyScopeReleasePolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
```

Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmFailPolicyPolicyScopeReleaseOperationFsm

障害コード : F10999573

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999573
mibFaultName: fsmFailPolicyPolicyScopeReleaseOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmFailPolicyPolicyScopeReleaseStorageFsm

障害コード : F10999574

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999574
mibFaultName: fsmFailPolicyPolicyScopeReleaseStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveManyPolicyFsm

障害コード : F1099575

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999575
mibFaultName: fsmFailPolicyPolicyScopeResolveManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmFailPolicyPolicyScopeResolveManyOperationFsm

障害コード : F10999576

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999576
mibFaultName: fsmFailPolicyPolicyScopeResolveManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmFailPolicyPolicyScopeResolveManyStorageFsm

障害コード : F10999577

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999577
mibFaultName: fsmFailPolicyPolicyScopeResolveManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseManyPolicyFsm

障害コード : F10999578

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999578
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmFailPolicyPolicyScopeReleaseManyOperationFsm

障害コード : F10999579

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999579
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmFailPolicyPolicyScopeReleaseManyStorageFsm

障害コード : F10999580

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999580
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveAllPolicyFsm

障害コード : F1099581

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999581
mibFaultName: fsmFailPolicyPolicyScopeResolveAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmFailPolicyPolicyScopeResolveAllOperationFsm

障害コード : F10999582

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999582
mibFaultName: fsmFailPolicyPolicyScopeResolveAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmFailPolicyPolicyScopeResolveAllStorageFsm

障害コード : F10999583

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999583
mibFaultName: fsmFailPolicyPolicyScopeResolveAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

障害コード : F1099584

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999584
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmFailPolicyPolicyScopeReleaseAllOperationFsm

障害コード : F10999585

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999585
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmFailPolicyPolicyScopeReleaseAllStorageFsm

障害コード : F10999586

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999586
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailConsumerInstRenameCfgDir

障害コード : F10999647

メッセージ

[FSM:FAILED]: sam:dme:ConsumerInstRenameCfgDir

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999647
mibFaultName: fsmFailConsumerInstRenameCfgDir
moClass: consumer:Inst
Type: fsm
Auto Cleared: true
Affected MO: universe/inst-[connectorId]

```

fsmFailNfsClientDefAddConfig

障害コード : F10999648

メッセージ

[FSM:FAILED]: sam:dme:NfsClientDefAddConfig

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999648
mibFaultName: fsmFailNfsClientDefAddConfig
moClass: nfs:ClientDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]
```

fsmFailNfsClientDefDeleteConfig

障害コード : F10999649

メッセージ

[FSM:FAILED]: sam:dme:NfsClientDefDeleteConfig

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999649
mibFaultName: fsmFailNfsClientDefDeleteConfig
moClass: nfs:ClientDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]/nfs-client-def-[ip]
```

fsmFailFirmwareDownloaderDownload

障害コード : F10999663

メッセージ

[FSM:FAILED]: sam:dme:FirmwareDownloaderDownload

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999663
mibFaultName: fsmFailFirmwareDownloaderDownload
moClass: firmware:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/dnld-[fileName]
```

fsmFailConfigBackupDelete

障害コード : F10999664

メッセージ

[FSM:FAILED]: sam:dme:ConfigBackupDelete

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999664
mibFaultName: fsmFailConfigBackupDelete
moClass: config:Backup
Type: fsm
Auto Cleared: true
Affected MO:
sys/config-catalogue/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]
Affected MO:
universe/inst-[connectorId]/consumer-catalogue-[internalName]/type-[backupType]-ts-[creationTS]
```

fsmFailConfigConsumerCatalogueDelete

障害コード : F10999664

メッセージ

[FSM:FAILED]: sam:dme:ConfigConsumerCatalogueDelete

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999664
mibFaultName: fsmFailConfigConsumerCatalogueDelete
moClass: config:ConsumerCatalogue
Type: fsm
Auto Cleared: true
Affected MO: sys/config-catalogue/consumer-catalogue-[internalName]
Affected MO: universe/inst-[connectorId]/consumer-catalogue-[internalName]
```

fsmFailFirmwareDistributableDelete

障害コード : F10999664

メッセージ

[FSM:FAILED]: sam:dme:FirmwareDistributableDelete

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999664
mibFaultName: fsmFailFirmwareDistributableDelete
moClass: firmware:Distributable
Type: fsm
Auto Cleared: true
Affected MO: sys/fw-catalogue/distrib-[name]
Affected MO: sys/remote-fw-catalogue-[server]/distrib-[name]
```

fsmFailConfigConsumerCatalogueCreate

障害コード : F10999809

メッセージ

[FSM:FAILED]: sam:dme:ConfigConsumerCatalogueCreate

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999809
mibFaultName: fsmFailConfigConsumerCatalogueCreate
moClass: config:ConsumerCatalogue
Type: fsm
Auto Cleared: true
Affected MO: sys/config-catalogue/consumer-catalogue-[internalName]
Affected MO: universe/inst-[connectorId]/consumer-catalogue-[internalName]
```

fsmFailNfsExportDefImageSync

障害コード : F10999810

メッセージ

[FSM:FAILED]: sam:dme:NfsExportDefImageSync

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999810
mibFaultName: fsmFailNfsExportDefImageSync
moClass: nfs:ExportDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]
```

fsmFailNfsExportDefAddRepo

障害コード : F10999811

メッセージ

[FSM:FAILED]: sam:dme:NfsExportDefAddRepo

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999811
mibFaultName: fsmFailNfsExportDefAddRepo
moClass: nfs:ExportDef
Type: fsm
Auto Cleared: true
Affected MO: nfs-ep/nfs-export-def-[name]



第 11 章

Policy Manager の障害

初版発行日 : 2014 年 7 月 23 日
最終更新日 : 2014 年 7 月 23 日

fsmStFailCertRepairEpRepairCert:request

障害コード : F10016504

メッセージ

[FSM:STAGE:FAILED|RETRY]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: request-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

fsmStFailCertRepairEpRepairCert:verify

障害コード : F10016504

メッセージ

[FSM:STAGE:FAILED|RETRY]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: verify-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

```

fsmStFailObserveObservedResolvePolicyFsm:Execute

障害コード : F10016510

メッセージ

```

[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016510
mibFaultName: fsmStFailObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmStFailObserveObservedResolveResourceFsm:Execute

障害コード : F10016511

メッセージ

```

[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016511
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmStFailObserveObservedResolveVMFsm:Execute

障害コード : F10016512

メッセージ

```

[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016512
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmStFailObserveObservedResolveControllerFsm:Execute

障害コード : F10016513

メッセージ

```

[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016513
mibFaultName: fsmStFailObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmStFailCommSvcEpRestartWebSvc:restart

障害コード : F10016515

メッセージ

[FSM:STAGE:FAILED|RETRY]: restart web services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: restart-failed
mibFaultCode: 10016515
mibFaultName: fsmStFailCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]/svc-ext
Affected MO: sys/svc-ext
```

fsmStFailExtpolEpRegisterFsm:Execute

障害コード : F10016518

メッセージ

[FSM:STAGE:FAILED|RETRY]: Register FSM Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016518
mibFaultName: fsmStFailExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release

障害コード : F10016532

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-failed
mibFaultCode: 10016532
mibFaultName: fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release

障害コード : F10016533

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-failed
mibFaultCode: 10016533
mibFaultName: fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

障害コード : F10016534

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016534
mibFaultName: fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

障害コード : F10016535

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016535
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

障害コード : F10016536

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016536
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

障害コード : F10016537

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016537
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

障害コード : F10016538

メッセージ

```

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016538
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

障害コード : F10016539

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016539
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

障害コード : F10016540

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016540
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

障害コード : F10016541

メッセージ

```

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016541
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

障害コード : F10016542

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016542
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

障害コード : F10016543

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016543
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

障害コード : F10016544

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016544
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

障害コード : F10016545

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016545
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

障害コード : F10016546

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016546
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPkiEpUpdateEp:SetCertConfLocal

障害コード : F10017011

メッセージ

[FSM:STAGE:FAILED|RETRY]: certificates
configuration(FSM-STAGE:sam:dme:PkiEpUpdateEp:SetCertConfLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: set-cert-conf-local-failed
mibFaultCode: 10017011
mibFaultName: fsmStFailPkiEpUpdateEpSetCertConfLocal
moClass: pki:Ep
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/deviceprofile-[name]/pki-ext
Affected MO: sys/pki-ext

```

fsmRmtErrCertRepairEpRepairCert:request

障害コード : F10077944

メッセージ

```
[FSM:STAGE:REMOTE-ERROR]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)
```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: request-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

```

fsmRmtErrCertRepairEpRepairCert:verify

障害コード : F10077944

メッセージ

```
[FSM:STAGE:REMOTE-ERROR]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)
```

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: verify-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

fsmRmtErrObserveObservedResolvePolicyFsm:Execute

障害コード : F10077950

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077950
mibFaultName: fsmRmtErrObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmRmtErrObserveObservedResolveResourceFsm:Execute

障害コード : F10077951

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077951
mibFaultName: fsmRmtErrObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmRmtErrObserveObservedResolveVMFsm:Execute

障害コード : F10077952

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077952
mibFaultName: fsmRmtErrObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmRmtErrObserveObservedResolveControllerFsm:Execute

障害コード : F10077953

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10077953
mibFaultName: fsmRmtErrObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmRmtErrCommSvcEpRestartWebSvc:restart

障害コード : F10077955

メッセージ

```
[FSM:STAGE:REMOTE-ERROR]: restart web
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)
```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: restart-failed
mibFaultCode: 10077955
mibFaultName: fsmRmtErrCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]/svc-ext
Affected MO: sys/svc-ext

```

fsmRmtErrExtpolEpRegisterFsm:Execute

障害コード : F10077958

メッセージ

```
[FSM:STAGE:REMOTE-ERROR]: Register FSM
Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)
```

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077958
mibFaultName: fsmRmtErrExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release

障害コード : F10077972

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-failed
mibFaultCode: 10077972
mibFaultName: fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]
```

fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release

障害コード : F10077973

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-failed
mibFaultCode: 10077973
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release

障害コード : F10077974

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077974
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

障害コード : F10077975

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077975
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

障害コード : F10077976

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077976
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

障害コード : F10077977

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077977
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

障害コード : F10077978

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077978
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

障害コード : F10077979

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077979
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

障害コード : F10077980

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077980
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

障害コード : F10077981

メッセージ

```

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077981
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```


Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

障害コード : F10077982

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077982
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

障害コード : F10077983

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077983
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

障害コード : F10077984

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077984
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

障害コード : F10077985

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077985
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

障害コード : F10077986

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077986
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPkiEpUpdateEp:SetCertConfLocal

障害コード : F10078451

メッセージ

[FSM:STAGE:REMOTE-ERROR]: certificates
configuration(FSM-STAGE:sam:dme:PkiEpUpdateEp:SetCertConfLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: set-cert-conf-local-failed
mibFaultCode: 10078451
mibFaultName: fsmRmtErrPkiEpUpdateEpSetCertConfLocal
moClass: pki:Ep
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/deviceprofile-[name]/pki-ext
Affected MO: sys/pki-ext

```

fsmFailCertRepairEpRepairCert

障害コード : F10999544

メッセージ

[FSM:FAILED]: sam:dme:CertRepairEpRepairCert

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999544
mibFaultName: fsmFailCertRepairEpRepairCert
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

```

fsmFailObserveObservedResolvePolicyFsm

障害コード : F10999550

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999550
mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmFailObserveObservedResolveResourceFsm

障害コード : F10999551

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999551
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmFailObserveObservedResolveVMFsm

障害コード : F10999552

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999552
mibFaultName: fsmFailObserveObservedResolveVMFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmFailObserveObservedResolveControllerFsm

障害コード : F10999553

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999553
mibFaultName: fsmFailObserveObservedResolveControllerFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmFailCommSvcEpRestartWebSvc

障害コード : F10999555

メッセージ

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999555
mibFaultName: fsmFailCommSvcEpRestartWebSvc
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]/svc-ext
Affected MO: sys/svc-ext
```

fsmFailExtpolEpRegisterFsm

障害コード : F1099558

メッセージ

[FSM:FAILED]: sam:dme:ExtpolEpRegisterFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999558
mibFaultName: fsmFailExtpolEpRegisterFsm
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

fsmFailPolicyPolicyScopeReleasePolicyFsm

障害コード : F1099572

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999572
mibFaultName: fsmFailPolicyPolicyScopeReleasePolicyFsm
```



```

moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseOperationFsm

障害コード : F10999573

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999573
mibFaultName: fsmFailPolicyPolicyScopeReleaseOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseStorageFsm

障害コード : F10999574

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999574
mibFaultName: fsmFailPolicyPolicyScopeReleaseStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeResolveManyPolicyFsm

障害コード : F10999575

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999575
```

```

mibFaultName: fsmFailPolicyPolicyScopeResolveManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveManyOperationFsm

障害コード : F10999576

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999576
mibFaultName: fsmFailPolicyPolicyScopeResolveManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveManyStorageFsm

障害コード : F10999577

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999577
mibFaultName: fsmFailPolicyPolicyScopeResolveManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseManyPolicyFsm

障害コード : F10999578

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999578
```

```

mibFaultName: fsmFailPolicyPolicyScopeReleaseManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseManyOperationFsm

障害コード : F10999579

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999579
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseManyStorageFsm

障害コード : F10999580

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999580
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeResolveAllPolicyFsm

障害コード : F10999581

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999581
```

```

mibFaultName: fsmFailPolicyPolicyScopeResolveAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveAllOperationFsm

障害コード : F10999582

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999582
mibFaultName: fsmFailPolicyPolicyScopeResolveAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveAllStorageFsm

障害コード : F10999583

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999583
mibFaultName: fsmFailPolicyPolicyScopeResolveAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

障害コード : F10999584

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999584
```



```

mibFaultName: fsmFailPolicyPolicyScopeReleaseAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseAllOperationFsm

障害コード : F10999585

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999585
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseAllStorageFsm

障害コード : F10999586

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999586
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPkiEpUpdateEp

障害コード : F11000051

メッセージ

[FSM:FAILED]: sam:dme:PkiEpUpdateEp

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 11000051
```

```
mibFaultName: fsmFailPkiEpUpdateEp  
moClass: pki:Ep  
Type: fsm  
Auto Cleared: true  
Affected MO: org-[name]/deviceprofile-[name]/pki-ext  
Affected MO: sys/pki-ext
```



Resource Manager の障害

初版発行日 : 2014 年 7 月 23 日
最終更新日 : 2014 年 7 月 23 日

fsmStFailMgmtBackupBackup:backupLocal

障害コード : F10016411

メッセージ

[FSM:STAGE:FAILED|RETRY]: internal database
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:backupLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: backup-local-failed
mibFaultCode: 10016411
mibFaultName: fsmStFailMgmtBackupBackupBackupLocal
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/backup-[hostname]
Affected MO: sys/backup-[hostname]

fsmStFailMgmtBackupBackup:upload

障害コード : F10016411

メッセージ

[FSM:STAGE:FAILED|RETRY]: internal system
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:upload)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: upload-failed
mibFaultCode: 10016411
mibFaultName: fsmStFailMgmtBackupBackupUpload
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/backup-[hostname]
Affected MO: sys/backup-[hostname]
```

fsmStFailCertRepairEpRepairCert:request

障害コード : F10016504

メッセージ

```
[FSM:STAGE:FAILED|RETRY]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)
```

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: request-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

fsmStFailCertRepairEpRepairCert:verify

障害コード : F10016504

メッセージ

```
[FSM:STAGE:FAILED|RETRY]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)
```

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

fsmStFailObserveObservedResolvePolicyFsm:Execute

障害コード : F10016510

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016510
mibFaultName: fsmStFailObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmStFailObserveObservedResolveResourceFsm:Execute

障害コード : F10016511

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016511
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmStFailObserveObservedResolveVMFsm:Execute

障害コード : F10016512

メッセージ

```
[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)
```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016512
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmStFailObserveObservedResolveControllerFsm:Execute

障害コード : F10016513

メッセージ

```
[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)
```

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016513
mibFaultName: fsmStFailObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmStFailCommSvcEpRestartWebSvc:restart

障害コード : F10016515

メッセージ

[FSM:STAGE:FAILED|RETRY]: restart web services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: restart-failed
mibFaultCode: 10016515
mibFaultName: fsmStFailCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]/svc-ext
Affected MO: sys/svc-ext
```

fsmStFailExtpolEpRegisterFsm:Execute

障害コード : F10016518

メッセージ

[FSM:STAGE:FAILED|RETRY]: Register FSM Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016518
mibFaultName: fsmStFailExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release

障害コード : F10016532

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-failed
mibFaultCode: 10016532
mibFaultName: fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release

障害コード : F10016533

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-failed
mibFaultCode: 10016533
mibFaultName: fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

障害コード : F10016534

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-failed
mibFaultCode: 10016534
mibFaultName: fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

障害コード : F10016535

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016535
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

障害コード : F10016536

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016536
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

障害コード : F10016537

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016537
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

障害コード : F10016538

メッセージ

```

[FSM:STAGE:FAILED]RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016538
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

障害コード : F10016539

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016539
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

障害コード : F10016540

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016540
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

障害コード : F10016541

メッセージ

```

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016541
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

障害コード : F10016542

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016542
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

障害コード : F10016543

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016543
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

障害コード : F10016544

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016544
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

障害コード : F10016545

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016545
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

障害コード : F10016546

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016546
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailComputeSystemRegister:authenticate

障害コード : F10016639

メッセージ

[FSM:STAGE:FAILED|RETRY]: authenticating UCS System
 [name](FSM-STAGE:sam:dme:ComputeSystemRegister:authenticate)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: authenticate-failed
mibFaultCode: 10016639
mibFaultName: fsmStFailComputeSystemRegisterAuthenticate
moClass: compute:System
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]

```

fsmStFailExtpolClientUpdateContextFsm:Execute

障害コード : F10016643

メッセージ

```

[FSM:STAGE:FAILED|RETRY]: Update Context FSM
Execute(FSM-STAGE:sam:dme:ExtpolClientUpdateContextFsm:Execute)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016643
mibFaultName: fsmStFailExtpolClientUpdateContextFsmExecute
moClass: extpol:Client
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]

```

fsmStFailLsServerConfigure:AnalyzeImpact

障害コード : F10016779

メッセージ

```

[FSM:STAGE:FAILED|RETRY]: Analyzing changes
impact(FSM-STAGE:sam:dme:LsServerConfigure:AnalyzeImpact)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: analyze-impact-failed
mibFaultCode: 10016779
mibFaultName: fsmStFailLsServerConfigureAnalyzeImpact
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

fsmStFailLsServerConfigure:ApplyConfig

障害コード : F10016779

メッセージ

[FSM:STAGE:FAILED|RETRY]: Applying config to server
[pnDn](FSM-STAGE:sam:dme:LsServerConfigure:ApplyConfig)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: apply-config-failed
mibFaultCode: 10016779
mibFaultName: fsmStFailLsServerConfigureApplyConfig
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

fsmStFailLsServerConfigure:ApplyRename

障害コード : F10016779

メッセージ

[FSM:STAGE:FAILED|RETRY]: Applying rename to server
[pnDn](FSM-STAGE:sam:dme:LsServerConfigure:ApplyRename)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning

```

Cause: apply-rename-failed
mibFaultCode: 10016779
mibFaultName: fsmStFailLsServerConfigureApplyRename
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

```

fsmStFailLsServerConfigure:ApplyTemplate

障害コード : F10016779

メッセージ

[FSM:STAGE:FAILED|RETRY]: Applying configuration template
[srcTemplateName](FSM-STAGE:sam:dme:LsServerConfigure:ApplyTemplate)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: apply-template-failed
mibFaultCode: 10016779
mibFaultName: fsmStFailLsServerConfigureApplyTemplate
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

```

fsmStFailLsServerConfigure:ApplyThrottle

障害コード : F10016779

メッセージ

[FSM:STAGE:FAILED|RETRY]: Throttle configuration based on concurrent service-profile being processed.(FSM-STAGE:sam:dme:LsServerConfigure:ApplyThrottle)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: apply-throttle-failed
mibFaultCode: 10016779

```

```

mibFaultName: fsmStFailLsServerConfigureApplyThrottle
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org- [name] /templ- [name] /ls- [name]
Affected MO: org- [name] /ls- [name]

```

fsmStFailLsServerConfigure:ConsumerVxanDeployment

障害コード : F10016779

メッセージ

[FSM:STAGE:FAILED|RETRY]: Sending Vxan to consumer(FSM-STAGE:sam:dme:LsServerConfigure:ConsumerVxanDeployment)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: consumer-vxan-deployment-failed
mibFaultCode: 10016779
mibFaultName: fsmStFailLsServerConfigureConsumerVxanDeployment
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org- [name] /templ- [name] /ls- [name]
Affected MO: org- [name] /ls- [name]

```

fsmStFailLsServerConfigure:DeleteIdConsumerMap

障害コード : F10016779

メッセージ

[FSM:STAGE:FAILED|RETRY]: Deleting the map between ID and Domain(FSM-STAGE:sam:dme:LsServerConfigure>DeleteIdConsumerMap)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: delete-id-consumer-map-failed
mibFaultCode: 10016779
mibFaultName: fsmStFailLsServerConfigureDeleteIdConsumerMap
moClass: ls:Server

```

Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

fsmStFailLsServerConfigure:EvaluateAssociation

障害コード : F10016779

メッセージ

[FSM:STAGE:FAILED|RETRY]: Evaluate association with server
[pnDn](FSM-STAGE:sam:dme:LsServerConfigure:EvaluateAssociation)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: evaluate-association-failed
mibFaultCode: 10016779
mibFaultName: fsmStFailLsServerConfigureEvaluateAssociation
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

fsmStFailLsServerConfigure:ProcessIdConsumerMap

障害コード : F10016779

メッセージ

[FSM:STAGE:FAILED|RETRY]: Creating the map between ID and
domain(FSM-STAGE:sam:dme:LsServerConfigure:ProcessIdConsumerMap)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: process-id-consumer-map-failed
mibFaultCode: 10016779
mibFaultName: fsmStFailLsServerConfigureProcessIdConsumerMap
moClass: ls:Server
Type: fsm
Auto Cleared: true

Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

fsmStFailLsServerConfigure:ResolveIdentifiers

障害コード : F10016779

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolving identifiers from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolveIdentifiers)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-identifiers-failed
mibFaultCode: 10016779
mibFaultName: fsmStFailLsServerConfigureResolveIdentifiers
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

fsmStFailLsServerConfigure:ResolveNetworkTemplates

障害コード : F10016779

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolving network templates policies from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolveNetworkTemplates)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-network-templates-failed
mibFaultCode: 10016779
mibFaultName: fsmStFailLsServerConfigureResolveNetworkTemplates
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]

fsmStFailLsServerConfigure:ResolvePolicies

障害コード : F10016779

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolving various policies from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolvePolicies)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-policies-failed
mibFaultCode: 10016779
mibFaultName: fsmStFailLsServerConfigureResolvePolicies
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmStFailLsServerConfigure:ResolveStaticIdentifiers

障害コード : F10016779

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolving identifiers from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolveStaticIdentifiers)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-static-identifiers-failed
mibFaultCode: 10016779
mibFaultName: fsmStFailLsServerConfigureResolveStaticIdentifiers
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmStFailLsServerConfigure:WaitForAssocCompletion

障害コード : F10016779

メッセージ

[FSM:STAGE:FAILED|RETRY]: Waiting for Association completion on server
[pnDn](FSM-STAGE:sam:dme:LsServerConfigure:WaitForAssocCompletion)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: wait-for-assoc-completion-failed
mibFaultCode: 10016779
mibFaultName: fsmStFailLsServerConfigureWaitForAssocCompletion
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org- [name] /templ- [name] /ls- [name]
Affected MO: org- [name] /ls- [name]
```

fsmStFailLsServerConfigure:WaitForConsumerReceivingVxan

障害コード : F10016779

メッセージ

[FSM:STAGE:FAILED|RETRY]: Waiting for consumer receiving Vxan
response(FSM-STAGE:sam:dme:LsServerConfigure:WaitForConsumerReceivingVxan)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: wait-for-consumer-receiving-vxan-failed
mibFaultCode: 10016779
mibFaultName: fsmStFailLsServerConfigureWaitForConsumerReceivingVxan
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org- [name] /templ- [name] /ls- [name]
Affected MO: org- [name] /ls- [name]
```

fsmStFailIdentIdentRequestUpdateIdent:Execute

障害コード : F10016793

メッセージ

[FSM:STAGE:FAILED|RETRY]: Update identities to external identifier manager(FSM-STAGE:sam:dme:IdentIdentRequestUpdateIdent:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016793
mibFaultName: fsmStFailIdentIdentRequestUpdateIdentExecute
moClass: ident:IdentRequest
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys/IdentQ-[id]
```

fsmStFailIdentIdentRequestUpdateIdent:ReportIdDomainMap

障害コード : F10016793

メッセージ

[FSM:STAGE:FAILED|RETRY]: ReportIdDomain map to external identifier manager(FSM-STAGE:sam:dme:IdentIdentRequestUpdateIdent:ReportIdDomainMap)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: report-id-domain-map-failed
mibFaultCode: 10016793
mibFaultName: fsmStFailIdentIdentRequestUpdateIdentReportIdDomainMap
moClass: ident:IdentRequest
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys/IdentQ-[id]
```

fsmStFailIdentMetaSystemSync:Execute

障害コード : F10016794

メッセージ

[FSM:STAGE:FAILED|RETRY]: Synchronise ID universe to external identifier manager(FSM-STAGE:sam:dme:IdentMetaSystemSync:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016794
mibFaultName: fsmStFailIdentMetaSystemSyncExecute
moClass: ident:MetaSystem
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys
```

fsmStFailIdentMetaSystemSync:Ping

障害コード : F10016794

メッセージ

[FSM:STAGE:FAILED|RETRY]: Check identifier manager availability(FSM-STAGE:sam:dme:IdentMetaSystemSync:Ping)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: ping-failed
mibFaultCode: 10016794
mibFaultName: fsmStFailIdentMetaSystemSyncPing
moClass: ident:MetaSystem
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys
```

fsmStFailFabricVnetEpSyncEpSyncVnetEpUCS:Sync

障害コード : F10016800

メッセージ

[FSM:STAGE:FAILED|RETRY]: Update UCS with Vnet Changes(FSM-STAGE:sam:dme:FabricVnetEpSyncEpSyncVnetEpUCS:Sync)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: sync-failed
mibFaultCode: 10016800
mibFaultName: fsmStFailFabricVnetEpSyncEpSyncVnetEpUCSSync
moClass: fabric:VnetEpSyncEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/syncEp
```

fsmStFailChangeEpSyncChangeUCS:Sync

障害コード : F10016808

メッセージ

[FSM:STAGE:FAILED|RETRY]: Update UCSM with change objects(FSM-STAGE:sam:dme:ChangeEpSyncChangeUCS:Sync)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: sync-failed
mibFaultCode: 10016808
mibFaultName: fsmStFailChangeEpSyncChangeUCSSync
moClass: change:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/domain-[guid]/syncEp
```

fsmRmtErrMgmtBackupBackup:backupLocal

障害コード : F10077851

メッセージ

[FSM:STAGE:REMOTE-ERROR]: internal database
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:backupLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: backup-local-failed
mibFaultCode: 10077851
mibFaultName: fsmRmtErrMgmtBackupBackupBackupLocal
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/backup-[hostname]
Affected MO: sys/backup-[hostname]
```

fsmRmtErrMgmtBackupBackup:upload

障害コード : F10077851

メッセージ

[FSM:STAGE:REMOTE-ERROR]: internal system
backup(FSM-STAGE:sam:dme:MgmtBackupBackup:upload)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: upload-failed
mibFaultCode: 10077851
mibFaultName: fsmRmtErrMgmtBackupBackupUpload
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/backup-[hostname]
Affected MO: sys/backup-[hostname]
```

fsmRmtErrCertRepairEpRepairCert:request

障害コード : F10077944

メッセージ

[FSM:STAGE:REMOTE-ERROR]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: request-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

fsmRmtErrCertRepairEpRepairCert:verify

障害コード : F10077944

メッセージ

[FSM:STAGE:REMOTE-ERROR]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```


fsmRmtErrObserveObservedResolvePolicyFsm:Execute

障害コード : F10077950

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077950
mibFaultName: fsmRmtErrObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmRmtErrObserveObservedResolveResourceFsm:Execute

障害コード : F10077951

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077951
mibFaultName: fsmRmtErrObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
```

Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmRmtErrObserveObservedResolveVMFsm:Execute

障害コード : F10077952

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM
 Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077952
mibFaultName: fsmRmtErrObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmRmtErrObserveObservedResolveControllerFsm:Execute

障害コード : F10077953

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM
 Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077953
mibFaultName: fsmRmtErrObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm

```

Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmRmtErrCommSvcEpRestartWebSvc:restart

障害コード : F10077955

メッセージ

[FSM:STAGE:REMOTE-ERROR]: restart web services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: restart-failed
mibFaultCode: 10077955
mibFaultName: fsmRmtErrCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]/svc-ext
Affected MO: sys/svc-ext

```

fsmRmtErrExtpolEpRegisterFsm:Execute

障害コード : F10077958

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Register FSM Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10077958
mibFaultName: fsmRmtErrExtpolEpRegisterFsmExecute
moClass: extpol:Ep

```

Type: fsm
Auto Cleared: true
Affected MO: extpol

fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release

障害コード : F10077972

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-failed
mibFaultCode: 10077972
mibFaultName: fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release

障害コード : F10077973

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077973
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release

障害コード : F10077974

メッセージ

```

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077974
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

障害コード : F10077975

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077975
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

障害コード : F10077976

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077976
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

障害コード : F10077977

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077977
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

障害コード : F10077978

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077978
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

障害コード : F10077979

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10077979
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

障害コード : F10077980

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077980
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

障害コード : F10077981

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077981
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

障害コード : F10077982

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077982
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

障害コード : F10077983

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077983
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

障害コード : F10077984

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077984
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

障害コード : F10077985

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077985
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

障害コード : F10077986

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077986
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrComputeSystemRegister:authenticate

障害コード : F10078079

メッセージ

[FSM:STAGE:REMOTE-ERROR]: authenticating UCS System
[name](FSM-STAGE:sam:dme:ComputeSystemRegister:authenticate)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: authenticate-failed
mibFaultCode: 10078079
mibFaultName: fsmRmtErrComputeSystemRegisterAuthenticate
moClass: compute:System
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]

```

fsmRmtErrExtpolClientUpdateContextFsm:Execute

障害コード : F10078083

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Update Context FSM
Execute(FSM-STAGE:sam:dme:ExtpolClientUpdateContextFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10078083
mibFaultName: fsmRmtErrExtpolClientUpdateContextFsmExecute
moClass: extpol:Client
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```

fsmRmtErrLsServerConfigure:AnalyzeImpact

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Analyzing changes
impact(FSM-STAGE:sam:dme:LsServerConfigure:AnalyzeImpact)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: analyze-impact-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureAnalyzeImpact
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmRmtErrLsServerConfigure:ApplyConfig

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Applying config to server
[pnDn](FSM-STAGE:sam:dme:LsServerConfigure:ApplyConfig)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: apply-config-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureApplyConfig
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org- [name] /templ- [name] /ls- [name]
Affected MO: org- [name] /ls- [name]
```

fsmRmtErrLsServerConfigure:ApplyRename

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Applying rename to server
[pnDn](FSM-STAGE:sam:dme:LsServerConfigure:ApplyRename)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: apply-rename-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureApplyRename
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org- [name] /templ- [name] /ls- [name]
Affected MO: org- [name] /ls- [name]
```


fsmRmtErrLsServerConfigure:ApplyTemplate

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Applying configuration template
[srcTemplateName](FSM-STAGE:sam:dme:LsServerConfigure:ApplyTemplate)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: apply-template-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureApplyTemplate
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmRmtErrLsServerConfigure:ApplyThrottle

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Throttle configuration based on concurrent service-profile being processed.(FSM-STAGE:sam:dme:LsServerConfigure:ApplyThrottle)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: apply-throttle-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureApplyThrottle
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmRmtErrLsServerConfigure:ConsumerVxanDeployment

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Sending Vxan to consumer(FSM-STAGE:sam:dme:LsServerConfigure:ConsumerVxanDeployment)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: consumer-vxan-deployment-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureConsumerVxanDeployment
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmRmtErrLsServerConfigure:DeleteIdConsumerMap

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Deleting the map between ID and Domain(FSM-STAGE:sam:dme:LsServerConfigure>DeleteIdConsumerMap)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: delete-id-consumer-map-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureDeleteIdConsumerMap
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmRmtErrLsServerConfigure:EvaluateAssociation

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Evaluate association with server
[pnDn](FSM-STAGE:sam:dme:LsServerConfigure:EvaluateAssociation)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: evaluate-association-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureEvaluateAssociation
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmRmtErrLsServerConfigure:ProcessIdConsumerMap

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Creating the map between ID and
domain(FSM-STAGE:sam:dme:LsServerConfigure:ProcessIdConsumerMap)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: process-id-consumer-map-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureProcessIdConsumerMap
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmRmtErrLsServerConfigure:ResolveIdentifiers

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolving identifiers from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolveIdentifiers)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-identifiers-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureResolveIdentifiers
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmRmtErrLsServerConfigure:ResolveNetworkTemplates

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolving network templates policies from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolveNetworkTemplates)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-network-templates-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureResolveNetworkTemplates
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmRmtErrLsServerConfigure:ResolvePolicies

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolving various policies from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolvePolicies)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-policies-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureResolvePolicies
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmRmtErrLsServerConfigure:ResolveStaticIdentifiers

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolving identifiers from UCS Central(FSM-STAGE:sam:dme:LsServerConfigure:ResolveStaticIdentifiers)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-static-identifiers-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureResolveStaticIdentifiers
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmRmtErrLsServerConfigure:WaitForAssocCompletion

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Waiting for Association completion on server
[pnDn](FSM-STAGE:sam:dme:LsServerConfigure:WaitForAssocCompletion)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: wait-for-assoc-completion-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureWaitForAssocCompletion
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmRmtErrLsServerConfigure:WaitForConsumerReceivingVxan

障害コード : F10078219

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Waiting for consumer receiving Vxan
response(FSM-STAGE:sam:dme:LsServerConfigure:WaitForConsumerReceivingVxan)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: wait-for-consumer-receiving-vxan-failed
mibFaultCode: 10078219
mibFaultName: fsmRmtErrLsServerConfigureWaitForConsumerReceivingVxan
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmRmtErrIdentIdentRequestUpdateIdent:Execute

障害コード : F10078233

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Update identities to external identifier manager(FSM-STAGE:sam:dme:IdentIdentRequestUpdateIdent:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10078233
mibFaultName: fsmRmtErrIdentIdentRequestUpdateIdentExecute
moClass: ident:IdentRequest
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys/IdentQ-[id]
```

fsmRmtErrIdentIdentRequestUpdateIdent:ReportIdDomainMap

障害コード : F10078233

メッセージ

[FSM:STAGE:REMOTE-ERROR]: ReportIdDomain map to external identifier manager(FSM-STAGE:sam:dme:IdentIdentRequestUpdateIdent:ReportIdDomainMap)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: report-id-domain-map-failed
mibFaultCode: 10078233
mibFaultName: fsmRmtErrIdentIdentRequestUpdateIdentReportIdDomainMap
moClass: ident:IdentRequest
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys/IdentQ-[id]
```

fsmRmtErrIdentMetaSystemSync:Execute

障害コード : F10078234

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Synchronise ID universe to external identifier manager(FSM-STAGE:sam:dme:IdentMetaSystemSync:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10078234
mibFaultName: fsmRmtErrIdentMetaSystemSyncExecute
moClass: ident:MetaSystem
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys
```

fsmRmtErrIdentMetaSystemSync:Ping

障害コード : F10078234

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Check identifier manager availability(FSM-STAGE:sam:dme:IdentMetaSystemSync:Ping)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: ping-failed
mibFaultCode: 10078234
mibFaultName: fsmRmtErrIdentMetaSystemSyncPing
moClass: ident:MetaSystem
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys
```


fsmRmtErrFabricVnetEpSyncEpSyncVnetEpUCS:Sync

障害コード : F10078240

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Update UCS with Vnet Changes(FSM-STAGE:sam:dme:FabricVnetEpSyncEpSyncVnetEpUCS:Sync)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: sync-failed
mibFaultCode: 10078240
mibFaultName: fsmRmtErrFabricVnetEpSyncEpSyncVnetEpUCSSync
moClass: fabric:VnetEpSyncEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/syncEp
```

fsmRmtErrChangeEpSyncChangeUCS:Sync

障害コード : F10078248

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Update UCSM with change objects(FSM-STAGE:sam:dme:ChangeEpSyncChangeUCS:Sync)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: sync-failed
mibFaultCode: 10078248
mibFaultName: fsmRmtErrChangeEpSyncChangeUCSSync
moClass: change:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/domain-[guid]/syncEp
```

fsmFailMgmtBackupBackup

障害コード : F10999451

メッセージ

[FSM:FAILED]: sam:dme:MgmtBackupBackup

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999451
mibFaultName: fsmFailMgmtBackupBackup
moClass: mgmt:Backup
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/backup-[hostname]
Affected MO: sys/backup-[hostname]
```

fsmFailCertRepairEpRepairCert

障害コード : F10999544

メッセージ

[FSM:FAILED]: sam:dme:CertRepairEpRepairCert

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999544
mibFaultName: fsmFailCertRepairEpRepairCert
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

fsmFailObserveObservedResolvePolicyFsm

障害コード : F10999550

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999550
mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmFailObserveObservedResolveResourceFsm

障害コード : F10999551

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999551
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmFailObserveObservedResolveVMFsm

障害コード : F10999552

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999552
mibFaultName: fsmFailObserveObservedResolveVMFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmFailObserveObservedResolveControllerFsm

障害コード : F10999553

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999553
mibFaultName: fsmFailObserveObservedResolveControllerFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmFailCommSvcEpRestartWebSvc

障害コード : F10999555

メッセージ

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999555
mibFaultName: fsmFailCommSvcEpRestartWebSvc
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]/svc-ext
Affected MO: sys/svc-ext
```

fsmFailExtpolEpRegisterFsm

障害コード : F10999558

メッセージ

[FSM:FAILED]: sam:dme:ExtpolEpRegisterFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999558
mibFaultName: fsmFailExtpolEpRegisterFsm
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

fsmFailPolicyPolicyScopeReleasePolicyFsm

障害コード : F10999572

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999572
mibFaultName: fsmFailPolicyPolicyScopeReleasePolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseOperationFsm

障害コード : F10999573

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999573
```

```

mibFaultName: fsmFailPolicyPolicyScopeReleaseOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseStorageFsm

障害コード : F10999574

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999574
mibFaultName: fsmFailPolicyPolicyScopeReleaseStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveManyPolicyFsm

障害コード : F10999575

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999575
mibFaultName: fsmFailPolicyPolicyScopeResolveManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeResolveManyOperationFsm

障害コード : F10999576

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999576
```



```

mibFaultName: fsmFailPolicyPolicyScopeResolveManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveManyStorageFsm

障害コード : F10999577

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999577
mibFaultName: fsmFailPolicyPolicyScopeResolveManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseManyPolicyFsm

障害コード : F10999578

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999578
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseManyOperationFsm

障害コード : F10999579

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999579
```

```

mibFaultName: fsmFailPolicyPolicyScopeReleaseManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseManyStorageFsm

障害コード : F10999580

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999580
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveAllPolicyFsm

障害コード : F10999581

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999581
mibFaultName: fsmFailPolicyPolicyScopeResolveAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeResolveAllOperationFsm

障害コード : F10999582

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999582
```

```

mibFaultName: fsmFailPolicyPolicyScopeResolveAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveAllStorageFsm

障害コード : F10999583

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999583
mibFaultName: fsmFailPolicyPolicyScopeResolveAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

障害コード : F10999584

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999584
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseAllOperationFsm

障害コード : F10999585

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999585
```

```

mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseAllStorageFsm

障害コード : F10999586

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999586
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailComputeSystemRegister

障害コード : F10999679

メッセージ

[FSM:FAILED]: sam:dme:ComputeSystemRegister

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999679
mibFaultName: fsmFailComputeSystemRegister
moClass: compute:System
Type: fsm
Auto Cleared: true
Affected MO: compute/sys-[id]
```

fsmFailExtpolClientUpdateContextFsm

障害コード : F10999683

メッセージ

[FSM:FAILED]: sam:dme:ExtpolClientUpdateContextFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999683
mibFaultName: fsmFailExtpolClientUpdateContextFsm
moClass: extpol:Client
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]
```


fsmFailLsServerConfigure

障害コード : F10999819

メッセージ

[FSM:FAILED]: sam:dme:LsServerConfigure

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999819
mibFaultName: fsmFailLsServerConfigure
moClass: ls:Server
Type: fsm
Auto Cleared: true
Affected MO: org-[name]/templ-[name]/ls-[name]
Affected MO: org-[name]/ls-[name]
```

fsmFailIdentIdentRequestUpdateIdent

障害コード : F10999833

メッセージ

[FSM:FAILED]: sam:dme:IdentIdentRequestUpdateIdent

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999833
mibFaultName: fsmFailIdentIdentRequestUpdateIdent
moClass: ident:IdentRequest
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys/IdentQ-[id]
```

fsmFailIdentMetaSystemSync

障害コード : F10999834

メッセージ

[FSM:FAILED]: sam:dme:IdentMetaSystemSync

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999834
mibFaultName: fsmFailIdentMetaSystemSync
moClass: ident:MetaSystem
Type: fsm
Auto Cleared: true
Affected MO: metaverse/metasys
```

fsmFailFabricVnetEpSyncEpSyncVnetEpUCS

障害コード : F10999840

メッセージ

[FSM:FAILED]: sam:dme:FabricVnetEpSyncEpSyncVnetEpUCS

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999840
mibFaultName: fsmFailFabricVnetEpSyncEpSyncVnetEpUCS
moClass: fabric:VnetEpSyncEp
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/syncEp
```

fsmFailChangeEpSyncChangeUCS

障害コード : F10999848

メッセージ

[FSM:FAILED]: sam:dme:ChangeEpSyncChangeUCS

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical  
Cause: fsm-failed  
mibFaultCode: 10999848  
mibFaultName: fsmFailChangeEpSyncChangeUCS  
moClass: change:Ep  
Type: fsm  
Auto Cleared: true  
Affected MO: extpol/reg/clients/domain-[guid]/syncEp
```



Statistics Manager の障害

初版発行日 : 2014 年 7 月 23 日
最終更新日 : 2014 年 7 月 23 日

fsmStFailCertRepairEpRepairCert:request

障害コード : F10016504

メッセージ

[FSM:STAGE:FAILED|RETRY]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: request-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

fsmStFailCertRepairEpRepairCert:verify

障害コード : F10016504

メッセージ

[FSM:STAGE:FAILED|RETRY]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

fsmStFailObserveObservedResolvePolicyFsm:Execute

障害コード : F10016510

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016510
mibFaultName: fsmStFailObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmStFailObserveObservedResolveResourceFsm:Execute

障害コード : F10016511

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016511
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmStFailObserveObservedResolveVMFsm:Execute

障害コード : F10016512

メッセージ

```

[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016512
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmStFailObserveObservedResolveControllerFsm:Execute

障害コード : F10016513

メッセージ

```

[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016513
mibFaultName: fsmStFailObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmStFailCommSvcEpRestartWebSvc:restart

障害コード : F10016515

メッセージ

[FSM:STAGE:FAILED|RETRY]: restart web services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: restart-failed
mibFaultCode: 10016515
mibFaultName: fsmStFailCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext
```

fsmStFailExtpolEpRegisterFsm:Execute

障害コード : F10016518

メッセージ

[FSM:STAGE:FAILED|RETRY]: Register FSM Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016518
mibFaultName: fsmStFailExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release

障害コード : F10016532

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-failed
mibFaultCode: 10016532
mibFaultName: fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```


fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release

障害コード : F10016533

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-failed
mibFaultCode: 10016533
mibFaultName: fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

障害コード : F10016534

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016534
mibFaultName: fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

障害コード : F10016535

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016535
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

障害コード : F10016536

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016536
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

障害コード : F10016537

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016537
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

障害コード : F10016538

メッセージ

```

[FSM:STAGE:FAILED]RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016538
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

障害コード : F10016539

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016539
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

障害コード : F10016540

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016540
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

障害コード : F10016541

メッセージ

```

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016541
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

障害コード : F10016542

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016542
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

障害コード : F10016543

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016543
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

障害コード : F10016544

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016544
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

障害コード : F10016545

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016545
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

障害コード : F10016546

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016546
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrCertRepairEpRepairCert:request

障害コード : F10077944

メッセージ

[FSM:STAGE:REMOTE-ERROR]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: request-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

```

fsmRmtErrCertRepairEpRepairCert:verify

障害コード : F10077944

メッセージ

[FSM:STAGE:REMOTE-ERROR]: checking that cert was provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: verify-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

```

fsmRmtErrObserveObservedResolvePolicyFsm:Execute

障害コード : F10077950

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077950
mibFaultName: fsmRmtErrObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmRmtErrObserveObservedResolveResourceFsm:Execute

障害コード : F10077951

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077951
mibFaultName: fsmRmtErrObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmRmtErrObserveObservedResolveVMFsm:Execute

障害コード : F10077952

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10077952
mibFaultName: fsmRmtErrObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmRmtErrObserveObservedResolveControllerFsm:Execute

障害コード : F10077953

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10077953
mibFaultName: fsmRmtErrObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmRmtErrCommSvcEpRestartWebSvc:restart

障害コード : F10077955

メッセージ

[FSM:STAGE:REMOTE-ERROR]: restart web
services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: restart-failed
mibFaultCode: 10077955
mibFaultName: fsmRmtErrCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext
```

fsmRmtErrExtpolEpRegisterFsm:Execute

障害コード : F10077958

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Register FSM
Execute(FSM-STAGE:sam:dme:ExtpolEpRegisterFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077958
mibFaultName: fsmRmtErrExtpolEpRegisterFsmExecute
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release

障害コード : F10077972

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077972
mibFaultName: fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release

障害コード : F10077973

メッセージ

```

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077973
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release

障害コード : F10077974

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-failed
mibFaultCode: 10077974
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

障害コード : F10077975

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077975
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

障害コード : F10077976

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077976
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

障害コード : F10077977

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077977
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

障害コード : F10077978

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-many-failed
mibFaultCode: 10077978
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

障害コード : F10077979

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077979
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

障害コード : F10077980

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077980
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

障害コード : F10077981

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077981
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

障害コード : F10077982

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077982
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

障害コード : F10077983

メッセージ

```

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077983
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

障害コード : F10077984

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077984
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

障害コード : F10077985

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077985
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

障害コード : F10077986

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077986
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```



```

Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

```

fsmFailCertRepairEpRepairCert

障害コード : F10999544

メッセージ

[FSM:FAILED]: sam:dme:CertRepairEpRepairCert

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999544
mibFaultName: fsmFailCertRepairEpRepairCert
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

```

fsmFailObserveObservedResolvePolicyFsm

障害コード : F10999550

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999550

```

```

mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
    
```

fsmFailObserveObservedResolveResourceFsm

障害コード : F10999551

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999551
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
    
```

fsmFailObserveObservedResolveVMFsm

障害コード : F10999552

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
    
```

```

mibFaultCode: 10999552
mibFaultName: fsmFailObserveObservedResolveVMFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmFailObserveObservedResolveControllerFsm

障害コード : F10999553

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999553
mibFaultName: fsmFailObserveObservedResolveControllerFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmFailCommSvcEpRestartWebSvc

障害コード : F10999555

メッセージ

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999555
mibFaultName: fsmFailCommSvcEpRestartWebSvc
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext
```

fsmFailExtpolEpRegisterFsm

障害コード : F1099558

メッセージ

[FSM:FAILED]: sam:dme:ExtpolEpRegisterFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999558
mibFaultName: fsmFailExtpolEpRegisterFsm
moClass: extpol:Ep
Type: fsm
Auto Cleared: true
Affected MO: extpol
```

fsmFailPolicyPolicyScopeReleasePolicyFsm

障害コード : F1099572

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999572
mibFaultName: fsmFailPolicyPolicyScopeReleasePolicyFsm
moClass: policy:PolicyScope
```

```

Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseOperationFsm

障害コード : F10999573

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999573
mibFaultName: fsmFailPolicyPolicyScopeReleaseOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseStorageFsm

障害コード : F10999574

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999574
mibFaultName: fsmFailPolicyPolicyScopeReleaseStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeResolveManyPolicyFsm

障害コード : F10999575

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999575
```

```

mibFaultName: fsmFailPolicyPolicyScopeResolveManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveManyOperationFsm

障害コード : F10999576

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999576
mibFaultName: fsmFailPolicyPolicyScopeResolveManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveManyStorageFsm

障害コード : F10999577

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999577
mibFaultName: fsmFailPolicyPolicyScopeResolveManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseManyPolicyFsm

障害コード : F10999578

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999578
```



```

mibFaultName: fsmFailPolicyPolicyScopeReleaseManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseManyOperationFsm

障害コード : F10999579

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999579
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseManyStorageFsm

障害コード : F10999580

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999580
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeResolveAllPolicyFsm

障害コード : F10999581

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999581
```

```

mibFaultName: fsmFailPolicyPolicyScopeResolveAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveAllOperationFsm

障害コード : F10999582

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999582
mibFaultName: fsmFailPolicyPolicyScopeResolveAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveAllStorageFsm

障害コード : F10999583

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999583
mibFaultName: fsmFailPolicyPolicyScopeResolveAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

障害コード : F10999584

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999584
```

```

mibFaultName: fsmFailPolicyPolicyScopeReleaseAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseAllOperationFsm

障害コード : F10999585

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999585
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseAllStorageFsm

障害コード : F10999586

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999586
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```



サービスレジストリの障害

初版発行日 : 2014 年 7 月 23 日
最終更新日 : 2014 年 7 月 23 日

fsmStFailCertRepairEpRepairCert:request

障害コード : F10016504

メッセージ

[FSM:STAGE:FAILED|RETRY]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: request-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair

fsmStFailCertRepairEpRepairCert:verify

障害コード : F10016504

メッセージ

[FSM:STAGE:FAILED|RETRY]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10016504
mibFaultName: fsmStFailCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

fsmStFailObserveObservedResolvePolicyFsm:Execute

障害コード : F10016510

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016510
mibFaultName: fsmStFailObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmStFailObserveObservedResolveResourceFsm:Execute

障害コード : F10016511

メッセージ

[FSM:STAGE:FAILED|RETRY]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016511
mibFaultName: fsmStFailObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmStFailObserveObservedResolveVMFsm:Execute

障害コード : F10016512

メッセージ

```

[FSM:STAGE:FAILED|RETRY]: Resolve VM FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: execute-failed
mibFaultCode: 10016512
mibFaultName: fsmStFailObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmStFailObserveObservedResolveControllerFsm:Execute

障害コード : F10016513

メッセージ

```

[FSM:STAGE:FAILED|RETRY]: Resolve Mgmt Controller FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10016513
mibFaultName: fsmStFailObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmStFailCommSvcEpRestartWebSvc:restart

障害コード : F10016515

メッセージ

[FSM:STAGE:FAILED|RETRY]: restart web services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: restart-failed
mibFaultCode: 10016515
mibFaultName: fsmStFailCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext
```

fsmStFailPolicyPolicyScopeReleasePolicyFsm:Release

障害コード : F10016532

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016532
mibFaultName: fsmStFailPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseOperationFsm:Release

障害コード : F10016533

メッセージ

```

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10016533
mibFaultName: fsmStFailPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

Affected MO:

```
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

Affected MO:

```
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

Affected MO:

```
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

Affected MO:

```
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseStorageFsm:Release

障害コード : F10016534

メッセージ

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)
```

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning

Cause: release-failed

mibFaultCode: 10016534

mibFaultName: fsmStFailPolicyPolicyScopeReleaseStorageFsmRelease

moClass: policy:PolicyScope

Type: fsm

Auto Cleared: true

Affected MO:

```
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

Affected MO:

```
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

Affected MO:

```
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

Affected MO:

```
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

Affected MO:

```
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

障害コード : F10016535

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016535
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

障害コード : F10016536

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016536
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

障害コード : F10016537

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10016537
mibFaultName: fsmStFailPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

障害コード : F10016538

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016538
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

障害コード : F10016539

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016539
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

障害コード : F10016540

メッセージ

```
[FSM:STAGE:FAILED]RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)
```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10016540
mibFaultName: fsmStFailPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```


Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

障害コード : F10016541

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016541
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmStFailPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

障害コード : F10016542

メッセージ

[FSM:STAGE:FAILED|RETRY]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016542
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

障害コード : F10016543

メッセージ

```

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10016543
mibFaultName: fsmStFailPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

Affected MO:

```
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

Affected MO:

```
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

Affected MO:

```
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

Affected MO:

```
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

障害コード : F10016544

メッセージ

```
[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)
```

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning

Cause: release-all-failed

mibFaultCode: 10016544

mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll

moClass: policy:PolicyScope

Type: fsm

Auto Cleared: true

Affected MO:

```
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

Affected MO:

```
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

Affected MO:

```
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

Affected MO:

```
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

Affected MO:

```
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

障害コード : F10016545

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-all-failed
mibFaultCode: 10016545
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmStFailPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

障害コード : F10016546

メッセージ

[FSM:STAGE:FAILED|RETRY]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-all-failed
mibFaultCode: 10016546
mibFaultName: fsmStFailPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmStFailLicenseDownloaderDownload:DeleteLocal

障害コード : F10016742

メッセージ

[FSM:STAGE:FAILED|RETRY]: deleting temporary files for [fileName] on local(FSM-STAGE:sam:dme:LicenseDownloaderDownload:DeleteLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: delete-local-failed
mibFaultCode: 10016742
mibFaultName: fsmStFailLicenseDownloaderDownloadDeleteLocal
moClass: license:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/license/dnld-[fileName]

```

fsmStFailLicenseDownloaderDownload:Local

障害コード : F10016742

メッセージ

[FSM:STAGE:FAILED|RETRY]: downloading license file [fileName] from [server](FSM-STAGE:sam:dme:LicenseDownloaderDownload:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016742
mibFaultName: fsmStFailLicenseDownloaderDownloadLocal
moClass: license:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/license/dnld-[fileName]
```

fsmStFailLicenseDownloaderDownload:ValidateLocal

障害コード : F10016742

メッセージ

[FSM:STAGE:FAILED|RETRY]: validation for license file [fileName] on primary(FSM-STAGE:sam:dme:LicenseDownloaderDownload:ValidateLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: validate-local-failed
mibFaultCode: 10016742
mibFaultName: fsmStFailLicenseDownloaderDownloadValidateLocal
moClass: license:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/license/dnld-[fileName]
```

fsmStFailLicenseFileInstall:Local

障害コード : F10016743

メッセージ

[FSM:STAGE:FAILED|RETRY]: Installing license on primary(FSM-STAGE:sam:dme:LicenseFileInstall:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016743
mibFaultName: fsmStFailLicenseFileInstallLocal
moClass: license:File
Type: fsm
Auto Cleared: true
Affected MO: sys/license/file-[scope]:[id]
```

fsmStFailLicenseFileClear:Local

障害コード : F10016744

メッセージ

[FSM:STAGE:FAILED|RETRY]: Clearing license on primary(FSM-STAGE:sam:dme:LicenseFileClear:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10016744
mibFaultName: fsmStFailLicenseFileClearLocal
moClass: license:File
Type: fsm
Auto Cleared: true
Affected MO: sys/license/file-[scope]:[id]
```

fsmStFailLicenseInstanceUpdateFlexlm:Local

障害コード : F10016745

メッセージ

[FSM:STAGE:FAILED|RETRY]: Updating on primary(FSM-STAGE:sam:dme:LicenseInstanceUpdateFlexlm:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: local-failed
mibFaultCode: 10016745
mibFaultName: fsmStFailLicenseInstanceUpdateFlexlmLocal
moClass: license:Instance
Type: fsm
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]

```

fsmStFailControllerEpQuiesce:QuiesceIDMgr

障害コード : F10016764

メッセージ

[FSM:STAGE:FAILED|RETRY]: Quiescing ID
Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceIDMgr)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: quiesceidmgr-failed
mibFaultCode: 10016764
mibFaultName: fsmStFailControllerEpQuiesceQuiesceIDMgr
moClass: controller:Ep
Type: fsm
Auto Cleared: true
Affected MO: controller

```

fsmStFailControllerEpQuiesce:QuiesceMgmtController

障害コード : F10016764

メッセージ

[FSM:STAGE:FAILED|RETRY]: Quiescing Mgmt
controller(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceMgmtController)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: quiesce-mgmt-controller-failed
mibFaultCode: 10016764

```



```

mibFaultName: fsmStFailControllerEpQuiesceQuiesceMgmtController
moClass: controller:Ep
Type: fsm
Auto Cleared: true
Affected MO: controller
    
```

fsmStFailControllerEpQuiesce:QuiesceOpsMgr

障害コード : F10016764

メッセージ

[FSM:STAGE:FAILED|RETRY]: Quiescing Ops
Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceOpsMgr)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: quiesce-ops-mgr-failed
mibFaultCode: 10016764
mibFaultName: fsmStFailControllerEpQuiesceQuiesceOpsMgr
moClass: controller:Ep
Type: fsm
Auto Cleared: true
Affected MO: controller
    
```

fsmStFailControllerEpQuiesce:QuiescePolicyMgr

障害コード : F10016764

メッセージ

[FSM:STAGE:FAILED|RETRY]: Quiescing Policy
Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiescePolicyMgr)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: quiesce-policy-mgr-failed
mibFaultCode: 10016764
mibFaultName: fsmStFailControllerEpQuiesceQuiescePolicyMgr
moClass: controller:Ep
Type: fsm
Auto Cleared: true
Affected MO: controller
    
```

fsmStFailControllerEpQuiesce:QuiesceResMgr

障害コード : F10016764

メッセージ

[FSM:STAGE:FAILED|RETRY]: Quiescing Resource
Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceResMgr)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: quiesce-res-mgr-failed
mibFaultCode: 10016764
mibFaultName: fsmStFailControllerEpQuiesceQuiesceResMgr
moClass: controller:Ep
Type: fsm
Auto Cleared: true
Affected MO: controller
```

fsmStFailControllerEpQuiesce:QuiesceStatsMgr

障害コード : F10016764

メッセージ

[FSM:STAGE:FAILED|RETRY]: Quiescing stats
mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceStatsMgr)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: quiesce-stats-mgr-failed
mibFaultCode: 10016764
mibFaultName: fsmStFailControllerEpQuiesceQuiesceStatsMgr
moClass: controller:Ep
Type: fsm
Auto Cleared: true
Affected MO: controller
```

fsmRmtErrCertRepairEpRepairCert:request

障害コード : F10077944

メッセージ

[FSM:STAGE:REMOTE-ERROR]: request
cert(FSM-STAGE:sam:dme:CertRepairEpRepairCert:request)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: request-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertRequest
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

fsmRmtErrCertRepairEpRepairCert:verify

障害コード : F10077944

メッセージ

[FSM:STAGE:REMOTE-ERROR]: checking that cert was
provisioned(FSM-STAGE:sam:dme:CertRepairEpRepairCert:verify)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: verify-failed
mibFaultCode: 10077944
mibFaultName: fsmRmtErrCertRepairEpRepairCertVerify
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

fsmRmtErrObserveObservedResolvePolicyFsm:Execute

障害コード : F10077950

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Policy FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolvePolicyFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077950
mibFaultName: fsmRmtErrObserveObservedResolvePolicyFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmRmtErrObserveObservedResolveResourceFsm:Execute

障害コード : F10077951

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Resource FSM
Execute(FSM-STAGE:sam:dme:ObserveObservedResolveResourceFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: execute-failed
mibFaultCode: 10077951
mibFaultName: fsmRmtErrObserveObservedResolveResourceFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
```

Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmRmtErrObserveObservedResolveVMFsm:Execute

障害コード : F10077952

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve VM FSM
 Execute(FSM-STAGE:sam:dme:ObserveObservedResolveVMFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077952
mibFaultName: fsmRmtErrObserveObservedResolveVMFsmExecute
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

fsmRmtErrObserveObservedResolveControllerFsm:Execute

障害コード : F10077953

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Resolve Mgmt Controller FSM
 Execute(FSM-STAGE:sam:dme:ObserveObservedResolveControllerFsm:Execute)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: execute-failed
mibFaultCode: 10077953
mibFaultName: fsmRmtErrObserveObservedResolveControllerFsmExecute
moClass: observe:Observed
Type: fsm

```

Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]

```

fsmRmtErrCommSvcEpRestartWebSvc:restart

障害コード : F10077955

メッセージ

[FSM:STAGE:REMOTE-ERROR]: restart web services(FSM-STAGE:sam:dme:CommSvcEpRestartWebSvc:restart)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: restart-failed
mibFaultCode: 10077955
mibFaultName: fsmRmtErrCommSvcEpRestartWebSvcRestart
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext

```

fsmRmtErrPolicyPolicyScopeReleasePolicyFsm:Release

障害コード : F10077972

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleasePolicyFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077972
mibFaultName: fsmRmtErrPolicyPolicyScopeReleasePolicyFsmRelease
moClass: policy:PolicyScope
Type: fsm

```

```

Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseOperationFsm:Release

障害コード : F10077973

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseOperationFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-failed
mibFaultCode: 10077973
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseOperationFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseStorageFsm:Release

障害コード : F10077974

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseStorageFsm:Release)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-failed
mibFaultCode: 10077974
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseStorageFsmRelease
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsm:ResolveMany

障害コード : F10077975

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyPolicyFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077975
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyPolicyFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeResolveManyOperationFsm:ResolveMany

障害コード : F10077976

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyOperationFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077976
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyOperationFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]

```

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveManyStorageFsm:ResolveMany

障害コード : F10077977

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveManyStorageFsm:ResolveMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-many-failed
mibFaultCode: 10077977
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveManyStorageFsmResolveMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany

障害コード : F10077978

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077978
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyPolicyFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany

障害コード : F10077979

メッセージ

```

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyOperationFsm:ReleaseMany)

```

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077979
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyOperationFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany

障害コード : F10077980

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseManyStorageFsm:ReleaseMany)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-many-failed
mibFaultCode: 10077980
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseManyStorageFsmReleaseMany
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsm:ResolveAll

障害コード : F10077981

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllPolicyFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077981
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllPolicyFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmRmtErrPolicyPolicyScopeResolveAllOperationFsm:ResolveAll

障害コード : F10077982

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllOperationFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077982
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllOperationFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]

```

Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeResolveAllStorageFsm:ResolveAll

障害コード : F10077983

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeResolveAllStorageFsm:ResolveAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: resolve-all-failed
mibFaultCode: 10077983
mibFaultName: fsmRmtErrPolicyPolicyScopeResolveAllStorageFsmResolveAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll

障害コード : F10077984

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: release-all-failed
mibFaultCode: 10077984
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllPolicyFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll

障害コード : F10077985

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
(FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllOperationFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077985
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllOperationFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll

障害コード : F10077986

メッセージ

[FSM:STAGE:REMOTE-ERROR]:
 (FSM-STAGE:sam:dme:PolicyPolicyScopeReleaseAllStorageFsm:ReleaseAll)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: release-all-failed
mibFaultCode: 10077986
mibFaultName: fsmRmtErrPolicyPolicyScopeReleaseAllStorageFsmReleaseAll
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
 extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
 extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

Affected MO:

policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]

fsmRmtErrLicenseDownloaderDownload:DeleteLocal

障害コード : F10078182

メッセージ

[FSM:STAGE:REMOTE-ERROR]: deleting temporary files for [fileName] on local(FSM-STAGE:sam:dme:LicenseDownloaderDownload:DeleteLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: delete-local-failed
mibFaultCode: 10078182
mibFaultName: fsmRmtErrLicenseDownloaderDownloadDeleteLocal
moClass: license:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/license/dnld-[fileName]

fsmRmtErrLicenseDownloaderDownload:Local

障害コード : F10078182

メッセージ

[FSM:STAGE:REMOTE-ERROR]: downloading license file [fileName] from [server](FSM-STAGE:sam:dme:LicenseDownloaderDownload:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

Severity: warning
Cause: local-failed
mibFaultCode: 10078182
mibFaultName: fsmRmtErrLicenseDownloaderDownloadLocal
moClass: license:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/license/dnld-[fileName]

fsmRmtErrLicenseDownloaderDownload:ValidateLocal

障害コード : F10078182

メッセージ

[FSM:STAGE:REMOTE-ERROR]: validation for license file [fileName] on primary(FSM-STAGE:sam:dme:LicenseDownloaderDownload:ValidateLocal)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: validate-local-failed
mibFaultCode: 10078182
mibFaultName: fsmRmtErrLicenseDownloaderDownloadValidateLocal
moClass: license:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/license/dnld-[fileName]
```

fsmRmtErrLicenseFileInstall:Local

障害コード : F10078183

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Installing license on primary(FSM-STAGE:sam:dme:LicenseFileInstall:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078183
mibFaultName: fsmRmtErrLicenseFileInstallLocal
moClass: license:File
Type: fsm
Auto Cleared: true
Affected MO: sys/license/file-[scope]:[id]
```

fsmRmtErrLicenseFileClear:Local

障害コード : F10078184

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Clearing license on primary(FSM-STAGE:sam:dme:LicenseFileClear:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078184
mibFaultName: fsmRmtErrLicenseFileClearLocal
moClass: license:File
Type: fsm
Auto Cleared: true
Affected MO: sys/license/file-[scope]:[id]
```

fsmRmtErrLicenseInstanceUpdateFlexlm:Local

障害コード : F10078185

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Updating on primary(FSM-STAGE:sam:dme:LicenseInstanceUpdateFlexlm:Local)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: local-failed
mibFaultCode: 10078185
mibFaultName: fsmRmtErrLicenseInstanceUpdateFlexlmLocal
moClass: license:Instance
Type: fsm
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

fsmRmtErrControllerEpQuiesce:QuiesceIDMgr

障害コード : F10078204

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Quiescing ID
Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceIDMgr)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: quiesceidmgr-failed
mibFaultCode: 10078204
mibFaultName: fsmRmtErrControllerEpQuiesceQuiesceIDMgr
moClass: controller:Ep
Type: fsm
Auto Cleared: true
Affected MO: controller
```

fsmRmtErrControllerEpQuiesce:QuiesceMgmtController

障害コード : F10078204

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Quiescing Mgmt
controller(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceMgmtController)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: quiesce-mgmt-controller-failed
mibFaultCode: 10078204
mibFaultName: fsmRmtErrControllerEpQuiesceQuiesceMgmtController
moClass: controller:Ep
Type: fsm
Auto Cleared: true
Affected MO: controller
```

fsmRmtErrControllerEpQuiesce:QuiesceOpsMgr

障害コード : F10078204

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Quiescing Ops
Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceOpsMgr)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: quiesce-ops-mgr-failed
mibFaultCode: 10078204
mibFaultName: fsmRmtErrControllerEpQuiesceQuiesceOpsMgr
moClass: controller:Ep
Type: fsm
Auto Cleared: true
Affected MO: controller
```

fsmRmtErrControllerEpQuiesce:QuiescePolicyMgr

障害コード : F10078204

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Quiescing Policy
Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiescePolicyMgr)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: quiesce-policy-mgr-failed
mibFaultCode: 10078204
mibFaultName: fsmRmtErrControllerEpQuiesceQuiescePolicyMgr
moClass: controller:Ep
Type: fsm
Auto Cleared: true
Affected MO: controller
```

fsmRmtErrControllerEpQuiesce:QuiesceResMgr

障害コード : F10078204

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Quiescing Resource
Mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceResMgr)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: quiesce-res-mgr-failed
mibFaultCode: 10078204
mibFaultName: fsmRmtErrControllerEpQuiesceQuiesceResMgr
moClass: controller:Ep
Type: fsm
Auto Cleared: true
Affected MO: controller
```

fsmRmtErrControllerEpQuiesce:QuiesceStatsMgr

障害コード : F10078204

メッセージ

[FSM:STAGE:REMOTE-ERROR]: Quiescing stats
mgr(FSM-STAGE:sam:dme:ControllerEpQuiesce:QuiesceStatsMgr)

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: warning
Cause: quiesce-stats-mgr-failed
mibFaultCode: 10078204
mibFaultName: fsmRmtErrControllerEpQuiesceQuiesceStatsMgr
moClass: controller:Ep
Type: fsm
Auto Cleared: true
Affected MO: controller
```

fsmFailCertRepairEpRepairCert

障害コード : F10999544

メッセージ

[FSM:FAILED]: sam:dme:CertRepairEpRepairCert

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999544
mibFaultName: fsmFailCertRepairEpRepairCert
moClass: cert:RepairEp
Type: fsm
Auto Cleared: true
Affected MO: sys/cert-repair
```

fsmFailObserveObservedResolvePolicyFsm

障害コード : F10999550

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolvePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999550
mibFaultName: fsmFailObserveObservedResolvePolicyFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmFailObserveObservedResolveResourceFsm

障害コード : F10999551

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveResourceFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999551
mibFaultName: fsmFailObserveObservedResolveResourceFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmFailObserveObservedResolveVMFsm

障害コード : F10999552

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveVMFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999552
mibFaultName: fsmFailObserveObservedResolveVMFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```


fsmFailObserveObservedResolveControllerFsm

障害コード : F10999553

メッセージ

[FSM:FAILED]: sam:dme:ObserveObservedResolveControllerFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999553
mibFaultName: fsmFailObserveObservedResolveControllerFsm
moClass: observe:Observed
Type: fsm
Auto Cleared: true
Affected MO: extpol/reg/clients/client-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/controllers/contro-[id]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/providers/prov-[type]/observed-[dataSrcSysId]-[id]
Affected MO: extpol/reg/observed-[dataSrcSysId]-[id]
Affected MO: observe/observed-[dataSrcSysId]-[id]
```

fsmFailCommSvcEpRestartWebSvc

障害コード : F10999555

メッセージ

[FSM:FAILED]: sam:dme:CommSvcEpRestartWebSvc

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999555
mibFaultName: fsmFailCommSvcEpRestartWebSvc
moClass: comm:SvcEp
Type: fsm
Auto Cleared: true
Affected MO: sys/svc-ext
```

fsmFailPolicyPolicyScopeReleasePolicyFsm

障害コード : F10999572

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleasePolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999572
mibFaultName: fsmFailPolicyPolicyScopeReleasePolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseOperationFsm

障害コード : F10999573

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999573
```

```

mibFaultName: fsmFailPolicyPolicyScopeReleaseOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseStorageFsm

障害コード : F10999574

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999574
mibFaultName: fsmFailPolicyPolicyScopeReleaseStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveManyPolicyFsm

障害コード : F10999575

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999575
mibFaultName: fsmFailPolicyPolicyScopeResolveManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeResolveManyOperationFsm

障害コード : F10999576

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999576
```

```

mibFaultName: fsmFailPolicyPolicyScopeResolveManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveManyStorageFsm

障害コード : F10999577

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveManyStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999577
mibFaultName: fsmFailPolicyPolicyScopeResolveManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseManyPolicyFsm

障害コード : F10999578

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999578
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseManyOperationFsm

障害コード : F10999579

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999579
```

```

mibFaultName: fsmFailPolicyPolicyScopeReleaseManyOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseManyStorageFsm

障害コード : F10999580

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseManyStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999580
mibFaultName: fsmFailPolicyPolicyScopeReleaseManyStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveAllPolicyFsm

障害コード : F10999581

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999581
mibFaultName: fsmFailPolicyPolicyScopeResolveAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeResolveAllOperationFsm

障害コード : F10999582

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999582
```



```

mibFaultName: fsmFailPolicyPolicyScopeResolveAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeResolveAllStorageFsm

障害コード : F10999583

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeResolveAllStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999583
mibFaultName: fsmFailPolicyPolicyScopeResolveAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseAllPolicyFsm

障害コード : F10999584

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllPolicyFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999584
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllPolicyFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policyName]
```

fsmFailPolicyPolicyScopeReleaseAllOperationFsm

障害コード : F10999585

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllOperationFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999585
```

```

mibFaultName: fsmFailPolicyPolicyScopeReleaseAllOperationFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailPolicyPolicyScopeReleaseAllStorageFsm

障害コード : F10999586

メッセージ

[FSM:FAILED]: sam:dme:PolicyPolicyScopeReleaseAllStorageFsm

説明

未設定。

推奨処置

未設定。

障害の詳細

```

Severity: critical
Cause: fsm-failed
mibFaultCode: 10999586
mibFaultName: fsmFailPolicyPolicyScopeReleaseAllStorageFsm
moClass: policy:PolicyScope
Type: fsm
Auto Cleared: true
Affected MO:
extpol/reg/clients/client-[id]/scope-cont-[appType]/context-[name]/scope-[policyType]-
[resolveType]-[policyName]
Affected MO:
extpol/reg/controllers/contro-[id]/scope-cont-[appType]/context-[name]/scope-[policyTy
pe]-[resolveType]-[policyName]
Affected MO:
extpol/reg/providers/prov-[type]/scope-cont-[appType]/context-[name]/scope-[policyT
ype]-[resolveType]-[policyName]
Affected MO:
extpol/reg/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[polic
yName]
Affected MO:
policy-ep/scope-cont-[appType]/context-[name]/scope-[policyType]-[resolveType]-[policy
Name]

```

fsmFailLicenseDownloaderDownload

障害コード : F10999782

メッセージ

[FSM:FAILED]: sam:dme:LicenseDownloaderDownload

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999782
mibFaultName: fsmFailLicenseDownloaderDownload
moClass: license:Downloader
Type: fsm
Auto Cleared: true
Affected MO: sys/license/dnld-[fileName]
```

fsmFailLicenseFileInstall

障害コード : F10999783

メッセージ

[FSM:FAILED]: sam:dme:LicenseFileInstall

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999783
mibFaultName: fsmFailLicenseFileInstall
moClass: license:File
Type: fsm
Auto Cleared: true
Affected MO: sys/license/file-[scope]:[id]
```

fsmFailLicenseFileClear

障害コード : F10999784

メッセージ

[FSM:FAILED]: sam:dme:LicenseFileClear

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999784
mibFaultName: fsmFailLicenseFileClear
moClass: license:File
Type: fsm
Auto Cleared: true
Affected MO: sys/license/file-[scope]:[id]
```

fsmFailLicenseInstanceUpdateFlexlm

障害コード : F10999785

メッセージ

[FSM:FAILED]: sam:dme:LicenseInstanceUpdateFlexlm

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical
Cause: fsm-failed
mibFaultCode: 10999785
mibFaultName: fsmFailLicenseInstanceUpdateFlexlm
moClass: license:Instance
Type: fsm
Auto Cleared: true
Affected MO: sys/license/feature-[name]-[vendor]-[version]/inst-[scope]
```

fsmFailControllerEpQuiesce

障害コード : F10999804

メッセージ

[FSM:FAILED]: sam:dme:ControllerEpQuiesce

説明

未設定。

推奨処置

未設定。

障害の詳細

```
Severity: critical  
Cause: fsm-failed  
mibFaultCode: 10999804  
mibFaultName: fsmFailControllerEpQuiesce  
moClass: controller:Ep  
Type: fsm  
Auto Cleared: true  
Affected MO: controller
```