



---

## A

accessory kit [1-2](#)

AC electrical specifications [A-2](#)

AC power cord

connecting CSS 11050 or CSS 11150 [2-27](#)

connecting CSS 11800 [2-30](#)

country requirements [A-3](#)

anti-static wrist strap [1-2](#)

application protocol [A-8](#)

audience [xvi](#)

---

## C

cabling

Fast Ethernet Module [2-15](#)

Gigabit Ethernet Module [2-18](#)

Switch Control Module [2-9](#)

Canadian IC CS-03 requirements [C-3](#)

caution

removing or installing a module [1-17](#)

communication server, attaching to Console port [B-6](#)

connectors [2-16](#)

CSS 11050 front panel [2-3, 2-4](#)

CSS 11050 rear panel [2-3](#)

CSS 11150 front panel [2-6](#)

CSS 11150 rear panel [2-3](#)

CSS 11800 CSS front panel connectors and LEDs [2-18](#)

CSS 11800 front panel connectors and LEDs [2-13, 2-21, 2-24](#)

pinouts [B-1](#)

console port

baud rate [2-4, 2-6](#)

communication server, attaching to [B-6](#)

configuring [2-15](#)

custom cabling [B-6](#)

terminal settings [2-32](#)

troubleshooting [2-35](#)

country requirements (AC power cord) [A-3](#)

CSS 11050

cabling [2-1](#)

front panel connector and LEDs [2-3, 2-4](#)

grounding [1-6](#)

installation [1-6](#)

installing [1-6](#)

LED definitions [2-5](#)

mounting brackets [1-7](#)

rack-mounting [1-7](#)

rear panel connector and LEDs [2-3](#)

- unpacking [1-4](#)
  - CSS 11150
    - cabling [2-1](#)
    - front panel connector and LEDs [2-6](#)
    - grounding [1-6](#)
    - installation [1-6](#)
    - installing [1-6](#)
    - LED definitions [2-8](#)
    - mounting brackets [1-7](#)
    - rack-mounting [1-7](#)
    - rear panel connector and LEDs [2-3](#)
    - unpacking [1-4](#)
  - CSS 11800
    - chassis mounting key [1-10](#)
    - front panel connectors and LEDs [2-13, 2-14, 2-16, 2-18, 2-21, 2-24](#)
    - installing as a rack-mount unit [1-9](#)
    - module specifications [A-5](#)
    - shipping pallet [1-5](#)
    - slot restrictions [1-15](#)
    - unpacking [1-4](#)
- 
- D**
  - damage to product [1-5](#)
  - DB-37 V.35 WAN connector pinouts [B-8](#)
  - DC electrical specifications [A-2](#)
  - DC power cord
    - connecting CSS 11150 [2-27](#)
    - connecting CSS 11800 [2-30](#)
  - DC power supply
    - connector location for CSS 11150 [2-28](#)
    - connector location for CSS 11800 [2-31](#)
    - proper wiring sequence for CSS 11150 [2-29](#)
    - proper wiring sequence for CSS 11800 [2-32](#)
    - safety warnings [A-9](#)
  - disk
    - failure [2-38](#)
  - documentation
    - chapter contents [xvi](#)
    - related [xvii](#)
    - set [xvii](#)
    - symbols and conventions [xix](#)
- 
- E**
  - electrical specifications [A-2](#)
  - electro-static discharge caution [1-17](#)
  - environmental specifications [A-4](#)
- 
- F**
  - Fast Ethernet Module
    - cabling [2-15](#)
    - LED definitions [2-18](#)
    - LEDs and connectors [2-16, 2-17](#)
    - pinouts [B-2](#)
  - FCC procedures and requirements [C-4](#)

---

**G**

- gateway protocol [A-8](#)
  - Gigabit Ethernet Module
    - cabling [2-18](#)
    - LED definitions [2-20](#)
    - LEDs and connectors [2-19](#)
- 

**I**

- installation precautions [1-14](#)
  - installing
    - CSS 11050 [1-6](#)
    - CSS 11150 [1-6](#)
    - CSS 11800 [1-9](#)
    - module [1-18](#)
    - passive modules (SCM, SFM, or SFM2) [1-20](#)
  - interference, radio frequency [C-5](#)
  - Internal Disk Module
    - failure of [2-38](#)
    - general specifications [A-6](#)
    - LED definitions [2-26](#)
    - LEDs [2-24](#)
    - power requirements [A-6](#)
    - specifications [A-6](#)
- 

**K**

- Korean certification information [C-6](#)
- 

**L**

- LEDs
    - CSS 11050 front panel [2-3, 2-4](#)
    - CSS 11050 rear panel [2-3](#)
    - CSS 11150 front panel [2-6, 2-8](#)
    - CSS 11150 rear panel [2-3](#)
    - Fast Ethernet Module [2-18](#)
    - Gigabit Ethernet Module [2-20](#)
    - Internal Disk Module [2-24, 2-26](#)
    - Switch Control Module [2-14](#)
  - license key
    - locating [1-3](#)
  - load balancing power supplies [2-37](#)
  - log files
    - troubleshooting [2-38](#)
- 

**M**

- mid-mounting CSS 11800 brackets [1-9](#)
  - module
    - installation precautions [1-14](#)
    - installing [1-14, 1-18](#)
    - Internal Disk Module [2-24](#)
    - passive switchover [1-20](#)
-

- removing or installing [1-17](#)
- slot restrictions [1-15](#)
- specifications [A-5](#)
- troubleshooting [2-37](#)
- unpacking [1-17](#)
- warning (SCM battery) [1-20, 2-12](#)

mounting brackets

- changing CSS 11800 brackets [1-9, 1-11](#)
- installing CSS 11050 [1-7](#)
- installing CSS 11150 [1-7](#)

---

## N

network

- protocol [A-7](#)
- utilities protocols [A-8](#)

---

## P

passive modules (SCM, SFM, or SFM2)

- installing [1-20](#)
- switchover [1-21](#)

physical specifications [A-4](#)

pinouts

- RJ-45 fast Ethernet connector [B-2](#)
- RJ-45 management connector [B-8](#)
- RJ-45 RS-232 serial connector [B-3](#)
- RJ-45 timing BITS connector [B-8](#)

- RJ-45 to RJ-45 Cisco console adapter cable [B-5](#)

power cords

- connecting [2-26](#)
- country requirements [A-3](#)

power supply

- load balancing [2-37](#)
- troubleshooting [2-36](#)

protocols, supported [A-7 to A-9](#)

---

## R

rack-mounting

- CSS 11050 [1-7](#)
- CSS 11150 [1-7](#)

radio frequency interference [C-5](#)

Regulatory Standards Compliance [C-2](#)

requirements

- installation tools and equipment [1-2](#)
- site planning [1-2](#)

RJ-45

- Cisco console adapter cable [B-5](#)
- fast Ethernet connector pinouts [B-2](#)
- management connector pinouts [B-8](#)
- RS-232 serial connector pinouts [B-3](#)
- timing BITS connector pinouts [B-8](#)

routing protocol [A-8](#)

---

## S

safety warning [1-6, A-9](#)

shipment contents [1-2](#)

site requirements [1-2](#)

slot restrictions [1-15](#)

software

license key location [1-3](#)

specifications

electrical [A-2](#)

environmental [A-4](#)

modules [A-5](#)

physical [A-4](#)

Switch Control Module

cabling [2-12](#)

LED definitions [2-14](#)

LEDs and connectors [2-13](#)

Switch Fabric Module (SFM and SFM2)

LED definitions [2-24](#)

LEDs [2-21](#)

---

## T

telephone

company procedures and requirements [C-4](#)

equipment problem resolution [C-5](#)

FCC and Telephone Company procedures  
and requirements [C-4](#)

terminal setting for console [2-32](#)

tools and equipment required [1-2](#)

transport protocol [A-7](#)

troubleshooting

console port [2-35](#)

modules [2-37](#)

power supply [2-36](#)

---

## U

unpacking

CSS 11050 [1-4](#)

CSS 11150 [1-4](#)

CSS 11800 [1-4](#)

modules [1-17](#)

---

## W

warning

safety [1-6](#)

SCM battery replacement [1-20, 2-12](#)

