



Preface

This guide provides instructions to configure interfaces and circuits, spanning-tree bridging, Open Shortest Path First (OSPF), Address Resolution Protocol (ARP), Routing Information Protocol (RIP), Internet Protocol (IP) routing, and Dynamic Host Configuration Protocol (DHCP). Information in this chapter applies to all 11500 Series Content Services Switch (CSS) models, except where noted.

This preface contains the following major sections:

- [Audience](#)
- [How to Use This Guide](#)
- [Related Documentation](#)
- [Symbols and Conventions](#)
- [Obtaining Documentation, Obtaining Support, and Security Guidelines](#)

Audience

This guide is intended for the following trained and qualified service personnel who are responsible for configuring the CSS:

- Web master
- System administrator
- System operator

How to Use This Guide

This guide is organized as follows:

Chapter	Description
Chapter 1, Configuring Interfaces and Circuits	Configure the CSS interface ports and circuits for operation.
Chapter 2, Configuring Spanning-Tree Bridging for the CSS	Configure spanning-tree bridging.
Chapter 3, Configuring Open Shortest Path First	Configure OSPF routing protocol.
Chapter 4, Configuring the Address Resolution Protocol	Configure Address Resolution Protocol (ARP).
Chapter 5, Configuring Routing Information Protocol	Configure Routing Information Protocol (RIP).
Chapter 6, Configuring the Internet Protocol	Configure Internet Protocol (IP) routing.

Chapter	Description
Chapter 7, Configuring the Cisco Discovery Protocol	Configure Cisco Discovery Protocol (CDP).
Chapter 8, Configuring the DHCP Relay Agent	Configure Dynamic Host Configuration Protocol (DHCP).

Related Documentation

In addition to this document, the CSS documentation set includes the following:

Document Title	Description
<i>Release Note for the Cisco 11500 Series Content Services Switch</i>	This release note provides information on operating considerations, caveats, and command line interface (CLI) commands for the Cisco 11500 series CSS.
<i>Cisco 11500 Series Content Services Switch Hardware Installation Guide</i>	This guide provides information for installing, cabling, and powering the Cisco 11500 series CSS. In addition, this guide provides information about CSS specifications, cable pinouts, and hardware troubleshooting.

Document Title	Description
<i>Cisco Content Services Switch Getting Started Guide</i>	<p>This guide describes how to perform initial administration and configuration tasks on the CSS, including:</p> <ul style="list-style-type: none"> • Booting the CSS for the first time and on a routine basis, and logging in to the CSS • Configuring the username and password, Ethernet management port, static IP routes, and the date and time • Configuring DNS server for hostname resolution • Configuring sticky cookies with a sticky overview and advanced load-balancing method using cookies • Installing the CSS Cisco View Device Manager (CVDM) browser-based user interface used to configure the CSS • A task list to help you find information in the CSS documentation • Troubleshooting the boot process
<i>Cisco Content Services Switch Administration Guide</i>	<p>This guide describes how to perform administrative tasks on the CSS, including upgrading your CSS software and configuring the following:</p> <ul style="list-style-type: none"> • Logging, including displaying log messages and interpreting sys.log messages • User profile and CSS parameters • SNMP • RMON • XML documents to configure the CSS • CSS scripting language • Offline Diagnostic Monitor (Offline DM) menu

Document Title	Description
<i>Cisco Content Services Switch Content Load-Balancing Configuration Guide</i>	<p>This guide describes how to perform CSS content load-balancing configuration tasks, including:</p> <ul style="list-style-type: none"> • Flow and port mapping • Services • Service, global, and script keepalives • Source groups • Loads for services • Server/Application State Protocol (SASP) • Dynamic Feedback Protocol (DFP) • Owners • Content rules • Sticky parameters • HTTP header load balancing • Content caching • Content replication
<i>Cisco Content Services Switch Global Server Load-Balancing Configuration Guide</i>	<p>This guide describes how to perform CSS global load-balancing configuration tasks, including:</p> <ul style="list-style-type: none"> • Domain Name System (DNS) • DNS Sticky • Content Routing Agent • Client-Side Accelerator • Network proximity
<i>Cisco Content Services Switch Redundancy Configuration Guide</i>	<p>This guide describes how to perform CSS redundancy configuration tasks, including:</p> <ul style="list-style-type: none"> • VIP and virtual interface redundancy • Adaptive session redundancy • Box-to-box redundancy

Document Title	Description
<i>Cisco Content Services Switch Security Configuration Guide</i>	This guide describes how to perform CSS security configuration tasks, including: <ul style="list-style-type: none"> • Controlling access to the CSS • Secure Shell Daemon protocol • Radius • TACACS+ • Firewall load balancing
<i>Cisco Content Services Switch SSL Configuration Guide</i>	This guide describes how to perform CSS SSL configuration tasks, including: <ul style="list-style-type: none"> • SSL certificate and keys • SSL termination • Back-end SSL • SSL initiation • HTTP data compression
<i>Cisco Content Services Switch Command Reference</i>	This reference provides an alphabetical list of all CLI commands including syntax, options, and related commands.

Symbols and Conventions

This guide uses the following symbols and conventions to identify different types of information.



Caution

A caution means that a specific action you take could cause a loss of data or adversely impact use of the equipment.



Warning

A warning describes an action that could cause you physical harm or damage the equipment.

**Note**

A note provides important related information, reminders, and recommendations.

Bold text indicates a command in a paragraph.

Courier text indicates text that appears on a command line, including the CLI prompt.

Courier bold text indicates commands and text you enter in a command line.

Italic text indicates the first occurrence of a new term, book title, emphasized text, and variables for which you supply values.

1. A numbered list indicates that the order of the list items is important.
 - a. An alphabetical list indicates that the order of the secondary list items is important.
 - A bulleted list indicates that the order of the list topics is unimportant.
 - An indented list indicates that the order of the list subtopics is unimportant.

Obtaining Documentation, Obtaining Support, and Security Guidelines

For information on obtaining documentation, obtaining support, providing documentation feedback, security guidelines, and also recommended aliases and general Cisco documents, see the monthly *What's New* in Cisco Product Documentation, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

