



Cisco Application eXtension Platform 1.1 Feature and Release History

Revised: 9/3/08

This document lists the features available in the latest Cisco AXP release and maps them to the guides in which they are documented. Documentation is available in the Support section of the [Cisco AXP home page](#).

Cisco AXP Advanced Features

Cisco AXP advanced features are available only to customers who have obtained authorization from Cisco for unrestricted shell access. Contact your Cisco marketing representative for more information.

Cisco AXP Release	Feature Name	Where Documented
1.1	Swap Space Support	<ul style="list-style-type: none">• “Swap Space and Memory Allocation” section in the Cisco Application eXtension Platform 1.1 User Guide.• “Swap Space and Memory Allocation” section in the Cisco Application eXtension Platform 1.1 Developer Guide.
1.1	Logging and Tracing Modules	<ul style="list-style-type: none">• “Logging and Tracing Options” section in the Cisco Application eXtension Platform 1.1 User Guide and logging and tracing commands in the Cisco Application eXtension Platform 1.1 Command Reference.
1.1	Flexible Resource Allocation	<ul style="list-style-type: none">• “Configuring Resource Utilization Limits” section in the Cisco Application eXtension Platform 1.1 User Guide.• “Flexible Resource Allocation” section in the Cisco Application eXtension Platform 1.1 Developer Guide.
1.1	Cisco AXP Emulation using VMware	<ul style="list-style-type: none">• “Cisco AXP Emulation using VMware” section in the Cisco Application eXtension Platform 1.1 Developer Guide.



Americas Headquarters:
Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

Cisco AXP Release	Feature Name	Where Documented
1.1	Development Authorization File	<ul style="list-style-type: none"> “Licensing and Support” section and the (cap-config parameter) in “Packaging Tool Arguments” section of the <i>Cisco Application eXtension Platform 1.1 Developer Guide</i>.
1.1	LKM Support	<ul style="list-style-type: none"> Cisco Application eXtension Platform 1.1 Advanced Features Developer Guide.
1.1	Unrestricted Shell Access	<ul style="list-style-type: none"> Cisco Application eXtension Platform 1.1 Advanced Features Developer Guide.
1.1	Capabilities	<ul style="list-style-type: none"> Cisco Application eXtension Platform 1.1 Advanced Features Developer Guide.

Notices

This product includes software developed by the OpenSSL project for use in the OpenSSL Toolkit. For further details, see the “Notices” section in the [Release Notes for Cisco Application eXtension Platform \(AXP\) 1.1](#).

Cisco Trademarks

CCDE, CCENT, Cisco Eos, Cisco HealthPresence, the Cisco logo, Cisco Lumin, Cisco Nexus, Cisco StadiumVision, Cisco TelePresence, Cisco WebEx, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0812R)

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

© 2008–2009 Cisco Systems, Inc. All rights reserved.