



Preface ix

Audience	1-ix
Organization	1-ix
Conventions	1-x
Related Documentation	1-xi
Obtaining Documentation and Submitting a Service Request	1-xi

CHAPTER 1

Using Content Switching Module Commands 1-1

Using the CSM Commands	1-1
Command Modes	1-2
Regular Expressions	1-3

CHAPTER 2

Content Switching Module Commands 2-1

arp	2-2
capp udp	2-3
options (CAPP UDP submode)	2-4
port (CAPP UDP submode)	2-5
secure (CAPP UDP submode)	2-6
clear module csm	2-7
dfp	2-8
agent (DFP submode)	2-9
manager (DFP submode)	2-10
exit	2-11
ft group	2-12
failover (fault tolerant submode)	2-14
heartbeat-time (fault tolerant submode)	2-15
preempt (fault tolerant submode)	2-16
priority (fault tolerant submode)	2-17
ip slb mode	2-18
map cookie	2-20
match protocol http cookie (cookie map submode)	2-21
map dns	2-22

match protocol dns domain (DNS map submode)	2-23
map header	2-24
match protocol http header (header map submode)	2-25
map retcode	2-26
match protocol http retcode (return code map submode)	2-27
map url	2-28
match protocol http url (URL map submode)	2-29
module csm	2-30
natpool (module submode)	2-31
owner	2-32
billing-info (owner submode)	2-33
contact-info (owner submode)	2-34
maxconns (owner submode)	2-35
policy	2-36
client-group (policy submode)	2-37
cookie-map (policy submode)	2-38
header-map (policy submode)	2-39
serverfarm (policy submode)	2-40
set ip dscp (policy submode)	2-41
sticky-group (policy submode)	2-42
url-map (policy submode)	2-43
probe	2-44
address (probe submode)	2-46
credentials (probe submode)	2-47
expect status (probe submode)	2-48
failed (probe submode)	2-50
header (probe submode)	2-51
interval (probe submode)	2-52
name (probe submode)	2-53
open (probe submode)	2-54
port (probe submode)	2-55
receive (probe submode)	2-56
request (probe submode)	2-57
retries (probe submode)	2-58
script (probe submode)	2-59

real	2-60
backup real (real server submode)	2-61
health probe (real server submode)	2-62
inservice (real server submode)	2-63
maxconns (real server submode)	2-65
minconns (real server submode)	2-66
redirect-vserver (real server submode)	2-67
weight (real server submode)	2-68
redirect-vserver	2-69
advertise (redirect virtual server submode)	2-70
client (redirect virtual server submode)	2-71
idle (redirect virtual server submode)	2-72
inservice (redirect virtual server submode)	2-73
replicate csrp (redirect virtual server submode)	2-74
ssl (redirect virtual server submode)	2-75
virtual (redirect virtual server submode)	2-76
vlan (redirect virtual server submode)	2-77
webhost backup (redirect virtual server submode)	2-78
webhost relocation (redirect virtual server submode)	2-79
reverse-sticky	2-80
script file	2-81
script task	2-83
serverfarm	2-84
bindid (serverfarm submode)	2-85
failaction (serverfarm submode)	2-86
health (serverfarm submode)	2-87
nat client (serverfarm submode)	2-88
nat server (serverfarm submode)	2-89
predictor (serverfarm submode)	2-90
probe (serverfarm submode)	2-92
rcode-map (serverfarm submode)	2-93
show module csm	2-94
show module csm arp	2-95
show module csm capp	2-96
show module csm conns	2-98

show module csm dfp	2-100
show module csm ft	2-102
show module csm map	2-103
show module csm memory	2-105
show module csm natpool	2-106
show module csm owner	2-107
show module csm policy	2-108
show module csm probe	2-109
show module csm probe script	2-110
show module csm real	2-111
show module csm real retcode	2-113
show module csm script	2-114
show module csm script task	2-115
show module csm serverfarm	2-116
show module csm static	2-118
show module csm static server	2-119
show module csm stats	2-120
show module csm status	2-122
show module csm sticky	2-123
show module csm tech-script	2-124
show module csm tech-support	2-125
show module csm vlan	2-128
show module csm vserver redirect	2-129
show module csm xml stats	2-131
snmp enable traps slb ft	2-132
static	2-133
real (static NAT submode)	2-134
sticky	2-135
static (sticky submode)	2-137
vserver	2-138
advertise (virtual server submode)	2-139
client (virtual server submode)	2-140
domain (virtual server submode)	2-141
idle (virtual server submode)	2-142
inservice (virtual server submode)	2-143

owner (virtual server submode)	2-144
parse-length (virtual server submode)	2-145
pending (virtual server submode)	2-146
persistent rebalance (virtual server submode)	2-147
replicate csrp (virtual server submode)	2-148
reverse-sticky (virtual server submode)	2-149
serverfarm (virtual server submode)	2-150
slb-policy (virtual server submode)	2-152
ssl-sticky (virtual server submode)	2-153
sticky (virtual server submode)	2-154
url-hash (virtual server submode)	2-156
virtual (virtual server submode)	2-157
unidirectional (virtual server submode)	2-159
vlan (virtual server submode)	2-160
vlan	2-161
alias (VLAN submode)	2-162
gateway (VLAN submode)	2-164
ip address (VLAN submode)	2-165
route (VLAN submode)	2-166
xml-config	2-167
client-group (XML submode)	2-168
credentials (XML submode)	2-169
inservice (XML submode)	2-170
port (XML submode)	2-171
vlan (XML submode)	2-172

INDEX

