



Preface i

- Audience 1-i
- Organization 1-i
- Conventions 1-ii
- Related Documentation 1-iii
- Obtaining Documentation and Submitting a Service Request 1-iii

CHAPTER 1

Using Content Switching Module Commands 1-1

- Using the CSM and CSM-S Commands 1-1
- Command Modes 1-2
- Regular Expressions 1-3

CHAPTER 2

Content Switching Module with SSL Commands 2-1

- arp 2-2
- capp udp 2-3
- options (CAPP UDP submode) 2-5
- port (CAPP UDP submode) 2-6
- secure (CAPP UDP submode) 2-7
- clear module csm 2-8
- dfp 2-9
- agent (DFP submode) 2-11
- manager (DFP submode) 2-12
- exit 2-13
- ft group 2-14
- failover (fault tolerant submode) 2-16
- heartbeat-time (fault tolerant submode) 2-17
- preempt (fault tolerant submode) 2-18
- priority (fault tolerant submode) 2-19
- ip slb mode 2-20
- map cookie 2-22
- match protocol http cookie (cookie map submode) 2-23
- map dns 2-24

match protocol dns domain (DNS map submode)	2-25
map header	2-26
insert protocol http header (header map submode)	2-27
match protocol http header (header map submode)	2-28
map retcode	2-29
match protocol http retcode (return code map submode)	2-30
map url	2-31
match protocol http url (URL map submode)	2-32
module csm	2-33
natpool (module CSM submode)	2-34
variable (module CSM submode)	2-35
owner	2-38
billing-info (owner submode)	2-39
contact-info (owner submode)	2-40
maxconns (owner submode)	2-41
policy	2-42
client-group (policy submode)	2-43
cookie-map (policy submode)	2-44
header-map (policy submode)	2-45
serverfarm (policy submode)	2-46
set ip dscp (policy submode)	2-48
sticky-group (policy submode)	2-49
url-map (policy submode)	2-50
probe	2-51
address (probe submode)	2-53
credentials (probe submode)	2-54
expect status (probe submode)	2-55
failed (probe submode)	2-57
header (probe submode)	2-58
interval (probe submode)	2-59
name (probe submode)	2-60
open (probe submode)	2-61
port (probe submode)	2-62
receive (probe submode)	2-63
request (probe submode)	2-64

retries (probe submode)	2-65
script (probe submode)	2-66
real	2-67
backup real (real server submode)	2-69
health probe (real server submode)	2-70
inservice (real server submode)	2-71
maxconns (real server submode)	2-72
minconns (real server submode)	2-73
redirect-vserver (real server submode)	2-74
weight (real server submode)	2-75
redirect-vserver	2-76
advertise (redirect virtual server submode)	2-77
client (redirect virtual server submode)	2-78
idle (redirect virtual server submode)	2-79
inservice (redirect virtual server submode)	2-80
replicate csrp (redirect virtual server submode)	2-81
ssl (redirect virtual server submode)	2-82
virtual (redirect virtual server submode)	2-83
vlan (redirect virtual server submode)	2-84
webhost backup (redirect virtual server submode)	2-85
webhost relocation (redirect virtual server submode)	2-86
reverse-sticky	2-87
script file	2-88
script task	2-90
serverfarm	2-91
bindid (serverfarm submode)	2-92
failaction (serverfarm submode)	2-93
health (serverfarm submode)	2-94
nat client (serverfarm submode)	2-95
nat server (serverfarm submode)	2-96
predictor (serverfarm submode)	2-97
probe (serverfarm submode)	2-100
retcode-map (serverfarm submode)	2-101
show module csm	2-102
show module csm arp	2-103

show module csm capp	2-104
show module csm conns	2-106
show module csm dfp	2-108
show module csm ft	2-110
show module csm map	2-111
show module csm memory	2-113
show module csm natpool	2-114
show module csm owner	2-115
show module csm policy	2-116
show module csm probe	2-117
show module csm probe script	2-119
show module csm real	2-120
show module csm real retcode	2-122
show module csm script	2-123
show module csm script task	2-124
show module csm serverfarm	2-125
show module csm static	2-127
show module csm static server	2-128
show module csm stats	2-130
show module csm status	2-132
show module csm sticky	2-133
show module csm tech-script	2-135
show module csm tech-support	2-136
show module csm variable	2-139
show module csm vlan	2-141
show module csm vserver redirect	2-143
show module csm xml stats	2-145
snmp enable traps slb ft	2-146
static	2-147
real (static NAT submode)	2-148
sticky	2-149
cookie offset (sticky submode)	2-151
cookie secondary (sticky submode)	2-152
static (sticky submode)	2-153
vserver	2-154

advertise (virtual server submode)	2-155
client (virtual server submode)	2-156
domain (virtual server submode)	2-157
idle (virtual server submode)	2-158
inservice (virtual server submode)	2-159
owner (virtual server submode)	2-160
parse-length (virtual server submode)	2-161
pending (virtual server submode)	2-162
persistent rebalance (virtual server submode)	2-163
replicate csrp (virtual server submode)	2-164
reverse-sticky (virtual server submode)	2-165
serverfarm (virtual server submode)	2-166
slb-policy (virtual server submode)	2-168
ssl-sticky (virtual server submode)	2-169
sticky (virtual server submode)	2-170
unidirectional (virtual server submode)	2-172
url-hash (virtual server submode)	2-173
virtual (virtual server submode)	2-174
vlan (virtual server submode)	2-177
vlan	2-178
alias (VLAN submode)	2-179
gateway (VLAN submode)	2-181
ip address (VLAN submode)	2-182
route (VLAN submode)	2-183
xml-config	2-184
client-group (XML submode)	2-185
credentials (XML submode)	2-186
inservice (XML submode)	2-187
port (XML submode)	2-188
vlan (XML submode)	2-189

CHAPTER 3**Commands Specific to the Content Switching Module with SSL 3-1**

clear ssl-proxy conn	3-2
clear ssl-proxy session	3-3
clear ssl-proxy stats	3-4
crypto ca export pem	3-5

crypto ca import pem	3-7
crypto ca export pkcs12	3-9
crypto ca import pkcs12	3-11
crypto key export rsa pem	3-13
crypto key import rsa pem	3-15
debug ssl-proxy	3-17
do	3-20
show ssl-proxy admin-info	3-21
show ssl-proxy buffers	3-22
show ssl-proxy certificate-history	3-23
show ssl-proxy conn	3-26
show ssl-proxy crash-info	3-29
show ssl-proxy mac address	3-31
show ssl-proxy natpool	3-32
show ssl-proxy policy	3-33
show ssl-proxy service	3-35
show ssl-proxy stats	3-37
show ssl-proxy status	3-40
show ssl-proxy version	3-42
show ssl-proxy vlan	3-43
snmp-server enable	3-44
ssl-proxy crypto selftest	3-45
ssl-proxy mac address	3-46
ssl-proxy natpool	3-47
ssl-proxy pki	3-48
ssl-proxy policy http-header	3-50
ssl-proxy policy ssl	3-52
ssl-proxy policy tcp	3-56
ssl-proxy policy url-rewrite	3-59
ssl-proxy pool ca	3-61
ssl-proxy service	3-62
ssl-proxy service client	3-66
ssl-proxy ssl ratelimit	3-69
ssl-proxy vlan	3-70
standby authentication	3-74

standby delay minimum reload	3-75
standby ip	3-77
standby mac-address	3-79
standby mac-refresh	3-81
standby name	3-82
standby preempt	3-83
standby priority	3-85
standby redirects	3-87
standby timers	3-89
standby track	3-91
standby use-bia	3-93

APPENDIX A**Acronyms** A-1

INDEX

