



---

<b>HR</b>	Cisco IOS XR Interface and Hardware Component Command Reference
<b>IR</b>	Cisco IOS XR IP Addresses and Services Command Reference
<b>MCR</b>	Cisco IOS XR Multicast Command Reference
<b>MPR</b>	Cisco IOS XR MPLS Command Reference
<b>QR</b>	Cisco IOS XR Modular Quality of Service Command Reference
<b>RR</b>	Cisco IOS XR Routing Command Reference
<b>SMR</b>	Cisco IOS XR System Management Command Reference
<b>SR</b>	Cisco IOS XR System Security Command Reference

---

## A

aaa accounting command	<a href="#">SR-2</a>
aaa accounting system default command	<a href="#">SR-4</a>
aaa authentication command	<a href="#">SR-6</a>
aaa authorization command	<a href="#">SR-8</a>
aaa default-taskgroup command	<a href="#">SR-11</a>
aaa group server radius command	<a href="#">SR-12</a>
aaa group server tacacs+ command	<a href="#">SR-12</a>
accounting command	<a href="#">SR-16</a>
acl command	<a href="#">SR-76</a>
address command	<a href="#">SR-77</a>
addressed-key command	<a href="#">SR-79</a>
authentication (IKE policy) command	<a href="#">SR-81</a>
authorization command	<a href="#">SR-18</a>

---

## C

clear crypto ca certificates command	<a href="#">SR-150</a>
clear crypto ca crl command	<a href="#">SR-151</a>
clear crypto ipsec sa command	<a href="#">SR-122</a>
clear crypto isakmp command	<a href="#">SR-83</a>
clear ssh command	<a href="#">SR-184</a>
client authentication list command	<a href="#">SR-123</a>
crypto ca authenticate command	<a href="#">SR-152</a>
crypto ca cancel-enroll command	<a href="#">SR-154</a>

crypto ca enroll command	<a href="#">SR-155</a>
crypto ca trustpoint command	<a href="#">SR-157</a>
crypto ipsec chkpt-disabled command	<a href="#">SR-124</a>
crypto ipsec profile command	<a href="#">SR-125</a>
crypto ipsec security-association lifetime command	<a href="#">SR-127</a>
crypto ipsec transform-set command	<a href="#">SR-129</a>
crypto ipsec transport command	<a href="#">SR-132</a>
crypto isakmp chkpt-disabled command	<a href="#">SR-85</a>
crypto isakmp client configuration group command	<a href="#">SR-86</a>
crypto isakmp enable command	<a href="#">SR-87</a>
crypto isakmp identity command	<a href="#">SR-88</a>
crypto isakmp keepalive command	<a href="#">SR-90</a>
crypto isakmp key command	<a href="#">SR-91</a>
crypto isakmp policy command	<a href="#">SR-93</a>
crypto key generate dsa command	<a href="#">SR-159</a>
crypto key generate rsa command	<a href="#">SR-161</a>
crypto key pubkey-chain rsa command	<a href="#">SR-95</a>
crypto key zeroize dsa command	<a href="#">SR-163</a>
crypto key zeroize rsa command	<a href="#">SR-164</a>

---

## D

description (AAA) command	<a href="#">SR-20</a>
description (IKE policy) command	<a href="#">SR-97</a>
description (IPSec profile) command	<a href="#">SR-134</a>
description (trustpoint) command	<a href="#">SR-166</a>

---

## E

encryption (IKE policy) command	<a href="#">SR-98</a>
enrollment retry count command	<a href="#">SR-167</a>
enrollment retry period command	<a href="#">SR-169</a>
enrollment url command	<a href="#">SR-171</a>

---

**G**

group (IKE policy) command [SR-100](#)  
group command [SR-22](#)

---

**H**

hash (IKE policy) command [SR-102](#)

---

**I**

inherit taskgroup command [SR-24](#)  
inherit usergroup command [SR-25](#)  
isakmp authorization list command [SR-135](#)

---

**K**

key command [SR-104](#)  
key-string (IKE) command [SR-105](#)

---

**L**

lifetime (IKE policy) command [SR-107](#)  
login authentication command [SR-27](#)

---

**M**

match transform-set command [SR-136](#)

---

**N**

named-key command [SR-109](#)

---

**P**

password (AAA) command [SR-29](#)  
profile command [SR-137](#)

---

**Q**

query url command [SR-173](#)

---

**R**

radius-server host command [SR-31](#)  
radius-server key command [SR-34](#)  
radius-server retransmit command [SR-35](#)  
radius-server timeout command [SR-36](#)  
radius source-interface command [SR-37](#)  
rsakeypair command [SR-174](#)

---

**S**

sam add certificate command [SR-208](#)  
sam delete certificate command [SR-210](#)  
sam prompt-interval command [SR-212](#)  
sam verify command [SR-214](#)  
secret command [SR-37](#)  
server (RADIUS) command [SR-40](#)  
server (TACACS+) command [SR-42](#)  
set pfs command [SR-138](#)  
set type command [SR-139](#)  
sftp command [SR-186](#)  
show aaa command [SR-43](#)  
show crypto ca certificates command [SR-175](#)  
show crypto ca crls command [SR-177](#)  
show crypto ipsec sa command [SR-140](#)  
show crypto ipsec summary command [SR-143](#)  
show crypto isakmp key command [SR-111](#)  
show crypto isakmp policy command [SR-112](#)  
show crypto isakmp sa command [SR-114](#)  
show crypto key mypubkey dsa command [SR-178](#)  
show crypto key mypubkey rsa command [SR-180](#)  
show crypto key pubkey-chain rsa command [SR-117](#)  
show radius command [SR-47](#)  
show radius server-groups command [SR-49](#)  
show sam certificate command [SR-216](#)

show sam crl command [SR-220](#)  
show sam log command [SR-222](#)  
show sam package command [SR-224](#)  
show sam sysinfo command [SR-227](#)  
show ssh command [SR-188](#)  
show ssh session details command [SR-190](#)  
show ssl command [SR-204](#)  
show tacacs command [SR-51](#)  
show tacacs server-groups command [SR-53](#)  
show task supported command [SR-55](#)  
show user command [SR-57](#)  
ssh client knownhost command [SR-194](#)  
ssh client source-interface command [SR-196](#)  
ssh command [SR-192](#)  
ssh server command [SR-198](#)  
ssh server rate-limit command [SR-199](#)  
ssh server session-limit command [SR-200](#)  
ssh timeout command [SR-201](#)

---

## T

tacacs-server host command [SR-58](#)  
tacacs-server key command [SR-60](#)  
tacacs-server timeout command [SR-61](#)  
tacacs source-interface command [SR-62](#)  
task command [SR-64](#)  
taskgroup command [SR-65](#)  
timeout login response command [SR-67](#)  
tunnel source command [SR-146](#)

---

## U

usergroup command [SR-68](#)  
username command [SR-70](#)  
users group command [SR-72](#)

