



HR	Cisco IOS XR Interface and Hardware Component Command Reference
IR	Cisco IOS XR IP Addresses and Services Command Reference
MCR	Cisco IOS XR Multicast Command Reference
MPR	Cisco IOS XR MPLS Command Reference
QR	Cisco IOS XR Modular Quality of Service Command Reference
RR	Cisco IOS XR Routing Command Reference
SBR	Cisco IOS XR Session Border Controller Command Reference
SMR	Cisco IOS XR System Management Command Reference
SR	Cisco IOS XR System Security Command Reference

A

admin-weight command [MPR-178](#)
affinity command [MPR-180](#)
attribute-flags command [MPR-182](#)
autoroute announce command [MPR-184](#)
autoroute metric command [MPR-186](#)

B

backoff command [MPR-2](#)
backup-bw command [MPR-188](#)
backup-path tunnel-te command [MPR-190](#)
bandwidth (RSVP) command [MPR-74](#)
bandwidth mam (RSVP) command [MPR-76](#)
bandwidth rdm (RSVP) command [MPR-78](#)

C

clear mpls forwarding counters command [MPR-152](#)
clear mpls ldp msg-counters neighbor command [MPR-4](#)
clear mpls ldp neighbor command [MPR-5](#)
clear mpls lmp command [MPR-192](#)
clear mpls oam counters command [MPR-366](#)
clear mpls traffic-eng counters tunnels command [MPR-193](#)

clear mpls traffic-eng fast-reroute log command [MPR-194](#)
clear mpls traffic-eng link-management statistics command [MPR-195](#)
clear rsvp counters all command [MPR-80](#)
clear rsvp counters chkpt command [MPR-82](#)
clear rsvp counters events command [MPR-83](#)
clear rsvp counters messages command [MPR-85](#)
clear rsvp counters oor command [MPR-87](#)
clear rsvp counters prefix filtering command [MPR-89](#)

D

default-route command [MPR-6](#)
destination address ipv4 command [MPR-322](#)
destination command [MPR-198](#)
direction (GMPLS) command [MPR-196](#)
disable (explicit-path) command [MPR-200](#)
discovery hello command [MPR-7](#)
discovery targeted-hello command [MPR-9](#)
discovery transport-address command [MPR-11](#)

E

echo disable-vendor-extension command [MPR-367](#)
echo revision command [MPR-368](#)
explicit-null command [MPR-13](#)

F

fast-reroute command [MPR-201](#)
flooding-igp (GMPLS) command [MPR-203](#)
flooding thresholds command [MPR-205](#)

G

graceful-restart command [MPR-15](#)

H

holdtime command [MPR-18](#)

I

igp sync delay command [MPR-21](#)

index (explicit path) command [MPR-207](#)

interface (MPLS LDP) command [MPR-19](#)

interface tunnel-te command [MPR-209](#)

ipcc routed command [MPR-324](#)

ipv4 unnumbered (interface) command [MPR-211](#)

L

label accept command [MPR-23](#)

label advertise command [MPR-25](#)

label allocate command [MPR-28](#)

lmp hello (GMPLS) command [MPR-212](#)

lmp neighbor command [MPR-326](#)

log graceful-restart command [MPR-30](#)

log neighbor command [MPR-32](#)

log session-protection command [MPR-34](#)

M

match (GMPLS) command [MPR-214](#)

maximum interfaces command [MPR-36](#)

mpls ip-ttl-propagate command [MPR-154](#)

mpls label range command [MPR-155](#)

mpls ldp restart session command [MPR-37](#)

mpls oam command [MPR-369](#)

mpls traffic-eng area command [MPR-216](#)

mpls traffic-eng ds-te bc-model command [MPR-218](#)

mpls traffic-eng ds-te mode command [MPR-220](#)

mpls traffic-eng ds-te te-classes command [MPR-222](#)

mpls traffic-eng fast-reroute promote command [MPR-224](#)

mpls traffic-eng fast-reroute timers promotion
command [MPR-225](#)

mpls traffic-eng interface command [MPR-227](#)

mpls traffic-eng level command [MPR-229](#)

mpls traffic-eng link-management flood
command [MPR-231](#)

mpls traffic-eng link-management timers bandwidth-hold
command [MPR-232](#)

mpls traffic-eng link-management timers
periodic-flooding command [MPR-234](#)

mpls traffic-eng lmp router-id command [MPR-236](#)

mpls traffic-eng maximum tunnels command [MPR-238](#)

mpls traffic-eng path-protection switchover (GMPLS)
command [MPR-239](#)

mpls traffic-eng path-selection metric command [MPR-240](#)

mpls traffic-eng reoptimize command [MPR-242](#)

mpls traffic-eng reoptimize timers delay
command [MPR-243](#)

mpls traffic-eng router-id command [MPR-245](#)

mpls traffic-eng signalling advertise explicit-null
command [MPR-247](#)

mpls traffic-eng topology holddown sigerr
command [MPR-248](#)

N

neighbor command [MPR-328](#)

neighbor implicit-withdraw command [MPR-37](#)

neighbor password command [MPR-5, MPR-38](#)

neighbor targeted command [MPR-40](#)

P

passive (GMPLS) command [MPR-250](#)

passive command [MPR-329](#)

path-option command [MPR-251](#)

path-selection metric command [MPR-253](#)

ping mpls command [MPR-370](#)

priority (MPLS TE) command [MPR-255](#)

R

record route command [MPR-257](#)

remote (GMPLS) command [MPR-258](#)

remote interface-id command [MPR-331](#)

remote node-id command [MPR-332](#)

router-id (MPLS LDP) command [MPR-41](#)

router-id (MPLS O-UNI) command [MPR-333](#)

S

session protection command [MPR-43](#)

show explicit-paths command [MPR-260](#)

show mpls forwarding command [MPR-157](#)

show mpls interfaces command [MPR-161](#)

show mpls label range command [MPR-164](#)

show mpls label table command [MPR-165](#)

show mpls ldp backoff command [MPR-45](#)

show mpls ldp bindings command [MPR-47](#)

show mpls ldp forwarding command [MPR-54](#)

show mpls ldp graceful-restart command [MPR-56](#)

show mpls ldp igp sync command [MPR-58](#)

show mpls ldp neighbor command [MPR-60](#)

show mpls ldp parameters command [MPR-65](#)

show mpls ldp statistics msg-counters command [MPR-67](#)

show mpls ldp summary command [MPR-69](#)

show mpls lmp clients command [MPR-334](#)

show mpls lmp interface-id command [MPR-336](#)

show mpls lsd applications command [MPR-167](#)

show mpls lsd clients command [MPR-169](#)

show mpls optical-uni checkpoint command [MPR-340](#)

show mpls optical-uni command [MPR-338](#)

show mpls optical-uni diagnostics command [MPR-342](#)

show mpls optical-uni interface command [MPR-346](#)

show mpls optical-uni lmp command [MPR-349](#)

show mpls optical-uni timers all command [MPR-355](#)

show mpls optical-uni timers global command [MPR-357](#)

show mpls optical-uni timers interfaces
command [MPR-359](#)

show mpls optical-uni timers nodes command [MPR-361](#)

show mpls traffic-eng autoroute command [MPR-262](#)

show mpls traffic-eng counters tunnel command [MPR-264](#)

show mpls traffic-eng ds-te te-class command [MPR-266](#)

show mpls traffic-eng fast-reroute database
command [MPR-171](#)

show mpls traffic-eng fast-reroute log command [MPR-175](#)

show mpls traffic-eng forwarding command [MPR-268](#)

show mpls traffic-eng link-management admission-control
command [MPR-270](#)

show mpls traffic-eng link-management advertisements
command [MPR-272](#)

show mpls traffic-eng link-management
bandwidth-allocation command [MPR-276](#)

show mpls traffic-eng link-management bfd-neighbors
command [MPR-279](#)

show mpls traffic-eng link-management igp-neighbors
command [MPR-281](#)

show mpls traffic-eng link-management interface
command [MPR-283](#)

show mpls traffic-eng link-management statistics
command [MPR-286](#)

show mpls traffic-eng link-management summary
command [MPR-288](#)

show mpls traffic-eng maximum tunnels
command [MPR-290](#)

show mpls traffic-eng topology command [MPR-292](#)

show mpls traffic-eng tunnels command [MPR-298](#)

show rsvp counters command [MPR-91](#)

show rsvp counters oor command [MPR-95](#)

show rsvp counters prefix filtering command [MPR-97](#)

show rsvp fast-reroute command [MPR-100](#)

show rsvp graceful-restart command [MPR-102](#)

show rsvp hello instance command [MPR-105](#)

show rsvp hello instance interface-based
command [MPR-108](#)

show rsvp interface command [MPR-110](#)

show rsvp neighbor command [MPR-112](#)

show rsvp request command [MPR-113](#)

show rsvp reservation command [MPR-115](#)
show rsvp sender command [MPR-117](#)
show rsvp session command [MPR-120](#)
signalled-bandwidth command [MPR-309](#)
signalled-name command [MPR-311](#)
signalling dscp (LDP) command [MPR-71](#)
signalling dscp (RSVP) command [MPR-123](#)
signalling graceful-restart command [MPR-125](#)
signalling graceful-restart restart-time command [MPR-127](#)
signalling hello graceful-restart interface-based
command [MPR-129](#)
signalling hello graceful-restart refresh interval
command [MPR-130](#)
signalling hello graceful-restart refresh misses
command [MPR-132](#)
signalling prefix filtering access-list command [MPR-133](#)
signalling prefix filtering default-deny-action
command [MPR-135](#)
signalling rate-limit command [MPR-136](#)
signalling refresh interval command [MPR-138](#)
signalling refresh missed command [MPR-140](#)
signalling refresh reduction bundle-max-size
command [MPR-142](#)
signalling refresh reduction disable command [MPR-143](#)
signalling refresh reduction reliable command [MPR-145](#)
signalling refresh reduction summary command [MPR-148](#)
snmp-server enable traps mpls ldp command [MPR-72](#)
snmp traps mpls traffic-eng command [MPR-312](#)
switching (GMPLS) command [MPR-314](#)
switching endpoint (GMPLS) command [MPR-316](#)
switching transit (GMPLS) command [MPR-318](#)

T

tna ipv4 command [MPR-363](#)
traceroute mpls command [MPR-373](#)
traceroute mpls multipath command [MPR-376](#)