



---

## A

- Access Code Management option [17-9](#)
- access codes
  - and meeting rooms [17-19](#)
  - and time zones [17-19](#)
  - bandwidth options [8-3](#)
  - cannot be used with PMS billing [17-10](#)
  - managing [17-9](#)
- accessing the BBSM Dashboard
  - locally [1-7](#)
  - remotely [1-7](#)
- access points
  - configuring [12-2](#)
  - deleting [12-5](#)
  - security [8-2, 16-2](#)
- Access Points web page [12-2](#)
- access policies [18-2](#)
- accounting policies [18-2](#)
- adding
  - BBSM sites [10-1](#)
  - cable modems [13-13](#)
  - custom page sets to BBSM [18-17](#)
  - new Operators [1-11](#)
  - new Reports users [1-11](#)
  - PMS call types [13-6](#)
  - VLANs, reconfiguring the access point [12-4](#)
- Address Change Wizard
  - deleting multinet 2 [3-4](#)
  - running [5-1](#)
- Administrator, entering password [3-2](#)
- Administrators user group [1-8](#)
- aging period
  - for CMTSs [12-11](#)
  - for switches [12-14](#)

---

## B

- bandwidth
  - configuring management options [8-1](#)
  - configuring reservation options [17-3](#)
  - managing and reserving [17-9](#)
  - reservation
    - configuring classes of service [17-7](#)
    - configuring total bandwidth [17-6](#)
    - overview [17-1](#)
  - reservations
    - verifying the external router [17-4](#)
  - specifying [14-5](#)
  - throttling
    - configuring [8-3](#)
    - definition [17-1](#)
    - overview and configuration procedure [17-3](#)
- bandwidth, changing default server parameter settings [B-1](#)
- Bandwith Reservation
  - web pages
    - Classes of Service [17-7](#)
    - External Router [17-4](#)
    - Total Bandwidth [17-6](#)
- BBSM server
  - documentation [ix](#)
  - router 0 [1-3](#)
- BBSM Server Settings web page [8-1](#)
- billing
  - credit card [15-1](#)
  - PMS [13-1](#)
  - print [13-1](#)
  - RADIUS [14-3](#)
- boundary, session [18-15](#)
- Bridged-Configuration CMTS configuration web page [12-11](#)
- bridged networks [1-4](#)
- Building Broadband Service Manager (BBSM),
  - overview [1-1](#)

buttons, navigational [1-12](#)

## C

cable modems

- configuring CMTSs for [12-7](#)
- replacing or adding [13-13](#)

Call Types web page [13-6](#)

certificate, installing [16-2](#)

changing

- default server bandwidth parameter settings [B-1](#)
- internal network IP addresses [9-1](#)
- port settings [13-13](#)

classes of service, overview [17-7](#)

Client for Microsoft Networks check box,  
unchecking [13-8](#)

clients, connecting to BBSM [1-12](#)

clock, changing while clients connected [3-2](#)

clustering

- overview [12-2](#)
- Switches web page [12-13](#)

CMTSs

- configuring [12-7](#)
- dynamic port-room configuration procedure [13-13](#)

CMTS web page [12-7](#)

configuring

- access codes [17-9](#)
- access points [12-2](#)
- bandwidth management options [8-1](#)
- bandwidth reservation
  - classes of service [17-7](#)
  - options [17-3](#)
  - total bandwidth [17-6](#)
  - verifying the external router [17-4](#)

BBSM sites [10-1](#)

CMTS ports [12-7](#)

credit card billing [15-1](#)

DNS forwarding [6-1](#)

laptops for room mapping [13-7](#)

network [8-1](#)

PMS billing [13-1](#)

PMS call types [13-6](#)

port hop delay [20-3](#)

port test parameters [A-1](#)

RADIUS servers [14-3](#)

routers [11-1](#)

switches [12-13](#)

the browser for room mapping [13-9](#)

walled gardens [19-1](#)

Windows

- for dual VLANs [4-1](#)
- for multinetts [3-4](#)

connecting

- an end-user client to BBSM [1-12](#)
- a PMS [7-1](#)
- client to BBSM [1-12](#)

creating

- access codes [17-9](#)
- custom page sets [18-1](#)
- walled gardens [19-1](#)

Credit Card

- web pages
  - Server [15-1](#)
  - Site x [15-3](#)

credit card billing

- configuring [15-1](#)
- merchant ID [15-3](#)
- testing the credit card interface [15-4](#)

credit card interface, testing [15-4](#)

currency type [8-2](#)

customizing page sets [18-13](#)

Custom Page Sets web page [18-17](#)

CyberSource credit card interface [15-4](#)

## D

Dashboard options [1-7](#)

Administration

- Page Set Wizard [1-8](#)
- WEBconfig [1-8](#)
- WEBpatch [1-8](#)
- WEB PMS Test [1-8](#)

Operations

- Access Code Management [1-11](#)
- Client Deactivation [1-11](#)
- Map Rooms [1-11](#)
- Port Control [1-11](#)

Reports

- Reporting Pages [1-11](#)

deleting

- access points [12-5](#)
- dual-VLAN configuration [5-3](#)
- multinet 2 [5-5](#)
- PMS call types [13-7](#)
- routers [11-3](#)
- sites [10-3](#)
- switches [12-15](#)

DHCP IP address ranges

- changing in WEBconfig [9-1](#)
- entering ranges in the Address Change Wizard [5-1](#)
- temporary [9-6](#)

DNS

- forwarding, configuring [6-1](#)
- resolving requests [6-1](#)

documentation, related [ix](#)

dual VLANs [4-1](#)

Duplicate IP address feature, configuring [8-2](#)

---

## E

- e [16-3, 18-2](#)
- EAP support with wireless LANs [12-2](#)
- echo data size, Port Test Settings option [A-2](#)
- enabling
  - bandwidth management [8-3](#)
  - transparent proxy [8-2](#)
- end user connection sequence [1-12](#)
- example, changing page set parameters [18-13](#)

---

## F

- features, advanced [2-1](#)
- Find Access Codes web page [17-16](#)
- Foreign (Static) IP address ranges
  - changing in WEBconfig [9-1](#)
  - entering in the Address Change Wizard [5-1](#)

---

## H

- https, with SSL [16-2](#)

---

## I

- installing
  - service packs and patches before BBSM configuration [3-4](#)
  - SSL certificate [16-2](#)
- Internet
  - browser
    - accessing the Dashboard [1-7](#)
  - browsers
    - configuring for room mapping [13-9](#)
- inter packet delay, Port Test Settings option [A-2](#)
- IP addresses
  - changing in WEBconfig [9-1](#)
  - duplicate [8-2](#)
  - entering in the Address Change Wizard [5-1](#)
  - public-private overview [9-2](#)
- IP Addresses web page [9-1](#)
- IPsec [2-5](#)
- IRB-Configuration CMTS configuration web page [12-9](#)

---

## L

- LANs
  - overview of access points [12-2](#)
  - segmenting wireless meeting room users from public space users [12-2](#)
  - using EAP and LEAP [12-2](#)
- laptops, configuring for room mapping [13-7](#)
- LEAP support with wireless [12-2](#)
- lease time with DHCP [9-7](#)
- location mapping
  - basic procedure [13-10](#)
  - dynamic port-room CMTS procedure [13-13](#)
- logging, transparent proxy entries [8-3](#)
- loopback address [1-3](#)

---

## M

- Management IP address ranges
  - changing in WEBconfig [9-1](#)
  - entering in the Address Change Wizard [5-1](#)
- managing
  - access codes [17-9](#)

- bandwidth [8-3](#)
- mapping
  - access points [12-2](#)
  - CMTS ports [12-7](#)
  - locations [13-9](#)
  - rooms for cable modems [13-13](#)
  - rooms for switches and access points [13-10](#)
  - switches [12-13](#)
- Map Rooms option [13-9](#)
- meeting rooms
  - and access codes for [17-19](#)
  - and time zones [17-19](#)
- Microsoft
  - Microsoft ISA used by BBSM for proxy server [2-7](#)
  - Microsoft Management Console (MMC) [16-13](#)
  - server security [16-1](#)
- modifying
  - DailyHotel page sets using the Page Set Wizard [18-5](#)
- MSDE
  - functionality breaks if BBSM appliance renamed [3-1](#)
- multinets
  - and subnets [9-2](#)
  - assigning in Management range [9-6](#)
  - configuring
    - IP addresses [9-5](#)
    - Windows for [3-4](#)
  - deleting multinet 2 [5-5](#)
  - page sets and provisioning by administrator or end user [18-2](#)
  - private-public IP address overview [9-2](#)
  - running
    - Address Change Wizard [5-1](#)
    - Switch Discovery Wizard [5-6](#)

---

## N

- NAS identifier [14-6, 14-8](#)
- NAT
  - IP address [14-5, 14-8](#)
  - with VPN clients [2-5](#)
- navigational buttons [1-12](#)
- networks
  - bridged [1-4](#)
  - routed [1-4](#)

---

## O

- Operators user group [1-11](#)

---

## P

- page sets
  - custom
    - adding to BBSM [18-17](#)
    - using the Page Set Wizard [18-5](#)
  - multinet provisioning by administrator or end user [18-2](#)
  - registering [18-16](#)
  - renaming [18-13](#)
  - using
    - with BBSM, overview [18-2](#)
    - with SSL [16-3, 18-2](#)
- Page Set Wizard [18-5](#)
- passwords [3-2](#)
  - RADIUS [14-3](#)
  - setting for new sites [10-4](#)
  - SNMP [11-3, 12-5, 12-11, 12-14](#)
- patches
  - installing
    - before BBSM configuration [3-4](#)
- permissions [1-6](#)
- pings to send, Port Test Settings option [A-2](#)
- PMS
  - billing not supported by access code page sets [17-10](#)
  - configuring billing options [13-1](#)
  - connecting [7-1](#)
  - supported protocols [13-2](#)
  - testing the interface (WEB PMS Test) [7-3](#)
  - two-way interface [13-2](#)
  - verifying that charges are posting [7-4](#)
- PMS/Printer Settings web page [13-4](#)
- port 9488 [1-7](#)
- port hop delay, configuring [20-3](#)
- port hopping
  - configuring port hop delay [20-3](#)
  - description [20-1](#)
- Port Hopping Site x web page [20-3](#)
- port test parameters, configuring [A-1](#)
- Port Test Settings web page [A-1](#)
- prepaid RADIUS [14-2](#)

- print billing [13-1](#)
- printing
  - connecting a local printer [7-1](#)
- private and public IP addresses
  - configuring [9-5](#)
  - overview [9-2](#)
- procedures
  - creating custom page sets [18-13](#)
- protected port feature, configuring [8-2](#)
- protected port feature, security [16-2](#)
- proxy server [2-7](#)
- PSPF feature, configuring [8-2](#)
- publications, related [ix](#)
- publicly secure packet forwarding (PSPF) [16-2](#)
- public secure packet forwarding (PSPF), configuring [8-2](#)

---

## Q

- QoS, Class-Based Shaping used instead by BBSM [17-1](#)

---

## R

### RADIUS

- configuring [14-3](#)
- prepaid [14-2](#)
- Server web page [14-3](#)
- Site x web page [14-9](#)
- using with BBSM [14-1](#)
- with user-provisioned bandwidth (UBand page sets) [14-2](#)
- registering
  - page sets [18-16](#)
- remote access
  - to Dashboard [1-7](#)
  - unchecking Client for Microsoft Networks [13-8](#)
- removing VLANs, reconfiguring the access point [12-4](#)
- renaming page sets [18-13](#)
- replacing, cable modems [13-13](#)
- Reports user group [1-11](#)
- requirements, connecting an end-user client to BBSM [1-12](#)
- reserving bandwidth [17-9](#)
- Reset Time Remaining, with Codes by Duration web page [17-14](#)

- resolving DNS requests [6-1](#)
- retrieving overwritten page sets [18-13](#)
- roaming, using access points [12-2](#)
- room mapping
  - basic procedure [13-10](#)
  - configuring laptops [13-7](#)
  - dynamic port-room CMTS procedure [13-13](#)
- Routed CMTS configuration web page
  - multinet [12-10](#)
- routed networks [1-4](#)
  - router 0 [1-3](#)
- routers
  - deleting [11-3](#)
  - external
    - configuration added by bandwidth reservation feature [17-2](#)
    - restoring router configuration [17-5](#)
    - verifying for bandwidth reservation [17-4](#)
  - internal
    - configuring [11-1](#)
    - restrictions when using "Router Supports SNMP" [11-3](#)
    - Routers web page [11-1](#)
    - supporting SNMP [11-3](#)

---

## S

- sample, changing page set parameters [18-13](#)
- security
  - accounting policies [18-2](#)
  - configuring [16-16](#)
  - configuring PSPF (port-to-port security) [8-2, 12-2, 16-2](#)
  - entering SQL 'sa' and Windows Administrator passwords [3-2](#)
- Security/SSL web page [16-16](#)
- service packs
  - installing
    - before BBSM configuration [3-4](#)
- session boundary [18-15](#)
- singlenets
  - and subnets [9-2](#)
  - configuring IP addresses [9-5](#)
  - private-public IP address overview [9-2](#)
- sites
  - configuring [10-1](#)

- deleting [10-3](#)
- setting passwords for [10-4](#)
- Sites web page [10-1](#)
- SMTP forwarding [8-2](#)
- SSL
  - configuring [16-16](#)
  - installing certificate [16-2](#)
  - logging into BBSM remotely [1-7](#)
  - Security/SSL web page [1-10](#)
  - SSL page sets disabled when SSL not installed on BBSM server [1-2, 5-14](#)
  - using with page sets [16-3, 18-2](#)
- subnets, with singlenets and multinetts [9-2](#)
- supported PMS protocols [13-2](#)
- Switch Discovery Wizard
  - enabling clustering [12-2](#)
  - running [5-6](#)
- switches
  - clustering overview [12-2](#)
  - deleting [12-15](#)
- switch mode, Port Test Settings option [A-2](#)
- system clock, changing while clients connected [3-2](#)
- system requirements [1-2](#)

---

## T

- TCP/IP properties [9-7](#)
- Temp DHCP address ranges
  - changing in WEBconfig [9-1](#)
  - entering in the Address Change Wizard [5-1](#)
- testing
  - credit card interface [15-4](#)
  - PMS interface [7-3](#)
- time
  - aging period for automatic disconnection, CMTSs [12-11](#)
  - aging period for automatic disconnection, switches [12-14](#)
  - changing system clock [3-2](#)
  - initialization and number of IP addresses [9-7](#)
  - lease with DHCP [9-7](#)
  - preconfigured period of inactivity with disconnection [12-3](#)
  - Reset Time Remaining with Codes by Duration web page [17-14](#)

- zones and access codes [17-19](#)
- timeout period, IIS [14-8](#)
- topics, advanced [2-1](#)
- transparent proxy
  - enabling [8-2](#)
  - logging proxy entries [8-3](#)
  - remote proxy servers [2-8](#)
  - web proxy overview [2-7](#)
- troubleshooting
  - IP addresses [9-5](#)
  - TCP/IP properties [9-5](#)
- two-way PMS interface [13-2](#)

---

## U

- UBand page sets, using with RADIUS servers [14-2](#)
- uplink ports
  - defined [12-13](#)
- user groups [1-6](#)
  - Administrators [1-8](#)
  - Operators [1-11](#)
  - Reports [1-11](#)
- users
  - adding
    - Operators [1-11](#)
    - Reports users [1-11](#)

---

## V

- VLANs
  - adding or removing a VLAN and reconfiguring the access point [12-4](#)
  - configuring Windows for dual VLANs [4-1](#)
  - overview [2-4](#)
- VPN clients
  - using with BBSM [2-5](#)
  - with public-private IP addressing [9-2](#)

---

## W

- walled gardens
  - creating and configuring [19-1](#)
- Walled Garden web page [19-1](#)

- web
  - proxy
    - overview [2-7](#)
    - used with walled gardens [19-1](#)
- WEBconfig
  - Access Points web page [12-2](#)
  - Bandwidth Reservation
    - Classes of Service web page [17-7](#)
    - External Router web page [17-4](#)
    - Total Bandwidth web page [17-6](#)
  - BBSM Server Settings web page [8-1](#)
  - Bridged-Configuration CMTS configuration web page [12-11](#)
  - Call Types web page [13-6](#)
  - CMTS web page [12-7](#)
  - Credit Card
    - Server web page [15-1](#)
    - Site x web page [15-3](#)
  - Custom Page Sets web page [18-17](#)
  - IP Addresses web page [9-1](#)
  - IRB-Configuration CMTS configuration web page [12-9](#)
  - PMS/Printer Settings web page [13-4](#)
  - Port Hopping Site x web page [20-3](#)
  - Port Test Settings web page [A-1](#)
  - RADIUS
    - Server web page [14-3](#)
    - Site x web page [14-9](#)
  - Routed CMTS configuration web page
    - multinet [12-10](#)
  - Routers web page [11-1](#)
  - Security/SSL web page [16-16](#)
  - Sites web page [10-1](#)
  - Switches web page [12-13](#)
  - Walled Garden web page [19-1](#)
- WEB PMS Test option [7-3](#)
- Windows
  - adding
    - Operators [1-11](#)
    - Reports users [1-11](#)
  - adding Reports users [1-11](#)
  - changing
    - the name of BBSM appliance breaks MSDE functionality [3-1](#)
  - configuring
    - dual VLANs [4-1](#)
    - laptops and browsers for room mapping [13-7](#)
    - multinets [3-4](#)
  - entering
    - Administrator password [3-2](#)
    - using Network and Dial-up Connections only to set up multinets, not to set IP addresses [5-3](#)
- wizards
  - Address Change [5-1](#)
  - Page Set [18-5](#)
  - Switch Discovery [5-6](#)

