



Supported Devices Table for Cisco netManager - Unified Communications 1.0

Revised: December 10, 2007



Note

If you purchased Cisco netManager 1.0 before December 7, 2007, or find that your software does not provide the same features or device support as described in the documentation, ask your sales representative for the latest software update or download the latest Cisco netManager 1.0 image from the Cisco.com software center, accessible via www.cisco.com/go/cnmip.

The following tables list the devices supported by Cisco netManager:

- [Table 1, Routers and Routing Systems on page 2](#)
- [Table 2, Switches on page 4](#)
- [Table 3, Cisco Interfaces and Modules on page 7](#)
- [Table 4, Cisco Security and VPN Devices on page 7](#)
- [Table 5, Voice and Unified Communications on page 8](#)

When you install Cisco netManager, you also install device support for all of the devices listed in this document.

Keep these points in mind when you view the device support table:

- The devices listed in this document might be categorized differently in the Cisco netManager display.
- This list contains the Cisco model names of all devices that are supported by Cisco netManager 1.0. Variants to the generic device (device model names that have unique extensions) are not supported unless they are specifically listed. The device support tables provide SysObjectIDs to help you verify which devices are supported.



Americas Headquarters:
Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

© 2007 Cisco Systems, Inc. All rights reserved.

Devices Supported by Cisco netManager

Table 1 *Routers and Routing Systems*

Series	Devices Supported	SysObjectID
Cisco 3800 Series Integrated Services Routers	3825	1.3.6.1.4.1.9.1.543
	3845	1.3.6.1.4.1.9.1.544
Cisco MC3810 Multiservice Access Concentrators	MC3810	1.3.6.1.4.1.9.1.157
	Mc3810V3	1.3.6.1.4.1.9.1.286
Cisco 3700 Series Multiservice Access Routers	3725	1.3.6.1.4.1.9.1.414
	3745	1.3.6.1.4.1.9.1.436
Cisco 3600 Series Multiservice Platforms	3620	1.3.6.1.4.1.9.1.122
	Pro3620	1.3.6.1.4.1.9.1.123
	3631Co	1.3.6.1.4.1.9.1.425
	3640	1.3.6.1.4.1.9.1.110
	Pro3640	1.3.6.1.4.1.9.1.124
	SC3640	1.3.6.1.4.1.9.1.189
	3660	1.3.6.1.4.1.9.1.205
	3661Ac	1.3.6.1.4.1.9.1.338
	3661Dc	1.3.6.1.4.1.9.1.339
	3662Ac	1.3.6.1.4.1.9.1.340
	3662Dc	1.3.6.1.4.1.9.1.341
	3662AcCo	1.3.6.1.4.1.9.1.342
	3662DcCo	1.3.6.1.4.1.9.1.343
Cisco 2800 Series Integrated Services Routers	2801	1.3.6.1.4.1.9.1.619
	2811	1.3.6.1.4.1.9.1.576
	2821	1.3.6.1.4.1.9.1.577
	2851	1.3.6.1.4.1.9.1.578

Table 1 **Routers and Routing Systems (continued)**

Series	Devices Supported	SysObjectID
Cisco 2600 Series Multiservice Platforms	2610	1.3.6.1.4.1.9.1.185
	2610M	1.3.6.1.4.1.9.1.418
	2610XM	1.3.6.1.4.1.9.1.466
	2611	1.3.6.1.4.1.9.1.186
	2611M	1.3.6.1.4.1.9.1.419
	2611XM	1.3.6.1.4.1.9.1.467
	2612	1.3.6.1.4.1.9.1.187
	2613	1.3.6.1.4.1.9.1.195
	2620	1.3.6.1.4.1.9.1.208
	2620XM	1.3.6.1.4.1.9.1.468
	2621	1.3.6.1.4.1.9.1.209
	2621XM	1.3.6.1.4.1.9.1.469
	2650	1.3.6.1.4.1.9.1.319
	2650XM	1.3.6.1.4.1.9.1.470
	2651	1.3.6.1.4.1.9.1.320
	2651XM	1.3.6.1.4.1.9.1.471
	2691	1.3.6.1.4.1.9.1.413
Cisco 1800 Series Integrated Services Routers	1801	1.3.6.1.4.1.9.1.638
	1811	1.3.6.1.4.1.9.1.641
	1812	1.3.6.1.4.1.9.1.642
	1841	1.3.6.1.4.1.9.1.620
	1861BCueK9	1.3.6.1.4.1.9.1.902
	1861FCueK9	1.3.6.1.4.1.9.1.903
	18612Bri	1.3.6.1.4.1.9.1.904
	18614Fxo	1.3.6.1.4.1.9.1.905
Cisco 1700 Series Modular Access Routers	1701 ADSL	1.3.6.1.4.1.9.1.550
	1710	1.3.6.1.4.1.9.1.200
	1711	1.3.6.1.4.1.9.1.538
	1712	1.3.6.1.4.1.9.1.539
	1720	1.3.6.1.4.1.9.1.201
	1721	1.3.6.1.4.1.9.1.444
	1750	1.3.6.1.4.1.9.1.216
	1751	1.3.6.1.4.1.9.1.326
	1760	1.3.6.1.4.1.9.1.416

Table 1 *Routers and Routing Systems (continued)*

Series	Devices Supported	SysObjectID
Cisco 800 Series Routers	801	1.3.6.1.4.1.9.1.212
	802	1.3.6.1.4.1.9.1.213
	802J	1.3.6.1.4.1.9.1.295
	803	1.3.6.1.4.1.9.1.214
	804	1.3.6.1.4.1.9.1.215
	804J	1.3.6.1.4.1.9.1.296
	805	1.3.6.1.4.1.9.1.245
	806	1.3.6.1.4.1.9.1.384
	811	1.3.6.1.4.1.9.1.395
	813	1.3.6.1.4.1.9.1.396
	826	1.3.6.1.4.1.9.1.322
	826QuadV	1.3.6.1.4.1.9.1.321
	827	1.3.6.1.4.1.9.1.284
	827H	1.3.6.1.4.1.9.1.446
	827QuadV	1.3.6.1.4.1.9.1.270
	828	1.3.6.1.4.1.9.1.382
	831	1.3.6.1.4.1.9.1.497
	836	1.3.6.1.4.1.9.1.499
	837	1.3.6.1.4.1.9.1.495
871	1.3.6.1.4.1.9.1.571	
877	1.3.6.1.4.1.9.1.569	
878	1.3.6.1.4.1.9.1.570	

Table 2 *Switches*

Series	Devices Supported	SysObjectID
Cisco Catalyst 6500 Series Switches	6506	1.3.6.1.4.1.9.1.282
	6509	1.3.6.1.4.1.9.1.283
	6509-NEB	1.3.6.1.4.1.9.1.310
	6509-NEBA	1.3.6.1.4.1.9.1.534
	WSC6513	1.3.6.1.4.1.9.1.400
	WSC6503	1.3.6.1.4.1.9.1.449
	WSC6504E	1.3.6.1.4.1.9.1.657
Cisco ME 4900 Series Ethernet Switch	Me492410GE	1.3.6.1.4.1.9.1.788

Table 2 **Switches (continued)**

Series	Devices Supported	SysObjectID
Cisco Catalyst 4500 Series Switches	4500	1.3.6.1.4.1.9.1.14
	Pro4500	1.3.6.1.4.1.9.1.66
	4503	1.3.6.1.4.1.9.1.503
	4506	1.3.6.1.4.1.9.1.502
	4507	1.3.6.1.4.1.9.1.501
	4510	1.3.6.1.4.1.9.1.537
Cisco Catalyst 4000 Series Switches	4948	1.3.6.1.4.1.9.1.626
	4948-10GE	1.3.6.1.4.1.9.1.659
	4908gL3	1.3.6.1.4.1.9.1.298
	4908gL3Dc	1.3.6.1.4.1.9.1.387
Cisco Catalyst 3750 Series Switches	371098HP001	1.3.6.1.4.1.9.1.625
	3750GE-12SF	1.3.6.1.4.1.9.1.530
	3750G-16TD	1.3.6.1.4.1.9.1.591
	3750-24	1.3.6.1.4.1.9.1.511
	3750-24T	1.3.6.1.4.1.9.1.514
	3750-24TS	1.3.6.1.4.1.9.1.513
	3750-48	1.3.6.1.4.1.9.1.512
	3750-stack	1.3.6.1.4.1.9.1.516
	WS-C3750G-24PS	1.3.6.1.4.1.9.1.747
Cisco Catalyst 3750 Metro Series Switches	ME-C3750-24TE-M	1.3.6.1.4.1.9.1.574
Cisco Catalyst 3560 Series Switches	3560-24PS	1.3.6.1.4.1.9.1.563
	3560-24TS	1.3.6.1.4.1.9.1.633
	3560-48PS	1.3.6.1.4.1.9.1.564
	3560G-24PS	1.3.6.1.4.1.9.1.614
	3560G-24TS	1.3.6.1.4.1.9.1.615
	3560G-48PS	1.3.6.1.4.1.9.1.616
	3560G-48TS	1.3.6.1.4.1.9.1.617
Cisco Catalyst 3550 Series Switches	3550-24	1.3.6.1.4.1.9.1.366
	3550-48	1.3.6.1.4.1.9.1.367
	3550-12G	1.3.6.1.4.1.9.1.431
	3550-12T	1.3.6.1.4.1.9.1.368
	3550-24Dc	1.3.6.1.4.1.9.1.452
	3550-24Mmf	1.3.6.1.4.1.9.1.453
Cisco Catalyst 2970 Series Switches	3550-24-PWR	1.3.6.1.4.1.9.1.485
	2970-24	1.3.6.1.4.1.9.1.527
	2970G-24TS-E	1.3.6.1.4.1.9.1.561

Table 2 Switches (continued)

Series	Devices Supported	SysObjectID
Cisco Catalyst 2960 Series Switches	2960-24	1.3.6.1.4.1.9.1.694
	2960-48	1.3.6.1.4.1.9.1.695
	2960G-24	1.3.6.1.4.1.9.1.696
	2960G-48	1.3.6.1.4.1.9.1.697
	2960-8TC	1.3.6.1.4.1.9.1.798
	2960G-8TC	1.3.6.1.4.1.9.1.799
	2960-24TT	1.3.6.1.4.1.9.1.716
	2960-48TT	1.3.6.1.4.1.9.1.717
Cisco Catalyst 2955 Series Switches	2955C-12	1.3.6.1.4.1.9.1.489
	2955S-12	1.3.6.1.4.1.9.1.508
	2955T-12	1.3.6.1.4.1.9.1.488
Cisco Catalyst 2950 Series Switches	2950-12	1.3.6.1.4.1.9.1.323
	2950-24	1.3.6.1.4.1.9.1.324
	2950C-24	1.3.6.1.4.1.9.1.325
	2950G-12	1.3.6.1.4.1.9.1.427
	2950G-24	1.3.6.1.4.1.9.1.428
	2950G-48	1.3.6.1.4.1.9.1.429
	2950G-24-DC	1.3.6.1.4.1.9.1.472
	2950S-24	1.3.6.1.4.1.9.1.430
	2950SX-24	1.3.6.1.4.1.9.1.480
	2950SX-48	1.3.6.1.4.1.9.1.560
	2950T-24	1.3.6.1.4.1.9.1.359
	2950T-48	1.3.6.1.4.1.9.1.559
Cisco Catalyst 2950 LRE Series Switches	2950-G-24-LRE	1.3.6.1.4.1.9.1.484
	2950-ST-8-LRE	1.3.6.1.4.1.9.1.483
	2950-ST-24-LRE	1.3.6.1.4.1.9.1.482
	2950-ST-24-LRE-997	1.3.6.1.4.1.9.1.551
Cisco Catalyst 2940 Series Switches	2940-8TF	1.3.6.1.4.1.9.1.542
	2940-8TT	1.3.6.1.4.1.9.1.540
Cisco Catalyst 2900 Series Switches	2948G-L3	1.3.6.1.4.1.9.1.275
	2948G-L3DC	1.3.6.1.4.1.9.1.386
Cisco 500 Series LRE CPE Devices	CS500	1.3.6.1.4.1.9.1.9
Cisco 500 Series Content Engines	CE-510	1.3.6.1.4.1.9.1.505

Table 3 *Cisco Interfaces and Modules*

Series	Devices Supported	SysObjectID
Network Modules		
Supervisor Engine 720	WS-SUP720	1.3.6.1.4.1.9.1.557
Cisco Catalyst 6000 Series Module Switch Feature Card (MSFC)	WS-F6K-MSFC2	1.3.6.1.4.1.9.1.301
	WS-F6KMSFC	1.3.6.1.4.1.9.1.258
Cisco 2600 Series Content Engine Module	CE2636	1.3.6.1.4.1.9.1.454
Voice Modules and Interface Cards		
Cisco Unity Express Network Module	NM-CUE	1.3.6.1.4.1.9.1.622
Cisco Unity Express Advanced Integration Module	AIM-CUE	1.3.6.1.4.1.9.1.623

Table 4 *Cisco Security and VPN Devices*

Series	Devices Supported	SysObjectID
Cisco PIX 500 Series Firewalls	506E	1.3.6.1.4.1.9.1.450
	515E	1.3.6.1.4.1.9.1.451
	520	1.3.6.1.4.1.9.1.391
	525	1.3.6.1.4.1.9.1.392
	535	1.3.6.1.4.1.9.1.393
Cisco ASA 5500 Series Adaptive Security Appliances	5510	1.3.6.1.4.1.9.1.669
	5520	1.3.6.1.4.1.9.1.670
	5520sc	1.3.6.1.4.1.9.1.671
	5540	1.3.6.1.4.1.9.1.672
	5540sc	1.3.6.1.4.1.9.1.673
Cisco IDS 4200 Series Intrusion Detection System Sensors	5505	1.3.6.1.4.1.9.1.745
	4210	1.3.6.1.4.1.9.1.643
	4215	1.3.6.1.4.1.9.1.645
	4235	1.3.6.1.4.1.9.1.646
	4240	1.3.6.1.4.1.9.1.647
	4250	1.3.6.1.4.1.9.1.649
	4250SX	1.3.6.1.4.1.9.1.650
4250XL	1.3.6.1.4.1.9.1.651	
Cisco IPS 4200 Series Intrusion Prevention System Sensors	4255	1.3.6.1.4.1.9.1.652

Table 4 Cisco Security and VPN Devices

Series	Devices Supported	SysObjectID
Cisco VPN 3000 Series Concentrator	C3005	1.3.6.1.4.1.3076.1.2.1.1.2.1
	C3015	1.3.6.1.4.1.3076.1.2.1.1.1.2
	C3030	
	C3060	
	C3080	
	C3015	1.3.6.1.4.1.3076.1.2.1.1.1.1
	C3030	
	C3060	
	C3080	
	Cisco VPN 3002	VPN 3002 Hardware Client

Table 5 Voice and Unified Communications

Series/Application	Devices/Application Versions	SysObjectID
Note These media servers are supported only when running Cisco Unified Communications Manager or Cisco MeetingPlace Express or Cisco Unity.	MCS7835H	1.3.6.1.4.1.9.1.584
	MCS7835I	1.3.6.1.4.1.9.1.585
	MCS7845H	1.3.6.1.4.1.9.1.586
	MCS7845I	1.3.6.1.4.1.9.1.587
Cisco Unified MeetingPlace Express	MPX	1.3.6.1.4.1.9.1.710
Cisco Unified Communications 500 Series for Small Business	UC-500	1.3.6.1.4.1.9.1.839

Table 5 Voice and Unified Communications (continued)

Series/Application	Devices/Application Versions	SysObjectID
Cisco Unified Communications 520 for Small Business	UC520s8U4FXOK9	1.3.6.1.4.1.9.1.878
	UC520s8U4FXOWK9	1.3.6.1.4.1.9.1.879
	UC520s8U2BRIK9	1.3.6.1.4.1.9.1.880
	UC520s8U2BRIWK9	1.3.6.1.4.1.9.1.881
	UC520s16U4FXOK9	1.3.6.1.4.1.9.1.882
	UC520s16U4FXOWK9	1.3.6.1.4.1.9.1.883
	UC520s16U2BRIK9	1.3.6.1.4.1.9.1.884
	UC520s16U2BRIWK9	1.3.6.1.4.1.9.1.885
	UC520m32U8FXOK9	1.3.6.1.4.1.9.1.886
	UC520m32U8FXOWK9	1.3.6.1.4.1.9.1.888
	UC520m48U12FXOK9	1.3.6.1.4.1.9.1.890
	UC520m48U6BRIK9	1.3.6.1.4.1.9.1.892
	UC520m48U1T1E1FK9	1.3.6.1.4.1.9.1.894
	UC520m48U1T1E1BK9	1.3.6.1.4.1.9.1.895
Cisco VG200 Gateway	VG200	1.3.6.1.4.1.9.1.279
	VG248	1.3.6.1.4.1.9.1.404
Unified Communications Applications		
Cisco Unified Communications Manager	4.x, 5.x, and 6.x	N/A
Cisco Unified Communications Manager Express	4.x	
Cisco Unified Contact Center Express Edition	4.6	
Cisco Unified MeetingPlace Express	2.0	
Cisco Unified Personal Communicator	2.0	
Cisco Unified Presence	2.0	
Cisco Unified Survivable Remote Site Telephony	5.x	
Cisco Unity	4.x, 5.x	
Cisco Unity Connection	1.x	
	Note Cisco Unity Connection 2.0 is not supported.	
Cisco Unity Express	2.x	
Cisco Unified Communications Manager Business Edition:		
	<ul style="list-style-type: none"> • Cisco Unified Communications Manager 6.0 • Cisco Unity Connection 2.0 	

Table 5 Voice and Unified Communications (continued)

Series/Application	Devices/Application Versions	SysObjectID
IP Phones		
Cisco Unified IP Phones 7900 Series	Cisco IP Communicator 2.1	N/A
	Cisco Telepresence Phone	
	Third Party Basic/Advanced SIP phones Note RFC 3261-compliant third party SIP phones configured as Basic or Advanced SIP in Unified Communications Manager	
	7902	
	7905	
	7910	
	7911	
	7912	
	7920	
	7931	
	7935	
	7936	
	7940	
	7941	
	7942	
	7945	
	7960	
7961		
7962		
7965		
7970		
7971		
7975		
7985		
7941GE		
7961GE		
7971GE		

Table 6 *Cisco Wireless LAN Products*

Series	Devices Supported	SysObjectID
Cisco Aironet Access Point Series	350 IOS	1.3.6.1.4.1.9.1.552
	1100	1.3.6.1.4.1.9.1.507
	1130	1.3.6.1.4.1.9.1.618
	1200	1.3.6.1.4.1.9.1.474
	1210	1.3.6.1.4.1.9.1.525
	1240	1.3.6.1.4.1.9.1.685
Cisco Wireless LAN Controllers	440x	1.3.6.1.4.1.14179.1.1.4.3
	C2006	1.3.6.1.4.1.14179.1.1.4.2
	2106	1.3.6.1.4.1.9.1.828