



INDEX

Numerics

802.1x [2-2](#)

A

Access Control Entries

See ACEs

accessing Cisco Secure ACS

how to [4-4, 7-2](#)

URL [4-4, 7-2](#)

access policy

configuring [3-9](#)

HTTP port allocation [3-11](#)

IP address filtering [3-10](#)

access types [2-2](#)

wired LAN access [2-2](#)

Account Locked [3-4](#)

Account Never Expires [3-4](#)

ACEs

adding [7-25](#)

ACLs

default [7-46](#)

ACS

installing [4-4, 7-2](#)

ACS configuration

configuration flowchart [1-5](#)

overview [1-1](#)

summary of steps [1-1](#)

ACS dictionary

adding vendor attributes to [7-34](#)

ACS internal database

using to validate MAC addresses [4-21](#)

add-guiadmin command [7-2](#)

administrative access policies

overview [2-14](#)

administrator account

adding [3-2](#)

editing [3-2](#)

administrator entitlement reports [3-12](#)

administrators

locking out [3-7](#)

separation from general users [2-15](#)

Agentless Host for L2 (802.1x fallback) template [7-59](#)

agentless host for L2 (802.1x fallback) template [7-59](#)

agentless host support

overview [4-1](#)

summary of configuration steps [4-3](#)

agentless request processing

enabling [4-17](#)

enabling for a NAP [4-19](#)

AP

See wireless access point

architecture

campus LAN [2-3](#)

for ACS deployment [2-1](#)

small LAN environment [2-3](#)

wired LAN

geographically dispersed [2-4](#)

audit flow settings

configuring for an audit server [7-37](#)

audit servers [4-2](#)

configuring [7-35](#)

configuring audit flow settings for [7-37](#)

configuring for MAB support [4-23](#)

external posture validation audit servers [7-34](#)

- in NAC networks [4-2](#)
- mapping to a profile [7-64](#)
- audit vendor file
 - importing [7-67](#)
- authentication
 - configuring [7-19](#)
- authentication policy
 - configuring for EAP-TLS [5-6](#)
- authorization policy
 - creating for a profile [7-22](#)
- authorization rule [7-22](#)
- AV pairs [7-46](#)

B

- Bypass info attribute
 - in Passed Authentications and Failed Attempts reports [4-22](#)

C

- CA certificate
 - installing [4-8, 5-4, 7-6](#)
- campus LAN [2-3](#)
- campus WLAN [2-6](#)
- cautions
 - significance of [1-10](#)
- Certificate Binary Comparison
 - specifying for EAP-TLS [5-6](#)
- Certificate CN Comparison
 - specifying for EAP-TLS [5-6](#)
- certificate database for LDAP servers
 - trusted root CA [4-16](#)
- Certificate SAN Comparison
 - specifying for EAP-TLS [5-6](#)
- Cisco Network Admission Control
 - See* NAC
- Cisco Trust Agent [7-21](#)
- Common LDAP Configuration [4-13](#)

- configuration flowchart [1-5](#)
- configuration steps
 - for password policy configuration [3-2](#)
- configuring
 - access policy [3-9](#)
 - ACS for EAP-FAST [7-12](#)
 - ACS for LDAP [4-13](#)
 - ACS for PEAP [7-11](#)
 - ACS for remote web access [7-7](#)
 - audit servers [7-35](#)
 - authentication [7-19](#)
 - external posture validation audit server [7-34](#)
 - external posture validation policy [7-32](#)
 - GAME group feedback [4-23, 7-66, 7-68](#)
 - global authentication settings [5-5](#)
 - incorrect password attempt options [3-7](#)
 - internal posture validation policy [7-29](#)
 - LDAP server [4-15](#)
 - logging level [7-4](#)
 - logs and reports [7-14](#)
 - MAB [4-20](#)
 - NAF [7-13](#)
 - password lifetime options [3-6](#)
 - password policy [3-4](#)
 - profile-based policies [7-18](#)
 - protocol settings [7-19](#)
 - RADIUS AAA client [4-5, 7-2](#)
 - session policy [3-7](#)
 - shared secret for RADIUS key wrap [7-3](#)
- conventions [1-10](#)
- creating
 - NAP [4-17, 7-17](#)
 - RACs [7-26](#)
- CSUtil
 - using to import a device-type attribute file [7-67](#)
 - using to import an audit vendor file [7-67](#)
 - using to import NAC attribute-value pairs [7-67](#)

D

dACLs

defining [7-23](#)enabling [7-10](#)database replication [2-12](#)design [2-13](#)

databases

deployment considerations [2-16](#)default ACLs [7-46](#)

defining

dACLs [7-23](#)RACs [7-26](#)

deployment

architecture [2-1](#)

considerations

database replication [2-12](#)RDBMS synchronization [2-13](#)

device-type attribute file

importing using CSUtil [7-67](#)

device types

for GAME group feedback [7-69](#)

downloadable access control lists

See dACLs

EEAP [2-2](#)

EAP-FAST

configuring ACS for [7-12](#)EAP-TLS [2-2](#)configuring authentication policy for [5-6](#)specifying certificate SAN comparison for [5-6](#)specifying Certificate CN Comparison for [5-6](#)specifying Certificate Binary Comparison for [5-6](#)Edit Network Access Protocols page [4-19](#)

enabling

agentless request processing [4-17](#)agentless request processing for a NAP [4-19](#)dACLs [7-10](#)NAFs [7-10](#)Passed Authentication report [7-14](#)security certificates [4-7, 5-3, 7-5](#)

Extensible Authentication Protocol

See EAP

Extensible Authentication Protocol-Transport Layer Security

See EAP-TLS

external posture validation policy

adding to a profile [7-63](#)configuring [7-32](#)

F

facility codes

for syslog messages [6-4](#)

GGAME group feedback [4-2, 4-23](#)configuring [4-23, 7-66, 7-68](#)defined [4-2](#)selecting device types [7-69](#)

global authentication settings

configuring [5-5](#)

HHTTP port allocation [3-11](#)

Iincorrect password attempt options [3-7](#)

installing

ACS [4-4, 7-2](#)security certificates [4-6, 5-2, 7-4](#)

internal posture validation policy

adding to a profile [7-63](#)

configuring [7-29](#)
 IP address filtering [3-10](#)

L

large enterprise WLAN [2-7](#)
 large LAN
 defined [2-2](#)
 latency in networks [2-17](#)
 Layer 2 NAC 802.1x template [7-49](#)
 LDAP
 ACS configuration for [4-13](#)
 configuring for MAB support [4-9](#)
 sample schema for MAB support [4-10](#)
 LDAP server
 configuring [4-15](#)
 LDAP user groups
 for MAB support [4-12](#)
 Lightweight Directory Access Protocol
 See LDAP
 logging level
 configuring [7-4](#)
 logs and reports
 configuring [7-14](#)

M

MAB
 configuring [4-20](#)
 configuring ACS user groups for MAB segments [4-17](#)
 configuring audit server to support [4-23](#)
 configuring LDAP support for [4-9](#)
 defined
 sample LDAP schema for MAB support [4-10](#)
 MAC addresses
 format for entering in ACS [4-21](#)
 MAC authentication bypass
 See MAB

medium-sized LAN
 defined [2-2](#)

N

NAC
 configuring posture validation for [7-29](#)
 sample profile templates [7-38](#)
 Agentless Host for L2 (802.1x fallback) template [7-59](#)
 NAC Layer 2 [7-43](#)
 NAC Layer 2 802.1x [7-49](#)
 NAC Layer 3 [7-38](#)
 wireless (NAC L2 802.1x) template [7-54](#)
 NAC attribute-value pairs
 importing using CSUtil [7-67](#)
 NAC L2 802.1x [7-50](#)
 NAC L3 IP template [7-38](#)
 NAF
 configuring [7-13](#)
 enabling [7-10](#)
 selecting for a NAP [4-18](#)
 NAP
 creating [4-17, 7-17](#)
 enabling agentless request processing for [4-19](#)
 network access filter
 See NAF
 network access profile
 See NAP
 networks
 latency [2-17](#)
 reliability [2-17](#)

P

Passed Authentication report
 enabling [7-14](#)
 password configuration
 Account Locked [3-4](#)

- Account Never Expires [3-4](#)
- password inactivity options [3-7](#)
- password lifetime options [3-6](#)
- password policy
 - configuring [3-1, 3-4](#)
 - incorrect password attempt options [3-7](#)
 - password inactivity options [3-7](#)
 - password lifetime options [3-6](#)
 - password validation options [3-6](#)
- PEAP [2-2](#)
 - configuring ACS for [7-11](#)
- Populate from Global [7-47](#)
- port 2002
 - in HTTP port ranges [3-11](#)
- posture assessments
 - final [7-37](#)
 - in progress [7-37](#)
- posture validation
 - configuring [7-21](#)
 - configuring for NAC [7-29](#)
 - rules [7-21](#)
- profile
 - adding an external validation policy to [7-63](#)
 - adding an internal validation policy to [7-63](#)
 - mapping audit servers to [7-64](#)
 - rules for [7-16](#)
- profile-based policies
 - configuring [7-18](#)
- profile rules [7-16](#)
- Protected Extensible Authentication Protocol
 - See* PEAP
- protocol settings
 - configuring [7-19](#)

R

- RACs
 - creating [7-26](#)
- RADIUS [2-2](#)

- RADIUS AAA client
 - configuring [4-5, 7-2](#)
- RADIUS Authorization Components
 - See* RACs
- RDBMS synchronization [2-13](#)
- regional WLAN [2-6](#)
- reliability of network [2-17](#)
- remote access policies [2-14](#)
- remote web access
 - configuring ACS for [7-7](#)
- reports
 - administrator entitlement report [3-12](#)

S

- Sarbanes-Oxley
 - See* SOX
- security certificates
 - adding a trusted certificate [5-4, 7-7](#)
 - copying to the ACS host [4-7, 5-2, 7-5](#)
 - enabling [4-7, 5-3, 7-5](#)
 - installing [4-6, 5-2, 7-4](#)
 - using Windows Certificate Import Wizard [4-7, 5-2, 7-5](#)
 - installing the CA certificate [4-8, 5-4, 7-6](#)
- security policies [2-14](#)
- security protocols
 - EAP [2-2](#)
 - EAP-TLS [2-2](#)
 - PEAP [2-2](#)
 - RADIUS [2-2](#)
- session policy
 - configuring [3-7](#)
- shared secret
 - configuring [7-3](#)
- simple WLAN [2-5](#)
- small LAN
 - defined [2-2](#)
- small LAN environment [2-3](#)

SOX compliance

- administrator entitlement reports [3-12](#)

SSL (secure sockets layer) [4-16](#)**syslog**

- configuring ACS to generate messages [6-1](#)

syslog messages

- facility codes [6-4](#)

- format in ACS reports [6-4](#)

syslog server

- specifying which syslog server ACS sends messages to [6-3](#)

system logging

- See* syslog

T**templates**

- samples for NAC [7-38](#)

tokens

- See* posture assessments

trusted certificate

- adding [5-4, 7-7](#)

Tunneling RADIUS attributes

- selecting [7-26](#)

U**user groups**

- configuring for MAB segments [4-17](#)

users

- number allowed [2-16](#)

V**vendor attributes**

- adding to the ACS dictionary [7-34](#)

very large LAN or WLAN

- defined [2-2](#)

W**warnings**

- significance of [1-10](#)

Windows Certificate Import Wizard [4-7, 5-2, 7-5](#)**wired LAN**

- geographically dispersed [2-4](#)

wired LAN access [2-2](#)**wireless (NAC L2 802.1x) template** [7-54](#)**wireless access**

- campus WLAN [2-6](#)

- large enterprise LAN [2-7](#)

- regional WLAN [2-6](#)

- simple WLAN [2-5](#)

- topology [2-5](#)

wireless access point [2-5](#)