



INDEX

Numerics

802.1x [2-2](#)

A

AAA clients [4-14](#)

 configuring RADIUS client [9-2](#)

 creating [4-15](#)

 deleting [4-15](#)

 updating [4-15](#)

AAA server

 configuring [9-4](#)

Access Control Entries

See ACEs

accessing Cisco Secure ACS

 how to [6-4, 9-2](#)

 URL [6-4, 9-2](#)

access policy

 configuring [5-9](#)

 HTTP port allocation [5-11](#)

 IP address filtering [5-10](#)

access types [2-2](#)

 wired LAN access [2-2](#)

accountActions codes

 ADD_USER [4-5](#)

 CREATE_DACL [4-5](#)

 CREATE_USER_DACL [4-5](#)

 DELETE_USER_DACL [4-14](#)

 deleting [4-13](#)

 READ_DACL [4-13](#)

 READ_NAS [4-15](#)

 UPDATE_DACL [4-13](#)

 UPDATE_NAS [4-15](#)

 UPDATE_USER_DACL [4-14](#)

accountActions file

 for creating dACLs [4-4](#)

Account Locked [5-4](#)

Account Never Expires [5-4](#)

ACE

 adding [9-23](#)

ACLs

 default [9-52](#)

ACS

 installing [6-4, 9-2](#)

ACS configuration

 configuration flowchart [1-6](#)

 overview [1-1](#)

 summary of steps [1-1](#)

ACS dictionary

 adding vendor attributes to [9-31, 9-40, 9-74](#)

ACS internal database

 using to validate MAC addresses [6-22](#)

Active Directory

 multi-forest support [3-7](#)

ADD_USER [4-5](#)

administration control

 configuring for NAC/NAP [9-17](#)

administrative access policies

 overview [2-17](#)

administrator account

 adding [5-2](#)

 editing [5-2](#)

administrator entitlement reports [5-12](#)

administrators

 locking out [5-7](#)

- separation from general users [2-18](#)
- Agentless Host for L2 (802.1x fallback) template [9-65](#)
- agentless host for L2 (802.1x fallback) template [9-65](#)
- agentless host support
 - overview [6-1](#)
 - summary of configuration steps [6-3](#)
- agentless request processing
 - enabling [6-18](#)
 - enabling for a NAP [6-20](#)
- AP
 - See* wireless access point
- architecture
 - campus LAN [2-3](#)
 - for ACS deployment [2-1](#)
 - small LAN environment [2-3](#)
 - wired LAN
 - geographically dispersed [2-4](#)
- audit flow settings
 - configuring for an audit server [9-35, 9-43, 9-78](#)
- audit servers [6-2](#)
 - configuring [9-32, 9-41, 9-76](#)
 - configuring audit flow settings for [9-35, 9-43, 9-78](#)
 - configuring for MAB support [6-24](#)
 - external posture validation audit servers [9-31, 9-40, 9-74](#)
 - in NAC networks [6-2](#)
 - mapping to a profile [9-71](#)
- audit vendor file
 - importing [9-73](#)
- AV pairs [9-52](#)

B

- Bypass info attribute
 - in Passed Authentications and Failed Attempts reports [6-23](#)

C

- CA certificate
 - installing [6-9, 7-4, 9-7](#)
- campus LAN [2-3](#)
- campus WLAN [2-6](#)
- cautions
 - significance of [x](#)
- Certificate Binary Comparison
 - specifying for EAP-TLS [7-6](#)
- Certificate CN Comparison
 - specifying for EAP-TLS [7-6](#)
- certificate database for LDAP servers
 - trusted root CA [6-16](#)
- Certificate SAN Comparison
 - specifying for EAP-TLS [7-6](#)
- Cisco Network Admission Control
 - See* NAC
- Common LDAP Configuration [6-14](#)
- configuration flowchart [1-6](#)
- configuration steps
 - for password policy configuration [5-2](#)
- configuring
 - AAA server [9-4](#)
 - access policy [5-9](#)
 - ACS for EAP-FAST [9-12](#)
 - ACS for LDAP [6-13](#)
 - ACS for remote web access [9-17](#)
 - audit servers [9-32, 9-41, 9-76](#)
 - dACLs [4-2](#)
 - external posture validation audit server [9-31, 9-40, 9-74](#)
 - external posture validation policy [9-38](#)
 - GAME group feedback [6-24, 9-72, 9-79](#)
 - global authentication settings [7-5](#)
 - group filtering at the NAP level [3-6](#)
 - incorrect password attempt options [5-7](#)
 - internal posture validation policy [9-35](#)
 - LDAP server [6-16](#)
 - logging and reports [9-14](#)

- logging level [9-14](#)
 - logs and reports [9-14](#)
 - MAB [6-21](#)
 - multiforest support for Active Directory [3-7](#)
 - password lifetime options [5-6](#)
 - password policy [5-4](#)
 - RADIUS AAA client [6-5, 9-2](#)
 - RSA Token Server support [3-8](#)
 - session policy [5-7](#)
 - shared secret for RADIUS key wrap [9-4](#)
 - Syslog time format [3-7](#)
 - conventions [x](#)
 - CREATE_DACL [4-5](#)
 - CREATE_USER_DACL [4-5](#)
 - creating
 - AAA clients [4-15](#)
 - NAP [6-18](#)
 - RACs [9-26](#)
 - CSA Uninstall Patch [3-16](#)
 - CSDBSync [4-8](#)
 - csdbsync -run command [4-8](#)
 - csdbsync -syncnow command [4-8](#)
 - CSUtil
 - using to import a device-type attribute file [9-73](#)
 - using to import an audit vendor file [9-73](#)
 - using to import NAC attribute-value pairs [9-73](#)
 - CSV file [4-5](#)
 - CSV Passed Authentications report [9-15](#)
-
- D**
- dACLs
 - accountActions file for creating [4-4](#)
 - configuring
 - using RDBMS Synchronization [4-2](#)
 - configuring for NAC/NAP [9-21](#)
 - creating a text file to configuring [4-2](#)
 - deleting [4-12](#)
 - errors creating [4-11](#)
 - reading [4-12](#)
 - updating [4-12](#)
 - viewing [4-9](#)
 - database replication [2-13](#)
 - design [2-14](#)
 - databases
 - deployment considerations [2-19](#)
 - default ACLs [9-52](#)
 - defining
 - RACs [9-26](#)
 - DELETE_DACL [4-13](#)
 - DELETE_USER_DACL [4-14](#)
 - deleting
 - AAA clients [4-15](#)
 - deleting dACLs [4-12](#)
 - deployment
 - architecture [2-1](#)
 - considerations
 - database replication [2-13](#)
 - number of access servers [2-12](#)
 - RDBMS Synchronization [2-14](#)
 - device-type attribute file
 - importing using CSUtil [9-73](#)
 - device types
 - for GAME group feedback [9-80](#)
 - disabling NETBIOS [3-4](#)
 - documentation
 - conventions [x](#)
 - objectives [ix](#)
 - related [xii](#)
 - downloadable ACLs
 - See* dACLs

E

- EAP [2-2](#)
- EAP-FAST
 - configuring ACS for [9-12](#)
 - configuring for NAC/NAP [9-12](#)

configuring new features in ACS 4.2 [3-2](#)

EAP-TLS [2-3](#)

specifying Certificate Binary Comparison for [7-6](#)

specifying Certificate CN Comparison for [7-6](#)

specifying certificate SAN comparison for [7-6](#)

Edit Network Access Protocols page [6-19](#)

enabling

agentless request processing [6-18](#)

agentless request processing for a NAP [6-20](#)

NAFs [9-22](#)

Passed Authentication report [9-15](#)

security certificates [6-8, 7-3, 9-8](#)

EoU [9-25](#)

errors

creating dACLs [4-11](#)

Extensible Authentication Protocol

See EAP

Extensible Authentication Protocol-Transport Layer Security

See EAP-TLS

external posture validation policy

adding to a profile [9-69](#)

configuring [9-38](#)

F

facility codes

for Syslog messages [8-4](#)

G

GAME group feedback [6-2, 6-24](#)

configuring [6-24, 9-72, 9-79](#)

defined [6-3](#)

selecting device types [9-80](#)

Global Authentication

configuring for NAC/NAP [9-9](#)

setting up [9-9](#)

global authentication settings

configuring [7-5](#)

group filtering

configuring at the NAP level [3-6](#)

H

Health Registration Authority [2-15](#)

Host Credentials Authorization Protocol [2-15](#)

HTTP port allocation [5-11](#)

I

incorrect password attempt options [5-7](#)

installation

related documentation [xii](#)

installing

ACS [6-4, 9-2](#)

security certificate [9-5](#)

security certificates [6-6, 7-2, 9-6](#)

internal posture validation policy

adding to a profile [9-69](#)

configuring [9-35](#)

IP address filtering [5-10](#)

L

large enterprise WLAN [2-8](#)

large LAN

defined [2-2](#)

latency in networks [2-19](#)

Layer 2 NAC 802.1x template [9-55](#)

LDAP [3-6](#)

ACS configuration for [6-13](#)

configuring for MAB support [6-10](#)

sample schema for MAB support [6-10](#)

LDAP server

configuring [6-16](#)

LDAP user groups

for MAB support [6-12](#)

Lightweight Directory Access Protocol

See LDAP

logging

configuring [9-14](#)

enhanced features with ACS 4.2 [3-5](#)

logging level

configuring [9-14](#)

logs and reports

configuring [9-14](#)

M

MAB

configuring [6-21](#)

configuring ACS user groups for MAB segments [6-17](#)

configuring audit server to support [6-24](#)

configuring LDAP support for [6-10](#)

defined

sample LDAP schema for MAB support [6-10](#)

MAC addresses

format for entering in ACS [6-22](#)

MAC authentication bypass

See MAB

medium-sized LAN

defined [2-2](#)

multi-forest support [3-7](#)

N

NAC

configuring posture validation for [9-35](#)

sample profile templates [9-44](#)

Agentless Host for L2 (802.1x fallback) template [9-65](#)

NAC Layer 2 [9-49](#)

NAC Layer 2 802.1x [9-55](#)

NAC Layer 3 [9-44](#)

wireless (NAC L2 802.1x) template [9-60](#)

NAC/NAP

components defined [2-15](#)

deploying ACS with [2-15](#)

network architecture illustrated [2-16](#)

NAC attribute-value pairs

importing using CSUtil [9-73](#)

NAC L2 802.1x [9-25, 9-56](#)

NAC L2 IP [9-25](#)

NAC L3 IP template [9-44](#)

NAF

enabling [9-22](#)

selecting for a NAP [6-19](#)

NAP

configuring group filtering by LDAP user group [3-6](#)

creating [6-18](#)

enabling agentless request processing for [6-20](#)

NAP agent [2-15](#)

NAP client [2-15](#)

NETBIOS

disabling [3-4](#)

net start csdbsync command [4-9](#)

net stop csdbsync command [4-9](#)

Network Access Filter

See NAF

Network Access Filtering

See NAF

network access profile

See NAP

network access servers

number supported by ACS [2-12](#)

network configuration

specifying using RDBMS Synchronization

RDBMS Synchronization

specifying network configuration [4-14](#)

Network Policy Server

See NPS

networks

latency [2-19](#)

reliability [2-19](#)

P

PAC

disabling PAC processing in NAPs [3-3](#)

Passed Authentication report

enabling [9-15](#)

password configuration

Account Locked [5-4](#)

Account Never Expires [5-4](#)

password inactivity options [5-7](#)

password lifetime options [5-6](#)

password policy

configuring [5-1, 5-4](#)

incorrect password attempt options [5-7](#)

password inactivity options [5-7](#)

password lifetime options [5-6](#)

password validation options [5-6](#)

PEAP [2-3](#)

ping

turning off [3-16](#)

turning on [3-16](#)

Policy Servers [2-15](#)

Populate from Global [9-53](#)

port 2002

in HTTP port ranges [5-11](#)

posture assessments

final [9-43](#)

in progress [9-43](#)

posture validation

configuring for NAC [9-35](#)

profile

adding an external validation policy to [9-69](#)

adding an internal validation policy to [9-69](#)

mapping audit servers to [9-71](#)

protected access certificate

See PAC

Protected Extensible Authentication Protocol

See PEAP

purging

RSA Node Secret file [3-10](#)

R

RACs

configuring for NAC/NAP [9-25](#)

creating [9-26](#)

sample RACs for NAC/NAP [9-26](#)

RADIUS [2-2](#)

RADIUS AAA client

configuring [6-5](#)

RADIUS AAA clients

configuring [9-2](#)

RADIUS access control entry

See ACE

RADIUS Authorization Components

See RACs

RDBMS Synchronization [2-14](#)

configuring to use a local CSV file [4-5](#)

network configuration [4-14](#)

running from the ACS GUI [4-8](#)

using CSDBSync [4-8](#)

using to configuring dACLs [4-2](#)

READ_DACL [4-13](#)

READ_NAS [4-15](#)

reading dACLs [4-12](#)

regional WLAN [2-7](#)

related documentation [xii](#)

reliability of network [2-19](#)

remote access policies [2-16](#)

remote web access

configuring ACS for [9-17](#)

reports

administrator entitlement report [5-12](#)

RSA

configuring LDAP group mapping for [3-11](#)

configuring Token Server support on the ACS SE [3-8](#)

purging Node Secret file

purging [3-10](#)

S

Sarbanes-Oxley

See SOX

security certificate

installing and setting up [9-5](#)

security certificates

adding a trusted certificate [7-4](#)

copying to the ACS host [6-7, 7-2, 9-6](#)

enabling [6-8, 7-3, 9-8](#)

installing [6-6, 7-2, 9-6](#)

using Windows Certificate Import Wizard [6-7, 7-2](#)

installing the CA certificate [6-9, 7-4, 9-7](#)

security policies [2-17](#)

security protocols

EAP [2-2](#)

EAP-TLS [2-3](#)

PEAP [2-3](#)

RADIUS [2-2](#)

session policy

configuring [5-7](#)

Shared Profile Components

configuring for NAC/NAP [9-20](#)

shared secret

configuring [9-4](#)

simple WLAN [2-5](#)

small LAN

defined [2-2](#)

small LAN environment [2-3](#)

SOX compliance

administrator entitlement reports [5-12](#)

SSL (secure sockets layer) [6-16](#)

Syslog

configuring ACS to generate messages [8-1](#)

Syslog messages

facility codes [8-4](#)

format in ACS reports [8-4](#)

Syslog server

specifying which Syslog server ACS sends messages to [8-3](#)

Syslog time format

configuring [3-7](#)

system logging

See Syslog

T

templates

samples for NAC [9-44](#)

tokens

See posture assessments

trusted certificate

adding [7-4](#)

U

UPDATE_DACL [4-13](#)

UPDATE_NAS [4-15](#)

UPDATE_USER_DACL [4-14](#)

updating

AAA clients [4-15](#)

updating dACLs [4-12](#)

user groups

configuring for MAB segments [6-17](#)

users

number allowed [2-19](#)

V

vendor attributes

adding to the ACS dictionary [9-31, 9-40, 9-74](#)

very large LAN or WLAN

defined [2-2](#)

viewing dACLs [4-9](#)

W

warnings

- significance of [x](#)

Windows Certificate Import Wizard [6-7, 7-2](#)

wired LAN

- geographically dispersed [2-4](#)

wired LAN access [2-2](#)

wireless (NAC L2 802.1x) template [9-60](#)

wireless access

- campus WLAN [2-6](#)

- large enterprise LAN [2-8](#)

- regional WLAN [2-7](#)

- simple WLAN [2-5](#)

- topology [2-5](#)

wireless access point [2-5](#)