



Supported Devices Table for Cisco Unified Provisioning Manager 1.3

Revised: September 5, 2008

The following tables list the devices supported by Cisco Unified Provisioning Manager:

- [Table 1, Call Processors and Unified Message Processors](#) on page 2
- [Table 2, IP Phones](#) on page 3

When you install Cisco Unified Provisioning Manager 1.3, you also install device support for all of the devices listed in this document.



Americas Headquarters:
Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

© 2008 Cisco Systems, Inc. All rights reserved.

Devices Supported by Cisco Unified Provisioning Manager

Table 1 Call Processors and Unified Message Processors

Device	Versions Supported	Versions Tested
Cisco Unified Communications Manager ^{1,2}	4.1(3), 4.2(1), 4.2(3), 4.3(2), 5.0(4) ³ , 5.1(1), 5.1(2), 5.1(3), 6.0(1), 6.1(1), 6.1(2), and 7.0(1)	4.1(3)SR3b, 4.1(3)SR4d, 4.1(3)SR5b, 4.1(3)SR5d, 4.1(3)SR7, 4.2(1)SR1a, 4.2(1)SR1b, 4.2(3)SR1, 4.2(3)SR2, 4.2(3)SR3, 4.2(3)SR3a, 4.3.2.2.49, 5.0.4.2103-1, 5.0.4.4000-1, 5.1.1.3000-5, 5.1.1.4000-1, 5.1.2.1000-11, 5.1.2.3000-2, 5.1.3.1000-12, 5.1.3.3000-5, 6.0.1.2000-4, 6.0.1.3000-7, 6.1.0.9901-423, 6.1.1.1000-1, 6.1.1.3000-2, 6.1.2.1000-13, and 7.0.1.11000-2
Cisco Unified Communications Manager Express ⁴	4.0, 4.1, 4.2, and 7.0	4.0, 4.1, 4.2, and 7.0
Cisco Unity ⁵	4.0, 4.1, 4.2, 5.0, and 7.0	4.0, 4.1, 4.2, 5.0, and 7.0
Cisco Unity Connection	2.0.1, 2.1, and 7.0	2.0.0.297, 2.1.0.9901-359, and 7.0.1.10000-323
Cisco Unity Express	2.3.1, 3.0, 3.1, and 3.2	2.3.1, 3.0, and 3.1

1. Cisco Unified Communications Manager 4.1(3), 4.2(1), 4.2(3), and 4.3(2)1 do not support SIP phones. Provisioning Manager can only provision SCCP phones for these versions.
2. Provisioning Manager does not support the provisioning of SIP phones for Cisco Unified Communications Manager 5.0(4) and 5.1(1). These versions do not provide sufficient support to provision SIP phones from an external provisioning tool (Provisioning Manager). For Provisioning Manager to support the provisioning of SIP phones, you must upgrade to a later version of Cisco Unified Communications Manager.
3. For Cisco Unified Communications Manager 5.0.4, only version 5.0.4.2103-1 or greater is supported. For more information on this issue or to get this version of Cisco Unified Communications Manager, contact TAC. For information on contacting TAC, see the following: <http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>.
4. For a compatibility matrix between Cisco Unified Communications Manager Express and Cisco IOS Software Versions, see the following: http://www.cisco.com/en/US/partner/products/sw/voicesw/ps4625/prod_installation_guide09186a00805acf50.html
5. Unity High Availability configuration is not supported in Provisioning Manager.

IP Phones Supported by Cisco Unified Provisioning Manager

Table 2 lists the phones that are supported by Provisioning Manager. Some phones may be available only for certain releases of Cisco Unified Communications Manager or Cisco Unified Communications Manager express.

Table 2 **IP Phones**

Device	Series
Cisco IP Phones	7902
	7905
	7906
	7910
	7911
	7912
	7920
	7921
	7931G
	7935
	7936
	7937
	7940
	7941
	7941G-GE
	7942
	7945
	7960
	7961
	7961G-GE
	7962
	7965
	7970
	7971
	7975
	7985
	S-12
	SP-12
	SP-12+
	SP-30+
	ATA-186
	VIP-30
	CTI Port
IP Communicator	

Table 2 *IP Phones (continued)*

Device	Series
Cisco Unified IP Phone Expansion Modules	7914
	7915
	7916
Cisco Unified Personal Communicator	1.1 ¹ , 1.2 ² , and 2.0

1. Cisco Unified Personal Communicator 1.1 is supported on Cisco Unified Communication Manager 5.1(1), 5.1(2) and 6.0(1).
2. Cisco Unified Personal Communicator 1.2 is supported on Cisco Unified Communication Manager 6.0(1).