



## **Installation and Setup Guide for Campus Manager on Windows**

Software Release 4.0.6  
CiscoWorks

### **Corporate Headquarters**

Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
<http://www.cisco.com>  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 526-4100

Text Part Number: OL-11284-01



THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

CCSP, CCVP, the Cisco Square Bridge logo, Follow Me Browsing, and StackWise are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn, and iQuick Study are service marks of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, FormShare, GigaDrive, GigaStack, HomeLink, Internet Quotient, IOS, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, LightStream, Linksys, MeetingPlace, MGX, the Networkers logo, Networking Academy, Network Registrar, Packet, PIX, Post-Routing, Pre-Routing, ProConnect, RateMUX, ScriptShare, SlideCast, SMARTnet, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0601R)

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

*Installation and Setup Guide for Campus Manager on Windows*  
© 2006 Cisco Systems, Inc. All rights reserved.



## **Preface**   vii

Audience	vii
Conventions	vii
Product Documentation	viii
Related Documentation	ix
Additional Information Online	x
Obtaining Documentation	x
Cisco.com	x
Product Documentation DVD	xi
Ordering Documentation	xi
Documentation Feedback	xi
Cisco Product Security Overview	xi
Reporting Security Problems in Cisco Products	xii
Product Alerts and Field Notices	xiii
Obtaining Technical Assistance	xiii
Cisco Technical Support & Documentation Website	xiii
Submitting a Service Request	xiv
Definitions of Service Request Severity	xiv
Obtaining Additional Publications and Information	xv

---

## **CHAPTER 1**

### **Prerequisites**   1-1

Product Overview	1-2
Campus Manager Upgrade Paths	1-2
Server Requirements	1-3
Maximum Recommended Load	1-4
Server Recommendations	1-4
Client Requirements	1-4
Supported Devices	1-5

---

## **CHAPTER 2**

### **Installing Campus Manager**   2-1

Installation Overview	2-2
Installing Campus Manager 4.0.6	2-2
Licensing in Campus Manager 4.0.6	2-2

- Running the Installation Program 2-3
- Reinstalling Campus Manager 2-6
  - Upgrading Saved View Layouts From Topology Services 2-6
- Backing Up and Restoring Data After Installation 2-7
  - Backing Up Data Using GUI 2-7
  - Backing Up Data Manually From Campus Manager 2-8
  - Restoring Data Manually From Campus Manager 2-8
- Uninstalling Campus Manager 2-9

**CHAPTER 3**

- Preparing to Use Campus Manager 3-1**
  - Overview of Campus Manager Setup Tasks 3-2
  - Accessing the CiscoWorks Server 3-2
  - Performing Administrator Tasks 3-2
    - Logging In as Administrator 3-2
  - Setting Up Campus Manager Applications 3-3
    - Setting Up Your Network 3-3
    - Configuring Device Discovery 3-4
      - Verifying Device Discovery 3-4
    - Configuring Data Collection 3-4
      - Verifying Data Collection 3-5
    - Setting Up Topology Services 3-5
      - Verifying Topology Services 3-6
    - Setting Up Path Analysis 3-6
      - Verifying Path Analysis 3-7
  - Logging Out as Administrator 3-7

**APPENDIX A**

- Troubleshooting the Installation A-1**
  - Logging In After Upgrading A-2
  - Understanding Installation Messages A-2
  - Accessing the CiscoWorks Server A-5
  - FAQs On Service Packs A-6

**APPENDIX B**

- User Tracking Utility B-1**
  - Understanding UTU B-1
    - Definitions B-1
  - Hardware and Software Requirements for UTU B-2
  - Downloading UTU B-2

Installing UTU	B-3
Accessing UTU	B-4
Configuring UTU	B-5
Uninstalling UTU	B-5
Upgrading to UTU 1.1.1	B-6
Reinstalling UTU	B-6

---

**APPENDIX C****Changes and Enhancements in Campus Manager 4.0.6 C-1**

Enhanced Homepage	C-1
Setup Center	C-1
Enhanced Device Selector	C-1

---

**INDEX**





## Preface

---

This manual describes Campus Manager 4.0.6 and provides instructions for installing and configuring it.

## Audience

This document is for anyone who installs, configures, verifies, and uses Campus Manager 4.0.6 software. Network administrators or operators should have the following skills:

- Basic Windows system administrator skills
- Basic network management skills
- Basic Internet browser skills

## Conventions

This document uses the following conventions:

Item	Convention
Commands and keywords	<b>boldface font</b>
Variables for which you supply values	<i>italic font</i>
Displayed session and system information	<code>screen font</code>
Information you enter	<b>boldface screen font</b>
Variables you enter	<i>italic screen font</i>
Menu items and button names	<b>boldface font</b>
Selecting a menu item in paragraphs	<b>Option &gt; Network Preferences</b>
Selecting a menu item in tables	Option > Network Preferences



### Note

Means *reader take note*. Notes contain helpful suggestions or references to material not covered in the publication.

---

**Caution**

Means *reader be careful*. In this situation, you might do something that could result in equipment damage or loss of data.

# Product Documentation

**Note**

We sometimes update the printed and electronic documentation after original publication. Therefore, you should also review the documentation on Cisco.com for any updates.

Table 1 describes the product documentation that is available.

**Table 1**      **Product Documentation**

Document Title	Available Formats
<i>Release Notes for Campus Manager 4.0.6 on Solaris</i>	<ul style="list-style-type: none"> <li>Printed document that was included with the product.</li> <li>PDF on the product CD-ROM</li> <li>On Cisco.com at this URL: <a href="http://cisco.com/en/US/products/sw/cscowork/ps563/prod_release_notes_list.html">http://cisco.com/en/US/products/sw/cscowork/ps563/prod_release_notes_list.html</a></li> </ul>
<i>Release Notes for Campus Manager 4.0.6 on Windows (This document.)</i>	<ul style="list-style-type: none"> <li>Printed document that was included with the product.</li> <li>PDF on the product CD-ROM</li> <li>On Cisco.com at this URL: <a href="http://cisco.com/en/US/products/sw/cscowork/ps563/prod_release_notes_list.html">http://cisco.com/en/US/products/sw/cscowork/ps563/prod_release_notes_list.html</a></li> </ul>
<i>Installation and Setup Guide for Campus Manager 4.0.6 on Solaris</i>	<ul style="list-style-type: none"> <li>Printed document that was included with the product.</li> <li>PDF on the product CD-ROM.</li> <li>On Cisco.com at this URL: <a href="http://cisco.com/en/US/products/sw/cscowork/ps563/prod_installation_guides_list.html">http://cisco.com/en/US/products/sw/cscowork/ps563/prod_installation_guides_list.html</a></li> <li>Printed document available by order (part number DOC-7817187=).<sup>1</sup></li> </ul>
<i>Installation and Setup Guide for Campus Manager 4.0.6 on Windows</i>	<ul style="list-style-type: none"> <li>Printed document that was included with the product.</li> <li>PDF on the product CD-ROM.</li> <li>On Cisco.com at this URL: <a href="http://cisco.com/en/US/products/sw/cscowork/ps563/prod_installation_guides_list.html">http://cisco.com/en/US/products/sw/cscowork/ps563/prod_installation_guides_list.html</a></li> <li>Printed document available by order (part number DOC-7817188=).<sup>1</sup></li> </ul>
<i>User Guide for Campus Manager 4.0.6</i>	<ul style="list-style-type: none"> <li>PDF on the product CD-ROM.</li> <li>On Cisco.com at this URL: <a href="http://cisco.com/en/US/products/sw/cscowork/ps563/products_user_guide_list.html">http://cisco.com/en/US/products/sw/cscowork/ps563/products_user_guide_list.html</a></li> <li>Printed document available by order (part number DOC-7817186=).<sup>1</sup></li> </ul>

**Table 1**      **Product Documentation (continued)**

Document Title	Available Formats
<i>Supported Devices Table for Campus Manager 4.0.6</i>	On Cisco.com at this URL: <a href="http://cisco.com/en/US/products/sw/cscowork/ps563/products_device_support_tables_list.html">http://cisco.com/en/US/products/sw/cscowork/ps563/products_device_support_tables_list.html</a>
Context-sensitive online help	<ul style="list-style-type: none"> <li>Select an option from the navigation tree, then click <b>Help</b>.</li> <li>Click the Help button in the dialog box.</li> </ul>

1. See the “[Obtaining Documentation](#)” section on page x.

## Related Documentation



### Note

We sometimes update the printed and electronic documentation after original publication. Therefore, you should also review the documentation on Cisco.com for any updates.

[Table 2](#) describes the additional documentation that is available.

**Table 2**      **Related Documentation**

Document Title	Available Formats
<i>Release Notes for CiscoWorks Common Services 3.0.5 (Includes CiscoView 6.1.5) on Solaris</i>	<ul style="list-style-type: none"> <li>Printed document that was included with the product.</li> <li>PDF on the product CD-ROM.</li> <li>On Cisco.com at this URL: <a href="http://cisco.com/en/US/products/sw/cscowork/ps3996/prod_release_notes_list.html">http://cisco.com/en/US/products/sw/cscowork/ps3996/prod_release_notes_list.html</a></li> </ul>
<i>Release Notes for CiscoWorks Common Services 3.0.5 (Includes CiscoView 6.1.5) on Windows</i>	<ul style="list-style-type: none"> <li>Printed document that was included with the product.</li> <li>PDF on the product CD-ROM.</li> <li>On Cisco.com at this URL: <a href="http://cisco.com/en/US/products/sw/cscowork/ps3996/prod_release_notes_list.html">http://cisco.com/en/US/products/sw/cscowork/ps3996/prod_release_notes_list.html</a></li> </ul>
<i>Installation and Setup Guide for CiscoWorks Common Services 3.0.5 (Includes CiscoView 6.1.5) on Solaris</i>	<ul style="list-style-type: none"> <li>Printed document that was included with the product.</li> <li>PDF on the product CD-ROM.</li> <li>On Cisco.com at this URL: <a href="http://cisco.com/en/US/products/sw/cscowork/ps3996/prod_installation_guides_list.html">http://cisco.com/en/US/products/sw/cscowork/ps3996/prod_installation_guides_list.html</a></li> <li>Printed document available by order (part number DOC-7817183=).</li> </ul>

**Table 2**      **Related Documentation (continued)**

Document Title	Available Formats
<i>Installation and Setup Guide for CiscoWorks Common Services 3.0.5 (Includes CiscoView 6.1.5) on Windows</i>	<ul style="list-style-type: none"> <li>• Printed document that was included with the product.</li> <li>• PDF on the product CD-ROM.</li> <li>• On Cisco.com at this URL: <a href="http://cisco.com/en/US/products/sw/cscowork/ps3996/prod_installation_guides_list.html">http://cisco.com/en/US/products/sw/cscowork/ps3996/prod_installation_guides_list.html</a></li> <li>• Printed document available by order (part number DOC-7817184=).</li> </ul>
<i>User Guide for CiscoWorks Common Services 3.0.5</i>	<ul style="list-style-type: none"> <li>• PDF on the product CD-ROM.</li> <li>• On Cisco.com at this URL: <a href="http://cisco.com/en/US/products/sw/cscowork/ps3996/products_user_guide_list.html">http://cisco.com/en/US/products/sw/cscowork/ps3996/products_user_guide_list.html</a></li> <li>• Printed document available by order (part number DOC-7817182=).</li> </ul>

## Additional Information Online

Service Pack (SP) contains updated files necessary for the latest device support and fixes to known problems that are not available in Campus Manager. If you are a registered user, you can download SP for Campus Manager from:

<http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-campus>

## Obtaining Documentation

Cisco documentation and additional literature are available on Cisco.com. This section explains the product documentation resources that Cisco offers.

### Cisco.com

You can access the most current Cisco documentation at this URL:

<http://www.cisco.com/techsupport>

You can access the Cisco website at this URL:

<http://www.cisco.com>

You can access international Cisco websites at this URL:

[http://www.cisco.com/public/countries\\_languages.shtml](http://www.cisco.com/public/countries_languages.shtml)

## Product Documentation DVD

The Product Documentation DVD is a library of technical product documentation on a portable medium. The DVD enables you to access installation, configuration, and command guides for Cisco hardware and software products. With the DVD, you have access to the HTML documentation and some of the PDF files found on the Cisco website at this URL:

<http://www.cisco.com/univercd/home/home.htm>

The Product Documentation DVD is created monthly and is released in the middle of the month. DVDs are available singly or by subscription. Registered Cisco.com users can order a Product Documentation DVD (product number DOC-DOCDVD= or DOC-DOCDVD=SUB) from Cisco Marketplace at the Product Documentation Store at this URL:

<http://www.cisco.com/go/marketplace/docstore>

## Ordering Documentation

You must be a registered Cisco.com user to access Cisco Marketplace. Registered users may order Cisco documentation at the Product Documentation Store at this URL:

<http://www.cisco.com/go/marketplace/docstore>

If you do not have a user ID or password, you can register at this URL:

<http://tools.cisco.com/RPF/register/register.do>

## Documentation Feedback

You can provide feedback about Cisco technical documentation on the Cisco Technical Support & Documentation site area by entering your comments in the feedback form available in every online document.

## Cisco Product Security Overview

Cisco provides a free online Security Vulnerability Policy portal at this URL:

[http://www.cisco.com/en/US/products/products\\_security\\_vulnerability\\_policy.html](http://www.cisco.com/en/US/products/products_security_vulnerability_policy.html)

From this site, you will find information about how to do the following:

- Report security vulnerabilities in Cisco products
- Obtain assistance with security incidents that involve Cisco products
- Register to receive security information from Cisco

A current list of security advisories, security notices, and security responses for Cisco products is available at this URL:

<http://www.cisco.com/go/psirt>

To see security advisories, security notices, and security responses as they are updated in real time, you can subscribe to the Product Security Incident Response Team Really Simple Syndication (PSIRT RSS) feed. Information about how to subscribe to the PSIRT RSS feed is found at this URL:

[http://www.cisco.com/en/US/products/products\\_psirt\\_rss\\_feed.html](http://www.cisco.com/en/US/products/products_psirt_rss_feed.html)

## Reporting Security Problems in Cisco Products

Cisco is committed to delivering secure products. We test our products internally before we release them, and we strive to correct all vulnerabilities quickly. If you think that you have identified a vulnerability in a Cisco product, contact PSIRT:

- For emergencies only — [security-alert@cisco.com](mailto:security-alert@cisco.com)

An emergency is either a condition in which a system is under active attack or a condition for which a severe and urgent security vulnerability should be reported. All other conditions are considered nonemergencies.

- For nonemergencies — [psirt@cisco.com](mailto:psirt@cisco.com)

In an emergency, you can also reach PSIRT by telephone:

- 1 877 228-7302
- 1 408 525-6532

**Tip**

---

We encourage you to use Pretty Good Privacy (PGP) or a compatible product (for example, GnuPG) to encrypt any sensitive information that you send to Cisco. PSIRT can work with information that has been encrypted with PGP versions 2.x through 9.x.

Never use a revoked encryption key or an expired encryption key. The correct public key to use in your correspondence with PSIRT is the one linked in the Contact Summary section of the Security Vulnerability Policy page at this URL:

[http://www.cisco.com/en/US/products/products\\_security\\_vulnerability\\_policy.html](http://www.cisco.com/en/US/products/products_security_vulnerability_policy.html)

The link on this page has the current PGP key ID in use.

If you do not have or use PGP, contact PSIRT to find other means of encrypting the data before sending any sensitive material.

---

# Product Alerts and Field Notices

Modifications to or updates about Cisco products are announced in Cisco Product Alerts and Cisco Field Notices. You can receive Cisco Product Alerts and Cisco Field Notices by using the Product Alert Tool on Cisco.com. This tool enables you to create a profile and choose those products for which you want to receive information.

To access the Product Alert Tool, you must be a registered Cisco.com user. (To register as a Cisco.com user, go to this URL: <http://tools.cisco.com/RPF/register/register.do>) Registered users can access the tool at this URL: <http://tools.cisco.com/Support/PAT/do/ViewMyProfiles.do?local=en>

# Obtaining Technical Assistance

Cisco Technical Support provides 24-hour-a-day award-winning technical assistance. The Cisco Technical Support & Documentation website on Cisco.com features extensive online support resources. In addition, if you have a valid Cisco service contract, Cisco Technical Assistance Center (TAC) engineers provide telephone support. If you do not have a valid Cisco service contract, contact your reseller.

# Cisco Technical Support & Documentation Website

The Cisco Technical Support & Documentation website provides online documents and tools for troubleshooting and resolving technical issues with Cisco products and technologies. The website is available 24 hours a day at this URL:

<http://www.cisco.com/techsupport>

Access to all tools on the Cisco Technical Support & Documentation website requires a Cisco.com user ID and password. If you have a valid service contract but do not have a user ID or password, you can register at this URL:

<http://tools.cisco.com/RPF/register/register.do>

**Note**

Use the **Cisco Product Identification Tool** to locate your product serial number before submitting a request for service online or by phone. You can access this tool from the Cisco Technical Support & Documentation website by clicking the **Tools & Resources** link, clicking the **All Tools (A-Z)** tab, and then choosing **Cisco Product Identification Tool** from the alphabetical list. This tool offers three search options: by product ID or model name; by tree view; or, for certain products, by copying and pasting **show** command output. Search results show an illustration of your product with the serial number label location highlighted. Locate the serial number label on your product and record the information before placing a service call.

**Tip**

---

Displaying and Searching on Cisco.com

If you suspect that the browser is not refreshing a web page, force the browser to update the web page by holding down the Ctrl key while pressing F5.

To find technical information, narrow your search to look in technical documentation, not the entire Cisco.com website. On the Cisco.com home page, click the **Advanced Search** link under the Search box and then click the **Technical Support & Documentation** radio button.

To provide feedback about the Cisco.com website or a particular technical document, click **Contacts & Feedback** at the top of any Cisco.com web page.

---

## Submitting a Service Request

Using the online TAC Service Request Tool is the fastest way to open S3 and S4 service requests. (S3 and S4 service requests are those in which your network is minimally impaired or for which you require product information.) After you describe your situation, the TAC Service Request Tool provides recommended solutions. If your issue is not resolved using the recommended resources, your service request is assigned to a Cisco engineer. The TAC Service Request Tool is located at this URL:

<http://www.cisco.com/techsupport/servicerequest>

For S1 or S2 service requests, or if you do not have Internet access, contact the Cisco TAC by telephone. (S1 or S2 service requests are those in which your production network is down or severely degraded.) Cisco engineers are assigned immediately to S1 and S2 service requests to help keep your business operations running smoothly.

To open a service request by telephone, use one of the following numbers:

Asia-Pacific: +61 2 8446 7411

Australia: 1 800 805 227

EMEA: +32 2 704 55 55

USA: 1 800 553 2447

For a complete list of Cisco TAC contacts, go to this URL:

<http://www.cisco.com/techsupport/contacts>

## Definitions of Service Request Severity

To ensure that all service requests are reported in a standard format, Cisco has established severity definitions.

**Severity 1 (S1)**—An existing network is “down” or there is a critical impact to your business operations. You and Cisco will commit all necessary resources around the clock to resolve the situation.

**Severity 2 (S2)**—Operation of an existing network is severely degraded, or significant aspects of your business operations are negatively affected by inadequate performance of Cisco products. You and Cisco will commit full-time resources during normal business hours to resolve the situation.

Severity 3 (S3)—Operational performance of the network is impaired while most business operations remain functional. You and Cisco will commit resources during normal business hours to restore service to satisfactory levels.

Severity 4 (S4)—You require information or assistance with Cisco product capabilities, installation, or configuration. There is little or no effect on your business operations.

## Obtaining Additional Publications and Information

Information about Cisco products, technologies, and network solutions is available from various online and printed sources.

- The *Cisco Product Quick Reference Guide* is a handy, compact reference tool that includes brief product overviews, key features, sample part numbers, and abbreviated technical specifications for many Cisco products that are sold through channel partners. It is updated twice a year and includes the latest Cisco channel product offerings. To order and find out more about the *Cisco Product Quick Reference Guide*, go to this URL:

<http://www.cisco.com/go/guide>

- Cisco Marketplace provides a variety of Cisco books, reference guides, documentation, and logo merchandise. Visit Cisco Marketplace, the company store, at this URL:

<http://www.cisco.com/go/marketplace/>

- Cisco Press publishes a wide range of general networking, training, and certification titles. Both new and experienced users will benefit from these publications. For current Cisco Press titles and other information, go to Cisco Press at this URL:

<http://www.ciscopress.com>

- *Packet* magazine is the magazine for Cisco networking professionals. Each quarter, *Packet* delivers coverage of the latest industry trends, technology breakthroughs, and Cisco products and solutions, as well as network deployment and troubleshooting tips, configuration examples, customer case studies, certification and training information, and links to scores of in-depth online resources. You can subscribe to *Packet* magazine at this URL:

<http://www.cisco.com/packet>

- *Internet Protocol Journal* is a quarterly journal published by Cisco Systems for engineering professionals involved in designing, developing, and operating public and private internets and intranets. You can access the *Internet Protocol Journal* at this URL:

<http://www.cisco.com/ipj>

- Networking products offered by Cisco Systems, as well as customer support services, can be obtained at this URL:

<http://www.cisco.com/en/US/products/index.html>

- Networking Professionals Connection is an interactive website where networking professionals share questions, suggestions, and information about networking products and technologies with Cisco experts and other networking professionals. Join a discussion at this URL:

<http://www.cisco.com/discuss/networking>

- “What’s New in Cisco Documentation” is an online publication that provides information about the latest documentation releases for Cisco products. Updated monthly, this online publication is organized by product category to direct you quickly to the documentation for your products. You can view the latest release of “What’s New in Cisco Documentation” at this URL:

<http://www.cisco.com/univercd/cc/td/doc/abtnicd/136957.htm>

- World-class networking training is available from Cisco. You can view current offerings at this URL:

<http://www.cisco.com/en/US/learning/index.html>



# Prerequisites

---

This chapter describes the factors that you should consider before installing Campus Manager 4.0.6 on a Windows system.

This chapter contains:

- [Product Overview](#)
- [Campus Manager Upgrade Paths](#)
- [Server Requirements](#)
- [Client Requirements](#)
- [Supported Devices](#)

# Product Overview

Campus Manager, a member of the CiscoWorks Family of Products, is a suite of web-based network management tools that enable administrators to obtain various types of graphical views of their network topology and end-user information. Campus Manager is based on a client-server architecture that connects multiple web-based clients to a server on the network.

Campus Manager server discovers information about network devices and saves it in the Campus Manager database so that the applications can access it. For more information, see *User Guide for Campus Manager 4.0.6*.

The Campus Manager applications and what they allow you to do are as follows:

- Path Analysis—View the path that packets take between end nodes/devices on your network.
- User Tracking—Locate and display data about users, IP Phones, hosts, and wireless clients in your network.
- Topology Services—Discover, view, and monitor the physical and logical services on your network. View detailed network information about all devices, links, and ports in your network.
- VLAN Port Assignment—View port information, create trunk, configure VLANs on a trunk, and move ports between VLANs on your network.
- Discrepancy Reports—Discover and view physical and logical discrepancies in your network.

## Campus Manager Upgrade Paths

You can upgrade to Campus Manager 4.0.6 using LAN Management Solution 2.6 Update CD-ROM. You must install the following applications before installing the LAN Management Solution 2.6 Update:

- Common Services 3.0.3 or higher
- Campus Manager 4.0.3

You can upgrade to Campus Manager 4.0.6 by either:

- Using the Campus Manager 4.0.6 CD-ROM.

For more details, see [Installing Campus Manager 4.0.6, page 2-2](#).

Or

- Using LAN Management Solution 2.6 on Windows. You can download this from:

<http://www.cisco.com/kobayashi/sw-center/cw2000/lan-planner.shtml>

For more details see, Readme for LAN Management Solution 2.6 on Windows that can be downloaded from the same location.

# Server Requirements

The server requirements for Campus Manager 4.0.6 are the same as that of LMS 2.6.

The minimum system requirements for CiscoWorks Common Services 3.0.5 and Campus Manager 4.0.6 are shown in [Table 1-1](#).

**Table 1-1** Server System Requirements Summary

Requirement Type	Minimum Requirement <sup>1</sup>
System hardware	<ul style="list-style-type: none"> <li>• IBM PC-compatible computer with 500 MHz Intel Pentium processor</li> <li>• CD-ROM drive</li> </ul>
Memory (RAM)	512 MB
Available drive space <sup>2</sup>	<ul style="list-style-type: none"> <li>• 2 GB</li> <li>• Virtual memory equal to double the amount of memory (RAM). For example, if your system has 1 GB of RAM, you need 2 GB of virtual memory</li> <li>• NTFS file system required for secure operation</li> <li>• At least 16 MB in Windows temporary directory (<i>TEMP</i>)</li> </ul>
System software	<ul style="list-style-type: none"> <li>• ODBC Driver Manager 3.5.10 or later</li> <li>• Windows 2000 Professional or Server with Service Pack 1 or later, Windows 2003 Server Standard and Enterprise Edition</li> <li>• Windows Advanced Server without enabling terminal Services</li> </ul> <p>Campus Manager supports only the US-English and Japanese versions of the Windows Operating System. It does not support any other language version. Set the default locale to US-English for US-English version and Japanese for Japanese version.</p>
Additional software (Optional)	<p>Any one of these browsers:</p> <ul style="list-style-type: none"> <li>• Microsoft Internet Explorer 6.0 (version 6.0.2600.0000), and Internet Explorer 6.0 with Service Pack 1 (version 6.0.2800.1106)</li> </ul> <p>Java Virtual Machine (JVM) 5.0.0.3802 and above. To verify JVM:</p> <ul style="list-style-type: none"> <li>– From Internet Explorer, select Tools &gt; Sun Java Console</li> <li>– From Netscape Navigator, select Tools &gt; Web Development &gt; Java Console</li> <li>– From Mozilla, Help &gt; About Plug-ins</li> </ul> <ul style="list-style-type: none"> <li>• Java plug-in version 1.4.2_08</li> <li>• Netscape 7.2</li> <li>• Mozilla 1.7 and Mozilla 1.7.5</li> </ul>

1. If other applications are installed, or the number of devices on your network exceeds 500, the requirements might be greater.

2. Do not install CiscoWorks on a FAT file system.

## Maximum Recommended Load

The maximum recommended load on servers configured with the minimum server requirements shown in [Table 1-1](#) is 500 Cisco devices and one client at a time.

If other network management applications are installed on your server, additional resources might be required.

## Server Recommendations

To select or configure a server system that best meets your needs, consider the number of managed devices. These factors affect server performance and user report response time.

[Table 1-2](#) shows the recommendations for a server running Common Services and Campus Manager. These recommendations produce optimal response time when running user reports.

**Table 1-2** Server System Recommendations

Minimum System Configuration	No. of Managed Devices
Pentium III, 450 MHz Memory: 512 MB Virtual memory: 1 GB Available disk space: 40 GB	0–500 managed devices
Pentium III, 450 MHz Memory: 1 GB Virtual memory: 2 GB Available disk space: 80 GB	500–2,500 managed devices
Dual Pentium III, 550 MHz Memory: 2 GB Virtual memory: 4 GB Available disk space: 80 GB	2,500–5,000 managed devices

## Client Requirements

The minimum client system requirements for CiscoWorks Common Services 3.0.5 and Campus Manager 4.0.6 are shown in [Table 1-3](#). The maximum recommended load on clients configured with the minimum requirements shown in [Table 1-3](#) is 1000 Cisco devices.

**Table 1-3** Client System Requirements Summary

Requirement Type	Minimum Requirement
System Software and Hardware	<ul style="list-style-type: none"> <li>• Client system: <ul style="list-style-type: none"> <li>– IBM PC-compatible computer with 300 MHz Intel Pentium processor running on Windows 2000 with SP1 or later (Professional and Server), Windows XP with SP1 or Windows 2003</li> </ul> </li> <li>Or <ul style="list-style-type: none"> <li>– Solaris SPARC station or Sun Ultra 10 running Solaris 2.8 or 2.9.</li> </ul> </li> <li>• Color monitor with video card set to 256 colors</li> </ul>
Memory (RAM)	512 MB
Browser	<p>One of these browsers:</p> <ul style="list-style-type: none"> <li>• On Windows 2000 and Windows XP clients: <ul style="list-style-type: none"> <li>– Microsoft Internet Explorer 6.0.26 and Microsoft Internet Explorer 6.0.28</li> <li>– Netscape Navigator 7.1 and Netscape Navigator 7.2</li> <li>– Mozilla 1.7 and 1.7.5</li> </ul> </li> <li>• On Solaris clients: <ul style="list-style-type: none"> <li>– Netscape Navigator 7.0</li> <li>– Mozilla 1.7 and Mozilla 1.7.5</li> </ul> </li> </ul>

## Supported Devices

For information about supported devices, access the Supported Devices table at the following location on cisco.com:

[http://cisco.com/en/US/products/sw/cscowork/ps563/products\\_device\\_support\\_tables\\_list.html](http://cisco.com/en/US/products/sw/cscowork/ps563/products_device_support_tables_list.html)





## Installing Campus Manager

---

This chapter describes how to install, uninstall, and reinstall Campus Manager 4.0.6.

This chapter contains:

- [Installation Overview](#)
- [Installing Campus Manager 4.0.6](#)
- [Reinstalling Campus Manager](#)
- [Backing Up and Restoring Data After Installation](#)
- [Uninstalling Campus Manager](#)

# Installation Overview

Table 2-1 is an overview of the Campus Manager 4.0.6 installation tasks. It contains references to more detailed information about each task.

**Table 2-1** Installation Tasks

Task	Steps	References
1. Prepare to install Campus.	Verify that server requirements are met.	<a href="#">“Server Requirements” section on page 1-3</a>
2. Install Campus Manager.	Run the installation program.	<a href="#">“Installing Campus Manager 4.0.6” section on page 2-2</a>
3. Verify and troubleshoot installation.	<ol style="list-style-type: none"> <li>a. Verify the correct files and directories are installed.</li> <li>b. Analyze installation error messages.</li> </ol>	<a href="#">“Understanding Installation Messages” section on page A-2</a>
4. Set up Campus Manager	Prepare the system for Campus Manager applications and set up the applications.	<a href="#">Chapter 3, “Preparing to Use Campus Manager”</a>

## Installing Campus Manager 4.0.6

Campus gets installed in the same directory where you have installed CiscoWorks Common Services 3.0.5.

The Campus Manager 4.0.6 installer automatically updates program files and data from previous versions of Campus Manager.

All device updates up to Campus Manager 4.0 SP 5 have been incorporated into Campus Manager 4.0.6. This section contains the following topics:

- [Licensing in Campus Manager 4.0.6, page 2-2](#)
- [Running the Installation Program, page 2-3](#)

## Licensing in Campus Manager 4.0.6

Campus Manager 4.0.6 uses the license of Campus Manager 4.0. If you have a licensed version of Campus Manager 4.0, you can install Campus Manager 4.0.6.

Campus Manager 4.0.6 emulates the licensing behavior of Campus Manager 4.0. For example, if the Campus Manager 4.0 license is restricted, Campus Manager 4.0.6 is also restricted.

For information on the licensing mechanism in Campus Manager 4.0, see *Installation and Setup Guide for Campus Manager 4.0 on Windows*.

## Running the Installation Program

Before installing Campus Manager 4.0.6, you must install Campus Manager 4.0.3, from the LMS 2.5.1 CD, and then proceed with installing Campus Manager 4.0.6 from the LMS 2.6 Update CD-ROM.

To install Campus Manager 4.0.3:

- 
- Step 1** Insert the Campus Manager 4.0.3 CD-ROM into the CD-ROM drive.
- The Installer window opens.
- If the Installer window does not open:
- Select **Start > Run**.
- The Run dialog box opens.
- In the Open field, enter `drive:\autorun.exe` where drive is the CD-ROM drive letter.
- The Installer window opens.
- Campus Manager 4.0.3 is installed in the same location as CiscoWorks Common Services. The default is C:\Program Files\CSCOPx.
- Step 2** Click **Install**.
- The Welcome window appears.
- Step 3** Click **Next** to continue.
- The Software License Agreement window opens. To install Campus Manager 4.0.3, you must accept this agreement.
- If you are upgrading from Campus Manager 4.0, the license agreement does not appear.
- Step 4** Click **Accept** to continue.
- The Licensing Information dialog box appears.
- Step 5** Do either of the following:
- If you have a license file for CiscoWorks Common Services 3.0.3, click on the radio button to browse for the file and select it.
  - If you do not have a license, enter the serial number and the Permanent Index Number (PIN) from the product packaging.
- You can also proceed with the installation without a PIN number for an evaluation copy of Campus Manager 4.0.3.
- Step 6** Click **Next**.
- A window appears prompting you to enter your Campus database password.
- Step 7** Enter your Campus database password.
- If you do not enter a password, the existing password is retained.
- Step 8** Click **Next** to continue.
- The System Requirements Window opens.
- Step 9** Verify whether you have the minimum system requirements to install Campus Manager 4.0.3.

**Step 10** Click **Next** to continue.

The Summary dialog box opens, displaying the target directory and program folder. The target directory is the directory in which you installed CiscoWorks Common Services 3.0.3.



**Note**

Click **Show Details** in the Summary dialog box to view the Campus Manager database password. Store the password in a secure location. You may need it for debugging.

The following message appears:

Exiting installation beyond this point (after clicking the Next button) may result in system instability.

**Step 11** Click **Next** to continue installation.

After installation is complete the following message appears:

To ensure that you retain the latest device support and bug fixes, please install the latest Service Pack (SP) for Campus Manager 4.0.3. You can download the latest SP from <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-campus>. Please refer to the Installation and Setup Guide for details.

**Step 12** Click **OK**.

The following message about UTU appears:

User Tracking Utility 1.0 is not compatible with Campus Manager 4.0.3  
User Tracking Utility 1.1.1 is available for Campus Manager 4.0.3.  
You can download the latest UTU from <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-campus-crypto>.  
Please refer to the Installation and Setup Guide for details

**Step 13** Click **OK**.

The Setup Complete dialog box appears.

**Step 14** Click **Finish**.

Your Windows machine has Campus Manager 4.0.3 installed successfully. Now, from the LMS 2.6 Update CD-ROM you need to install Campus Manager 4.0.6 by following the steps as below.

To install Campus Manager 4.0.6:

**Step 15** Insert the LMS 2.6 Update CD-ROM into the CD-ROM drive.

The Installer window opens.

If the Installer window does not open:

a. Select **Start > Run**.

The Run dialog box opens.

b. In the Open field, enter `drive:\autorun.exe`

where drive is the CD-ROM drive letter.

The Installer window opens.

**Step 16** Click **Install**.

The Welcome window appears.

- Step 17** Click **Next** to continue.
- The Software License Agreement window opens. To install Campus Manager 4.0.6, you must accept this agreement.
- If you are upgrading from Campus Manager 4.0, the license agreement does not appear.
- Step 18** Click **Accept** to continue.
- The System Requirements Window opens.
- Step 19** Verify whether you have the minimum system requirements to install Campus Manager 4.0.6.
- Step 20** Click **Next** to continue.
- The Install Updates screen appears displaying the new updates that needs to be installed as well as the updates that are already installed.
- Step 21** Do either of the following:
- If you want to install only the new updates, select the Install new updates only radio button.
  - If you want to uninstall or reinstall all the updates, select the Uninstall/ Re-install all updates radio button.
- Step 22** Click either **Next** to proceed with the installation or **Cancel** to exit from the installation.
- The System Requirements screen appears:
- Step 23** Click **Next** to continue.
- The following message appears:
- ```
If no other CiscoWorks application installations are pending, you can choose to start
CiscoWorks Daemons.
Do you want to restart CiscoWorks Daemons at the end of this installation?
If you want to start CiscoWorks daemons, click Yes.
If you do not want to start CiscoWorks daemons, click No.
```
- Step 24** Click **Yes** or **No** depending on whether you want to restart CiscoWorks daemons after installation.
- The Summary dialog box opens, displaying the target directory and program folder. The target directory is the directory in which you installed CiscoWorks Common Services 3.0.5.
- The following message appears:
- ```
Exiting installation beyond this point (after clicking the Next button) may result in
system instability.
```
- Step 25** Click **Next** to continue installation.
- After installation is complete the following message appears:
- ```
If you plan to install any of the LMS 2.5.1 applications, you must reinstall CiscoWorks
LMS 2.6 Update after installing these applications.
For more information about restoring the LMS data, see the Data Migration Guide for LAN Management
Solution 2.5.1 on Cisco.com.
```
- Step 26** Click **OK**.
- The Setup Complete dialog box appears.
- Step 27** Click **Finish**.
- The installation is complete.
-

**Note**

After installing Campus Manager 4.0.6, you can verify the process status by running `NMSROOT/bin/pdshow`

If errors occurred during installation, check the installation log file in the root directory on the drive where the operating system is installed. The default is `C:\Ciscoworks_setup00x.log`. Each installation creates a new installation log that is saved as a different file.

For other troubleshooting information, see [Appendix A, “Troubleshooting the Installation.”](#)

After the installation completes, do either of the following:

- If you have to import data from the earlier version of Campus Manager, see [“Backing Up and Restoring Data After Installation”](#) section on page 2-7.
- If you do not have data to import, continue to [Chapter 3, “Preparing to Use Campus Manager.”](#)

After Campus Manager 4.0.6 is installed, Topology Services allows you to either convert the saved views into the new Campus Manager 4.0.6 format or directly use the default views generated by Campus Manager 4.0.6. See [“Upgrading Saved View Layouts From Topology Services”](#) section for more information.

## Reinstalling Campus Manager

If you had any problems during previous installation, you can reinstall Campus Manager.

For detailed steps to install Campus Manager 4.0.6, see [Installing Campus Manager 4.0.6, page 2-2](#)

The installation program can detect whether you have already installed Campus Manager 4.0.6.

Reinstalling Campus Manager does not affect your existing database. However, we recommend that you back up the database before reinstallation to prevent any possible loss of data. Your CiscoWorks Server configuration is also preserved.

## Upgrading Saved View Layouts From Topology Services

Use the following procedure to upgrade saved topology view layouts generated by the previous version of Campus Manager to the new Campus Manager 4.0.6 format. The following view layouts are upgraded:

- Layer 2 View
- Unconnected Device View
- LAN Edge View

To upgrade saved view layouts:

---

**Step 1** Start Topology Services. (**Campus Manager > Topology Services**)

**Step 2** Select **File > Upgrade View Layouts**.

**Step 3** Select the view layout you want to upgrade.

**Step 4** Click **Upgrade** to upgrade the selected view layout.

Topology Services upgrades the selected view layout to the Campus Manager 4.0.6 format.

- Step 5** Select the corresponding view layout from the side panel in Topology Services to display this layout. The upgraded view layout might not be formatted exactly the same manner as the previous version of the view layout.

## Backing Up and Restoring Data After Installation

This section describes how to manually restore data from previous versions of Campus Manager. You can back up and restore data from:

- Campus Manager 3.2.x
- Campus Manager 3.3.x
- Campus Manager 4.0
- Campus Manager 4.0 Service Pack 1
- Campus Manager 4.0 Service Pack 2
- Campus Manager 4.0 Service Pack 3
- Campus Manager 4.0 Service Pack 4
- Campus Manager 4.0 Service Pack 5

where .x refers to the IDU upgrades.

This section contains:

- [Backing Up Data Using GUI](#)
- [Backing Up Data Manually From Campus Manager](#)
- [Restoring Data Manually From Campus Manager](#)

### Backing Up Data Using GUI

You can schedule immediate, daily, weekly, or monthly automatic database backups.

To back up data:

- Step 1** Go to the CiscoWorks Homepage and select **Common Services > Server > Admin > Backup**. The Backup page appears.
- Step 2** Enter the appropriate information in the fields explained in [Table 2-2](#)

**Table 2-2** *Backing Up Data*

| Field            | Description                                                                                                                                     |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Backup Directory | Location of the backup directory. We recommend that your target location be on a different partition than the CiscoWorks installation location. |
| Runtime          | Select the desired check box. You have options to schedule immediate, daily, weekly, or monthly backups.                                        |

**Table 2-2** *Backing Up Data (continued)*

|             |                                                                                                                                                                                                                                                                                                |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Time        | From the drop-down lists, select the time and date. <ul style="list-style-type: none"> <li>• If you schedule a weekly backup, select the day of the week from the drop-down list.</li> <li>• If you schedule a monthly backup, select the day of the month from the drop-down list.</li> </ul> |
| Generations | Maximum number of backups to be stored in the backup directory.                                                                                                                                                                                                                                |

**Step 3** Click **Apply**.

---

## Backing Up Data Manually From Campus Manager

To manually back up saved data in earlier versions of Campus Manager:

---

- Step 1** Stop the daemon manager on the local machine on which the previous version of Campus Manager is installed. Enter `net stop crmdmgtd`
- Step 2** Export CiscoWorks data by entering:
- ```
NMSROOT\bin\perl NMSROOT\bin\backup.pl -d \backup dir
```
- You should enter the path where you want to export the data. The script command will back up the CiscoWorks data.
- Step 3** Start the daemon manager by entering `net start crmdmgtd`
- Step 4** Copy the backed up directory to the remote machine.
- 

## Restoring Data Manually From Campus Manager

To restore data manually:

---

- Step 1** Stop the daemon manager on the local machine on which the previous version of Campus Manager is installed. Enter `net stop crmdmgtd`
- Step 2** Restore CiscoWorks data by entering:
- ```
NMSROOT\bin\perl NMSROOT\bin\restorebackup.pl -d \backup dir
```
- You should enter the path where you want the data to be restored.
- Step 3** Start the daemon manager by entering `net start crmdmgtd`
-

# Uninstalling Campus Manager

The uninstallation program removes Campus Manager files and settings. Uninstallation allows you to remove only Campus Manager or remove CiscoWorks Common Services as well.

You must use the Campus Manager uninstallation program to remove the product. You could damage your system, if you try to remove Campus Manager 4.0.6 or its components manually.

**Caution**

---

Uninstalling Campus Manager deletes its database.

---

To remove Campus Manager or other major components:

- 
- Step 1** Select **Start > Programs > CiscoWorks > Uninstall CiscoWorks**.
- The Uninstallation dialog box appears, displaying all the installed components.
- Step 2** Deselect the components you want to keep or click **Select All**
- Step 3** Click **Next** to continue.
- Uninstallation dialog box appears displaying details of the selected components.
- Messages showing the progress of the uninstallation appear.
- The following message appears:
- Uninstallation is complete. Click OK to finish.
- Step 4** Click **OK**.
-





## Preparing to Use Campus Manager

---

This chapter describes the various administrator and application setup tasks that you must perform after installing Campus Manager 4.0.6.

This chapter contains:

- [Overview of Campus Manager Setup Tasks](#)
- [Accessing the CiscoWorks Server](#)
- [Performing Administrator Tasks](#)
- [Setting Up Campus Manager Applications](#)
- [Logging Out as Administrator](#)

# Overview of Campus Manager Setup Tasks

Table 3-1 provides an overview of Campus Manager 4.0.6 setup tasks and gives references to detailed information about each task.

**Table 3-1** Overview of Campus Manager setup tasks

| Tasks                                | References                                                                   |
|--------------------------------------|------------------------------------------------------------------------------|
| 1. Access the CiscoWorks server      | <a href="#">“Accessing the CiscoWorks Server” section on page 3-2</a>        |
| 2. Perform administrator setup tasks | <a href="#">“Logging In as Administrator” section on page 3-2</a>            |
| 3. Start and configure applications  | <a href="#">“Setting Up Campus Manager Applications” section on page 3-3</a> |
| 4. Log out of the server             | <a href="#">“Logging Out as Administrator” section on page 3-7</a>           |

## Accessing the CiscoWorks Server

To access Campus Manager, enter the URL of the CiscoWorks Server in your web browser:

`http://server_name:1741`  
`https://server_name:443` (for SSL mode)

where *server\_name* is the name of the CiscoWorks Server and 443 is the port on which it was installed. If you were prompted to supply a different port number for the CiscoWorks Server during the installation, use that port number in the URL.

If you cannot access the CiscoWorks Server or the CiscoWorks Home page is not displayed correctly, see Appendix A, [“Troubleshooting the Installation”](#).

After you access the CiscoWorks Server, continue to the [“Performing Administrator Tasks” section on page 3-2](#).

## Performing Administrator Tasks

To perform administrator tasks, you must log in as administrator and set up the server for other users.

### Logging In as Administrator

To log in as administrator:

- 
- Step 1** Enter the system administrator username and password in the Login page.
  - Step 2** Click **Login**.
- The CiscoWorks Homepage appears.
- 

After you log in as the administrator, continue to the section [Setting Up Campus Manager Applications, page 3-3](#)

To log out of the CiscoWorks Server, see the section [Logging Out as Administrator](#), page 3-7 for information.

## Setting Up Campus Manager Applications

This section describes the tasks that you must perform to set up the Campus Manager 4.0.6 applications. Some of these tasks require the administrator login.

This section contains:

- [Setting Up Your Network](#)
- [Configuring Device Discovery](#)
- [Setting Up Topology Services](#)
- [Setting Up Path Analysis](#)

### Setting Up Your Network

To ensure that the Campus Manager Server successfully discovers the devices in your network, you must set up your network correctly. [Table 3-2](#) lists the required tasks for each application, marked by x.

See the *User Guide for Campus Manager 4.0.6* for more information.

**Table 3-2** Network Setup Tasks

| Network Setup Requirement                                            | Topology Services | User Tracking | Path Analysis | VLAN Port Assignment | Discrepancy Reports |
|----------------------------------------------------------------------|-------------------|---------------|---------------|----------------------|---------------------|
| Connect to seed device                                               | x                 | x             | x             | x                    | x                   |
| Enable Simple Network Management Protocol (SNMP)                     | x                 | x             | x             | x                    | x                   |
| Enable Cisco Discovery Protocol (CDP)                                | x                 | x             | x             | x                    | x                   |
| Enable Call Detail Record (CDR)                                      | —                 | —             | x             | —                    | —                   |
| Set a unique sysName variable on devices                             | x                 | x             | x             | x                    | —                   |
| Enable Integrated Local Management Interface (ILMI) on ATM devices   | x                 | x             | x             | x                    | x                   |
| Configure DNS                                                        | x                 | x             | x             | x                    | x                   |
| Configure VLAN Trunk Protocol (VTP)                                  | x                 | x             | x             | x                    | x                   |
| Configure VLAN trunks on Fast Ethernet and Gigabit Ethernet          | x                 | x             | x             | x                    | x                   |
| Create the default configuration server for ATM LAN Emulation (LANE) | x                 | x             | x             | x                    | x                   |
| Enable source routing                                                | —                 | —             | x             | —                    | —                   |

After you set up your network, continue to the [“Configuring Device Discovery”](#) section on page 3-4.

## Configuring Device Discovery

You can modify SNMPv2 and SNMPv3 credentials using the **Discovery > SNMP Settings** option from the Admin tab in the Campus Manager Administration window.

To configure Device Discovery Settings:

- 
- Step 1** Go to the **Campus Manager > Administration > Device Discovery > Discovery Settings**.  
The Device Discovery Settings dialog box appears.
- Step 2** Specify the seed device and IP address range.
- Step 3** Click **Apply** to save the changes.
- Step 4** Click **OK** to start Device Discovery.
- 

If you do not specify the IP address range, Device Discovery tries to discover as many devices as it can based on the community strings and connectivity.

For more information, see [Specifying Seed Device Online help](#).

After you set up your network, you must configure data collection. See the [“Configuring Data Collection” section on page 3-4](#).

## Verifying Device Discovery

To verify the status of Device Discovery, go to **Campus Manager > Administration**. In the Campus Manager Administration dashboard that appears, you can view the status of Device Discovery.

## Configuring Data Collection

You should have run Device Discovery at least once before starting Data Collection, or the devices should be available in Device and Credential Repository (DCR).

To configure Data Collection, go to **Campus Manager > Administration > Campus Data Collection > Data Collection Filters**. The Data Collection Filter Settings dialog box appears.

To Specify VTP Domain

- 
- Step 1** Go to the Data Collection Filter Settings dialog box and select VTP Domain and click **Configure**.  
The VTP Domain Filter dialog box appears.
- Step 2** Go to the drop-down list and select either of these options:
- Manage devices in specified VTP domains.
  - Do not manage devices in specified VTP domains.
- Step 3** Enter the VTP domains that are to be used to limit data collection and click **Apply**.  
You will be prompted to click **OK** to start Data Collection or to click **Cancel** to apply only the settings.
-

To Specify IP Address Range

- 
- Step 1** Go to the Data Collection Filter Settings dialog box and select IP Address Range and click **Configure**. The IP Range Filter dialog box appears.
- Step 2** Go to the drop-down list and select either of these options:
- **Manage devices in specified IP Address Range**
  - **Do not manage devices in specified IP Address Range**
- Step 3** Specify the IP Address Range and click **Apply**.  
A confirmation dialog box appears.
- Step 4** Click **OK** to start Data Collection.
- 



**Note** You can apply either the VTP domain or the IP Address Range, but not both.

---

If you do not specify the IP address range or VTP domain, Campus Manager takes all devices from the Device and Credential Repository. The number of devices for which data can be collected depends upon your licence limit.

## Verifying Data Collection

To verify the status of Data Collection, go to **Campus Manager > Administration**. In the Campus Manager Administration dashboard that appears, you can view the status of Data Collection.

## Setting Up Topology Services

To set up Topology Services:

- 
- Step 1** Verify that the Campus Manager Server is running.
- Step 2** Make sure the Campus Manager Server has managed the devices.  
To verify this, go to the Data Collection Metrics page. (**Campus Manager > Administration > Campus Data Collection > Data Collection Metrics**)
- Step 3** Select **Campus Manager > Topology Services** from CiscoWorks Homepage.  
For more information, see the Topology Services Online help.
-

## Verifying Topology Services

To verify that Topology Services is working correctly:

- Verify that all devices and interfaces are discovered.  
Correctly discovered devices and interfaces appear in green in the Topology Services window.
- Verify that devices displayed in red are SNMP reachable and have correct community strings.
- Verify that all VLANs and ELANs are discovered and that their port assignments are correct.

The devices are displayed in Topology services only after data collection.

For more information, see the Topology Services Online help.

## Setting Up Path Analysis

To set up Path Analysis:

- 
- Step 1** Install and configure a DNS server on your network.  
A DNS server is required for Campus Manager. For devices with multiple IP addresses, there should be a single DNS entry that includes all IP addresses.
- Step 2** Specify correct read community strings on all devices.
- Step 3** Specify correct write community strings for multi-layer switching shortcut path determination on Catalyst 5000 devices.
- Step 4** Edit the VLAN/ELAN Mapping Table.  
This table provides mapping of VLANs and ELANs to subnets.  
These mappings are auto-discovered based on information gathered by Topology Services and User Tracking.  
In some cases, the information might be incomplete. In these cases, you can edit a VLAN/ELAN mapping table to supplement the Topology Services and User Tracking information. If subnet mappings are not correct, Layer 2 traces on those subnets might fail.
- Step 5** Enable Cisco Discovery Protocol (CDP) on all Cisco devices.  
If CDP is not enabled, these devices will not appear on Layer 2 path traces.
- Step 6** Enable source routing on your network.  
This is required if you plan to run path traces outside of the domain known to Topology Services.  
For more information, see the Path Analysis Online help.
-

## Verifying Path Analysis

To verify that Path Analysis is working correctly, do the following:

- Start Topology Services and make sure that all devices, interfaces, and links are managed correctly. Correctly managed devices appear in green in the Topology Services window.
- Verify that all VLANs and ELANs are managed with correct port assignments.
- Start User Tracking and run User Tracking major acquisition with the Ping Sweep option enabled to verify that all end-user stations are managed.
- Run **nslookup** on several known devices in the command shell.
- Verify that DNS lookup works and takes one second or less.
- Verify the Subnet Mapping table entries.  
Each VLAN and ELAN entry should have any corresponding subnets listed. Any subnets that do not correspond to a VLAN or ELAN should be in a Subnet row.
- Run a few traces between endpoints known to User Tracking or Topology Services and verify that the trace completed successfully.

For troubleshooting information, see the Path Analysis Online help.

---

## Logging Out as Administrator

To end your administrator tasks, you must log out of Campus Manager 4.0.6.

To logout as administrator:

- 
- Step 1** Close all secondary browser windows.  
You should have only one browser window opened displaying the Campus Manager interface.
- Step 2** Click **Logout**.  
The Login page replaces the navigation tree.
-





## Troubleshooting the Installation

---

This appendix provides troubleshooting information for Campus Manager 4.0.6 installation and setup.

This appendix contains:

- [Logging In After Upgrading](#)
- [Understanding Installation Messages](#)
- [Accessing the CiscoWorks Server](#)
- [FAQs On Service Packs](#)

## Logging In After Upgrading

If the Login window on the CiscoWorks Home page does not appear correctly when you try to log in for the first time after upgrading, clear your browser cache and re-enter the server URL in your browser.

To clear the browser cache in Microsoft Internet Explorer:

- 
- Step 1** Select **Tools > Internet Options**.
- The Internet Options dialog box appears.
- Step 2** Click the General tab.
- Step 3** Click **Delete Files** and click **OK** in the Delete Files dialog box.
- 

To clear the browser cache in Netscape Navigator:

- 
- Step 1** Select **Edit > Preferences**.
- The Preferences dialog box opens.
- Step 2** Select **Advanced > Cache**.
- Step 3** Click **Clear Cache** and click **OK**.
- 

## Understanding Installation Messages

After verifying that the correct files are installed, check the C:\Ciscoworks\_setup002.log file (or the log file with the highest number, for example Ciscoworks\_setup003.log) for installation errors.

The following types of installation messages might appear:

- Information messages—Display important details
- Warning messages—Inform you that something might be wrong with a particular process, but the process will complete
- Error messages—Inform you that a particular process could not complete

[Table A-1](#) shows error messages that might occur during installation and describes the reasons for the errors.

**Table A-1** Installation Error Messages

| Message                                                                                     | Reason for Message                                                                                 | User Action                                                                                  |
|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| CiscoWorks installation cannot proceed because you are not logged in as an administrator.   | You are not logged in to Windows with administrator privileges.                                    | Log in with local administrator privileges and try installing again.                         |
| Decompression failed on <i>file</i> . The error was for <i>error code per CompressGet</i> . | If Campus Manager was downloaded, a transmission error occurred, or installation media is damaged. | Retry the download. If you still have errors, contact your technical support representative. |

Table A-1 Installation Error Messages (continued)

| Message                                                                                                                                                                                                                                                                                                       | Reason for Message                                                                                                                                    | User Action                                                                                                                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General file transmission error. Please check your target location and try again. Error number: <i>error code</i> .                                                                                                                                                                                           | If Campus Manager was downloaded, a transmission error might have occurred.                                                                           | Retry the download. If you still have errors, contact your technical support representative.                                                                                                                                                                                           |
| Unable to write <i>infoFile</i> or Unable to create <i>infoFile</i> .                                                                                                                                                                                                                                         | A file write operation failed.                                                                                                                        | <ol style="list-style-type: none"> <li>1. Run the file system checking utility.</li> <li>2. Repeat the installation.</li> </ol>                                                                                                                                                        |
| Cannot stop service <i>servicename</i> .                                                                                                                                                                                                                                                                      | The installation (or reinstallation) tried to stop service <i>servicename</i> unsuccessfully.                                                         | <ol style="list-style-type: none"> <li>1. Select <b>Control Panel &gt; Services</b> and try to stop service <i>servicename</i> manually,</li> <li>2. Continue installing or uninstalling.</li> </ol>                                                                                   |
| UseDLL failed for <i>dll</i> .                                                                                                                                                                                                                                                                                | <i>dll</i> is supposed to be available at any time for any process, but Windows could not load it.                                                    | <ul style="list-style-type: none"> <li>• Check permissions on Windows System32. If the <i>dll</i> is <i>secure.dll</i> or <i>r_inst.dll</i>, check product installation medium for errors.</li> </ul> <p>Or</p> <ul style="list-style-type: none"> <li>• Reinstall Windows.</li> </ul> |
| OpenFile failed: <i>pathname</i>                                                                                                                                                                                                                                                                              | A File Open operation failed.                                                                                                                         | Run the files system checking utility, then repeat installation.                                                                                                                                                                                                                       |
| ProtectFile failed: <i>file</i> : error. WWW admin security may be incomplete.                                                                                                                                                                                                                                | Setting file permissions failed because you may not be allowed to change them.                                                                        | Log in as administrator.                                                                                                                                                                                                                                                               |
| Launch of isql script failed.                                                                                                                                                                                                                                                                                 | The existing database file is broken, or the previous version of Campus Manager is destroyed.<br><br>This message might appear during reinstallation. | Contact your support representative.                                                                                                                                                                                                                                                   |
| You have less than 1M free space on <i>drive name</i> . Free up some space and try again.                                                                                                                                                                                                                     | Insufficient drive space for temporary installation files.                                                                                            | <ol style="list-style-type: none"> <li>1. Make more drive space available.</li> <li>2. Rerun the installation program.</li> </ol>                                                                                                                                                      |
| This program requires to run on Windows.                                                                                                                                                                                                                                                                      | You attempted to install on a system that does not have Windows with Service Pack 3 installed.                                                        | Install Campus on a Windows Professional system that is not configured as a PDC or BDC.                                                                                                                                                                                                |
| Could not determine the type of operating system. Campus Manager can be installed only on Windows with SP3.                                                                                                                                                                                                   | Installation program could not determine which operating system is running.                                                                           | Install on a Windows Professional system that is not configured as a PDC or BDC.                                                                                                                                                                                                       |
| Physical memory is <...>M Paging File Size is: File Size is: <...>M(initial), <...>M(maximum).<br><br>We recommend that initial paging file size is bigger than physical memory and maximum paging file size is at least twice as big as physical memory.<br><br>(Maximum paging file size might not appear.) | The paging file size is smaller than recommended.                                                                                                     | Finish installation, then increase paging file size.                                                                                                                                                                                                                                   |

Table A-1 Installation Error Messages (continued)

| Message                                                                                                                                                                                                                                                                                                                                                                              | Reason for Message                                                                                                                                                                                                                                                                                   | User Action                                                                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| There is not enough space available on the disk <i>drive</i> : This drive has <...> bytes in a cluster. Total required <...> clusters (<...> bytes), only <...> clusters (<...> bytes) available. Please free up some space or change the target location to a different disk.<br><br>(The second sentence might also appear as “Please free up some space and rerun installation.”) | Insufficient disk space available on <i>drive</i> to install the product.                                                                                                                                                                                                                            | <ul style="list-style-type: none"> <li>• Create additional free space on the drive.</li> </ul> Or <ul style="list-style-type: none"> <li>• Install on a different drive.</li> </ul>                                                                   |
| Cannot determine the local Administrators group.                                                                                                                                                                                                                                                                                                                                     | Installation program cannot find one of the built-in Windows user groups. This prevents setup of Campus Manager security.                                                                                                                                                                            | <ol style="list-style-type: none"> <li>1. Check the Windows operating system. Reinstall Windows if necessary.</li> <li>2. Rerun installation.</li> </ol>                                                                                              |
| Cannot determine the local Everyone group.                                                                                                                                                                                                                                                                                                                                           | The installation program cannot find one of the built-in Windows user groups.                                                                                                                                                                                                                        | <ol style="list-style-type: none"> <li>1. Check the Windows operating system. Reinstall Windows if necessary.</li> <li>2. Rerun installation.</li> </ol>                                                                                              |
| Failed to set file permissions.                                                                                                                                                                                                                                                                                                                                                      | The installation program cannot set file permissions. The most likely causes are: <ul style="list-style-type: none"> <li>• The account you used to log in to the system has insufficient permissions.</li> <li>• The drive on which you are installing the product has a FAT file system.</li> </ul> | <ol style="list-style-type: none"> <li>1. Fix problem.</li> <li>2. Rerun installation.</li> </ol>                                                                                                                                                     |
| <...> is already running! Wait for it to finish and press the OK button.                                                                                                                                                                                                                                                                                                             | One of the installation subtasks is still running.                                                                                                                                                                                                                                                   | <ol style="list-style-type: none"> <li>1. Wait for subtask to finish running.</li> <li>2. Click <b>OK</b> to proceed.</li> </ol>                                                                                                                      |
| Unable to create/open log file.                                                                                                                                                                                                                                                                                                                                                      | The installation program could not create or open installation log file (in the root directory of the drive on which you are installing) named <code>Ciscoworks_setupxxx.log</code> , where <code>xxx</code> is a sequential number starting from 001).                                              | This may have occurred because of lack of disk space or write protection on the file. <ol style="list-style-type: none"> <li>1. Determine why file could not be created or opened and correct the problem.</li> <li>2. Rerun installation.</li> </ol> |
| Error creating user bin <... more info here> See troubleshooting section in the User Manual                                                                                                                                                                                                                                                                                          | The installation program could not create the user account bin.                                                                                                                                                                                                                                      | <ol style="list-style-type: none"> <li>1. Fix problem.</li> <li>2. Rerun installation.</li> </ol>                                                                                                                                                     |
| Cannot find script to upgrade database                                                                                                                                                                                                                                                                                                                                               | There was a problem with the database upgrade.                                                                                                                                                                                                                                                       | Contact your technical support representative.                                                                                                                                                                                                        |

Table A-1 Installation Error Messages (continued)

| Message                         | Reason for Message                             | User Action                                    |
|---------------------------------|------------------------------------------------|------------------------------------------------|
| Database upgrade failed         | There was a problem with the database upgrade. | Contact your technical support representative. |
| Database upgrade result unknown | There was a problem with the database upgrade. | Contact your technical support representative. |

## Accessing the CiscoWorks Server

The CiscoWorks server uses port 1741 by default (443 if SSL is enabled). If you receive an error message that an alternative port is used instead, verify that you entered the correct URL for the server:

```
http://server_name:port
```

where *server\_name* is the name of the machine on which CiscoWorks was installed and *port* is the port number 1741 or the number supplied during installation.

If you still cannot access the server, enter the following command at a DOS prompt to make sure your server is running:

```
ping server_name
```

If you get a message that the server is alive and get a proxy error when you try to connect to the server, make sure the proxy is set up correctly. If your server is configured to use a proxy server outside the firewall, you will get proxy errors if you configured the proxy to ignore requests to a certain machine, set of machines, or domain.

You specify a proxy server in Netscape Navigator under **Edit > Preferences > Advanced > Proxies** and in Internet Explorer under **Tools > Internet Options > Connections > LAN Settings**.

Your proxy is set up incorrectly if:

- You receive an error message informing you that you are using a proxy outside the firewall.
- The proxy server recognizes www-int as an internal server, so it does not send proxy requests to that server.
- You set up a new internal server, www-nms, but when you make a request to the proxy server, it does not recognize www-nms as an internal server and proxies the request.
- The proxy server outside the firewall tries to request data from a server inside the firewall, and the request is blocked.
- You get a `Connection Refused` error from the proxy server.

## FAQs On Service Packs

The following are the Frequently Asked Questions (FAQs) on Service Packs.

- Q.** What is an SP? Why should I install the latest SP?
- A.** SP (Service Pack) for Campus Manager is a downloadable package containing a collection of updated files to provide you with support for new devices. In addition, the SP contains fixes to certain known problems, as well as fixes to newly discovered problems. SPs are available for downloading from Cisco.com.
- Q.** From where can I download a Service Pack?
- A.** To retain support for new devices, we recommend that you download and install the latest SP for Campus Manager from:  
<http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-campus>
- Q.** How do I know which version of SP I have installed?
- Q.** To check the version of SP installed on your system, from the CiscoWorks Homepage, go to **Software Center > Software Update > Campus Manager**.



## User Tracking Utility

---

CiscoWorks User Tracking Utility 1.1.1 (UTU) is a Windows desktop utility that provides quick access to useful information about users or hosts discovered by the Campus Manager User Tracking application.

This chapter contains:

- [Understanding UTU](#)
- [Hardware and Software Requirements for UTU](#)
- [Downloading UTU](#)
- [Installing UTU](#)
- [Accessing UTU](#)
- [Configuring UTU](#)
- [Uninstalling UTU](#)
- [Upgrading to UTU 1.1.1](#)
- [Reinstalling UTU](#)

## Understanding UTU

User Tracking Utility allows users with Help Desk access to search for users or hosts discovered by Campus Manager User Tracking application. UTU comprises a server-side component and a client utility.

To use UTU, Campus Manager must be installed and accessible through the network.

## Definitions

[Table B-1](#) explains certain terms and definitions used in User Tracking Utility.

**Table B-1**      **Definitions**

| Term      | Definition                                              |
|-----------|---------------------------------------------------------|
| Host      | Any UNIX or Windows system discovered by User Tracking. |
| Host Name | Name of the discovered host.                            |

**Table B-1** Definitions (continued)

| Term                  | Definition                                                                                                                                                                    |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Campus Manager Server | Host name or IP address of CiscoWorks server on which you have installed Campus Manager.                                                                                      |
| Port                  | <ul style="list-style-type: none"> <li>Port number to which the host is connected</li> <li>Port number on which Campus Manager is running on the CiscoWorks server</li> </ul> |
| Subnet                | Subnet to which the host belongs.                                                                                                                                             |
| User Name             | Name of the user who has logged into the host.                                                                                                                                |

## Hardware and Software Requirements for UTU

Table B-2 lists the minimum system requirements for UTU 1.1.1.

**Table B-2** System Requirements

| Requirement Type             | Minimum Requirements                                                                                           |
|------------------------------|----------------------------------------------------------------------------------------------------------------|
| System hardware              | IBM PC-compatible computer with Intel Pentium processor.                                                       |
| System software              | Windows 2000 (Professional or Server) with Service Pack 3 or higher, Windows XP with Service Pack 2 or higher. |
| Memory (RAM)                 | 128 MB                                                                                                         |
| Additional required software | Campus Manager 4.0.6                                                                                           |
| Network Connectivity         | Campus Manager 4.0.6 must be running and accessible through the network                                        |

## Downloading UTU

UTU requires CiscoWorksUserTrackingUtility1.1.1.exe file to be downloaded and installed. To download:

---

**Step 1** Locate the file CiscoWorksUserTrackingUtility1.1.1-k9.zip at:

<http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-campus-crypto>

This zip file contains CiscoWorksUserTrackingUtility1.1.1.exe and setup.iss file (required for silent installation).

**Step 2** Extract the file using any file extractor such as WinZip.

---

# Installing UTU

To install UTU in normal installation mode:

- 
- Step 1** Log into the system with local system administrator privileges.
- Step 2** Navigate to the directory that contains CiscoWorksUserTrackingUtility1.1.1.exe.
- Step 3** Double-click CiscoWorksUserTrackingUtility1.1.1.exe to begin installation.  
The User Tracking Utility Welcome screen appears.
- Step 4** Click **Next**.  
The Choose Destination Location dialog box appears. By default, UTU is installed in the directory C:\Program Files\CSCOut.
- Step 5** Click **Next** to install UTU in the default directory.  
To modify the default directory:
- Click **Browse** to choose a different directory and click **OK**.
  - Click **Next** to continue with the installation.
- The Configure CiscoWorks LMS Server Details dialog box appears.
- Step 6** Enter the name or IP address of the server on which Campus Manager is installed.
- Step 7** Enter the port number of the Campus Manager server. The default port number is 1741.
- Step 8** Click **Next**.  
The following message appears:
- ```
Is CiscoWorks LMS Server SSL Enabled?
```
- Step 9** Click **Yes** if the Campus Manager server is SSL enabled, otherwise, click **No**.  
The Configure LMS Server Authentication dialog box appears. You can also configure these server details after installation.
- Step 10** Enter a valid CiscoWorks Campus Manager server user name and password.  
This is used to verify the validity of the user when searching for users or hosts.
- Step 11** Confirm the password and click **Next**.  
The Setup Complete dialog box appears.
- Step 12** Click **Finish** to complete the installation.  
User Tracking Utility is installed at the destination location you specified in [Step 5](#) above. However, it does not create a program group under **Start > Programs**.
- 

You cannot re-install UTU on a system that already has this application installed on it. You must check for existing installations of UTU before beginning a fresh installation.

To install UTU in silent mode, enter the following at the command prompt:

```
exe-location\CiscoWorksUserTrackingUtility1.1.1.exe -a -s -ffile-location\setup.iss
```

where

- exe-location* is the directory where you have CiscoWorksUserTrackingUtility1.1.1.exe
- file-location* is the directory where you have the setup.iss file.

Do not use space after the **-f1** option. Use the complete path for *file-location*.

For example:

If the install directory for UTU is `c:\utu`, enter the following at the command prompt:

```
c:\utu\CiscoWorksUserTrackingUtility1.1.1.exe -a -s -f1c:\utu\setup.iss
```

To configure the server information, modify the `setup.iss` file before running the silent install. Edit the following fields:

```
[SdShowDlgEdit2-0]
szEdit1= <hostname>
szEdit2= <server-port>
Result=1
[AskYesNo-0]
Result=1          <1- SSL Enabled, 0 - SSL Disabled>
[SdShowDlgEdit3-0]
szEdit1=<username>
szEdit2=<password>
szEdit3=<password>
```

You cannot re-install UTU on a system that already has this application installed on it. You must check for existing installations of UTU before beginning a fresh installation.


To confirm UTU installation on your system, right-click the taskbar and select the **Toolbar** option in your machine. You can find the User Search Band option in the popup menu.

## Accessing UTU

To display the UTU desktop band on the taskbar:

- 
- Step 1** Right-click the taskbar of the machine on which you installed UTU.
  - Step 2** Select **Toolbars > User Search Band**, as shown in [Figure B-1](#).

**Figure B-1**      **Selecting the Toolbar**



The UTU desktop band appears on the taskbar with the title User Information.

---


## Configuring UTU

You must configure UTU only if you want to change the Campus Manager server configurations that you entered while installing UTU.

To configure UTU:

- Step 1** Right-click the User Information search area on the taskbar of the machine on which you installed UTU. A popup menu appears.
- Step 2** Select **Configure**.  
The Campus Manager Server Configuration dialog box appears.
- Step 3** Modify the settings as required.
- Step 4** Click **Enable SSL** for communicating with an SSL enabled server.  
The port is changed to 443, which is the default port for SSL. See [Figure B-2](#).

**Figure B-2** Enabling SSL



- Step 5** Click **OK** to configure or **Cancel** to quit.

## Uninstalling UTU

Before you uninstall UTU 1.1.1, you must hide the UTU desktop band. To do that, right-click the taskbar of the machine on which you installed UTU, and deselect **User Search Band** in the Toolbars popup menu.

To uninstall UTU:

- Step 1** Go to the Windows taskbar and select **Start > Settings > Control Panel > Add/Remove Programs**.  
The Add/Remove Programs dialog box appears.
- Step 2** Select **CiscoWorks User Tracking Utility**.
- Step 3** Click **Change/Remove**.  
The system prompts you to confirm uninstallation.

- Step 4** Click **Yes**.
- The Remove Programs From Your Computer dialog box appears.
- Step 5** Click **Yes** to remove the shared DLL, UTBand.dll, and click **OK**.
- Or
- Click **No**.
- The uninstallation proceeds, but it does not completely uninstall UTU.
- Step 6** Go to the directory where you have installed UTU to complete the uninstallation process. The default directory is C:\Program Files\CSCOutu.
- a. Enter `regsvr32 /u UTBand.dll`
- The following message appears:
- ```
DLLUnregisterServer in UTBand.dll failed
```
- b. Click **OK**.
  - c. Enter `del UTBand.dll`
- This removes the UTU installation completely from the machine.
- Step 7** Restart your system.
- 

## Upgrading to UTU 1.1.1

You can upgrade User Tracking Utility from UTU 1.1 to UTU 1.1.1.

When you install UTU 1.1.1 above UTU 1.1, UTU prompts you to uninstall the previous version. A message appears:

```
WARNING: The setup program has detected a previous version of CiscoWorks  
User Tracking Utility. To install CiscoWorks User Tracking Utility 1.1.1, previous  
version of the product must be uninstalled. Do you want to uninstall CiscoWorks  
User Tracking Utility 1.1.1 now?
```

Yes/No

Click **Yes** to upgrade, or **No** to quit.

## Reinstalling UTU

You must not install UTU 1.1.1 on a system that already has this application installed on it. You must check for existing installations of UTU 1.1.1 before attempting to reinstall it.

To check for an existing installation of UTU 1.1.1:

---

**Step 1** Right-click on the Taskbar of the machine.

**Step 2** Select **Toolbars**.

If you see the User Search Band option, it means you have UTU 1.1.1 already installed on the system. You must first uninstall the current installation of UTU 1.1.1, and only then reinstall it.

---



# Changes and Enhancements in Campus Manager 4.0.6

---

Campus Manager 4.0.6 provides management support for Layer 2 technologies. It is built on CiscoWorks Common Services 3.0.5 and is an integral component of CiscoWorks LAN Management Solution 2.6 (LMS 2.6).

In this release, the Campus Manager Admin Dashboard, Setup Center, and the Device Selector, have been improved with advanced search features. These improvements have been explained in the following sections:

- [Enhanced Homepage](#)
- [Setup Center](#)
- [Enhanced Device Selector](#)

## Enhanced Homepage

The Campus Manager Homepage provides information on status of Device Discovery, Data Collection, and User Tracking Acquisition. It also provides information on the physical and logical discrepancies and also the details of the jobs that have been completed recently. You can easily access frequently used features in the application from the homepage.

For more details, see *User Guide for Campus Manager 4.0.6*.

## Setup Center

Setup Center enables the grouping of different categories of configurations. This helps the user configure and check all necessary server settings from a single place.

For more details, see *User Guide for Common Services 3.0.5*.

## Enhanced Device Selector

The new Device Selector supports search and advanced search capabilities. For more details, see *User Guide for Common Services 3.0.5*.





---

## A

- administrator
  - tasks, in preparing to use Campus Manager [3-2](#)
    - logging in [3-2](#)
    - logging out [3-7](#)
- applications
  - about [1-2](#)
  - setting up [3-3](#)
    - Data Collection [3-4](#)
    - Device Discovery [3-4](#)
    - network [3-3](#)
    - Path Analysis [3-6](#)
    - Topology Services [3-5](#)
- audience for this document [vii](#)

---

## B

- backing up data [2-8](#)
- browser requirements for client systems [1-5](#)

---

## C

- cautions
  - on uninstallations, and the Campus Manager server database [2-9](#)
  - significance of [viii](#)
- CiscoWorks Server
  - accessing [3-2](#)
  - troubleshooting access to [A-5](#)
- client requirements [1-4](#)
  - browser [1-5](#)
  - hardware [1-5](#)

- memory (RAM) [1-5](#)
- configuring
  - User Tracking Utility [B-5](#)
- configuring (see preparing to use Campus Manager [3-1](#))

---

## D

- data, restoring after installation [2-7](#)
  - backed up data, using [2-8](#)
  - saved Topology Services view layouts, upgrading [2-6](#)
- Data Collection, configuring [3-4](#)
- device discovery, configuring [3-4](#)
- devices supported by Campus Manager [1-5](#)
- Discrepancy Reports
  - about [1-2](#)
  - verifying setup [3-7](#)
- documentation [viii](#)
  - additional online [x](#)
  - audience for this [vii](#)
  - related to this product [ix](#)
  - typographical conventions in [vii](#)
- drive space requirements on server [1-3](#)

---

## E

- enhancements, in this release [C-1](#)

---

## G

- getting started (see preparing to use Campus Manager) [3-1](#)

**H**

## hardware requirements

client [1-5](#)server [1-3](#)

## help

online documentation [x](#)homepage [C-1](#)**I**importing data (see restoring data) [2-7](#)installing Campus Manager [2-1](#)data, restoring after upgrades [2-7](#)backed up data, using [2-8](#)conversion, about [2-7](#)saved Topology Services view layouts,  
upgrading [2-6](#)licensing issues [2-2](#)

## new installations

licensing [2-2](#)process [2-3](#)reinstallations [2-6](#)task overview [2-2](#)troubleshooting [A-1](#)CiscoWorks Server access [A-5](#)installation error messages [A-2](#)SP, FAQs on [A-6](#)uninstallations [2-9](#)

## upgrades

about [2-6](#)Internet Explorer version to use [1-3](#)**J**Java Virtual Machine, version to use [1-3](#)**L**

## licensing

issues during installation [2-2](#)LMS 2.6 Update, installing [2-4](#)

## logging in

after upgrading [A-2](#)as administrator [3-2](#)logging out as administrator [3-7](#)**M**maximum recommended load on servers [1-4](#)

## memory (RAM) requirements

client [1-5](#)server [1-3](#)Mozilla version to use [1-3](#)**N**

## Netscape Navigator

version to use [1-3](#)network, setting up [3-3](#)**O**

## overviews of

Campus Manager [1-2](#)configuration tasks [3-2](#)installation tasks [2-2](#)**P**

## Path Analysis

about [1-2](#)setting up [3-6](#)verifying setup [3-7](#)preparing to use Campus Manager [3-1](#)

- administrator tasks [3-2](#)
- CiscoWorks Server, accessing [3-2](#)
- logging in as administrator [3-2](#)
- logging out [3-7](#)
- setting up Campus Manager applications [3-3](#)
  - Data Collection [3-4](#)
  - Device Discovery [3-4](#)
  - network [3-3](#)
  - Path Analysis [3-6](#)
  - Topology Services [3-5](#)
- task overview [3-2](#)
- prerequisites for installing Campus Manager [1-1](#)
  - client requirements [1-4](#)
    - browser [1-5](#)
    - hardware [1-5](#)
    - memory (RAM) [1-5](#)
  - server requirements [1-3](#)
    - drive space [1-3](#)
    - hardware [1-3](#)
    - maximum recommended load [1-4](#)
    - memory (RAM) [1-3](#)
    - recommendations [1-4](#)
    - software, additional [1-3](#)
    - software, basic [1-3](#)
  - upgrade paths [1-2](#)

---

## R

- reinstalling Campus Manager [2-6](#)
- restoring data after upgrades [2-7](#)
  - backed up data, using [2-8](#)
  - saved Topology Services view layouts, upgrading [2-6](#)

---

## S

- saved view layouts, upgrading from Topology Services [2-6](#)
- server requirements [1-3](#)
  - drive space [1-3](#)

- hardware [1-3](#)
- maximum recommended load [1-4](#)
- memory (RAM) [1-3](#)
- recommendations [1-4](#)
- software
  - additional [1-3](#)
  - basic [1-3](#)
- Service Packs (SP) (see under troubleshooting) [A-6](#)
- software requirements
  - client [1-5](#)
  - server
    - additional [1-3](#)
    - basic [1-3](#)
- supported devices [1-5](#)

---

## T

- Topology Services
  - about [1-2](#)
  - setting up [3-5](#)
    - verifying Topology Services [3-6](#)
  - upgrading saved view layouts from [2-6](#)
- troubleshooting
  - installation [A-1](#)
    - CiscoWorks Server, troubleshooting access [A-5](#)
    - installation error messages [A-2](#)
    - logging in after upgrading [A-2](#)
    - SP, FAQs on [A-6](#)
- typographical conventions in this document [vii](#)

---

## U

- uninstalling Campus Manager [2-9](#)
  - Campus Manager server database, caution regarding [2-9](#)
  - process [2-9](#)
- upgrading Campus Manager [2-6](#)
  - logging in after [A-2](#)
  - saved Topology Services view layouts, upgrading [2-6](#)

- troubleshooting [A-1](#)
  - CiscoWorks Server access [A-5](#)
  - installation error messages [A-2](#)
  - logging in after upgrading [A-2](#)
  - SP, FAQs on [A-6](#)
- upgrade paths [1-2](#)
- User Tracking
  - about [1-2](#)
- User Tracking Utility
  - accessing [B-4](#)
  - configuring [B-5](#)
  - downloading [B-2](#)
  - installing [B-3](#)
    - hardware requirements [B-2](#)
    - reinstalling [B-6](#)
    - software requirements [B-2](#)
    - uninstalling [B-5](#)
  - key terms in [B-1](#)
  - using [B-5](#)

---

## V

- view layouts in Topology Services, and upgrades [2-6](#)
- VLAN Port Assignment
  - about [1-2](#)